☑ CTL Provisional DECISION SHEET (PDSH)
☐ CTL DECISION SHEET (DSH)

Standard(s) (incl. year)	**Subclause(s)**	**Tracking No.**
IEC 61215-2: 2021 and IEC 61730-2:2023	Clause 8.	PDSH 2280
Category		
PV		
Subject	**Keywords**	**Developed by**
Intermediate tests MST 01 (VI), MST 17 (WL) after MST 52 (HF) and MST 53 (DH) stress tests.	VI, WL	ETF 9

Question

According to Clause 8, IEC 61730-2: 2023, the intermediate control measurements (MST 01, MST 16, MST 17) after each stress test in Figure 1 are informative and may be skipped. Final measurements are required.

Can the insulation tests after MST52 and MST 53 be considered as intermediate tests and can be skipped?

Note: MST 52 (MQT 12 in IEC 61215-2:2021) and MST 53 (MQT 13 in IEC 61215-2:2021) require MST 17 (MQT 15 in IEC 61215-2:2021) after a recovery time between 2 h and 4 h.

Decision

The intermediate MST 01 (VI) and MST 17 (WL) tests shall be conducted after the IEC 61730-2: 2023 MST 52 (HF) and MST 53 (DH) stress tests and cannot be skipped.

Explanatory notes

Enquiry:
Date: 2025-02-17

PDSH:
Year of publication: 2025
To be approved at CTL plenary: 2025-03

DSH
Publication date:

In accordance with IEC 61730-2:2023, clause 8 – Intermediate control measurements MST 01 (VI), MST 16 (IT), and MST 17 (WL) can be omitted when assessing the safety of a PV module, e.g., according to IEC 61730 series of standards.

Moreover, according to IEC 61215-1: 2021, clause 6 – Intermediate measurements of maximum power (MQT 02) and insulation test (MQT 03) are not required when performing type approval, e.g., according to IEC 61215 series.

However, IEC 61215-2:2021 requires intermediate measurements of MQT 01 (VI) and MQT 15 (WL) to be taken after a recovery time between 2 h and 4 h after MQT 12 (HF) and MQT 13 (DH). Such measurements cannot be omitted as they are required by the tests. Therefore, the intermediate MST 01 (VI) and MST 17 (WL) tests must be conducted after the IEC 61730-2:2023 MST 52 (HF) and MST 53 (DH) stress tests.

Disclaimer: This document is controlled and has been released electronically.
Only the version on the IECEE Website is the current document version.