

MS402

For use in higher speed applications on well-maintained haul roads.

- Excellent traction on maintained haul roads
- Solid tread centerline minimizes vibration and increases tread life
- Wide square footprint distributes load to minimize haul road disturbance
- Reinforced bead, shoulder, and sidewall for increased cut resistance
- Heat resistant undertread reduces tire temperature
- Multiple tread compound options target specific site requirements

Applications:



Size	Rating	Туре	Rim	O.D.	S.W	T.D.	Tread Compound	TMPH/ TKPH	Infl. P.	L.C.C. (lbs/kg)	L.I.
						32nds mm			psi KPa	30 mph 50 kph	
18.00R33	**	TL	13.00/2.5	73.8	20.1	66	Standard	145/212	102	24000	191B
				1874	511	52	Cut Resistant	116/169	700	10900	
24.00R35	**	TL	17.00/3.5	86.5	27.8	71	Standard	266/388	102	40800	209B
				2196	705	56	Cut Resistant	215/314	700	18500	
27.00R49	**	TL	19.50/4.0	106.4	29.0	82	Standard	291/425	102	60000	223B
				2702	737	65	Cut Resistant	233/340	700	27250	
							Heat Resistant	394/575			
30.00R51	**	TL	22.00/4.5	114.4	33.7	93	Standard		102	74000	230B
				2906	856	74	Cut Resistant		700	33500	
							Heat Resistant				