

[GETNET]RAC Oracle Database 19c AIX

Foram reservados os seguintes hosts para instalação através da DVP-3615:

4vCPU

16gb RAM

DATA_PIX - 4x 144gb

DATA_AUX_PIX - 4x 9gb

ARCH_PIX - 4x 36gb

GNCASSHA05359

IP Maquina: 180.135.67.19

IP Branca: 22.248.224.179

IP Backup: 22.240.224.172

Interconnect: 172.28.67.24

IP Máquina (VIP): 180.135.67.29

GNCASSHA05360

IP Maquina: 180.135.67.20

IP Branca: 22.248.224.43

IP Backup: 22.240.224.177

Interconnect: 172.28.67.11

IP Máquina (VIP): 180.135.67.30

SCAN:

180.135.67.24

180.135.67.25

180.135.67.26

VLAN:

Network : 180.135.67.0/24

VLAN : L2-HOM-TRANS_AUTTAR-DB

L2 : 2567

L3 : 2067

L3 Branca : 3224

Network Branca : 22.248.224.0/22

VLAN Branca : L3-WHT-HOM-2

L3 Backup : 3724

Network Backup : 22.240.224.0/22

VLAN Backup : L3-BKP-HOM-2

L2 INTERCONNECT-ORACLE : 63

Network INTERCONNECT-ORACLE : 172.28.67.0/24

VLAN INTERCONNECT-ORACLE : L2-HOM-INTERCONNECT-ORACLE

Limpeza de arquivos legados com user root:

```
cd /tmp
rm -rf *
rm -rf /etc/oraInst.loc
cd /etc/oracle
rm -rf *
rm -rf /etc/oratab
rm -rf /tmp/.oracle
```

para não ter problemas com acfs, remover também:

```
/usr/lib/methods/ucfgacfsctl -l ofscctl (Continue if error states "failed to look up ODM CuDv object class" or "device is already unconfigured")
/usr/lib/methods/ucfgadmctl -l advmctl (Continue if error states "failed to look up ODM CuDv object class" or "device is already unconfigured")
/usr/lib/methods/udefacfsctl -l ofscctl (Continue if error states "failed to look up ODM CuDv object class")
/usr/lib/methods/udefadmctl -l advmctl (Continue if error states "failed to look up ODM CuDv object class")
/usr/sbin/rmauth -h oracle
rmrole oracle_devmgmt
setkst
rm /usr/lib/drivers/oracle*
rm /usr/lib/methods/*advm* /usr/lib/methods/*acfs*
rm -rf /sbin/helpers/acfs
rm /usr/sbin/acfsutil* /usr/sbin/advmutil*
rm /sbin/acfsutil* /sbin/advmutil*
```

Validação de pré-requisitos com user root:

```
- Memória:
bash-4.3# /usr/sbin/lsattr -E -l sys0 -a realmem
realmem 16777216 Amount of usable physical memory in Kbytes False

- Swap:
bash-4.3# /usr/sbin/lsps -s
Total Paging Space   Percent Used
      16384MB          0%

- tmp:
bash-4.3# df -m /tmp
Filesystem    MB blocks   Free %Used   lused %lused Mounted on
/dev/hd3      10240.00  7856.99  24%    7840    1% /tmp

- espaço:
bash-4.3# df -g
Filesystem    GB blocks   Free %Used   lused %lused Mounted on
/dev/hd4       2.00    1.18  41%   27690   10% /
/dev/hd2       6.00    1.62  74%   93367   20% /usr
/dev/hd9var    3.00    1.42  53%   16419    5% /var
/dev/hd3      10.00    7.67  24%    7840    1% /tmp
/dev/hd1       4.00    3.37  16%     866    1% /home
/dev/hd11admin 0.12    0.12   1%      19     1% /admin
/proc         -        -    -      -      - /proc
/dev/hd10opt   2.00    0.42  80%   16939   15% /opt
/dev/livedump  2.00    2.00   1%      4     1% /var/adm/ras/livedump
/dev/fslv01    0.12    0.12   2%      8     1% /audit
/dev/lv_u01   143.75  138.99   4%     14     1% /u01
/dev/lv_u02   143.75  134.92   7%     35     1% /u02

- arquitetura:
bash-4.3# /usr/bin/getconf HARDWARE_BITMODE
64
- certeza que bootou em 64bit
bash-4.3# /usr/sbin/bootinfo -K
64

- run level
bash-4.3# /usr/bin/who -r
.      run-level 2 Jul 1 15:04    2  0  S

- versão de S.O.
bash-4.3# oslevel -s
7100-05-04-1914

- Listagem de pacotes:
bash-4.3# lspp -l bos.adt.base bos.adt.lib bos.adt.libm bos.perf.perfstat bos.perf.libperfstat bos.perf.proctools
Fileset          Level State   Description
-----
Path: /usr/lib/objrepos
bos.adt.base      7.1.5.31 COMMITTED Base Application Development
Toolkit
```

```

bos.adt.lib      7.1.2.15 COMMITTED Base Application Development
                  Libraries
bos.adt.libm     7.1.5.0 COMMITTED Base Application Development
                  Math Library
bos.perf.libperfstat 7.1.5.32 COMMITTED Performance Statistics Library
                  Interface
bos.perf.perfstat 7.1.5.31 COMMITTED Performance Statistics
                  Interface
bos.perf.proctools 7.1.5.0 COMMITTED Proc Filesystem Tools
Path: /etc/objrepos
bos.adt.base     7.1.5.31 COMMITTED Base Application Development
                  Toolkit
bos.perf.libperfstat 7.1.5.32 COMMITTED Performance Statistics Library
                  Interface
bos.perf.perfstat 7.1.5.31 COMMITTED Performance Statistics
                  Interface
bash-4.3# /usr/sbin/instfix -i -k "IV16716 IV20880 IV21128 IV28319"
  There was no data for IV16716 in the fix database.
  There was no data for IV20880 in the fix database.
  There was no data for IV21128 in the fix database.
  There was no data for IV28319 in the fix database.
- Configuração do IOCP
User root:
bash-4.3# lsdev | grep iocp
iocp0    Defined          I/O Completion Ports
bash-4.3# smitty iocp
*** lembrar de fazer restart.
bash-4.3# lsdev | grep iocp
iocp0    Available        I/O Completion Ports
- Limite de processos (estão em 16384)
bash-4.3# smit chgsys

```

Configuração do db_profile (host 1 = MOTORPIX1, host 2 = MOTORPIX2)

```

bash-4.3$ cat db_profile
export ORACLE_BASE=/u01/app/oracle
export ORACLE_HOME=/u01/app/oracle/product/19.0.0/dbhome_1
export ORACLE_SID=MOTORPIX1
export PATH=/u01/app/oracle/product/19.0.0/dbhome_1/bin:$PATH
export NLS_LANG="AMERICAN_AMERICA.WE8MSWIN1252"
LD_LIBRARY_PATH=/usr/local/lib:/u01/app/oracle/product/19.0.0/dbhome_1/lib:/ggs
export LD_LIBRARY_PATH

```

Configuração do grid_profile (host 1 = ASM1, host 2 = ASM2)

```

bash-4.3$ cat grid_profile
export ORACLE_BASE=/u01/app/grid;
export ORACLE_HOME=/u01/app/19.0.0/grid;
export ORACLE_SID=+ASM1;
export OH=$ORACLE_HOME
export PATH=$ORACLE_HOME/bin:$ORACLE_HOME/OPatch:$PATH
export LD_LIBRARY_PATH=$ORACLE_HOME/lib:/lib:/usr/lib

```

Correção do privilégio do Grid que sempre dá erros em instalação com user root:

```

bash-4.3# /usr/bin/chuser capabilities=CAP_NUMA_ATTACH,CAP_BYPASS_RAC_VMM,CAP_PROPAGATE grid

```

Criação dos diretórios de instalação com user root:

```

mkdir -p /u01/app/oracle
mkdir -p /u01/app/oracle/product/19.0.0/dbhome_1
chown -R oracle:oinstall /u01/app/oracle
mkdir -p /u01/app/grid
chown -R grid:oinstall /u01/app/grid
mkdir -p /u01/app/19.0.0/grid
chown -R grid:oinstall /u01/app/19.0.0/grid
chmod -R 775 /u01
mkdir -p /u01/app/orainventory
chown grid:oinstall /u01/app/orainventory
chmod 775 /u01/app/orainventory

```

Configuração do /etc/hosts com user root

Install RAC Oracle

```
180.135.67.19 GNCASSHA05359 GNCASSHA05359.getnet.local
22.240.224.172 GNCASSHA05359.bkp GNCASSHA05359.bkp.getnet.local
22.248.224.179 GNCASSHA05359.wt GNCASSHA05359.wt.getnet.local
180.135.67.29 GNCASSHA05359-vip GNCASSHA05359-vip.getnet.local
```

```
180.135.67.20 GNCASSHA05360 GNCASSHA05360.getnet.local
22.240.224.177 GNCASSHA05360.bkp GNCASSHA05360.bkp.getnet.local
22.248.224.43 GNCASSHA05360.wt GNCASSHA05360.wt.getnet.local
180.135.67.30 GNCASSHA05360-vip GNCASSHA05360-vip.getnet.local
```

Arquivos de configuração com user root:

```
cd /u02/
mkdir -p /u02/oracle/patches
chmod -R 775 /u02
cd /u02/oracle/patches/
bash-4.3# scp adm.as58172@GNCASHHL01956:/u02/ORAEX/db/19c/AIX.PPC64_193000* .
Password:
AIX.PPC64_193000_db_home.zip      100% 3311MB 29.9MB/s 01:50
AIX.PPC64_193000_grid_home.zip   100% 3438MB 30.5MB/s 01:52
```

Validação se os users estão iguais com user root:

```
bash-4.3# id oracle
uid=1101(oracle) gid=8001(oinstall) groups=202(localgrp),8002(asmadmin),8003(asmdba),8006(dba),208(oper)
bash-4.3# id grid
uid=1100(grid) gid=8001(oinstall) groups=1(staff),202(localgrp),8002(asmadmin),8003(asmdba),8006(dba),208(oper)
```

Faça a descompactação dos Binários do Grid nos 2 hosts com user grid

(faço isso apenas para executar o sshUserSetup.sh e o rootpre.sh nos 2 hosts, depois apago o que foi descompactado no host 2 para seguir com a instalação pelo host 1).

```
bash-4.3# cd /u02/oracle/patches/
bash-4.3# chmod 775 AIX.PPC64_193000_*
bash-4.3# cp AIX.PPC64_193000_grid_home.zip /u01/app/19.0.0/grid/
bash-4.3# cd /u01/app/19.0.0/grid/
bash-4.3# unzip AIX.PPC64_193000_grid_home.zip
```

Depois do Unzip, configuração do SSH:

*** é sempre chata essa parte do SSH, rodei nos dois hosts tanto para o user grid quanto para o user oracle:

```
./sshUserSetup.sh -user grid -hosts "GNCASSHA05359 GNCASSHA05360" -noPromptPassphrase
./sshUserSetup.sh -user oracle -hosts "GNCASSHA05359 GNCASSHA05360" -noPromptPassphrase
```

Exemplo da execução:

```
bash-4.3# cd /u01/app/19.0.0/grid/oui/prov/resources/scripts
bash-4.3# ./sshUserSetup.sh -user grid -hosts "GNCASSHA05359 GNCASSHA05360" -noPromptPassphrase
The output of this script is also logged into /tmp/sshUserSetup_2020-12-07-15-47-09.log
Hosts are GNCASSHA05359 GNCASSHA05360
user is grid
Platform:- AIX
Checking if the remote hosts are reachable
PING GNCASSHA05359 (180.135.67.19): 56 data bytes
64 bytes from 180.135.67.19: icmp_seq=0 ttl=255 time=0 ms
64 bytes from 180.135.67.19: icmp_seq=1 ttl=255 time=0 ms
64 bytes from 180.135.67.19: icmp_seq=2 ttl=255 time=0 ms
64 bytes from 180.135.67.19: icmp_seq=3 ttl=255 time=0 ms
64 bytes from 180.135.67.19: icmp_seq=4 ttl=255 time=0 ms

--- GNCASSHA05359 ping statistics ---
5 packets transmitted, 5 packets received, 0% packet loss
round-trip min/avg/max = 0/0/0 ms
PING GNCASSHA05360 (180.135.67.20): 56 data bytes
64 bytes from 180.135.67.20: icmp_seq=0 ttl=255 time=0 ms
64 bytes from 180.135.67.20: icmp_seq=1 ttl=255 time=0 ms
64 bytes from 180.135.67.20: icmp_seq=2 ttl=255 time=0 ms
64 bytes from 180.135.67.20: icmp_seq=3 ttl=255 time=0 ms
64 bytes from 180.135.67.20: icmp_seq=4 ttl=255 time=0 ms

--- GNCASSHA05360 ping statistics ---
5 packets transmitted, 5 packets received, 0% packet loss
```

round-trip min/avg/max = 0/0/0 ms
Remote host reachability check succeeded.
The following hosts are reachable: GNCASSHA05359 GNCASSHA05360.
The following hosts are not reachable: .
All hosts are reachable. Proceeding further...
firsthost GNCASSHA05359
numhosts 2
The script will setup SSH connectivity from the host gncassha05359 to all the remote hosts. After the script is executed, the user can use SSH to run commands on the remote hosts or copy files between this host gncassha05359 and the remote hosts without being prompted for passwords or confirmations.

NOTE 1:

As part of the setup procedure, this script will use ssh and scp to copy files between the local host and the remote hosts. Since the script does not store passwords, you may be prompted for the passwords during the execution of the script whenever ssh or scp is invoked.

NOTE 2:

AS PER SSH REQUIREMENTS, THIS SCRIPT WILL SECURE THE USER HOME DIRECTORY AND THE .ssh DIRECTORY BY REVOKING GROUP AND WORLD WRITE PRIVILEGES TO THESE directories.

Do you want to continue and let the script make the above mentioned changes (yes/no)?

yes

The user chose yes

User chose to skip passphrase related questions.

Creating .ssh directory on local host, if not present already

Creating authorized_keys file on local host

Changing permissions on authorized_keys to 644 on local host

Creating known_hosts file on local host

Changing permissions on known_hosts to 644 on local host

Creating config file on local host

If a config file exists already at //ssh/config, it would be backed up to //ssh/config.backup.

Creating .ssh directory and setting permissions on remote host GNCASSHA05359

THE SCRIPT WOULD ALSO BE REVOKING WRITE PERMISSIONS FOR group AND others ON THE HOME DIRECTORY FOR grid. THIS IS AN SSH REQUIREMENT.

The script would create /home/grid/.ssh/config file on remote host GNCASSHA05359. If a config file exists already at /home/grid/.ssh/config, it would be backed up to /home/grid/.ssh/config.backup.

The user may be prompted for a password here since the script would be running SSH on host GNCASSHA05359.

Warning: Permanently added 'gncassha05359,180.135.67.19' (ECDSA) to the list of known hosts.

grid's Password:

[compat]: You are required to change your password. Please choose a new one.

grid's Old password:

grid's New password:

Re-enter grid's new password:

Done with creating .ssh directory and setting permissions on remote host GNCASSHA05359.

Creating .ssh directory and setting permissions on remote host GNCASSHA05360

THE SCRIPT WOULD ALSO BE REVOKING WRITE PERMISSIONS FOR group AND others ON THE HOME DIRECTORY FOR grid. THIS IS AN SSH REQUIREMENT.

The script would create /home/grid/.ssh/config file on remote host GNCASSHA05360. If a config file exists already at /home/grid/.ssh/config, it would be backed up to /home/grid/.ssh/config.backup.

The user may be prompted for a password here since the script would be running SSH on host GNCASSHA05360.

Warning: Permanently added 'gncassha05360,180.135.67.20' (ECDSA) to the list of known hosts.

grid's Password:

[compat]: You are required to change your password. Please choose a new one.

grid's Old password:

grid's New password:

Re-enter grid's new password:

Done with creating .ssh directory and setting permissions on remote host GNCASSHA05360.

Copying local host public key to the remote host GNCASSHA05359

The user may be prompted for a password or passphrase here since the script would be using SCP for host GNCASSHA05359.

grid's Password:

Done copying local host public key to the remote host GNCASSHA05359

Copying local host public key to the remote host GNCASSHA05360

The user may be prompted for a password or passphrase here since the script would be using SCP for host GNCASSHA05360.

grid's Password:

Done copying local host public key to the remote host GNCASSHA05360
SSH setup is complete.

Verifying SSH setup

=====

The script will now run the date command on the remote nodes using ssh to verify if ssh is setup correctly. IF THE SETUP IS CORRECTLY SETUP, THERE SHOULD BE NO OUTPUT OTHER THAN THE DATE AND SSH SHOULD NOT ASK FOR PASSWORDS. If you see any output other than date or are prompted for the password, ssh is not setup correctly and you will need to resolve the issue and set up ssh again.

The possible causes for failure could be:

1. The server settings in /etc/ssh/sshd_config file do not allow ssh for user grid.
2. The server may have disabled public key based authentication.
3. The client public key on the server may be outdated.
4. /home/grid or /home/grid/.ssh on the remote host may not be owned by grid.
5. User may not have passed -shared option for shared remote users or may be passing the -shared option for non-shared remote users.
6. If there is output in addition to the date, but no password is asked, it may be a security alert shown as part of company policy. Append the additional text to the <OMS HOME>/sysman/prov/resources/ignoreMessages.txt file.

--GNCASSHA05359:--

Running /usr/bin/ssh -x -l grid GNCASSHA05359 date to verify SSH connectivity has been setup from local host to GNCASSHA05359. IF YOU SEE ANY OTHER OUTPUT BESIDES THE OUTPUT OF THE DATE COMMAND OR IF YOU ARE PROMPTED FOR A PASSWORD HERE, IT MEANS SSH SETUP HAS NOT BEEN SUCCESSFUL. Please note that being prompted for a passphrase may be OK but being prompted for a password is ERROR.

Mon Dec 7 15:48:00 -03 2020

--GNCASSHA05360:--

Running /usr/bin/ssh -x -l grid GNCASSHA05360 date to verify SSH connectivity has been setup from local host to GNCASSHA05360. IF YOU SEE ANY OTHER OUTPUT BESIDES THE OUTPUT OF THE DATE COMMAND OR IF YOU ARE PROMPTED FOR A PASSWORD HERE, IT MEANS SSH SETUP HAS NOT BEEN SUCCESSFUL. Please note that being prompted for a passphrase may be OK but being prompted for a password is ERROR.

Mon Dec 7 15:26:49 -03 2020

SSH verification complete.

bash-4.3#

Confirmação que o SSH ficou ok:

```
bash-4.3# /usr/bin/ssh -x -l grid GNCASSHA05360 date
Mon Dec 7 15:35:03 -03 2020
bash-4.3# /usr/bin/ssh -x -l oracle GNCASSHA05360 date
Mon Dec 7 15:35:15 -03 2020
bash-4.3# /usr/bin/ssh -x -l grid GNCASSHA05359 date
Mon Dec 7 15:56:48 -03 2020
bash-4.3# /usr/bin/ssh -x -l oracle GNCASSHA05359 date
Mon Dec 7 15:56:58 -03 2020
```

Root pré nos 2 hosts:

```
bash-4.3# /u01/app/19.0.0/grid/clone/rootpre.sh
/u01/app/19.0.0/grid/clone/rootpre.sh output will be logged in /tmp/rootpre.out_20-12-07.16:09:37
```

Checking if group services should be configured....
Nothing to configure.

Install do Grid no host 01:

```
$ id
uid=20323(adm.as58172) gid=20609(GG_Acesso_EquipeDBA) groups=10018(GG_Acesso_Infra-Estrutura_TS),21466(GG_GNCASHPL00622_A
DM),22879(GG_GNCASNTL01307_ADM),25245(GG_GNCASSHA03355_ADM),25247(GG_GNCASSHA03357_ADM),26346(GG_GNCASSHA040
20_ADM),26104(GG_GNCASSHA04021_ADM)
$ xauth list
gncasspa01039/unix:10 MIT-MAGIC-COOKIE-1 23c0e19d734c86be3d6011d6c036fd0a
gncasspa01039/unix:11 MIT-MAGIC-COOKIE-1 13e2c9c61d6fbfb9778ab76625d369ab
gncassha02593/unix:10 MIT-MAGIC-COOKIE-1 be9271c8db9d65c7268405f0528fb847
gncassha04667/unix:11 MIT-MAGIC-COOKIE-1 adf0863f8ad18cbab25a96adce35d0a2
gncassha04667/unix:12 MIT-MAGIC-COOKIE-1 03c206fb6984286e04a858b71967515e
gncassha04667/unix:10 MIT-MAGIC-COOKIE-1 6e7d77d0df6a85ce2b634c8cfef20ba4
gncassha05359/unix:10 MIT-MAGIC-COOKIE-1 65d4f25c387b43e81fc4e2e8d09de16d
gncassha05359/unix:11 MIT-MAGIC-COOKIE-1 c8a24bfd0c633b06ebc3ec8a91f39936

su - grid
. grid_profile
history
xauth add gncassha05359/unix:10 MIT-MAGIC-COOKIE-1 c6944ee2195735c3de11c7f903e6fc1b
export DISPLAY=localhost:10.0
cd /u01/app/19.0.0/grid/
./gridSetup.sh
```

Colocar os dados pra chamar o instalador

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

Clique em Add... >

[External Image](#)

Adicione o segundo host.

[External Image](#)

Aqui foi necessário mandar configurar o SSH Connectivity novamente. Clique em "SSH Connectivity..." e mande configurar.

Pegamos um BUG onde foi necessário atualizar o pacote do OpenSSH:

bash-4.3# ssh -V

OpenSSH_8.1p1, OpenSSL 1.0.2r 26 Feb 2019

INS-06006 GI RunInstaller Fails If OpenSSH Is Upgraded to 8.x (Doc ID 2555697.1)

Pode também aplicar o Patch como fazemos no upgrade:

<http://3.83.21.128/repo/upgrade-oracle-database-18c-to-19c-aix-rac/>

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

Neste ponto, pegamos inumeros warnings e fails. Tive que acionar o Hoffman para ajustar o NTP dos servidores e a diferença de 1210 segundos entre eles.

NTP: caso queira resolver sem o hoffman, é 3 comandos:

<https://logic.edchen.org/how-to-enable-slewing-option-of-ntp-service-in-aix/#run-time>

Assim como já é sabido, mesmo com o unzip 6 instalado, pegamos o warning dele:

```
$ unzip -V
UnZip 6.00 of 20 April 2009, by Info-ZIP.
```

[External Image](#)

[External Image](#)

Execução dos scripts no nó 01 (demora de 1h30min):

```
bash-4.3# id
uid=0(root) gid=0(system) groups=2(bin),3(sys),7(security),8(cron),10(audit),11(lp)
bash-4.3# /u01/app/orainventory/orainstRoot.sh
Changing permissions of /u01/app/orainventory.
Adding read,write permissions for group.
Removing read,write,execute permissions for world.

Changing groupname of /u01/app/orainventory to oinstall.
The execution of the script is complete.

bash-4.3# /u01/app/19.0.0/grid/root.sh
Performing root user operation.
```

The following environment variables are set as:

```
ORACLE_OWNER= grid
ORACLE_HOME= /u01/app/19.0.0/grid
```

Enter the full pathname of the local bin directory: [/usr/local/bin]:

The contents of "dbhome" have not changed. No need to overwrite.

The file "oraenv" already exists in /usr/local/bin. Overwrite it? (y/n) [n]: y

Copying oraenv to /usr/local/bin ...

The file "coraenv" already exists in /usr/local/bin. Overwrite it? (y/n) [n]: y

Copying coraenv to /usr/local/bin ...

Creating /etc/oratab file...

Entries will be added to the /etc/oratab file as needed by

Database Configuration Assistant when a database is created

Finished running generic part of root script.

Now product-specific root actions will be performed.

Relinking oracle with rac_on option

Using configuration parameter file: /u01/app/19.0.0/grid/crs/install/crsconfig_params

The log of current session can be found at:

/u01/app/grid/crsdata/gncassha05359/crsconfig/rootcrs_gncassha05359_2020-12-08_11-40-05AM.log

2020/12/08 11:40:48 CLSRSC-594: Executing installation step 1 of 19: 'SetupTFA'.

2020/12/08 11:40:48 CLSRSC-594: Executing installation step 2 of 19: 'ValidateEnv'.

2020/12/08 11:40:49 CLSRSC-363: User ignored prerequisites during installation

2020/12/08 11:40:49 CLSRSC-594: Executing installation step 3 of 19: 'CheckFirstNode'.

2020/12/08 11:40:58 CLSRSC-594: Executing installation step 4 of 19: 'GenSiteGUIDs'.

2020/12/08 11:41:01 CLSRSC-594: Executing installation step 5 of 19: 'SetupOSD'.

2020/12/08 11:41:02 CLSRSC-594: Executing installation step 6 of 19: 'CheckCRSConfig'.

2020/12/08 11:41:03 CLSRSC-594: Executing installation step 7 of 19: 'SetupLocalGPNP'.

2020/12/08 11:42:44 CLSRSC-4002: Successfully installed Oracle Trace File Analyzer (TFA) Collector.

2020/12/08 12:12:37 CLSRSC-594: Executing installation step 8 of 19: 'CreateRootCert'.

2020/12/08 12:42:49 CLSRSC-594: Executing installation step 9 of 19: 'ConfigOLR'.

User grid has the required capabilities to run CSSD in realtime mode

2020/12/08 12:43:31 CLSRSC-594: Executing installation step 10 of 19: 'ConfigCHMOS'.

2020/12/08 12:43:31 CLSRSC-594: Executing installation step 11 of 19: 'CreateOHASD'.

2020/12/08 12:43:51 CLSRSC-594: Executing installation step 12 of 19: 'ConfigOHASD'.

2020/12/08 12:43:52 CLSRSC-330: Adding Clusterware entries to file '/etc/inittab'

2020/12/08 12:44:55 CLSRSC-594: Executing installation step 13 of 19: 'InstallAFD'.

2020/12/08 12:45:18 CLSRSC-594: Executing installation step 14 of 19: 'InstallACFS'.

2020/12/08 12:46:54 CLSRSC-594: Executing installation step 15 of 19: 'InstallKA'.

2020/12/08 12:47:20 CLSRSC-594: Executing installation step 16 of 19: 'InitConfig'.

ASM has been created and started successfully.

[DBT-30001] Disk groups created successfully. Check /u01/app/grid/cfgtoollogs/asmca/asmca-201208PM014822.log for details.

2020/12/08 12:50:21 CLSRSC-482: Running command: '/u01/app/19.0.0/grid/bin/ocrconfig -upgrade grid oinstall'

CRS-4256: Updating the profile

Successful addition of voting disk 89a07b857a2e4ffbf00747c5963873.

Successfully replaced voting disk group with +DATA_MOTORPIX.

CRS-4256: Updating the profile

CRS-4266: Voting file(s) successfully replaced

##	STATE	File Universal Id	File Name	Disk group
----	-------	-------------------	-----------	------------

--	----	-----	-----	-----
----	------	-------	-------	-------

1.	ONLINE	89a07b857a2e4ffbf00747c5963873	(/dev/rhdisk11)	[DATA_MOTORPIX]
----	--------	--------------------------------	-----------------	-----------------

Located 1 voting disk(s).

2020/12/08 12:55:16 CLSRSC-594: Executing installation step 17 of 19: 'StartCluster'.

2020/12/08 12:57:10 CLSRSC-343: Successfully started Oracle Clusterware stack

2020/12/08 12:57:11 CLSRSC-594: Executing installation step 18 of 19: 'ConfigNode'.

2020/12/08 13:12:52 CLSRSC-594: Executing installation step 19 of 19: 'PostConfig'.

2020/12/08 13:15:01 CLSRSC-325: Configure Oracle Grid Infrastructure for a Cluster ... succeeded

bash-4.3#

Execução dos scripts no nó 02:

```

bash-4.3# /u01/app/oralInventory/orainstRoot.sh
Changing permissions of /u01/app/oralInventory.
Adding read,write permissions for group.
Removing read,write,execute permissions for world.

Changing groupname of /u01/app/oralInventory to oinstall.
The execution of the script is complete.
bash-4.3#
bash-4.3# /u01/app/19.0.0/grid/root.sh
Performing root user operation.

The following environment variables are set as:
  ORACLE_OWNER= grid
  ORACLE_HOME= /u01/app/19.0.0/grid

Enter the full pathname of the local bin directory: [/usr/local/bin]:
The contents of "dbhome" have not changed. No need to overwrite.
The file "oraenv" already exists in /usr/local/bin. Overwrite it? (y/n) [n]: y
  Copying oraenv to /usr/local/bin ...
The file "coraenv" already exists in /usr/local/bin. Overwrite it? (y/n) [n]: y
  Copying coraenv to /usr/local/bin ...

Creating /etc/oratab file...
Entries will be added to the /etc/oratab file as needed by
Database Configuration Assistant when a database is created
Finished running generic part of root script.
Now product-specific root actions will be performed.
Relinking oracle with rac_on option
Using configuration parameter file: /u01/app/19.0.0/grid/crs/install/crsconfig_params
The log of current session can be found at:
  /u01/app/grid/crsdata/gncassha05360/crsconfig/rootcrs_gncassha05360_2020-12-08_01-27-44PM.log
2020/12/08 13:28:08 CLSRSC-594: Executing installation step 1 of 19: 'SetupTFA'.
2020/12/08 13:28:09 CLSRSC-594: Executing installation step 2 of 19: 'ValidateEnv'.
2020/12/08 13:28:09 CLSRSC-363: User ignored prerequisites during installation
2020/12/08 13:28:10 CLSRSC-594: Executing installation step 3 of 19: 'CheckFirstNode'.
2020/12/08 13:28:15 CLSRSC-594: Executing installation step 4 of 19: 'GenSiteGUIDs'.
2020/12/08 13:28:15 CLSRSC-594: Executing installation step 5 of 19: 'SetupOSD'.
2020/12/08 13:28:16 CLSRSC-594: Executing installation step 6 of 19: 'CheckCRSConfig'.
2020/12/08 13:28:19 CLSRSC-594: Executing installation step 7 of 19: 'SetupLocalGPNP'.
2020/12/08 13:28:24 CLSRSC-594: Executing installation step 8 of 19: 'CreateRootCert'.
2020/12/08 13:28:24 CLSRSC-594: Executing installation step 9 of 19: 'ConfigOLR'.
User grid has the required capabilities to run CSSD in realtime mode
2020/12/08 13:28:51 CLSRSC-594: Executing installation step 10 of 19: 'ConfigCHMOS'.
2020/12/08 13:28:52 CLSRSC-594: Executing installation step 11 of 19: 'CreateOHASD'.
2020/12/08 13:29:03 CLSRSC-594: Executing installation step 12 of 19: 'ConfigOHASD'.
2020/12/08 13:29:04 CLSRSC-330: Adding Clusterware entries to file '/etc/iniitab'
2020/12/08 13:30:13 CLSRSC-4002: Successfully installed Oracle Trace File Analyzer (TFA) Collector.
2020/12/08 13:30:18 CLSRSC-594: Executing installation step 13 of 19: 'InstallAFD'.
2020/12/08 13:30:27 CLSRSC-594: Executing installation step 14 of 19: 'InstallACFS'.
2020/12/08 13:32:09 CLSRSC-594: Executing installation step 15 of 19: 'InstallKA'.
2020/12/08 13:32:16 CLSRSC-594: Executing installation step 16 of 19: 'InitConfig'.
2020/12/08 13:33:02 CLSRSC-594: Executing installation step 17 of 19: 'StartCluster'.
2020/12/08 13:34:29 CLSRSC-343: Successfully started Oracle Clusterware stack
2020/12/08 13:34:29 CLSRSC-594: Executing installation step 18 of 19: 'ConfigNode'.
2020/12/08 13:35:41 CLSRSC-594: Executing installation step 19 of 19: 'PostConfig'.
2020/12/08 13:36:03 CLSRSC-325: Configure Oracle Grid Infrastructure for a Cluster ... succeeded

```

Confirmação do Grid:

```
bash-4.3$ crsctl status res -t
```

Name	Target	State	Server	State details
Local Resources				
ora.LISTENER.lsnr				
	ONLINE	ONLINE	gncassha05359	STABLE
	ONLINE	ONLINE	gncassha05360	STABLE
ora.net1.network				
	ONLINE	ONLINE	gncassha05359	STABLE
	ONLINE	ONLINE	gncassha05360	STABLE
ora.ons				
	ONLINE	ONLINE	gncassha05359	STABLE
	ONLINE	ONLINE	gncassha05360	STABLE
ora.proxy_advm				
	OFFLINE	OFFLINE	gncassha05359	STABLE
	OFFLINE	OFFLINE	gncassha05360	STABLE
Cluster Resources				
ora.ASMNET1LSNR_ASM.lsnr(ora.asmgroup)				
1	ONLINE	ONLINE	gncassha05359	STABLE
2	ONLINE	ONLINE	gncassha05360	STABLE
3	OFFLINE	OFFLINE		STABLE
ora.DATA_MOTORPIX.dg(ora.asmgroup)				
1	ONLINE	ONLINE	gncassha05359	STABLE
2	ONLINE	ONLINE	gncassha05360	STABLE
3	OFFLINE	OFFLINE		STABLE
ora.LISTENER_SCAN1.lsnr				
1	ONLINE	ONLINE	gncassha05360	STABLE
ora.LISTENER_SCAN2.lsnr				
1	ONLINE	ONLINE	gncassha05359	STABLE
ora.LISTENER_SCAN3.lsnr				
1	ONLINE	ONLINE	gncassha05359	STABLE
ora.asm(ora.asmgroup)				
1	ONLINE	ONLINE	gncassha05359	Started,STABLE
2	ONLINE	ONLINE	gncassha05360	Started,STABLE
3	OFFLINE	OFFLINE		STABLE
ora.asmnet1.asmnetwork(ora.asmgroup)				
1	ONLINE	ONLINE	gncassha05359	STABLE
2	ONLINE	ONLINE	gncassha05360	STABLE
3	OFFLINE	OFFLINE		STABLE
ora.cvu				
1	ONLINE	ONLINE	gncassha05359	STABLE
ora.gncassha05359.vip				
1	ONLINE	ONLINE	gncassha05359	STABLE
ora.gncassha05360.vip				
1	ONLINE	ONLINE	gncassha05360	STABLE
ora.qosmserver				
1	ONLINE	ONLINE	gncassha05359	STABLE
ora.scan1.vip				
1	ONLINE	ONLINE	gncassha05360	STABLE
ora.scan2.vip				
1	ONLINE	ONLINE	gncassha05359	STABLE
ora.scan3.vip				
1	ONLINE	ONLINE	gncassha05359	STABLE

```
bash-4.3$
```

A tela final travou aos 100%. Segui normalmente para a instalação dos Binários do Banco.

[External Image](#)

Instalação da camada do banco nos 2 hosts:

```
bash-4.3$ cd /u01/app/oracle/product/19.0.0/dbhome_1
bash-4.3$ unzip AIX.PPC64_193000_db_home.zip
.....

bash-4.3$ /u01/app/oracle/product/19.0.0/dbhome_1/clone/rootpre.sh
/u01/app/oracle/product/19.0.0/dbhome_1/clone/rootpre.sh output will be logged in /tmp/rootpre.out_20-12-08.14:20:41
You must be logged in as root to run this script
Aborting pre-installation procedure. Installations of Oracle may fail.
You have mail in /usr/spool/mail/oracle
```

Instalação da camada de banco:

```
$ bash-4.3$ . db_profile
bash-4.3$ cd /u01/app/oracle/product/19.0.0/dbhome_1
xauth add gncassha05359/unix:10 MIT-MAGIC-COOKIE-1 c6944ee2195735c3de11c7f903e6fc1b
export DISPLAY=localhost:10.0
bash-4.3$ ./runInstaller
```

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

Mais uma vez houveram erros de NTP. Hoffman teve que mexer novamente

Caro queira resolver o NTP sozinho, sem o Hoffman, seguir a nota:

<https://logic.edchen.org/how-to-enable-slewing-option-of-ntp-service-in-aix/#run-time>

Scripts executados com sucesso:

```
bash-4.3# /u01/app/oracle/product/19.0.0/dbhome_1/root.sh
Performing root user operation.

The following environment variables are set as:
  ORACLE_OWNER= oracle
  ORACLE_HOME= /u01/app/oracle/product/19.0.0/dbhome_1

Enter the full pathname of the local bin directory: [/usr/local/bin]:
The contents of "dbhome" have not changed. No need to overwrite.
The contents of "oraenv" have not changed. No need to overwrite.
The contents of "coraenv" have not changed. No need to overwrite.

Entries will be added to the /etc/oratab file as needed by
Database Configuration Assistant when a database is created
Finished running generic part of root script.
Now product-specific root actions will be performed.
```

[External Image](#)

Criação dos diskgroups:

[External Image](#)

Clique em "Disk Groups"

[External Image](#)

Clique em "Create..."

[External Image](#)

Digite o nome do diskgroup, no caso: DATA_AUX_MOTORPIX. Selecione "External" como redundancy e por fim selecione os 4 discos criados para o AUX.

[External Image](#)

Repita o processo para o diskgroup do ARCH_MOTORPIX.

[External Image](#)

DBCA

NOTA IMPORTANTE: Quando foi feita a instalação do 19c para Data Guard, utilizando a mídia original 19.0.0, encontramos problemas ao rodar o DBCA (lentidão entre as telas e não passava da tela 9 of 15). Quando instalamos utilizando a mídia 19.3.0 não encontramos este erro. Sendo assim, sugiro que apliquem o PSU antes do DBCA. Neste RAC, já estamos com a mídia 19.3.0.

```
bash-4.3$ . db_profile
bash-4.3$ xauth add gncassha05359/unix:10 MIT-MAGIC-COOKIE-1 2ef5d4188682a0ee30b5c6b6f400628f
bash-4.3$ export DISPLAY=localhost:10.0
bash-4.3$ dbca
```

• [2](#)

RAC Oracle Database 19c AIX

Criado em:07/12/2020

Você está aqui:

- [Main](#)
- [Getnet](#)
- RAC Oracle Database 19c AIX

< Todos os tópicos

[External Image](#)[External Image](#)

Foram reservados os seguintes hosts para instalação através da DVP-3615:

4vCPU
16gb RAM
DATA_PIX - 4x 144gb
DATA_AUX_PIX - 4x 9gb
ARCH_PIX - 4x 36gb
GNCASSHA05359
IP Maquina: 180.135.67.19
IP Branca: 22.248.224.179
IP Backup: 22.240.224.172
Interconnect: 172.28.67.24
IP Máquina (VIP): 180.135.67.29
GNCASSHA05360
IP Maquina: 180.135.67.20
IP Branca: 22.248.224.43
IP Backup: 22.240.224.177
Interconnect: 172.28.67.11
IP Máquina (VIP): 180.135.67.30
SCAN:
180.135.67.24
180.135.67.25
180.135.67.26
VLAN:
Network : 180.135.67.0/24
VLAN : L2-HOM-TRANS_AUTTAR-DB
L2 : 2567
L3 : 2067
L3 Branca : 3224
Network Branca : 22.248.224.0/22
VLAN Branca : L3-WHT-HOM-2
L3 Backup : 3724
Network Backup : 22.240.224.0/22
VLAN Backup : L3-BKP-HOM-2
L2 INTERCONNECT-ORACLE : 63
Network INTERCONNECT-ORACLE : 172.28.67.0/24
VLAN INTERCONNECT-ORACLE : L2-HOM-INTERCONNECT-ORACLE
Limpeza de arquivos legados com user root:

```
cd /tmp
rm -rf *
rm -rf /etc/orainst.loc
cd /etc/oracle
rm -rf *
rm -rf /etc/oratab
rm -rf /tmp/.oracle
para não ter problemas com acfs, remover também:
/usr/lib/methods/ucfgacfsctl -l ofscctl (Continue if error states "failed to look up ODM CuDv object class" or "device is already unconfigured")
/usr/lib/methods/ucfgadvmtctl -l advmtctl (Continue if error states "failed to look up ODM CuDv object class" or "device is already unconfigured")
/usr/lib/methods/udefacfsctl -l ofscctl (Continue if error states "failed to look up ODM CuDv object class")
/usr/lib/methods/udefadvmtctl -l advmtctl (Continue if error states "failed to look up ODM CuDv object class")
/usr/sbin/rmauth -h oracle
rmrole oracle_devmgmt
setkst
rm /usr/lib/drivers/oracle*
rm /usr/lib/methods/*adv* /usr/lib/methods/*acfs*
rm -rf /sbin/helpers/acfs
rm /usr/sbin/acfsutil* /usr/sbin/advmtutil*
rm /sbin/acfsutil* /sbin/advmtutil*
Validação de pré-requisitos com user root:
```

```
- Memória:
bash-4.3# /usr/sbin/lssattr -E -l sys0 -a realmem
realmem 16777216 Amount of usable physical memory in Kbytes False
- Swap:
bash-4.3# /usr/sbin/lssps -s
Total Paging Space Percent Used
16384MB 0%
- tmp:
bash-4.3# df -m /tmp
Filesystem MB blocks Free %Used lused %lused Mounted on
/dev/hd3 10240.00 7856.99 24% 7840 1% /tmp
- espaço:
bash-4.3# df -g
Filesystem GB blocks Free %Used lused %lused Mounted on
/dev/hd4 2.00 1.18 41% 27690 10% /
/dev/hd2 6.00 1.62 74% 93367 20% /usr
/dev/hd9var 3.00 1.42 53% 16419 5% /var
/dev/hd3 10.00 7.67 24% 7840 1% /tmp
/dev/hd1 4.00 3.37 16% 866 1% /home
/dev/hd11admin 0.12 0.12 1% 19 1% /admin
```

```

/proc - - - - /proc
/dev/hd10opt 2.00 0.42 80% 16939 15% /opt
/dev/livedump 2.00 2.00 1% 4 1% /var/adm/ras/livedump
/dev/fslv01 0.12 0.12 2% 8 1% /audit
/dev/lv_u01 143.75 138.99 4% 14 1% /u01
/dev/lv_u02 143.75 134.92 7% 35 1% /u02
- arquitetura:
bash-4.3# /usr/bin/getconf HARDWARE_BITMODE
64
- certeza que bootou em 64bit
bash-4.3# /usr/sbin/bootinfo -K
64
- run level
bash-4.3# /usr/bin/who -r
. run-level 2 Jul 1 15:04 2 0 S
- versão de S.O.
bash-4.3# oslevel -s
7100-05-04-1914
- Listagem de pacotes:
bash-4.3# lspp -l bos.adt.base bos.adt.lib bos.adt.libm bos.perf.perfstat bos.perf.libperfstat bos.perf.proctools
Fileset Level State Description
-----
Path: /usr/lib/objrepos
bos.adt.base 7.1.5.31 COMMITTED Base Application Development
Toolkit
bos.adt.lib 7.1.2.15 COMMITTED Base Application Development
Libraries
bos.adt.libm 7.1.5.0 COMMITTED Base Application Development
Math Library
bos.perf.libperfstat 7.1.5.32 COMMITTED Performance Statistics Library
Interface
bos.perf.perfstat 7.1.5.31 COMMITTED Performance Statistics
Interface
bos.perf.proctools 7.1.5.0 COMMITTED Proc Filesystem Tools
Path: /etc/objrepos
bos.adt.base 7.1.5.31 COMMITTED Base Application Development
Toolkit
bos.perf.libperfstat 7.1.5.32 COMMITTED Performance Statistics Library
Interface
bos.perf.perfstat 7.1.5.31 COMMITTED Performance Statistics
Interface
bash-4.3# /usr/sbin/instfix -i -k "IV16716 IV20880 IV21128 IV28319"
There was no data for IV16716 in the fix database.
There was no data for IV20880 in the fix database.
There was no data for IV21128 in the fix database.
There was no data for IV28319 in the fix database.
- Configuração do IOCP
User root:
bash-4.3# lsdev | grep iocp
iocp0 Defined I/O Completion Ports
bash-4.3# smitty iocp
*** lembrar de fazer restart.
bash-4.3# lsdev | grep iocp
iocp0 Available I/O Completion Ports
- Limite de processos (estão em 16384)
bash-4.3# smit chgsys
Configuração do db_profile (host 1 = MOTORPIX1, host 2 = MOTORPIX2)

bash-4.3$ cat db_profile
export ORACLE_BASE=/u01/app/oracle
export ORACLE_HOME=/u01/app/oracle/product/19.0.0/dbhome_1
export ORACLE_SID=MOTORPIX1
export PATH=/u01/app/oracle/product/19.0.0/dbhome_1/bin:$PATH
export NLS_LANG="AMERICAN_AMERICA.WE8MSWIN1252"
LD_LIBRARY_PATH=/usr/local/lib:/u01/app/oracle/product/19.0.0/dbhome_1/lib:/ggs
export LD_LIBRARY_PATH
Configuração do grid_profile (host 1 = ASM1, host 2 = ASM2)

bash-4.3$ cat grid_profile
export ORACLE_BASE=/u01/app/grid;
export ORACLE_HOME=/u01/app/19.0.0/grid;
export ORACLE_SID=+ASM1;
export OH=$ORACLE_HOME
export PATH=$ORACLE_HOME/bin:$ORACLE_HOME/OPatch:$PATH
export LD_LIBRARY_PATH=$ORACLE_HOME/lib:/lib:/usr/lib
Correção do privilégio do Grid que sempre dá erros em instalação com user root:

bash-4.3# /usr/bin/chuser capabilities=CAP_NUMA_ATTACH,CAP_BYPASS_RAC_VMM,CAP_PROPAGATE grid
Criação dos diretórios de instalação com user root:

mkdir -p /u01/app/oracle
mkdir -p /u01/app/oracle/product/19.0.0/dbhome_1
chown -R oracle:install /u01/app/oracle
mkdir -p /u01/app/grid
chown -R grid:install /u01/app/grid
mkdir -p /u01/app/19.0.0/grid
chown -R grid:install /u01/app/19.0.0/grid
chmod -R 775 /u01
mkdir -p /u01/app/oralInventory
chown grid:install /u01/app/oralInventory
chmod 775 /u01/app/oralInventory

```

Configuração do /etc/hosts com user root:

```
# Install RAC Oracle
180.135.67.19 GNCASSHA05359 GNCASSHA05359.getnet.local
22.240.224.172 GNCASSHA05359.bkp GNCASSHA05359.bkp.getnet.local
22.248.224.179 GNCASSHA05359.wt GNCASSHA05359.wt.getnet.local
180.135.67.29 GNCASSHA05359-vip GNCASSHA05359-vip.getnet.local
180.135.67.20 GNCASSHA05360 GNCASSHA05360.getnet.local
22.240.224.177 GNCASSHA05360.bkp GNCASSHA05360.bkp.getnet.local
22.248.224.43 GNCASSHA05360.wt GNCASSHA05360.wt.getnet.local
180.135.67.30 GNCASSHA05360-vip GNCASSHA05360-vip.getnet.local
Arquivos de configuração com user root:
```

```
cd /u02/
mkdir -p /u02/oracle/patches
chmod -R 775 /u02
cd /u02/oracle/patches/
bash-4.3# scp adm.as58172@GNCASHHL01956:/u02/ORAEX/db/19c/AIX.PPC64_193000* .
Password:
AIX.PPC64_193000_db_home.zip 100% 3311MB 29.9MB/s 01:50
AIX.PPC64_193000_grid_home.zip 100% 3438MB 30.5MB/s 01:52
Validação se os users estão iguais com user root:
```

```
bash-4.3# id oracle
uid=1101(oracle) gid=8001(oinstall) groups=202(localgrp),8002(asmadmin),8003(asmdba),8006(dba),208(oper)
bash-4.3# id grid
uid=1100(grid) gid=8001(oinstall) groups=1(staff),202(localgrp),8002(asmadmin),8003(asmdba),8006(dba),208(oper)
Faça a descompactação dos Binários do Grid nos 2 hosts com user grid
(faço isso apenas para executar o sshUserSetup.sh e o rootpre.sh nos 2 hosts, depois apago o que foi descompactado no host 2 para seguir com a instalação pelo host 1).
```

```
bash-4.3# cd /u02/oracle/patches/
bash-4.3# chmod 775 AIX.PPC64_193000_*
bash-4.3# cp AIX.PPC64_193000_grid_home.zip /u01/app/19.0.0/grid/
bash-4.3# cd /u01/app/19.0.0/grid/
bash-4.3# unzip AIX.PPC64_193000_grid_home.zip
Depois do Unzip, configuração do SSH:
*** é sempre chata essa parte do SSH, rodei nos dois hosts tanto para o user grid quanto para o user oracle:
```

```
./sshUserSetup.sh -user grid -hosts "GNCASSHA05359 GNCASSHA05360" -noPromptPassphrase
./sshUserSetup.sh -user oracle -hosts "GNCASSHA05359 GNCASSHA05360" -noPromptPassphrase
Exemplo da execução:
```

```
bash-4.3# cd /u01/app/19.0.0/grid/oui/prov/resources/scripts
bash-4.3# ./sshUserSetup.sh -user grid -hosts "GNCASSHA05359 GNCASSHA05360" -noPromptPassphrase
The output of this script is also logged into /tmp/sshUserSetup_2020-12-07-15-47-09.log
Hosts are GNCASSHA05359 GNCASSHA05360
user is grid
Platform:- AIX
Checking if the remote hosts are reachable
PING GNCASSHA05359 (180.135.67.19): 56 data bytes
64 bytes from 180.135.67.19: icmp_seq=0 ttl=255 time=0 ms
64 bytes from 180.135.67.19: icmp_seq=1 ttl=255 time=0 ms
64 bytes from 180.135.67.19: icmp_seq=2 ttl=255 time=0 ms
64 bytes from 180.135.67.19: icmp_seq=3 ttl=255 time=0 ms
64 bytes from 180.135.67.19: icmp_seq=4 ttl=255 time=0 ms
--- GNCASSHA05359 ping statistics ---
5 packets transmitted, 5 packets received, 0% packet loss
round-trip min/avg/max = 0/0/0 ms
PING GNCASSHA05360 (180.135.67.20): 56 data bytes
64 bytes from 180.135.67.20: icmp_seq=0 ttl=255 time=0 ms
64 bytes from 180.135.67.20: icmp_seq=1 ttl=255 time=0 ms
64 bytes from 180.135.67.20: icmp_seq=2 ttl=255 time=0 ms
64 bytes from 180.135.67.20: icmp_seq=3 ttl=255 time=0 ms
64 bytes from 180.135.67.20: icmp_seq=4 ttl=255 time=0 ms
--- GNCASSHA05360 ping statistics ---
5 packets transmitted, 5 packets received, 0% packet loss
round-trip min/avg/max = 0/0/0 ms
Remote host reachability check succeeded.
The following hosts are reachable: GNCASSHA05359 GNCASSHA05360.
The following hosts are not reachable: .
All hosts are reachable. Proceeding further...
firsthost GNCASSHA05359
numhosts 2
The script will setup SSH connectivity from the host gncassha05359 to all
the remote hosts. After the script is executed, the user can use SSH to run
commands on the remote hosts or copy files between this host gncassha05359
and the remote hosts without being prompted for passwords or confirmations.
NOTE 1:
As part of the setup procedure, this script will use ssh and scp to copy
files between the local host and the remote hosts. Since the script does not
store passwords, you may be prompted for the passwords during the execution of
the script whenever ssh or scp is invoked.
NOTE 2:
AS PER SSH REQUIREMENTS, THIS SCRIPT WILL SECURE THE USER HOME DIRECTORY
AND THE .ssh DIRECTORY BY REVOKING GROUP AND WORLD WRITE PRIVILEGES TO THESE
directories.
Do you want to continue and let the script make the above mentioned changes (yes/no)?
yes
The user chose yes
User chose to skip passphrase related questions.
Creating .ssh directory on local host, if not present already
```

```

Creating authorized_keys file on local host
Changing permissions on authorized_keys to 644 on local host
Creating known_hosts file on local host
Changing permissions on known_hosts to 644 on local host
Creating config file on local host
If a config file exists already at //ssh/config, it would be backed up to //ssh/config.backup.
Creating .ssh directory and setting permissions on remote host GNCASSHA05359
THE SCRIPT WOULD ALSO BE REVOKING WRITE PERMISSIONS FOR group AND others ON THE HOME DIRECTORY FOR grid. THIS IS AN SSH REQUIREMENT.
The script would create /home/grid/.ssh/config file on remote host GNCASSHA05359. If a config file exists already at /home/grid/.ssh/config, it would be backed up to
/home/grid/.ssh/config.backup.
The user may be prompted for a password here since the script would be running SSH on host GNCASSHA05359.
Warning: Permanently added 'gncassha05359,180.135.67.19' (ECDSA) to the list of known hosts.
grid's Password:
[compat]: You are required to change your password. Please choose a new one.
grid's Old password:
grid's New password:
Re-enter grid's new password:
Done with creating .ssh directory and setting permissions on remote host GNCASSHA05359.
Creating .ssh directory and setting permissions on remote host GNCASSHA05360
THE SCRIPT WOULD ALSO BE REVOKING WRITE PERMISSIONS FOR group AND others ON THE HOME DIRECTORY FOR grid. THIS IS AN SSH REQUIREMENT.
The script would create /home/grid/.ssh/config file on remote host GNCASSHA05360. If a config file exists already at /home/grid/.ssh/config, it would be backed up to
/home/grid/.ssh/config.backup.
The user may be prompted for a password here since the script would be running SSH on host GNCASSHA05360.
Warning: Permanently added 'gncassha05360,180.135.67.20' (ECDSA) to the list of known hosts.
grid's Password:
[compat]: You are required to change your password. Please choose a new one.
grid's Old password:
grid's New password:
Re-enter grid's new password:
Done with creating .ssh directory and setting permissions on remote host GNCASSHA05360.
Copying local host public key to the remote host GNCASSHA05359
The user may be prompted for a password or passphrase here since the script would be using SCP for host GNCASSHA05359.
grid's Password:
Done copying local host public key to the remote host GNCASSHA05359
Copying local host public key to the remote host GNCASSHA05360
The user may be prompted for a password or passphrase here since the script would be using SCP for host GNCASSHA05360.
grid's Password:
Done copying local host public key to the remote host GNCASSHA05360
SSH setup is complete.
-----
Verifying SSH setup
=====
The script will now run the date command on the remote nodes using ssh
to verify if ssh is setup correctly. IF THE SETUP IS CORRECTLY SETUP,
THERE SHOULD BE NO OUTPUT OTHER THAN THE DATE AND SSH SHOULD NOT ASK FOR
PASSWORDS. If you see any output other than date or are prompted for the
password, ssh is not setup correctly and you will need to resolve the
issue and set up ssh again.
The possible causes for failure could be:
1. The server settings in /etc/ssh/sshd_config file do not allow ssh
for user grid.
2. The server may have disabled public key based authentication.
3. The client public key on the server may be outdated.
4. /home/grid or /home/grid/.ssh on the remote host may not be owned by grid.
5. User may not have passed -shared option for shared remote users or
may be passing the -shared option for non-shared remote users.
6. If there is output in addition to the date, but no password is asked,
it may be a security alert shown as part of company policy. Append the
additional text to the <OMS HOME>/sysman/prov/resources/ignoreMessages.txt file.
-----
--GNCASSHA05359:--
Running /usr/bin/ssh -x -l grid GNCASSHA05359 date to verify SSH connectivity has been setup from local host to GNCASSHA05359.
IF YOU SEE ANY OTHER OUTPUT BESIDES THE OUTPUT OF THE DATE COMMAND OR IF YOU ARE PROMPTED FOR A PASSWORD HERE, IT MEANS SSH SETUP HAS NOT BEEN
SUCCESSFUL. Please note that being prompted for a passphrase may be OK but being prompted for a password is ERROR.
Mon Dec 7 15:48:00 -03 2020
-----
--GNCASSHA05360:--
Running /usr/bin/ssh -x -l grid GNCASSHA05360 date to verify SSH connectivity has been setup from local host to GNCASSHA05360.
IF YOU SEE ANY OTHER OUTPUT BESIDES THE OUTPUT OF THE DATE COMMAND OR IF YOU ARE PROMPTED FOR A PASSWORD HERE, IT MEANS SSH SETUP HAS NOT BEEN
SUCCESSFUL. Please note that being prompted for a passphrase may be OK but being prompted for a password is ERROR.
Mon Dec 7 15:26:49 -03 2020
-----
SSH verification complete.
bash-4.3#
Confirmação que o SSH ficou ok:

bash-4.3# /usr/bin/ssh -x -l grid GNCASSHA05360 date
Mon Dec 7 15:35:03 -03 2020
bash-4.3# /usr/bin/ssh -x -l oracle GNCASSHA05360 date
Mon Dec 7 15:35:15 -03 2020
bash-4.3# /usr/bin/ssh -x -l grid GNCASSHA05359 date
Mon Dec 7 15:56:48 -03 2020
bash-4.3# /usr/bin/ssh -x -l oracle GNCASSHA05359 date
Mon Dec 7 15:56:58 -03 2020
Root pré nos 2 hosts:

bash-4.3# /u01/app/19.0.0/grid/clone/rootpre.sh
/u01/app/19.0.0/grid/clone/rootpre.sh output will be logged in /tmp/rootpre.out_20-12-07.16:09:37
Checking if group services should be configured....
Nothing to configure.

```

Install do Grid no host 01:

```
$ id
uid=20323(adm.as58172) gid=20609(GG_Acesso_EquipeDBA) groups=10018(GG_Acesso_Infra-
Estrutura_TS),21466(GG_GNCASHPL00622_ADM),22879(GG_GNCASNTL01307_ADM),25245(GG_GNCASSHA03355_ADM),25247(GG_GNCASSHA03357_ADM),26346(GG_GNCASSHA040
20_ADM),26104(GG_GNCASSHA04021_ADM)
$ xauth list
gncasspa01039/unix:10 MIT-MAGIC-COOKIE-1 23c0e19d734c86be3d6011d6c036fd0a
gncasspa01039/unix:11 MIT-MAGIC-COOKIE-1 13e2c9c61d6fbfb9778ab76625d369ab
gncassha02593/unix:10 MIT-MAGIC-COOKIE-1 be9271c8db9d65c7268405f0528fb847
gncassha04667/unix:11 MIT-MAGIC-COOKIE-1 adf0863f8ad18cbab25a96adce35d0a2
gncassha04667/unix:12 MIT-MAGIC-COOKIE-1 03c206fb6984286e04a858b71967515e
gncassha04667/unix:10 MIT-MAGIC-COOKIE-1 6e7d77d0df6a85ce2b634c8cfef20ba4
gncassha05359/unix:10 MIT-MAGIC-COOKIE-1 65d4f25c387b43e81fc4e2e8d09de16d
gncassha05359/unix:11 MIT-MAGIC-COOKIE-1 c8a24bfd0c633b06ebc3ec8a91f39936
su - grid
. grid_profile
history
xauth add gncassha05359/unix:10 MIT-MAGIC-COOKIE-1 c6944ee2195735c3de11c7f903e6fc1b
export DISPLAY=localhost:10.0
cd /u01/app/19.0.0/grid/
./gridSetup.sh
Colocar os dados pra chamar o instalador
```

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

Clique em Add... >

[External Image](#)

Adicione o segundo host.

[External Image](#)

Aqui foi necessário mandar configurar o SSH Connectivity novamente. Clique em "SSH Connectivity..." e mande configurar.

Pegamos um BUG onde foi necessário atualizar o pacote do OpenSSH:

```
bash-4.3# ssh -V
```

```
OpenSSH_8.1p1, OpenSSL 1.0.2r 26 Feb 2019
```

INS-06006 GI RunInstaller Fails If OpenSSH Is Upgraded to 8.x (Doc ID 2555697.1)

Pode também aplicar o Patch como fazemos no upgrade:

<http://3.83.21.128/repo/upgrade-oracle-database-18c-to-19c-aix-rac/>

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

Neste ponto, pegamos inumeros warnings e fails. Tive que acionar o Hoffman para ajustar o NTP dos servidores e a diferença de 1210 segundos entre eles.

NTP: caso queira resolver sem o hoffman, é 3 comandos:

<https://logic.edchen.org/how-to-enable-slewing-option-of-ntp-service-in-aix/#run-time>

Assim como já é sabido, mesmo com o unzip 6 instalado, pegamos o warning dele:

```
$ unzip -V
```

```
UnZip 6.00 of 20 April 2009, by Info-ZIP.
```

[External Image](#)

[External Image](#)

Execução dos scripts no nó 01 (demora de 1h30min):

```
bash-4.3# id
uid=0(root) gid=0(system) groups=2(bin),3(sys),7(security),8(cron),10(audit),11(lp)
bash-4.3# /u01/app/orainventory/orainstRoot.sh
Changing permissions of /u01/app/orainventory.
Adding read,write permissions for group.
Removing read,write,execute permissions for world.
Changing groupname of /u01/app/orainventory to oinstall.
The execution of the script is complete.
bash-4.3# /u01/app/19.0.0/grid/root.sh
Performing root user operation.
The following environment variables are set as:
ORACLE_OWNER= grid
ORACLE_HOME= /u01/app/19.0.0/grid
Enter the full pathname of the local bin directory: [/usr/local/bin]:
The contents of "dbhome" have not changed. No need to overwrite.
The file "oraenv" already exists in /usr/local/bin. Overwrite it? (y/n) [n]: y
Copying oraenv to /usr/local/bin ...
The file "coraenv" already exists in /usr/local/bin. Overwrite it? (y/n) [n]: y
Copying coraenv to /usr/local/bin ...
Creating /etc/oratab file...
Entries will be added to the /etc/oratab file as needed by
Database Configuration Assistant when a database is created
Finished running generic part of root script.
Now product-specific root actions will be performed.
Relinking oracle with rac_on option
Using configuration parameter file: /u01/app/19.0.0/grid/crs/install/crsconfig_params
The log of current session can be found at:
```

```

/u01/app/grid/crsdata/gncassha05359/crsconfig/rootcrs_gncassha05359_2020-12-08_11-40-05AM.log
2020/12/08 11:40:48 CLSRSC-594: Executing installation step 1 of 19: 'SetupTFA'.
2020/12/08 11:40:48 CLSRSC-594: Executing installation step 2 of 19: 'ValidateEnv'.
2020/12/08 11:40:49 CLSRSC-363: User ignored prerequisites during installation
2020/12/08 11:40:49 CLSRSC-594: Executing installation step 3 of 19: 'CheckFirstNode'.
2020/12/08 11:40:58 CLSRSC-594: Executing installation step 4 of 19: 'GenSiteGUIDs'.
2020/12/08 11:41:01 CLSRSC-594: Executing installation step 5 of 19: 'SetupOSD'.
2020/12/08 11:41:02 CLSRSC-594: Executing installation step 6 of 19: 'CheckCRSConfig'.
2020/12/08 11:41:03 CLSRSC-594: Executing installation step 7 of 19: 'SetupLocalGPNP'.
2020/12/08 11:42:44 CLSRSC-4002: Successfully installed Oracle Trace File Analyzer (TFA) Collector.
2020/12/08 12:12:37 CLSRSC-594: Executing installation step 8 of 19: 'CreateRootCert'.
2020/12/08 12:42:49 CLSRSC-594: Executing installation step 9 of 19: 'ConfigOLR'.
User grid has the required capabilities to run CSSD in realtime mode
2020/12/08 12:43:31 CLSRSC-594: Executing installation step 10 of 19: 'ConfigCHMOS'.
2020/12/08 12:43:31 CLSRSC-594: Executing installation step 11 of 19: 'CreateOHASD'.
2020/12/08 12:43:51 CLSRSC-594: Executing installation step 12 of 19: 'ConfigOHASD'.
2020/12/08 12:43:52 CLSRSC-330: Adding Clusterware entries to file '/etc/inittab'
2020/12/08 12:44:55 CLSRSC-594: Executing installation step 13 of 19: 'InstallAFD'.
2020/12/08 12:45:18 CLSRSC-594: Executing installation step 14 of 19: 'InstallACFS'.
2020/12/08 12:46:54 CLSRSC-594: Executing installation step 15 of 19: 'InstallKA'.
2020/12/08 12:47:20 CLSRSC-594: Executing installation step 16 of 19: 'InitConfig'.
ASM has been created and started successfully.
[DBT-30001] Disk groups created successfully. Check /u01/app/grid/cfgtoollogs/asmca/asmca-201208PM014822.log for details.
2020/12/08 12:50:21 CLSRSC-482: Running command: '/u01/app/19.0.0/grid/bin/ocrconfig -upgrade grid oinstall'
CRS-4256: Updating the profile
Successful addition of voting disk 89a07b857a2e4ffbf00747c5963873.
Successfully replaced voting disk group with +DATA_MOTORPIX.
CRS-4256: Updating the profile
CRS-4266: Voting file(s) successfully replaced
## STATE File Universal Id File Name Disk Group
--
1. ONLINE 89a07b857a2e4ffbf00747c5963873 (/dev/rhdisk11) [DATA_MOTORPIX]
Located 1 voting disk(s).
2020/12/08 12:55:16 CLSRSC-594: Executing installation step 17 of 19: 'StartCluster'.
2020/12/08 12:57:10 CLSRSC-343: Successfully started Oracle Clusterware stack
2020/12/08 12:57:11 CLSRSC-594: Executing installation step 18 of 19: 'ConfigNode'.
2020/12/08 13:12:52 CLSRSC-594: Executing installation step 19 of 19: 'PostConfig'.
2020/12/08 13:15:01 CLSRSC-325: Configure Oracle Grid Infrastructure for a Cluster ... succeeded
bash-4.3#
Execução dos scripts no nó 02:

bash-4.3# /u01/app/orainventory/orainstRoot.sh
Changing permissions of /u01/app/orainventory.
Adding read,write permissions for group.
Removing read,write,execute permissions for world.
Changing groupname of /u01/app/orainventory to oinstall.
The execution of the script is complete.
bash-4.3#
bash-4.3# /u01/app/19.0.0/grid/root.sh
Performing root user operation.
The following environment variables are set as:
ORACLE_OWNER= grid
ORACLE_HOME= /u01/app/19.0.0/grid
Enter the full pathname of the local bin directory: [/usr/local/bin]:
The contents of "dbhome" have not changed. No need to overwrite.
The file "oraenv" already exists in /usr/local/bin. Overwrite it? (y/n) [n]: y
Copying oraenv to /usr/local/bin ...
The file "coraenv" already exists in /usr/local/bin. Overwrite it? (y/n) [n]: y
Copying coraenv to /usr/local/bin ...
Creating /etc/oratab file...
Entries will be added to the /etc/oratab file as needed by
Database Configuration Assistant when a database is created
Finished running generic part of root script.
Now product-specific root actions will be performed.
Relinking oracle with rac_on option
Using configuration parameter file: /u01/app/19.0.0/grid/crs/install/crsconfig_params
The log of current session can be found at:
/u01/app/grid/crsdata/gncassha05360/crsconfig/rootcrs_gncassha05360_2020-12-08_01-27-44PM.log
2020/12/08 13:28:08 CLSRSC-594: Executing installation step 1 of 19: 'SetupTFA'.
2020/12/08 13:28:09 CLSRSC-594: Executing installation step 2 of 19: 'ValidateEnv'.
2020/12/08 13:28:09 CLSRSC-363: User ignored prerequisites during installation
2020/12/08 13:28:10 CLSRSC-594: Executing installation step 3 of 19: 'CheckFirstNode'.
2020/12/08 13:28:15 CLSRSC-594: Executing installation step 4 of 19: 'GenSiteGUIDs'.
2020/12/08 13:28:15 CLSRSC-594: Executing installation step 5 of 19: 'SetupOSD'.
2020/12/08 13:28:16 CLSRSC-594: Executing installation step 6 of 19: 'CheckCRSConfig'.
2020/12/08 13:28:19 CLSRSC-594: Executing installation step 7 of 19: 'SetupLocalGPNP'.
2020/12/08 13:28:24 CLSRSC-594: Executing installation step 8 of 19: 'CreateRootCert'.
2020/12/08 13:28:24 CLSRSC-594: Executing installation step 9 of 19: 'ConfigOLR'.
User grid has the required capabilities to run CSSD in realtime mode
2020/12/08 13:28:51 CLSRSC-594: Executing installation step 10 of 19: 'ConfigCHMOS'.
2020/12/08 13:28:52 CLSRSC-594: Executing installation step 11 of 19: 'CreateOHASD'.
2020/12/08 13:29:03 CLSRSC-594: Executing installation step 12 of 19: 'ConfigOHASD'.
2020/12/08 13:29:04 CLSRSC-330: Adding Clusterware entries to file '/etc/inittab'
2020/12/08 13:30:13 CLSRSC-4002: Successfully installed Oracle Trace File Analyzer (TFA) Collector.
2020/12/08 13:30:18 CLSRSC-594: Executing installation step 13 of 19: 'InstallAFD'.
2020/12/08 13:30:27 CLSRSC-594: Executing installation step 14 of 19: 'InstallACFS'.
2020/12/08 13:32:09 CLSRSC-594: Executing installation step 15 of 19: 'InstallKA'.
2020/12/08 13:32:16 CLSRSC-594: Executing installation step 16 of 19: 'InitConfig'.
2020/12/08 13:33:02 CLSRSC-594: Executing installation step 17 of 19: 'StartCluster'.
2020/12/08 13:34:29 CLSRSC-343: Successfully started Oracle Clusterware stack

```

2020/12/08 13:34:29 CLSRSC-594: Executing installation step 18 of 19: 'ConfigNode'.
2020/12/08 13:35:41 CLSRSC-594: Executing installation step 19 of 19: 'PostConfig'.
2020/12/08 13:36:03 CLSRSC-325: Configure Oracle Grid Infrastructure for a Cluster ... succeeded
Confirmação do Grid:

```
bash-4.3$ crsctl status res -t
-----
Name Target State Server State details
-----
Local Resources
-----
ora.LISTENER.lsnr
ONLINE ONLINE gncassha05359 STABLE
ONLINE ONLINE gncassha05360 STABLE
ora.net1.network
ONLINE ONLINE gncassha05359 STABLE
ONLINE ONLINE gncassha05360 STABLE
ora.ons
ONLINE ONLINE gncassha05359 STABLE
ONLINE ONLINE gncassha05360 STABLE
ora.proxy_advm
OFFLINE OFFLINE gncassha05359 STABLE
OFFLINE OFFLINE gncassha05360 STABLE
-----
Cluster Resources
-----
ora.ASMNET1LSNR_ASM.lsnr(ora.asmgroup)
1 ONLINE ONLINE gncassha05359 STABLE
2 ONLINE ONLINE gncassha05360 STABLE
3 OFFLINE OFFLINE STABLE
ora.DATA_MOTORPIX.dg(ora.asmgroup)
1 ONLINE ONLINE gncassha05359 STABLE
2 ONLINE ONLINE gncassha05360 STABLE
3 OFFLINE OFFLINE STABLE
ora.LISTENER_SCAN1.lsnr
1 ONLINE ONLINE gncassha05360 STABLE
ora.LISTENER_SCAN2.lsnr
1 ONLINE ONLINE gncassha05359 STABLE
ora.LISTENER_SCAN3.lsnr
1 ONLINE ONLINE gncassha05359 STABLE
ora.asm(ora.asmgroup)
1 ONLINE ONLINE gncassha05359 Started,STABLE
2 ONLINE ONLINE gncassha05360 Started,STABLE
3 OFFLINE OFFLINE STABLE
ora.asmnet1.asmnetwork(ora.asmgroup)
1 ONLINE ONLINE gncassha05359 STABLE
2 ONLINE ONLINE gncassha05360 STABLE
3 OFFLINE OFFLINE STABLE
ora.cvu
1 ONLINE ONLINE gncassha05359 STABLE
ora.gncassha05359.vip
1 ONLINE ONLINE gncassha05359 STABLE
ora.gncassha05360.vip
1 ONLINE ONLINE gncassha05360 STABLE
ora.qosmserver
1 ONLINE ONLINE gncassha05359 STABLE
ora.scan1.vip
1 ONLINE ONLINE gncassha05360 STABLE
ora.scan2.vip
1 ONLINE ONLINE gncassha05359 STABLE
ora.scan3.vip
1 ONLINE ONLINE gncassha05359 STABLE
-----
```

bash-4.3\$
A tela final travou aos 100%. Segui normalmente para a instalação dos Binários do Banco.

[External Image](#)

Instalação da camada do banco nos 2 hosts:

```
bash-4.3$ cd /u01/app/oracle/product/19.0.0/dbhome_1
bash-4.3$ unzip AIX.PPC64_193000_db_home.zip
.....
bash-4.3$ /u01/app/oracle/product/19.0.0/dbhome_1/clone/rootpre.sh
/u01/app/oracle/product/19.0.0/dbhome_1/clone/rootpre.sh output will be logged in /tmp/rootpre.out_20-12-08.14:20:41
You must be logged in as root to run this script
Aborting pre-installation procedure. Installations of Oracle may fail.
You have mail in /usr/spool/mail/oracle
Instalação da camada de banco:
```

```
$ bash-4.3$ . db_profile
bash-4.3$ cd /u01/app/oracle/product/19.0.0/dbhome_1
xauth add gncassha05359/unix:10 MIT-MAGIC-COOKIE-1 c6944ee2195735c3de11c7f903e6fc1b
export DISPLAY=localhost:10.0
bash-4.3$ ./runInstaller
```

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

Mais uma vez houveram erros de NTP. Hoffman teve que mexer novamente

Caro queira resolver o NTP sozinho, sem o Hoffman, seguir a nota:

<https://logic.edchen.org/how-to-enable-slewing-option-of-ntp-service-in-aix/#run-time>

Scripts executados com sucesso:

```
bash-4.3# /u01/app/oracle/product/19.0.0/dbhome_1/root.sh
```

Performing root user operation.

The following environment variables are set as:

ORACLE_OWNER= oracle

ORACLE_HOME= /u01/app/oracle/product/19.0.0/dbhome_1

Enter the full pathname of the local bin directory: [/usr/local/bin]:

The contents of "dbhome" have not changed. No need to overwrite.

The contents of "oraenv" have not changed. No need to overwrite.

The contents of "coraenv" have not changed. No need to overwrite.

Entries will be added to the /etc/oratab file as needed by

Database Configuration Assistant when a database is created

Finished running generic part of root script.

Now product-specific root actions will be performed.

[External Image](#)

Criação dos diskgroups:

```
bash-4.3$ . grid_profile
```

```
bash-4.3$ xauth add gncassha05359/unix:10 MIT-MAGIC-COOKIE-1 2ef5d4188682a0ee30b5c6b6f400628f
```

```
bash-4.3$ export DISPLAY=localhost:10.0
```

```
bash-4.3$ asmca
```

[External Image](#)

Clique em "Disk Groups"

[External Image](#)

Clique em "Create..."

[External Image](#)

Digite o nome do diskgroup, no caso: DATA_AUX_MOTORPIX. Selecione "External" como redundancy e por fim selecione os 4 discos criados para o AUX.

[External Image](#)

Repita o processo para o diskgroup do ARCH_MOTORPIX.

[External Image](#)

DBCA

NOTA IMPORTANTE: Quando foi feita a instalação do 19c para Data Guard, utilizando a mídia original 19.0.0, encontramos problemas ao rodar o DBCA (lentidão entre as telas e não passava da tela 9 of 15). Quando instalamos utilizando a mídia 19.3.0 não encontramos este erro. Sendo assim, sugiro que apliquem o PSU antes do DBCA. Neste RAC, já estamos com a mídia 19.3.0.

```
bash-4.3$ . db_profile
```

```
bash-4.3$ xauth add gncassha05359/unix:10 MIT-MAGIC-COOKIE-1 2ef5d4188682a0ee30b5c6b6f400628f
```

```
bash-4.3$ export DISPLAY=localhost:10.0
```

```
bash-4.3$ dbca
```

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

[External Image](#)

Navegue pelas outras 4 telas!

[External Image](#)

[External Image](#)

Como não foi indicado nenhum character set específico, seguimos com o padrão.

[External Image](#)

[External Image](#)

Não é necessário configurar o Enterprise Manager. Será feito deploy no OEM.

[External Image](#)

Utilizei uma das senhas padrões.

[External Image](#)

[External Image](#)

Esse erro do Unzip já é conhecido, pois validamos que está na versão 6.

[External Image](#)

[External Image](#)

Aplicando o último PSU

Cópia dos binários do PSU e do OPatch (nos dois hosts):

```
bash-4.3$ . grid_profile
```

```
bash-4.3$ cd /u02/oracle/patches/
```

```
bash-4.3$ scp adm.as58172@GNCASHHL01956:/u02/ORAEX/db/19c/AIX/PSU/p31305339_190000_AIX64-5L.zip /u02/oracle/patches/p31305339_190000_AIX64-5L.zip
```

Password:

```
p31305339_190000_AIX64-5L.zip 100% 2957MB 13.9MB/s 03:33
```

```
bash-4.3$ scp adm.as58172@GNCASHHL01956:/u02/ORAEX/db/12c/AIX/OPatch/p6880880_122021_AIX64-5L.zip /u02/oracle/patches/p6880880_122021_AIX64-5L.zip
```

Password:

```
p6880880_122021_AIX64-5L.zip 100% 169MB 34.2MB/s 00:04
```

Ajuste dos OPatches:

OPatch do grid com user root (nos dois hosts):

```
bash-4.3# cd /u01/app/19.0.0/grid
bash-4.3# cp /u02/oracle/patches/p6880880_122021_AIX64-5L.zip .
bash-4.3# mv OPatch OPatch_old
bash-4.3# unzip p6880880_122021_AIX64-5L.zip
...
bash-4.3# chown -R grid:oinstall OPatch
```

Opatch do oracle com user oracle (nos dois hosts):

```
bash-4.3$ . db_profile
bash-4.3$ cd $ORACLE_HOME
bash-4.3$ cp /u02/oracle/patches/p6880880_122021_AIX64-5L.zip .
bash-4.3$ mv OPatch OPatch_old
bash-4.3$ unzip p6880880_122021_AIX64-5L.zip
...
```

Descompactando o PSU com user grid (nos dois hosts):

```
bash-4.3$ . grid_profile
bash-4.3$ cd /u02/oracle/patches/
bash-4.3$ ls -la
total 20222848
drwxrwxr-x 2 oracle oinstall 256 Dec 9 01:08 .
drwxrwxr-x 3 oracle oinstall 256 Dec 7 15:19 ..
-rwxrwxr-x 1 oracle oinstall 3472058711 Dec 7 15:25 AIX.PPC64_193000_db_home.zip
-rwxrwxr-x 1 oracle oinstall 3604875591 Dec 7 15:27 AIX.PPC64_193000_grid_home.zip
-rwxrwxr-x 1 grid oinstall 3100283546 Dec 9 01:04 p31305339_190000_AIX64-5L.zip
-rwxrwxr-x 1 grid oinstall 176870590 Dec 9 01:08 p6880880_122021_AIX64-5L.zip
bash-4.3$ unzip p31305339_190000_AIX64-5L.zip
...
```

Aplicando com user root (1 host por vez):

```
bash-4.3# pwd
/u01/app/19.0.0/grid/OPatch
bash-4.3# ./opatchauto apply /u02/oracle/patches/31305339/
```

NOTA: Há um bug na versão 19c interessante. O Nó que foi instalado o RAC, cria um arquivo de contexto com permissão correta e user grid porém, o arquivo não é replicado para o segundo. Dando erro na instalação. A solução está no Doc ID 2582139.1. Na instalação, passei pelo erro, porém podemos evita-lo copiando o arquivo do de contexto do primeiro para o segundo nó.

```
bash-4.3# ./opatchauto apply /u02/oracle/patches/31305339/
```

OPatchauto session is initiated at Wed Dec 9 01:24:53 2020

System initialization log file is /u01/app/19.0.0/grid/cfgtoollogs/patchauto/systemconfig2020-12-09_01-25-06AM.log.

Session log file is /u01/app/19.0.0/grid/cfgtoollogs/patchauto/patchauto2020-12-09_01-27-07AM.log
The id for this session is B978

Executing OPatch prereq operations to verify patch applicability on home /u01/app/19.0.0/grid

Executing OPatch prereq operations to verify patch applicability on home /u01/app/oracle/product/19.0.0/dbhome_1
Patch applicability verified successfully on home /u01/app/oracle/product/19.0.0/dbhome_1

Patch applicability verified successfully on home /u01/app/19.0.0/grid

Verifying SQL patch applicability on home /u01/app/oracle/product/19.0.0/dbhome_1
SQL patch applicability verified successfully on home /u01/app/oracle/product/19.0.0/dbhome_1

Preparing to bring down database service on home /u01/app/oracle/product/19.0.0/dbhome_1
Successfully prepared home /u01/app/oracle/product/19.0.0/dbhome_1 to bring down database service

Bringing down CRS service on home /u01/app/19.0.0/grid
CRS service brought down successfully on home /u01/app/19.0.0/grid

Performing prepatch operation on home /u01/app/oracle/product/19.0.0/dbhome_1
Perpatch operation completed successfully on home /u01/app/oracle/product/19.0.0/dbhome_1

Start applying binary patch on home /u01/app/oracle/product/19.0.0/dbhome_1
Successfully executed command: /usr/sbin/slibclean

Binary patch applied successfully on home /u01/app/oracle/product/19.0.0/dbhome_1

Performing postpatch operation on home /u01/app/oracle/product/19.0.0/dbhome_1
Postpatch operation completed successfully on home /u01/app/oracle/product/19.0.0/dbhome_1

Start applying binary patch on home /u01/app/19.0.0/grid
Successfully executed command: /usr/sbin/slibclean

Failed while applying binary patches on home /u01/app/19.0.0/grid

Execution of [OPatchAutoBinaryAction] patch action failed, check log for more details. Failures:

Patch Target : gncassha05360->/u01/app/19.0.0/grid Type[crs]

Details: [

-----Patching Failed-----

Command execution failed during patching in home: /u01/app/19.0.0/grid, host: gncassha05360.

Command failed: /u01/app/19.0.0/grid/OPatch/patchauto apply /u02/oracle/patches/31305339/ -oh /u01/app/19.0.0/gr

id -target_type cluster -binary -invPtrLoc /u01/app/19.0.0/grid/oraInst.loc -jre /u01/app/19.0.0/grid/O
ersistresult /u01/app/19.0.0/grid/patchauto/db/sessioninf

Patch/jre -p
o/sessionresult_gncassha05360_crs_1.ser -analyzedresul t /u01/app/19.

0.0/grid/patchauto/db/sessioninfo/sessionresult_analyze_gncassha05360_crs_1.ser

Command failure output:

==Following patches FAILED in apply:

Patch: /u02/oracle/patches/31305339/31281355

Log: /u01/app/19.0.0/grid/cfgtoollogs/patchauto/core/patch/patch2020-12-09_01-45-48AM_1.log

Reason: Failed during Patching: oracle.opatch.opatchsdk.OPatchException: ApplySession failed in system modification

phase... 'ApplySession::apply failed: java.io.IOException: oracle.sysman.oui.patch.PatchException:
java.io.FileNot FoundException: /u01/app/oraInventory/ContentsXML/oui

-patch.xml (Permission denied)'

After fixing the cause of failure Run patchauto resume

]

OPATCHAUTO-68061: The orchestration engine failed.

OPATCHAUTO-68061: The orchestration engine failed with return code 1

OPATCHAUTO-68061: Check the log for more details.

OPatchAuto failed.

OPatchauto session completed at Wed Dec 9 01:55:44 2020

Time taken to complete the session 30 minutes, 52 seconds

patchauto failed with error code 42

Para corrigir o erro, fiz a cópia do arquivo de contexto do nó 01:

```
bash-4.3$ cd /u01/app/oraInventory/ContentsXML/
```

```
bash-4.3$ scp oui-patch.xml grid@gncassha05360:/u01/app/oraInventory/ContentsXML/oui-patch.xml
```

```
oui-patch.xml
```

Disperei novamente o opatch:

```
bash-4.3# ./opatchauto resume
```

OPatchauto session is initiated at Wed Dec 9 02:21:32 2020

Session log file is /u01/app/19.0.0/grid/cfgtoollogs/opatchauto/opatchauto2020-12-09_02-21-33AM.log

Resuming existing session with id B978

Start applying binary patch on home /u01/app/19.0.0/grid

Successfully executed command: /usr/sbin/slibclean

Failed while applying binary patches on home /u01/app/19.0.0/grid

Execution of [OPatchAutoBinaryAction] patch action failed, check log for more details. Failures:

Patch Target : gncassha05360->/u01/app/19.0.0/grid Type[crs]

Details: [

-----Patching Failed-----

Command execution failed during patching in home: /u01/app/19.0.0/grid, host: gncassha05360.

Command failed: /u01/app/19.0.0/grid/OPatch/opatchauto apply /u02/oracle/patches/31305339/ -oh /u01/app/19.0.0/grid -target_type cluster -binary -invPtrLoc /u01/app/19.0.0/grid/oraInst.loc -jre /u01/app/19.0.0/grid/OPatch/jre -persistresult /u01/app/19.0.0/grid/opatchautocfg/db/sessioninfo/sessionresult_gncassha05360_crs_1.ser -analyzedresult /u01/app/19.0.0/grid/opatchautocfg/db/sessioninfo/sessionresult_analyze_gncassha05360_crs_1.ser

Command failure output:

==Following patches FAILED in apply:

Patch: /u02/oracle/patches/31305339/31281355

Log:

Reason: Failed during Patching: oracle.opatch.opatchsdk.OPatchException: Unable to create patchObject

Possible causes are:

ORACLE_HOME/inventory/oneoffs/31281355 is corrupted. PatchObject constructor: Input file "/u01/app/19.0.0/grid/inventory/oneoffs/31281355/etc/config/actions" or "/u01/app/19.0.0/grid/inventory/oneoffs/31281355/etc/config/inventory" does not exist.

After fixing the cause of failure Run opatchauto resume

]

OPATCHAUTO-68061: The orchestration engine failed.

OPATCHAUTO-68061: The orchestration engine failed with return code 1

OPATCHAUTO-68061: Check the log for more details.

OPatchAuto failed.

OPatchauto session completed at Wed Dec 9 02:22:52 2020

Time taken to complete the session 1 minute, 21 seconds

opatchauto failed with error code 42

Para resolver esse ponto, copieie esse sub-patch 31281355 para o diretório indicado e deu tudo certo:

```
bash-4.3# cd /u02/oracle/patches/31305339/
```

```
bash-4.3# ls
```

```
31281355 31304218 31305087 31335188 README.html README.txt automation bundle.xml
```

```
bash-4.3# cp -R 31281355 /u01/app/19.0.0/grid/inventory/oneoffs/
```

```
bash-4.3# ls -la /u01/app/19.0.0/grid/inventory/oneoffs/
```

```
total 8
```

```
drwxr-x--- 7 grid oinstall 256 Dec 9 02:24 .
```

```
drwxr-x--- 14 grid oinstall 4096 Dec 8 11:35 ..
```

```
drwxr-x--- 4 grid oinstall 256 Dec 8 11:32 29401763
```

```
drwxr-x--- 4 grid oinstall 256 Dec 8 11:33 29517242
```

```
drwxr-x--- 4 grid oinstall 256 Dec 8 11:32 29517247
```

```
drwxr-x--- 4 grid oinstall 256 Dec 8 11:32 29585399
```

```
drwxr-x--- 5 root system 256 Dec 9 02:24 31281355
```

```
bash-4.3# cd /u01/app/19.0.0/grid/inventory/oneoffs/
```

```
bash-4.3# chown -R grid:install 31281355
```

```
bash-4.3# id
```

```
uid=0(root) gid=0(system) groups=2(bin),3(sys),7(security),8(cron),10(audit),11(lp)
```

```
bash-4.3# cd /u01/app/19.0.0/grid/OPatch
```

```
bash-4.3# ./opatchauto resume
```

OPatchauto session is initiated at Wed Dec 9 02:25:52 2020

Session log file is /u01/app/19.0.0/grid/cfgtoollogs/opatchauto/opatchauto2020-12-09_02-25-53AM.log

Resuming existing session with id B978

Start applying binary patch on home /u01/app/19.0.0/grid

Successfully executed command: /usr/sbin/slibclean

Binary patch applied successfully on home /u01/app/19.0.0/grid

Starting CRS service on home /u01/app/19.0.0/grid

CRS service started successfully on home /u01/app/19.0.0/grid

Preparing home /u01/app/oracle/product/19.0.0/dbhome_1 after database service restarted
No step execution required.....

Trying to apply SQL patch on home /u01/app/oracle/product/19.0.0/dbhome_1
SQL patch applied successfully on home /u01/app/oracle/product/19.0.0/dbhome_1

OPatchAuto successful.

-----Summary-----

Patching is completed successfully. Please find the summary as follows:

Host:gncassha05360
RAC Home:/u01/app/oracle/product/19.0.0/dbhome_1
Version:19.0.0.0.0
Summary:

==Following patches were SKIPPED:

Patch: /u02/oracle/patches/31305339/31304218
Reason: This patch is not applicable to this specified target type - "rac_database"

Patch: /u02/oracle/patches/31305339/31335188
Reason: This patch is not applicable to this specified target type - "rac_database"

==Following patches were SUCCESSFULLY applied:

Patch: /u02/oracle/patches/31305339/31281355
Log: /u01/app/oracle/product/19.0.0/dbhome_1/cfgtoollogs/patchauto/core/patch/patch2020-12-09_01-37-04AM_1.log

Patch: /u02/oracle/patches/31305339/31305087
Log: /u01/app/oracle/product/19.0.0/dbhome_1/cfgtoollogs/patchauto/core/patch/patch2020-12-09_01-37-04AM_1.log

Host:gncassha05360
CRS Home:/u01/app/19.0.0/grid
Version:19.0.0.0.0
Summary:

==Following patches were SKIPPED:

Patch: /u02/oracle/patches/31305339/31281355
Reason: This patch is already been applied, so not going to apply again.

==Following patches were SUCCESSFULLY applied:

Patch: /u02/oracle/patches/31305339/31304218
Log: /u01/app/19.0.0/grid/cfgtoollogs/patchauto/core/patch/patch2020-12-09_02-27-00AM_1.log

Patch: /u02/oracle/patches/31305339/31305087
Log: /u01/app/19.0.0/grid/cfgtoollogs/patchauto/core/patch/patch2020-12-09_02-27-00AM_1.log

Patch: /u02/oracle/patches/31305339/31335188
Log: /u01/app/19.0.0/grid/cfgtoollogs/patchauto/core/patch/patch2020-12-09_02-27-00AM_1.log

OPatchauto session completed at Wed Dec 9 02:42:40 2020

Time taken to complete the session 16 minutes, 49 seconds

```
bash-4.3# ps -ef | grep pmon
```

```
oracle 19791960      1  0 02:39:25   -  0:01 ora_pmon_MOTORPIX2
```

```
root 21692516 22151338  0 10:12:39 pts/0  0:00 grep pmon
```

```
grid 22216856      1  0 02:38:54   -  0:00 asm_pmon_+ASM2
```

Para o PSU no nó 01, tomei erro também. Repeti a cópia do sub-patch para o diretório indicado e, em seguida, matei todos os processos que ainda estavam no ar do user Oracle e Grid: