
Project*

First Saved	Thursday, July 23, 2026
Last Saved	Thursday, July 23, 2026
Product Version	2025 R2
Save Project Before Solution	No
Save Project After Solution	No



Contents

- **Units**
- **Model (C4)**
  - Geometry Imports
    - Geometry Import (C3)
  - Geometry
    - Parts
  - Materials
  - Coordinate Systems
  - Connections
    - Contacts
      - Contact Regions
      - Frictionless - RUN 7|Body9 To RUN 7|Body11
  - Mesh
  - **Static Structural (C5)**
    - Analysis Settings
    - Loads
    - Solution (C6)
      - Solution Information
      - Results
      - Contact Tool
        - Status
      - Probes
- **Material Data**
  - ECOFLEX-0045
  - Plastic, ABS (high-impact)

Report Not Finalized

Not all objects described below are in a finalized state. As a result, data may be incomplete, obsolete or in error. View first state problem. To finalize this report, edit objects as needed and solve the analyses.

Units

TABLE 1

Unit System	Metric (mm, kg, N, s, mV, mA) Degrees rad/s Celsius
Angle	Degrees
Rotational Velocity	rad/s
Temperature	Celsius

Model (C4)

TABLE 2
Model (C4) > Geometry Imports

Object Name	*Geometry Imports*
State	Solved

TABLE 3
Model (C4) > Geometry Imports > Geometry Import (C3)

Object Name	*Geometry Import (C3)*
State	Solved
Definition	
Source	C:\Users\DLSU\Downloads\ANSYS FOR HOLLOW RODS\RUN 7.step
Type	Step
Basic Geometry Options	
Solid Bodies	Yes
Surface Bodies	Yes
Line Bodies	No
Parameters	Independent
Parameter Key	ANS;DS
Attributes	No
Named Selections	No
Material Properties	No
Advanced Geometry Options	

Use Associativity	Yes
Coordinate Systems	No
Reader Mode Saves Updated File	No
Use Instances	Yes
Smart CAD Update	Yes
Compare Parts On Update	No
Analysis Type	3-D
Mixed Import Resolution	None
Import Facet Quality	Source
Clean Bodies On Import	No
Stitch Surfaces On Import	None
Decompose Disjoint Geometry	Yes
Enclosure and Symmetry Processing	Yes

Geometry

TABLE 4
Model (C4) > Geometry

Object Name	*Geometry*
State	Fully Defined
Definition	
Source	C:\Users\DLSU\Downloads\ANSYS FOR HOLLOW RODS\RUN 7.step
Type	Step
Length Unit	Millimeters
Element Control	Program Controlled
Display Style	Body Color
Bounding Box	
Length X	30. mm
Length Y	30. mm
Length Z	41.55 mm
Properties	
Volume	2492.6 mm³
Mass	2.6239e-003 kg
Scale Factor Value	1.
Statistics	
Bodies	11
Active Bodies	11
Nodes	9992
Elements	4242
Mesh Metric	None
Update Options	
Assign Default Material	No
Basic Geometry Options	
Solid Bodies	Yes
Surface Bodies	Yes
Line Bodies	No
Parameters	Independent
Parameter Key	ANS;DS
Attributes	No
Named Selections	No
Material Properties	No
Advanced Geometry Options	
Use Associativity	Yes
Coordinate Systems	No
Reader Mode Saves Updated File	No
Use Instances	Yes
Smart CAD Update	Yes
Compare Parts On Update	No
Analysis Type	3-D
Mixed Import Resolution	None
Import Facet Quality	Source
Clean Bodies On Import	No
Stitch Surfaces On Import	None
Decompose Disjoint Geometry	Yes
ID_GeometryPrefProcessPhysicsDefinition	No
Enclosure and Symmetry Processing	Yes

TABLE 5
Model (C4) > Geometry > Parts

Object Name	*RUN*	*RUN*	*RUN*	*RUN*	*RUN*	*RUN*	*RUN*	*RUN*	*RUN*	*RUN*	*RUN*

	7|Body1	7|Body2	7|Body3	7|Body4	7|Body5	7|Body6	7|Body7	7|Body8	7|Body9	7|Body10	7|Body11
State	Meshed										
Graphics Properties											
Visible	Yes										
Transparency	1										
Definition											
Suppressed	No										
Stiffness Behavior	Flexible										
Coordinate System	Default Coordinate System										
Reference Temperature	By Environment										
Treatment	None										
Material											
Assignment	ECOFLEX-0045										Plastic, ABS (high-impact)
Nonlinear Effects	Yes										
Thermal Strain Effects	Yes										
Bounding Box											
Length X	30. mm	7. mm									4. mm
Length Y	30. mm	7. mm									4. mm
Length Z	1.75 mm										38. mm
Properties											
Volume	1537.4 mm³	38.579 mm³									608. mm³
Mass	1.6296e-003 kg	4.0894e-005 kg									6.2624e-004 kg
Centroid X	5.0099e-016 mm	9. mm	-9. mm		2.4103e-006 mm	9. mm	2.4084e-006 mm	-9. mm	2.4094e-006 mm	9. mm	0. mm
Centroid Y	4.5159e-016 mm	9. mm	-9. mm	8.7942e-010 mm	9. mm	-9.3858e-010 mm	-9. mm	9. mm	2.6363e-012 mm	-9. mm	0. mm
Centroid Z	-0.875 mm	0.66042 mm									20.8 mm
Moment of Inertia Ip1	0.12347 kg·mm²	1.0177e-004 kg·mm²									7.6193e-002 kg·mm²
Moment of Inertia Ip2	0.12347 kg·mm²	1.0177e-004 kg·mm²									7.6193e-002 kg·mm²
Moment of Inertia Ip3	0.2461 kg·mm²	1.8763e-004 kg·mm²									1.67e-003 kg·mm²
Statistics											
Nodes	1867	852	840		853	842	853	840	852		501
Elements	228	442	434		443	436	443	434	442		64
Mesh Metric	None										

TABLE 6
Model (C4) > Materials

Object Name	*Materials*
State	Fully Defined
Statistics	
Materials	3
Material Assignments	0

Coordinate Systems

TABLE 7
Model (C4) > Coordinate Systems > Coordinate System

Object Name	*Global Coordinate System*
State	Fully Defined
Definition	
Type	Cartesian
Coordinate System ID	0.
Origin	
Origin X	0. mm
Origin Y	0. mm
Origin Z	0. mm
Directional Vectors	
X Axis Data	[1. 0. 0.]
Y Axis Data	[0. 1. 0.]
Z Axis Data	[0. 0. 1.]

Transfer Properties	
Source	
Read Only	No

Connections

TABLE 8
Model (C4) > Connections

Object Name	*Connections*
State	Fully Defined
Auto Detection	
Generate Automatic Connection On Refresh	Yes
Transparency	
Enabled	Yes
Statistics	
Contacts	11
Active Contacts	11
Joints	0
Active Joints	0
Beams	0
Active Beams	0
Bearings	0
Active Bearings	0
Springs	0
Active Springs	0
Body Interactions	0
Active Body Interactions	0

TABLE 9
Model (C4) > Connections > Contacts

Object Name	*Contacts*	*Contacts 2*
State	Fully Defined	
Definition		
Connection Type	Contact	
Scope		
Scoping Method	Geometry Selection	
Geometry	All Bodies	
Auto Detection		
Tolerance Type	Slider	
Tolerance Slider	0.	
Tolerance Value	0.14846 mm	
Use Range	No	
Face/Face	Yes	
Face-Face Angle Tolerance	75. °	
Face Overlap Tolerance	Off	
Cylindrical Faces	Include	
Face/Edge	No	
Edge/Edge	No	
Priority	Include All	
Group By	Bodies	
Search Across	Bodies	
Statistics		
Connections	10	1
Active Connections	10	1

TABLE 10
Model (C4) > Connections > Contacts > Contact Regions

Object Name	*Contact Region*	*Contact Region 2*	*Contact Region 3*	*Contact Region 4*	*Contact Region 5*	*Contact Region 6*	*Contact Region 7*	*Contact Region 8*	*Contact Region 9*	*Contact Region 10*
State	Fully Defined									
Scope										
Scoping Method	Geometry Selection									
Contact	1 Face									2 Faces
Target	1 Face									
Contact Bodies	RUN 7|Body1									RUN 7|Body9
Target Bodies	RUN 7|Body2	RUN 7|Body3	RUN 7|Body4	RUN 7|Body5	RUN 7|Body6	RUN 7|Body7	RUN 7|Body8	RUN 7|Body9	RUN 7|Body10	RUN 7|Body11
Protected	No									
Definition										
Type	Bonded									

Scope Mode	Automatic
Behavior	Program Controlled
Trim Contact	Program Controlled
Trim Tolerance	0.14846 mm
Contact APDL Name	
Target APDL Name	
Suppressed	No
Display	
Element Normals	No
Advanced	
Formulation	Program Controlled
Small Sliding	Program Controlled
Detection Method	Program Controlled
Penetration Tolerance	Program Controlled
Elastic Slip Tolerance	Program Controlled
Normal Stiffness	Program Controlled
Update Stiffness	Program Controlled
Pinball Region	Program Controlled
Geometric Modification	
Contact Geometry Correction	None
Target Geometry Correction	None

TABLE 11
Model (C4) > Connections > Contacts 2 > Contact Regions

Object Name	*Frictionless - RUN 7|Body9 To RUN 7|Body11*
State	Fully Defined
Scope	
Scoping Method	Geometry Selection
Contact	1 Face
Target	1 Face
Contact Bodies	RUN 7|Body9
Target Bodies	RUN 7|Body11
Protected	No
Definition	
Type	Frictionless
Scope Mode	Manual
Behavior	Asymmetric
Trim Contact	Program Controlled
Contact APDL Name	
Target APDL Name	
Suppressed	No
Display	
Element Normals	No
Advanced	
Formulation	Augmented Lagrange
Small Sliding	Program Controlled
Detection Method	Program Controlled
Penetration Tolerance	Program Controlled
Normal Stiffness	Program Controlled
Update Stiffness	Program Controlled
Stabilization Damping Factor	0.
Pinball Region	Program Controlled
Time Step Controls	None
Geometric Modification	
Interface Treatment	Add Offset, No Ramping
Offset	0. mm
Contact Geometry Correction	None
Target Geometry Correction	None

Mesh

TABLE 12
Model (C4) > Mesh

Object Name	*Mesh*

State	Solved
Display	
Display Style	Use Geometry Setting
Defaults	
Physics Preference	Mechanical
Element Order	Program Controlled
Element Size	Default
Sizing	
Use Adaptive Sizing	Yes
Resolution	Default (2)
Mesh Defeaturing	Yes
Defeature Size	Default
Transition	Fast
Span Angle Center	Coarse
Initial Size Seed	Assembly
Bounding Box Diagonal	59.384 mm
Average Surface Area	53.286 mm²
Minimum Edge Length	0.125 mm
Quality	
Check Mesh Quality	Yes, Errors
Error Limits	Aggressive Mechanical
Target Element Quality	Default (5.e-002)
Smoothing	Medium
Mesh Metric	None
Inflation	
Use Automatic Inflation	None
Inflation Option	Smooth Transition
Transition Ratio	0.272
Maximum Layers	5
Growth Rate	1.2
Inflation Algorithm	Pre
Inflation Element Type	Wedges
View Advanced Options	No
Advanced	
Number of CPUs for Parallel Part Meshing	Program Controlled
Straight Sided Elements	No
Rigid Body Behavior	Dimensionally Reduced
Triangle Surface Mesher	Program Controlled
Topology Checking	Yes
Pinch Tolerance	Please Define
Generate Pinch on Refresh	No
Auto-Map Fillets	No
Automatic Methods	
Sheet Body Method	Prime Quad Dominant
Sweepable Body Method	Sweep
Statistics	
Nodes	9992
Elements	4242
Show Detailed Statistics	No

Static Structural (C5)

TABLE 13
Model (C4) > Analysis

Object Name	*Static Structural (C5)*
State	Not Solved
Definition	
Physics Type	Structural
Analysis Type	Static Structural
Solver Target	Mechanical APDL
Options	
Environment Temperature	22. °C
Generate Input Only	No

TABLE 14
Model (C4) > Static Structural (C5) > Analysis Settings

Object Name	*Analysis Settings*
State	Fully Defined
Restart Analysis	
Restart Type	Program Controlled

Load Step	2
Substep	6
Time	1.7853 s
Step Controls	
Number Of Steps	2.
Current Step Number	1.
Step End Time	1. s
Auto Time Stepping	On
Define By	Substeps
Initial Substeps	200.
Minimum Substeps	100.
Maximum Substeps	2000.
Solver Controls	
Solver Type	Program Controlled
Weak Springs	On
Spring Stiffness	Program Controlled
Solver Pivot Checking	Program Controlled
Large Deflection	On
Inertia Relief	Off
Quasi-Static Solution	Off
Rotordynamics Controls	
Coriolis Effect	Off
Restart Controls	
Generate Restart Points	Program Controlled
Retain Files After Full Solve	No
Combine Restart Files	Program Controlled
Nonlinear Controls	
Newton-Raphson Option	Full
Force Convergence	Program Controlled
Moment Convergence	Program Controlled
Displacement Convergence	Program Controlled
Rotation Convergence	Program Controlled
Line Search	On
Stabilization	Program Controlled
Advanced	
Inverse Option	No
Contact Split (DMP)	Program Controlled
Output Controls	
Output Selection	None
Stress	Yes
Back Stress	No
Strain	Yes
Contact Data	Yes
Nonlinear Data	No
Nodal Forces	No
Volume and Energy	Yes
Euler Angles	Yes
General Miscellaneous	No
Contact Miscellaneous	No
Store Results At	All Time Points
Result File Compression	Program Controlled
Analysis Data Management	
Solver Files Directory	C:\Users\DLSU\AppData\Local\Temp\WB_DLSU_28500_2\wbnew_files\dp0\SYS-2\MECH\
Future Analysis	None
Scratch Solver Files Directory	
Save MAPDL db	No
Contact Summary	Program Controlled
Delete Unneeded Files	Yes
Nonlinear Solution	Yes
Solver Units	Active System
Solver Unit System	nmm

TABLE 15
Model (C4) > Static Structural (C5) > Analysis Settings
Step-Specific "Step Controls"

Step	Step End Time	Auto Time Stepping	Define By	Initial Substeps	Minimum Substeps	Maximum Substeps
1	1. s	On	Substeps	200.	100.	2000.
2	2. s	Program Controlled				

TABLE 16

Model (C4) > Static Structural (C5) > Analysis Settings
Step-Specific "Nonlinear Controls"

Step	Line Search
1	On
2	Program Controlled

TABLE 17
Model (C4) > Static Structural (C5) > Loads

Object Name	*Fixed Support*	*Displacement*
State	Fully Defined	
Scope		
Scoping Method	Geometry Selection	
Geometry	1 Face	
Definition		
Type	Fixed Support	Displacement
Suppressed	No	
Define By		Components
Coordinate System		Global Coordinate System
X Component		0. mm (ramped)
Y Component		0. mm (ramped)
Z Component		Tabular Data
Tabular Data		
Independent Variable		Time

FIGURE 1
Model (C4) > Static Structural (C5) > Displacement




TABLE 18
Model (C4) > Static Structural (C5) > Displacement

Steps	Time [s]	X [mm]	Y [mm]	Z [mm]
1	0.	= 0.	= 0.	0.
	1.	0.	0.	-0.75
2	2.	= 0.	= 0.	-1.25

Solution (C6)

TABLE 19
Model (C4) > Static Structural (C5) > Solution

Object Name	*Solution (C6)*
State	Solve Failed
Adaptive Mesh Refinement	
Max Refinement Loops	1.
Refinement Depth	2.
Information	
Status	Solve Required, Restart Available
MAPDL Elapsed Time	4 m 21 s
MAPDL Memory Used	288. MB

MAPDL Result File Size	248.38 MB
Post Processing	
Beam Section Results	No
On Demand Stress/Strain	No

TABLE 20
Model (C4) > Static Structural (C5) > Solution (C6) > Solution Information

Object Name	*Solution Information*
State	Solve Failed
Solution Information	
Solution Output	Solver Output
Newton-Raphson Residuals	0
Identify Element Violations	0
Update Interval	2.5 s
Display Points	All
FE Connection Visibility	
Activate Visibility	Yes
Display	All FE Connectors
Draw Connections Attached To	All Nodes
Line Color	Connection Type
Visible on Results	No
Line Thickness	Single
Display Type	Lines

TABLE 21
Model (C4) > Static Structural (C5) > Solution (C6) > Results

Object Name	*Total Deformation*	*Directional Deformation*	*Directional Deformation 2*	*Directional Deformation 3*	*Maximum Principal Elastic Strain*	*Equivalent Elastic Strain*	*Maximum Shear Elastic Strain*	*Elastic Strain Intensity*	*Equivalent Stress*	*Maximum Principal Stress*	*Maximum Shear Stress*
State	Solve Failed										
Scope											
Scoping Method	Geometry Selection										
Geometry	2 Bodies										
Definition											
Type	Total Deformation	Directional Deformation			Maximum Principal Elastic Strain	Equivalent Elastic Strain	Maximum Shear Elastic Strain	Elastic Strain Intensity	Equivalent (von-Mises) Stress	Maximum Principal Stress	Maximum Shear Stress
By	Time										
Display Time	Last										
Separate Data by Entity	No										
Calculate Time History	Yes										
Identifier											
Suppressed	No										
Orientation		X Axis	Y Axis	Z Axis							
Coordinate System		Global Coordinate System									
Results											
Minimum	0. mm	-0.41507 mm	-0.41465 mm	-1.2467 mm	1.5624e-005 mm/mm	2.9817e-005 mm/mm	4.5388e-005 mm/mm		4.2309e-006 MPa	-0.1143 MPa	2.1468e-006 MPa
Maximum	1.2467 mm	0.40913 mm	0.40914 mm	0.12143 mm	0.72122 mm/mm	1.0378 mm/mm	1.7161 mm/mm		0.17953 MPa	6.4341e-002 MPa	0.10129 MPa
Average	0.22806 mm	-3.527e-004 mm	7.5295e-004 mm	-0.18279 mm	9.4426e-002 mm/mm	0.16068 mm/mm	0.24232 mm/mm		2.0483e-002 MPa	-7.9663e-003 MPa	1.1501e-002 MPa
Minimum Occurs On	RUN 7|Body1	RUN 7|Body9			RUN 7|Body1					RUN 7|Body9	RUN 7|Body1
Maximum Occurs On	RUN 7|Body9			RUN 7|Body1	RUN 7|Body9						
Minimum Value Over Time											
Minimum	0. mm	-0.43522 mm	-0.43037 mm	-1.2484 mm	2.8781e-008 mm/mm	5.4568e-008 mm/mm	8.324e-008 mm/mm		7.7433e-009 MPa	-0.1143 MPa	3.9373e-009 MPa
Maximum	0. mm	-1.0419e-003 mm	-9.9202e-004 mm	-4.2222e-003 mm	1.6393e-005 mm/mm	3.1208e-005 mm/mm	4.7545e-005 mm/mm		4.4284e-006 MPa	-2.8394e-004 MPa	2.2488e-006 MPa

Maximum Value Over Time										
Minimum	4.2228e-003 mm	1.0319e-003 mm	1.0494e-003 mm	1.5922e-004 mm	1.7877e-003 mm/mm	2.4405e-003 mm/mm	4.1194e-003 mm/mm	3.4521e-004 MPa	7.5636e-005 MPa	1.9476e-004 MPa
Maximum	1.2487 mm	0.40913 mm	0.42549 mm	0.1273 mm	0.72926 mm/mm	1.0378 mm/mm	1.7219 mm/mm	0.18326 MPa	6.676e-002 MPa	0.10314 MPa
Information										
Time	2. s									
Load Step	2									
Substep	999999									
Iteration Number	268									
Integration Point Results										
Display Option	Averaged									
Average Across Bodies	No									

FIGURE 2
Model (C4) > Static Structural (C5) > Solution (C6) > Total Deformation




TABLE 22
Model (C4) > Static Structural (C5) > Solution (C6) > Total Deformation

Time [s]	Minimum [mm]	Maximum [mm]	Average [mm]
5.e-003		4.2228e-003	6.296e-004
1.e-002		8.4437e-003	1.2593e-003
1.75e-002		1.4772e-002	2.2041e-003
2.75e-002		2.3203e-002	3.4643e-003
3.75e-002		3.1627e-002	4.7249e-003
4.75e-002		4.0044e-002	5.986e-003
5.75e-002		4.8453e-002	7.2475e-003
6.75e-002		5.6856e-002	8.5094e-003
7.75e-002		6.5251e-002	9.7718e-003
8.75e-002		7.364e-002	1.1035e-002
9.75e-002		8.2021e-002	1.2298e-002
0.1075		9.0395e-002	1.3561e-002
0.1175		9.8762e-002	1.4825e-002
0.1275		0.10712	1.6089e-002
0.1375		0.11548	1.7354e-002
0.1475		0.12382	1.8619e-002
0.1575		0.13216	1.9884e-002
0.1675		0.14049	2.115e-002
0.1775		0.14882	2.2416e-002
0.1875		0.15714	2.3682e-002
0.1975		0.16545	2.4948e-002
0.2075		0.17375	2.6215e-002
0.2175		0.18205	2.7482e-002

0.2275		0.19034	2.8749e-002
0.2375		0.19863	3.0016e-002
0.2475		0.20691	3.1284e-002
0.2575		0.21518	3.2552e-002
0.2675		0.22344	3.382e-002
0.2775		0.2317	3.5088e-002
0.2875		0.23996	3.6356e-002
0.2975		0.2482	3.7625e-002
0.3075		0.25644	3.8893e-002
0.3175		0.26468	4.0162e-002
0.3275		0.27291	4.1431e-002
0.3375		0.28113	4.27e-002
0.3475		0.28935	4.3969e-002
0.3575		0.29756	4.5238e-002
0.3675		0.30577	4.6508e-002
0.3775		0.31397	4.7777e-002
0.3875		0.32216	4.9046e-002
0.3975		0.33035	5.0316e-002
0.4075		0.33854	5.1586e-002
0.4175		0.34672	5.2855e-002
0.4275		0.35489	5.4125e-002
0.4375		0.36306	5.5395e-002
0.4475		0.37123	5.6664e-002
0.4575		0.37939	5.7934e-002
0.4675		0.38754	5.9204e-002
0.4775		0.39569	6.0474e-002
0.4875		0.40384	6.1744e-002
0.4975		0.41199	6.3014e-002
0.5075		0.42012	6.4284e-002
0.5175		0.42826	6.5554e-002
0.5275		0.43639	6.6824e-002
0.5375		0.44452	6.8094e-002
0.5475		0.45265	6.9364e-002
0.5575		0.46077	7.0634e-002
0.5675		0.46889	7.1904e-002
0.5775	0.	0.47701	7.3174e-002
0.5875		0.48512	7.4444e-002
0.5975		0.49323	7.5714e-002
0.6075		0.50134	7.6984e-002
0.6175		0.50945	7.8254e-002
0.6275		0.51755	7.9524e-002
0.6375		0.52566	8.0794e-002
0.6475		0.53377	8.2094e-002
0.6575		0.54189	8.3462e-002
0.6675		0.55003	8.4852e-002
0.6775		0.55816	8.6264e-002
0.6875		0.56628	8.7718e-002
0.6975		0.5744	8.9194e-002
0.7075		0.58249	9.0714e-002
0.7175		0.59059	9.2249e-002
0.7275		0.59868	9.3786e-002
0.7375		0.60677	9.5329e-002
0.7475		0.61488	9.6894e-002
0.7575		0.62299	9.8474e-002
0.7675		0.6311	0.10006
0.7775		0.63921	0.10165
0.7875		0.64731	0.10325
0.7975		0.65541	0.10487
0.8075		0.66351	0.10649
0.8175		0.67163	0.10814
0.8275		0.67976	0.10981
0.8375		0.68789	0.11152
0.8475		0.69603	0.11324
0.8575		0.70417	0.11496
0.8675		0.71231	0.1167
0.8775		0.72046	0.11843
0.8875		0.72861	0.12018
0.8975		0.73676	0.12192
0.9075		0.74491	0.12367
0.9175		0.75307	0.12543

		0.76123	0.12719
0.9375		0.76939	0.12895
0.9475		0.77756	0.13072
0.9575		0.78573	0.13249
0.9675		0.7939	0.13426
0.9775		0.80204	0.13587
0.9875		0.81022	0.13764
0.99375		0.81533	0.13874
1.		0.82044	0.13985
1.2		0.92971	0.16379
1.4		1.0382	0.18721
1.7		1.2019	0.22407
1.7525		1.231	0.22882
1.7788		1.2454	0.23206
1.7853		1.2487	0.23284
2.		1.2467	0.22806

FIGURE 3
Model (C4) > Static Structural (C5) > Solution (C6) > Directional Deformation




TABLE 23
Model (C4) > Static Structural (C5) > Solution (C6) > Directional Deformation

Time [s]	Minimum [mm]	Maximum [mm]	Average [mm]
5.e-003	-1.0419e-003	1.0319e-003	6.187e-007
1.e-002	-2.0865e-003	2.0655e-003	1.2161e-006
1.75e-002	-3.6582e-003	3.6188e-003	2.0709e-006
2.75e-002	-5.7629e-003	5.6955e-003	3.1307e-006
3.75e-002	-7.878e-003	7.7785e-003	4.0951e-006
4.75e-002	-1.0004e-002	9.8678e-003	4.9593e-006
5.75e-002	-1.214e-002	1.1963e-002	5.7186e-006
6.75e-002	-1.4287e-002	1.4065e-002	6.3679e-006
7.75e-002	-1.6444e-002	1.6172e-002	6.9021e-006
8.75e-002	-1.8612e-002	1.8286e-002	7.316e-006
9.75e-002	-2.0791e-002	2.0405e-002	7.6043e-006
0.1075	-2.298e-002	2.253e-002	7.7614e-006
0.1175	-2.518e-002	2.4661e-002	7.7817e-006
0.1275	-2.7391e-002	2.6798e-002	7.6592e-006
0.1375	-2.9613e-002	2.894e-002	7.3881e-006
0.1475	-3.1846e-002	3.1087e-002	6.9621e-006
0.1575	-3.4089e-002	3.324e-002	6.375e-006
0.1675	-3.6344e-002	3.5398e-002	5.6202e-006
0.1775	-3.8609e-002	3.7561e-002	4.6911e-006
0.1875	-4.0885e-002	3.9729e-002	3.5808e-006
0.1975	-4.3173e-002	4.1902e-002	2.2823e-006
0.2075	-4.5471e-002	4.408e-002	7.8831e-007
0.2175	-4.778e-002	4.6263e-002	-9.0865e-007
0.2275	-5.0101e-002	4.845e-002	-2.8162e-006

0.2375	-5.2433e-002	5.0642e-002	-4.9423e-006
0.2475	-5.4775e-002	5.2838e-002	-7.295e-006
0.2575	-5.7129e-002	5.5038e-002	-9.8826e-006
0.2675	-5.9495e-002	5.7242e-002	-1.2714e-005
0.2775	-6.1871e-002	5.945e-002	-1.5797e-005
0.2875	-6.4259e-002	6.1662e-002	-1.9142e-005
0.2975	-6.6657e-002	6.3878e-002	-2.2758e-005
0.3075	-6.9068e-002	6.6097e-002	-2.6654e-005
0.3175	-7.1489e-002	6.8319e-002	-3.0841e-005
0.3275	-7.3922e-002	7.0545e-002	-3.5328e-005
0.3375	-7.6366e-002	7.2773e-002	-4.0126e-005
0.3475	-7.8821e-002	7.5005e-002	-4.5246e-005
0.3575	-8.1288e-002	7.7239e-002	-5.0698e-005
0.3675	-8.3766e-002	7.9476e-002	-5.6495e-005
0.3775	-8.6255e-002	8.1715e-002	-6.2648e-005
0.3875	-8.8756e-002	8.3956e-002	-6.9169e-005
0.3975	-9.1267e-002	8.62e-002	-7.607e-005
0.4075	-9.3791e-002	8.8445e-002	-8.3364e-005
0.4175	-9.6325e-002	9.0692e-002	-9.1063e-005
0.4275	-9.8871e-002	9.294e-002	-9.9182e-005
0.4375	-0.10143	9.5189e-002	-1.0773e-004
0.4475	-0.104	9.744e-002	-1.1673e-004
0.4575	-0.10658	9.9691e-002	-1.2619e-004
0.4675	-0.10917	0.10194	-1.3612e-004
0.4775	-0.11177	0.10419	-1.4654e-004
0.4875	-0.11438	0.10645	-1.5747e-004
0.4975	-0.11701	0.1087	-1.6891e-004
0.5075	-0.11964	0.11095	-1.8089e-004
0.5175	-0.12229	0.1132	-1.9342e-004
0.5275	-0.12494	0.11545	-2.0651e-004
0.5375	-0.12761	0.1177	-2.2017e-004
0.5475	-0.13029	0.11995	-2.3443e-004
0.5575	-0.13298	0.1222	-2.493e-004
0.5675	-0.13568	0.12444	-2.6479e-004
0.5775	-0.13839	0.12669	-2.8092e-004
0.5875	-0.14111	0.12893	-2.9769e-004
0.5975	-0.14384	0.13116	-3.1512e-004
0.6075	-0.14658	0.1334	-3.3323e-004
0.6175	-0.14933	0.13563	-3.5203e-004
0.6275	-0.15209	0.13786	-3.7152e-004
0.6375	-0.15487	0.14009	-3.9171e-004
0.6475	-0.15765	0.1424	-3.9468e-004
0.6575	-0.16045	0.1448	-3.8908e-004
0.6675	-0.16332	0.14722	-3.9548e-004
0.6775	-0.16611	0.14965	-4.0093e-004
0.6875	-0.16862	0.15212	-3.9378e-004
0.6975	-0.17116	0.15449	-4.0555e-004
0.7075	-0.17373	0.15669	-4.3928e-004
0.7175	-0.17633	0.1588	-4.9147e-004
0.7275	-0.17891	0.16092	-5.43e-004
0.7375	-0.18141	0.16305	-5.8858e-004
0.7475	-0.18367	0.16525	-5.969e-004
0.7575	-0.18589	0.16749	-5.9004e-004
0.7675	-0.18811	0.16974	-5.8317e-004
0.7775	-0.19034	0.17202	-5.6998e-004
0.7875	-0.19259	0.17438	-5.3958e-004
0.7975	-0.19485	0.17726	-4.8934e-004
0.8075	-0.19711	0.18014	-4.3878e-004
0.8175	-0.19951	0.18306	-4.3858e-004
0.8275	-0.20195	0.18594	-4.6374e-004
0.8375	-0.20434	0.18889	-4.8554e-004
0.8475	-0.20677	0.19184	-5.2563e-004
0.8575	-0.20921	0.19478	-5.7358e-004
0.8675	-0.21166	0.19774	-6.2246e-004
0.8775	-0.21411	0.20071	-6.719e-004
0.8875	-0.21658	0.20368	-7.2199e-004
0.8975	-0.21905	0.20667	-7.7281e-004
0.9075	-0.22153	0.20967	-8.2433e-004
0.9175	-0.22401	0.21269	-8.7649e-004
0.9275	-0.22651	0.21571	-9.2936e-004

	-0.22901	0.21875	-9.8298e-004
0.9475	-0.23211	0.22179	-1.0375e-003
0.9575	-0.23527	0.22485	-1.0928e-003
0.9675	-0.23845	0.22792	-1.1491e-003
0.9775	-0.24101	0.23026	-1.3901e-003
0.9875	-0.2442	0.23331	-1.461e-003
0.99375	-0.24619	0.23522	-1.5006e-003
1.	-0.24818	0.23714	-1.5425e-003
1.2	-0.29391	0.27935	-2.1651e-003
1.4	-0.33965	0.32169	-3.9759e-003
1.7	-0.41521	0.39098	-4.9865e-003
1.7525	-0.42676	0.39707	-6.6588e-003
1.7788	-0.43374	0.40338	-6.7675e-003
1.7853	-0.43522	0.40497	-6.7999e-003
2.	-0.41507	0.40913	-3.527e-004

FIGURE 4
Model (C4) > Static Structural (C5) > Solution (C6) > Directional Deformation 2




TABLE 24
Model (C4) > Static Structural (C5) > Solution (C6) > Directional Deformation 2

Time [s]	Minimum [mm]	Maximum [mm]	Average [mm]
5.e-003	-9.9202e-004	1.0494e-003	-6.9165e-006
1.e-002	-1.9851e-003	2.1013e-003	-1.3863e-005
1.75e-002	-3.4766e-003	3.6838e-003	-2.4339e-005
2.75e-002	-5.4687e-003	5.8026e-003	-3.8413e-005
3.75e-002	-7.4648e-003	7.9315e-003	-5.2605e-005
4.75e-002	-9.4646e-003	1.007e-002	-6.6917e-005
5.75e-002	-1.1468e-002	1.222e-002	-8.1348e-005
6.75e-002	-1.3475e-002	1.4379e-002	-9.5897e-005
7.75e-002	-1.5486e-002	1.6548e-002	-1.1056e-004
8.75e-002	-1.75e-002	1.8727e-002	-1.2535e-004
9.75e-002	-1.9517e-002	2.0917e-002	-1.4025e-004
0.1075	-2.1538e-002	2.3117e-002	-1.5527e-004
0.1175	-2.3561e-002	2.5327e-002	-1.704e-004
0.1275	-2.5588e-002	2.7547e-002	-1.8565e-004
0.1375	-2.7617e-002	2.9777e-002	-2.0102e-004
0.1475	-2.9648e-002	3.2017e-002	-2.165e-004
0.1575	-3.1682e-002	3.4268e-002	-2.3209e-004
0.1675	-3.3719e-002	3.6528e-002	-2.478e-004
0.1775	-3.5758e-002	3.8799e-002	-2.6363e-004
0.1875	-3.7799e-002	4.108e-002	-2.7957e-004
0.1975	-3.9841e-002	4.3371e-002	-2.9562e-004
0.2075	-4.1886e-002	4.5671e-002	-3.1178e-004
0.2175	-4.3932e-002	4.7982e-002	-3.2806e-004
0.2275	-4.5979e-002	5.0303e-002	-3.4445e-004
0.2375	-4.8028e-002	5.2634e-002	-3.6096e-004

0.2475	-5.0078e-002	5.4974e-002	-3.7758e-004
0.2575	-5.2129e-002	5.7325e-002	-3.9431e-004
0.2675	-5.4201e-002	5.9685e-002	-4.1115e-004
0.2775	-5.633e-002	6.2054e-002	-4.2812e-004
0.2875	-5.8466e-002	6.4433e-002	-4.4519e-004
0.2975	-6.0609e-002	6.6822e-002	-4.6239e-004
0.3075	-6.2759e-002	6.922e-002	-4.7969e-004
0.3175	-6.4917e-002	7.1627e-002	-4.9712e-004
0.3275	-6.7081e-002	7.4044e-002	-5.1467e-004
0.3375	-6.9253e-002	7.6469e-002	-5.3233e-004
0.3475	-7.1431e-002	7.8903e-002	-5.5012e-004
0.3575	-7.3617e-002	8.1346e-002	-5.6803e-004
0.3675	-7.5809e-002	8.3798e-002	-5.8606e-004
0.3775	-7.8074e-002	8.6258e-002	-6.0422e-004
0.3875	-8.0353e-002	8.8726e-002	-6.2251e-004
0.3975	-8.2643e-002	9.1202e-002	-6.4093e-004
0.4075	-8.4944e-002	9.3687e-002	-6.5948e-004
0.4175	-8.7257e-002	9.6179e-002	-6.7817e-004
0.4275	-8.9581e-002	9.8678e-002	-6.9699e-004
0.4375	-9.1917e-002	0.10118	-7.1596e-004
0.4475	-9.4264e-002	0.1037	-7.3507e-004
0.4575	-9.6623e-002	0.10622	-7.5433e-004
0.4675	-9.8994e-002	0.10875	-7.7374e-004
0.4775	-0.10138	0.11128	-7.933e-004
0.4875	-0.10377	0.11382	-8.1303e-004
0.4975	-0.10618	0.11636	-8.3292e-004
0.5075	-0.10859	0.11891	-8.5297e-004
0.5175	-0.11102	0.12147	-8.732e-004
0.5275	-0.11347	0.12403	-8.9361e-004
0.5375	-0.11592	0.12659	-9.142e-004
0.5475	-0.11839	0.12916	-9.3498e-004
0.5575	-0.12086	0.13173	-9.5596e-004
0.5675	-0.12335	0.13431	-9.7713e-004
0.5775	-0.12586	0.13688	-9.9852e-004
0.5875	-0.12837	0.13946	-1.0201e-003
0.5975	-0.1309	0.14204	-1.0419e-003
0.6075	-0.13344	0.14463	-1.064e-003
0.6175	-0.13599	0.14721	-1.0863e-003
0.6275	-0.13855	0.1498	-1.1088e-003
0.6375	-0.14113	0.15238	-1.1316e-003
0.6475	-0.14362	0.15478	-1.1454e-003
0.6575	-0.14601	0.15676	-1.1519e-003
0.6675	-0.14831	0.15851	-1.1658e-003
0.6775	-0.15063	0.16015	-1.1934e-003
0.6875	-0.15283	0.16187	-1.1991e-003
0.6975	-0.15511	0.16361	-1.2098e-003
0.7075	-0.15754	0.16535	-1.2442e-003
0.7175	-0.16001	0.16712	-1.2719e-003
0.7275	-0.16249	0.1689	-1.2998e-003
0.7375	-0.16499	0.1707	-1.3265e-003
0.7475	-0.16753	0.17254	-1.3308e-003
0.7575	-0.17005	0.17441	-1.3219e-003
0.7675	-0.17258	0.17628	-1.313e-003
0.7775	-0.17506	0.17816	-1.2932e-003
0.7875	-0.17753	0.18001	-1.2841e-003
0.7975	-0.18005	0.18184	-1.2936e-003
0.8075	-0.18259	0.18367	-1.3032e-003
0.8175	-0.18512	0.18536	-1.3217e-003
0.8275	-0.1877	0.1882	-1.3486e-003
0.8375	-0.19027	0.19109	-1.3741e-003
0.8475	-0.19288	0.19404	-1.3891e-003
0.8575	-0.19551	0.19702	-1.4007e-003
0.8675	-0.19815	0.20001	-1.4122e-003
0.8775	-0.20081	0.20302	-1.4235e-003
0.8875	-0.20349	0.20604	-1.4346e-003
0.8975	-0.20617	0.20907	-1.4456e-003
0.9075	-0.20887	0.21212	-1.4565e-003
0.9175	-0.212	0.21518	-1.4672e-003
0.9275	-0.2154	0.21826	-1.4777e-003
0.9375	-0.21883	0.22135	-1.4881e-003

	-0.22226	0.22445	-1.4984e-003
0.9575	-0.22572	0.22757	-1.5085e-003
0.9675	-0.22918	0.2307	-1.5184e-003
0.9775	-0.23329	0.23339	-1.8562e-003
0.9875	-0.23682	0.23653	-1.8799e-003
0.99375	-0.23902	0.23849	-1.8965e-003
1.	-0.24124	0.24046	-1.9121e-003
1.2	-0.28991	0.28434	-2.0945e-003
1.4	-0.33769	0.32898	-1.7445e-003
1.7	-0.41647	0.40464	-1.2156e-003
1.7525	-0.42171	0.41663	-2.674e-003
1.7788	-0.42859	0.42372	-2.5831e-003
1.7853	-0.43037	0.42549	-2.5822e-003
2.	-0.41465	0.40914	7.5295e-004

FIGURE 5
Model (C4) > Static Structural (C5) > Solution (C6) > Directional Deformation 3




TABLE 25
Model (C4) > Static Structural (C5) > Solution (C6) > Directional Deformation 3

Time [s]	Minimum [mm]	Maximum [mm]	Average [mm]
5.e-003	-4.2222e-003	1.5922e-004	-5.4115e-004
1.e-002	-8.4425e-003	3.188e-004	-1.0822e-003
1.75e-002	-1.477e-002	5.5886e-004	-1.8934e-003
2.75e-002	-2.32e-002	8.8023e-004	-2.9747e-003
3.75e-002	-3.1622e-002	1.2031e-003	-4.0554e-003
4.75e-002	-4.0038e-002	1.5274e-003	-5.1355e-003
5.75e-002	-4.8446e-002	1.8533e-003	-6.215e-003
6.75e-002	-5.6848e-002	2.1807e-003	-7.2939e-003
7.75e-002	-6.5242e-002	2.5096e-003	-8.3723e-003
8.75e-002	-7.3629e-002	2.84e-003	-9.45e-003
9.75e-002	-8.2009e-002	3.172e-003	-1.0527e-002
0.1075	-9.0381e-002	3.5056e-003	-1.1603e-002
0.1175	-9.8747e-002	3.8407e-003	-1.2679e-002
0.1275	-0.10711	4.1775e-003	-1.3754e-002
0.1375	-0.11546	4.5158e-003	-1.4828e-002
0.1475	-0.1238	4.8557e-003	-1.5902e-002
0.1575	-0.13214	5.1973e-003	-1.6975e-002
0.1675	-0.14047	5.5404e-003	-1.8047e-002
0.1775	-0.14879	5.8853e-003	-1.9118e-002
0.1875	-0.15711	6.2317e-003	-2.0189e-002
0.1975	-0.16542	6.5799e-003	-2.1259e-002
0.2075	-0.17372	6.9297e-003	-2.2327e-002
0.2175	-0.18202	7.2813e-003	-2.3396e-002
0.2275	-0.19031	7.6345e-003	-2.4463e-002
0.2375	-0.19859	7.9895e-003	-2.5529e-002
0.2475	-0.20687	8.3462e-003	-2.6595e-002

0.2575	-0.21514	8.7047e-003	-2.7659e-002
0.2675	-0.22341	9.0649e-003	-2.8723e-002
0.2775	-0.23166	9.427e-003	-2.9786e-002
0.2875	-0.23991	9.7908e-003	-3.0848e-002
0.2975	-0.24816	1.0156e-002	-3.1909e-002
0.3075	-0.2564	1.0524e-002	-3.2969e-002
0.3175	-0.26463	1.0893e-002	-3.4027e-002
0.3275	-0.27286	1.1264e-002	-3.5085e-002
0.3375	-0.28108	1.1637e-002	-3.6142e-002
0.3475	-0.28929	1.2012e-002	-3.7198e-002
0.3575	-0.2975	1.2389e-002	-3.8253e-002
0.3675	-0.30571	1.2768e-002	-3.9307e-002
0.3775	-0.31391	1.3149e-002	-4.036e-002
0.3875	-0.3221	1.3532e-002	-4.1412e-002
0.3975	-0.33029	1.3916e-002	-4.2463e-002
0.4075	-0.33847	1.4303e-002	-4.3512e-002
0.4175	-0.34665	1.4692e-002	-4.4561e-002
0.4275	-0.35482	1.5083e-002	-4.5608e-002
0.4375	-0.36299	1.5475e-002	-4.6655e-002
0.4475	-0.37115	1.587e-002	-4.77e-002
0.4575	-0.37931	1.6267e-002	-4.8744e-002
0.4675	-0.38746	1.6667e-002	-4.9787e-002
0.4775	-0.39561	1.7068e-002	-5.0829e-002
0.4875	-0.40376	1.7471e-002	-5.187e-002
0.4975	-0.4119	1.7877e-002	-5.2909e-002
0.5075	-0.42003	1.8285e-002	-5.3948e-002
0.5175	-0.42817	1.8695e-002	-5.4985e-002
0.5275	-0.4363	1.9108e-002	-5.6021e-002
0.5375	-0.44442	1.9523e-002	-5.7056e-002
0.5475	-0.45255	1.994e-002	-5.8089e-002
0.5575	-0.46067	2.0359e-002	-5.9122e-002
0.5675	-0.46878	2.0781e-002	-6.0153e-002
0.5775	-0.4769	2.1205e-002	-6.1183e-002
0.5875	-0.48501	2.1631e-002	-6.2212e-002
0.5975	-0.49312	2.206e-002	-6.3239e-002
0.6075	-0.50122	2.2492e-002	-6.4266e-002
0.6175	-0.50933	2.2926e-002	-6.5291e-002
0.6275	-0.51743	2.3362e-002	-6.6315e-002
0.6375	-0.52553	2.3801e-002	-6.7338e-002
0.6475	-0.53364	2.4259e-002	-6.839e-002
0.6575	-0.54176	2.4782e-002	-6.9508e-002
0.6675	-0.5499	2.5307e-002	-7.0646e-002
0.6775	-0.55803	2.585e-002	-7.1807e-002
0.6875	-0.56615	2.6428e-002	-7.3007e-002
0.6975	-0.57426	2.7033e-002	-7.4227e-002
0.7075	-0.58235	2.7707e-002	-7.549e-002
0.7175	-0.59044	2.8392e-002	-7.6764e-002
0.7275	-0.59853	2.9082e-002	-7.8039e-002
0.7375	-0.60662	2.9781e-002	-7.9318e-002
0.7475	-0.61473	3.0496e-002	-8.0617e-002
0.7575	-0.62284	3.1227e-002	-8.193e-002
0.7675	-0.63095	3.1963e-002	-8.3242e-002
0.7775	-0.63906	3.2707e-002	-8.4561e-002
0.7875	-0.64717	3.3484e-002	-8.5893e-002
0.7975	-0.65527	3.429e-002	-8.7236e-002
0.8075	-0.66338	3.5101e-002	-8.8579e-002
0.8175	-0.6715	3.599e-002	-8.9954e-002
0.8275	-0.67963	3.6928e-002	-9.1346e-002
0.8375	-0.68776	3.7895e-002	-9.277e-002
0.8475	-0.6959	3.8882e-002	-9.4206e-002
0.8575	-0.70404	3.988e-002	-9.5646e-002
0.8675	-0.71218	4.0888e-002	-9.7087e-002
0.8775	-0.72033	4.1907e-002	-9.853e-002
0.8875	-0.72848	4.2936e-002	-9.9974e-002
0.8975	-0.73663	4.3975e-002	-0.10142
0.9075	-0.74478	4.5024e-002	-0.10286
0.9175	-0.75294	4.6084e-002	-0.10431
0.9275	-0.7611	4.7155e-002	-0.10576
0.9375	-0.76926	4.8236e-002	-0.10721
0.9475	-0.77743	4.9327e-002	-0.10866

	-0.7856	5.0427e-002	-0.11011
0.9675	-0.79377	5.1537e-002	-0.11155
0.9775	-0.8019	5.2595e-002	-0.11282
0.9875	-0.81007	5.3725e-002	-0.11426
0.99375	-0.81519	5.4431e-002	-0.11516
1.	-0.8203	5.5143e-002	-0.11606
1.2	-0.92957	7.1367e-002	-0.13521
1.4	-1.038	8.8021e-002	-0.1533
1.7	-1.2017	0.11813	-0.18073
1.7525	-1.2307	0.12355	-0.18388
1.7788	-1.2451	0.1265	-0.18619
1.7853	-1.2484	0.1273	-0.18676
2.	-1.2467	0.12143	-0.18279

FIGURE 6
Model (C4) > Static Structural (C5) > Solution (C6) > Maximum Principal Elastic Strain




TABLE 26
Model (C4) > Static Structural (C5) > Solution (C6) > Maximum Principal Elastic Strain

Time [s]	Minimum [mm/mm]	Maximum [mm/mm]	Average [mm/mm]
5.e-003	2.8781e-008	1.7877e-003	2.805e-004
1.e-002	5.7592e-008	3.5772e-003	5.6101e-004
1.75e-002	1.0086e-007	6.265e-003	9.818e-004
2.75e-002	1.5866e-007	9.8552e-003	1.5429e-003
3.75e-002	2.1657e-007	1.3453e-002	2.104e-003
4.75e-002	2.7459e-007	1.7058e-002	2.6651e-003
5.75e-002	3.3273e-007	2.0671e-002	3.2263e-003
6.75e-002	3.9097e-007	2.4291e-002	3.7875e-003
7.75e-002	4.4933e-007	2.7918e-002	4.3486e-003
8.75e-002	5.0779e-007	3.1554e-002	4.9098e-003
9.75e-002	5.6635e-007	3.5196e-002	5.471e-003
0.1075	6.2502e-007	3.8846e-002	6.0322e-003
0.1175	6.8378e-007	4.2504e-002	6.5933e-003
0.1275	7.4265e-007	4.6169e-002	7.1544e-003
0.1375	8.0161e-007	4.9842e-002	7.7155e-003
0.1475	8.6067e-007	5.3523e-002	8.2766e-003
0.1575	9.1982e-007	5.7212e-002	8.8376e-003
0.1675	9.7906e-007	6.0908e-002	9.3985e-003
0.1775	1.0384e-006	6.4612e-002	9.9594e-003
0.1875	1.0978e-006	6.8324e-002	1.052e-002
0.1975	1.1573e-006	7.2043e-002	1.1081e-002
0.2075	1.2169e-006	7.5771e-002	1.1642e-002
0.2175	1.2766e-006	7.9507e-002	1.2202e-002
0.2275	1.3363e-006	8.3251e-002	1.2763e-002
0.2375	1.3961e-006	8.7004e-002	1.3324e-002
0.2475	1.456e-006	9.0764e-002	1.3884e-002
0.2575	1.516e-006	9.4533e-002	1.4444e-002

0.2675	1.576e-006	9.8311e-002	1.5004e-002
0.2775	1.6361e-006	0.1021	1.5565e-002
0.2875	1.6963e-006	0.10589	1.6124e-002
0.2975	1.7565e-006	0.1097	1.6684e-002
0.3075	1.8168e-006	0.11351	1.7244e-002
0.3175	1.8771e-006	0.11733	1.7804e-002
0.3275	1.9375e-006	0.12116	1.8363e-002
0.3375	1.998e-006	0.125	1.8923e-002
0.3475	2.0584e-006	0.12885	1.9482e-002
0.3575	2.119e-006	0.13271	2.0041e-002
0.3675	2.1796e-006	0.13658	2.06e-002
0.3775	2.2402e-006	0.14046	2.1159e-002
0.3875	2.3008e-006	0.14435	2.1718e-002
0.3975	2.3615e-006	0.14825	2.2277e-002
0.4075	2.4223e-006	0.15216	2.2835e-002
0.4175	2.483e-006	0.15608	2.3393e-002
0.4275	2.5438e-006	0.16001	2.3952e-002
0.4375	2.6046e-006	0.16395	2.451e-002
0.4475	2.6655e-006	0.16791	2.5068e-002
0.4575	2.7263e-006	0.17187	2.5625e-002
0.4675	2.7872e-006	0.17585	2.6183e-002
0.4775	2.848e-006	0.17984	2.674e-002
0.4875	2.9089e-006	0.18384	2.7297e-002
0.4975	2.9698e-006	0.18786	2.7855e-002
0.5075	3.0307e-006	0.19188	2.8411e-002
0.5175	3.0916e-006	0.19592	2.8968e-002
0.5275	3.1525e-006	0.19998	2.9525e-002
0.5375	3.2134e-006	0.20404	3.0081e-002
0.5475	3.2743e-006	0.20813	3.0637e-002
0.5575	3.3352e-006	0.21222	3.1193e-002
0.5675	3.396e-006	0.21633	3.1749e-002
0.5775	3.4569e-006	0.22046	3.2304e-002
0.5875	3.5177e-006	0.2246	3.286e-002
0.5975	3.5785e-006	0.22875	3.3415e-002
0.6075	3.6393e-006	0.23292	3.397e-002
0.6175	3.7e-006	0.23711	3.4525e-002
0.6275	3.7608e-006	0.24132	3.5079e-002
0.6375	3.8214e-006	0.24554	3.5634e-002
0.6475	3.8867e-006	0.24989	3.6196e-002
0.6575	3.9606e-006	0.25452	3.6774e-002
0.6675	4.0372e-006	0.25921	3.7358e-002
0.6775	4.1171e-006	0.26393	3.7947e-002
0.6875	4.2036e-006	0.26854	3.8546e-002
0.6975	4.2927e-006	0.27325	3.9151e-002
0.7075	4.3873e-006	0.27814	3.9767e-002
0.7175	4.4836e-006	0.28309	4.0387e-002
0.7275	4.5805e-006	0.28805	4.1008e-002
0.7375	4.6786e-006	0.29303	4.1631e-002
0.7475	4.7814e-006	0.29817	4.2261e-002
0.7575	4.8873e-006	0.3034	4.2896e-002
0.7675	4.9938e-006	0.30865	4.3532e-002
0.7775	5.1022e-006	0.31397	4.417e-002
0.7875	5.2133e-006	0.31934	4.4813e-002
0.7975	5.3272e-006	0.32472	4.5458e-002
0.8075	5.4416e-006	0.33012	4.6105e-002
0.8175	5.5619e-006	0.33547	4.6762e-002
0.8275	5.6852e-006	0.34092	4.7424e-002
0.8375	5.8138e-006	0.34646	4.8097e-002
0.8475	5.9449e-006	0.352	4.8776e-002
0.8575	6.0776e-006	0.35754	4.9458e-002
0.8675	6.2114e-006	0.3631	5.0142e-002
0.8775	6.3463e-006	0.36868	5.0828e-002
0.8875	6.4823e-006	0.37426	5.1517e-002
0.8975	6.6193e-006	0.37986	5.2207e-002
0.9075	6.7574e-006	0.38547	5.2899e-002
0.9175	6.8966e-006	0.3911	5.3593e-002
0.9275	7.037e-006	0.39674	5.4289e-002
0.9375	7.1785e-006	0.40239	5.4986e-002
0.9475	7.3209e-006	0.40805	5.5685e-002
0.9575	7.4643e-006	0.41372	5.6386e-002

	7.6086e-006	0.4194	5.7088e-002
0.9775	7.7098e-006	0.42345	5.7727e-002
0.9875	7.8542e-006	0.42907	5.8429e-002
0.99375	7.944e-006	0.43259	5.8867e-002
1.	8.0345e-006	0.43611	5.9306e-002
1.2	1.0065e-005	0.51286	6.8788e-002
1.4	1.2116e-005	0.58978	7.8162e-002
1.7	1.5717e-005	0.69969	9.2362e-002
1.7525	1.5999e-005	0.71698	9.4392e-002
1.7788	1.6332e-005	0.72652	9.5606e-002
1.7853	1.6393e-005	0.72926	9.5888e-002
2.	1.5624e-005	0.72122	9.4426e-002

FIGURE 7
Model (C4) > Static Structural (C5) > Solution (C6) > Equivalent Elastic Strain




TABLE 27
Model (C4) > Static Structural (C5) > Solution (C6) > Equivalent Elastic Strain

Time [s]	Minimum [mm/mm]	Maximum [mm/mm]	Average [mm/mm]
5.e-003	5.4568e-008	2.4405e-003	4.5582e-004
1.e-002	1.0919e-007	4.8857e-003	9.1195e-004
1.75e-002	1.9123e-007	8.5623e-003	1.5967e-003
2.75e-002	3.0081e-007	1.3481e-002	2.5108e-003
3.75e-002	4.1061e-007	1.8419e-002	3.4261e-003
4.75e-002	5.2061e-007	2.3376e-002	4.3426e-003
5.75e-002	6.3083e-007	2.8351e-002	5.2603e-003
6.75e-002	7.4126e-007	3.3346e-002	6.1792e-003
7.75e-002	8.5189e-007	3.836e-002	7.0994e-003
8.75e-002	9.6272e-007	4.3394e-002	8.0207e-003
9.75e-002	1.0737e-006	4.8446e-002	8.9432e-003
0.1075	1.185e-006	5.3518e-002	9.867e-003
0.1175	1.2964e-006	5.8609e-002	1.0792e-002
0.1275	1.408e-006	6.372e-002	1.1718e-002
0.1375	1.5198e-006	6.885e-002	1.2645e-002
0.1475	1.6317e-006	7.4e-002	1.3574e-002
0.1575	1.7439e-006	7.917e-002	1.4504e-002
0.1675	1.8562e-006	8.4359e-002	1.5435e-002
0.1775	1.9686e-006	8.9568e-002	1.6367e-002
0.1875	2.0813e-006	9.4798e-002	1.73e-002
0.1975	2.1941e-006	0.10005	1.8235e-002
0.2075	2.307e-006	0.10532	1.9171e-002
0.2175	2.4201e-006	0.11061	2.0108e-002
0.2275	2.5334e-006	0.11591	2.1046e-002
0.2375	2.6468e-006	0.12125	2.1985e-002
0.2475	2.7603e-006	0.1266	2.2926e-002
0.2575	2.874e-006	0.13197	2.3867e-002
0.2675	2.9878e-006	0.13736	2.481e-002

0.2775	3.1017e-006	0.14277	2.5755e-002
0.2875	3.2158e-006	0.14821	2.67e-002
0.2975	3.3299e-006	0.15366	2.7646e-002
0.3075	3.4442e-006	0.15914	2.8594e-002
0.3175	3.5586e-006	0.16463	2.9543e-002
0.3275	3.673e-006	0.17015	3.0493e-002
0.3375	3.7876e-006	0.17569	3.1445e-002
0.3475	3.9023e-006	0.18125	3.2397e-002
0.3575	4.017e-006	0.18684	3.3351e-002
0.3675	4.1319e-006	0.19244	3.4306e-002
0.3775	4.2468e-006	0.19807	3.5262e-002
0.3875	4.3617e-006	0.20372	3.6219e-002
0.3975	4.4768e-006	0.2094	3.7178e-002
0.4075	4.5919e-006	0.21509	3.8138e-002
0.4175	4.707e-006	0.22081	3.9099e-002
0.4275	4.8222e-006	0.22655	4.0061e-002
0.4375	4.9375e-006	0.23232	4.1024e-002
0.4475	5.0528e-006	0.23811	4.1989e-002
0.4575	5.1681e-006	0.24392	4.2955e-002
0.4675	5.2835e-006	0.24975	4.3922e-002
0.4775	5.3988e-006	0.25561	4.489e-002
0.4875	5.5142e-006	0.2615	4.586e-002
0.4975	5.6297e-006	0.26741	4.683e-002
0.5075	5.7451e-006	0.27334	4.7802e-002
0.5175	5.8605e-006	0.2793	4.8775e-002
0.5275	5.9759e-006	0.28529	4.975e-002
0.5375	6.0913e-006	0.2913	5.0725e-002
0.5475	6.2067e-006	0.29734	5.1702e-002
0.5575	6.3221e-006	0.3034	5.268e-002
0.5675	6.4374e-006	0.30949	5.366e-002
0.5775	6.5498e-006	0.31561	5.464e-002
0.5875	6.662e-006	0.32175	5.5622e-002
0.5975	6.7741e-006	0.32792	5.6605e-002
0.6075	6.886e-006	0.33412	5.7589e-002
0.6175	6.9978e-006	0.34035	5.8575e-002
0.6275	7.1094e-006	0.3466	5.9562e-002
0.6375	7.2209e-006	0.35289	6.055e-002
0.6475	7.3405e-006	0.35923	6.1538e-002
0.6575	7.483e-006	0.36569	6.2524e-002
0.6675	7.6323e-006	0.3722	6.3513e-002
0.6775	7.789e-006	0.37875	6.4505e-002
0.6875	7.9569e-006	0.38528	6.5499e-002
0.6975	8.1318e-006	0.39191	6.6494e-002
0.7075	8.3216e-006	0.39868	6.7488e-002
0.7175	8.5058e-006	0.40552	6.8484e-002
0.7275	8.691e-006	0.41239	6.9484e-002
0.7375	8.8786e-006	0.41929	7.0486e-002
0.7475	9.0759e-006	0.42628	7.1492e-002
0.7575	9.2789e-006	0.43334	7.25e-002
0.7675	9.4829e-006	0.44043	7.3512e-002
0.7775	9.6905e-006	0.44757	7.4527e-002
0.7875	9.9034e-006	0.45476	7.5546e-002
0.7975	1.0122e-005	0.462	7.6567e-002
0.8075	1.0342e-005	0.46927	7.7592e-002
0.8175	1.0573e-005	0.47654	7.862e-002
0.8275	1.0809e-005	0.48386	7.9653e-002
0.8375	1.1056e-005	0.49126	8.0697e-002
0.8475	1.1308e-005	0.49868	8.1745e-002
0.8575	1.1563e-005	0.50612	8.2799e-002
0.8675	1.182e-005	0.51359	8.3859e-002
0.8775	1.2079e-005	0.52109	8.4925e-002
0.8875	1.2341e-005	0.52862	8.5997e-002
0.8975	1.2604e-005	0.53618	8.7074e-002
0.9075	1.2869e-005	0.54377	8.8158e-002
0.9175	1.3137e-005	0.55139	8.9247e-002
0.9275	1.3406e-005	0.55904	9.0342e-002
0.9375	1.3678e-005	0.56672	9.1443e-002
0.9475	1.3952e-005	0.57443	9.255e-002
0.9575	1.4227e-005	0.58217	9.3661e-002
0.9675	1.4504e-005	0.58994	9.4778e-002

	1.4702e-005	0.59707	9.5874e-002
0.9875	1.4979e-005	0.60486	9.6998e-002
0.99375	1.5152e-005	0.60975	9.7703e-002
1.	1.5326e-005	0.61464	9.8409e-002
1.2	1.9217e-005	0.72245	0.11391
1.4	2.3117e-005	0.83346	0.1299
1.7	2.9972e-005	1.0021	0.1553
1.7525	3.0461e-005	1.0191	0.15945
1.7788	3.1089e-005	1.0325	0.16174
1.7853	3.1208e-005	1.0361	0.16227
2.	2.9817e-005	1.0378	0.16068

FIGURE 8
Model (C4) > Static Structural (C5) > Solution (C6) > Maximum Shear Elastic Strain




TABLE 28
Model (C4) > Static Structural (C5) > Solution (C6) > Maximum Shear Elastic Strain

Time [s]	Minimum [mm/mm]	Maximum [mm/mm]	Average [mm/mm]
5.e-003	8.324e-008	4.1194e-003	6.9955e-004
1.e-002	1.6657e-007	8.246e-003	1.3994e-003
1.75e-002	2.9171e-007	1.4449e-002	2.4497e-003
2.75e-002	4.5887e-007	2.2745e-002	3.8512e-003
3.75e-002	6.2635e-007	3.1068e-002	5.2537e-003
4.75e-002	7.9417e-007	3.9421e-002	6.6574e-003
5.75e-002	9.623e-007	4.7801e-002	8.0623e-003
6.75e-002	1.1308e-006	5.6211e-002	9.4682e-003
7.75e-002	1.2995e-006	6.4648e-002	1.0875e-002
8.75e-002	1.4686e-006	7.3115e-002	1.2283e-002
9.75e-002	1.638e-006	8.161e-002	1.3692e-002
0.1075	1.8076e-006	9.0134e-002	1.5102e-002
0.1175	1.9776e-006	9.8687e-002	1.6514e-002
0.1275	2.1478e-006	0.10727	1.7926e-002
0.1375	2.3183e-006	0.11588	1.9339e-002
0.1475	2.4891e-006	0.12452	2.0753e-002
0.1575	2.6602e-006	0.13319	2.2168e-002
0.1675	2.8315e-006	0.14189	2.3584e-002
0.1775	3.0031e-006	0.15061	2.5001e-002
0.1875	3.1749e-006	0.15937	2.6419e-002
0.1975	3.347e-006	0.16816	2.7838e-002
0.2075	3.5193e-006	0.17698	2.9257e-002
0.2175	3.6919e-006	0.18582	3.0678e-002
0.2275	3.8647e-006	0.1947	3.2099e-002
0.2375	4.0376e-006	0.20361	3.3521e-002
0.2475	4.2108e-006	0.21255	3.4944e-002
0.2575	4.3842e-006	0.22152	3.6368e-002
0.2675	4.5579e-006	0.23052	3.7792e-002
0.2775	4.7316e-006	0.23955	3.9218e-002

0.2875	4.9056e-006	0.24861	4.0644e-002
0.2975	5.0798e-006	0.2577	4.207e-002
0.3075	5.2541e-006	0.26683	4.3498e-002
0.3175	5.4286e-006	0.27599	4.4926e-002
0.3275	5.6032e-006	0.28518	4.6355e-002
0.3375	5.778e-006	0.2944	4.7785e-002
0.3475	5.9529e-006	0.30365	4.9215e-002
0.3575	6.128e-006	0.31294	5.0646e-002
0.3675	6.3032e-006	0.32226	5.2078e-002
0.3775	6.4785e-006	0.33162	5.3511e-002
0.3875	6.6539e-006	0.341	5.4944e-002
0.3975	6.8294e-006	0.35043	5.6377e-002
0.4075	7.005e-006	0.35988	5.7811e-002
0.4175	7.1807e-006	0.36938	5.9246e-002
0.4275	7.3564e-006	0.3789	6.0682e-002
0.4375	7.5323e-006	0.38846	6.2118e-002
0.4475	7.7082e-006	0.39806	6.3554e-002
0.4575	7.8841e-006	0.4077	6.4991e-002
0.4675	8.0601e-006	0.41737	6.6429e-002
0.4775	8.2361e-006	0.42708	6.7867e-002
0.4875	8.4122e-006	0.43682	6.9306e-002
0.4975	8.5882e-006	0.44661	7.0745e-002
0.5075	8.7643e-006	0.45643	7.2185e-002
0.5175	8.9404e-006	0.46629	7.3625e-002
0.5275	9.1165e-006	0.47619	7.5066e-002
0.5375	9.2926e-006	0.48614	7.6507e-002
0.5475	9.4686e-006	0.49612	7.7948e-002
0.5575	9.6446e-006	0.50614	7.9391e-002
0.5675	9.8206e-006	0.51621	8.0833e-002
0.5775	9.9965e-006	0.52631	8.2276e-002
0.5875	1.0172e-005	0.53646	8.3719e-002
0.5975	1.0348e-005	0.54666	8.5163e-002
0.6075	1.0524e-005	0.55689	8.6607e-002
0.6175	1.07e-005	0.56718	8.8052e-002
0.6275	1.0875e-005	0.5775	8.9497e-002
0.6375	1.1051e-005	0.58788	9.0942e-002
0.6475	1.1239e-005	0.59841	9.24e-002
0.6575	1.1454e-005	0.60925	9.3888e-002
0.6675	1.1675e-005	0.62021	9.5386e-002
0.6775	1.1907e-005	0.63123	9.6894e-002
0.6875	1.2158e-005	0.64216	9.8419e-002
0.6975	1.2417e-005	0.65326	9.9955e-002
0.7075	1.2693e-005	0.66468	0.10151
0.7175	1.2973e-005	0.67619	0.10307
0.7275	1.3254e-005	0.68775	0.10463
0.7375	1.354e-005	0.69937	0.1062
0.7475	1.384e-005	0.71119	0.10779
0.7575	1.4148e-005	0.72317	0.10938
0.7675	1.4458e-005	0.73518	0.11098
0.7775	1.4774e-005	0.74731	0.11258
0.7875	1.5098e-005	0.75953	0.11419
0.7975	1.543e-005	0.77181	0.11581
0.8075	1.5763e-005	0.78415	0.11743
0.8175	1.6114e-005	0.79644	0.11907
0.8275	1.6474e-005	0.80887	0.12071
0.8375	1.6849e-005	0.82145	0.12238
0.8475	1.7232e-005	0.83406	0.12406
0.8575	1.7619e-005	0.84669	0.12575
0.8675	1.8009e-005	0.85937	0.12745
0.8775	1.8403e-005	0.8721	0.12915
0.8875	1.88e-005	0.88487	0.13087
0.8975	1.92e-005	0.89769	0.13259
0.9075	1.9603e-005	0.91055	0.13431
0.9175	2.0009e-005	0.92346	0.13605
0.9275	2.0418e-005	0.93641	0.13779
0.9375	2.0831e-005	0.94941	0.13954
0.9475	2.1247e-005	0.96245	0.14129
0.9575	2.1665e-005	0.97554	0.14305
0.9675	2.2086e-005	0.98866	0.14482
0.9775	2.2385e-005	1.	0.14648

	2.2806e-005	1.0131	0.14825
0.99375	2.3068e-005	1.0214	0.14936
1.	2.3332e-005	1.0296	0.15047
1.2	2.9248e-005	1.2106	0.17464
1.4	3.5192e-005	1.3956	0.19884
1.7	4.5635e-005	1.6723	0.23646
1.7525	4.6405e-005	1.6947	0.24181
1.7788	4.7365e-005	1.7162	0.24509
1.7853	4.7545e-005	1.7219	0.24583
2.	4.5388e-005	1.7161	0.24232

FIGURE 9
Model (C4) > Static Structural (C5) > Solution (C6) > Elastic Strain Intensity




TABLE 29
Model (C4) > Static Structural (C5) > Solution (C6) > Elastic Strain Intensity

Time [s]	Minimum [mm/mm]	Maximum [mm/mm]	Average [mm/mm]
5.e-003	8.324e-008	4.1194e-003	6.9955e-004
1.e-002	1.6657e-007	8.246e-003	1.3994e-003
1.75e-002	2.9171e-007	1.4449e-002	2.4497e-003
2.75e-002	4.5887e-007	2.2745e-002	3.8512e-003
3.75e-002	6.2635e-007	3.1068e-002	5.2537e-003
4.75e-002	7.9417e-007	3.9421e-002	6.6574e-003
5.75e-002	9.623e-007	4.7801e-002	8.0623e-003
6.75e-002	1.1308e-006	5.6211e-002	9.4682e-003
7.75e-002	1.2995e-006	6.4648e-002	1.0875e-002
8.75e-002	1.4686e-006	7.3115e-002	1.2283e-002
9.75e-002	1.638e-006	8.161e-002	1.3692e-002
0.1075	1.8076e-006	9.0134e-002	1.5102e-002
0.1175	1.9776e-006	9.8687e-002	1.6514e-002
0.1275	2.1478e-006	0.10727	1.7926e-002
0.1375	2.3183e-006	0.11588	1.9339e-002
0.1475	2.4891e-006	0.12452	2.0753e-002
0.1575	2.6602e-006	0.13319	2.2168e-002
0.1675	2.8315e-006	0.14189	2.3584e-002
0.1775	3.0031e-006	0.15061	2.5001e-002
0.1875	3.1749e-006	0.15937	2.6419e-002
0.1975	3.347e-006	0.16816	2.7838e-002
0.2075	3.5193e-006	0.17698	2.9257e-002
0.2175	3.6919e-006	0.18582	3.0678e-002
0.2275	3.8647e-006	0.1947	3.2099e-002
0.2375	4.0376e-006	0.20361	3.3521e-002
0.2475	4.2108e-006	0.21255	3.4944e-002
0.2575	4.3842e-006	0.22152	3.6368e-002
0.2675	4.5579e-006	0.23052	3.7792e-002
0.2775	4.7316e-006	0.23955	3.9218e-002
0.2875	4.9056e-006	0.24861	4.0644e-002

0.2975	5.0798e-006	0.2577	4.207e-002
0.3075	5.2541e-006	0.26683	4.3498e-002
0.3175	5.4286e-006	0.27599	4.4926e-002
0.3275	5.6032e-006	0.28518	4.6355e-002
0.3375	5.778e-006	0.2944	4.7785e-002
0.3475	5.9529e-006	0.30365	4.9215e-002
0.3575	6.128e-006	0.31294	5.0646e-002
0.3675	6.3032e-006	0.32226	5.2078e-002
0.3775	6.4785e-006	0.33162	5.3511e-002
0.3875	6.6539e-006	0.341	5.4944e-002
0.3975	6.8294e-006	0.35043	5.6377e-002
0.4075	7.005e-006	0.35988	5.7811e-002
0.4175	7.1807e-006	0.36938	5.9246e-002
0.4275	7.3564e-006	0.3789	6.0682e-002
0.4375	7.5323e-006	0.38846	6.2118e-002
0.4475	7.7082e-006	0.39806	6.3554e-002
0.4575	7.8841e-006	0.4077	6.4991e-002
0.4675	8.0601e-006	0.41737	6.6429e-002
0.4775	8.2361e-006	0.42708	6.7867e-002
0.4875	8.4122e-006	0.43682	6.9306e-002
0.4975	8.5882e-006	0.44661	7.0745e-002
0.5075	8.7643e-006	0.45643	7.2185e-002
0.5175	8.9404e-006	0.46629	7.3625e-002
0.5275	9.1165e-006	0.47619	7.5066e-002
0.5375	9.2926e-006	0.48614	7.6507e-002
0.5475	9.4686e-006	0.49612	7.7948e-002
0.5575	9.6446e-006	0.50614	7.9391e-002
0.5675	9.8206e-006	0.51621	8.0833e-002
0.5775	9.9965e-006	0.52631	8.2276e-002
0.5875	1.0172e-005	0.53646	8.3719e-002
0.5975	1.0348e-005	0.54666	8.5163e-002
0.6075	1.0524e-005	0.55689	8.6607e-002
0.6175	1.07e-005	0.56718	8.8052e-002
0.6275	1.0875e-005	0.5775	8.9497e-002
0.6375	1.1051e-005	0.58788	9.0942e-002
0.6475	1.1239e-005	0.59841	9.24e-002
0.6575	1.1454e-005	0.60925	9.3888e-002
0.6675	1.1675e-005	0.62021	9.5386e-002
0.6775	1.1907e-005	0.63123	9.6894e-002
0.6875	1.2158e-005	0.64216	9.8419e-002
0.6975	1.2417e-005	0.65326	9.9955e-002
0.7075	1.2693e-005	0.66468	0.10151
0.7175	1.2973e-005	0.67619	0.10307
0.7275	1.3254e-005	0.68775	0.10463
0.7375	1.354e-005	0.69937	0.1062
0.7475	1.384e-005	0.71119	0.10779
0.7575	1.4148e-005	0.72317	0.10938
0.7675	1.4458e-005	0.73518	0.11098
0.7775	1.4774e-005	0.74731	0.11258
0.7875	1.5098e-005	0.75953	0.11419
0.7975	1.543e-005	0.77181	0.11581
0.8075	1.5763e-005	0.78415	0.11743
0.8175	1.6114e-005	0.79644	0.11907
0.8275	1.6474e-005	0.80887	0.12071
0.8375	1.6849e-005	0.82145	0.12238
0.8475	1.7232e-005	0.83406	0.12406
0.8575	1.7619e-005	0.84669	0.12575
0.8675	1.8009e-005	0.85937	0.12745
0.8775	1.8403e-005	0.8721	0.12915
0.8875	1.88e-005	0.88487	0.13087
0.8975	1.92e-005	0.89769	0.13259
0.9075	1.9603e-005	0.91055	0.13431
0.9175	2.0009e-005	0.92346	0.13605
0.9275	2.0418e-005	0.93641	0.13779
0.9375	2.0831e-005	0.94941	0.13954
0.9475	2.1247e-005	0.96245	0.14129
0.9575	2.1665e-005	0.97554	0.14305
0.9675	2.2086e-005	0.98866	0.14482
0.9775	2.2385e-005	1.	0.14648
0.9875	2.2806e-005	1.0131	0.14825

	2.3068e-005	1.0214	0.14936
1.	2.3332e-005	1.0296	0.15047
1.2	2.9248e-005	1.2106	0.17464
1.4	3.5192e-005	1.3956	0.19884
1.7	4.5635e-005	1.6723	0.23646
1.7525	4.6405e-005	1.6947	0.24181
1.7788	4.7365e-005	1.7162	0.24509
1.7853	4.7545e-005	1.7219	0.24583
2.	4.5388e-005	1.7161	0.24232

FIGURE 10
Model (C4) > Static Structural (C5) > Solution (C6) > Equivalent Stress




TABLE 30
Model (C4) > Static Structural (C5) > Solution (C6) > Equivalent Stress

Time [s]	Minimum [MPa]	Maximum [MPa]	Average [MPa]
5.e-003	7.7433e-009	3.4521e-004	6.0613e-005
1.e-002	1.5494e-008	6.9061e-004	1.2119e-004
1.75e-002	2.7136e-008	1.2091e-003	2.1198e-004
2.75e-002	4.2685e-008	1.901e-003	3.3291e-004
3.75e-002	5.8265e-008	2.5937e-003	4.5368e-004
4.75e-002	7.3875e-008	3.2873e-003	5.7431e-004
5.75e-002	8.9515e-008	3.9816e-003	6.9479e-004
6.75e-002	1.0518e-007	4.6768e-003	8.1513e-004
7.75e-002	1.2088e-007	5.3729e-003	9.3532e-004
8.75e-002	1.3661e-007	6.0699e-003	1.0554e-003
9.75e-002	1.5236e-007	6.7678e-003	1.1753e-003
0.1075	1.6815e-007	7.4667e-003	1.295e-003
0.1175	1.8396e-007	8.1665e-003	1.4147e-003
0.1275	1.9979e-007	8.8673e-003	1.5342e-003
0.1375	2.1565e-007	9.5692e-003	1.6535e-003
0.1475	2.3154e-007	1.0272e-002	1.7727e-003
0.1575	2.4745e-007	1.0976e-002	1.8918e-003
0.1675	2.6339e-007	1.1681e-002	2.0108e-003
0.1775	2.7935e-007	1.2388e-002	2.1296e-003
0.1875	2.9533e-007	1.3095e-002	2.2483e-003
0.1975	3.1134e-007	1.3804e-002	2.3668e-003
0.2075	3.2737e-007	1.4514e-002	2.4853e-003
0.2175	3.4342e-007	1.5226e-002	2.6036e-003
0.2275	3.5949e-007	1.5939e-002	2.7217e-003
0.2375	3.7558e-007	1.6653e-002	2.8398e-003
0.2475	3.9169e-007	1.7368e-002	2.9577e-003
0.2575	4.0782e-007	1.8086e-002	3.0756e-003
0.2675	4.2397e-007	1.8804e-002	3.1933e-003
0.2775	4.4013e-007	1.9525e-002	3.3108e-003
0.2875	4.5632e-007	2.0247e-002	3.4283e-003
0.2975	4.7252e-007	2.0971e-002	3.5457e-003

0.3075	4.8873e-007	2.1696e-002	3.6629e-003
0.3175	5.0496e-007	2.2423e-002	3.7801e-003
0.3275	5.212e-007	2.3153e-002	3.8971e-003
0.3375	5.3746e-007	2.3884e-002	4.014e-003
0.3475	5.5373e-007	2.4617e-002	4.1308e-003
0.3575	5.7002e-007	2.5352e-002	4.2476e-003
0.3675	5.8631e-007	2.609e-002	4.3642e-003
0.3775	6.0261e-007	2.6829e-002	4.4807e-003
0.3875	6.1893e-007	2.7571e-002	4.5971e-003
0.3975	6.3525e-007	2.8316e-002	4.7135e-003
0.4075	6.5159e-007	2.9062e-002	4.8297e-003
0.4175	6.6793e-007	2.9812e-002	4.9459e-003
0.4275	6.8428e-007	3.0564e-002	5.062e-003
0.4375	7.0063e-007	3.1318e-002	5.178e-003
0.4475	7.1699e-007	3.2076e-002	5.2939e-003
0.4575	7.3335e-007	3.2836e-002	5.4097e-003
0.4675	7.4972e-007	3.3599e-002	5.5255e-003
0.4775	7.6609e-007	3.4366e-002	5.6412e-003
0.4875	7.8247e-007	3.5135e-002	5.7568e-003
0.4975	7.9885e-007	3.5908e-002	5.8723e-003
0.5075	8.1522e-007	3.6684e-002	5.9878e-003
0.5175	8.316e-007	3.7464e-002	6.1033e-003
0.5275	8.4798e-007	3.8247e-002	6.2186e-003
0.5375	8.6435e-007	3.9035e-002	6.334e-003
0.5475	8.8073e-007	3.9826e-002	6.4492e-003
0.5575	8.971e-007	4.0621e-002	6.5644e-003
0.5675	9.1346e-007	4.142e-002	6.6796e-003
0.5775	9.2942e-007	4.2223e-002	6.7947e-003
0.5875	9.4534e-007	4.3031e-002	6.9098e-003
0.5975	9.6125e-007	4.3844e-002	7.0249e-003
0.6075	9.7713e-007	4.4661e-002	7.1399e-003
0.6175	9.9299e-007	4.5483e-002	7.2549e-003
0.6275	1.0088e-006	4.631e-002	7.3699e-003
0.6375	1.0246e-006	4.7142e-002	7.4849e-003
0.6475	1.0416e-006	4.7992e-002	7.6007e-003
0.6575	1.0618e-006	4.8878e-002	7.719e-003
0.6675	1.083e-006	4.9777e-002	7.838e-003
0.6775	1.1053e-006	5.0686e-002	7.9579e-003
0.6875	1.1291e-006	5.1586e-002	8.0793e-003
0.6975	1.1539e-006	5.2505e-002	8.2015e-003
0.7075	1.1808e-006	5.3457e-002	8.3251e-003
0.7175	1.207e-006	5.4424e-002	8.4494e-003
0.7275	1.2332e-006	5.5398e-002	8.5742e-003
0.7375	1.2599e-006	5.6382e-002	8.6995e-003
0.7475	1.2879e-006	5.7394e-002	8.8259e-003
0.7575	1.3167e-006	5.8427e-002	8.9534e-003
0.7675	1.3456e-006	5.9471e-002	9.0813e-003
0.7775	1.3751e-006	6.0532e-002	9.2099e-003
0.7875	1.4053e-006	6.161e-002	9.3392e-003
0.7975	1.4363e-006	6.2701e-002	9.4691e-003
0.8075	1.4675e-006	6.3802e-002	9.5995e-003
0.8175	1.5002e-006	6.4904e-002	9.7312e-003
0.8275	1.5338e-006	6.603e-002	9.8639e-003
0.8375	1.5689e-006	6.7182e-002	9.999e-003
0.8475	1.6046e-006	6.8344e-002	1.0135e-002
0.8575	1.6408e-006	6.9517e-002	1.0273e-002
0.8675	1.6773e-006	7.0703e-002	1.0411e-002
0.8775	1.7141e-006	7.1902e-002	1.055e-002
0.8875	1.7511e-006	7.3115e-002	1.0689e-002
0.8975	1.7885e-006	7.4341e-002	1.083e-002
0.9075	1.8261e-006	7.5581e-002	1.0971e-002
0.9175	1.8641e-006	7.6836e-002	1.1113e-002
0.9275	1.9023e-006	7.8104e-002	1.1256e-002
0.9375	1.9409e-006	7.9388e-002	1.14e-002
0.9475	1.9797e-006	8.0686e-002	1.1545e-002
0.9575	2.0188e-006	8.1999e-002	1.169e-002
0.9675	2.0581e-006	8.3326e-002	1.1837e-002
0.9775	2.0862e-006	8.4335e-002	1.1974e-002
0.9875	2.1256e-006	8.5671e-002	1.2121e-002
0.99375	2.15e-006	8.6515e-002	1.2213e-002

	2.1747e-006	8.7364e-002	1.2305e-002
1.2	2.7269e-006	0.10728	1.4355e-002
1.4	3.2802e-006	0.13035	1.6472e-002
1.7	4.2529e-006	0.17066	1.9952e-002
1.7525	4.3224e-006	0.17789	2.0469e-002
1.7788	4.4115e-006	0.18204	2.0787e-002
1.7853	4.4284e-006	0.18326	2.0863e-002
2.	4.2309e-006	0.17953	2.0483e-002

FIGURE 11
Model (C4) > Static Structural (C5) > Solution (C6) > Maximum Principal Stress




TABLE 31
Model (C4) > Static Structural (C5) > Solution (C6) > Maximum Principal Stress

Time [s]	Minimum [MPa]	Maximum [MPa]	Average [MPa]
5.e-003	-2.8394e-004	7.5636e-005	-1.2534e-005
1.e-002	-5.6792e-004	1.5213e-004	-2.5061e-005
1.75e-002	-9.9396e-004	2.6849e-004	-4.384e-005
2.75e-002	-1.5621e-003	4.2667e-004	-6.8854e-005
3.75e-002	-2.1305e-003	5.8836e-004	-9.3842e-005
4.75e-002	-2.699e-003	7.536e-004	-1.188e-004
5.75e-002	-3.2677e-003	9.2242e-004	-1.4374e-004
6.75e-002	-3.8366e-003	1.0949e-003	-1.6865e-004
7.75e-002	-4.4057e-003	1.271e-003	-1.9353e-004
8.75e-002	-4.975e-003	1.4507e-003	-2.1839e-004
9.75e-002	-5.5445e-003	1.6343e-003	-2.4322e-004
0.1075	-6.1141e-003	1.8216e-003	-2.6803e-004
0.1175	-6.684e-003	2.0127e-003	-2.9281e-004
0.1275	-7.2541e-003	2.2077e-003	-3.1757e-004
0.1375	-7.8245e-003	2.4066e-003	-3.423e-004
0.1475	-8.395e-003	2.6094e-003	-3.6701e-004
0.1575	-8.9658e-003	2.8163e-003	-3.917e-004
0.1675	-9.5369e-003	3.0271e-003	-4.1636e-004
0.1775	-1.0108e-002	3.2421e-003	-4.41e-004
0.1875	-1.068e-002	3.4611e-003	-4.6563e-004
0.1975	-1.1251e-002	3.6843e-003	-4.9023e-004
0.2075	-1.1823e-002	3.9118e-003	-5.1481e-004
0.2175	-1.2396e-002	4.1435e-003	-5.3937e-004
0.2275	-1.2968e-002	4.3795e-003	-5.6392e-004
0.2375	-1.3541e-002	4.6198e-003	-5.8845e-004
0.2475	-1.4114e-002	4.8645e-003	-6.1296e-004
0.2575	-1.4687e-002	5.1137e-003	-6.3746e-004
0.2675	-1.526e-002	5.3674e-003	-6.6195e-004
0.2775	-1.5834e-002	5.6256e-003	-6.8642e-004
0.2875	-1.6407e-002	5.8884e-003	-7.1088e-004
0.2975	-1.6981e-002	6.1558e-003	-7.3533e-004
0.3075	-1.7555e-002	6.428e-003	-7.5978e-004

0.3175	-1.813e-002	6.7048e-003	-7.8422e-004
0.3275	-1.8704e-002	6.9864e-003	-8.0865e-004
0.3375	-1.9279e-002	7.2729e-003	-8.3307e-004
0.3475	-1.9854e-002	7.5643e-003	-8.575e-004
0.3575	-2.0429e-002	7.8606e-003	-8.8193e-004
0.3675	-2.1003e-002	8.1618e-003	-9.0635e-004
0.3775	-2.1578e-002	8.4681e-003	-9.3078e-004
0.3875	-2.2154e-002	8.7796e-003	-9.5522e-004
0.3975	-2.2729e-002	9.0961e-003	-9.7967e-004
0.4075	-2.3304e-002	9.4179e-003	-1.0041e-003
0.4175	-2.3879e-002	9.7449e-003	-1.0286e-003
0.4275	-2.4454e-002	1.0077e-002	-1.0531e-003
0.4375	-2.5028e-002	1.0415e-002	-1.0776e-003
0.4475	-2.5603e-002	1.0758e-002	-1.1021e-003
0.4575	-2.6178e-002	1.1107e-002	-1.1267e-003
0.4675	-2.6752e-002	1.1461e-002	-1.1512e-003
0.4775	-2.7326e-002	1.1821e-002	-1.1759e-003
0.4875	-2.79e-002	1.2186e-002	-1.2005e-003
0.4975	-2.8473e-002	1.2558e-002	-1.2252e-003
0.5075	-2.9046e-002	1.2935e-002	-1.2499e-003
0.5175	-2.9619e-002	1.3318e-002	-1.2747e-003
0.5275	-3.0191e-002	1.3707e-002	-1.2995e-003
0.5375	-3.0763e-002	1.4102e-002	-1.3244e-003
0.5475	-3.1334e-002	1.4503e-002	-1.3493e-003
0.5575	-3.1905e-002	1.491e-002	-1.3743e-003
0.5675	-3.2475e-002	1.5324e-002	-1.3994e-003
0.5775	-3.3044e-002	1.5744e-002	-1.4245e-003
0.5875	-3.3613e-002	1.6171e-002	-1.4497e-003
0.5975	-3.4181e-002	1.6604e-002	-1.475e-003
0.6075	-3.4748e-002	1.7044e-002	-1.5004e-003
0.6175	-3.5315e-002	1.749e-002	-1.5258e-003
0.6275	-3.588e-002	1.7943e-002	-1.5514e-003
0.6375	-3.6445e-002	1.8403e-002	-1.577e-003
0.6475	-3.7005e-002	1.8841e-002	-1.6051e-003
0.6575	-3.7568e-002	1.9193e-002	-1.6392e-003
0.6675	-3.8127e-002	1.9525e-002	-1.6754e-003
0.6775	-3.8694e-002	1.9836e-002	-1.7143e-003
0.6875	-3.9271e-002	2.0097e-002	-1.7571e-003
0.6975	-3.983e-002	2.0331e-002	-1.8019e-003
0.7075	-4.0409e-002	2.051e-002	-1.8514e-003
0.7175	-4.1003e-002	2.0682e-002	-1.9021e-003
0.7275	-4.1597e-002	2.0855e-002	-1.9532e-003
0.7375	-4.2192e-002	2.1027e-002	-2.0051e-003
0.7475	-4.2794e-002	2.1185e-002	-2.0594e-003
0.7575	-4.3398e-002	2.1335e-002	-2.1152e-003
0.7675	-4.4002e-002	2.1488e-002	-2.1714e-003
0.7775	-4.4611e-002	2.1641e-002	-2.2284e-003
0.7875	-4.5223e-002	2.1793e-002	-2.2871e-003
0.7975	-4.5837e-002	2.1942e-002	-2.3475e-003
0.8075	-4.6451e-002	2.2094e-002	-2.4081e-003
0.8175	-4.7154e-002	2.2206e-002	-2.4727e-003
0.8275	-4.7866e-002	2.2305e-002	-2.5395e-003
0.8375	-4.8576e-002	2.2362e-002	-2.6096e-003
0.8475	-4.9337e-002	2.239e-002	-2.681e-003
0.8575	-5.0114e-002	2.2411e-002	-2.7532e-003
0.8675	-5.0892e-002	2.2432e-002	-2.8259e-003
0.8775	-5.1672e-002	2.2453e-002	-2.8992e-003
0.8875	-5.2451e-002	2.2473e-002	-2.9729e-003
0.8975	-5.3231e-002	2.2495e-002	-3.0471e-003
0.9075	-5.4011e-002	2.2517e-002	-3.1218e-003
0.9175	-5.4791e-002	2.2538e-002	-3.197e-003
0.9275	-5.5571e-002	2.256e-002	-3.2728e-003
0.9375	-5.635e-002	2.2582e-002	-3.3492e-003
0.9475	-5.7129e-002	2.2606e-002	-3.426e-003
0.9575	-5.7907e-002	2.2632e-002	-3.5032e-003
0.9675	-5.8684e-002	2.266e-002	-3.5808e-003
0.9775	-5.933e-002	2.267e-002	-3.6435e-003
0.9875	-6.011e-002	2.2692e-002	-3.7219e-003
0.99375	-6.0585e-002	2.2715e-002	-3.7704e-003
1.	-6.1063e-002	2.2982e-002	-3.8194e-003

	-7.0482e-002	3.3641e-002	-4.9492e-003
1.4	-9.0542e-002	4.4753e-002	-6.0112e-003
1.7	-0.11426	6.3458e-002	-7.9562e-003
1.7525	-0.11365	6.4664e-002	-8.2046e-003
1.7788	-0.11262	6.6237e-002	-8.3867e-003
1.7853	-0.11228	6.676e-002	-8.435e-003
2.	-0.1143	6.4341e-002	-7.9663e-003

FIGURE 12
Model (C4) > Static Structural (C5) > Solution (C6) > Maximum Shear Stress




TABLE 32
Model (C4) > Static Structural (C5) > Solution (C6) > Maximum Shear Stress

Time [s]	Minimum [MPa]	Maximum [MPa]	Average [MPa]
5.e-003	3.9373e-009	1.9476e-004	3.3074e-005
1.e-002	7.8786e-009	3.8966e-004	6.6132e-005
1.75e-002	1.3798e-008	6.8229e-004	1.1569e-004
2.75e-002	2.1704e-008	1.073e-003	1.8171e-004
3.75e-002	2.9627e-008	1.4643e-003	2.4767e-004
4.75e-002	3.7564e-008	1.8563e-003	3.1357e-004
5.75e-002	4.5517e-008	2.2488e-003	3.7941e-004
6.75e-002	5.3484e-008	2.6421e-003	4.4518e-004
7.75e-002	6.1467e-008	3.036e-003	5.109e-004
8.75e-002	6.9464e-008	3.4306e-003	5.7656e-004
9.75e-002	7.7475e-008	3.8258e-003	6.4215e-004
0.1075	8.55e-008	4.2218e-003	7.0769e-004
0.1175	9.3539e-008	4.6185e-003	7.7318e-004
0.1275	1.0159e-007	5.016e-003	8.386e-004
0.1375	1.0966e-007	5.4142e-003	9.0397e-004
0.1475	1.1774e-007	5.8132e-003	9.6928e-004
0.1575	1.2583e-007	6.2131e-003	1.0345e-003
0.1675	1.3393e-007	6.6137e-003	1.0997e-003
0.1775	1.4205e-007	7.0152e-003	1.1649e-003
0.1875	1.5017e-007	7.4175e-003	1.23e-003
0.1975	1.5831e-007	7.8207e-003	1.295e-003
0.2075	1.6646e-007	8.2249e-003	1.36e-003
0.2175	1.7463e-007	8.6299e-003	1.4249e-003
0.2275	1.828e-007	9.036e-003	1.4898e-003
0.2375	1.9098e-007	9.443e-003	1.5547e-003
0.2475	1.9917e-007	9.851e-003	1.6195e-003
0.2575	2.0737e-007	1.026e-002	1.6842e-003
0.2675	2.1559e-007	1.067e-002	1.7489e-003
0.2775	2.2381e-007	1.1081e-002	1.8135e-003
0.2875	2.3204e-007	1.1494e-002	1.8781e-003
0.2975	2.4027e-007	1.1907e-002	1.9427e-003
0.3075	2.4852e-007	1.2322e-002	2.0072e-003
0.3175	2.5677e-007	1.2738e-002	2.0717e-003

0.3275	2.6503e-007	1.3155e-002	2.1361e-003
0.3375	2.733e-007	1.3574e-002	2.2005e-003
0.3475	2.8157e-007	1.3994e-002	2.2648e-003
0.3575	2.8985e-007	1.4415e-002	2.3291e-003
0.3675	2.9814e-007	1.4838e-002	2.3934e-003
0.3775	3.0643e-007	1.5262e-002	2.4576e-003
0.3875	3.1473e-007	1.5687e-002	2.5218e-003
0.3975	3.2303e-007	1.6115e-002	2.586e-003
0.4075	3.3134e-007	1.6543e-002	2.6501e-003
0.4175	3.3964e-007	1.6974e-002	2.7142e-003
0.4275	3.4796e-007	1.7406e-002	2.7783e-003
0.4375	3.5628e-007	1.784e-002	2.8423e-003
0.4475	3.6459e-007	1.8276e-002	2.9063e-003
0.4575	3.7292e-007	1.8713e-002	2.9703e-003
0.4675	3.8124e-007	1.9153e-002	3.0343e-003
0.4775	3.8957e-007	1.9594e-002	3.0982e-003
0.4875	3.9789e-007	2.0037e-002	3.1621e-003
0.4975	4.0622e-007	2.0483e-002	3.226e-003
0.5075	4.1455e-007	2.0931e-002	3.2899e-003
0.5175	4.2288e-007	2.1381e-002	3.3537e-003
0.5275	4.3121e-007	2.1833e-002	3.4176e-003
0.5375	4.3954e-007	2.2287e-002	3.4814e-003
0.5475	4.4786e-007	2.2744e-002	3.5452e-003
0.5575	4.5619e-007	2.3204e-002	3.609e-003
0.5675	4.6451e-007	2.3666e-002	3.6728e-003
0.5775	4.7283e-007	2.4131e-002	3.7365e-003
0.5875	4.8115e-007	2.4598e-002	3.8003e-003
0.5975	4.8947e-007	2.5068e-002	3.8641e-003
0.6075	4.9778e-007	2.5542e-002	3.9278e-003
0.6175	5.0609e-007	2.6018e-002	3.9916e-003
0.6275	5.1439e-007	2.6497e-002	4.0553e-003
0.6375	5.2269e-007	2.698e-002	4.1191e-003
0.6475	5.3162e-007	2.7475e-002	4.1835e-003
0.6575	5.4176e-007	2.7994e-002	4.2496e-003
0.6675	5.5225e-007	2.8522e-002	4.3162e-003
0.6775	5.632e-007	2.9055e-002	4.3833e-003
0.6875	5.7509e-007	2.9582e-002	4.4514e-003
0.6975	5.8734e-007	3.012e-002	4.5201e-003
0.7075	6.0035e-007	3.0679e-002	4.5898e-003
0.7175	6.136e-007	3.1246e-002	4.6599e-003
0.7275	6.2693e-007	3.1817e-002	4.7303e-003
0.7375	6.4043e-007	3.2394e-002	4.8009e-003
0.7475	6.5461e-007	3.2989e-002	4.8724e-003
0.7575	6.692e-007	3.3597e-002	4.9445e-003
0.7675	6.8387e-007	3.421e-002	5.0168e-003
0.7775	6.988e-007	3.4834e-002	5.0896e-003
0.7875	7.1411e-007	3.5467e-002	5.1628e-003
0.7975	7.2982e-007	3.6106e-002	5.2365e-003
0.8075	7.456e-007	3.6752e-002	5.3104e-003
0.8175	7.622e-007	3.7397e-002	5.3853e-003
0.8275	7.7921e-007	3.8056e-002	5.4609e-003
0.8375	7.9695e-007	3.8729e-002	5.5379e-003
0.8475	8.1505e-007	3.9409e-002	5.6157e-003
0.8575	8.3337e-007	4.0094e-002	5.694e-003
0.8675	8.5183e-007	4.0786e-002	5.7727e-003
0.8775	8.7046e-007	4.1484e-002	5.852e-003
0.8875	8.8923e-007	4.219e-002	5.9317e-003
0.8975	9.0814e-007	4.2904e-002	6.012e-003
0.9075	9.2719e-007	4.3624e-002	6.0927e-003
0.9175	9.4641e-007	4.4352e-002	6.1739e-003
0.9275	9.6578e-007	4.5088e-002	6.2555e-003
0.9375	9.8531e-007	4.5831e-002	6.3377e-003
0.9475	1.005e-006	4.6583e-002	6.4202e-003
0.9575	1.0247e-006	4.7342e-002	6.5032e-003
0.9675	1.0447e-006	4.8108e-002	6.5866e-003
0.9775	1.0588e-006	4.8691e-002	6.6639e-003
0.9875	1.0787e-006	4.9462e-002	6.7478e-003
0.99375	1.0911e-006	4.9949e-002	6.8004e-003
1.	1.1036e-006	5.0438e-002	6.8531e-003
1.2	1.3834e-006	6.1848e-002	8.0199e-003

	1.6645e-006	7.492e-002	9.224e-003
1.7	2.1585e-006	9.757e-002	1.1194e-002
1.7525	2.1949e-006	0.1002	1.1492e-002
1.7788	2.2403e-006	0.10248	1.1672e-002
1.7853	2.2488e-006	0.10314	1.1716e-002
2.	2.1468e-006	0.10129	1.1501e-002

TABLE 33
Model (C4) > Static Structural (C5) > Solution (C6) > Results

Object Name	*Stress Intensity*	*Strain Energy*
State	Solve Failed	
Scope		
Scoping Method	Geometry Selection	
Geometry	2 Bodies	
Definition		
Type	Stress Intensity	Strain Energy
By	Time	
Display Time	Last	
Separate Data by Entity	No	
Calculate Time History	Yes	
Identifier		
Suppressed	No	
Integration Point Results		
Display Option	Averaged	
Average Across Bodies	No	
Results		
Minimum	4.2936e-006 MPa	1.7372e-008 mJ
Maximum	0.20258 MPa	2.4541e-002 mJ
Average	2.3002e-002 MPa	
Minimum Occurs On	RUN 7|Body1	
Maximum Occurs On	RUN 7|Body9	RUN 7|Body1
Total		0.67089 mJ
Minimum Value Over Time		
Minimum	7.8745e-009 MPa	5.8219e-014 mJ
Maximum	4.4977e-006 MPa	1.8977e-008 mJ
Maximum Value Over Time		
Minimum	3.8951e-004 MPa	1.2291e-007 mJ
Maximum	0.20629 MPa	2.5437e-002 mJ
Information		
Time	2. s	
Load Step	2	
Substep	999999	
Iteration Number	268	

FIGURE 13
Model (C4) > Static Structural (C5) > Solution (C6) > Stress Intensity




TABLE 34
Model (C4) > Static Structural (C5) > Solution (C6) > Stress Intensity

Time [s]	Minimum [MPa]	Maximum [MPa]	Average [MPa]
5.e-003	7.8745e-009	3.8951e-004	6.6148e-005
1.e-002	1.5757e-008	7.7932e-004	1.3226e-004
1.75e-002	2.7596e-008	1.3646e-003	2.3138e-004
2.75e-002	4.3409e-008	2.146e-003	3.6342e-004
3.75e-002	5.9253e-008	2.9286e-003	4.9534e-004
4.75e-002	7.5128e-008	3.7125e-003	6.2714e-004
5.75e-002	9.1034e-008	4.4977e-003	7.5881e-004
6.75e-002	1.0697e-007	5.2842e-003	8.9037e-004
7.75e-002	1.2293e-007	6.072e-003	1.0218e-003
8.75e-002	1.3893e-007	6.8611e-003	1.1531e-003
9.75e-002	1.5495e-007	7.6517e-003	1.2843e-003
0.1075	1.71e-007	8.4437e-003	1.4154e-003
0.1175	1.8708e-007	9.2371e-003	1.5464e-003
0.1275	2.0318e-007	1.0032e-002	1.6772e-003
0.1375	2.1931e-007	1.0828e-002	1.8079e-003
0.1475	2.3547e-007	1.1626e-002	1.9386e-003
0.1575	2.5165e-007	1.2426e-002	2.0691e-003
0.1675	2.6786e-007	1.3227e-002	2.1995e-003
0.1775	2.8409e-007	1.403e-002	2.3298e-003
0.1875	3.0035e-007	1.4835e-002	2.46e-003
0.1975	3.1663e-007	1.5641e-002	2.59e-003
0.2075	3.3293e-007	1.645e-002	2.72e-003
0.2175	3.4925e-007	1.726e-002	2.8499e-003
0.2275	3.656e-007	1.8072e-002	2.9797e-003
0.2375	3.8196e-007	1.8886e-002	3.1093e-003
0.2475	3.9835e-007	1.9702e-002	3.2389e-003
0.2575	4.1475e-007	2.052e-002	3.3684e-003
0.2675	4.3117e-007	2.134e-002	3.4978e-003
0.2775	4.4761e-007	2.2163e-002	3.6271e-003
0.2875	4.6407e-007	2.2988e-002	3.7563e-003
0.2975	4.8055e-007	2.3815e-002	3.8854e-003
0.3075	4.9704e-007	2.4644e-002	4.0144e-003
0.3175	5.1354e-007	2.5476e-002	4.1433e-003
0.3275	5.3006e-007	2.6311e-002	4.2722e-003
0.3375	5.466e-007	2.7148e-002	4.401e-003
0.3475	5.6315e-007	2.7988e-002	4.5296e-003
0.3575	5.7971e-007	2.883e-002	4.6583e-003
0.3675	5.9628e-007	2.9675e-002	4.7868e-003
0.3775	6.1286e-007	3.0524e-002	4.9153e-003
0.3875	6.2946e-007	3.1375e-002	5.0437e-003
0.3975	6.4606e-007	3.2229e-002	5.172e-003
0.4075	6.6267e-007	3.3087e-002	5.3002e-003
0.4175	6.7929e-007	3.3948e-002	5.4284e-003
0.4275	6.9592e-007	3.4812e-002	5.5566e-003
0.4375	7.1255e-007	3.568e-002	5.6846e-003
0.4475	7.2919e-007	3.6551e-002	5.8127e-003
0.4575	7.4583e-007	3.7426e-002	5.9406e-003
0.4675	7.6248e-007	3.8305e-002	6.0685e-003
0.4775	7.7913e-007	3.9188e-002	6.1964e-003
0.4875	7.9579e-007	4.0075e-002	6.3242e-003
0.4975	8.1245e-007	4.0966e-002	6.452e-003
0.5075	8.291e-007	4.1861e-002	6.5797e-003
0.5175	8.4576e-007	4.2761e-002	6.7074e-003
0.5275	8.6242e-007	4.3665e-002	6.8351e-003
0.5375	8.7907e-007	4.4574e-002	6.9627e-003
0.5475	8.9573e-007	4.5488e-002	7.0904e-003
0.5575	9.1238e-007	4.6407e-002	7.2179e-003
0.5675	9.2902e-007	4.7332e-002	7.3455e-003
0.5775	9.4567e-007	4.8261e-002	7.4731e-003
0.5875	9.623e-007	4.9196e-002	7.6006e-003
0.5975	9.7894e-007	5.0137e-002	7.7281e-003
0.6075	9.9556e-007	5.1083e-002	7.8556e-003
0.6175	1.0122e-006	5.2036e-002	7.9832e-003
0.6275	1.0288e-006	5.2995e-002	8.1107e-003
0.6375	1.0454e-006	5.396e-002	8.2382e-003
0.6475	1.0632e-006	5.4949e-002	8.3671e-003
0.6575	1.0835e-006	5.5988e-002	8.4992e-003

0.6675	1.1045e-006	5.7044e-002	8.6323e-003
0.6775	1.1264e-006	5.811e-002	8.7665e-003
0.6875	1.1502e-006	5.9163e-002	8.9027e-003
0.6975	1.1747e-006	6.024e-002	9.0401e-003
0.7075	1.2007e-006	6.1358e-002	9.1796e-003
0.7175	1.2272e-006	6.2492e-002	9.3198e-003
0.7275	1.2539e-006	6.3634e-002	9.4605e-003
0.7375	1.2809e-006	6.4789e-002	9.6019e-003
0.7475	1.3092e-006	6.5978e-002	9.7448e-003
0.7575	1.3384e-006	6.7194e-002	9.889e-003
0.7675	1.3677e-006	6.842e-002	1.0034e-002
0.7775	1.3976e-006	6.9667e-002	1.0179e-002
0.7875	1.4282e-006	7.0933e-002	1.0326e-002
0.7975	1.4596e-006	7.2213e-002	1.0473e-002
0.8075	1.4912e-006	7.3504e-002	1.0621e-002
0.8175	1.5244e-006	7.4793e-002	1.0771e-002
0.8275	1.5584e-006	7.6111e-002	1.0922e-002
0.8375	1.5939e-006	7.7459e-002	1.1076e-002
0.8475	1.6301e-006	7.8818e-002	1.1231e-002
0.8575	1.6667e-006	8.0188e-002	1.1388e-002
0.8675	1.7037e-006	8.1571e-002	1.1545e-002
0.8775	1.7409e-006	8.2969e-002	1.1704e-002
0.8875	1.7785e-006	8.4381e-002	1.1863e-002
0.8975	1.8163e-006	8.5807e-002	1.2024e-002
0.9075	1.8544e-006	8.7248e-002	1.2185e-002
0.9175	1.8928e-006	8.8704e-002	1.2348e-002
0.9275	1.9316e-006	9.0176e-002	1.2511e-002
0.9375	1.9706e-006	9.1663e-002	1.2675e-002
0.9475	2.0099e-006	9.3165e-002	1.284e-002
0.9575	2.0495e-006	9.4683e-002	1.3006e-002
0.9675	2.0893e-006	9.6217e-002	1.3173e-002
0.9775	2.1176e-006	9.7381e-002	1.3328e-002
0.9875	2.1574e-006	9.8924e-002	1.3496e-002
0.99375	2.1822e-006	9.9897e-002	1.3601e-002
1.	2.2072e-006	0.10088	1.3706e-002
1.2	2.7668e-006	0.1237	1.604e-002
1.4	3.3291e-006	0.14984	1.8448e-002
1.7	4.317e-006	0.19514	2.2387e-002
1.7525	4.3899e-006	0.20041	2.2984e-002
1.7788	4.4806e-006	0.20496	2.3345e-002
1.7853	4.4977e-006	0.20629	2.3431e-002
2.	4.2936e-006	0.20258	2.3002e-002

FIGURE 14
Model (C4) > Static Structural (C5) > Solution (C6) > Strain Energy




TABLE 35

Model (C4) > Static Structural (C5) > Solution (C6) > Strain Energy

Time [s]	Minimum [mJ]	Maximum [mJ]	Total [mJ]
5.e-003	5.8219e-014	1.2291e-007	5.0034e-006
1.e-002	2.3307e-013	4.9229e-007	2.0017e-005
1.75e-002	7.15e-013	1.5106e-006	6.1319e-005
2.75e-002	1.7693e-012	3.7402e-006	1.5147e-004
3.75e-002	3.2967e-012	6.9733e-006	2.8177e-004
4.75e-002	5.2997e-012	1.1218e-005	4.5224e-004
5.75e-002	7.7813e-012	1.6482e-005	6.6293e-004
6.75e-002	1.0744e-011	2.2773e-005	9.1387e-004
7.75e-002	1.419e-011	3.0099e-005	1.2051e-003
8.75e-002	1.8123e-011	3.8469e-005	1.5367e-003
9.75e-002	2.2544e-011	4.789e-005	1.9086e-003
0.1075	2.7457e-011	5.8371e-005	2.321e-003
0.1175	3.2863e-011	6.9919e-005	2.7737e-003
0.1275	3.8764e-011	8.2544e-005	3.267e-003
0.1375	4.5164e-011	9.6251e-005	3.8007e-003
0.1475	5.2064e-011	1.1105e-004	4.375e-003
0.1575	5.9466e-011	1.2695e-004	4.9898e-003
0.1675	6.7373e-011	1.4396e-004	5.6452e-003
0.1775	7.5785e-011	1.6209e-004	6.3412e-003
0.1875	8.4706e-011	1.8134e-004	7.0778e-003
0.1975	9.4137e-011	2.0172e-004	7.8551e-003
0.2075	1.0408e-010	2.2325e-004	8.6731e-003
0.2175	1.1454e-010	2.4593e-004	9.5318e-003
0.2275	1.2551e-010	2.6976e-004	1.0431e-002
0.2375	1.3699e-010	2.9476e-004	1.1371e-002
0.2475	1.49e-010	3.2094e-004	1.2352e-002
0.2575	1.6153e-010	3.483e-004	1.3374e-002
0.2675	1.7457e-010	3.7686e-004	1.4436e-002
0.2775	1.8814e-010	4.0661e-004	1.554e-002
0.2875	2.0223e-010	4.3758e-004	1.6684e-002
0.2975	2.1684e-010	4.6976e-004	1.7869e-002
0.3075	2.3198e-010	5.0317e-004	1.9094e-002
0.3175	2.4764e-010	5.3782e-004	2.0361e-002
0.3275	2.6383e-010	5.7371e-004	2.1669e-002
0.3375	2.8055e-010	6.1085e-004	2.3017e-002
0.3475	2.978e-010	6.4925e-004	2.4406e-002
0.3575	3.1557e-010	6.8892e-004	2.5836e-002
0.3675	3.3387e-010	7.2988e-004	2.7307e-002
0.3775	3.527e-010	7.7212e-004	2.8819e-002
0.3875	3.7206e-010	8.1565e-004	3.0372e-002
0.3975	3.9194e-010	8.6049e-004	3.1965e-002
0.4075	4.1236e-010	9.0665e-004	3.36e-002
0.4175	4.333e-010	9.5412e-004	3.5275e-002
0.4275	4.5477e-010	1.0029e-003	3.6991e-002
0.4375	4.7677e-010	1.0531e-003	3.8748e-002
0.4475	4.993e-010	1.1046e-003	4.0546e-002
0.4575	5.2236e-010	1.1574e-003	4.2385e-002
0.4675	5.4594e-010	1.2117e-003	4.4265e-002
0.4775	5.7004e-010	1.2673e-003	4.6185e-002
0.4875	5.9467e-010	1.3242e-003	4.8146e-002
0.4975	6.1983e-010	1.3826e-003	5.0148e-002
0.5075	6.455e-010	1.4424e-003	5.2191e-002
0.5175	6.717e-010	1.5036e-003	5.4275e-002
0.5275	6.9842e-010	1.5662e-003	5.6399e-002
0.5375	7.2566e-010	1.6302e-003	5.8565e-002
0.5475	7.5341e-010	1.6957e-003	6.0771e-002
0.5575	7.8168e-010	1.7626e-003	6.3017e-002
0.5675	8.1046e-010	1.831e-003	6.5305e-002
0.5775	8.3976e-010	1.9008e-003	6.7633e-002
0.5875	8.6957e-010	1.9722e-003	7.0002e-002
0.5975	8.9988e-010	2.045e-003	7.2411e-002
0.6075	9.307e-010	2.1193e-003	7.4862e-002
0.6175	9.6202e-010	2.1951e-003	7.7352e-002
0.6275	9.9385e-010	2.2724e-003	7.9884e-002
0.6375	1.0262e-009	2.3512e-003	8.2456e-002
0.6475	1.0616e-009	2.4334e-003	8.5068e-002
0.6575	1.1026e-009	2.5205e-003	8.7725e-002
0.6675	1.1457e-009	2.61e-003	9.0429e-002

0.6775	1.1917e-009	2.7034e-003	9.3182e-002
0.6875	1.2427e-009	2.8031e-003	9.5988e-002
0.6975	1.2962e-009	2.9058e-003	9.8848e-002
0.7075	1.3543e-009	3.0153e-003	0.10177
0.7175	1.4147e-009	3.1275e-003	0.10474
0.7275	1.4769e-009	3.2423e-003	0.10778
0.7375	1.5411e-009	3.3605e-003	0.11088
0.7475	1.61e-009	3.4839e-003	0.11405
0.7575	1.6825e-009	3.6112e-003	0.1173
0.7675	1.7571e-009	3.7413e-003	0.12061
0.7775	1.8345e-009	3.8745e-003	0.12399
0.7875	1.9158e-009	4.0124e-003	0.12745
0.7975	2.001e-009	4.1565e-003	0.131
0.8075	2.0885e-009	4.3037e-003	0.13461
0.8175	2.1825e-009	4.4552e-003	0.13833
0.8275	2.281e-009	4.6109e-003	0.14214
0.8375	2.386e-009	4.7734e-003	0.14608
0.8475	2.4955e-009	4.9401e-003	0.15013
0.8575	2.6089e-009	5.1104e-003	0.15427
0.8675	2.7257e-009	5.2846e-003	0.15852
0.8775	2.8461e-009	5.4627e-003	0.16288
0.8875	2.97e-009	5.6446e-003	0.16733
0.8975	3.0976e-009	5.8305e-003	0.17189
0.9075	3.2288e-009	6.0203e-003	0.17656
0.9175	3.3639e-009	6.2142e-003	0.18134
0.9275	3.5028e-009	6.4122e-003	0.18623
0.9375	3.6457e-009	6.6143e-003	0.19123
0.9475	3.7924e-009	6.8205e-003	0.19635
0.9575	3.943e-009	7.0307e-003	0.20157
0.9675	4.0975e-009	7.245e-003	0.20691
0.9775	4.2083e-009	7.4553e-003	0.21194
0.9875	4.3681e-009	7.6781e-003	0.21747
0.99375	4.4688e-009	7.8184e-003	0.22098
1.	4.5715e-009	7.9608e-003	0.22454
1.2	7.1783e-009	1.1418e-002	0.31219
1.4	1.0396e-008	1.5105e-002	0.42094
1.7	1.7513e-008	2.2808e-002	0.63883
1.7525	1.8074e-008	2.4416e-002	0.67436
1.7788	1.8831e-008	2.5235e-002	0.69756
1.7853	1.8977e-008	2.5437e-002	0.70268
2.	1.7372e-008	2.4541e-002	0.67089

TABLE 36
Model (C4) > Static Structural (C5) > Solution (C6) > Contact Tools

Object Name	*Contact Tool*
State	Solve Failed
Scope	
Scoping Method	Worksheet

Model (C4) > Static Structural (C5) > Solution (C6) > Contact Tool

Name	Contact Side
Frictionless - RUN 7|Body9 To RUN 7|Body11	Both

TABLE 37
Model (C4) > Static Structural (C5) > Solution (C6) > Contact Tool > Results

Object Name	*Status*
State	Solve Failed
Definition	
Type	Status
By	Time
Display Time	Last
Calculate Time History	Yes
Identifier	
Suppressed	No
Integration Point Results	
Display Option	Averaged
Information	
Time	2. s
Load Step	2
Substep	999999

Iteration Number	268

FIGURE 15
Model (C4) > Static Structural (C5) > Solution (C6) > Contact Tool > Status




TABLE 38
Model (C4) > Static Structural (C5) > Solution (C6) > Contact Tool > Status

Time [s]	Minimum	Maximum	Average
5.e-003			
1.e-002			
1.75e-002			0.86979
2.75e-002			
3.75e-002			
4.75e-002			0.84797
5.75e-002			
6.75e-002			0.85623
7.75e-002			0.86449
8.75e-002			0.87391
9.75e-002			0.82459
0.1075			
0.1175			
0.1275			
0.1375			0.824
0.1475			
0.1575			
0.1675			
0.1775			
0.1875		1.	
0.1975			0.80469
0.2075			
0.2175			
0.2275			0.79008
0.2375			
0.2475			0.78234
0.2575			
0.2675			
0.2775			0.78395
0.2875			
0.2975			
0.3075			
0.3175			0.75768
0.3275			
0.3375			
0.3475			0.75235
0.3575			
0.3675			
0.3775			0.73516

0.3875			
0.3975			
0.4075			0.71272
0.4175			
0.4275			
0.4375			
0.4475			0.70806
0.4575			
0.4675			
0.4775			0.70346
0.4875			
0.4975			
0.5075			0.69892
0.5175			
0.5275			
0.5375			0.69444
0.5475			
0.5575			
0.5675			
0.5775			
0.5875			
0.5975			0.70139
0.6075			
0.6175			
0.6275			
0.6375			
0.6475		1.25	0.71641
0.6575			0.72915
0.6675			0.73313
0.6775			0.74136
0.6875			0.7456
0.6975		1.5	0.75379
0.7075			0.75789
0.7175			
0.7275	0.		0.76213
0.7375			0.76638
0.7475			0.77881
0.7575			0.78306
0.7675			
0.7775			0.78715
0.7875			
0.7975			0.79534
0.8075			
0.8175			0.8074
0.8275			
0.8375			0.81165
0.8475			
0.8575			
0.8675			
0.8775			
0.8875			0.81999
0.8975			
0.9075		1.75	
0.9175			
0.9275			
0.9375			0.83007
0.9475			
0.9575			0.82232
0.9675			
0.9775			0.81322
0.9875			
0.99375			0.8184
1.			
1.2			0.80597
1.4			0.79666
1.7			0.80164
1.7525			
1.7788			0.80179
1.7853			
2.			0.79807

TABLE 39
Model (C4) > Static Structural (C5) > Solution (C6) > Probes

Object Name	*Force Reaction*	*Moment Reaction*
State	Solve Failed	
Definition		
Type	Force Reaction	Moment Reaction
Location Method	Boundary Condition	
Boundary Condition	Displacement	
Orientation	Global Coordinate System	
Suppressed	No	
Summation		Centroid
Options		
Result Selection	All	
Display Time	End Time	
Results		
X Axis	5.7351e-004 N	-2.3614e-002 N·mm
Y Axis	-1.4033e-003 N	-5.6263e-002 N·mm
Z Axis	-1.621 N	-2.5877e-002 N·mm
Total	1.621 N	6.6278e-002 N·mm
Maximum Value Over Time		
X Axis	5.7351e-004 N	4.7117e-003 N·mm
Y Axis	-9.2643e-006 N	0.12755 N·mm
Z Axis	-2.6736e-003 N	2.0055e-002 N·mm
Total	1.7573 N	0.1465 N·mm
Minimum Value Over Time		
X Axis	-1.309e-002 N	-7.1051e-002 N·mm
Y Axis	-5.627e-003 N	-5.6263e-002 N·mm
Z Axis	-1.7572 N	-2.5877e-002 N·mm
Total	2.6736e-003 N	3.1905e-005 N·mm
Information		
Time	2. s	
Load Step	2	
Substep	999999	
Iteration Number	268	

FIGURE 16
Model (C4) > Static Structural (C5) > Solution (C6) > Force Reaction




TABLE 40
Model (C4) > Static Structural (C5) > Solution (C6) > Force Reaction

Time [s]	Force Reaction (X) [N]	Force Reaction (Y) [N]	Force Reaction (Z) [N]	Force Reaction (Total) [N]
5.e-003	-5.9387e-006	-9.2643e-006	-2.6736e-003	2.6736e-003
1.e-002	-1.2008e-005	-1.8661e-005	-5.3486e-003	5.3486e-003
1.75e-002	-2.1361e-005	-3.3006e-005	-9.3638e-003	9.3639e-003
2.75e-002	-3.4305e-005	-5.2599e-005	-1.4722e-002	1.4723e-002
3.75e-002	-4.7804e-005	-7.273e-005	-2.0087e-002	2.0087e-002
4.75e-002	-6.1871e-005	-9.3402e-005	-2.5456e-002	2.5456e-002

5.75e-002	-7.6522e-005	-1.1462e-004	-3.0831e-002	3.0831e-002
6.75e-002	-9.1772e-005	-1.3638e-004	-3.6211e-002	3.6211e-002
7.75e-002	-1.0763e-004	-1.5869e-004	-4.1596e-002	4.1596e-002
8.75e-002	-1.2413e-004	-1.8155e-004	-4.6985e-002	4.6986e-002
9.75e-002	-1.4126e-004	-2.0497e-004	-5.2379e-002	5.238e-002
0.1075	-1.5906e-004	-2.2895e-004	-5.7778e-002	5.7779e-002
0.1175	-1.7753e-004	-2.5348e-004	-6.3181e-002	6.3182e-002
0.1275	-1.9669e-004	-2.7859e-004	-6.8589e-002	6.859e-002
0.1375	-2.1656e-004	-3.0426e-004	-7.4e-002	7.4001e-002
0.1475	-2.3716e-004	-3.305e-004	-7.9416e-002	7.9417e-002
0.1575	-2.585e-004	-3.5731e-004	-8.4835e-002	8.4836e-002
0.1675	-2.8059e-004	-3.847e-004	-9.0257e-002	9.0259e-002
0.1775	-3.0346e-004	-4.1267e-004	-9.5683e-002	9.5685e-002
0.1875	-3.2713e-004	-4.4123e-004	-0.10111	0.10111
0.1975	-3.516e-004	-4.7037e-004	-0.10655	0.10655
0.2075	-3.769e-004	-5.001e-004	-0.11198	0.11198
0.2175	-4.0305e-004	-5.3043e-004	-0.11742	0.11742
0.2275	-4.3006e-004	-5.6135e-004	-0.12286	0.12286
0.2375	-4.5795e-004	-5.9288e-004	-0.1283	0.1283
0.2475	-4.8675e-004	-6.2501e-004	-0.13375	0.13375
0.2575	-5.1646e-004	-6.5775e-004	-0.1392	0.1392
0.2675	-5.4711e-004	-6.911e-004	-0.14464	0.14465
0.2775	-5.7872e-004	-7.2507e-004	-0.1501	0.1501
0.2875	-6.1131e-004	-7.5967e-004	-0.15555	0.15555
0.2975	-6.4489e-004	-7.9489e-004	-0.161	0.16101
0.3075	-6.7949e-004	-8.3075e-004	-0.16646	0.16646
0.3175	-7.1512e-004	-8.6724e-004	-0.17192	0.17192
0.3275	-7.5181e-004	-9.0438e-004	-0.17737	0.17738
0.3375	-7.8958e-004	-9.4217e-004	-0.18283	0.18284
0.3475	-8.2845e-004	-9.8061e-004	-0.18829	0.18829
0.3575	-8.6843e-004	-1.0197e-003	-0.19375	0.19375
0.3675	-9.0955e-004	-1.0595e-003	-0.19921	0.19921
0.3775	-9.5183e-004	-1.0999e-003	-0.20467	0.20467
0.3875	-9.9529e-004	-1.141e-003	-0.21013	0.21013
0.3975	-1.0399e-003	-1.1828e-003	-0.21559	0.21559
0.4075	-1.0858e-003	-1.2253e-003	-0.22105	0.22105
0.4175	-1.133e-003	-1.2685e-003	-0.22651	0.22651
0.4275	-1.1813e-003	-1.3125e-003	-0.23197	0.23197
0.4375	-1.231e-003	-1.3571e-003	-0.23742	0.23743
0.4475	-1.282e-003	-1.4024e-003	-0.24288	0.24289
0.4575	-1.3343e-003	-1.4485e-003	-0.24834	0.24834
0.4675	-1.3879e-003	-1.4954e-003	-0.25379	0.2538
0.4775	-1.4429e-003	-1.5429e-003	-0.25924	0.25925
0.4875	-1.4993e-003	-1.5913e-003	-0.2647	0.26471
0.4975	-1.5571e-003	-1.6404e-003	-0.27015	0.27016
0.5075	-1.6164e-003	-1.6903e-003	-0.2756	0.27561
0.5175	-1.677e-003	-1.7409e-003	-0.28104	0.28105
0.5275	-1.7391e-003	-1.7924e-003	-0.28649	0.2865
0.5375	-1.8027e-003	-1.8447e-003	-0.29193	0.29194
0.5475	-1.8678e-003	-1.8978e-003	-0.29737	0.29738
0.5575	-1.9344e-003	-1.9517e-003	-0.30281	0.30282
0.5675	-2.0024e-003	-2.0065e-003	-0.30825	0.30826
0.5775	-2.0721e-003	-2.0621e-003	-0.31368	0.3137
0.5875	-2.1432e-003	-2.1186e-003	-0.31912	0.31913
0.5975	-2.2159e-003	-2.176e-003	-0.32455	0.32456
0.6075	-2.2901e-003	-2.2343e-003	-0.32997	0.32999
0.6175	-2.3658e-003	-2.2934e-003	-0.3354	0.33542
0.6275	-2.4431e-003	-2.3535e-003	-0.34082	0.34084
0.6375	-2.522e-003	-2.4144e-003	-0.34624	0.34626
0.6475	-2.5798e-003	-2.4658e-003	-0.35215	0.35217
0.6575	-2.6071e-003	-2.4854e-003	-0.35913	0.35915
0.6675	-2.6462e-003	-2.5167e-003	-0.36642	0.36644
0.6775	-2.6844e-003	-2.5658e-003	-0.37413	0.37415
0.6875	-2.7029e-003	-2.5935e-003	-0.38259	0.38261
0.6975	-2.7359e-003	-2.6328e-003	-0.39143	0.39144
0.7075	-2.7974e-003	-2.6988e-003	-0.40107	0.40108
0.7175	-2.8805e-003	-2.7611e-003	-0.41094	0.41096
0.7275	-2.9638e-003	-2.8234e-003	-0.42087	0.42089
0.7375	-3.0427e-003	-2.8824e-003	-0.43093	0.43095
0.7475	-3.0772e-003	-2.9056e-003	-0.44146	0.44148

	-3.0982e-003	-2.9077e-003	-0.45227	0.45229
0.7675	-3.117e-003	-2.9092e-003	-0.46319	0.4632
0.7775	-3.1215e-003	-2.8968e-003	-0.47425	0.47427
0.7875	-3.0932e-003	-2.9052e-003	-0.48569	0.48571
0.7975	-3.0346e-003	-2.9472e-003	-0.49748	0.4975
0.8075	-2.9774e-003	-2.9873e-003	-0.50938	0.50939
0.8175	-3.0095e-003	-3.0539e-003	-0.52204	0.52206
0.8275	-3.0694e-003	-3.1226e-003	-0.53511	0.53513
0.8375	-3.1223e-003	-3.1887e-003	-0.5489	0.54891
0.8475	-3.2062e-003	-3.24e-003	-0.56299	0.56301
0.8575	-3.3023e-003	-3.2893e-003	-0.57735	0.57737
0.8675	-3.398e-003	-3.3387e-003	-0.59183	0.59185
0.8775	-3.4958e-003	-3.3874e-003	-0.60644	0.60645
0.8875	-3.5949e-003	-3.4357e-003	-0.62117	0.62119
0.8975	-3.6953e-003	-3.4838e-003	-0.63602	0.63604
0.9075	-3.7977e-003	-3.5316e-003	-0.65103	0.65105
0.9175	-3.9013e-003	-3.579e-003	-0.66617	0.66619
0.9275	-4.0062e-003	-3.6261e-003	-0.68144	0.68146
0.9375	-4.1131e-003	-3.6728e-003	-0.69686	0.69688
0.9475	-4.2214e-003	-3.7191e-003	-0.71236	0.71238
0.9575	-4.3325e-003	-3.765e-003	-0.72801	0.72804
0.9675	-4.4459e-003	-3.8104e-003	-0.74377	0.74379
0.9775	-4.9922e-003	-4.2793e-003	-0.75564	0.75567
0.9875	-5.0918e-003	-4.3871e-003	-0.77075	0.77078
0.99375	-5.1856e-003	-4.3989e-003	-0.78097	0.781
1.	-5.2776e-003	-4.4378e-003	-0.79114	0.79117
1.2	-6.2861e-003	-4.3974e-003	-1.021	1.021
1.4	-7.9359e-003	-5.2541e-003	-1.2434	1.2435
1.7	-9.0721e-003	-5.627e-003	-1.6531	1.6532
1.7525	-1.2124e-002	-1.9139e-003	-1.6982	1.6983
1.7788	-1.2243e-002	-1.4533e-003	-1.7303	1.7304
1.7853	-1.309e-002	-1.5248e-003	-1.7572	1.7573
2.	5.7351e-004	-1.4033e-003	-1.621	1.621

FIGURE 17
Model (C4) > Static Structural (C5) > Solution (C6) > Moment Reaction




TABLE 41
Model (C4) > Static Structural (C5) > Solution (C6) > Moment Reaction

Time [s]	Moment Reaction (X) [N·mm]	Moment Reaction (Y) [N·mm]	Moment Reaction (Z) [N·mm]	Moment Reaction (Total) [N·mm]
5.e-003	1.1542e-005	2.8778e-005	7.5157e-006	3.1905e-005
1.e-002	2.3362e-005	5.7408e-005	1.4918e-005	6.375e-005
1.75e-002	4.1612e-005	1.0008e-004	2.5807e-005	1.1141e-004
2.75e-002	6.6909e-005	1.5646e-004	3.9922e-005	1.7479e-004
3.75e-002	9.33e-005	2.1228e-004	5.3569e-005	2.3799e-004
4.75e-002	1.2078e-004	2.6755e-004	6.6742e-005	3.0104e-004
5.75e-002	1.4933e-004	3.2229e-004	7.9435e-005	3.6398e-004

6.75e-002	1.7895e-004	3.7651e-004	9.1641e-005	4.2682e-004
7.75e-002	2.0963e-004	4.3022e-004	1.0335e-004	4.8961e-004
8.75e-002	2.4135e-004	4.8346e-004	1.1457e-004	5.5236e-004
9.75e-002	2.7411e-004	5.3623e-004	1.2528e-004	6.1512e-004
0.1075	3.079e-004	5.8856e-004	1.3547e-004	6.779e-004
0.1175	3.4269e-004	6.4047e-004	1.4515e-004	7.4075e-004
0.1275	3.7848e-004	6.9199e-004	1.543e-004	8.0368e-004
0.1375	4.1526e-004	7.4313e-004	1.6292e-004	8.6674e-004
0.1475	4.5301e-004	7.9394e-004	1.71e-004	9.2995e-004
0.1575	4.9172e-004	8.4442e-004	1.7854e-004	9.9334e-004
0.1675	5.3137e-004	8.9462e-004	1.8552e-004	1.0569e-003
0.1775	5.7196e-004	9.4457e-004	1.9195e-004	1.1208e-003
0.1875	6.1345e-004	9.9429e-004	1.9782e-004	1.1849e-003
0.1975	6.5584e-004	1.0438e-003	2.0311e-004	1.2494e-003
0.2075	6.9911e-004	1.0932e-003	2.0782e-004	1.3142e-003
0.2175	7.4324e-004	1.1424e-003	2.1196e-004	1.3793e-003
0.2275	7.8822e-004	1.1916e-003	2.1549e-004	1.4449e-003
0.2375	8.3403e-004	1.2408e-003	2.1844e-004	1.5109e-003
0.2475	8.8064e-004	1.2899e-003	2.2077e-004	1.5774e-003
0.2575	9.2804e-004	1.3391e-003	2.2249e-004	1.6444e-003
0.2675	9.762e-004	1.3884e-003	2.236e-004	1.7119e-003
0.2775	1.0251e-003	1.4379e-003	2.2407e-004	1.78e-003
0.2875	1.0747e-003	1.4875e-003	2.2392e-004	1.8488e-003
0.2975	1.1251e-003	1.5375e-003	2.2312e-004	1.9182e-003
0.3075	1.1761e-003	1.5877e-003	2.2167e-004	1.9882e-003
0.3175	1.2277e-003	1.6383e-003	2.1956e-004	2.059e-003
0.3275	1.28e-003	1.6893e-003	2.1679e-004	2.1306e-003
0.3375	1.3329e-003	1.7409e-003	2.1334e-004	2.2029e-003
0.3475	1.3864e-003	1.793e-003	2.0921e-004	2.2761e-003
0.3575	1.4404e-003	1.8458e-003	2.0439e-004	2.3502e-003
0.3675	1.4949e-003	1.8993e-003	1.9887e-004	2.4252e-003
0.3775	1.5499e-003	1.9536e-003	1.9264e-004	2.5011e-003
0.3875	1.6054e-003	2.0087e-003	1.857e-004	2.5781e-003
0.3975	1.6612e-003	2.0649e-003	1.7802e-004	2.6561e-003
0.4075	1.7175e-003	2.1221e-003	1.6961e-004	2.7353e-003
0.4175	1.7741e-003	2.1804e-003	1.6045e-004	2.8156e-003
0.4275	1.831e-003	2.24e-003	1.5053e-004	2.8971e-003
0.4375	1.8882e-003	2.301e-003	1.3984e-004	2.9798e-003
0.4475	1.9456e-003	2.3634e-003	1.2838e-004	3.0639e-003
0.4575	2.0033e-003	2.4273e-003	1.1612e-004	3.1494e-003
0.4675	2.061e-003	2.493e-003	1.0305e-004	3.2363e-003
0.4775	2.1189e-003	2.5604e-003	8.9169e-005	3.3247e-003
0.4875	2.1769e-003	2.6297e-003	7.4457e-005	3.4146e-003
0.4975	2.2348e-003	2.7011e-003	5.8902e-005	3.5062e-003
0.5075	2.2927e-003	2.7746e-003	4.249e-005	3.5995e-003
0.5175	2.3505e-003	2.8504e-003	2.5206e-005	3.6947e-003
0.5275	2.4082e-003	2.9286e-003	7.0354e-006	3.7916e-003
0.5375	2.4657e-003	3.0094e-003	-1.2037e-005	3.8905e-003
0.5475	2.523e-003	3.0928e-003	-3.2028e-005	3.9915e-003
0.5575	2.5799e-003	3.1791e-003	-5.2953e-005	4.0945e-003
0.5675	2.6364e-003	3.2683e-003	-7.4829e-005	4.1998e-003
0.5775	2.6925e-003	3.3607e-003	-9.7676e-005	4.3074e-003
0.5875	2.7481e-003	3.4563e-003	-1.2151e-004	4.4173e-003
0.5975	2.8031e-003	3.5552e-003	-1.4635e-004	4.5297e-003
0.6075	2.8575e-003	3.6577e-003	-1.7222e-004	4.6448e-003
0.6175	2.9111e-003	3.7639e-003	-1.9913e-004	4.7624e-003
0.6275	2.964e-003	3.8738e-003	-2.2711e-004	4.8829e-003
0.6375	3.0159e-003	3.9876e-003	-2.5618e-004	5.0063e-003
0.6475	3.2053e-003	3.7624e-003	-2.4687e-004	4.9488e-003
0.6575	3.3891e-003	3.4429e-003	-1.8005e-004	4.8345e-003
0.6675	3.4056e-003	3.3484e-003	-1.1882e-004	4.7775e-003
0.6775	3.1823e-003	3.2206e-003	-6.9533e-005	4.5282e-003
0.6875	3.4521e-003	2.8858e-003	-2.8708e-005	4.4995e-003
0.6975	3.6307e-003	2.9595e-003	2.4435e-005	4.6841e-003
0.7075	3.2296e-003	3.3809e-003	8.2863e-005	4.6763e-003
0.7175	2.9684e-003	4.1806e-003	1.2564e-004	5.1288e-003
0.7275	2.6943e-003	4.9616e-003	1.6861e-004	5.6485e-003
0.7375	2.4358e-003	5.6112e-003	2.1181e-004	6.1208e-003
0.7475	2.6484e-003	5.5068e-003	2.3624e-004	6.1151e-003
0.7575	3.0694e-003	5.089e-003	2.4413e-004	5.948e-003

	3.4904e-003	4.6667e-003	2.5054e-004	5.833e-003
0.7775	4.1734e-003	4.139e-003	2.7263e-004	5.8841e-003
0.7875	4.6288e-003	3.2569e-003	2.9989e-004	5.6678e-003
0.7975	4.6628e-003	1.9098e-003	3.385e-004	5.0501e-003
0.8075	4.7117e-003	5.6283e-004	3.7694e-004	4.7601e-003
0.8175	4.5539e-003	2.9867e-004	3.84e-004	4.5798e-003
0.8275	4.2697e-003	4.0887e-004	4.0559e-004	4.3084e-003
0.8375	3.959e-003	5.0894e-004	4.3574e-004	4.0153e-003
0.8475	3.8058e-003	1.0413e-003	4.6262e-004	3.9727e-003
0.8575	3.7115e-003	1.7378e-003	4.7752e-004	4.126e-003
0.8675	3.6065e-003	2.4404e-003	4.9117e-004	4.3822e-003
0.8775	3.4967e-003	3.1609e-003	5.0336e-004	4.7404e-003
0.8875	3.3789e-003	3.8948e-003	5.1427e-004	5.1817e-003
0.8975	3.2534e-003	4.6418e-003	5.2394e-004	5.6926e-003
0.9075	3.1199e-003	5.4005e-003	5.3265e-004	6.2596e-003
0.9175	2.9766e-003	6.1687e-003	5.405e-004	6.8706e-003
0.9275	2.8243e-003	6.9476e-003	5.475e-004	7.5197e-003
0.9375	2.6627e-003	7.7368e-003	5.5384e-004	8.2009e-003
0.9475	2.4935e-003	8.5374e-003	5.5943e-004	8.9117e-003
0.9575	2.3168e-003	9.3495e-003	5.645e-004	9.6488e-003
0.9675	2.1334e-003	1.0173e-002	5.6913e-004	1.041e-002
0.9775	-6.3706e-003	1.4257e-002	2.7728e-005	1.5615e-002
0.9875	-6.9884e-003	1.5135e-002	5.4315e-005	1.667e-002
0.99375	-7.3655e-003	1.5796e-002	2.1012e-005	1.7429e-002
1.	-7.7677e-003	1.6444e-002	1.0085e-005	1.8187e-002
1.2	-1.1549e-002	2.4457e-002	1.1382e-003	2.7071e-002
1.4	-4.9182e-003	7.1899e-002	6.956e-003	7.2402e-002
1.7	-1.7671e-003	0.10341	2.0055e-002	0.10535
1.7525	-7.1051e-002	0.12123	1.1776e-002	0.14101
1.7788	-7.1003e-002	0.12755	1.225e-002	0.1465
1.7853	-7.0782e-002	0.12596	1.2864e-002	0.14506
2.	-2.3614e-002	-5.6263e-002	-2.5877e-002	6.6278e-002

Material Data

ECOFLEX-0045

TABLE 42
ECOFLEX-0045 > Constants

Density	1.06e-006 kg mm^-3

TABLE 43
ECOFLEX-0045 > Color

Red	Green	Blue
182	229	228

TABLE 44
ECOFLEX-0045 > Neo-Hookean

Initial Shear Modulus Mu MPa	Incompressibility Parameter D1 MPa^-1	Temperature K
4.73e-002	0.424	

Plastic, ABS (high-impact)

TABLE 45
Plastic, ABS (high-impact) > Constants

Density	1.03e-006 kg mm^-3
Tensile Yield Strength	43.82 MPa
Tensile Ultimate Strength	36.26 MPa
Isotropic Secant Coefficient of Thermal Expansion	1.84e-004 K^-1
Isotropic Thermal Conductivity	1.997e-004 W mm^-1 K^-1
Specific Heat Constant Pressure	1.4e+006 mJ kg^-1 K^-1
Isotropic Resistivity	9.95e+016 ohm mm
Isotropic Electric Loss Tangent	5.916e-003
Isotropic Relative Permittivity	2.993

TABLE 46
Plastic, ABS (high-impact) > Appearance

Red	Green	Blue
0	153	255
Opacity		

0.9
Metallic Finish
0

TABLE 47
Plastic, ABS (high-impact) > Isotropic Elasticity

Young's Modulus MPa	Poisson's Ratio	Bulk Modulus MPa	Shear Modulus MPa	Temperature K
2405	0.4089	4399.9	853.5	296.15

TABLE 48
Plastic, ABS (high-impact) > Isotropic Secant Coefficient of Thermal Expansion

Zero-Thermal-Strain Reference Temperature K
296.15

TABLE 49
Plastic, ABS (high-impact) > Climate change (CO2-eq)

Climate change (CO2-eq) dBA
3.661

TABLE 50
Plastic, ABS (high-impact) > Embodied energy

Embodied energy mJ kg^-1
9.64e+010

TABLE 51
Plastic, ABS (high-impact) > Recycle

Recycle
1