TEMPLATES

A module = the specimens of one campaign at one strain rate; a template = one sheet of a module, always cut the same way (one DXF sheet).
Index of the notch code = strain rate: slow 1-3, medium 4-6, high 7-9 (shear 1-2, 4-5, 7-8). Medium: UT40; high: UT19. MH18 = medium 18 + high 18 of campaign C on one sheet.

TEMPLATE	MODULE CONTENT	SIZE	PIECES	USED FOR (material, sheet)
SLOW78-1	campaign A, slow rate (sheet 1 of 2)	600 × 500	**51**	DP980 2020_06_03A-3
SLOW78-2	campaign A, slow rate (sheet 2 of 2)	600 × 500	**31**	DP980 2020_06_03A-5
MEDIUM66	campaign A, medium rate	600 × 500	**66**	DP980 2020_06_03A-1, S235JR 2023_02_28_D-1 AW5754-H22 2023_02_28_A-1, S355MC 2023_02_28_C-1
HIGH66	campaign A, high rate	600 × 500	**66**	DP980 2020_06_03A-6, S235JR 2023_02_28_D-2 AW5754-H22 2023_02_28_A-2, S355MC 2023_02_28_C-2
SLOW70-1	campaigns B and C, slow rate (sheet 1 of 2)	600 × 500	**51**	not used yet
SLOW70-2	campaigns B and C, slow rate (sheet 2 of 2)	600 × 500	**23**	not used yet
MEDIUM54	campaign B, medium rate (no SHLD, SHHD)	600 × 500	**54**	not used yet
HIGH54	campaign B, high rate (no SHLD, SHHD)	600 × 500	**54**	not used yet
MH18	campaign C, medium + high on one sheet	600 × 500	**36**	DC01 2025_11_25_B-1
A_LARGE	campaign A on one large sheet	900 × 1140	**214**	RA980 2022_05_04_D-1, RA1200 2022_05_04_E-1 CR1200Y1500T 2022_05_04_G-1

10 templates in all (8 modules); 6 of them used by the materials today.


SLOW78-1

campaign A, slow rate · sheet 1 of 2 · 600 (RD) × 500 (TD) mm · 51 pieces · whole module SLOW78: 78 specimens + 4 LASER on 2 sheets

used for: DP980 2020_06_03A-3 · order MOD_SLOW78_600x500mm_WATERJET

RATE	TYPE	ANGLES (deg)	EACH	TOTAL
slow	**UT40**	×3: 0 15 30 45 60 ×2: 75 ×1: 90		**18**
	NT20	×3: 0 45 ×1: 90		**7**
	NT06	×3: 45 ×2: 0 ×1: 90		**6**
	CHD48	×2: 0 ×1: 45		**3**
	MNAK_RECT_FULL	0	× 3	**3**
	MNAK_RECT_HOLE	0 45 90	× 3	**9**
	SHMD	0	× 1	**1**
no code	**LASER**	0	× 4	**4**
Total				**51**

Notch code index: slow 1-3, medium 4-6, high 7-9
(shear 1-2, 4-5, 7-8); LASER: no code.
"×2: 60 75" = 2 at 60 deg and 2 at 75 deg on this sheet; the rest of the module is on its other sheet.




SLOW78-2

campaign A, slow rate · sheet 2 of 2 · 600 (RD) × 500 (TD) mm · 31 pieces · whole module SLOW78: 78 specimens + 4 LASER on 2 sheets

used for: DP980 2020_06_03A-5 · order MOD_SLOW78_600x500mm_WATERJET

RATE	TYPE	ANGLES (deg)	EACH	TOTAL
slow	**UT40**	×2: 90 ×1: 75		**3**
	NT20	90	× 2	**2**
	NT06	×2: 90 ×1: 0		**3**
	CHD48	×3: 90 ×2: 45 ×1: 0		**6**
	SHLD	0 45 90	× 2	**6**
	SHMD	×2: 45 90 ×1: 0		**5**
	SHHD	0 45 90	× 2	**6**
Total				**31**

Notch code index: slow 1-3, medium 4-6, high 7-9
(shear 1-2, 4-5, 7-8); LASER: no code.
"×2: 60 75" = 2 at 60 deg and 2 at 75 deg on this sheet; the rest of the module is on its other sheet.



MEDIUM66


campaign A, medium rate · 600 (RD) × 500 (TD) mm · 66 pieces

used for: DP980 2020_06_03A-1, S235JR 2023_02_28_D-1, AW5754-H22 2023_02_28_A-1, S355MC 2023_02_28_C-1 · order MOD_MEDIUM66_600x500mm_WATERJET

RATE	TYPE	ANGLES (deg)	EACH	TOTAL
medium	**UT40**	0 15 30 45 60 75 90	× 3	**21**
	NT20	0 45 90	× 3	**9**
	NT06	0 45 90	× 3	**9**
	CHD48	0 45 90	× 3	**9**
	SHLD	0 45 90	× 2	**6**
	SHMD	0 45 90	× 2	**6**
	SHHD	0 45 90	× 2	**6**
Total				**66**

Notch code index: slow 1-3, medium 4-6, high 7-9
(shear 1-2, 4-5, 7-8); LASER: no code.

MOD_MEDIUM66_600×500mm_WATERJET.dxf – red circle: blocking problem, orange: to check; small numbers: piece index



HIGH66


campaign A, high rate · 600 (RD) × 500 (TD) mm · 66 pieces

used for: DP980 2020_06_03A-6, S235JR 2023_02_28_D-2, AW5754-H22 2023_02_28_A-2, S355MC 2023_02_28_C-2 · order MOD_HIGH66_600x500mm_WATERJET

RATE	TYPE	ANGLES (deg)	EACH	TOTAL
high	**UT19**	0 15 30 45 60 75 90	× 3	**21**
	NT20	0 45 90	× 3	**9**
	NT06	0 45 90	× 3	**9**
	CHD48	0 45 90	× 3	**9**
	SHLD	0 45 90	× 2	**6**
	SHMD	0 45 90	× 2	**6**
	SHHD	0 45 90	× 2	**6**
Total				**66**

Notch code index: slow 1-3, medium 4-6, high 7-9
(shear 1-2, 4-5, 7-8); LASER: no code.

MOD_HIGH66_600×500mm_WATERJET.dxf – red circle: blocking problem, orange: to check; small numbers: piece index




SLOW70-1

campaigns B and C, slow rate · sheet 1 of 2 · 600 (RD) × 500 (TD) mm · 51 pieces · whole module SLOW70: 70 specimens + 4 LASER on 2 sheets

used for: not used yet · order MOD_SLOW70_600x500mm_WATERJET

RATE	TYPE	ANGLES (deg)	EACH	TOTAL
slow	**UT40**	×3: 0 15 30 60 75 ×2: 45		**17**
	NT20	×3: 0 90 ×2: 45		**8**
	NT06	0 45	× 2	**4**
	CHD48	0 45	× 1	**2**
	MNAK_RECT_FULL	0	× 3	**3**
	MNAK_RECT_HOLE	0 45 90	× 3	**9**
	SHMD	0 90	× 1	**2**
	SHHD	0	× 2	**2**
no code	**LASER**	0	× 4	**4**
Total				**51**

Notch code index: slow 1-3, medium 4-6, high 7-9
(shear 1-2, 4-5, 7-8); LASER: no code.
"×2: 60 75" = 2 at 60 deg and 2 at 75 deg on this sheet; the rest of the module is on its other sheet.




SLOW70-2

campaigns B and C, slow rate · sheet 2 of 2 · 600 (RD) × 500 (TD) mm · 23 pieces · whole module SLOW70: 70 specimens + 4 LASER on 2 sheets

used for: not used yet · order MOD_SLOW70_600x500mm_WATERJET

RATE	TYPE	ANGLES (deg)	EACH	TOTAL
slow	**UT40**	×3: 90 ×1: 45		**4**
	NT20	45	× 1	**1**
	NT06	×3: 90 ×1: 0 45		**5**
	CHD48	×3: 90 ×2: 0 45		**7**
	SHLD	0	× 2	**2**
	SHMD	×2: 45 ×1: 0 90		**4**
Total				**23**

Notch code index: slow 1-3, medium 4-6, high 7-9
(shear 1-2, 4-5, 7-8); LASER: no code.
"×2: 60 75" = 2 at 60 deg and 2 at 75 deg on this sheet; the rest of the module is on its other sheet.



MEDIUM54


campaign B, medium rate (no SHLD, SHHD) · 600 (RD) × 500 (TD) mm · 54 pieces

used for: not used yet · order MOD_MEDIUM54_600x500mm_WATERJET

RATE	TYPE	ANGLES (deg)	EACH	TOTAL
medium	**UT40**	0 15 30 45 60 75 90	× 3	**21**
	NT20	0 45 90	× 3	**9**
	NT06	0 45 90	× 3	**9**
	CHD48	0 45 90	× 3	**9**
	SHMD	0 45 90	× 2	**6**
Total				**54**

Notch code index: slow 1-3, medium 4-6, high 7-9
(shear 1-2, 4-5, 7-8); LASER: no code.

MOD_MEDIUM54_600×500mm_WATERJET.dxf – red circle: blocking problem, orange: to check; small numbers: piece index



HIGH54


campaign B, high rate (no SHLD, SHHD) · 600 (RD) × 500 (TD) mm · 54 pieces

used for: not used yet · order MOD_HIGH54_600x500mm_WATERJET

RATE	TYPE	ANGLES (deg)	EACH	TOTAL
high	**UT19**	0 15 30 45 60 75 90	× 3	**21**
	NT20	0 45 90	× 3	**9**
	NT06	0 45 90	× 3	**9**
	CHD48	0 45 90	× 3	**9**
	SHMD	0 45 90	× 2	**6**
Total				**54**

Notch code index: slow 1-3, medium 4-6, high 7-9
(shear 1-2, 4-5, 7-8); LASER: no code.

MOD_HIGH54_600×500mm_WATERJET.dxf – red circle: blocking problem, orange: to check; small numbers: piece index



MH18


campaign C, medium + high on one sheet · 600 (RD) × 500 (TD) mm · 36 pieces

used for: DC01 2025_11_25_B-1 · order MOD_MH18_600x500mm_WATERJET

RATE	TYPE	ANGLES (deg)	EACH	TOTAL
medium	**UT40**	0	× 3	**3**
	NT20	0	× 3	**3**
	NT06	0	× 3	**3**
	CHD48	0	× 3	**3**
	SHLD	0	× 2	**2**
	SHMD	0	× 2	**2**
	SHHD	0	× 2	**2**
high	**UT19**	0	× 3	**3**
	NT20	0	× 3	**3**
	NT06	0	× 3	**3**
	CHD48	0	× 3	**3**
	SHLD	0	× 2	**2**
	SHMD	0	× 2	**2**
	SHHD	0	× 2	**2**
Total				**36**

Notch code index: slow 1-3, medium 4-6, high 7-9
(shear 1-2, 4-5, 7-8); LASER: no code.

MOD_MH18_600×500mm_WATERJET.dxf – red circle: blocking problem, orange: to check; small numbers: piece index



A_LARGE

campaign A on one large sheet (= SLOW78 + MEDIUM66 + HIGH66) · 900 (RD) × 1140 (TD) mm · 214 pieces

used for: RA980 2022_05_04_D-1, RA1200 2022_05_04_E-1, CR1200Y1500T 2022_05_04_G-1 · order MOD_A_LARGE_900x1140mm_WATERJET

RATE	TYPE	ANGLES (deg)	EACH	TOTAL
slow	**UT40**	0 15 30 45 60 75 90	× 3	**21**
	NT20	0 45 90	× 3	**9**
	NT06	0 45 90	× 3	**9**
	CHD48	0 45 90	× 3	**9**
	MNAK_RECT_FULL	0	× 3	**3**
	MNAK_RECT_HOLE	0 45 90	× 3	**9**
	SHLD	0 45 90	× 2	**6**
	SHMD	0 45 90	× 2	**6**
	SHHD	0 45 90	× 2	**6**
medium	**UT40**	0 15 30 45 60 75 90	× 3	**21**
	NT20	0 45 90	× 3	**9**
	NT06	0 45 90	× 3	**9**
	CHD48	0 45 90	× 3	**9**
	SHLD	0 45 90	× 2	**6**
	SHMD	0 45 90	× 2	**6**
	SHHD	0 45 90	× 2	**6**
high	**UT19**	0 15 30 45 60 75 90	× 3	**21**
	NT20	0 45 90	× 3	**9**
	NT06	0 45 90	× 3	**9**
	CHD48	0 45 90	× 3	**9**
	SHLD	0 45 90	× 2	**6**
	SHMD	0 45 90	× 2	**6**
	SHHD	0 45 90	× 2	**6**
no code	**LASER**	0	× 4	**4**
Total				**214**

Notch code index: slow 1-3, medium 4-6, high 7-9
(shear 1-2, 4-5, 7-8); LASER: no code.

MOD_A_LARGE_900×1140mm_WATERJET.dxf – red circle: blocking problem, orange: to check; small numbers: piece index

