# Static_Redox_Graphs

*Julian Stanley*

*September 24, 2018*

## 3 parameters −> OxD

```
FOx <- function(I, RR, ROX, delta) {
    return (
        (I - RR)/((I - RR) + (delta*(ROX - I)))
    )
}
```

**Plot: OxD as a function of measured intensity, with a constant maximal and minimal intensity**

Assume that $R_Red = 0.667$ and $R_Ox = 5.207$. Vary $\delta$ by factors of 2.

```
require(RColorBrewer)
```

```
## Loading required package: RColorBrewer
```

```
## Warning: package 'RColorBrewer' was built under R version 3.4.1
```

```
colors <- brewer.pal(n = 8, 'Dark2')

maxRed <- 0.667
maxOx <- 5.207
delta_values <- c(0.171, 0.5, 1.0, 2.0, 5.84)

x <- seq(maxRed, maxOx, by = 0.001)
magX <- length(x)

yOx = FOx(x, rep(maxRed, each = magX),
        rep(maxOx, each = magX),
        rep(delta_values[1], each = magX))

par(mar=c(5, 5, 5, 8), pty = 's', bg = NA)
plot(x, yOx,
        type = 'l', main = "
    Fraction of molecules oxidized at intensity \n with variable delta",
        ylab = expression('OxD'['roGFP']), xlab = expression('R'['410/470']),
    col = colors[1])



for (i in 2:length(delta_values)) {
  yOx_i <- FOx(x, rep(maxRed, each = magX),
        rep(maxOx, each = magX),
        rep(delta_values[i], each = magX))
  points(x, yOx_i, col = colors[i], type = 'l')

}
```

```
options(digits = 4)
legend("topright", title = expression(delta['470']), inset=c(-0.35,0), xpd=TRUE, as.character(format(del
```

## Fraction of molecules oxidized at intensity
## with variable delta



```
dev.copy(pdf,'plot1_1.pdf', compress = FALSE)
```

```
## pdf
##   3
```

## Vary minimal intensity

```
maxRed_values <- c(0, .667, 1, 1.5, 2.0, 3.0, 4.0, 5.0)
maxOx <- 5.207
delta <- 0.171

x <- seq(maxRed_values[1], maxOx, by = 0.001)
magX <- length(x)

yOx = FOx(x, rep(maxRed_values[1], each = magX),
        rep(maxOx, each = magX),
        rep(delta, each = magX))

par(mar=c(5, 8, 5, 8), pty = 's', bg = NA)
plot(x, yOx,
        type = 'l', main = "
```

```
    Fraction of molecules oxidized at intensity \n with variable RRed",
        ylab = expression('OxD'['roGFP']), xlab = expression('R'['410/470']),
    col = colors[1])



for (i in 2:length(maxRed_values)) {
  x <- seq(maxRed_values[i], maxOx, by = 0.001)
  magX <- length(x)

  yOx_i <- FOx(x, rep(maxRed_values[i], each = magX),
        rep(maxOx, each = magX),
        rep(delta, each = magX))
  points(x, yOx_i, col = colors[i], type = 'l')

}

options(digits = 4)
legend("topright", title = "RRed", inset=c(-0.4,0), xpd=TRUE, as.character(format(maxRed_values, nsmall
```

## Fraction of molecules oxidized at intensity with variable RRed



```
dev.copy(pdf,'plot1_2.pdf')
```

```
## pdf
##   4
```

## 4 parameters -> E

**At fixed E0 = -265, vary delta**

```r
# Define the Nernst function
    FE <- function(e0, I, RR, ROX, delta) {
       return(e0 - 12.71 * log((1-FOx(I, RR, ROX, delta))/FOx(I, RR, ROX, delta)))
    }
```

```r
maxRed <- 0.667
maxOx <- 5.207
delta_values <- c(0.171, 0.5, 1.0, 2.0, 5.84)

x <- seq(maxRed, maxOx, by = 0.001)
magX <- length(x)

yE = FE(-265, x, rep(maxRed, each = magX),
        rep(maxOx, each = magX),
        rep(delta_values[1], each = magX))

par(mar=c(5, 5, 5, 8), pty = 's', bg = NA)
plot(x, yE,
        type = 'l', main = "
     Redox potential with variable delta",
        ylab = expression('E'['roGFP']), xlab = expression('R'['410/470']),
     col = colors[1], ylim = c(-350, -175))



for (i in 2:length(delta_values)) {
  yE_i <- FE(-265, x, rep(maxRed, each = magX),
        rep(maxOx, each = magX),
        rep(delta_values[i], each = magX))
  points(x, yE_i, col = colors[i], type = 'l')

}

options(digits = 4)
legend("topright", title = expression(delta['470']), inset=c(-0.35,0), xpd=TRUE, as.character(format(del
```

## Redox potential with variable delta



```r
dev.copy(pdf,'plot2_1.pdf', compress = FALSE)
```

```
## pdf
##   5
```

** At fixed $\delta = 0.171$, vary E0 **

```r
maxRed <- 0.667
maxOx <- 5.207
delta <- 0.171

x <- seq(maxRed, maxOx, by = 0.001)
magX <- length(x)

E0_values <- c(200, 100,0,  -100, -200, -300, -400)

yE = FE(E0_values[1], x, rep(maxRed, each = magX),
        rep(maxOx, each = magX),
        rep(delta, each = magX))

par(mar=c(5, 5, 5, 8), pty = 's', bg = NA)

plot(x, yE,
        type = 'l', main = "
    Redox potential with variable E0",
        ylab = expression('E'['roGFP']), xlab = expression('R'['410/470']),
     col = colors[1], ylim = c(-500, 400))
```

```
for (i in 2:length(E0_values)) {
  yE_i <- FE(E0_values[i], x, rep(maxRed, each = magX),
        rep(maxOx, each = magX),
        rep(0.171, each = magX))
  points(x, yE_i, col = colors[i], type = 'l')

}

options(digits = 4)
legend("topright", title = 'E0', inset=c(-0.5,0), xpd=TRUE, as.character(format(E0_values, nsmall = 3)))
```

## Redox potential with variable E0



```
dev.copy(pdf,'plot2_2.pdf', compress = FALSE)
```

```
## pdf
##   6
```