



TRANSLATION HANKOOK

PORSCHE Inspection Catalog Chassis: Tires

Testing Procedure F.360.502

Wet Handling

Test Carrier:	Vehicle
Testing Facility:	Circuit
Status (Porsche):	07.06.2005
Author:	M.Bauer
Translated:	H.Irmler
(see target data sheet / "Zieldatenblatt")	

1 Purpose

This test procedure establishes a procedure for assessing driving safety and handling on wet roads.

2 Field of Application

This test method is valid for:

- Approval tests
- Series Monitoring

3 Definition of Terms

N/A

4 Responsibility

Approval tests:

The test for approval is carried out and documented by Porsche. The results are made available to the tire manufacturer if required.

Retesting:

Retesting of approval tires can be arranged by the Porsche specialist department if required.

5 Description of the Testing Procedure

5.1 Measuring Equipment

5.1.1 Measured Variables / Assessment Variables

see assessment sheet in the appendix

Rating scale:

-3	-2	-1	0	+1	+2	+3
Not sufficient	deficient	Not satisfactory	satisfactory	good satisfactory	good	very good

5.1.2 Test Track

Wet handling circuit on the Contidrom (Continental AG test site) or comparable fully waterable handling course

5.1.3 Data Processing

N/A

5.2 Test Conditions

- Ambient temperature and surface temperature for summer tires $>10^{\circ}\text{C}$
- Ambient temperature for winter tires $<15^{\circ}\text{C}$

5.3 Test Carrier / Test Set-Up

- Wheel loads of the vehicle according to target data sheet (partially loaded)
- Rim width, diameter and contour at the rim seat of the test rim must correspond to the respective Original Porsche wheel (see target data sheet)

5.4 Test Procedure

- Each set of tires to be tested is driven on the handling course until at least three lap times show a consistent trend.

- The driver attempts to drive the circuit as quickly and evenly as possible at the limit of adhesion. In the meantime, the driver obtains a driving impression according to the individual criteria listed in the assessment sheet in the appendix.
- During the tire change, the driver evaluates the tire according to the evaluation criteria in the appendix. He assigns grades from +3 to -3 (very good to not sufficient) for each individual evaluation criterion (grading scale is listed in the appendix).
- Furthermore, the driver has the option of supplementing the grading of the individual criteria with explanatory text in a supplementary sheet (see appendix).
- The three selected lap times are recorded on the form (see also test specification F.360.307).
- The reference tire set is driven at the beginning and at the end of the measurements and, if necessary, before and after major interruptions of the tests.

6 Documentation

6.1 Data Analysis

Using a predefined weighting (see appendix) of the individual criteria, a spreadsheet program calculates the tire's overall subjective score from the individual scores. The overall assessment result of the tire set in relation to the reference set consists of two parts:

- Individual scores of the evaluation criteria + weighted overall score subjective,
- explanatory text on the subjective impression

Ambient temperature, pavement temperature, weather and track condition at the test site shall be recorded.

6.2 Presentation of the results

In the form of a test protocol

6.3 Requirements

The tire must achieve the values specified in the target data sheet.

7 Applicable Documents

Appendix 1: Assessment Sheet Wet Handling

8 Distributor

none