MySQL 8.0 Error Message Reference

Abstract

This is the MySQL 8.0 Error Message Reference. It lists all error messages produced by server and client programs in MySQL 8.0. This document accompanies Error Messages and Common Problems, in MySQL 8.0 Reference Manual.

For help with using MySQL, please visit the MySQL Forums, where you can discuss your issues with other MySQL users.

Document generated on: 2025-08-04 (revision: 83188)

Table of Contents

Preface and Legal Notices v
1 MySQL Error Reference 1
2 Server Error Message Reference 3
3 Client Error Message Reference 645
4 Global Error Message Reference 653
Index 663

Preface and Legal Notices

This is the MySQL 8.0 Error Message Reference. It lists all error messages produced by server and client programs in MySQL 8.0.

Legal Notices

Copyright © 1997, 2025, Oracle and/or its affiliates.

License Restrictions

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

Warranty Disclaimer

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Hazardous Applications Notice

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Trademark Notice

Oracle, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Use of This Documentation

This documentation is NOT distributed under a GPL license. Use of this documentation is subject to the following terms:

You may create a printed copy of this documentation solely for your own personal use. Conversion to other formats is allowed as long as the actual content is not altered or edited in any way. You shall not publish or distribute this documentation in any form or on any media, except if you distribute the documentation in a manner similar to how Oracle disseminates it (that is, electronically for download on a Web site with the software) or on a CD-ROM or similar medium, provided however that the documentation is disseminated together with the software on the same medium. Any other use, such as any dissemination of printed copies or use of this documentation, in whole or in part, in another publication, requires the prior written consent from an authorized representative of Oracle. Oracle and/or its affiliates reserve any and all rights to this documentation not expressly granted above.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at
http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support for Accessibility

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit
http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit `http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs` if you are hearing impaired.

Chapter 1 MySQL Error Reference

This document provides a reference for the various types of error messages in MySQL:

- Error messages produced only by the server: Chapter 2, *Server Error Message Reference*

  On the server side, error messages may occur during the startup and shutdown processes, as a result of issues that occur during SQL statement execution, and so forth.

  - The MySQL server writes some error messages to its error log. These indicate issues of interest to database administrators or that require DBA action.
  - The server sends other error messages to client programs. These indicate issues pertaining only to a particular client. The MySQL client library takes errors received from the server and makes them available to the host client program.

- Error messages that originate only from within the MySQL client library: Chapter 3, *Client Error Message Reference*

  Client-side error messages are generated from within the MySQL client library, usually involving problems communicating with the server.

- Error messages that are shared between the server and the client library: Chapter 4, *Global Error Message Reference*

  Some “global” error messages are shared in the sense that they can be produced by the MySQL server or by MySQL client programs.

For a description of the types of error information MySQL provides and how to obtain information about them, see Error Messages and Common Problems, in MySQL 8.0 Reference Manual.

Chapter 2 Server Error Message Reference

The MySQL server writes some error messages to its error log, and sends others to client programs.

Example server-side error messages written to the error log:

```
2018-10-28T13:01:32.735983Z 0 [Note] [MY-010303] [Server] Skipping
generation of SSL certificates as options related to SSL are specified.

2018-10-02T03:20:39.410387Z 768 [ERROR] [MY-010045] [Server] Event Scheduler:
[evtuser@localhost][myschema.e_daily] Unknown database 'mydb'
```

Example server-side error message sent to client programs, as displayed by the `mysql` client:

```
mysql> SELECT * FROM no_such_table;
ERROR 1146 (42S02): Table 'test.no_such_table' doesn't exist
```

Each server error message includes an error code, SQLSTATE value, and message string, as described in Error Message Sources and Elements. These elements are available as described in Error Information Interfaces.

In addition to the errors in the following list, the server can also produce error messages that have error codes in the range from 1 to 999. See Chapter 4, *Global Error Message Reference*

- Error number: `1002`; Symbol: `ER_NO`; SQLSTATE: `HY000`

  Message: NO

  Used in the construction of other messages.

- Error number: `1003`; Symbol: `ER_YES`; SQLSTATE: `HY000`

  Message: YES

  Used in the construction of other messages.

  Extended `EXPLAIN` format generates Note messages. `ER_YES` is used in the `Code` column for these messages in subsequent `SHOW WARNINGS` output.

- Error number: `1004`; Symbol: `ER_CANT_CREATE_FILE`; SQLSTATE: `HY000`

  Message: Can't create file '%s' (errno: %d - %s)

  Occurs for failure to create or copy a file needed for some operation.

  Possible causes: Permissions problem for source file; destination file already exists but is not writeable.

- Error number: `1005`; Symbol: `ER_CANT_CREATE_TABLE`; SQLSTATE: `HY000`

  Message: Can't create table '%s' (errno: %d - %s)

  `InnoDB` reports this error when a table cannot be created. If the error message refers to error 150, table creation failed because a foreign key constraint was not correctly formed. If the error message refers to error −1, table creation probably failed because the table includes a column name that matched the name of an internal `InnoDB` table.

- Error number: `1006`; Symbol: `ER_CANT_CREATE_DB`; SQLSTATE: `HY000`

  Message: Can't create database '%s' (errno: %d - %s)

- Error number: 1007; Symbol: ER_DB_CREATE_EXISTS; SQLSTATE: HY000

  Message: Can't create database '%s'; database exists

  An attempt to create a database failed because the database already exists.

  Drop the database first if you really want to replace an existing database, or add an IF NOT EXISTS clause to the CREATE DATABASE statement if to retain an existing database without having the statement produce an error.

- Error number: 1008; Symbol: ER_DB_DROP_EXISTS; SQLSTATE: HY000

  Message: Can't drop database '%s'; database doesn't exist

- Error number: 1010; Symbol: ER_DB_DROP_RMDIR; SQLSTATE: HY000

  Message: Error dropping database (can't rmdir '%s', errno: %d - %s)

- Error number: 1012; Symbol: ER_CANT_FIND_SYSTEM_REC; SQLSTATE: HY000

  Message: Can't read record in system table

  Returned by InnoDB for attempts to access InnoDB INFORMATION_SCHEMA tables when InnoDB is unavailable.

- Error number: 1013; Symbol: ER_CANT_GET_STAT; SQLSTATE: HY000

  Message: Can't get status of '%s' (errno: %d - %s)

- Error number: 1015; Symbol: ER_CANT_LOCK; SQLSTATE: HY000

  Message: Can't lock file (errno: %d - %s)

- Error number: 1016; Symbol: ER_CANT_OPEN_FILE; SQLSTATE: HY000

  Message: Can't open file: '%s' (errno: %d - %s)

  InnoDB reports this error when the table from the InnoDB data files cannot be found.

- Error number: 1017; Symbol: ER_FILE_NOT_FOUND; SQLSTATE: HY000

  Message: Can't find file: '%s' (errno: %d - %s)

- Error number: 1018; Symbol: ER_CANT_READ_DIR; SQLSTATE: HY000

  Message: Can't read dir of '%s' (errno: %d - %s)

- Error number: 1020; Symbol: ER_CHECKREAD; SQLSTATE: HY000

  Message: Record has changed since last read in table '%s'

- Error number: 1022; Symbol: ER_DUP_KEY; SQLSTATE: 23000

  Message: Can't write; duplicate key in table '%s'

- Error number: 1024; Symbol: ER_ERROR_ON_READ; SQLSTATE: HY000

  Message: Error reading file '%s' (errno: %d - %s)

- Error number: 1025; Symbol: ER_ERROR_ON_RENAME; SQLSTATE: HY000

Message: Error on rename of '%s' to '%s' (errno: %d - %s)

- Error number: 1026; Symbol: ER_ERROR_ON_WRITE; SQLSTATE: HY000

  Message: Error writing file '%s' (errno: %d - %s)

- Error number: 1027; Symbol: ER_FILE_USED; SQLSTATE: HY000

  Message: '%s' is locked against change

- Error number: 1028; Symbol: ER_FILSORT_ABORT; SQLSTATE: HY000

  Message: Sort aborted

  ER_FILSORT_ABORT was removed after 8.0.18.

- Error number: 1030; Symbol: ER_GET_ERRNO; SQLSTATE: HY000

  Message: Got error %d - '%s' from storage engine

  Check the %d value to see what the OS error means. For example, 28 indicates that you have run out of disk space.

- Error number: 1031; Symbol: ER_ILLEGAL_HA; SQLSTATE: HY000

  Message: Table storage engine for '%s' doesn't have this option

- Error number: 1032; Symbol: ER_KEY_NOT_FOUND; SQLSTATE: HY000

  Message: Can't find record in '%s'

- Error number: 1033; Symbol: ER_NOT_FORM_FILE; SQLSTATE: HY000

  Message: Incorrect information in file: '%s'

- Error number: 1034; Symbol: ER_NOT_KEYFILE; SQLSTATE: HY000

  Message: Incorrect key file for table '%s'; try to repair it

- Error number: 1035; Symbol: ER_OLD_KEYFILE; SQLSTATE: HY000

  Message: Old key file for table '%s'; repair it!

- Error number: 1036; Symbol: ER_OPEN_AS_READONLY; SQLSTATE: HY000

  Message: Table '%s' is read only

- Error number: 1037; Symbol: ER_OUTOFMEMORY; SQLSTATE: HY001

  Message: Out of memory; restart server and try again (needed %d bytes)

- Error number: 1038; Symbol: ER_OUT_OF_SORTMEMORY; SQLSTATE: HY001

  Message: Out of sort memory, consider increasing server sort buffer size

- Error number: 1040; Symbol: ER_CON_COUNT_ERROR; SQLSTATE: 08004

  Message: Too many connections

- Error number: 1041; Symbol: ER_OUT_OF_RESOURCES; SQLSTATE: HY000

  Message: Out of memory; check if mysqld or some other process uses all available memory; if not, you may have to use 'ulimit' to allow mysqld to use more memory or you can add more swap space

- Error number: 1042; Symbol: ER_BAD_HOST_ERROR; SQLSTATE: 08S01

  Message: Can't get hostname for your address

- Error number: 1043; Symbol: ER_HANDSHAKE_ERROR; SQLSTATE: 08S01

  Message: Bad handshake

- Error number: 1044; Symbol: ER_DBACCESS_DENIED_ERROR; SQLSTATE: 42000

  Message: Access denied for user '%s'@'%s' to database '%s'

- Error number: 1045; Symbol: ER_ACCESS_DENIED_ERROR; SQLSTATE: 28000

  Message: Access denied for user '%s'@'%s' (using password: %s)

- Error number: 1046; Symbol: ER_NO_DB_ERROR; SQLSTATE: 3D000

  Message: No database selected

- Error number: 1047; Symbol: ER_UNKNOWN_COM_ERROR; SQLSTATE: 08S01

  Message: Unknown command

- Error number: 1048; Symbol: ER_BAD_NULL_ERROR; SQLSTATE: 23000

  Message: Column '%s' cannot be null

- Error number: 1049; Symbol: ER_BAD_DB_ERROR; SQLSTATE: 42000

  Message: Unknown database '%s'

- Error number: 1050; Symbol: ER_TABLE_EXISTS_ERROR; SQLSTATE: 42S01

  Message: Table '%s' already exists

- Error number: 1051; Symbol: ER_BAD_TABLE_ERROR; SQLSTATE: 42S02

  Message: Unknown table '%s'

- Error number: 1052; Symbol: ER_NON_UNIQ_ERROR; SQLSTATE: 23000

  Message: Column '%s' in %s is ambiguous

  ```
  %s = column name
  %s = location of column (for example, "field list")
  ```

  Likely cause: A column appears in a query without appropriate qualification, such as in a select list or ON clause.

  Examples:

  ```
  mysql> SELECT i FROM t INNER JOIN t AS t2;
  ERROR 1052 (23000): Column 'i' in field list is ambiguous

  mysql> SELECT * FROM t LEFT JOIN t AS t2 ON i = i;
  ```

```
ERROR 1052 (23000): Column 'i' in on clause is ambiguous
```

Resolution:

- Qualify the column with the appropriate table name:

  ```
  mysql> SELECT t2.i FROM t INNER JOIN t AS t2;
  ```

- Modify the query to avoid the need for qualification:

  ```
  mysql> SELECT * FROM t LEFT JOIN t AS t2 USING (i);
  ```

- Error number: 1053; Symbol: ER_SERVER_SHUTDOWN; SQLSTATE: 08S01

  Message: Server shutdown in progress

- Error number: 1054; Symbol: ER_BAD_FIELD_ERROR; SQLSTATE: 42S22

  Message: Unknown column '%s' in '%s'

- Error number: 1055; Symbol: ER_WRONG_FIELD_WITH_GROUP; SQLSTATE: 42000

  Message: '%s' isn't in GROUP BY

- Error number: 1056; Symbol: ER_WRONG_GROUP_FIELD; SQLSTATE: 42000

  Message: Can't group on '%s'

- Error number: 1057; Symbol: ER_WRONG_SUM_SELECT; SQLSTATE: 42000

  Message: Statement has sum functions and columns in same statement

- Error number: 1058; Symbol: ER_WRONG_VALUE_COUNT; SQLSTATE: 21S01

  Message: Column count doesn't match value count

- Error number: 1059; Symbol: ER_TOO_LONG_IDENT; SQLSTATE: 42000

  Message: Identifier name '%s' is too long

- Error number: 1060; Symbol: ER_DUP_FIELDNAME; SQLSTATE: 42S21

  Message: Duplicate column name '%s'

- Error number: 1061; Symbol: ER_DUP_KEYNAME; SQLSTATE: 42000

  Message: Duplicate key name '%s'

- Error number: 1062; Symbol: ER_DUP_ENTRY; SQLSTATE: 23000

  Message: Duplicate entry '%s' for key %d

  The message returned with this error uses the format string for ER_DUP_ENTRY_WITH_KEY_NAME.

- Error number: 1063; Symbol: ER_WRONG_FIELD_SPEC; SQLSTATE: 42000

  Message: Incorrect column specifier for column '%s'

- Error number: 1064; Symbol: ER_PARSE_ERROR; SQLSTATE: 42000

  Message: %s near '%s' at line %d

- Error number: 1065; Symbol: ER_EMPTY_QUERY; SQLSTATE: 42000

  Message: Query was empty
- Error number: 1066; Symbol: ER_NONUNIQ_TABLE; SQLSTATE: 42000

  Message: Not unique table/alias: '%s'
- Error number: 1067; Symbol: ER_INVALID_DEFAULT; SQLSTATE: 42000

  Message: Invalid default value for '%s'
- Error number: 1068; Symbol: ER_MULTIPLE_PRI_KEY; SQLSTATE: 42000

  Message: Multiple primary key defined
- Error number: 1069; Symbol: ER_TOO_MANY_KEYS; SQLSTATE: 42000

  Message: Too many keys specified; max %d keys allowed
- Error number: 1070; Symbol: ER_TOO_MANY_KEY_PARTS; SQLSTATE: 42000

  Message: Too many key parts specified; max %d parts allowed
- Error number: 1071; Symbol: ER_TOO_LONG_KEY; SQLSTATE: 42000

  Message: Specified key was too long; max key length is %d bytes
- Error number: 1072; Symbol: ER_KEY_COLUMN_DOES_NOT_EXITS; SQLSTATE: 42000

  Message: Key column '%s' doesn't exist in table
- Error number: 1073; Symbol: ER_BLOB_USED_AS_KEY; SQLSTATE: 42000

  Message: BLOB column '%s' can't be used in key specification with the used table type
- Error number: 1074; Symbol: ER_TOO_BIG_FIELDLENGTH; SQLSTATE: 42000

  Message: Column length too big for column '%s' (max = %lu); use BLOB or TEXT instead
- Error number: 1075; Symbol: ER_WRONG_AUTO_KEY; SQLSTATE: 42000

  Message: Incorrect table definition; there can be only one auto column and it must be defined as a key
- Error number: 1076; Symbol: ER_READY; SQLSTATE: HY000

  Message: %s: ready for connections. Version: '%s' socket: '%s' port: %d
- Error number: 1077; Symbol: ER_NORMAL_SHUTDOWN; SQLSTATE: HY000

  Message: %s: Normal shutdown

  ER_NORMAL_SHUTDOWN was removed after 8.0.4.
- Error number: 1079; Symbol: ER_SHUTDOWN_COMPLETE; SQLSTATE: HY000

  Message: %s: Shutdown complete
- Error number: 1080; Symbol: ER_FORCING_CLOSE; SQLSTATE: 08S01

  Message: %s: Forcing close of thread %ld user: '%s'

- Error number: 1081; Symbol: ER_IPSOCK_ERROR; SQLSTATE: 08S01

  Message: Can't create IP socket

- Error number: 1082; Symbol: ER_NO_SUCH_INDEX; SQLSTATE: 42S12

  Message: Table '%s' has no index like the one used in CREATE INDEX; recreate the table

- Error number: 1083; Symbol: ER_WRONG_FIELD_TERMINATORS; SQLSTATE: 42000

  Message: Field separator argument is not what is expected; check the manual

- Error number: 1084; Symbol: ER_BLOBS_AND_NO_TERMINATED; SQLSTATE: 42000

  Message: You can't use fixed rowlength with BLOBs; please use 'fields terminated by'

- Error number: 1085; Symbol: ER_TEXTFILE_NOT_READABLE; SQLSTATE: HY000

  Message: The file '%s' must be in the database directory or be readable by all

- Error number: 1086; Symbol: ER_FILE_EXISTS_ERROR; SQLSTATE: HY000

  Message: File '%s' already exists

- Error number: 1087; Symbol: ER_LOAD_INFO; SQLSTATE: HY000

  Message: Records: %ld Deleted: %ld Skipped: %ld Warnings: %ld

- Error number: 1088; Symbol: ER_ALTER_INFO; SQLSTATE: HY000

  Message: Records: %ld Duplicates: %ld

- Error number: 1089; Symbol: ER_WRONG_SUB_KEY; SQLSTATE: HY000

  Message: Incorrect prefix key; the used key part isn't a string, the used length is longer than the key part, or the storage engine doesn't support unique prefix keys

- Error number: 1090; Symbol: ER_CANT_REMOVE_ALL_FIELDS; SQLSTATE: 42000

  Message: You can't delete all columns with ALTER TABLE; use DROP TABLE instead

- Error number: 1091; Symbol: ER_CANT_DROP_FIELD_OR_KEY; SQLSTATE: 42000

  Message: Can't DROP '%s'; check that column/key exists

- Error number: 1092; Symbol: ER_INSERT_INFO; SQLSTATE: HY000

  Message: Records: %ld Duplicates: %ld Warnings: %ld

- Error number: 1093; Symbol: ER_UPDATE_TABLE_USED; SQLSTATE: HY000

  Message: You can't specify target table '%s' for update in FROM clause

  This error occurs for attempts to select from and modify the same table within a single statement. If the select attempt occurs within a derived table, you can avoid this error by setting the derived_merge flag of the optimizer_switch system variable to force the subquery to be materialized into a temporary table, which effectively causes it to be a different table from the one modified. See Optimizing Derived Tables, View References, and Common Table Expressions with Merging or Materialization.

- Error number: 1094; Symbol: ER_NO_SUCH_THREAD; SQLSTATE: HY000

Message: Unknown thread id: %lu

- Error number: 1095; Symbol: ER_KILL_DENIED_ERROR; SQLSTATE: HY000

  Message: You are not owner of thread %lu

- Error number: 1096; Symbol: ER_NO_TABLES_USED; SQLSTATE: HY000

  Message: No tables used

- Error number: 1097; Symbol: ER_TOO_BIG_SET; SQLSTATE: HY000

  Message: Too many strings for column %s and SET

- Error number: 1098; Symbol: ER_NO_UNIQUE_LOGFILE; SQLSTATE: HY000

  Message: Can't generate a unique log-filename %s.(1-999)

- Error number: 1099; Symbol: ER_TABLE_NOT_LOCKED_FOR_WRITE; SQLSTATE: HY000

  Message: Table '%s' was locked with a READ lock and can't be updated

- Error number: 1100; Symbol: ER_TABLE_NOT_LOCKED; SQLSTATE: HY000

  Message: Table '%s' was not locked with LOCK TABLES

- Error number: 1101; Symbol: ER_BLOB_CANT_HAVE_DEFAULT; SQLSTATE: 42000

  Message: BLOB, TEXT, GEOMETRY or JSON column '%s' can't have a default value

- Error number: 1102; Symbol: ER_WRONG_DB_NAME; SQLSTATE: 42000

  Message: Incorrect database name '%s'

- Error number: 1103; Symbol: ER_WRONG_TABLE_NAME; SQLSTATE: 42000

  Message: Incorrect table name '%s'

- Error number: 1104; Symbol: ER_TOO_BIG_SELECT; SQLSTATE: 42000

  Message: The SELECT would examine more than MAX_JOIN_SIZE rows; check your WHERE and use SET SQL_BIG_SELECTS=1 or SET MAX_JOIN_SIZE=# if the SELECT is okay

- Error number: 1105; Symbol: ER_UNKNOWN_ERROR; SQLSTATE: HY000

  Message: Unknown error

- Error number: 1106; Symbol: ER_UNKNOWN_PROCEDURE; SQLSTATE: 42000

  Message: Unknown procedure '%s'

- Error number: 1107; Symbol: ER_WRONG_PARAMCOUNT_TO_PROCEDURE; SQLSTATE: 42000

  Message: Incorrect parameter count to procedure '%s'

- Error number: 1108; Symbol: ER_WRONG_PARAMETERS_TO_PROCEDURE; SQLSTATE: HY000

  Message: Incorrect parameters to procedure '%s'

- Error number: 1109; Symbol: ER_UNKNOWN_TABLE; SQLSTATE: 42S02

Message: Unknown table '%s' in %s

- Error number: 1110; Symbol: ER_FIELD_SPECIFIED_TWICE; SQLSTATE: 42000

  Message: Column '%s' specified twice

- Error number: 1111; Symbol: ER_INVALID_GROUP_FUNC_USE; SQLSTATE: HY000

  Message: Invalid use of group function

- Error number: 1112; Symbol: ER_UNSUPPORTED_EXTENSION; SQLSTATE: 42000

  Message: Table '%s' uses an extension that doesn't exist in this MySQL version

- Error number: 1113; Symbol: ER_TABLE_MUST_HAVE_COLUMNS; SQLSTATE: 42000

  Message: A table must have at least 1 column

- Error number: 1114; Symbol: ER_RECORD_FILE_FULL; SQLSTATE: HY000

  Message: The table '%s' is full

  InnoDB reports this error when the system tablespace runs out of free space. Reconfigure the system tablespace to add a new data file.

- Error number: 1115; Symbol: ER_UNKNOWN_CHARACTER_SET; SQLSTATE: 42000

  Message: Unknown character set: '%s'

- Error number: 1116; Symbol: ER_TOO_MANY_TABLES; SQLSTATE: HY000

  Message: Too many tables; MySQL can only use %d tables in a join

- Error number: 1117; Symbol: ER_TOO_MANY_FIELDS; SQLSTATE: HY000

  Message: Too many columns

- Error number: 1118; Symbol: ER_TOO_BIG_ROWSIZE; SQLSTATE: 42000

  Message: Row size too large. The maximum row size for the used table type, not counting BLOBs, is %ld. This includes storage overhead, check the manual. You have to change some columns to TEXT or BLOBs

- Error number: 1119; Symbol: ER_STACK_OVERRUN; SQLSTATE: HY000

  Message: Thread stack overrun: Used: %ld of a %ld stack. Use 'mysqld --thread_stack=#' to specify a bigger stack if needed

- Error number: 1120; Symbol: ER_WRONG_OUTER_JOIN; SQLSTATE: 42000

  Message: Cross dependency found in OUTER JOIN; examine your ON conditions

  ER_WRONG_OUTER_JOIN was removed after 8.0.0.

- Error number: 1120; Symbol: ER_WRONG_OUTER_JOIN_UNUSED; SQLSTATE: 42000

  Message: Cross dependency found in OUTER JOIN; examine your ON conditions

  ER_WRONG_OUTER_JOIN_UNUSED was added in 8.0.1.

- Error number: 1121; Symbol: ER_NULL_COLUMN_IN_INDEX; SQLSTATE: 42000

  Message: Table handler doesn't support NULL in given index. Please change column '%s' to be NOT NULL or use another handler

- Error number: 1122; Symbol: ER_CANT_FIND_UDF; SQLSTATE: HY000

  Message: Can't load function '%s'

- Error number: 1123; Symbol: ER_CANT_INITIALIZE_UDF; SQLSTATE: HY000

  Message: Can't initialize function '%s'; %s

- Error number: 1124; Symbol: ER_UDF_NO_PATHS; SQLSTATE: HY000

  Message: No paths allowed for shared library

- Error number: 1125; Symbol: ER_UDF_EXISTS; SQLSTATE: HY000

  Message: Function '%s' already exists

- Error number: 1126; Symbol: ER_CANT_OPEN_LIBRARY; SQLSTATE: HY000

  Message: Can't open shared library '%s' (errno: %d %s)

- Error number: 1127; Symbol: ER_CANT_FIND_DL_ENTRY; SQLSTATE: HY000

  Message: Can't find symbol '%s' in library

- Error number: 1128; Symbol: ER_FUNCTION_NOT_DEFINED; SQLSTATE: HY000

  Message: Function '%s' is not defined

- Error number: 1129; Symbol: ER_HOST_IS_BLOCKED; SQLSTATE: HY000

  Message: Host '%s' is blocked because of many connection errors; unblock with 'mysqladmin flush-hosts'

- Error number: 1130; Symbol: ER_HOST_NOT_PRIVILEGED; SQLSTATE: HY000

  Message: Host '%s' is not allowed to connect to this MySQL server

- Error number: 1131; Symbol: ER_PASSWORD_ANONYMOUS_USER; SQLSTATE: 42000

  Message: You are using MySQL as an anonymous user and anonymous users are not allowed to change passwords

- Error number: 1132; Symbol: ER_PASSWORD_NOT_ALLOWED; SQLSTATE: 42000

  Message: You must have privileges to update tables in the mysql database to be able to change passwords for others

- Error number: 1133; Symbol: ER_PASSWORD_NO_MATCH; SQLSTATE: 42000

  Message: Can't find any matching row in the user table

- Error number: 1134; Symbol: ER_UPDATE_INFO; SQLSTATE: HY000

  Message: Rows matched: %ld Changed: %ld Warnings: %ld

- Error number: 1135; Symbol: ER_CANT_CREATE_THREAD; SQLSTATE: HY000

  Message: Can't create a new thread (errno %d); if you are not out of available memory, you can consult the manual for a possible OS-dependent bug

- Error number: 1136; Symbol: ER_WRONG_VALUE_COUNT_ON_ROW; SQLSTATE: 21S01

  Message: Column count doesn't match value count at row %ld

- Error number: 1137; Symbol: ER_CANT_REOPEN_TABLE; SQLSTATE: HY000

  Message: Can't reopen table: '%s'

- Error number: 1138; Symbol: ER_INVALID_USE_OF_NULL; SQLSTATE: 22004

  Message: Invalid use of NULL value

- Error number: 1139; Symbol: ER_REGEXP_ERROR; SQLSTATE: 42000

  Message: Got error '%s' from regexp

- Error number: 1140; Symbol: ER_MIX_OF_GROUP_FUNC_AND_FIELDS; SQLSTATE: 42000

  Message: Mixing of GROUP columns (MIN(),MAX(),COUNT(),...) with no GROUP columns is illegal if there is no GROUP BY clause

- Error number: 1141; Symbol: ER_NONEXISTING_GRANT; SQLSTATE: 42000

  Message: There is no such grant defined for user '%s' on host '%s'

- Error number: 1142; Symbol: ER_TABLEACCESS_DENIED_ERROR; SQLSTATE: 42000

  Message: %s command denied to user '%s'@'%s' for table '%s'

- Error number: 1143; Symbol: ER_COLUMNACCESS_DENIED_ERROR; SQLSTATE: 42000

  Message: %s command denied to user '%s'@'%s' for column '%s' in table '%s'

- Error number: 1144; Symbol: ER_ILLEGAL_GRANT_FOR_TABLE; SQLSTATE: 42000

  Message: Illegal GRANT/REVOKE command; please consult the manual to see which privileges can be used

- Error number: 1145; Symbol: ER_GRANT_WRONG_HOST_OR_USER; SQLSTATE: 42000

  Message: The host or user argument to GRANT is too long

- Error number: 1146; Symbol: ER_NO_SUCH_TABLE; SQLSTATE: 42S02

  Message: Table '%s.%s' doesn't exist

- Error number: 1147; Symbol: ER_NONEXISTING_TABLE_GRANT; SQLSTATE: 42000

  Message: There is no such grant defined for user '%s' on host '%s' on table '%s'

- Error number: 1148; Symbol: ER_NOT_ALLOWED_COMMAND; SQLSTATE: 42000

  Message: The used command is not allowed with this MySQL version

- Error number: 1149; Symbol: ER_SYNTAX_ERROR; SQLSTATE: 42000

Message: You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use

- Error number: 1152; Symbol: ER_ABORTING_CONNECTION; SQLSTATE: 08S01

  Message: Aborted connection %ld to db: '%s' user: '%s' (%s)

- Error number: 1153; Symbol: ER_NET_PACKET_TOO_LARGE; SQLSTATE: 08S01

  Message: Got a packet bigger than 'max_allowed_packet' bytes

- Error number: 1154; Symbol: ER_NET_READ_ERROR_FROM_PIPE; SQLSTATE: 08S01

  Message: Got a read error from the connection pipe

- Error number: 1155; Symbol: ER_NET_FCNTL_ERROR; SQLSTATE: 08S01

  Message: Got an error from fcntl()

- Error number: 1156; Symbol: ER_NET_PACKETS_OUT_OF_ORDER; SQLSTATE: 08S01

  Message: Got packets out of order

- Error number: 1157; Symbol: ER_NET_UNCOMPRESS_ERROR; SQLSTATE: 08S01

  Message: Couldn't uncompress communication packet

- Error number: 1158; Symbol: ER_NET_READ_ERROR; SQLSTATE: 08S01

  Message: Got an error reading communication packets

- Error number: 1159; Symbol: ER_NET_READ_INTERRUPTED; SQLSTATE: 08S01

  Message: Got timeout reading communication packets

- Error number: 1160; Symbol: ER_NET_ERROR_ON_WRITE; SQLSTATE: 08S01

  Message: Got an error writing communication packets

- Error number: 1161; Symbol: ER_NET_WRITE_INTERRUPTED; SQLSTATE: 08S01

  Message: Got timeout writing communication packets

- Error number: 1162; Symbol: ER_TOO_LONG_STRING; SQLSTATE: 42000

  Message: Result string is longer than 'max_allowed_packet' bytes

- Error number: 1163; Symbol: ER_TABLE_CANT_HANDLE_BLOB; SQLSTATE: 42000

  Message: The used table type doesn't support BLOB/TEXT columns

- Error number: 1164; Symbol: ER_TABLE_CANT_HANDLE_AUTO_INCREMENT; SQLSTATE: 42000

  Message: The used table type doesn't support AUTO_INCREMENT columns

- Error number: 1166; Symbol: ER_WRONG_COLUMN_NAME; SQLSTATE: 42000

  Message: Incorrect column name '%s'

- Error number: 1167; Symbol: ER_WRONG_KEY_COLUMN; SQLSTATE: 42000

  Message: The used storage engine can't index column '%s'

- Error number: 1168; Symbol: ER_WRONG_MRG_TABLE; SQLSTATE: HY000

  Message: Unable to open underlying table which is differently defined or of non-MyISAM type or doesn't exist

- Error number: 1169; Symbol: ER_DUP_UNIQUE; SQLSTATE: 23000

  Message: Can't write, because of unique constraint, to table '%s'

- Error number: 1170; Symbol: ER_BLOB_KEY_WITHOUT_LENGTH; SQLSTATE: 42000

  Message: BLOB/TEXT column '%s' used in key specification without a key length

- Error number: 1171; Symbol: ER_PRIMARY_CANT_HAVE_NULL; SQLSTATE: 42000

  Message: All parts of a PRIMARY KEY must be NOT NULL; if you need NULL in a key, use UNIQUE instead

- Error number: 1172; Symbol: ER_TOO_MANY_ROWS; SQLSTATE: 42000

  Message: Result consisted of more than one row

- Error number: 1173; Symbol: ER_REQUIRES_PRIMARY_KEY; SQLSTATE: 42000

  Message: This table type requires a primary key

- Error number: 1175; Symbol: ER_UPDATE_WITHOUT_KEY_IN_SAFE_MODE; SQLSTATE: HY000

  Message: You are using safe update mode and you tried to update a table without a WHERE that uses a KEY column. %s

- Error number: 1176; Symbol: ER_KEY_DOES_NOT_EXITS; SQLSTATE: 42000

  Message: Key '%s' doesn't exist in table '%s'

- Error number: 1177; Symbol: ER_CHECK_NO_SUCH_TABLE; SQLSTATE: 42000

  Message: Can't open table

- Error number: 1178; Symbol: ER_CHECK_NOT_IMPLEMENTED; SQLSTATE: 42000

  Message: The storage engine for the table doesn't support %s

- Error number: 1179; Symbol: ER_CANT_DO_THIS_DURING_AN_TRANSACTION; SQLSTATE: 25000

  Message: You are not allowed to execute this command in a transaction

- Error number: 1180; Symbol: ER_ERROR_DURING_COMMIT; SQLSTATE: HY000

  Message: Got error %d - '%s' during COMMIT

- Error number: 1181; Symbol: ER_ERROR_DURING_ROLLBACK; SQLSTATE: HY000

  Message: Got error %d - '%s' during ROLLBACK

- Error number: 1182; Symbol: ER_ERROR_DURING_FLUSH_LOGS; SQLSTATE: HY000

Message: Got error %d during FLUSH_LOGS

- Error number: 1184; Symbol: ER_NEW_ABORTING_CONNECTION; SQLSTATE: 08S01

  Message: Aborted connection %u to db: '%s' user: '%s' host: '%s' (%s)

- Error number: 1188; Symbol: ER_MASTER; SQLSTATE: HY000

  Message: Error from master: '%s'

  ER_MASTER was removed after 8.0.32.

- Error number: 1188; Symbol: ER_SOURCE; SQLSTATE: HY000

  Message: Error from source: '%s'

  ER_SOURCE was added in 8.0.33.

- Error number: 1189; Symbol: ER_MASTER_NET_READ; SQLSTATE: 08S01

  Message: Net error reading from master

  ER_MASTER_NET_READ was removed after 8.0.32.

- Error number: 1189; Symbol: ER_SOURCE_NET_READ; SQLSTATE: 08S01

  Message: Net error reading from source

  ER_SOURCE_NET_READ was added in 8.0.33.

- Error number: 1190; Symbol: ER_MASTER_NET_WRITE; SQLSTATE: 08S01

  Message: Net error writing to master

  ER_MASTER_NET_WRITE was removed after 8.0.32.

- Error number: 1190; Symbol: ER_SOURCE_NET_WRITE; SQLSTATE: 08S01

  Message: Net error writing to source

  ER_SOURCE_NET_WRITE was added in 8.0.33.

- Error number: 1191; Symbol: ER_FT_MATCHING_KEY_NOT_FOUND; SQLSTATE: HY000

  Message: Can't find FULLTEXT index matching the column list

- Error number: 1192; Symbol: ER_LOCK_OR_ACTIVE_TRANSACTION; SQLSTATE: HY000

  Message: Can't execute the given command because you have active locked tables or an active transaction

- Error number: 1193; Symbol: ER_UNKNOWN_SYSTEM_VARIABLE; SQLSTATE: HY000

  Message: Unknown system variable '%s'

- Error number: 1194; Symbol: ER_CRASHED_ON_USAGE; SQLSTATE: HY000

  Message: Table '%s' is marked as crashed and should be repaired

- Error number: 1195; Symbol: ER_CRASHED_ON_REPAIR; SQLSTATE: HY000

  Message: Table '%s' is marked as crashed and last (automatic?) repair failed

- Error number: 1196; Symbol: ER_WARNING_NOT_COMPLETE_ROLLBACK; SQLSTATE: HY000

  Message: Some non-transactional changed tables couldn't be rolled back

- Error number: 1197; Symbol: ER_TRANS_CACHE_FULL; SQLSTATE: HY000

  Message: Multi-statement transaction required more than 'max_binlog_cache_size' bytes of storage; increase this mysqld variable and try again

- Error number: 1199; Symbol: ER_SLAVE_NOT_RUNNING; SQLSTATE: HY000

  Message: This operation requires a running slave; configure slave and do START SLAVE

  ER_SLAVE_NOT_RUNNING was removed after 8.0.32.

- Error number: 1199; Symbol: ER_REPLICA_NOT_RUNNING; SQLSTATE: HY000

  Message: This operation requires a running replica; configure replica and do START REPLICA

  ER_REPLICA_NOT_RUNNING was added in 8.0.33.

- Error number: 1200; Symbol: ER_BAD_SLAVE; SQLSTATE: HY000

  Message: The server is not configured as slave; fix in config file or with CHANGE MASTER TO

  ER_BAD_SLAVE was removed after 8.0.32.

- Error number: 1200; Symbol: ER_BAD_REPLICA; SQLSTATE: HY000

  Message: The server is not configured as replica; fix in config file or with CHANGE REPLICATION SOURCE TO

  ER_BAD_REPLICA was added in 8.0.33.

- Error number: 1201; Symbol: ER_MASTER_INFO; SQLSTATE: HY000

  Message: Could not initialize master info structure; more error messages can be found in the MySQL error log

  ER_MASTER_INFO was removed after 8.0.32.

- Error number: 1201; Symbol: ER_CONNECTION_METADATA; SQLSTATE: HY000

  Message: Could not initialize connection metadata structure; more error messages can be found in the MySQL error log

  ER_CONNECTION_METADATA was added in 8.0.33.

- Error number: 1202; Symbol: ER_SLAVE_THREAD; SQLSTATE: HY000

  Message: Could not create slave thread; check system resources

  ER_SLAVE_THREAD was removed after 8.0.32.

- Error number: 1202; Symbol: ER_REPLICA_THREAD; SQLSTATE: HY000

Message: Could not create replica thread; check system resources

`ER_REPLICA_THREAD` was added in 8.0.33.

- Error number: `1203`; Symbol: `ER_TOO_MANY_USER_CONNECTIONS`; SQLSTATE: `42000`

  Message: User %s already has more than 'max_user_connections' active connections

- Error number: `1204`; Symbol: `ER_SET_CONSTANTS_ONLY`; SQLSTATE: `HY000`

  Message: You may only use constant expressions with SET

- Error number: `1205`; Symbol: `ER_LOCK_WAIT_TIMEOUT`; SQLSTATE: `HY000`

  Message: Lock wait timeout exceeded; try restarting transaction

  `InnoDB` reports this error when lock wait timeout expires. The statement that waited too long was rolled back (not the entire transaction). You can increase the value of the `innodb_lock_wait_timeout` configuration option if SQL statements should wait longer for other transactions to complete, or decrease it if too many long-running transactions are causing locking problems and reducing concurrency on a busy system.

- Error number: `1206`; Symbol: `ER_LOCK_TABLE_FULL`; SQLSTATE: `HY000`

  Message: The total number of locks exceeds the lock table size

  `InnoDB` reports this error when the total number of locks exceeds the amount of memory devoted to managing locks. To avoid this error, increase the value of `innodb_buffer_pool_size`. Within an individual application, a workaround may be to break a large operation into smaller pieces. For example, if the error occurs for a large `INSERT`, perform several smaller `INSERT` operations.

- Error number: `1207`; Symbol: `ER_READ_ONLY_TRANSACTION`; SQLSTATE: `25000`

  Message: Update locks cannot be acquired during a READ UNCOMMITTED transaction

- Error number: `1210`; Symbol: `ER_WRONG_ARGUMENTS`; SQLSTATE: `HY000`

  Message: Incorrect arguments to %s

- Error number: `1211`; Symbol: `ER_NO_PERMISSION_TO_CREATE_USER`; SQLSTATE: `42000`

  Message: '%s'@'%s' is not allowed to create new users

- Error number: `1213`; Symbol: `ER_LOCK_DEADLOCK`; SQLSTATE: `40001`

  Message: Deadlock found when trying to get lock; try restarting transaction

  `InnoDB` reports this error when a transaction encounters a deadlock and is automatically rolled back so that your application can take corrective action. To recover from this error, run all the operations in this transaction again. A deadlock occurs when requests for locks arrive in inconsistent order between transactions. The transaction that was rolled back released all its locks, and the other transaction can now get all the locks it requested. Thus, when you re-run the transaction that was rolled back, it might have to wait for other transactions to complete, but typically the deadlock does not recur. If you encounter frequent deadlocks, make the sequence of locking operations (`LOCK TABLES`, `SELECT ... FOR UPDATE`, and so on) consistent between the different transactions or applications that experience the issue. See Deadlocks in InnoDB for details.

- Error number: `1214`; Symbol: `ER_TABLE_CANT_HANDLE_FT`; SQLSTATE: `HY000`

Message: The used table type doesn't support FULLTEXT indexes

- Error number: 1215; Symbol: ER_CANNOT_ADD_FOREIGN; SQLSTATE: HY000

  Message: Cannot add foreign key constraint

- Error number: 1216; Symbol: ER_NO_REFERENCED_ROW; SQLSTATE: 23000

  Message: Cannot add or update a child row: a foreign key constraint fails

  InnoDB reports this error when you try to add a row but there is no parent row, and a foreign key constraint fails. Add the parent row first.

- Error number: 1217; Symbol: ER_ROW_IS_REFERENCED; SQLSTATE: 23000

  Message: Cannot delete or update a parent row: a foreign key constraint fails

  InnoDB reports this error when you try to delete a parent row that has children, and a foreign key constraint fails. Delete the children first.

- Error number: 1218; Symbol: ER_CONNECT_TO_MASTER; SQLSTATE: 08S01

  Message: Error connecting to master: %s

  ER_CONNECT_TO_MASTER was removed after 8.0.32.

- Error number: 1218; Symbol: ER_CONNECT_TO_SOURCE; SQLSTATE: 08S01

  Message: Error connecting to source: %s

  ER_CONNECT_TO_SOURCE was added in 8.0.33.

- Error number: 1220; Symbol: ER_ERROR_WHEN_EXECUTING_COMMAND; SQLSTATE: HY000

  Message: Error when executing command %s: %s

- Error number: 1221; Symbol: ER_WRONG_USAGE; SQLSTATE: HY000

  Message: Incorrect usage of %s and %s

- Error number: 1222; Symbol: ER_WRONG_NUMBER_OF_COLUMNS_IN_SELECT; SQLSTATE: 21000

  Message: The used SELECT statements have a different number of columns

- Error number: 1223; Symbol: ER_CANT_UPDATE_WITH_READLOCK; SQLSTATE: HY000

  Message: Can't execute the query because you have a conflicting read lock

- Error number: 1224; Symbol: ER_MIXING_NOT_ALLOWED; SQLSTATE: HY000

  Message: Mixing of transactional and non-transactional tables is disabled

- Error number: 1225; Symbol: ER_DUP_ARGUMENT; SQLSTATE: HY000

  Message: Option '%s' used twice in statement

- Error number: 1226; Symbol: ER_USER_LIMIT_REACHED; SQLSTATE: 42000

  Message: User '%s' has exceeded the '%s' resource (current value: %ld)

- Error number: 1227; Symbol: ER_SPECIFIC_ACCESS_DENIED_ERROR; SQLSTATE: 42000

  Message: Access denied; you need (at least one of) the %s privilege(s) for this operation
- Error number: 1228; Symbol: ER_LOCAL_VARIABLE; SQLSTATE: HY000

  Message: Variable '%s' is a SESSION variable and can't be used with SET GLOBAL
- Error number: 1229; Symbol: ER_GLOBAL_VARIABLE; SQLSTATE: HY000

  Message: Variable '%s' is a GLOBAL variable and should be set with SET GLOBAL
- Error number: 1230; Symbol: ER_NO_DEFAULT; SQLSTATE: 42000

  Message: Variable '%s' doesn't have a default value
- Error number: 1231; Symbol: ER_WRONG_VALUE_FOR_VAR; SQLSTATE: 42000

  Message: Variable '%s' can't be set to the value of '%s'
- Error number: 1232; Symbol: ER_WRONG_TYPE_FOR_VAR; SQLSTATE: 42000

  Message: Incorrect argument type to variable '%s'
- Error number: 1233; Symbol: ER_VAR_CANT_BE_READ; SQLSTATE: HY000

  Message: Variable '%s' can only be set, not read
- Error number: 1234; Symbol: ER_CANT_USE_OPTION_HERE; SQLSTATE: 42000

  Message: Incorrect usage/placement of '%s'
- Error number: 1235; Symbol: ER_NOT_SUPPORTED_YET; SQLSTATE: 42000

  Message: This version of MySQL doesn't yet support '%s'
- Error number: 1236; Symbol: ER_MASTER_FATAL_ERROR_READING_BINLOG; SQLSTATE: HY000

  Message: Got fatal error %d from master when reading data from binary log: '%s'

  ER_MASTER_FATAL_ERROR_READING_BINLOG was removed after 8.0.32.
- Error number: 1236; Symbol: ER_SOURCE_FATAL_ERROR_READING_BINLOG; SQLSTATE: HY000

  Message: Got fatal error %d from source when reading data from binary log: '%s'

  ER_SOURCE_FATAL_ERROR_READING_BINLOG was added in 8.0.33.
- Error number: 1237; Symbol: ER_SLAVE_IGNORED_TABLE; SQLSTATE: HY000

  Message: Slave SQL thread ignored the query because of replicate-*-table rules

  ER_SLAVE_IGNORED_TABLE was removed after 8.0.32.
- Error number: 1237; Symbol: ER_REPLICA_IGNORED_TABLE; SQLSTATE: HY000

  Message: Replica SQL thread ignored the query because of replicate-*-table rules

  ER_REPLICA_IGNORED_TABLE was added in 8.0.33.

- Error number: 1238; Symbol: ER_INCORRECT_GLOBAL_LOCAL_VAR; SQLSTATE: HY000

  Message: Variable '%s' is a %s variable
- Error number: 1239; Symbol: ER_WRONG_FK_DEF; SQLSTATE: 42000

  Message: Incorrect foreign key definition for '%s': %s
- Error number: 1240; Symbol: ER_KEY_REF_DO_NOT_MATCH_TABLE_REF; SQLSTATE: HY000

  Message: Key reference and table reference don't match
- Error number: 1241; Symbol: ER_OPERAND_COLUMNS; SQLSTATE: 21000

  Message: Operand should contain %d column(s)
- Error number: 1242; Symbol: ER_SUBQUERY_NO_1_ROW; SQLSTATE: 21000

  Message: Subquery returns more than 1 row
- Error number: 1243; Symbol: ER_UNKNOWN_STMT_HANDLER; SQLSTATE: HY000

  Message: Unknown prepared statement handler (%.*s) given to %s
- Error number: 1244; Symbol: ER_CORRUPT_HELP_DB; SQLSTATE: HY000

  Message: Help database is corrupt or does not exist
- Error number: 1246; Symbol: ER_AUTO_CONVERT; SQLSTATE: HY000

  Message: Converting column '%s' from %s to %s
- Error number: 1247; Symbol: ER_ILLEGAL_REFERENCE; SQLSTATE: 42S22

  Message: Reference '%s' not supported (%s)
- Error number: 1248; Symbol: ER_DERIVED_MUST_HAVE_ALIAS; SQLSTATE: 42000

  Message: Every derived table must have its own alias
- Error number: 1249; Symbol: ER_SELECT_REDUCED; SQLSTATE: 01000

  Message: Select %u was reduced during optimization
- Error number: 1250; Symbol: ER_TABLENAME_NOT_ALLOWED_HERE; SQLSTATE: 42000

  Message: Table '%s' from one of the SELECTs cannot be used in %s
- Error number: 1251; Symbol: ER_NOT_SUPPORTED_AUTH_MODE; SQLSTATE: 08004

  Message: Client does not support authentication protocol requested by server; consider upgrading MySQL client
- Error number: 1252; Symbol: ER_SPATIAL_CANT_HAVE_NULL; SQLSTATE: 42000

  Message: All parts of a SPATIAL index must be NOT NULL
- Error number: 1253; Symbol: ER_COLLATION_CHARSET_MISMATCH; SQLSTATE: 42000

  Message: COLLATION '%s' is not valid for CHARACTER SET '%s'

- Error number: 1256; Symbol: ER_TOO_BIG_FOR_UNCOMPRESS; SQLSTATE: HY000

  Message: Uncompressed data size too large; the maximum size is %d (probably, length of uncompressed data was corrupted)

- Error number: 1257; Symbol: ER_ZLIB_Z_MEM_ERROR; SQLSTATE: HY000

  Message: ZLIB: Not enough memory

- Error number: 1258; Symbol: ER_ZLIB_Z_BUF_ERROR; SQLSTATE: HY000

  Message: ZLIB: Not enough room in the output buffer (probably, length of uncompressed data was corrupted)

- Error number: 1259; Symbol: ER_ZLIB_Z_DATA_ERROR; SQLSTATE: HY000

  Message: ZLIB: Input data corrupted

- Error number: 1260; Symbol: ER_CUT_VALUE_GROUP_CONCAT; SQLSTATE: HY000

  Message: Row %u was cut by GROUP_CONCAT()

- Error number: 1261; Symbol: ER_WARN_TOO_FEW_RECORDS; SQLSTATE: 01000

  Message: Row %ld doesn't contain data for all columns

- Error number: 1262; Symbol: ER_WARN_TOO_MANY_RECORDS; SQLSTATE: 01000

  Message: Row %ld was truncated; it contained more data than there were input columns

- Error number: 1263; Symbol: ER_WARN_NULL_TO_NOTNULL; SQLSTATE: 22004

  Message: Column set to default value; NULL supplied to NOT NULL column '%s' at row %ld

- Error number: 1264; Symbol: ER_WARN_DATA_OUT_OF_RANGE; SQLSTATE: 22003

  Message: Out of range value for column '%s' at row %ld

- Error number: 1265; Symbol: WARN_DATA_TRUNCATED; SQLSTATE: 01000

  Message: Data truncated for column '%s' at row %ld

- Error number: 1266; Symbol: ER_WARN_USING_OTHER_HANDLER; SQLSTATE: HY000

  Message: Using storage engine %s for table '%s'

- Error number: 1267; Symbol: ER_CANT_AGGREGATE_2COLLATIONS; SQLSTATE: HY000

  Message: Illegal mix of collations (%s,%s) and (%s,%s) for operation '%s'

- Error number: 1269; Symbol: ER_REVOKE_GRANTS; SQLSTATE: HY000

  Message: Can't revoke all privileges for one or more of the requested users

- Error number: 1270; Symbol: ER_CANT_AGGREGATE_3COLLATIONS; SQLSTATE: HY000

  Message: Illegal mix of collations (%s,%s), (%s,%s), (%s,%s) for operation '%s'

- Error number: 1271; Symbol: ER_CANT_AGGREGATE_NCOLLATIONS; SQLSTATE: HY000

Message: Illegal mix of collations for operation '%s'

- Error number: 1272; Symbol: ER_VARIABLE_IS_NOT_STRUCT; SQLSTATE: HY000

  Message: Variable '%s' is not a variable component (can't be used as XXXX.variable_name)

- Error number: 1273; Symbol: ER_UNKNOWN_COLLATION; SQLSTATE: HY000

  Message: Unknown collation: '%s'

- Error number: 1274; Symbol: ER_SLAVE_IGNORED_SSL_PARAMS; SQLSTATE: HY000

  Message: SSL parameters in CHANGE MASTER are ignored because this MySQL slave was compiled without SSL support; they can be used later if MySQL slave with SSL is started

  ER_SLAVE_IGNORED_SSL_PARAMS was removed after 8.0.32.

- Error number: 1274; Symbol: ER_REPLICA_IGNORED_SSL_PARAMS; SQLSTATE: HY000

  Message: SSL parameters in CHANGE REPLICATION SOURCE are ignored because this MySQL replica was compiled without SSL support; they can be used later if MySQL replica with SSL is started

  ER_REPLICA_IGNORED_SSL_PARAMS was added in 8.0.33.

- Error number: 1275; Symbol: ER_SERVER_IS_IN_SECURE_AUTH_MODE; SQLSTATE: HY000

  Message: Server is running in --secure-auth mode, but '%s'@'%s' has a password in the old format; please change the password to the new format

  ER_SERVER_IS_IN_SECURE_AUTH_MODE was removed after 8.0.15.

- Error number: 1276; Symbol: ER_WARN_FIELD_RESOLVED; SQLSTATE: HY000

  Message: Field or reference '%s%s%s%s%s' of SELECT #%d was resolved in SELECT #%d

- Error number: 1277; Symbol: ER_BAD_SLAVE_UNTIL_COND; SQLSTATE: HY000

  Message: Incorrect parameter or combination of parameters for START SLAVE UNTIL

  ER_BAD_SLAVE_UNTIL_COND was removed after 8.0.32.

- Error number: 1277; Symbol: ER_BAD_REPLICA_UNTIL_COND; SQLSTATE: HY000

  Message: Incorrect parameter or combination of parameters for START REPLICA UNTIL

  ER_BAD_REPLICA_UNTIL_COND was added in 8.0.33.

- Error number: 1278; Symbol: ER_MISSING_SKIP_SLAVE; SQLSTATE: HY000

  Message: It is recommended to use --skip-replica-start when doing step-by-step replication with START SLAVE UNTIL; otherwise, you will get problems if you get an unexpected slave's mysqld restart

  ER_MISSING_SKIP_SLAVE was removed after 8.0.32.

- Error number: 1278; Symbol: ER_MISSING_SKIP_REPLICA; SQLSTATE: HY000

  Message: It is recommended to use --skip-replica-start when doing step-by-step replication with START REPLICA UNTIL; otherwise, you will get problems if you get an unexpected replica's mysqld restart

ER_MISSING_SKIP_REPLICA was added in 8.0.33.

- Error number: 1279; Symbol: ER_UNTIL_COND_IGNORED; SQLSTATE: HY000

  Message: SQL thread is not to be started so UNTIL options are ignored

- Error number: 1280; Symbol: ER_WRONG_NAME_FOR_INDEX; SQLSTATE: 42000

  Message: Incorrect index name '%s'

- Error number: 1281; Symbol: ER_WRONG_NAME_FOR_CATALOG; SQLSTATE: 42000

  Message: Incorrect catalog name '%s'

- Error number: 1282; Symbol: ER_WARN_QC_RESIZE; SQLSTATE: HY000

  Message: Query cache failed to set size %lu; new query cache size is %lu

  ER_WARN_QC_RESIZE was removed after 8.0.2.

- Error number: 1283; Symbol: ER_BAD_FT_COLUMN; SQLSTATE: HY000

  Message: Column '%s' cannot be part of FULLTEXT index

- Error number: 1284; Symbol: ER_UNKNOWN_KEY_CACHE; SQLSTATE: HY000

  Message: Unknown key cache '%s'

- Error number: 1285; Symbol: ER_WARN_HOSTNAME_WONT_WORK; SQLSTATE: HY000

  Message: MySQL is started in --skip-name-resolve mode; you must restart it without this switch for this grant to work

- Error number: 1286; Symbol: ER_UNKNOWN_STORAGE_ENGINE; SQLSTATE: 42000

  Message: Unknown storage engine '%s'

- Error number: 1287; Symbol: ER_WARN_DEPRECATED_SYNTAX; SQLSTATE: HY000

  Message: '%s' is deprecated and will be removed in a future release. Please use %s instead

- Error number: 1288; Symbol: ER_NON_UPDATABLE_TABLE; SQLSTATE: HY000

  Message: The target table %s of the %s is not updatable

- Error number: 1289; Symbol: ER_FEATURE_DISABLED; SQLSTATE: HY000

  Message: The '%s' feature is disabled; you need MySQL built with '%s' to have it working

- Error number: 1290; Symbol: ER_OPTION_PREVENTS_STATEMENT; SQLSTATE: HY000

  Message: The MySQL server is running with the %s option so it cannot execute this statement

- Error number: 1291; Symbol: ER_DUPLICATED_VALUE_IN_TYPE; SQLSTATE: HY000

  Message: Column '%s' has duplicated value '%s' in %s

- Error number: 1292; Symbol: ER_TRUNCATED_WRONG_VALUE; SQLSTATE: 22007

  Message: Truncated incorrect %s value: '%s'

- Error number: 1294; Symbol: ER_INVALID_ON_UPDATE; SQLSTATE: HY000

  Message: Invalid ON UPDATE clause for '%s' column
- Error number: 1295; Symbol: ER_UNSUPPORTED_PS; SQLSTATE: HY000

  Message: This command is not supported in the prepared statement protocol yet
- Error number: 1296; Symbol: ER_GET_ERRMSG; SQLSTATE: HY000

  Message: Got error %d '%s' from %s
- Error number: 1297; Symbol: ER_GET_TEMPORARY_ERRMSG; SQLSTATE: HY000

  Message: Got temporary error %d '%s' from %s
- Error number: 1298; Symbol: ER_UNKNOWN_TIME_ZONE; SQLSTATE: HY000

  Message: Unknown or incorrect time zone: '%s'
- Error number: 1299; Symbol: ER_WARN_INVALID_TIMESTAMP; SQLSTATE: HY000

  Message: Invalid TIMESTAMP value in column '%s' at row %ld
- Error number: 1300; Symbol: ER_INVALID_CHARACTER_STRING; SQLSTATE: HY000

  Message: Invalid %s character string: '%s'
- Error number: 1301; Symbol: ER_WARN_ALLOWED_PACKET_OVERFLOWED; SQLSTATE: HY000

  Message: Result of %s() was larger than max_allowed_packet (%ld) - truncated
- Error number: 1302; Symbol: ER_CONFLICTING_DECLARATIONS; SQLSTATE: HY000

  Message: Conflicting declarations: '%s%s' and '%s%s'
- Error number: 1303; Symbol: ER_SP_NO_RECURSIVE_CREATE; SQLSTATE: 2F003

  Message: Can't create a %s from within another stored routine
- Error number: 1304; Symbol: ER_SP_ALREADY_EXISTS; SQLSTATE: 42000

  Message: %s %s already exists
- Error number: 1305; Symbol: ER_SP_DOES_NOT_EXIST; SQLSTATE: 42000

  Message: %s %s does not exist
- Error number: 1306; Symbol: ER_SP_DROP_FAILED; SQLSTATE: HY000

  Message: Failed to DROP %s %s
- Error number: 1307; Symbol: ER_SP_STORE_FAILED; SQLSTATE: HY000

  Message: Failed to CREATE %s %s
- Error number: 1308; Symbol: ER_SP_LILABEL_MISMATCH; SQLSTATE: 42000

  Message: %s with no matching label: %s
- Error number: 1309; Symbol: ER_SP_LABEL_REDEFINE; SQLSTATE: 42000

Message: Redefining label %s

- Error number: 1310; Symbol: ER_SP_LABEL_MISMATCH; SQLSTATE: 42000

  Message: End-label %s without match

- Error number: 1311; Symbol: ER_SP_UNINIT_VAR; SQLSTATE: 01000

  Message: Referring to uninitialized variable %s

- Error number: 1312; Symbol: ER_SP_BADSELECT; SQLSTATE: 0A000

  Message: PROCEDURE %s can't return a result set in the given context

- Error number: 1313; Symbol: ER_SP_BADRETURN; SQLSTATE: 42000

  Message: RETURN is only allowed in a FUNCTION

- Error number: 1314; Symbol: ER_SP_BADSTATEMENT; SQLSTATE: 0A000

  Message: %s is not allowed in stored procedures

- Error number: 1315; Symbol: ER_UPDATE_LOG_DEPRECATED_IGNORED; SQLSTATE: 42000

  Message: The update log is deprecated and replaced by the binary log; SET SQL_LOG_UPDATE has been ignored.

- Error number: 1316; Symbol: ER_UPDATE_LOG_DEPRECATED_TRANSLATED; SQLSTATE: 42000

  Message: The update log is deprecated and replaced by the binary log; SET SQL_LOG_UPDATE has been translated to SET SQL_LOG_BIN.

- Error number: 1317; Symbol: ER_QUERY_INTERRUPTED; SQLSTATE: 70100

  Message: Query execution was interrupted

- Error number: 1318; Symbol: ER_SP_WRONG_NO_OF_ARGS; SQLSTATE: 42000

  Message: Incorrect number of arguments for %s %s; expected %u, got %u

- Error number: 1319; Symbol: ER_SP_COND_MISMATCH; SQLSTATE: 42000

  Message: Undefined CONDITION: %s

- Error number: 1320; Symbol: ER_SP_NORETURN; SQLSTATE: 42000

  Message: No RETURN found in FUNCTION %s

- Error number: 1321; Symbol: ER_SP_NORETURNEND; SQLSTATE: 2F005

  Message: FUNCTION %s ended without RETURN

- Error number: 1322; Symbol: ER_SP_BAD_CURSOR_QUERY; SQLSTATE: 42000

  Message: Cursor statement must be a SELECT

- Error number: 1323; Symbol: ER_SP_BAD_CURSOR_SELECT; SQLSTATE: 42000

  Message: Cursor SELECT must not have INTO

- Error number: 1324; Symbol: ER_SP_CURSOR_MISMATCH; SQLSTATE: 42000

  Message: Undefined CURSOR: %s
- Error number: 1325; Symbol: ER_SP_CURSOR_ALREADY_OPEN; SQLSTATE: 24000

  Message: Cursor is already open
- Error number: 1326; Symbol: ER_SP_CURSOR_NOT_OPEN; SQLSTATE: 24000

  Message: Cursor is not open
- Error number: 1327; Symbol: ER_SP_UNDECLARED_VAR; SQLSTATE: 42000

  Message: Undeclared variable: %s
- Error number: 1328; Symbol: ER_SP_WRONG_NO_OF_FETCH_ARGS; SQLSTATE: HY000

  Message: Incorrect number of FETCH variables
- Error number: 1329; Symbol: ER_SP_FETCH_NO_DATA; SQLSTATE: 02000

  Message: No data - zero rows fetched, selected, or processed
- Error number: 1330; Symbol: ER_SP_DUP_PARAM; SQLSTATE: 42000

  Message: Duplicate parameter: %s
- Error number: 1331; Symbol: ER_SP_DUP_VAR; SQLSTATE: 42000

  Message: Duplicate variable: %s
- Error number: 1332; Symbol: ER_SP_DUP_COND; SQLSTATE: 42000

  Message: Duplicate condition: %s
- Error number: 1333; Symbol: ER_SP_DUP_CURS; SQLSTATE: 42000

  Message: Duplicate cursor: %s
- Error number: 1334; Symbol: ER_SP_CANT_ALTER; SQLSTATE: HY000

  Message: Failed to ALTER %s %s
- Error number: 1335; Symbol: ER_SP_SUBSELECT_NYI; SQLSTATE: 0A000

  Message: Subquery value not supported
- Error number: 1336; Symbol: ER_STMT_NOT_ALLOWED_IN_SF_OR_TRG; SQLSTATE: 0A000

  Message: %s is not allowed in stored function or trigger
- Error number: 1337; Symbol: ER_SP_VARCOND_AFTER_CURSHNDLR; SQLSTATE: 42000

  Message: Variable or condition declaration after cursor or handler declaration
- Error number: 1338; Symbol: ER_SP_CURSOR_AFTER_HANDLER; SQLSTATE: 42000

  Message: Cursor declaration after handler declaration

- Error number: 1339; Symbol: ER_SP_CASE_NOT_FOUND; SQLSTATE: 20000

  Message: Case not found for CASE statement

- Error number: 1340; Symbol: ER_FPARSER_TOO_BIG_FILE; SQLSTATE: HY000

  Message: Configuration file '%s' is too big

- Error number: 1341; Symbol: ER_FPARSER_BAD_HEADER; SQLSTATE: HY000

  Message: Malformed file type header in file '%s'

- Error number: 1342; Symbol: ER_FPARSER_EOF_IN_COMMENT; SQLSTATE: HY000

  Message: Unexpected end of file while parsing comment '%s'

- Error number: 1343; Symbol: ER_FPARSER_ERROR_IN_PARAMETER; SQLSTATE: HY000

  Message: Error while parsing parameter '%s' (line: '%s')

- Error number: 1344; Symbol: ER_FPARSER_EOF_IN_UNKNOWN_PARAMETER; SQLSTATE: HY000

  Message: Unexpected end of file while skipping unknown parameter '%s'

- Error number: 1345; Symbol: ER_VIEW_NO_EXPLAIN; SQLSTATE: HY000

  Message: EXPLAIN/SHOW can not be issued; lacking privileges for underlying table

- Error number: 1347; Symbol: ER_WRONG_OBJECT; SQLSTATE: HY000

  Message: '%s.%s' is not %s

  The named object is incorrect for the type of operation attempted on it. It must be an object of the named type. Example: HANDLER OPEN requires a base table, not a view. It fails if attempted on an INFORMATION_SCHEMA table that is implemented as a view on data dictionary tables.

- Error number: 1348; Symbol: ER_NONUPDATEABLE_COLUMN; SQLSTATE: HY000

  Message: Column '%s' is not updatable

- Error number: 1350; Symbol: ER_VIEW_SELECT_CLAUSE; SQLSTATE: HY000

  Message: View's SELECT contains a '%s' clause

- Error number: 1351; Symbol: ER_VIEW_SELECT_VARIABLE; SQLSTATE: HY000

  Message: View's SELECT contains a variable or parameter

- Error number: 1352; Symbol: ER_VIEW_SELECT_TMPTABLE; SQLSTATE: HY000

  Message: View's SELECT refers to a temporary table '%s'

- Error number: 1353; Symbol: ER_VIEW_WRONG_LIST; SQLSTATE: HY000

  Message: In definition of view, derived table or common table expression, SELECT list and column names list have different column counts

- Error number: 1354; Symbol: ER_WARN_VIEW_MERGE; SQLSTATE: HY000

  Message: View merge algorithm can't be used here for now (assumed undefined algorithm)

- Error number: 1355; Symbol: ER_WARN_VIEW_WITHOUT_KEY; SQLSTATE: HY000

  Message: View being updated does not have complete key of underlying table in it

- Error number: 1356; Symbol: ER_VIEW_INVALID; SQLSTATE: HY000

  Message: View '%s.%s' references invalid table(s) or column(s) or function(s) or definer/invoker of view lack rights to use them

- Error number: 1357; Symbol: ER_SP_NO_DROP_SP; SQLSTATE: HY000

  Message: Can't drop or alter a %s from within another stored routine

- Error number: 1359; Symbol: ER_TRG_ALREADY_EXISTS; SQLSTATE: HY000

  Message: Trigger already exists

- Error number: 1360; Symbol: ER_TRG_DOES_NOT_EXIST; SQLSTATE: HY000

  Message: Trigger does not exist

- Error number: 1361; Symbol: ER_TRG_ON_VIEW_OR_TEMP_TABLE; SQLSTATE: HY000

  Message: Trigger's '%s' is view or temporary table

- Error number: 1362; Symbol: ER_TRG_CANT_CHANGE_ROW; SQLSTATE: HY000

  Message: Updating of %s row is not allowed in %strigger

- Error number: 1363; Symbol: ER_TRG_NO_SUCH_ROW_IN_TRG; SQLSTATE: HY000

  Message: There is no %s row in %s trigger

- Error number: 1364; Symbol: ER_NO_DEFAULT_FOR_FIELD; SQLSTATE: HY000

  Message: Field '%s' doesn't have a default value

- Error number: 1365; Symbol: ER_DIVISION_BY_ZERO; SQLSTATE: 22012

  Message: Division by 0

- Error number: 1366; Symbol: ER_TRUNCATED_WRONG_VALUE_FOR_FIELD; SQLSTATE: HY000

  Message: Incorrect %s value: '%s' for column '%s' at row %ld

- Error number: 1367; Symbol: ER_ILLEGAL_VALUE_FOR_TYPE; SQLSTATE: 22007

  Message: Illegal %s '%s' value found during parsing

- Error number: 1368; Symbol: ER_VIEW_NONUPD_CHECK; SQLSTATE: HY000

  Message: CHECK OPTION on non-updatable view '%s.%s'

- Error number: 1369; Symbol: ER_VIEW_CHECK_FAILED; SQLSTATE: HY000

  Message: CHECK OPTION failed '%s.%s'

- Error number: 1370; Symbol: ER_PROCACCESS_DENIED_ERROR; SQLSTATE: 42000

  Message: %s command denied to user '%s'@'%s' for routine '%s'

- Error number: 1371; Symbol: ER_RELAY_LOG_FAIL; SQLSTATE: HY000

  Message: Failed purging old relay logs: %s
- Error number: 1373; Symbol: ER_UNKNOWN_TARGET_BINLOG; SQLSTATE: HY000

  Message: Target log not found in binlog index
- Error number: 1374; Symbol: ER_IO_ERR_LOG_INDEX_READ; SQLSTATE: HY000

  Message: I/O error reading log index file
- Error number: 1375; Symbol: ER_BINLOG_PURGE_PROHIBITED; SQLSTATE: HY000

  Message: Server configuration does not permit binlog purge
- Error number: 1376; Symbol: ER_FSEEK_FAIL; SQLSTATE: HY000

  Message: Failed on fseek()
- Error number: 1377; Symbol: ER_BINLOG_PURGE_FATAL_ERR; SQLSTATE: HY000

  Message: Fatal error during log purge
- Error number: 1378; Symbol: ER_LOG_IN_USE; SQLSTATE: HY000

  Message: A purgeable log is in use, will not purge
- Error number: 1379; Symbol: ER_LOG_PURGE_UNKNOWN_ERR; SQLSTATE: HY000

  Message: Unknown error during log purge
- Error number: 1380; Symbol: ER_RELAY_LOG_INIT; SQLSTATE: HY000

  Message: Failed initializing relay log position: %s
- Error number: 1381; Symbol: ER_NO_BINARY_LOGGING; SQLSTATE: HY000

  Message: You are not using binary logging
- Error number: 1382; Symbol: ER_RESERVED_SYNTAX; SQLSTATE: HY000

  Message: The '%s' syntax is reserved for purposes internal to the MySQL server
- Error number: 1390; Symbol: ER_PS_MANY_PARAM; SQLSTATE: HY000

  Message: Prepared statement contains too many placeholders
- Error number: 1391; Symbol: ER_KEY_PART_0; SQLSTATE: HY000

  Message: Key part '%s' length cannot be 0
- Error number: 1392; Symbol: ER_VIEW_CHECKSUM; SQLSTATE: HY000

  Message: View text checksum failed
- Error number: 1393; Symbol: ER_VIEW_MULTIUPDATE; SQLSTATE: HY000

  Message: Can not modify more than one base table through a join view '%s.%s'

- Error number: 1394; Symbol: ER_VIEW_NO_INSERT_FIELD_LIST; SQLSTATE: HY000

  Message: Can not insert into join view '%s.%s' without fields list

- Error number: 1395; Symbol: ER_VIEW_DELETE_MERGE_VIEW; SQLSTATE: HY000

  Message: Can not delete from join view '%s.%s'

- Error number: 1396; Symbol: ER_CANNOT_USER; SQLSTATE: HY000

  Message: Operation %s failed for %s

- Error number: 1397; Symbol: ER_XAER_NOTA; SQLSTATE: XAE04

  Message: XAER_NOTA: Unknown XID

- Error number: 1398; Symbol: ER_XAER_INVAL; SQLSTATE: XAE05

  Message: XAER_INVAL: Invalid arguments (or unsupported command)

- Error number: 1399; Symbol: ER_XAER_RMFAIL; SQLSTATE: XAE07

  Message: XAER_RMFAIL: The command cannot be executed when global transaction is in the %s state

- Error number: 1400; Symbol: ER_XAER_OUTSIDE; SQLSTATE: XAE09

  Message: XAER_OUTSIDE: Some work is done outside global transaction

- Error number: 1401; Symbol: ER_XAER_RMERR; SQLSTATE: XAE03

  Message: XAER_RMERR: Fatal error occurred in the transaction branch - check your data for consistency

- Error number: 1402; Symbol: ER_XA_RBROLLBACK; SQLSTATE: XA100

  Message: XA_RBROLLBACK: Transaction branch was rolled back

- Error number: 1403; Symbol: ER_NONEXISTING_PROC_GRANT; SQLSTATE: 42000

  Message: There is no such grant defined for user '%s' on host '%s' on routine '%s'

- Error number: 1404; Symbol: ER_PROC_AUTO_GRANT_FAIL; SQLSTATE: HY000

  Message: Failed to grant EXECUTE and ALTER ROUTINE privileges

- Error number: 1405; Symbol: ER_PROC_AUTO_REVOKE_FAIL; SQLSTATE: HY000

  Message: Failed to revoke all privileges to dropped routine

- Error number: 1406; Symbol: ER_DATA_TOO_LONG; SQLSTATE: 22001

  Message: Data too long for column '%s' at row %ld

- Error number: 1407; Symbol: ER_SP_BAD_SQLSTATE; SQLSTATE: 42000

  Message: Bad SQLSTATE: '%s'

- Error number: 1408; Symbol: ER_STARTUP; SQLSTATE: HY000

  Message: %s: ready for connections. Version: '%s' socket: '%s' port: %d %s

- Error number: 1409; Symbol: ER_LOAD_FROM_FIXED_SIZE_ROWS_TO_VAR; SQLSTATE: HY000

  Message: Can't load value from file with fixed size rows to variable

- Error number: 1410; Symbol: ER_CANT_CREATE_USER_WITH_GRANT; SQLSTATE: 42000

  Message: You are not allowed to create a user with GRANT

- Error number: 1411; Symbol: ER_WRONG_VALUE_FOR_TYPE; SQLSTATE: HY000

  Message: Incorrect %s value: '%s' for function %s

- Error number: 1412; Symbol: ER_TABLE_DEF_CHANGED; SQLSTATE: HY000

  Message: Table definition has changed, please retry transaction

- Error number: 1413; Symbol: ER_SP_DUP_HANDLER; SQLSTATE: 42000

  Message: Duplicate handler declared in the same block

- Error number: 1414; Symbol: ER_SP_NOT_VAR_ARG; SQLSTATE: 42000

  Message: OUT or INOUT argument %d for routine %s is not a variable or NEW pseudo-variable in BEFORE trigger

- Error number: 1415; Symbol: ER_SP_NO_RETSET; SQLSTATE: 0A000

  Message: Not allowed to return a result set from a %s

- Error number: 1416; Symbol: ER_CANT_CREATE_GEOMETRY_OBJECT; SQLSTATE: 22003

  Message: Cannot get geometry object from data you send to the GEOMETRY field

- Error number: 1418; Symbol: ER_BINLOG_UNSAFE_ROUTINE; SQLSTATE: HY000

  Message: This function has none of DETERMINISTIC, NO SQL, or READS SQL DATA in its declaration and binary logging is enabled (you *might* want to use the less safe log_bin_trust_function_creators variable)

- Error number: 1419; Symbol: ER_BINLOG_CREATE_ROUTINE_NEED_SUPER; SQLSTATE: HY000

  Message: You do not have the SUPER privilege and binary logging is enabled (you *might* want to use the less safe log_bin_trust_function_creators variable)

- Error number: 1421; Symbol: ER_STMT_HAS_NO_OPEN_CURSOR; SQLSTATE: HY000

  Message: The statement (%lu) has no open cursor.

- Error number: 1422; Symbol: ER_COMMIT_NOT_ALLOWED_IN_SF_OR_TRG; SQLSTATE: HY000

  Message: Explicit or implicit commit is not allowed in stored function or trigger.

- Error number: 1423; Symbol: ER_NO_DEFAULT_FOR_VIEW_FIELD; SQLSTATE: HY000

  Message: Field of view '%s.%s' underlying table doesn't have a default value

- Error number: 1424; Symbol: ER_SP_NO_RECURSION; SQLSTATE: HY000

  Message: Recursive stored functions and triggers are not allowed.

- Error number: 1425; Symbol: ER_TOO_BIG_SCALE; SQLSTATE: 42000

  Message: Too big scale %d specified for column '%s'. Maximum is %lu.

- Error number: 1426; Symbol: ER_TOO_BIG_PRECISION; SQLSTATE: 42000

  Message: Too-big precision %d specified for '%s'. Maximum is %lu.

- Error number: 1427; Symbol: ER_M_BIGGER_THAN_D; SQLSTATE: 42000

  Message: For float(M,D), double(M,D) or decimal(M,D), M must be >= D (column '%s').

- Error number: 1428; Symbol: ER_WRONG_LOCK_OF_SYSTEM_TABLE; SQLSTATE: HY000

  Message: You can't combine write-locking of system tables with other tables or lock types

- Error number: 1429; Symbol: ER_CONNECT_TO_FOREIGN_DATA_SOURCE; SQLSTATE: HY000

  Message: Unable to connect to foreign data source: %s

- Error number: 1430; Symbol: ER_QUERY_ON_FOREIGN_DATA_SOURCE; SQLSTATE: HY000

  Message: There was a problem processing the query on the foreign data source. Data source error: %s

- Error number: 1431; Symbol: ER_FOREIGN_DATA_SOURCE_DOESNT_EXIST; SQLSTATE: HY000

  Message: The foreign data source you are trying to reference does not exist. Data source error: %s

- Error number: 1432; Symbol: ER_FOREIGN_DATA_STRING_INVALID_CANT_CREATE; SQLSTATE: HY000

  Message: Can't create federated table. The data source connection string '%s' is not in the correct format

- Error number: 1433; Symbol: ER_FOREIGN_DATA_STRING_INVALID; SQLSTATE: HY000

  Message: The data source connection string '%s' is not in the correct format

- Error number: 1435; Symbol: ER_TRG_IN_WRONG_SCHEMA; SQLSTATE: HY000

  Message: Trigger in wrong schema

- Error number: 1436; Symbol: ER_STACK_OVERRUN_NEED_MORE; SQLSTATE: HY000

  Message: Thread stack overrun: %ld bytes used of a %ld byte stack, and %ld bytes needed. Use 'mysqld --thread_stack=#' to specify a bigger stack.

- Error number: 1437; Symbol: ER_TOO_LONG_BODY; SQLSTATE: 42000

  Message: Routine body for '%s' is too long

- Error number: 1438; Symbol: ER_WARN_CANT_DROP_DEFAULT_KEYCACHE; SQLSTATE: HY000

  Message: Cannot drop default keycache

- Error number: 1439; Symbol: ER_TOO_BIG_DISPLAYWIDTH; SQLSTATE: 42000

  Message: Display width out of range for column '%s' (max = %lu)

- Error number: 1440; Symbol: ER_XAER_DUPID; SQLSTATE: XAE08

Message: XAER_DUPID: The XID already exists

- Error number: 1441; Symbol: ER_DATETIME_FUNCTION_OVERFLOW; SQLSTATE: 22008

  Message: Datetime function: %s field overflow

- Error number: 1442; Symbol: ER_CANT_UPDATE_USED_TABLE_IN_SF_OR_TRG; SQLSTATE: HY000

  Message: Can't update table '%s' in stored function/trigger because it is already used by statement which invoked this stored function/trigger.

- Error number: 1443; Symbol: ER_VIEW_PREVENT_UPDATE; SQLSTATE: HY000

  Message: The definition of table '%s' prevents operation %s on table '%s'.

- Error number: 1444; Symbol: ER_PS_NO_RECURSION; SQLSTATE: HY000

  Message: The prepared statement contains a stored routine call that refers to that same statement. It's not allowed to execute a prepared statement in such a recursive manner

- Error number: 1445; Symbol: ER_SP_CANT_SET_AUTOCOMMIT; SQLSTATE: HY000

  Message: Not allowed to set autocommit from a stored function or trigger

- Error number: 1447; Symbol: ER_VIEW_FRM_NO_USER; SQLSTATE: HY000

  Message: View '%s'.'%s' has no definer information (old table format). Current user is used as definer. Please recreate the view!

- Error number: 1448; Symbol: ER_VIEW_OTHER_USER; SQLSTATE: HY000

  Message: You need the SUPER privilege for creation view with '%s'@'%s' definer

- Error number: 1449; Symbol: ER_NO_SUCH_USER; SQLSTATE: HY000

  Message: The user specified as a definer ('%s'@'%s') does not exist

- Error number: 1450; Symbol: ER_FORBID_SCHEMA_CHANGE; SQLSTATE: HY000

  Message: Changing schema from '%s' to '%s' is not allowed.

- Error number: 1451; Symbol: ER_ROW_IS_REFERENCED_2; SQLSTATE: 23000

  Message: Cannot delete or update a parent row: a foreign key constraint fails (%s)

  InnoDB reports this error when you try to delete a parent row that has children, and a foreign key constraint fails. Delete the children first.

- Error number: 1452; Symbol: ER_NO_REFERENCED_ROW_2; SQLSTATE: 23000

  Message: Cannot add or update a child row: a foreign key constraint fails (%s)

  InnoDB reports this error when you try to add a row but there is no parent row, and a foreign key constraint fails. Add the parent row first.

- Error number: 1453; Symbol: ER_SP_BAD_VAR_SHADOW; SQLSTATE: 42000

  Message: Variable '%s' must be quoted with `...`, or renamed

- Error number: 1454; Symbol: ER_TRG_NO_DEFINER; SQLSTATE: HY000

  Message: No definer attribute for trigger '%s'.'%s'. It's disallowed to create trigger without definer.
- Error number: 1455; Symbol: ER_OLD_FILE_FORMAT; SQLSTATE: HY000

  Message: '%s' has an old format, you should re-create the '%s' object(s)
- Error number: 1456; Symbol: ER_SP_RECURSION_LIMIT; SQLSTATE: HY000

  Message: Recursive limit %d (as set by the max_sp_recursion_depth variable) was exceeded for routine %s
- Error number: 1458; Symbol: ER_SP_WRONG_NAME; SQLSTATE: 42000

  Message: Incorrect routine name '%s'
- Error number: 1459; Symbol: ER_TABLE_NEEDS_UPGRADE; SQLSTATE: HY000

  Message: Table upgrade required. Please do "REPAIR TABLE `%s`" or dump/reload to fix it!
- Error number: 1460; Symbol: ER_SP_NO_AGGREGATE; SQLSTATE: 42000

  Message: AGGREGATE is not supported for stored functions
- Error number: 1461; Symbol: ER_MAX_PREPARED_STMT_COUNT_REACHED; SQLSTATE: 42000

  Message: Can't create more than max_prepared_stmt_count statements (current value: %lu)
- Error number: 1462; Symbol: ER_VIEW_RECURSIVE; SQLSTATE: HY000

  Message: `%s`.`%s` contains view recursion
- Error number: 1463; Symbol: ER_NON_GROUPING_FIELD_USED; SQLSTATE: 42000

  Message: Non-grouping field '%s' is used in %s clause
- Error number: 1464; Symbol: ER_TABLE_CANT_HANDLE_SPKEYS; SQLSTATE: HY000

  Message: The used table type doesn't support SPATIAL indexes
- Error number: 1465; Symbol: ER_NO_TRIGGERS_ON_SYSTEM_SCHEMA; SQLSTATE: HY000

  Message: Triggers can not be created on system tables
- Error number: 1466; Symbol: ER_REMOVED_SPACES; SQLSTATE: HY000

  Message: Leading spaces are removed from name '%s'
- Error number: 1467; Symbol: ER_AUTOINC_READ_FAILED; SQLSTATE: HY000

  Message: Failed to read auto-increment value from storage engine
- Error number: 1468; Symbol: ER_USERNAME; SQLSTATE: HY000

  Message: user name
- Error number: 1469; Symbol: ER_HOSTNAME; SQLSTATE: HY000

  Message: host name

- Error number: 1470; Symbol: ER_WRONG_STRING_LENGTH; SQLSTATE: HY000

  Message: String '%s' is too long for %s (should be no longer than %d)

- Error number: 1471; Symbol: ER_NON_INSERTABLE_TABLE; SQLSTATE: HY000

  Message: The target table %s of the %s is not insertable-into

- Error number: 1472; Symbol: ER_ADMIN_WRONG_MRG_TABLE; SQLSTATE: HY000

  Message: Table '%s' is differently defined or of non-MyISAM type or doesn't exist

- Error number: 1473; Symbol: ER_TOO_HIGH_LEVEL_OF_NESTING_FOR_SELECT; SQLSTATE: HY000

  Message: Too high level of nesting for select

- Error number: 1474; Symbol: ER_NAME_BECOMES_EMPTY; SQLSTATE: HY000

  Message: Name '%s' has become ''

- Error number: 1475; Symbol: ER_AMBIGUOUS_FIELD_TERM; SQLSTATE: HY000

  Message: First character of the FIELDS TERMINATED string is ambiguous; please use non-optional and non-empty FIELDS ENCLOSED BY

- Error number: 1476; Symbol: ER_FOREIGN_SERVER_EXISTS; SQLSTATE: HY000

  Message: The foreign server, %s, you are trying to create already exists.

- Error number: 1477; Symbol: ER_FOREIGN_SERVER_DOESNT_EXIST; SQLSTATE: HY000

  Message: The foreign server name you are trying to reference does not exist. Data source error: %s

- Error number: 1478; Symbol: ER_ILLEGAL_HA_CREATE_OPTION; SQLSTATE: HY000

  Message: Table storage engine '%s' does not support the create option '%s'

- Error number: 1479; Symbol: ER_PARTITION_REQUIRES_VALUES_ERROR; SQLSTATE: HY000

  Message: Syntax error: %s PARTITIONING requires definition of VALUES %s for each partition

- Error number: 1480; Symbol: ER_PARTITION_WRONG_VALUES_ERROR; SQLSTATE: HY000

  Message: Only %s PARTITIONING can use VALUES %s in partition definition

- Error number: 1481; Symbol: ER_PARTITION_MAXVALUE_ERROR; SQLSTATE: HY000

  Message: MAXVALUE can only be used in last partition definition

- Error number: 1484; Symbol: ER_PARTITION_WRONG_NO_PART_ERROR; SQLSTATE: HY000

  Message: Wrong number of partitions defined, mismatch with previous setting

- Error number: 1485; Symbol: ER_PARTITION_WRONG_NO_SUBPART_ERROR; SQLSTATE: HY000

  Message: Wrong number of subpartitions defined, mismatch with previous setting

- Error number: 1486; Symbol: ER_WRONG_EXPR_IN_PARTITION_FUNC_ERROR; SQLSTATE: HY000

  Message: Constant, random or timezone-dependent expressions in (sub)partitioning function are not allowed

- Error number: 1488; Symbol: ER_FIELD_NOT_FOUND_PART_ERROR; SQLSTATE: HY000

  Message: Field in list of fields for partition function not found in table

- Error number: 1490; Symbol: ER_INCONSISTENT_PARTITION_INFO_ERROR; SQLSTATE: HY000

  Message: The partition info in the frm file is not consistent with what can be written into the frm file

- Error number: 1491; Symbol: ER_PARTITION_FUNC_NOT_ALLOWED_ERROR; SQLSTATE: HY000

  Message: The %s function returns the wrong type

- Error number: 1492; Symbol: ER_PARTITIONS_MUST_BE_DEFINED_ERROR; SQLSTATE: HY000

  Message: For %s partitions each partition must be defined

- Error number: 1493; Symbol: ER_RANGE_NOT_INCREASING_ERROR; SQLSTATE: HY000

  Message: VALUES LESS THAN value must be strictly increasing for each partition

- Error number: 1494; Symbol: ER_INCONSISTENT_TYPE_OF_FUNCTIONS_ERROR; SQLSTATE: HY000

  Message: VALUES value must be of same type as partition function

- Error number: 1495; Symbol: ER_MULTIPLE_DEF_CONST_IN_LIST_PART_ERROR; SQLSTATE: HY000

  Message: Multiple definition of same constant in list partitioning

- Error number: 1496; Symbol: ER_PARTITION_ENTRY_ERROR; SQLSTATE: HY000

  Message: Partitioning can not be used stand-alone in query

- Error number: 1497; Symbol: ER_MIX_HANDLER_ERROR; SQLSTATE: HY000

  Message: The mix of handlers in the partitions is not allowed in this version of MySQL

- Error number: 1498; Symbol: ER_PARTITION_NOT_DEFINED_ERROR; SQLSTATE: HY000

  Message: For the partitioned engine it is necessary to define all %s

- Error number: 1499; Symbol: ER_TOO_MANY_PARTITIONS_ERROR; SQLSTATE: HY000

  Message: Too many partitions (including subpartitions) were defined

- Error number: 1500; Symbol: ER_SUBPARTITION_ERROR; SQLSTATE: HY000

  Message: It is only possible to mix RANGE/LIST partitioning with HASH/KEY partitioning for subpartitioning

- Error number: 1501; Symbol: ER_CANT_CREATE_HANDLER_FILE; SQLSTATE: HY000

  Message: Failed to create specific handler file

- Error number: 1502; Symbol: ER_BLOB_FIELD_IN_PART_FUNC_ERROR; SQLSTATE: HY000

  Message: A BLOB field is not allowed in partition function

- Error number: 1503; Symbol: ER_UNIQUE_KEY_NEED_ALL_FIELDS_IN_PF; SQLSTATE: HY000

Message: A %s must include all columns in the table's partitioning function (prefixed columns are not considered).

- Error number: 1504; Symbol: ER_NO_PARTS_ERROR; SQLSTATE: HY000

  Message: Number of %s = 0 is not an allowed value

- Error number: 1505; Symbol: ER_PARTITION_MGMT_ON_NONPARTITIONED; SQLSTATE: HY000

  Message: Partition management on a not partitioned table is not possible

- Error number: 1506; Symbol: ER_FOREIGN_KEY_ON_PARTITIONED; SQLSTATE: HY000

  Message: Foreign keys are not yet supported in conjunction with partitioning

- Error number: 1507; Symbol: ER_DROP_PARTITION_NON_EXISTENT; SQLSTATE: HY000

  Message: Error in list of partitions to %s

- Error number: 1508; Symbol: ER_DROP_LAST_PARTITION; SQLSTATE: HY000

  Message: Cannot remove all partitions, use DROP TABLE instead

- Error number: 1509; Symbol: ER_COALESCE_ONLY_ON_HASH_PARTITION; SQLSTATE: HY000

  Message: COALESCE PARTITION can only be used on HASH/KEY partitions

- Error number: 1510; Symbol: ER_REORG_HASH_ONLY_ON_SAME_NO; SQLSTATE: HY000

  Message: REORGANIZE PARTITION can only be used to reorganize partitions not to change their numbers

- Error number: 1511; Symbol: ER_REORG_NO_PARAM_ERROR; SQLSTATE: HY000

  Message: REORGANIZE PARTITION without parameters can only be used on auto-partitioned tables using HASH PARTITIONs

- Error number: 1512; Symbol: ER_ONLY_ON_RANGE_LIST_PARTITION; SQLSTATE: HY000

  Message: %s PARTITION can only be used on RANGE/LIST partitions

- Error number: 1513; Symbol: ER_ADD_PARTITION_SUBPART_ERROR; SQLSTATE: HY000

  Message: Trying to Add partition(s) with wrong number of subpartitions

- Error number: 1514; Symbol: ER_ADD_PARTITION_NO_NEW_PARTITION; SQLSTATE: HY000

  Message: At least one partition must be added

- Error number: 1515; Symbol: ER_COALESCE_PARTITION_NO_PARTITION; SQLSTATE: HY000

  Message: At least one partition must be coalesced

- Error number: 1516; Symbol: ER_REORG_PARTITION_NOT_EXIST; SQLSTATE: HY000

  Message: More partitions to reorganize than there are partitions

- Error number: 1517; Symbol: ER_SAME_NAME_PARTITION; SQLSTATE: HY000

  Message: Duplicate partition name %s

- Error number: 1518; Symbol: ER_NO_BINLOG_ERROR; SQLSTATE: HY000

  Message: It is not allowed to shut off binlog on this command

- Error number: 1519; Symbol: ER_CONSECUTIVE_REORG_PARTITIONS; SQLSTATE: HY000

  Message: When reorganizing a set of partitions they must be in consecutive order

- Error number: 1520; Symbol: ER_REORG_OUTSIDE_RANGE; SQLSTATE: HY000

  Message: Reorganize of range partitions cannot change total ranges except for last partition where it can extend the range

- Error number: 1521; Symbol: ER_PARTITION_FUNCTION_FAILURE; SQLSTATE: HY000

  Message: Partition function not supported in this version for this handler

- Error number: 1523; Symbol: ER_LIMITED_PART_RANGE; SQLSTATE: HY000

  Message: The %s handler only supports 32 bit integers in VALUES

- Error number: 1524; Symbol: ER_PLUGIN_IS_NOT_LOADED; SQLSTATE: HY000

  Message: Plugin '%s' is not loaded

- Error number: 1525; Symbol: ER_WRONG_VALUE; SQLSTATE: HY000

  Message: Incorrect %s value: '%s'

- Error number: 1526; Symbol: ER_NO_PARTITION_FOR_GIVEN_VALUE; SQLSTATE: HY000

  Message: Table has no partition for value %s

- Error number: 1527; Symbol: ER_FILEGROUP_OPTION_ONLY_ONCE; SQLSTATE: HY000

  Message: It is not allowed to specify %s more than once

- Error number: 1528; Symbol: ER_CREATE_FILEGROUP_FAILED; SQLSTATE: HY000

  Message: Failed to create %s

- Error number: 1529; Symbol: ER_DROP_FILEGROUP_FAILED; SQLSTATE: HY000

  Message: Failed to drop %s

- Error number: 1530; Symbol: ER_TABLESPACE_AUTO_EXTEND_ERROR; SQLSTATE: HY000

  Message: The handler doesn't support autoextend of tablespaces

- Error number: 1531; Symbol: ER_WRONG_SIZE_NUMBER; SQLSTATE: HY000

  Message: A size parameter was incorrectly specified, either number or on the form 10M

- Error number: 1532; Symbol: ER_SIZE_OVERFLOW_ERROR; SQLSTATE: HY000

  Message: The size number was correct but we don't allow the digit part to be more than 2 billion

- Error number: 1533; Symbol: ER_ALTER_FILEGROUP_FAILED; SQLSTATE: HY000

  Message: Failed to alter: %s

- Error number: 1534; Symbol: ER_BINLOG_ROW_LOGGING_FAILED; SQLSTATE: HY000

  Message: Writing one row to the row-based binary log failed

- Error number: 1537; Symbol: ER_EVENT_ALREADY_EXISTS; SQLSTATE: HY000

  Message: Event '%s' already exists

- Error number: 1539; Symbol: ER_EVENT_DOES_NOT_EXIST; SQLSTATE: HY000

  Message: Unknown event '%s'

- Error number: 1542; Symbol: ER_EVENT_INTERVAL_NOT_POSITIVE_OR_TOO_BIG; SQLSTATE: HY000

  Message: INTERVAL is either not positive or too big

- Error number: 1543; Symbol: ER_EVENT_ENDS_BEFORE_STARTS; SQLSTATE: HY000

  Message: ENDS is either invalid or before STARTS

- Error number: 1544; Symbol: ER_EVENT_EXEC_TIME_IN_THE_PAST; SQLSTATE: HY000

  Message: Event execution time is in the past. Event has been disabled

- Error number: 1551; Symbol: ER_EVENT_SAME_NAME; SQLSTATE: HY000

  Message: Same old and new event name

- Error number: 1553; Symbol: ER_DROP_INDEX_FK; SQLSTATE: HY000

  Message: Cannot drop index '%s': needed in a foreign key constraint

  InnoDB reports this error when you attempt to drop the last index that can enforce a particular referential constraint.

  For optimal performance with DML statements, InnoDB requires an index to exist on foreign key columns, so that UPDATE and DELETE operations on a parent table can easily check whether corresponding rows exist in the child table. MySQL creates or drops such indexes automatically when needed, as a side-effect of CREATE TABLE, CREATE INDEX, and ALTER TABLE statements.

  When you drop an index, InnoDB checks if the index is used for checking a foreign key constraint. It is still OK to drop the index if there is another index that can be used to enforce the same constraint. InnoDB prevents you from dropping the last index that can enforce a particular referential constraint.

- Error number: 1554; Symbol: ER_WARN_DEPRECATED_SYNTAX_WITH_VER; SQLSTATE: HY000

  Message: The syntax '%s' is deprecated and will be removed in MySQL %s. Please use %s instead

- Error number: 1556; Symbol: ER_CANT_LOCK_LOG_TABLE; SQLSTATE: HY000

  Message: You can't use locks with log tables.

- Error number: 1557; Symbol: ER_FOREIGN_DUPLICATE_KEY_OLD_UNUSED; SQLSTATE: 23000

  Message: Upholding foreign key constraints for table '%s', entry '%s', key %d would lead to a duplicate entry

- Error number: 1558; Symbol: ER_COL_COUNT_DOESNT_MATCH_PLEASE_UPDATE; SQLSTATE: HY000

Message: The column count of mysql.%s is wrong. Expected %d, found %d. Created with MySQL %d, now running %d. Please perform the MySQL upgrade procedure.

- Error number: 1559; Symbol: ER_TEMP_TABLE_PREVENTS_SWITCH_OUT_OF_RBR; SQLSTATE: HY000

  Message: Cannot switch out of the row-based binary log format when the session has open temporary tables

  ER_TEMP_TABLE_PREVENTS_SWITCH_OUT_OF_RBR was removed after 8.0.12.

- Error number: 1560; Symbol: ER_STORED_FUNCTION_PREVENTS_SWITCH_BINLOG_FORMAT; SQLSTATE: HY000

  Message: Cannot change the binary logging format inside a stored function or trigger

- Error number: 1562; Symbol: ER_PARTITION_NO_TEMPORARY; SQLSTATE: HY000

  Message: Cannot create temporary table with partitions

- Error number: 1563; Symbol: ER_PARTITION_CONST_DOMAIN_ERROR; SQLSTATE: HY000

  Message: Partition constant is out of partition function domain

- Error number: 1564; Symbol: ER_PARTITION_FUNCTION_IS_NOT_ALLOWED; SQLSTATE: HY000

  Message: This partition function is not allowed

- Error number: 1565; Symbol: ER_DDL_LOG_ERROR; SQLSTATE: HY000

  Message: Error in DDL log

  ER_DDL_LOG_ERROR was removed after 8.0.1.

- Error number: 1566; Symbol: ER_NULL_IN_VALUES_LESS_THAN; SQLSTATE: HY000

  Message: Not allowed to use NULL value in VALUES LESS THAN

- Error number: 1567; Symbol: ER_WRONG_PARTITION_NAME; SQLSTATE: HY000

  Message: Incorrect partition name

- Error number: 1568; Symbol: ER_CANT_CHANGE_TX_CHARACTERISTICS; SQLSTATE: 25001

  Message: Transaction characteristics can't be changed while a transaction is in progress

- Error number: 1569; Symbol: ER_DUP_ENTRY_AUTOINCREMENT_CASE; SQLSTATE: HY000

  Message: ALTER TABLE causes auto_increment resequencing, resulting in duplicate entry '%s' for key '%s'

- Error number: 1571; Symbol: ER_EVENT_SET_VAR_ERROR; SQLSTATE: HY000

  Message: Error during starting/stopping of the scheduler. Error code %u

- Error number: 1572; Symbol: ER_PARTITION_MERGE_ERROR; SQLSTATE: HY000

  Message: Engine cannot be used in partitioned tables

- Error number: 1575; Symbol: ER_BASE64_DECODE_ERROR; SQLSTATE: HY000

  Message: Decoding of base64 string failed

- Error number: 1576; Symbol: ER_EVENT_RECURSION_FORBIDDEN; SQLSTATE: HY000

  Message: Recursion of EVENT DDL statements is forbidden when body is present

- Error number: 1578; Symbol: ER_ONLY_INTEGERS_ALLOWED; SQLSTATE: HY000

  Message: Only integers allowed as number here

- Error number: 1579; Symbol: ER_UNSUPORTED_LOG_ENGINE; SQLSTATE: HY000

  Message: This storage engine cannot be used for log tables

- Error number: 1580; Symbol: ER_BAD_LOG_STATEMENT; SQLSTATE: HY000

  Message: You cannot '%s' a log table if logging is enabled

- Error number: 1581; Symbol: ER_CANT_RENAME_LOG_TABLE; SQLSTATE: HY000

  Message: Cannot rename '%s'. When logging enabled, rename to/from log table must rename two tables: the log table to an archive table and another table back to '%s'

- Error number: 1582; Symbol: ER_WRONG_PARAMCOUNT_TO_NATIVE_FCT; SQLSTATE: 42000

  Message: Incorrect parameter count in the call to native function '%s'

- Error number: 1583; Symbol: ER_WRONG_PARAMETERS_TO_NATIVE_FCT; SQLSTATE: 42000

  Message: Incorrect parameters in the call to native function '%s'

- Error number: 1584; Symbol: ER_WRONG_PARAMETERS_TO_STORED_FCT; SQLSTATE: 42000

  Message: Incorrect parameters in the call to stored function %s

- Error number: 1585; Symbol: ER_NATIVE_FCT_NAME_COLLISION; SQLSTATE: HY000

  Message: This function '%s' has the same name as a native function

- Error number: 1586; Symbol: ER_DUP_ENTRY_WITH_KEY_NAME; SQLSTATE: 23000

  Message: Duplicate entry '%s' for key '%s'

  The format string for this error is also used with ER_DUP_ENTRY.

- Error number: 1587; Symbol: ER_BINLOG_PURGE_EMFILE; SQLSTATE: HY000

  Message: Too many files opened, please execute the command again

- Error number: 1588; Symbol: ER_EVENT_CANNOT_CREATE_IN_THE_PAST; SQLSTATE: HY000

  Message: Event execution time is in the past and ON COMPLETION NOT PRESERVE is set. The event was dropped immediately after creation.

- Error number: 1589; Symbol: ER_EVENT_CANNOT_ALTER_IN_THE_PAST; SQLSTATE: HY000

  Message: Event execution time is in the past and ON COMPLETION NOT PRESERVE is set. The event was not changed. Specify a time in the future.

- Error number: 1591; Symbol: ER_NO_PARTITION_FOR_GIVEN_VALUE_SILENT; SQLSTATE: HY000

  Message: Table has no partition for some existing values

- Error number: 1592; Symbol: ER_BINLOG_UNSAFE_STATEMENT; SQLSTATE: HY000

  Message: Unsafe statement written to the binary log using statement format since BINLOG_FORMAT = STATEMENT. %s

- Error number: 1593; Symbol: ER_BINLOG_FATAL_ERROR; SQLSTATE: HY000

  Message: Fatal error: %s

  ER_BINLOG_FATAL_ERROR was added in 8.0.11.

- Error number: 1598; Symbol: ER_BINLOG_LOGGING_IMPOSSIBLE; SQLSTATE: HY000

  Message: Binary logging not possible. Message: %s

- Error number: 1599; Symbol: ER_VIEW_NO_CREATION_CTX; SQLSTATE: HY000

  Message: View `%s`.`%s` has no creation context

- Error number: 1600; Symbol: ER_VIEW_INVALID_CREATION_CTX; SQLSTATE: HY000

  Message: Creation context of view `%s`.`%s' is invalid

- Error number: 1602; Symbol: ER_TRG_CORRUPTED_FILE; SQLSTATE: HY000

  Message: Corrupted TRG file for table `%s`.`%s`

- Error number: 1603; Symbol: ER_TRG_NO_CREATION_CTX; SQLSTATE: HY000

  Message: Triggers for table `%s`.`%s` have no creation context

- Error number: 1604; Symbol: ER_TRG_INVALID_CREATION_CTX; SQLSTATE: HY000

  Message: Trigger creation context of table `%s`.`%s` is invalid

- Error number: 1605; Symbol: ER_EVENT_INVALID_CREATION_CTX; SQLSTATE: HY000

  Message: Creation context of event `%s`.`%s` is invalid

- Error number: 1606; Symbol: ER_TRG_CANT_OPEN_TABLE; SQLSTATE: HY000

  Message: Cannot open table for trigger `%s`.`%s`

- Error number: 1609; Symbol: ER_NO_FORMAT_DESCRIPTION_EVENT_BEFORE_BINLOG_STATEMENT; SQLSTATE: HY000

  Message: The BINLOG statement of type `%s` was not preceded by a format description BINLOG statement.

- Error number: 1610; Symbol: ER_SLAVE_CORRUPT_EVENT; SQLSTATE: HY000

  Message: Corrupted replication event was detected

  ER_SLAVE_CORRUPT_EVENT was removed after 8.0.32.

- Error number: 1610; Symbol: ER_REPLICA_CORRUPT_EVENT; SQLSTATE: HY000

Message: Corrupted replication event was detected

`ER_REPLICA_CORRUPT_EVENT` was added in 8.0.33.

- Error number: `1612`; Symbol: `ER_LOG_PURGE_NO_FILE`; SQLSTATE: `HY000`

  Message: Being purged log %s was not found

- Error number: `1613`; Symbol: `ER_XA_RBTIMEOUT`; SQLSTATE: `XA106`

  Message: XA_RBTIMEOUT: Transaction branch was rolled back: took too long

- Error number: `1614`; Symbol: `ER_XA_RBDEADLOCK`; SQLSTATE: `XA102`

  Message: XA_RBDEADLOCK: Transaction branch was rolled back: deadlock was detected

- Error number: `1615`; Symbol: `ER_NEED_REPREPARE`; SQLSTATE: `HY000`

  Message: Prepared statement needs to be re-prepared

- Error number: `1617`; Symbol: `WARN_NO_MASTER_INFO`; SQLSTATE: `HY000`

  Message: The master info structure does not exist

  `WARN_NO_MASTER_INFO` was removed after 8.0.32.

- Error number: `1617`; Symbol: `WARN_NO_CONNECTION_METADATA`; SQLSTATE: `HY000`

  Message: The connection metadata structure does not exist

  `WARN_NO_CONNECTION_METADATA` was added in 8.0.33.

- Error number: `1618`; Symbol: `WARN_OPTION_IGNORED`; SQLSTATE: `HY000`

  Message: <%s> option ignored

- Error number: `1619`; Symbol: `ER_PLUGIN_DELETE_BUILTIN`; SQLSTATE: `HY000`

  Message: Built-in plugins cannot be deleted

- Error number: `1620`; Symbol: `WARN_PLUGIN_BUSY`; SQLSTATE: `HY000`

  Message: Plugin is busy and will be uninstalled on shutdown

- Error number: `1621`; Symbol: `ER_VARIABLE_IS_READONLY`; SQLSTATE: `HY000`

  Message: %s variable '%s' is read-only. Use SET %s to assign the value

- Error number: `1622`; Symbol: `ER_WARN_ENGINE_TRANSACTION_ROLLBACK`; SQLSTATE: `HY000`

  Message: Storage engine %s does not support rollback for this statement. Transaction rolled back and must be restarted

- Error number: `1624`; Symbol: `ER_SLAVE_HEARTBEAT_VALUE_OUT_OF_RANGE`; SQLSTATE: `HY000`

  Message: The requested value for the heartbeat period is either negative or exceeds the maximum allowed (%s seconds).

  `ER_SLAVE_HEARTBEAT_VALUE_OUT_OF_RANGE` was removed after 8.0.32.

- Error number: 1624; Symbol: ER_REPLICA_HEARTBEAT_VALUE_OUT_OF_RANGE; SQLSTATE: HY000

  Message: The requested value for the heartbeat period is either negative or exceeds the maximum allowed (%s seconds).

  ER_REPLICA_HEARTBEAT_VALUE_OUT_OF_RANGE was added in 8.0.33.

- Error number: 1625; Symbol: ER_NDB_REPLICATION_SCHEMA_ERROR; SQLSTATE: HY000

  Message: Bad schema for mysql.ndb_replication table. Message: %s

- Error number: 1626; Symbol: ER_CONFLICT_FN_PARSE_ERROR; SQLSTATE: HY000

  Message: Error in parsing conflict function. Message: %s

- Error number: 1627; Symbol: ER_EXCEPTIONS_WRITE_ERROR; SQLSTATE: HY000

  Message: Write to exceptions table failed. Message: %s

- Error number: 1628; Symbol: ER_TOO_LONG_TABLE_COMMENT; SQLSTATE: HY000

  Message: Comment for table '%s' is too long (max = %lu)

- Error number: 1629; Symbol: ER_TOO_LONG_FIELD_COMMENT; SQLSTATE: HY000

  Message: Comment for field '%s' is too long (max = %lu)

- Error number: 1630; Symbol: ER_FUNC_INEXISTENT_NAME_COLLISION; SQLSTATE: 42000

  Message: FUNCTION %s does not exist. Check the 'Function Name Parsing and Resolution' section in the Reference Manual

- Error number: 1631; Symbol: ER_DATABASE_NAME; SQLSTATE: HY000

  Message: Database

- Error number: 1632; Symbol: ER_TABLE_NAME; SQLSTATE: HY000

  Message: Table

- Error number: 1633; Symbol: ER_PARTITION_NAME; SQLSTATE: HY000

  Message: Partition

- Error number: 1634; Symbol: ER_SUBPARTITION_NAME; SQLSTATE: HY000

  Message: Subpartition

- Error number: 1635; Symbol: ER_TEMPORARY_NAME; SQLSTATE: HY000

  Message: Temporary

- Error number: 1636; Symbol: ER_RENAMED_NAME; SQLSTATE: HY000

  Message: Renamed

- Error number: 1637; Symbol: ER_TOO_MANY_CONCURRENT_TRXS; SQLSTATE: HY000

  Message: Too many active concurrent transactions

- Error number: 1638; Symbol: WARN_NON_ASCII_SEPARATOR_NOT_IMPLEMENTED; SQLSTATE: HY000

  Message: Non-ASCII separator arguments are not fully supported

- Error number: 1639; Symbol: ER_DEBUG_SYNC_TIMEOUT; SQLSTATE: HY000

  Message: debug sync point wait timed out

- Error number: 1640; Symbol: ER_DEBUG_SYNC_HIT_LIMIT; SQLSTATE: HY000

  Message: debug sync point hit limit reached

- Error number: 1641; Symbol: ER_DUP_SIGNAL_SET; SQLSTATE: 42000

  Message: Duplicate condition information item '%s'

- Error number: 1642; Symbol: ER_SIGNAL_WARN; SQLSTATE: 01000

  Message: Unhandled user-defined warning condition

- Error number: 1643; Symbol: ER_SIGNAL_NOT_FOUND; SQLSTATE: 02000

  Message: Unhandled user-defined not found condition

- Error number: 1644; Symbol: ER_SIGNAL_EXCEPTION; SQLSTATE: HY000

  Message: Unhandled user-defined exception condition

- Error number: 1645; Symbol: ER_RESIGNAL_WITHOUT_ACTIVE_HANDLER; SQLSTATE: 0K000

  Message: RESIGNAL when handler not active

- Error number: 1646; Symbol: ER_SIGNAL_BAD_CONDITION_TYPE; SQLSTATE: HY000

  Message: SIGNAL/RESIGNAL can only use a CONDITION defined with SQLSTATE

- Error number: 1647; Symbol: WARN_COND_ITEM_TRUNCATED; SQLSTATE: HY000

  Message: Data truncated for condition item '%s'

- Error number: 1648; Symbol: ER_COND_ITEM_TOO_LONG; SQLSTATE: HY000

  Message: Data too long for condition item '%s'

- Error number: 1649; Symbol: ER_UNKNOWN_LOCALE; SQLSTATE: HY000

  Message: Unknown locale: '%s'

- Error number: 1650; Symbol: ER_SLAVE_IGNORE_SERVER_IDS; SQLSTATE: HY000

  Message: The requested server id %d clashes with the slave startup option --replicate-same-server-id

  ER_SLAVE_IGNORE_SERVER_IDS was removed after 8.0.32.

- Error number: 1650; Symbol: ER_REPLICA_IGNORE_SERVER_IDS; SQLSTATE: HY000

  Message: The requested server id %d clashes with the replica startup option --replicate-same-server-id

  ER_REPLICA_IGNORE_SERVER_IDS was added in 8.0.33.

- Error number: 1651; Symbol: ER_QUERY_CACHE_DISABLED; SQLSTATE: HY000

  Message: Query cache is disabled; restart the server with query_cache_type=1 to enable it

  ER_QUERY_CACHE_DISABLED was removed after 8.0.2.

- Error number: 1652; Symbol: ER_SAME_NAME_PARTITION_FIELD; SQLSTATE: HY000

  Message: Duplicate partition field name '%s'

- Error number: 1653; Symbol: ER_PARTITION_COLUMN_LIST_ERROR; SQLSTATE: HY000

  Message: Inconsistency in usage of column lists for partitioning

- Error number: 1654; Symbol: ER_WRONG_TYPE_COLUMN_VALUE_ERROR; SQLSTATE: HY000

  Message: Partition column values of incorrect type

- Error number: 1655; Symbol: ER_TOO_MANY_PARTITION_FUNC_FIELDS_ERROR; SQLSTATE: HY000

  Message: Too many fields in '%s'

- Error number: 1656; Symbol: ER_MAXVALUE_IN_VALUES_IN; SQLSTATE: HY000

  Message: Cannot use MAXVALUE as value in VALUES IN

- Error number: 1657; Symbol: ER_TOO_MANY_VALUES_ERROR; SQLSTATE: HY000

  Message: Cannot have more than one value for this type of %s partitioning

- Error number: 1658; Symbol: ER_ROW_SINGLE_PARTITION_FIELD_ERROR; SQLSTATE: HY000

  Message: Row expressions in VALUES IN only allowed for multi-field column partitioning

- Error number: 1659; Symbol: ER_FIELD_TYPE_NOT_ALLOWED_AS_PARTITION_FIELD; SQLSTATE: HY000

  Message: Field '%s' is of a not allowed type for this type of partitioning

- Error number: 1660; Symbol: ER_PARTITION_FIELDS_TOO_LONG; SQLSTATE: HY000

  Message: The total length of the partitioning fields is too large

- Error number: 1661; Symbol: ER_BINLOG_ROW_ENGINE_AND_STMT_ENGINE; SQLSTATE: HY000

  Message: Cannot execute statement: impossible to write to binary log since both row-incapable engines and statement-incapable engines are involved.

- Error number: 1662; Symbol: ER_BINLOG_ROW_MODE_AND_STMT_ENGINE; SQLSTATE: HY000

  Message: Cannot execute statement: impossible to write to binary log since BINLOG_FORMAT = ROW and at least one table uses a storage engine limited to statement-based logging.

- Error number: 1663; Symbol: ER_BINLOG_UNSAFE_AND_STMT_ENGINE; SQLSTATE: HY000

  Message: Cannot execute statement: impossible to write to binary log since statement is unsafe, storage engine is limited to statement-based logging, and BINLOG_FORMAT = MIXED. %s

- Error number: 1664; Symbol: ER_BINLOG_ROW_INJECTION_AND_STMT_ENGINE; SQLSTATE: HY000

Message: Cannot execute statement: impossible to write to binary log since statement is in row format and at least one table uses a storage engine limited to statement-based logging.

- Error number: 1665; Symbol: ER_BINLOG_STMT_MODE_AND_ROW_ENGINE; SQLSTATE: HY000

  Message: Cannot execute statement: impossible to write to binary log since BINLOG_FORMAT = STATEMENT and at least one table uses a storage engine limited to row-based logging.%s

- Error number: 1666; Symbol: ER_BINLOG_ROW_INJECTION_AND_STMT_MODE; SQLSTATE: HY000

  Message: Cannot execute statement: impossible to write to binary log since statement is in row format and BINLOG_FORMAT = STATEMENT.

- Error number: 1667; Symbol: ER_BINLOG_MULTIPLE_ENGINES_AND_SELF_LOGGING_ENGINE; SQLSTATE: HY000

  Message: Cannot execute statement: impossible to write to binary log since more than one engine is involved and at least one engine is self-logging.

- Error number: 1668; Symbol: ER_BINLOG_UNSAFE_LIMIT; SQLSTATE: HY000

  Message: The statement is unsafe because it uses a LIMIT clause. This is unsafe because the set of rows included cannot be predicted.

- Error number: 1670; Symbol: ER_BINLOG_UNSAFE_SYSTEM_TABLE; SQLSTATE: HY000

  Message: The statement is unsafe because it uses the general log, slow query log, or performance_schema table(s). This is unsafe because system tables may differ on replicas.

- Error number: 1671; Symbol: ER_BINLOG_UNSAFE_AUTOINC_COLUMNS; SQLSTATE: HY000

  Message: Statement is unsafe because it invokes a trigger or a stored function that inserts into an AUTO_INCREMENT column. Inserted values cannot be logged correctly.

- Error number: 1672; Symbol: ER_BINLOG_UNSAFE_UDF; SQLSTATE: HY000

  Message: Statement is unsafe because it uses a UDF which may not return the same value on the replica.

- Error number: 1673; Symbol: ER_BINLOG_UNSAFE_SYSTEM_VARIABLE; SQLSTATE: HY000

  Message: Statement is unsafe because it uses a system variable that may have a different value on the replica.

- Error number: 1674; Symbol: ER_BINLOG_UNSAFE_SYSTEM_FUNCTION; SQLSTATE: HY000

  Message: Statement is unsafe because it uses a system function that may return a different value on the replica.

- Error number: 1675; Symbol: ER_BINLOG_UNSAFE_NONTRANS_AFTER_TRANS; SQLSTATE: HY000

  Message: Statement is unsafe because it accesses a non-transactional table after accessing a transactional table within the same transaction.

- Error number: 1676; Symbol: ER_MESSAGE_AND_STATEMENT; SQLSTATE: HY000

  Message: %s Statement: %s

- Error number: 1677; Symbol: ER_SLAVE_CONVERSION_FAILED; SQLSTATE: HY000

  Message: Column %d of table '%s.%s' cannot be converted from type '%s' to type '%s'

  ER_SLAVE_CONVERSION_FAILED was removed after 8.0.4.

- Error number: 1678; Symbol: ER_SLAVE_CANT_CREATE_CONVERSION; SQLSTATE: HY000

  Message: Can't create conversion table for table '%s.%s'

  ER_SLAVE_CANT_CREATE_CONVERSION was removed after 8.0.32.

- Error number: 1678; Symbol: ER_REPLICA_CANT_CREATE_CONVERSION; SQLSTATE: HY000

  Message: Can't create conversion table for table '%s.%s'

  ER_REPLICA_CANT_CREATE_CONVERSION was added in 8.0.33.

- Error number: 1679; Symbol: ER_INSIDE_TRANSACTION_PREVENTS_SWITCH_BINLOG_FORMAT; SQLSTATE: HY000

  Message: Cannot modify @@session.binlog_format inside a transaction

- Error number: 1680; Symbol: ER_PATH_LENGTH; SQLSTATE: HY000

  Message: The path specified for %s is too long.

- Error number: 1681; Symbol: ER_WARN_DEPRECATED_SYNTAX_NO_REPLACEMENT; SQLSTATE: HY000

  Message: '%s' is deprecated and will be removed in a future release.

- Error number: 1682; Symbol: ER_WRONG_NATIVE_TABLE_STRUCTURE; SQLSTATE: HY000

  Message: Native table '%s'.'%s' has the wrong structure

- Error number: 1683; Symbol: ER_WRONG_PERFSCHEMA_USAGE; SQLSTATE: HY000

  Message: Invalid performance_schema usage.

- Error number: 1684; Symbol: ER_WARN_I_S_SKIPPED_TABLE; SQLSTATE: HY000

  Message: Table '%s'.'%s' was skipped since its definition is being modified by concurrent DDL statement

- Error number: 1685; Symbol: ER_INSIDE_TRANSACTION_PREVENTS_SWITCH_BINLOG_DIRECT; SQLSTATE: HY000

  Message: Cannot modify @@session.binlog_direct_non_transactional_updates inside a transaction

- Error number: 1686; Symbol: ER_STORED_FUNCTION_PREVENTS_SWITCH_BINLOG_DIRECT; SQLSTATE: HY000

  Message: Cannot change the binlog direct flag inside a stored function or trigger

- Error number: 1687; Symbol: ER_SPATIAL_MUST_HAVE_GEOM_COL; SQLSTATE: 42000

  Message: A SPATIAL index may only contain a geometrical type column

- Error number: 1688; Symbol: ER_TOO_LONG_INDEX_COMMENT; SQLSTATE: HY000

Message: Comment for index '%s' is too long (max = %lu)

- Error number: 1689; Symbol: ER_LOCK_ABORTED; SQLSTATE: HY000

  Message: Wait on a lock was aborted due to a pending exclusive lock

- Error number: 1690; Symbol: ER_DATA_OUT_OF_RANGE; SQLSTATE: 22003

  Message: %s value is out of range in '%s'

- Error number: 1691; Symbol: ER_WRONG_SPVAR_TYPE_IN_LIMIT; SQLSTATE: HY000

  Message: A variable of a non-integer based type in LIMIT clause

  ER_WRONG_SPVAR_TYPE_IN_LIMIT was removed after 8.0.21.

- Error number: 1692; Symbol: ER_BINLOG_UNSAFE_MULTIPLE_ENGINES_AND_SELF_LOGGING_ENGINE; SQLSTATE: HY000

  Message: Mixing self-logging and non-self-logging engines in a statement is unsafe.

- Error number: 1693; Symbol: ER_BINLOG_UNSAFE_MIXED_STATEMENT; SQLSTATE: HY000

  Message: Statement accesses nontransactional table as well as transactional or temporary table, and writes to any of them.

- Error number: 1694; Symbol: ER_INSIDE_TRANSACTION_PREVENTS_SWITCH_SQL_LOG_BIN; SQLSTATE: HY000

  Message: Cannot modify @@session.sql_log_bin inside a transaction

- Error number: 1695; Symbol: ER_STORED_FUNCTION_PREVENTS_SWITCH_SQL_LOG_BIN; SQLSTATE: HY000

  Message: Cannot change the sql_log_bin inside a stored function or trigger

- Error number: 1696; Symbol: ER_FAILED_READ_FROM_PAR_FILE; SQLSTATE: HY000

  Message: Failed to read from the .par file

- Error number: 1697; Symbol: ER_VALUES_IS_NOT_INT_TYPE_ERROR; SQLSTATE: HY000

  Message: VALUES value for partition '%s' must have type INT

- Error number: 1698; Symbol: ER_ACCESS_DENIED_NO_PASSWORD_ERROR; SQLSTATE: 28000

  Message: Access denied for user '%s'@'%s'

- Error number: 1699; Symbol: ER_SET_PASSWORD_AUTH_PLUGIN; SQLSTATE: HY000

  Message: SET PASSWORD has no significance for users authenticating via plugins

  ER_SET_PASSWORD_AUTH_PLUGIN was removed after 8.0.28.

- Error number: 1701; Symbol: ER_TRUNCATE_ILLEGAL_FK; SQLSTATE: 42000

  Message: Cannot truncate a table referenced in a foreign key constraint (%s)

- Error number: 1702; Symbol: ER_PLUGIN_IS_PERMANENT; SQLSTATE: HY000

Message: Plugin '%s' is force_plus_permanent and can not be unloaded

- Error number: 1703; Symbol: ER_SLAVE_HEARTBEAT_VALUE_OUT_OF_RANGE_MIN; SQLSTATE: HY000

  Message: The requested value for the heartbeat period is less than 1 millisecond. The value is reset to 0, meaning that heartbeating will effectively be disabled.

  ER_SLAVE_HEARTBEAT_VALUE_OUT_OF_RANGE_MIN was removed after 8.0.32.

- Error number: 1703; Symbol: ER_REPLICA_HEARTBEAT_VALUE_OUT_OF_RANGE_MIN; SQLSTATE: HY000

  Message: The requested value for the heartbeat period is less than 1 millisecond. The value is reset to 0, meaning that heartbeating will effectively be disabled.

  ER_REPLICA_HEARTBEAT_VALUE_OUT_OF_RANGE_MIN was added in 8.0.33.

- Error number: 1704; Symbol: ER_SLAVE_HEARTBEAT_VALUE_OUT_OF_RANGE_MAX; SQLSTATE: HY000

  Message: The requested value for the heartbeat period exceeds the value of `replica_net_timeout' seconds. A sensible value for the period should be less than the timeout.

  ER_SLAVE_HEARTBEAT_VALUE_OUT_OF_RANGE_MAX was removed after 8.0.32.

- Error number: 1704; Symbol: ER_REPLICA_HEARTBEAT_VALUE_OUT_OF_RANGE_MAX; SQLSTATE: HY000

  Message: The requested value for the heartbeat period exceeds the value of `replica_net_timeout' seconds. A sensible value for the period should be less than the timeout.

  ER_REPLICA_HEARTBEAT_VALUE_OUT_OF_RANGE_MAX was added in 8.0.33.

- Error number: 1705; Symbol: ER_STMT_CACHE_FULL; SQLSTATE: HY000

  Message: Multi-row statements required more than 'max_binlog_stmt_cache_size' bytes of storage; increase this mysqld variable and try again

- Error number: 1706; Symbol: ER_MULTI_UPDATE_KEY_CONFLICT; SQLSTATE: HY000

  Message: Primary key/partition key update is not allowed since the table is updated both as '%s' and '%s'.

- Error number: 1707; Symbol: ER_TABLE_NEEDS_REBUILD; SQLSTATE: HY000

  Message: Table rebuild required. Please do "ALTER TABLE `%s` FORCE" or dump/reload to fix it!

- Error number: 1708; Symbol: WARN_OPTION_BELOW_LIMIT; SQLSTATE: HY000

  Message: The value of '%s' should be no less than the value of '%s'

- Error number: 1709; Symbol: ER_INDEX_COLUMN_TOO_LONG; SQLSTATE: HY000

  Message: Index column size too large. The maximum column size is %lu bytes.

- Error number: 1710; Symbol: ER_ERROR_IN_TRIGGER_BODY; SQLSTATE: HY000

Message: Trigger '%s' has an error in its body: '%s'

- Error number: 1711; Symbol: ER_ERROR_IN_UNKNOWN_TRIGGER_BODY; SQLSTATE: HY000

  Message: Unknown trigger has an error in its body: '%s'

- Error number: 1712; Symbol: ER_INDEX_CORRUPT; SQLSTATE: HY000

  Message: Index %s is corrupted

- Error number: 1713; Symbol: ER_UNDO_RECORD_TOO_BIG; SQLSTATE: HY000

  Message: Undo log record is too big.

- Error number: 1714; Symbol: ER_BINLOG_UNSAFE_INSERT_IGNORE_SELECT; SQLSTATE: HY000

  Message: INSERT IGNORE... SELECT is unsafe because the order in which rows are retrieved by the SELECT determines which (if any) rows are ignored. This order cannot be predicted and may differ on source and the replica.

- Error number: 1715; Symbol: ER_BINLOG_UNSAFE_INSERT_SELECT_UPDATE; SQLSTATE: HY000

  Message: INSERT... SELECT... ON DUPLICATE KEY UPDATE is unsafe because the order in which rows are retrieved by the SELECT determines which (if any) rows are updated. This order cannot be predicted and may differ on source and the replica.

- Error number: 1716; Symbol: ER_BINLOG_UNSAFE_REPLACE_SELECT; SQLSTATE: HY000

  Message: REPLACE... SELECT is unsafe because the order in which rows are retrieved by the SELECT determines which (if any) rows are replaced. This order cannot be predicted and may differ on source and the replica.

- Error number: 1717; Symbol: ER_BINLOG_UNSAFE_CREATE_IGNORE_SELECT; SQLSTATE: HY000

  Message: CREATE... IGNORE SELECT is unsafe because the order in which rows are retrieved by the SELECT determines which (if any) rows are ignored. This order cannot be predicted and may differ on source and the replica.

- Error number: 1718; Symbol: ER_BINLOG_UNSAFE_CREATE_REPLACE_SELECT; SQLSTATE: HY000

  Message: CREATE... REPLACE SELECT is unsafe because the order in which rows are retrieved by the SELECT determines which (if any) rows are replaced. This order cannot be predicted and may differ on source and the replica.

- Error number: 1719; Symbol: ER_BINLOG_UNSAFE_UPDATE_IGNORE; SQLSTATE: HY000

  Message: UPDATE IGNORE is unsafe because the order in which rows are updated determines which (if any) rows are ignored. This order cannot be predicted and may differ on source and the replica.

- Error number: 1720; Symbol: ER_PLUGIN_NO_UNINSTALL; SQLSTATE: HY000

  Message: Plugin '%s' is marked as not dynamically uninstallable. You have to stop the server to uninstall it.

- Error number: 1721; Symbol: ER_PLUGIN_NO_INSTALL; SQLSTATE: HY000

  Message: Plugin '%s' is marked as not dynamically installable. You have to stop the server to install it.

- Error number: 1722; Symbol: ER_BINLOG_UNSAFE_WRITE_AUTOINC_SELECT; SQLSTATE: HY000

  Message: Statements writing to a table with an auto-increment column after selecting from another table are unsafe because the order in which rows are retrieved determines what (if any) rows will be written. This order cannot be predicted and may differ on source and the replica.

- Error number: 1723; Symbol: ER_BINLOG_UNSAFE_CREATE_SELECT_AUTOINC; SQLSTATE: HY000

  Message: CREATE TABLE... SELECT... on a table with an auto-increment column is unsafe because the order in which rows are retrieved by the SELECT determines which (if any) rows are inserted. This order cannot be predicted and may differ on source and the replica.

- Error number: 1724; Symbol: ER_BINLOG_UNSAFE_INSERT_TWO_KEYS; SQLSTATE: HY000

  Message: INSERT... ON DUPLICATE KEY UPDATE on a table with more than one UNIQUE KEY is unsafe

- Error number: 1725; Symbol: ER_TABLE_IN_FK_CHECK; SQLSTATE: HY000

  Message: Table is being used in foreign key check.

- Error number: 1726; Symbol: ER_UNSUPPORTED_ENGINE; SQLSTATE: HY000

  Message: Storage engine '%s' does not support system tables. [%s.%s]

- Error number: 1727; Symbol: ER_BINLOG_UNSAFE_AUTOINC_NOT_FIRST; SQLSTATE: HY000

  Message: INSERT into autoincrement field which is not the first part in the composed primary key is unsafe.

- Error number: 1728; Symbol: ER_CANNOT_LOAD_FROM_TABLE_V2; SQLSTATE: HY000

  Message: Cannot load from %s.%s. The table is probably corrupted

- Error number: 1729; Symbol: ER_MASTER_DELAY_VALUE_OUT_OF_RANGE; SQLSTATE: HY000

  Message: The requested value %s for the master delay exceeds the maximum %u

  ER_MASTER_DELAY_VALUE_OUT_OF_RANGE was removed after 8.0.32.

- Error number: 1729; Symbol: ER_SOURCE_DELAY_VALUE_OUT_OF_RANGE; SQLSTATE: HY000

  Message: The requested value %s for the source delay exceeds the maximum %u

  ER_SOURCE_DELAY_VALUE_OUT_OF_RANGE was added in 8.0.33.

- Error number: 1730; Symbol: ER_ONLY_FD_AND_RBR_EVENTS_ALLOWED_IN_BINLOG_STATEMENT; SQLSTATE: HY000

  Message: Only Format_description_log_event and row events are allowed in BINLOG statements (but %s was provided)

- Error number: 1731; Symbol: ER_PARTITION_EXCHANGE_DIFFERENT_OPTION; SQLSTATE: HY000

  Message: Non matching attribute '%s' between partition and table

- Error number: 1732; Symbol: ER_PARTITION_EXCHANGE_PART_TABLE; SQLSTATE: HY000

  Message: Table to exchange with partition is partitioned: '%s'

- Error number: 1733; Symbol: ER_PARTITION_EXCHANGE_TEMP_TABLE; SQLSTATE: HY000

  Message: Table to exchange with partition is temporary: '%s'

- Error number: 1734; Symbol: ER_PARTITION_INSTEAD_OF_SUBPARTITION; SQLSTATE: HY000

  Message: Subpartitioned table, use subpartition instead of partition

- Error number: 1735; Symbol: ER_UNKNOWN_PARTITION; SQLSTATE: HY000

  Message: Unknown partition '%s' in table '%s'

- Error number: 1736; Symbol: ER_TABLES_DIFFERENT_METADATA; SQLSTATE: HY000

  Message: Tables have different definitions

- Error number: 1737; Symbol: ER_ROW_DOES_NOT_MATCH_PARTITION; SQLSTATE: HY000

  Message: Found a row that does not match the partition

- Error number: 1738; Symbol: ER_BINLOG_CACHE_SIZE_GREATER_THAN_MAX; SQLSTATE: HY000

  Message: Option binlog_cache_size (%lu) is greater than max_binlog_cache_size (%lu); setting binlog_cache_size equal to max_binlog_cache_size.

- Error number: 1739; Symbol: ER_WARN_INDEX_NOT_APPLICABLE; SQLSTATE: HY000

  Message: Cannot use %s access on index '%s' due to type or collation conversion on field '%s'

- Error number: 1740; Symbol: ER_PARTITION_EXCHANGE_FOREIGN_KEY; SQLSTATE: HY000

  Message: Table to exchange with partition has foreign key references: '%s'

- Error number: 1742; Symbol: ER_RPL_INFO_DATA_TOO_LONG; SQLSTATE: HY000

  Message: Data for column '%s' too long

- Error number: 1745; Symbol: ER_BINLOG_STMT_CACHE_SIZE_GREATER_THAN_MAX; SQLSTATE: HY000

  Message: Option binlog_stmt_cache_size (%lu) is greater than max_binlog_stmt_cache_size (%lu); setting binlog_stmt_cache_size equal to max_binlog_stmt_cache_size.

- Error number: 1746; Symbol: ER_CANT_UPDATE_TABLE_IN_CREATE_TABLE_SELECT; SQLSTATE: HY000

  Message: Can't update table '%s' while '%s' is being created.

- Error number: 1747; Symbol: ER_PARTITION_CLAUSE_ON_NONPARTITIONED; SQLSTATE: HY000

  Message: PARTITION () clause on non partitioned table

- Error number: 1748; Symbol: ER_ROW_DOES_NOT_MATCH_GIVEN_PARTITION_SET; SQLSTATE: HY000

  Message: Found a row not matching the given partition set

- Error number: 1750; Symbol: ER_CHANGE_RPL_INFO_REPOSITORY_FAILURE; SQLSTATE: HY000

  Message: Failure while changing the type of replication repository: %s.

- Error number: 1751; Symbol: ER_WARNING_NOT_COMPLETE_ROLLBACK_WITH_CREATED_TEMP_TABLE; SQLSTATE: HY000

  Message: The creation of some temporary tables could not be rolled back.

- Error number: 1752; Symbol: ER_WARNING_NOT_COMPLETE_ROLLBACK_WITH_DROPPED_TEMP_TABLE; SQLSTATE: HY000

  Message: Some temporary tables were dropped, but these operations could not be rolled back.

- Error number: 1753; Symbol: ER_MTS_FEATURE_IS_NOT_SUPPORTED; SQLSTATE: HY000

  Message: %s is not supported in multi-threaded slave mode. %s

  ER_MTS_FEATURE_IS_NOT_SUPPORTED was removed after 8.0.32.

- Error number: 1753; Symbol: ER_MTA_FEATURE_IS_NOT_SUPPORTED; SQLSTATE: HY000

  Message: %s is not supported in multi-threaded replica mode. %s

  ER_MTA_FEATURE_IS_NOT_SUPPORTED was added in 8.0.33.

- Error number: 1754; Symbol: ER_MTS_UPDATED_DBS_GREATER_MAX; SQLSTATE: HY000

  Message: The number of modified databases exceeds the maximum %d; the database names will not be included in the replication event metadata.

  ER_MTS_UPDATED_DBS_GREATER_MAX was removed after 8.0.32.

- Error number: 1754; Symbol: ER_MTA_UPDATED_DBS_GREATER_MAX; SQLSTATE: HY000

  Message: The number of modified databases exceeds the maximum %d; the database names will not be included in the replication event metadata.

  ER_MTA_UPDATED_DBS_GREATER_MAX was added in 8.0.33.

- Error number: 1755; Symbol: ER_MTS_CANT_PARALLEL; SQLSTATE: HY000

  Message: Cannot execute the current event group in the parallel mode. Encountered event %s, relay-log name %s, position %s which prevents execution of this event group in parallel mode. Reason: %s.

  ER_MTS_CANT_PARALLEL was removed after 8.0.32.

- Error number: 1755; Symbol: ER_MTA_CANT_PARALLEL; SQLSTATE: HY000

  Message: Cannot execute the current event group in the parallel mode. Encountered event %s, relay-log name %s, position %s which prevents execution of this event group in parallel mode. Reason: %s.

  ER_MTA_CANT_PARALLEL was added in 8.0.33.

- Error number: 1756; Symbol: ER_MTS_INCONSISTENT_DATA; SQLSTATE: HY000

  Message: %s

  ER_MTS_INCONSISTENT_DATA was removed after 8.0.32.

- Error number: 1756; Symbol: ER_MTA_INCONSISTENT_DATA; SQLSTATE: HY000

  Message: %s

ER_MTA_INCONSISTENT_DATA was added in 8.0.33.

- Error number: 1757; Symbol: ER_FULLTEXT_NOT_SUPPORTED_WITH_PARTITIONING; SQLSTATE: HY000

  Message: FULLTEXT index is not supported for partitioned tables.

- Error number: 1758; Symbol: ER_DA_INVALID_CONDITION_NUMBER; SQLSTATE: 35000

  Message: Invalid condition number

- Error number: 1759; Symbol: ER_INSECURE_PLAIN_TEXT; SQLSTATE: HY000

  Message: Sending passwords in plain text without SSL/TLS is extremely insecure.

- Error number: 1760; Symbol: ER_INSECURE_CHANGE_MASTER; SQLSTATE: HY000

  Message: Storing MySQL user name or password information in the master info repository is not secure and is therefore not recommended. Please consider using the USER and PASSWORD connection options for START SLAVE; see the 'START SLAVE Syntax' in the MySQL Manual for more information.

  ER_INSECURE_CHANGE_MASTER was removed after 8.0.32.

- Error number: 1760; Symbol: ER_INSECURE_CHANGE_SOURCE; SQLSTATE: HY000

  Message: Storing MySQL user name or password information in the connection metadata repository is not secure and is therefore not recommended. Please consider using the USER and PASSWORD connection options for START REPLICA; see the 'START REPLICA Syntax' in the MySQL Manual for more information.

  ER_INSECURE_CHANGE_SOURCE was added in 8.0.33.

- Error number: 1761; Symbol: ER_FOREIGN_DUPLICATE_KEY_WITH_CHILD_INFO; SQLSTATE: 23000

  Message: Foreign key constraint for table '%s', record '%s' would lead to a duplicate entry in table '%s', key '%s'

- Error number: 1762; Symbol: ER_FOREIGN_DUPLICATE_KEY_WITHOUT_CHILD_INFO; SQLSTATE: 23000

  Message: Foreign key constraint for table '%s', record '%s' would lead to a duplicate entry in a child table

- Error number: 1763; Symbol: ER_SQLTHREAD_WITH_SECURE_SLAVE; SQLSTATE: HY000

  Message: Setting authentication options is not possible when only the Slave SQL Thread is being started.

  ER_SQLTHREAD_WITH_SECURE_SLAVE was removed after 8.0.32.

- Error number: 1763; Symbol: ER_SQLTHREAD_WITH_SECURE_REPLICA; SQLSTATE: HY000

  Message: Setting authentication options is not possible when only the Replica SQL Thread is being started.

  ER_SQLTHREAD_WITH_SECURE_REPLICA was added in 8.0.33.

- Error number: 1764; Symbol: ER_TABLE_HAS_NO_FT; SQLSTATE: HY000

Message: The table does not have FULLTEXT index to support this query

- Error number: 1765; Symbol: ER_VARIABLE_NOT_SETTABLE_IN_SF_OR_TRIGGER; SQLSTATE: HY000

  Message: The system variable %s cannot be set in stored functions or triggers.

- Error number: 1766; Symbol: ER_VARIABLE_NOT_SETTABLE_IN_TRANSACTION; SQLSTATE: HY000

  Message: The system variable %s cannot be set when there is an ongoing transaction.

- Error number: 1769; Symbol: ER_SET_STATEMENT_CANNOT_INVOKE_FUNCTION; SQLSTATE: HY000

  Message: The statement 'SET %s' cannot invoke a stored function.

- Error number: 1770; Symbol: ER_GTID_NEXT_CANT_BE_AUTOMATIC_IF_GTID_NEXT_LIST_IS_NON_NULL; SQLSTATE: HY000

  Message: The system variable @@SESSION.GTID_NEXT cannot be 'AUTOMATIC' when @@SESSION.GTID_NEXT_LIST is non-NULL.

- Error number: 1772; Symbol: ER_MALFORMED_GTID_SET_SPECIFICATION; SQLSTATE: HY000

  Message: Malformed GTID set specification '%s'.

- Error number: 1773; Symbol: ER_MALFORMED_GTID_SET_ENCODING; SQLSTATE: HY000

  Message: Malformed GTID set encoding.

- Error number: 1774; Symbol: ER_MALFORMED_GTID_SPECIFICATION; SQLSTATE: HY000

  Message: Malformed GTID specification '%s'.

- Error number: 1775; Symbol: ER_GNO_EXHAUSTED; SQLSTATE: HY000

  Message: Impossible to generate GTID: the integer component reached the maximum value. Restart the server with a new server_uuid.

- Error number: 1776; Symbol: ER_BAD_SLAVE_AUTO_POSITION; SQLSTATE: HY000

  Message: Parameters MASTER_LOG_FILE, MASTER_LOG_POS, RELAY_LOG_FILE and RELAY_LOG_POS cannot be set when MASTER_AUTO_POSITION is active.

  ER_BAD_SLAVE_AUTO_POSITION was removed after 8.0.32.

- Error number: 1776; Symbol: ER_BAD_REPLICA_AUTO_POSITION; SQLSTATE: HY000

  Message: Parameters SOURCE_LOG_FILE, SOURCE_LOG_POS, RELAY_LOG_FILE and RELAY_LOG_POS cannot be set when SOURCE_AUTO_POSITION is active.

  ER_BAD_REPLICA_AUTO_POSITION was added in 8.0.33.

- Error number: 1777; Symbol: ER_AUTO_POSITION_REQUIRES_GTID_MODE_NOT_OFF; SQLSTATE: HY000

  Message: CHANGE REPLICATION SOURCE TO SOURCE_AUTO_POSITION = 1 cannot be executed because @@GLOBAL.GTID_MODE = OFF.

- Error number: 1778; Symbol: ER_CANT_DO_IMPLICIT_COMMIT_IN_TRX_WHEN_GTID_NEXT_IS_SET; SQLSTATE: HY000

  Message: Cannot execute statements with implicit commit inside a transaction when @@SESSION.GTID_NEXT == 'UUID:NUMBER'.

- Error number: 1779; Symbol: ER_GTID_MODE_ON_REQUIRES_ENFORCE_GTID_CONSISTENCY_ON; SQLSTATE: HY000

  Message: GTID_MODE = ON requires ENFORCE_GTID_CONSISTENCY = ON.

- Error number: 1781; Symbol: ER_CANT_SET_GTID_NEXT_TO_GTID_WHEN_GTID_MODE_IS_OFF; SQLSTATE: HY000

  Message: @@SESSION.GTID_NEXT cannot be set to UUID:NUMBER when @@GLOBAL.GTID_MODE = OFF.

- Error number: 1782; Symbol: ER_CANT_SET_GTID_NEXT_TO_ANONYMOUS_WHEN_GTID_MODE_IS_ON; SQLSTATE: HY000

  Message: @@SESSION.GTID_NEXT cannot be set to ANONYMOUS when @@GLOBAL.GTID_MODE = ON.

- Error number: 1783; Symbol: ER_CANT_SET_GTID_NEXT_LIST_TO_NON_NULL_WHEN_GTID_MODE_IS_OFF; SQLSTATE: HY000

  Message: @@SESSION.GTID_NEXT_LIST cannot be set to a non-NULL value when @@GLOBAL.GTID_MODE = OFF.

- Error number: 1785; Symbol: ER_GTID_UNSAFE_NON_TRANSACTIONAL_TABLE; SQLSTATE: HY000

  Message: Statement violates GTID consistency: Updates to non-transactional tables can only be done in either autocommitted statements or single-statement transactions, and never in the same statement as updates to transactional tables.

- Error number: 1786; Symbol: ER_GTID_UNSAFE_CREATE_SELECT; SQLSTATE: HY000

  Message: Statement violates GTID consistency: CREATE TABLE ... SELECT.

- Error number: 1787; Symbol: ER_GTID_UNSAFE_CREATE_DROP_TEMPORARY_TABLE_IN_TRANSACTION; SQLSTATE: HY000

  Message: Statement violates GTID consistency: CREATE TEMPORARY TABLE and DROP TEMPORARY TABLE can only be executed outside transactional context. These statements are also not allowed in a function or trigger because functions and triggers are also considered to be multi-statement transactions.

  ER_GTID_UNSAFE_CREATE_DROP_TEMPORARY_TABLE_IN_TRANSACTION was removed after 8.0.12.

- Error number: 1788; Symbol: ER_GTID_MODE_CAN_ONLY_CHANGE_ONE_STEP_AT_A_TIME; SQLSTATE: HY000

  Message: The value of @@GLOBAL.GTID_MODE can only be changed one step at a time: OFF <-> OFF_PERMISSIVE <-> ON_PERMISSIVE <-> ON. Also note that this value must be stepped up or down simultaneously on all servers. See the Manual for instructions.

- Error number: 1789; Symbol: ER_MASTER_HAS_PURGED_REQUIRED_GTIDS; SQLSTATE: HY000

  Message: Cannot replicate because the master purged required binary logs. Replicate the missing transactions from elsewhere, or provision a new slave from backup. Consider increasing the master's binary log expiration period. %s

  ER_MASTER_HAS_PURGED_REQUIRED_GTIDS was removed after 8.0.32.

- Error number: 1789; Symbol: ER_SOURCE_HAS_PURGED_REQUIRED_GTIDS; SQLSTATE: HY000

  Message: Cannot replicate because the source purged required binary logs. Replicate the missing transactions from elsewhere, or provision a new replica from backup. Consider increasing the source's binary log expiration period. %s

  ER_SOURCE_HAS_PURGED_REQUIRED_GTIDS was added in 8.0.33.

- Error number: 1790; Symbol: ER_CANT_SET_GTID_NEXT_WHEN_OWNING_GTID; SQLSTATE: HY000

  Message: @@SESSION.GTID_NEXT cannot be changed by a client that owns a GTID. The client owns %s. Ownership is released on COMMIT or ROLLBACK.

- Error number: 1791; Symbol: ER_UNKNOWN_EXPLAIN_FORMAT; SQLSTATE: HY000

  Message: Unknown EXPLAIN format name: '%s'

- Error number: 1792; Symbol: ER_CANT_EXECUTE_IN_READ_ONLY_TRANSACTION; SQLSTATE: 25006

  Message: Cannot execute statement in a READ ONLY transaction.

- Error number: 1793; Symbol: ER_TOO_LONG_TABLE_PARTITION_COMMENT; SQLSTATE: HY000

  Message: Comment for table partition '%s' is too long (max = %lu)

- Error number: 1794; Symbol: ER_SLAVE_CONFIGURATION; SQLSTATE: HY000

  Message: Slave is not configured or failed to initialize properly. You must at least set --server-id to enable either a master or a slave. Additional error messages can be found in the MySQL error log.

  ER_SLAVE_CONFIGURATION was removed after 8.0.32.

- Error number: 1794; Symbol: ER_REPLICA_CONFIGURATION; SQLSTATE: HY000

  Message: Replica is not configured or failed to initialize properly. You must at least set --server-id to enable either a source or a replica. Additional error messages can be found in the MySQL error log.

  ER_REPLICA_CONFIGURATION was added in 8.0.33.

- Error number: 1795; Symbol: ER_INNODB_FT_LIMIT; SQLSTATE: HY000

  Message: InnoDB presently supports one FULLTEXT index creation at a time

- Error number: 1796; Symbol: ER_INNODB_NO_FT_TEMP_TABLE; SQLSTATE: HY000

  Message: Cannot create FULLTEXT index on temporary InnoDB table

- Error number: 1797; Symbol: ER_INNODB_FT_WRONG_DOCID_COLUMN; SQLSTATE: HY000

  Message: Column '%s' is of wrong type for an InnoDB FULLTEXT index

- Error number: 1798; Symbol: ER_INNODB_FT_WRONG_DOCID_INDEX; SQLSTATE: HY000

  Message: Index '%s' is of wrong type for an InnoDB FULLTEXT index

- Error number: 1799; Symbol: ER_INNODB_ONLINE_LOG_TOO_BIG; SQLSTATE: HY000

  Message: Creating index '%s' required more than 'innodb_online_alter_log_max_size' bytes of modification log. Please try again.

- Error number: 1800; Symbol: ER_UNKNOWN_ALTER_ALGORITHM; SQLSTATE: HY000

  Message: Unknown ALGORITHM '%s'

- Error number: 1801; Symbol: ER_UNKNOWN_ALTER_LOCK; SQLSTATE: HY000

  Message: Unknown LOCK type '%s'

- Error number: 1802; Symbol: ER_MTS_CHANGE_MASTER_CANT_RUN_WITH_GAPS; SQLSTATE: HY000

  Message: CHANGE MASTER cannot be executed when the slave was stopped with an error or killed in MTS mode. Consider using RESET SLAVE or START SLAVE UNTIL.

  ER_MTS_CHANGE_MASTER_CANT_RUN_WITH_GAPS was removed after 8.0.32.

- Error number: 1802; Symbol: ER_MTA_CHANGE_SOURCE_CANT_RUN_WITH_GAPS; SQLSTATE: HY000

  Message: CHANGE REPLICATION SOURCE cannot be executed when the replica was stopped with an error or killed in MTA mode. Consider using RESET REPLICA or START REPLICA UNTIL.

  ER_MTA_CHANGE_SOURCE_CANT_RUN_WITH_GAPS was added in 8.0.33.

- Error number: 1803; Symbol: ER_MTS_RECOVERY_FAILURE; SQLSTATE: HY000

  Message: Cannot recover after SLAVE errored out in parallel execution mode. Additional error messages can be found in the MySQL error log.

  ER_MTS_RECOVERY_FAILURE was removed after 8.0.32.

- Error number: 1803; Symbol: ER_MTA_RECOVERY_FAILURE; SQLSTATE: HY000

  Message: Cannot recover after REPLICA errored out in parallel execution mode. Additional error messages can be found in the MySQL error log.

  ER_MTA_RECOVERY_FAILURE was added in 8.0.33.

- Error number: 1804; Symbol: ER_MTS_RESET_WORKERS; SQLSTATE: HY000

  Message: Cannot clean up worker info tables. Additional error messages can be found in the MySQL error log.

  ER_MTS_RESET_WORKERS was removed after 8.0.32.

- Error number: 1804; Symbol: ER_MTA_RESET_WORKERS; SQLSTATE: HY000

  Message: Cannot clean up worker info tables. Additional error messages can be found in the MySQL error log.

  ER_MTA_RESET_WORKERS was added in 8.0.33.

- Error number: 1805; Symbol: ER_COL_COUNT_DOESNT_MATCH_CORRUPTED_V2; SQLSTATE: HY000

Message: Column count of %s.%s is wrong. Expected %d, found %d. The table is probably corrupted

- Error number: 1806; Symbol: ER_SLAVE_SILENT_RETRY_TRANSACTION; SQLSTATE: HY000

  Message: Slave must silently retry current transaction

  ER_SLAVE_SILENT_RETRY_TRANSACTION was removed after 8.0.32.

- Error number: 1806; Symbol: ER_REPLICA_SILENT_RETRY_TRANSACTION; SQLSTATE: HY000

  Message: Replica must silently retry current transaction

  ER_REPLICA_SILENT_RETRY_TRANSACTION was added in 8.0.33.

- Error number: 1807; Symbol: ER_DISCARD_FK_CHECKS_RUNNING; SQLSTATE: HY000

  Message: There is a foreign key check running on table '%s'. Cannot discard the table.

- Error number: 1808; Symbol: ER_TABLE_SCHEMA_MISMATCH; SQLSTATE: HY000

  Message: Schema mismatch (%s)

- Error number: 1809; Symbol: ER_TABLE_IN_SYSTEM_TABLESPACE; SQLSTATE: HY000

  Message: Table '%s' in system tablespace

- Error number: 1810; Symbol: ER_IO_READ_ERROR; SQLSTATE: HY000

  Message: IO Read error: (%lu, %s) %s

- Error number: 1811; Symbol: ER_IO_WRITE_ERROR; SQLSTATE: HY000

  Message: IO Write error: (%lu, %s) %s

- Error number: 1812; Symbol: ER_TABLESPACE_MISSING; SQLSTATE: HY000

  Message: Tablespace is missing for table %s.

- Error number: 1813; Symbol: ER_TABLESPACE_EXISTS; SQLSTATE: HY000

  Message: Tablespace '%s' exists.

- Error number: 1814; Symbol: ER_TABLESPACE_DISCARDED; SQLSTATE: HY000

  Message: Tablespace has been discarded for table '%s'

- Error number: 1815; Symbol: ER_INTERNAL_ERROR; SQLSTATE: HY000

  Message: Internal error: %s

- Error number: 1816; Symbol: ER_INNODB_IMPORT_ERROR; SQLSTATE: HY000

  Message: ALTER TABLE %s IMPORT TABLESPACE failed with error %lu : '%s'

- Error number: 1817; Symbol: ER_INNODB_INDEX_CORRUPT; SQLSTATE: HY000

  Message: Index corrupt: %s

- Error number: 1818; Symbol: ER_INVALID_YEAR_COLUMN_LENGTH; SQLSTATE: HY000

Message: Invalid display width. Use YEAR instead.

- Error number: 1819; Symbol: ER_NOT_VALID_PASSWORD; SQLSTATE: HY000

  Message: Your password does not satisfy the current policy requirements

- Error number: 1820; Symbol: ER_MUST_CHANGE_PASSWORD; SQLSTATE: HY000

  Message: You must reset your password using ALTER USER statement before executing this statement.

- Error number: 1821; Symbol: ER_FK_NO_INDEX_CHILD; SQLSTATE: HY000

  Message: Failed to add the foreign key constraint. Missing index for constraint '%s' in the foreign table '%s'

- Error number: 1822; Symbol: ER_FK_NO_INDEX_PARENT; SQLSTATE: HY000

  Message: Failed to add the foreign key constraint. Missing index for constraint '%s' in the referenced table '%s'

- Error number: 1823; Symbol: ER_FK_FAIL_ADD_SYSTEM; SQLSTATE: HY000

  Message: Failed to add the foreign key constraint '%s' to system tables

- Error number: 1824; Symbol: ER_FK_CANNOT_OPEN_PARENT; SQLSTATE: HY000

  Message: Failed to open the referenced table '%s'

- Error number: 1825; Symbol: ER_FK_INCORRECT_OPTION; SQLSTATE: HY000

  Message: Failed to add the foreign key constraint on table '%s'. Incorrect options in FOREIGN KEY constraint '%s'

- Error number: 1826; Symbol: ER_FK_DUP_NAME; SQLSTATE: HY000

  Message: Duplicate foreign key constraint name '%s'

- Error number: 1827; Symbol: ER_PASSWORD_FORMAT; SQLSTATE: HY000

  Message: The password hash doesn't have the expected format.

- Error number: 1828; Symbol: ER_FK_COLUMN_CANNOT_DROP; SQLSTATE: HY000

  Message: Cannot drop column '%s': needed in a foreign key constraint '%s'

- Error number: 1829; Symbol: ER_FK_COLUMN_CANNOT_DROP_CHILD; SQLSTATE: HY000

  Message: Cannot drop column '%s': needed in a foreign key constraint '%s' of table '%s'

- Error number: 1830; Symbol: ER_FK_COLUMN_NOT_NULL; SQLSTATE: HY000

  Message: Column '%s' cannot be NOT NULL: needed in a foreign key constraint '%s' SET NULL

- Error number: 1831; Symbol: ER_DUP_INDEX; SQLSTATE: HY000

  Message: Duplicate index '%s' defined on the table '%s.%s'. This is deprecated and will be disallowed in a future release.

- Error number: 1832; Symbol: ER_FK_COLUMN_CANNOT_CHANGE; SQLSTATE: HY000

  Message: Cannot change column '%s': used in a foreign key constraint '%s'

- Error number: 1833; Symbol: ER_FK_COLUMN_CANNOT_CHANGE_CHILD; SQLSTATE: HY000

  Message: Cannot change column '%s': used in a foreign key constraint '%s' of table '%s'

- Error number: 1835; Symbol: ER_MALFORMED_PACKET; SQLSTATE: HY000

  Message: Malformed communication packet.

- Error number: 1836; Symbol: ER_READ_ONLY_MODE; SQLSTATE: HY000

  Message: Running in read-only mode

- Error number: 1837; Symbol: ER_GTID_NEXT_TYPE_UNDEFINED_GROUP; SQLSTATE: HY000

  Message: When @@SESSION.GTID_NEXT is set to a GTID, you must explicitly set it to a different value after a COMMIT or ROLLBACK. Please check GTID_NEXT variable manual page for detailed explanation. Current @@SESSION.GTID_NEXT is '%s'.

  ER_GTID_NEXT_TYPE_UNDEFINED_GROUP was removed after 8.0.4.

- Error number: 1837; Symbol: ER_GTID_NEXT_TYPE_UNDEFINED_GTID; SQLSTATE: HY000

  Message: When @@SESSION.GTID_NEXT is set to a GTID, you must explicitly set it to a different value after a COMMIT or ROLLBACK. Please check GTID_NEXT variable manual page for detailed explanation. Current @@SESSION.GTID_NEXT is '%s'.

  ER_GTID_NEXT_TYPE_UNDEFINED_GTID was added in 8.0.11.

- Error number: 1838; Symbol: ER_VARIABLE_NOT_SETTABLE_IN_SP; SQLSTATE: HY000

  Message: The system variable %s cannot be set in stored procedures.

- Error number: 1840; Symbol: ER_CANT_SET_GTID_PURGED_WHEN_GTID_EXECUTED_IS_NOT_EMPTY; SQLSTATE: HY000

  Message: @@GLOBAL.GTID_PURGED can only be set when @@GLOBAL.GTID_EXECUTED is empty.

- Error number: 1841; Symbol: ER_CANT_SET_GTID_PURGED_WHEN_OWNED_GTIDS_IS_NOT_EMPTY; SQLSTATE: HY000

  Message: @@GLOBAL.GTID_PURGED can only be set when there are no ongoing transactions (not even in other clients).

- Error number: 1842; Symbol: ER_GTID_PURGED_WAS_CHANGED; SQLSTATE: HY000

  Message: @@GLOBAL.GTID_PURGED was changed from '%s' to '%s'.

- Error number: 1843; Symbol: ER_GTID_EXECUTED_WAS_CHANGED; SQLSTATE: HY000

  Message: @@GLOBAL.GTID_EXECUTED was changed from '%s' to '%s'.

- Error number: 1844; Symbol: ER_BINLOG_STMT_MODE_AND_NO_REPL_TABLES; SQLSTATE: HY000

  Message: Cannot execute statement: impossible to write to binary log since BINLOG_FORMAT = STATEMENT, and both replicated and non replicated tables are written to.

- Error number: 1845; Symbol: ER_ALTER_OPERATION_NOT_SUPPORTED; SQLSTATE: 0A000

  Message: %s is not supported for this operation. Try %s.

- Error number: 1846; Symbol: ER_ALTER_OPERATION_NOT_SUPPORTED_REASON; SQLSTATE: 0A000

  Message: %s is not supported. Reason: %s. Try %s.

- Error number: 1847; Symbol: ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_COPY; SQLSTATE: HY000

  Message: COPY algorithm requires a lock

- Error number: 1848; Symbol: ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_PARTITION; SQLSTATE: HY000

  Message: Partition specific operations do not yet support LOCK/ALGORITHM

- Error number: 1849; Symbol: ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_FK_RENAME; SQLSTATE: HY000

  Message: Columns participating in a foreign key are renamed

- Error number: 1850; Symbol: ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_COLUMN_TYPE; SQLSTATE: HY000

  Message: Cannot change column type INPLACE

- Error number: 1851; Symbol: ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_FK_CHECK; SQLSTATE: HY000

  Message: Adding foreign keys needs foreign_key_checks=OFF

- Error number: 1853; Symbol: ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_NOPK; SQLSTATE: HY000

  Message: Dropping a primary key is not allowed without also adding a new primary key

- Error number: 1854; Symbol: ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_AUTOINC; SQLSTATE: HY000

  Message: Adding an auto-increment column requires a lock

- Error number: 1855; Symbol: ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_HIDDEN_FTS; SQLSTATE: HY000

  Message: Cannot replace hidden FTS_DOC_ID with a user-visible one

- Error number: 1856; Symbol: ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_CHANGE_FTS; SQLSTATE: HY000

  Message: Cannot drop or rename FTS_DOC_ID

- Error number: 1857; Symbol: ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_FTS; SQLSTATE: HY000

  Message: Fulltext index creation requires a lock

- Error number: 1858; Symbol: ER_SQL_SLAVE_SKIP_COUNTER_NOT_SETTABLE_IN_GTID_MODE; SQLSTATE: HY000

Message: sql_slave_skip_counter can not be set when the server is running with @@GLOBAL.GTID_MODE = ON. Instead, for each transaction that you want to skip, generate an empty transaction with the same GTID as the transaction

`ER_SQL_SLAVE_SKIP_COUNTER_NOT_SETTABLE_IN_GTID_MODE` was removed after 8.0.22.

- Error number: `1859`; Symbol: `ER_DUP_UNKNOWN_IN_INDEX`; SQLSTATE: `23000`

  Message: Duplicate entry for key '%s'

- Error number: `1860`; Symbol: `ER_IDENT_CAUSES_TOO_LONG_PATH`; SQLSTATE: `HY000`

  Message: Long database name and identifier for object resulted in path length exceeding %d characters. Path: '%s'.

- Error number: `1861`; Symbol: `ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_NOT_NULL`; SQLSTATE: `HY000`

  Message: cannot silently convert NULL values, as required in this SQL_MODE

- Error number: `1862`; Symbol: `ER_MUST_CHANGE_PASSWORD_LOGIN`; SQLSTATE: `HY000`

  Message: Your password has expired. To log in you must change it using a client that supports expired passwords.

- Error number: `1863`; Symbol: `ER_ROW_IN_WRONG_PARTITION`; SQLSTATE: `HY000`

  Message: Found a row in wrong partition %s

- Error number: `1864`; Symbol: `ER_MTS_EVENT_BIGGER_PENDING_JOBS_SIZE_MAX`; SQLSTATE: `HY000`

  Message: Cannot schedule event %s, relay-log name %s, position %s to Worker thread because its size %lu exceeds %lu of replica_pending_jobs_size_max.

  `ER_MTS_EVENT_BIGGER_PENDING_JOBS_SIZE_MAX` was removed after 8.0.32.

- Error number: `1864`; Symbol: `ER_MTA_EVENT_BIGGER_PENDING_JOBS_SIZE_MAX`; SQLSTATE: `HY000`

  Message: Cannot schedule event %s, relay-log name %s, position %s to Worker thread because its size %lu exceeds %lu of replica_pending_jobs_size_max.

  `ER_MTA_EVENT_BIGGER_PENDING_JOBS_SIZE_MAX` was added in 8.0.33.

- Error number: `1866`; Symbol: `ER_BINLOG_LOGICAL_CORRUPTION`; SQLSTATE: `HY000`

  Message: The binary log file '%s' is logically corrupted: %s

- Error number: `1867`; Symbol: `ER_WARN_PURGE_LOG_IN_USE`; SQLSTATE: `HY000`

  Message: file %s was not purged because it was being read by %d thread(s), purged only %d out of %d files.

- Error number: `1868`; Symbol: `ER_WARN_PURGE_LOG_IS_ACTIVE`; SQLSTATE: `HY000`

  Message: file %s was not purged because it is the active log file.

- Error number: `1869`; Symbol: `ER_AUTO_INCREMENT_CONFLICT`; SQLSTATE: `HY000`

Message: Auto-increment value in UPDATE conflicts with internally generated values

- Error number: 1870; Symbol: WARN_ON_BLOCKHOLE_IN_RBR; SQLSTATE: HY000

  Message: Row events are not logged for %s statements that modify BLACKHOLE tables in row format. Table(s): '%s'

- Error number: 1871; Symbol: ER_SLAVE_MI_INIT_REPOSITORY; SQLSTATE: HY000

  Message: Slave failed to initialize master info structure from the repository

  ER_SLAVE_MI_INIT_REPOSITORY was removed after 8.0.32.

- Error number: 1871; Symbol: ER_REPLICA_CM_INIT_REPOSITORY; SQLSTATE: HY000

  Message: Replica failed to initialize connection metadata structure from the repository

  ER_REPLICA_CM_INIT_REPOSITORY was added in 8.0.33.

- Error number: 1872; Symbol: ER_SLAVE_RLI_INIT_REPOSITORY; SQLSTATE: HY000

  Message: Slave failed to initialize relay log info structure from the repository

  ER_SLAVE_RLI_INIT_REPOSITORY was removed after 8.0.32.

- Error number: 1872; Symbol: ER_REPLICA_AM_INIT_REPOSITORY; SQLSTATE: HY000

  Message: Replica failed to initialize applier metadata structure from the repository

  ER_REPLICA_AM_INIT_REPOSITORY was added in 8.0.33.

- Error number: 1873; Symbol: ER_ACCESS_DENIED_CHANGE_USER_ERROR; SQLSTATE: 28000

  Message: Access denied trying to change to user '%s'@'%s' (using password: %s). Disconnecting.

- Error number: 1874; Symbol: ER_INNODB_READ_ONLY; SQLSTATE: HY000

  Message: InnoDB is in read only mode.

- Error number: 1875; Symbol: ER_STOP_SLAVE_SQL_THREAD_TIMEOUT; SQLSTATE: HY000

  Message: STOP SLAVE command execution is incomplete: Slave SQL thread got the stop signal, thread is busy, SQL thread will stop once the current task is complete.

  ER_STOP_SLAVE_SQL_THREAD_TIMEOUT was removed after 8.0.32.

- Error number: 1875; Symbol: ER_STOP_REPLICA_SQL_THREAD_TIMEOUT; SQLSTATE: HY000

  Message: STOP REPLICA command execution is incomplete: Replica SQL thread got the stop signal, thread is busy, SQL thread will stop once the current task is complete.

  ER_STOP_REPLICA_SQL_THREAD_TIMEOUT was added in 8.0.33.

- Error number: 1876; Symbol: ER_STOP_SLAVE_IO_THREAD_TIMEOUT; SQLSTATE: HY000

  Message: STOP SLAVE command execution is incomplete: Slave IO thread got the stop signal, thread is busy, IO thread will stop once the current task is complete.

  ER_STOP_SLAVE_IO_THREAD_TIMEOUT was removed after 8.0.32.

- Error number: 1876; Symbol: ER_STOP_REPLICA_IO_THREAD_TIMEOUT; SQLSTATE: HY000

  Message: STOP REPLICA command execution is incomplete: Replica IO thread got the stop signal, thread is busy, IO thread will stop once the current task is complete.

  ER_STOP_REPLICA_IO_THREAD_TIMEOUT was added in 8.0.33.

- Error number: 1877; Symbol: ER_TABLE_CORRUPT; SQLSTATE: HY000

  Message: Operation cannot be performed. The table '%s.%s' is missing, corrupt or contains bad data.

- Error number: 1878; Symbol: ER_TEMP_FILE_WRITE_FAILURE; SQLSTATE: HY000

  Message: Temporary file write failure.

- Error number: 1879; Symbol: ER_INNODB_FT_AUX_NOT_HEX_ID; SQLSTATE: HY000

  Message: Upgrade index name failed, please use create index(alter table) algorithm copy to rebuild index.

- Error number: 1880; Symbol: ER_OLD_TEMPORALS_UPGRADED; SQLSTATE: HY000

  Message: TIME/TIMESTAMP/DATETIME columns of old format have been upgraded to the new format.

- Error number: 1881; Symbol: ER_INNODB_FORCED_RECOVERY; SQLSTATE: HY000

  Message: Operation not allowed when innodb_force_recovery > 0.

- Error number: 1882; Symbol: ER_AES_INVALID_IV; SQLSTATE: HY000

  Message: The initialization vector supplied to %s is too short. Must be at least %d bytes long

- Error number: 1883; Symbol: ER_PLUGIN_CANNOT_BE_UNINSTALLED; SQLSTATE: HY000

  Message: Plugin '%s' cannot be uninstalled now. %s

- Error number: 1884; Symbol: ER_GTID_UNSAFE_BINLOG_SPLITTABLE_STATEMENT_AND_GTID_GROUP; SQLSTATE: HY000

  Message: Cannot execute statement because it needs to be written to the binary log as multiple statements, and this is not allowed when @@SESSION.GTID_NEXT == 'UUID:NUMBER'.

  ER_GTID_UNSAFE_BINLOG_SPLITTABLE_STATEMENT_AND_GTID_GROUP was removed after 8.0.4.

- Error number: 1884; Symbol: ER_GTID_UNSAFE_BINLOG_SPLITTABLE_STATEMENT_AND_ASSIGNED_GTID; SQLSTATE: HY000

  Message: Cannot execute statement because it needs to be written to the binary log as multiple statements, and this is not allowed when @@SESSION.GTID_NEXT == 'UUID:NUMBER'.

  ER_GTID_UNSAFE_BINLOG_SPLITTABLE_STATEMENT_AND_ASSIGNED_GTID was added in 8.0.11.

- Error number: 1885; Symbol: ER_SLAVE_HAS_MORE_GTIDS_THAN_MASTER; SQLSTATE: HY000

  Message: Slave has more GTIDs than the master has, using the master's SERVER_UUID. This may indicate that the end of the binary log was truncated or that the last binary log file was lost, e.g., after a power or disk failure when sync_binlog != 1. The master may or may not have rolled back transactions that were already replicated to the slave. Suggest to replicate any transactions that master has rolled

back from slave to master, and/or commit empty transactions on master to account for transactions that have been committed on master but are not included in GTID_EXECUTED.

ER_SLAVE_HAS_MORE_GTIDS_THAN_MASTER was removed after 8.0.32.

- Error number: 1885; Symbol: ER_REPLICA_HAS_MORE_GTIDS_THAN_SOURCE; SQLSTATE: HY000

  Message: Replica has more GTIDs than the source has, using the source's SERVER_UUID. This may indicate that the the last binary log file was truncated or lost, e.g., after a power failure when sync_binlog != 1. The source may have rolled back transactions that were already replicated to the replica. Replicate any transactions that source has rolled back from replica to source, and/or commit empty transactions on source to account for transactions that have been committed on source but are not included in GTID_EXECUTED.

  ER_REPLICA_HAS_MORE_GTIDS_THAN_SOURCE was added in 8.0.33.

- Error number: 1886; Symbol: ER_MISSING_KEY; SQLSTATE: HY000

  Message: The table '%s.%s' does not have the necessary key(s) defined on it. Please check the table definition and create index(s) accordingly.

  ER_MISSING_KEY was added in 8.0.4.

- Error number: 1887; Symbol: WARN_NAMED_PIPE_ACCESS_EVERYONE; SQLSTATE: HY000

  Message: Setting named_pipe_full_access_group='%s' is insecure. Consider using a Windows group with fewer members.

  WARN_NAMED_PIPE_ACCESS_EVERYONE was added in 8.0.17.

- Error number: 3000; Symbol: ER_FILE_CORRUPT; SQLSTATE: HY000

  Message: File %s is corrupted

- Error number: 3001; Symbol: ER_ERROR_ON_MASTER; SQLSTATE: HY000

  Message: Query partially completed on the master (error on master: %d) and was aborted. There is a chance that your master is inconsistent at this point. If you are sure that your master is ok, run this query manually on the slave and then restart the slave with SET GLOBAL SQL_REPLICA_SKIP_COUNTER=1; START SLAVE;. Query:'%s'

  ER_ERROR_ON_MASTER was removed after 8.0.32.

- Error number: 3001; Symbol: ER_ERROR_ON_SOURCE; SQLSTATE: HY000

  Message: Query partially completed on the source (error on source: %d) and was aborted. There is a chance that your source is inconsistent at this point. If you are sure that your source is ok, run this query manually on the replica and then restart the replica with SET GLOBAL SQL_REPLICA_SKIP_COUNTER=1; START REPLICA;. Query:'%s'

  ER_ERROR_ON_SOURCE was added in 8.0.33.

- Error number: 3003; Symbol: ER_STORAGE_ENGINE_NOT_LOADED; SQLSTATE: HY000

  Message: Storage engine for table '%s'.'%s' is not loaded.

- Error number: 3004; Symbol: ER_GET_STACKED_DA_WITHOUT_ACTIVE_HANDLER; SQLSTATE: 0Z002

Message: GET STACKED DIAGNOSTICS when handler not active

- Error number: 3005; Symbol: ER_WARN_LEGACY_SYNTAX_CONVERTED; SQLSTATE: HY000

  Message: %s is no longer supported. The statement was converted to %s.

- Error number: 3006; Symbol: ER_BINLOG_UNSAFE_FULLTEXT_PLUGIN; SQLSTATE: HY000

  Message: Statement is unsafe because it uses a fulltext parser plugin which may not return the same value on the replica.

- Error number: 3007; Symbol: ER_CANNOT_DISCARD_TEMPORARY_TABLE; SQLSTATE: HY000

  Message: Cannot DISCARD/IMPORT tablespace associated with temporary table

- Error number: 3008; Symbol: ER_FK_DEPTH_EXCEEDED; SQLSTATE: HY000

  Message: Foreign key cascade delete/update exceeds max depth of %d.

- Error number: 3009; Symbol: ER_COL_COUNT_DOESNT_MATCH_PLEASE_UPDATE_V2; SQLSTATE: HY000

  Message: The column count of %s.%s is wrong. Expected %d, found %d. Created with MySQL %d, now running %d. Please perform the MySQL upgrade procedure.

- Error number: 3010; Symbol: ER_WARN_TRIGGER_DOESNT_HAVE_CREATED; SQLSTATE: HY000

  Message: Trigger %s.%s.%s does not have CREATED attribute.

- Error number: 3011; Symbol: ER_REFERENCED_TRG_DOES_NOT_EXIST; SQLSTATE: HY000

  Message: Referenced trigger '%s' for the given action time and event type does not exist.

- Error number: 3012; Symbol: ER_EXPLAIN_NOT_SUPPORTED; SQLSTATE: HY000

  Message: EXPLAIN FOR CONNECTION command is supported only for SELECT/UPDATE/INSERT/DELETE/REPLACE

- Error number: 3013; Symbol: ER_INVALID_FIELD_SIZE; SQLSTATE: HY000

  Message: Invalid size for column '%s'.

- Error number: 3014; Symbol: ER_MISSING_HA_CREATE_OPTION; SQLSTATE: HY000

  Message: Table storage engine '%s' found required create option missing

- Error number: 3015; Symbol: ER_ENGINE_OUT_OF_MEMORY; SQLSTATE: HY000

  Message: Out of memory in storage engine '%s'.

- Error number: 3016; Symbol: ER_PASSWORD_EXPIRE_ANONYMOUS_USER; SQLSTATE: HY000

  Message: The password for anonymous user cannot be expired.

- Error number: 3017; Symbol: ER_SLAVE_SQL_THREAD_MUST_STOP; SQLSTATE: HY000

  Message: This operation cannot be performed with a running slave sql thread; run STOP SLAVE SQL_THREAD first

ER_SLAVE_SQL_THREAD_MUST_STOP was removed after 8.0.32.

- Error number: 3017; Symbol: ER_REPLICA_SQL_THREAD_MUST_STOP; SQLSTATE: HY000

  Message: This operation cannot be performed with a running replica sql thread; run STOP REPLICA SQL_THREAD first

  ER_REPLICA_SQL_THREAD_MUST_STOP was added in 8.0.33.

- Error number: 3018; Symbol: ER_NO_FT_MATERIALIZED_SUBQUERY; SQLSTATE: HY000

  Message: Cannot create FULLTEXT index on materialized subquery

- Error number: 3019; Symbol: ER_INNODB_UNDO_LOG_FULL; SQLSTATE: HY000

  Message: Undo Log error: %s

- Error number: 3020; Symbol: ER_INVALID_ARGUMENT_FOR_LOGARITHM; SQLSTATE: 2201E

  Message: Invalid argument for logarithm

- Error number: 3021; Symbol: ER_SLAVE_CHANNEL_IO_THREAD_MUST_STOP; SQLSTATE: HY000

  Message: This operation cannot be performed with a running slave io thread; run STOP SLAVE IO_THREAD FOR CHANNEL '%s' first.

  ER_SLAVE_CHANNEL_IO_THREAD_MUST_STOP was removed after 8.0.32.

- Error number: 3021; Symbol: ER_REPLICA_CHANNEL_IO_THREAD_MUST_STOP; SQLSTATE: HY000

  Message: This operation cannot be performed with a running replica io thread; run STOP REPLICA IO_THREAD FOR CHANNEL '%s' first.

  ER_REPLICA_CHANNEL_IO_THREAD_MUST_STOP was added in 8.0.33.

- Error number: 3022; Symbol: ER_WARN_OPEN_TEMP_TABLES_MUST_BE_ZERO; SQLSTATE: HY000

  Message: This operation may not be safe when the replica has temporary tables. The tables will be kept open until the server restarts or until the tables are deleted by any replicated DROP statement. Suggest to wait until replica_open_temp_tables = 0.

- Error number: 3023; Symbol: ER_WARN_ONLY_MASTER_LOG_FILE_NO_POS; SQLSTATE: HY000

  Message: CHANGE MASTER TO with a MASTER_LOG_FILE clause but no MASTER_LOG_POS clause may not be safe. The old position value may not be valid for the new binary log file.

  ER_WARN_ONLY_MASTER_LOG_FILE_NO_POS was removed after 8.0.32.

- Error number: 3023; Symbol: ER_WARN_ONLY_SOURCE_LOG_FILE_NO_POS; SQLSTATE: HY000

  Message: CHANGE REPLICATION SOURCE TO with a SOURCE_LOG_FILE clause but no SOURCE_LOG_POS clause may not be safe. The old position value may not be valid for the new binary log file.

  ER_WARN_ONLY_SOURCE_LOG_FILE_NO_POS was added in 8.0.33.

- Error number: 3024; Symbol: ER_QUERY_TIMEOUT; SQLSTATE: HY000

  Message: Query execution was interrupted, maximum statement execution time exceeded

- Error number: 3025; Symbol: ER_NON_RO_SELECT_DISABLE_TIMER; SQLSTATE: HY000

  Message: Select is not a read only statement, disabling timer

- Error number: 3026; Symbol: ER_DUP_LIST_ENTRY; SQLSTATE: HY000

  Message: Duplicate entry '%s'.

- Error number: 3028; Symbol: ER_AGGREGATE_ORDER_FOR_UNION; SQLSTATE: HY000

  Message: Expression #%u of ORDER BY contains aggregate function and applies to a UNION, EXCEPT or INTERSECT

- Error number: 3029; Symbol: ER_AGGREGATE_ORDER_NON_AGG_QUERY; SQLSTATE: HY000

  Message: Expression #%u of ORDER BY contains aggregate function and applies to the result of a non-aggregated query

- Error number: 3030; Symbol: ER_SLAVE_WORKER_STOPPED_PREVIOUS_THD_ERROR; SQLSTATE: HY000

  Message: Slave worker has stopped after at least one previous worker encountered an error when replica-preserve-commit-order was enabled. To preserve commit order, the last transaction executed by this thread has not been committed. When restarting the slave after fixing any failed threads, you should fix this worker as well.

  ER_SLAVE_WORKER_STOPPED_PREVIOUS_THD_ERROR was removed after 8.0.32.

- Error number: 3030; Symbol: ER_REPLICA_WORKER_STOPPED_PREVIOUS_THD_ERROR; SQLSTATE: HY000

  Message: Replica worker has stopped after at least one previous worker encountered an error when replica-preserve-commit-order was enabled. To preserve commit order, the last transaction executed by this thread has not been committed. When restarting the replica after fixing any failed threads, you should fix this worker as well.

  ER_REPLICA_WORKER_STOPPED_PREVIOUS_THD_ERROR was added in 8.0.33.

- Error number: 3031; Symbol: ER_DONT_SUPPORT_SLAVE_PRESERVE_COMMIT_ORDER; SQLSTATE: HY000

  Message: slave_preserve_commit_order is not supported %s.

  ER_DONT_SUPPORT_SLAVE_PRESERVE_COMMIT_ORDER was removed after 8.0.25.

- Error number: 3031; Symbol: ER_DONT_SUPPORT_REPLICA_PRESERVE_COMMIT_ORDER; SQLSTATE: HY000

  Message: replica_preserve_commit_order is not supported %s.

  ER_DONT_SUPPORT_REPLICA_PRESERVE_COMMIT_ORDER was added in 8.0.26.

- Error number: 3032; Symbol: ER_SERVER_OFFLINE_MODE; SQLSTATE: HY000

  Message: The server is currently in offline mode

- Error number: 3033; Symbol: ER_GIS_DIFFERENT_SRIDS; SQLSTATE: HY000

  Message: Binary geometry function %s given two geometries of different srids: %u and %u, which should have been identical.

  Geometry values passed as arguments to spatial functions must have the same SRID value.

- Error number: 3034; Symbol: ER_GIS_UNSUPPORTED_ARGUMENT; SQLSTATE: HY000

  Message: Calling geometry function %s with unsupported types of arguments.

  A spatial function was called with a combination of argument types that the function does not support.

- Error number: 3035; Symbol: ER_GIS_UNKNOWN_ERROR; SQLSTATE: HY000

  Message: Unknown GIS error occurred in function %s.

- Error number: 3036; Symbol: ER_GIS_UNKNOWN_EXCEPTION; SQLSTATE: HY000

  Message: Unknown exception caught in GIS function %s.

- Error number: 3037; Symbol: ER_GIS_INVALID_DATA; SQLSTATE: 22023

  Message: Invalid GIS data provided to function %s.

  A spatial function was called with an argument not recognized as a valid geometry value.

- Error number: 3038; Symbol: ER_BOOST_GEOMETRY_EMPTY_INPUT_EXCEPTION; SQLSTATE: HY000

  Message: The geometry has no data in function %s.

- Error number: 3039; Symbol: ER_BOOST_GEOMETRY_CENTROID_EXCEPTION; SQLSTATE: HY000

  Message: Unable to calculate centroid because geometry is empty in function %s.

- Error number: 3040; Symbol: ER_BOOST_GEOMETRY_OVERLAY_INVALID_INPUT_EXCEPTION; SQLSTATE: HY000

  Message: Geometry overlay calculation error: geometry data is invalid in function %s.

- Error number: 3041; Symbol: ER_BOOST_GEOMETRY_TURN_INFO_EXCEPTION; SQLSTATE: HY000

  Message: Geometry turn info calculation error: geometry data is invalid in function %s.

- Error number: 3042; Symbol: ER_BOOST_GEOMETRY_SELF_INTERSECTION_POINT_EXCEPTION; SQLSTATE: HY000

  Message: Analysis procedures of intersection points interrupted unexpectedly in function %s.

- Error number: 3043; Symbol: ER_BOOST_GEOMETRY_UNKNOWN_EXCEPTION; SQLSTATE: HY000

  Message: Unknown exception thrown in function %s.

- Error number: 3044; Symbol: ER_STD_BAD_ALLOC_ERROR; SQLSTATE: HY000

  Message: Memory allocation error: %s in function %s.

- Error number: 3045; Symbol: ER_STD_DOMAIN_ERROR; SQLSTATE: HY000

  Message: Domain error: %s in function %s.

- Error number: 3046; Symbol: ER_STD_LENGTH_ERROR; SQLSTATE: HY000

  Message: Length error: %s in function %s.
- Error number: 3047; Symbol: ER_STD_INVALID_ARGUMENT; SQLSTATE: HY000

  Message: Invalid argument error: %s in function %s.
- Error number: 3048; Symbol: ER_STD_OUT_OF_RANGE_ERROR; SQLSTATE: HY000

  Message: Out of range error: %s in function %s.
- Error number: 3049; Symbol: ER_STD_OVERFLOW_ERROR; SQLSTATE: HY000

  Message: Overflow error: %s in function %s.
- Error number: 3050; Symbol: ER_STD_RANGE_ERROR; SQLSTATE: HY000

  Message: Range error: %s in function %s.
- Error number: 3051; Symbol: ER_STD_UNDERFLOW_ERROR; SQLSTATE: HY000

  Message: Underflow error: %s in function %s.
- Error number: 3052; Symbol: ER_STD_LOGIC_ERROR; SQLSTATE: HY000

  Message: Logic error: %s in function %s.
- Error number: 3053; Symbol: ER_STD_RUNTIME_ERROR; SQLSTATE: HY000

  Message: Runtime error: %s in function %s.
- Error number: 3054; Symbol: ER_STD_UNKNOWN_EXCEPTION; SQLSTATE: HY000

  Message: Unknown exception: %s in function %s.
- Error number: 3055; Symbol: ER_GIS_DATA_WRONG_ENDIANESS; SQLSTATE: HY000

  Message: Geometry byte string must be little endian.
- Error number: 3056; Symbol: ER_CHANGE_MASTER_PASSWORD_LENGTH; SQLSTATE: HY000

  Message: The password provided for the replication user exceeds the maximum length of 32 characters

  ER_CHANGE_MASTER_PASSWORD_LENGTH was removed after 8.0.32.
- Error number: 3056; Symbol: ER_CHANGE_SOURCE_PASSWORD_LENGTH; SQLSTATE: HY000

  Message: The password provided for the replication user exceeds the maximum length of 32 characters

  ER_CHANGE_SOURCE_PASSWORD_LENGTH was added in 8.0.33.
- Error number: 3057; Symbol: ER_USER_LOCK_WRONG_NAME; SQLSTATE: 42000

  Message: Incorrect user-level lock name '%s'. The name is empty, NULL, or can not be expressed in the current character-set.
- Error number: 3058; Symbol: ER_USER_LOCK_DEADLOCK; SQLSTATE: HY000

  Message: Deadlock found when trying to get user-level lock; try rolling back transaction/releasing locks and restarting lock acquisition.

This error is returned when the metdata locking subsystem detects a deadlock for an attempt to acquire a named lock with `GET_LOCK`.

- Error number: `3059`; Symbol: `ER_REPLACE_INACCESSIBLE_ROWS`; SQLSTATE: `HY000`

  Message: REPLACE cannot be executed as it requires deleting rows that are not in the view

- Error number: `3060`; Symbol: `ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_GIS`; SQLSTATE: `HY000`

  Message: Do not support online operation on table with GIS index

- Error number: `3061`; Symbol: `ER_ILLEGAL_USER_VAR`; SQLSTATE: `42000`

  Message: User variable name '%s' is illegal

- Error number: `3062`; Symbol: `ER_GTID_MODE_OFF`; SQLSTATE: `HY000`

  Message: Cannot %s when GTID_MODE = OFF.

- Error number: `3064`; Symbol: `ER_INCORRECT_TYPE`; SQLSTATE: `HY000`

  Message: Incorrect type for argument %s in function %s.

- Error number: `3065`; Symbol: `ER_FIELD_IN_ORDER_NOT_SELECT`; SQLSTATE: `HY000`

  Message: Expression #%u of ORDER BY clause is not in SELECT list, references column '%s' which is not in SELECT list; this is incompatible with %s

- Error number: `3066`; Symbol: `ER_AGGREGATE_IN_ORDER_NOT_SELECT`; SQLSTATE: `HY000`

  Message: Expression #%u of ORDER BY clause is not in SELECT list, contains aggregate function; this is incompatible with %s

- Error number: `3067`; Symbol: `ER_INVALID_RPL_WILD_TABLE_FILTER_PATTERN`; SQLSTATE: `HY000`

  Message: Supplied filter list contains a value which is not in the required format 'db_pattern.table_pattern'

- Error number: `3068`; Symbol: `ER_NET_OK_PACKET_TOO_LARGE`; SQLSTATE: `08S01`

  Message: OK packet too large

- Error number: `3069`; Symbol: `ER_INVALID_JSON_DATA`; SQLSTATE: `HY000`

  Message: Invalid JSON data provided to function %s: %s

- Error number: `3070`; Symbol: `ER_INVALID_GEOJSON_MISSING_MEMBER`; SQLSTATE: `HY000`

  Message: Invalid GeoJSON data provided to function %s: Missing required member '%s'

- Error number: `3071`; Symbol: `ER_INVALID_GEOJSON_WRONG_TYPE`; SQLSTATE: `HY000`

  Message: Invalid GeoJSON data provided to function %s: Member '%s' must be of type '%s'

- Error number: `3072`; Symbol: `ER_INVALID_GEOJSON_UNSPECIFIED`; SQLSTATE: `HY000`

  Message: Invalid GeoJSON data provided to function %s

- Error number: 3073; Symbol: ER_DIMENSION_UNSUPPORTED; SQLSTATE: HY000

  Message: Unsupported number of coordinate dimensions in function %s: Found %u, expected %u

- Error number: 3074; Symbol: ER_SLAVE_CHANNEL_DOES_NOT_EXIST; SQLSTATE: HY000

  Message: Slave channel '%s' does not exist.

  ER_SLAVE_CHANNEL_DOES_NOT_EXIST was removed after 8.0.32.

- Error number: 3074; Symbol: ER_REPLICA_CHANNEL_DOES_NOT_EXIST; SQLSTATE: HY000

  Message: Replica channel '%s' does not exist.

  ER_REPLICA_CHANNEL_DOES_NOT_EXIST was added in 8.0.33.

- Error number: 3076; Symbol: ER_SLAVE_CHANNEL_NAME_INVALID_OR_TOO_LONG; SQLSTATE: HY000

  Message: Couldn't create channel: Channel name is either invalid or too long.

  ER_SLAVE_CHANNEL_NAME_INVALID_OR_TOO_LONG was removed after 8.0.32.

- Error number: 3076; Symbol: ER_REPLICA_CHANNEL_NAME_INVALID_OR_TOO_LONG; SQLSTATE: HY000

  Message: Couldn't create channel: Channel name is either invalid or too long.

  ER_REPLICA_CHANNEL_NAME_INVALID_OR_TOO_LONG was added in 8.0.33.

- Error number: 3077; Symbol: ER_SLAVE_NEW_CHANNEL_WRONG_REPOSITORY; SQLSTATE: HY000

  Message: To have multiple channels, repository cannot be of type FILE; Please check the repository configuration and convert them to TABLE.

  ER_SLAVE_NEW_CHANNEL_WRONG_REPOSITORY was removed after 8.0.32.

- Error number: 3077; Symbol: ER_REPLICA_NEW_CHANNEL_WRONG_REPOSITORY; SQLSTATE: HY000

  Message: To have multiple channels, repository cannot be of type FILE; Please check the repository configuration and convert them to TABLE.

  ER_REPLICA_NEW_CHANNEL_WRONG_REPOSITORY was added in 8.0.33.

- Error number: 3079; Symbol: ER_SLAVE_MULTIPLE_CHANNELS_CMD; SQLSTATE: HY000

  Message: Multiple channels exist on the slave. Please provide channel name as an argument.

  ER_SLAVE_MULTIPLE_CHANNELS_CMD was removed after 8.0.32.

- Error number: 3079; Symbol: ER_REPLICA_MULTIPLE_CHANNELS_CMD; SQLSTATE: HY000

  Message: Multiple channels exist on the replica. Please provide channel name as an argument.

  ER_REPLICA_MULTIPLE_CHANNELS_CMD was added in 8.0.33.

- Error number: 3080; Symbol: ER_SLAVE_MAX_CHANNELS_EXCEEDED; SQLSTATE: HY000

  Message: Maximum number of replication channels allowed exceeded.

ER_SLAVE_MAX_CHANNELS_EXCEEDED was removed after 8.0.32.

- Error number: 3080; Symbol: ER_REPLICA_MAX_CHANNELS_EXCEEDED; SQLSTATE: HY000

  Message: Maximum number of replication channels allowed exceeded.

  ER_REPLICA_MAX_CHANNELS_EXCEEDED was added in 8.0.33.

- Error number: 3081; Symbol: ER_SLAVE_CHANNEL_MUST_STOP; SQLSTATE: HY000

  Message: This operation cannot be performed with running replication threads; run STOP SLAVE FOR CHANNEL '%s' first

  ER_SLAVE_CHANNEL_MUST_STOP was removed after 8.0.32.

- Error number: 3081; Symbol: ER_REPLICA_CHANNEL_MUST_STOP; SQLSTATE: HY000

  Message: This operation cannot be performed with running replication threads; run STOP REPLICA FOR CHANNEL '%s' first

  ER_REPLICA_CHANNEL_MUST_STOP was added in 8.0.33.

- Error number: 3082; Symbol: ER_SLAVE_CHANNEL_NOT_RUNNING; SQLSTATE: HY000

  Message: This operation requires running replication threads; configure slave and run START SLAVE FOR CHANNEL '%s'

  ER_SLAVE_CHANNEL_NOT_RUNNING was removed after 8.0.32.

- Error number: 3082; Symbol: ER_REPLICA_CHANNEL_NOT_RUNNING; SQLSTATE: HY000

  Message: This operation requires running replication threads; configure replica and run START REPLICA FOR CHANNEL '%s'

  ER_REPLICA_CHANNEL_NOT_RUNNING was added in 8.0.33.

- Error number: 3083; Symbol: ER_SLAVE_CHANNEL_WAS_RUNNING; SQLSTATE: HY000

  Message: Replication thread(s) for channel '%s' are already runnning.

  ER_SLAVE_CHANNEL_WAS_RUNNING was removed after 8.0.32.

- Error number: 3083; Symbol: ER_REPLICA_CHANNEL_WAS_RUNNING; SQLSTATE: HY000

  Message: Replication thread(s) for channel '%s' are already runnning.

  ER_REPLICA_CHANNEL_WAS_RUNNING was added in 8.0.33.

- Error number: 3084; Symbol: ER_SLAVE_CHANNEL_WAS_NOT_RUNNING; SQLSTATE: HY000

  Message: Replication thread(s) for channel '%s' are already stopped.

  ER_SLAVE_CHANNEL_WAS_NOT_RUNNING was removed after 8.0.32.

- Error number: 3084; Symbol: ER_REPLICA_CHANNEL_WAS_NOT_RUNNING; SQLSTATE: HY000

  Message: Replication thread(s) for channel '%s' are already stopped.

  ER_REPLICA_CHANNEL_WAS_NOT_RUNNING was added in 8.0.33.

- Error number: 3085; Symbol: ER_SLAVE_CHANNEL_SQL_THREAD_MUST_STOP; SQLSTATE: HY000

  Message: This operation cannot be performed with a running slave sql thread; run STOP SLAVE SQL_THREAD FOR CHANNEL '%s' first.

  ER_SLAVE_CHANNEL_SQL_THREAD_MUST_STOP was removed after 8.0.32.

- Error number: 3085; Symbol: ER_REPLICA_CHANNEL_SQL_THREAD_MUST_STOP; SQLSTATE: HY000

  Message: This operation cannot be performed with a running replica sql thread; run STOP REPLICA SQL_THREAD FOR CHANNEL '%s' first.

  ER_REPLICA_CHANNEL_SQL_THREAD_MUST_STOP was added in 8.0.33.

- Error number: 3086; Symbol: ER_SLAVE_CHANNEL_SQL_SKIP_COUNTER; SQLSTATE: HY000

  Message: When sql_replica_skip_counter > 0, it is not allowed to start more than one SQL thread by using 'START SLAVE [SQL_THREAD]'. Value of sql_replica_skip_counter can only be used by one SQL thread at a time. Please use 'START SLAVE [SQL_THREAD] FOR CHANNEL' to start the SQL thread which will use the value of sql_replica_skip_counter.

  ER_SLAVE_CHANNEL_SQL_SKIP_COUNTER was removed after 8.0.32.

- Error number: 3086; Symbol: ER_REPLICA_CHANNEL_SQL_SKIP_COUNTER; SQLSTATE: HY000

  Message: When sql_replica_skip_counter > 0, it is not allowed to start more than one SQL thread by using 'START REPLICA [SQL_THREAD]'. Value of sql_replica_skip_counter can only be used by one SQL thread at a time. Please use 'START REPLICA [SQL_THREAD] FOR CHANNEL' to start the SQL thread which will use the value of sql_replica_skip_counter.

  ER_REPLICA_CHANNEL_SQL_SKIP_COUNTER was added in 8.0.33.

- Error number: 3087; Symbol: ER_WRONG_FIELD_WITH_GROUP_V2; SQLSTATE: HY000

  Message: Expression #%u of %s is not in GROUP BY clause and contains nonaggregated column '%s' which is not functionally dependent on columns in GROUP BY clause; this is incompatible with sql_mode=only_full_group_by

- Error number: 3088; Symbol: ER_MIX_OF_GROUP_FUNC_AND_FIELDS_V2; SQLSTATE: HY000

  Message: In aggregated query without GROUP BY, expression #%u of %s contains nonaggregated column '%s'; this is incompatible with sql_mode=only_full_group_by

- Error number: 3089; Symbol: ER_WARN_DEPRECATED_SYSVAR_UPDATE; SQLSTATE: HY000

  Message: Updating '%s' is deprecated. It will be made read-only in a future release.

- Error number: 3090; Symbol: ER_WARN_DEPRECATED_SQLMODE; SQLSTATE: HY000

  Message: Changing sql mode '%s' is deprecated. It will be removed in a future release.

- Error number: 3091; Symbol: ER_CANNOT_LOG_PARTIAL_DROP_DATABASE_WITH_GTID; SQLSTATE: HY000

  Message: DROP DATABASE failed; some tables may have been dropped but the database directory remains. The GTID has not been added to GTID_EXECUTED and the statement was not written to the binary log. Fix this as follows: (1) remove all files from the database directory %s; (2) SET GTID_NEXT='%s'; (3) DROP DATABASE `%s`.

- Error number: 3092; Symbol: ER_GROUP_REPLICATION_CONFIGURATION; SQLSTATE: HY000

  Message: The server is not configured properly to be an active member of the group. Please see more details on error log.

- Error number: 3093; Symbol: ER_GROUP_REPLICATION_RUNNING; SQLSTATE: HY000

  Message: The START GROUP_REPLICATION command failed since the group is already running.

- Error number: 3094; Symbol: ER_GROUP_REPLICATION_APPLIER_INIT_ERROR; SQLSTATE: HY000

  Message: The START GROUP_REPLICATION command failed as the applier module failed to start.

- Error number: 3095; Symbol: ER_GROUP_REPLICATION_STOP_APPLIER_THREAD_TIMEOUT; SQLSTATE: HY000

  Message: The STOP GROUP_REPLICATION command execution is incomplete: The applier thread got the stop signal while it was busy. The applier thread will stop once the current task is complete.

- Error number: 3096; Symbol: ER_GROUP_REPLICATION_COMMUNICATION_LAYER_SESSION_ERROR; SQLSTATE: HY000

  Message: The START GROUP_REPLICATION command failed as there was an error when initializing the group communication layer.

- Error number: 3097; Symbol: ER_GROUP_REPLICATION_COMMUNICATION_LAYER_JOIN_ERROR; SQLSTATE: HY000

  Message: The START GROUP_REPLICATION command failed as there was an error when joining the communication group.

- Error number: 3098; Symbol: ER_BEFORE_DML_VALIDATION_ERROR; SQLSTATE: HY000

  Message: The table does not comply with the requirements by an external plugin.

- Error number: 3099; Symbol: ER_PREVENTS_VARIABLE_WITHOUT_RBR; SQLSTATE: HY000

  Message: Cannot change the value of variable %s without binary log format as ROW.

  `transaction_write_set_extraction` option value is set and `binlog_format` is not `ROW`.

- Error number: 3100; Symbol: ER_RUN_HOOK_ERROR; SQLSTATE: HY000

  Message: Error on observer while running replication hook '%s'.

- Error number: 3101; Symbol: ER_TRANSACTION_ROLLBACK_DURING_COMMIT; SQLSTATE: 40000

  Message: Plugin instructed the server to rollback the current transaction.

  When using Group Replication, this means that a transaction failed the group certification process, due to one or more members detecting a potential conflict, and was thus rolled back. See Group Replication.

- Error number: 3102; Symbol: ER_GENERATED_COLUMN_FUNCTION_IS_NOT_ALLOWED; SQLSTATE: HY000

  Message: Expression of generated column '%s' contains a disallowed function.

- Error number: 3103; Symbol: ER_UNSUPPORTED_ALTER_INPLACE_ON_VIRTUAL_COLUMN; SQLSTATE: HY000

Message: INPLACE ADD or DROP of virtual columns cannot be combined with other ALTER TABLE actions

- Error number: 3104; Symbol: ER_WRONG_FK_OPTION_FOR_GENERATED_COLUMN; SQLSTATE: HY000

  Message: Cannot define foreign key with %s clause on a generated column.

- Error number: 3105; Symbol: ER_NON_DEFAULT_VALUE_FOR_GENERATED_COLUMN; SQLSTATE: HY000

  Message: The value specified for generated column '%s' in table '%s' is not allowed.

- Error number: 3106; Symbol: ER_UNSUPPORTED_ACTION_ON_GENERATED_COLUMN; SQLSTATE: HY000

  Message: '%s' is not supported for generated columns.

- Error number: 3107; Symbol: ER_GENERATED_COLUMN_NON_PRIOR; SQLSTATE: HY000

  Message: Generated column can refer only to generated columns defined prior to it.

  To address this issue, change the table definition to define each generated column later than any generated columns to which it refers.

- Error number: 3108; Symbol: ER_DEPENDENT_BY_GENERATED_COLUMN; SQLSTATE: HY000

  Message: Column '%s' has a generated column dependency.

  You cannot drop or rename a generated column if another column refers to it. You must either drop those columns as well, or redefine them not to refer to the generated column.

- Error number: 3109; Symbol: ER_GENERATED_COLUMN_REF_AUTO_INC; SQLSTATE: HY000

  Message: Generated column '%s' cannot refer to auto-increment column.

- Error number: 3110; Symbol: ER_FEATURE_NOT_AVAILABLE; SQLSTATE: HY000

  Message: The '%s' feature is not available; you need to remove '%s' or use MySQL built with '%s'

- Error number: 3111; Symbol: ER_CANT_SET_GTID_MODE; SQLSTATE: HY000

  Message: SET @@GLOBAL.GTID_MODE = %s is not allowed because %s.

- Error number: 3112; Symbol: ER_CANT_USE_AUTO_POSITION_WITH_GTID_MODE_OFF; SQLSTATE: HY000

  Message: The replication receiver thread%s cannot start in AUTO_POSITION mode: this server uses @@GLOBAL.GTID_MODE = OFF.

- Error number: 3116; Symbol: ER_CANT_ENFORCE_GTID_CONSISTENCY_WITH_ONGOING_GTID_VIOLATING_TX; SQLSTATE: HY000

  Message: Cannot set ENFORCE_GTID_CONSISTENCY = ON because there are ongoing transactions that violate GTID consistency.

  ER_CANT_SET_ENFORCE_GTID_CONSISTENCY_ON_WITH_ONGOING_GTID_VIOLATING_TRANSACTIONS was renamed to ER_CANT_ENFORCE_GTID_CONSISTENCY_WITH_ONGOING_GTID_VIOLATING_TX.

- Error number: 3117; Symbol: ER_ENFORCE_GTID_CONSISTENCY_WARN_WITH_ONGOING_GTID_VIOLATING_TX; SQLSTATE: HY000

  Message: There are ongoing transactions that violate GTID consistency.

  ER_SET_ENFORCE_GTID_CONSISTENCY_WARN_WITH_ONGOING_GTID_VIOLATING_TRANSACTIONS was renamed to ER_ENFORCE_GTID_CONSISTENCY_WARN_WITH_ONGOING_GTID_VIOLATING_TX.

- Error number: 3118; Symbol: ER_ACCOUNT_HAS_BEEN_LOCKED; SQLSTATE: HY000

  Message: Access denied for user '%s'@'%s'. Account is locked.

  The account was locked with CREATE USER ... ACCOUNT LOCK or ALTER USER ... ACCOUNT LOCK. An administrator can unlock it with ALTER USER ... ACCOUNT UNLOCK.

- Error number: 3119; Symbol: ER_WRONG_TABLESPACE_NAME; SQLSTATE: 42000

  Message: Incorrect tablespace name `%s`

- Error number: 3120; Symbol: ER_TABLESPACE_IS_NOT_EMPTY; SQLSTATE: HY000

  Message: Tablespace `%s` is not empty.

- Error number: 3121; Symbol: ER_WRONG_FILE_NAME; SQLSTATE: HY000

  Message: Incorrect File Name '%s'.

- Error number: 3122; Symbol: ER_BOOST_GEOMETRY_INCONSISTENT_TURNS_EXCEPTION; SQLSTATE: HY000

  Message: Inconsistent intersection points.

- Error number: 3123; Symbol: ER_WARN_OPTIMIZER_HINT_SYNTAX_ERROR; SQLSTATE: HY000

  Message: Optimizer hint syntax error

- Error number: 3124; Symbol: ER_WARN_BAD_MAX_EXECUTION_TIME; SQLSTATE: HY000

  Message: Unsupported MAX_EXECUTION_TIME

- Error number: 3125; Symbol: ER_WARN_UNSUPPORTED_MAX_EXECUTION_TIME; SQLSTATE: HY000

  Message: MAX_EXECUTION_TIME hint is supported by top-level standalone SELECT statements only

  The MAX_EXECUTION_TIME optimizer hint is supported only for SELECT statements.

- Error number: 3126; Symbol: ER_WARN_CONFLICTING_HINT; SQLSTATE: HY000

  Message: Hint %s is ignored as conflicting/duplicated

- Error number: 3127; Symbol: ER_WARN_UNKNOWN_QB_NAME; SQLSTATE: HY000

  Message: Query block name %s is not found for %s hint

- Error number: 3128; Symbol: ER_UNRESOLVED_HINT_NAME; SQLSTATE: HY000

  Message: Unresolved name %s for %s hint

- Error number: 3129; Symbol: ER_WARN_ON_MODIFYING_GTID_EXECUTED_TABLE; SQLSTATE: HY000

  Message: Please do not modify the %s table. This is a mysql internal system table to store GTIDs for committed transactions. Modifying it can lead to an inconsistent GTID state.

- Error number: 3130; Symbol: ER_PLUGGABLE_PROTOCOL_COMMAND_NOT_SUPPORTED; SQLSTATE: HY000

  Message: Command not supported by pluggable protocols

- Error number: 3131; Symbol: ER_LOCKING_SERVICE_WRONG_NAME; SQLSTATE: 42000

  Message: Incorrect locking service lock name '%s'.

  A locking service name was specified as NULL, the empty string, or a string longer than 64 characters. Namespace and lock names must be non-NULL, nonempty, and no more than 64 characters long.

- Error number: 3132; Symbol: ER_LOCKING_SERVICE_DEADLOCK; SQLSTATE: HY000

  Message: Deadlock found when trying to get locking service lock; try releasing locks and restarting lock acquisition.

- Error number: 3133; Symbol: ER_LOCKING_SERVICE_TIMEOUT; SQLSTATE: HY000

  Message: Service lock wait timeout exceeded.

- Error number: 3134; Symbol: ER_GIS_MAX_POINTS_IN_GEOMETRY_OVERFLOWED; SQLSTATE: HY000

  Message: Parameter %s exceeds the maximum number of points in a geometry (%lu) in function %s.

- Error number: 3135; Symbol: ER_SQL_MODE_MERGED; SQLSTATE: HY000

  Message: 'NO_ZERO_DATE', 'NO_ZERO_IN_DATE' and 'ERROR_FOR_DIVISION_BY_ZERO' sql modes should be used with strict mode. They will be merged with strict mode in a future release.

- Error number: 3136; Symbol: ER_VTOKEN_PLUGIN_TOKEN_MISMATCH; SQLSTATE: HY000

  Message: Version token mismatch for %.*s. Correct value %.*s

  The client has set its version_tokens_session system variable to the list of tokens it requires the server to match, but the server token list has at least one matching token name that has a value different from what the client requires. See Version Tokens.

- Error number: 3137; Symbol: ER_VTOKEN_PLUGIN_TOKEN_NOT_FOUND; SQLSTATE: HY000

  Message: Version token %.*s not found.

  The client has set its version_tokens_session system variable to the list of tokens it requires the server to match, but the server token list is missing at least one of those tokens. See Version Tokens.

- Error number: 3138; Symbol: ER_CANT_SET_VARIABLE_WHEN_OWNING_GTID; SQLSTATE: HY000

  Message: Variable %s cannot be changed by a client that owns a GTID. The client owns %s. Ownership is released on COMMIT or ROLLBACK.

- Error number: 3139; Symbol: ER_SLAVE_CHANNEL_OPERATION_NOT_ALLOWED; SQLSTATE: HY000

Message: %s cannot be performed on channel '%s'.

ER_SLAVE_CHANNEL_OPERATION_NOT_ALLOWED was removed after 8.0.32.

- Error number: 3139; Symbol: ER_REPLICA_CHANNEL_OPERATION_NOT_ALLOWED; SQLSTATE: HY000

  Message: %s cannot be performed on channel '%s'.

  ER_REPLICA_CHANNEL_OPERATION_NOT_ALLOWED was added in 8.0.33.

- Error number: 3140; Symbol: ER_INVALID_JSON_TEXT; SQLSTATE: 22032

  Message: Invalid JSON text: "%s" at position %u in value for column '%s'.

- Error number: 3141; Symbol: ER_INVALID_JSON_TEXT_IN_PARAM; SQLSTATE: 22032

  Message: Invalid JSON text in argument %u to function %s: "%s" at position %u.%s

- Error number: 3142; Symbol: ER_INVALID_JSON_BINARY_DATA; SQLSTATE: HY000

  Message: The JSON binary value contains invalid data.

- Error number: 3143; Symbol: ER_INVALID_JSON_PATH; SQLSTATE: 42000

  Message: Invalid JSON path expression. The error is around character position %u.%s

- Error number: 3144; Symbol: ER_INVALID_JSON_CHARSET; SQLSTATE: 22032

  Message: Cannot create a JSON value from a string with CHARACTER SET '%s'.

- Error number: 3145; Symbol: ER_INVALID_JSON_CHARSET_IN_FUNCTION; SQLSTATE: 22032

  Message: Invalid JSON character data provided to function %s: '%s'; utf8 is required.

- Error number: 3146; Symbol: ER_INVALID_TYPE_FOR_JSON; SQLSTATE: 22032

  Message: Invalid data type for JSON data in argument %u to function %s; a JSON string or JSON type is required.

- Error number: 3147; Symbol: ER_INVALID_CAST_TO_JSON; SQLSTATE: 22032

  Message: Cannot CAST value to JSON.

- Error number: 3148; Symbol: ER_INVALID_JSON_PATH_CHARSET; SQLSTATE: 42000

  Message: A path expression must be encoded in the utf8 character set. The path expression '%s' is encoded in character set '%s'.

- Error number: 3149; Symbol: ER_INVALID_JSON_PATH_WILDCARD; SQLSTATE: 42000

  Message: In this situation, path expressions may not contain the * and ** tokens or an array range.

- Error number: 3150; Symbol: ER_JSON_VALUE_TOO_BIG; SQLSTATE: 22032

  Message: The JSON value is too big to be stored in a JSON column.

- Error number: 3151; Symbol: ER_JSON_KEY_TOO_BIG; SQLSTATE: 22032

  Message: The JSON object contains a key name that is too long.

- Error number: 3152; Symbol: ER_JSON_USED_AS_KEY; SQLSTATE: 42000

  Message: JSON column '%s' supports indexing only via generated columns on a specified JSON path.

- Error number: 3153; Symbol: ER_JSON_VACUOUS_PATH; SQLSTATE: 42000

  Message: The path expression '$' is not allowed in this context.

- Error number: 3154; Symbol: ER_JSON_BAD_ONE_OR_ALL_ARG; SQLSTATE: 42000

  Message: The oneOrAll argument to %s may take these values: 'one' or 'all'.

- Error number: 3155; Symbol: ER_NUMERIC_JSON_VALUE_OUT_OF_RANGE; SQLSTATE: 22003

  Message: Out of range JSON value for CAST to %s%s from column %s at row %ld

- Error number: 3156; Symbol: ER_INVALID_JSON_VALUE_FOR_CAST; SQLSTATE: 22018

  Message: Invalid JSON value for CAST to %s%s from column %s at row %ld

- Error number: 3157; Symbol: ER_JSON_DOCUMENT_TOO_DEEP; SQLSTATE: 22032

  Message: The JSON document exceeds the maximum depth.

- Error number: 3158; Symbol: ER_JSON_DOCUMENT_NULL_KEY; SQLSTATE: 22032

  Message: JSON documents may not contain NULL member names.

- Error number: 3159; Symbol: ER_SECURE_TRANSPORT_REQUIRED; SQLSTATE: HY000

  Message: Connections using insecure transport are prohibited while --require_secure_transport=ON.

  With the require_secure_transport system variable, clients can connect only using secure transports. Qualifying connections are those using SSL, a Unix socket file, or shared memory.

- Error number: 3160; Symbol: ER_NO_SECURE_TRANSPORTS_CONFIGURED; SQLSTATE: HY000

  Message: No secure transports (SSL or Shared Memory) are configured, unable to set --require_secure_transport=ON.

  The require_secure_transport system variable cannot be enabled if the server does not support at least one secure transport. Configure the server with the required SSL keys/certificates to enable SSL connections, or enable the shared_memory system variable to enable shared-memory connections.

- Error number: 3161; Symbol: ER_DISABLED_STORAGE_ENGINE; SQLSTATE: HY000

  Message: Storage engine %s is disabled (Table creation is disallowed).

  An attempt was made to create a table or tablespace using a storage engine listed in the value of the disabled_storage_engines system variable, or to change an existing table or tablespace to such an engine. Choose a different storage engine.

- Error number: 3162; Symbol: ER_USER_DOES_NOT_EXIST; SQLSTATE: HY000

  Message: Authorization ID %s does not exist.

- Error number: 3163; Symbol: ER_USER_ALREADY_EXISTS; SQLSTATE: HY000

  Message: Authorization ID %s already exists.

- Error number: 3164; Symbol: ER_AUDIT_API_ABORT; SQLSTATE: HY000

  Message: Aborted by Audit API ('%s';%d).

  This error indicates that an audit plugin terminated execution of an event. The message typically indicates the event subclass name and a numeric status value.

- Error number: 3165; Symbol: ER_INVALID_JSON_PATH_ARRAY_CELL; SQLSTATE: 42000

  Message: A path expression is not a path to a cell in an array.

- Error number: 3166; Symbol: ER_BUFPOOL_RESIZE_INPROGRESS; SQLSTATE: HY000

  Message: Another buffer pool resize is already in progress.

- Error number: 3167; Symbol: ER_FEATURE_DISABLED_SEE_DOC; SQLSTATE: HY000

  Message: The '%s' feature is disabled; see the documentation for '%s'

- Error number: 3168; Symbol: ER_SERVER_ISNT_AVAILABLE; SQLSTATE: HY000

  Message: Server isn't available

- Error number: 3169; Symbol: ER_SESSION_WAS_KILLED; SQLSTATE: HY000

  Message: Session was killed

- Error number: 3170; Symbol: ER_CAPACITY_EXCEEDED; SQLSTATE: HY000

  Message: Memory capacity of %llu bytes for '%s' exceeded. %s

- Error number: 3171; Symbol: ER_CAPACITY_EXCEEDED_IN_RANGE_OPTIMIZER; SQLSTATE: HY000

  Message: Range optimization was not done for this query.

- Error number: 3173; Symbol: ER_CANT_WAIT_FOR_EXECUTED_GTID_SET_WHILE_OWNING_A_GTID; SQLSTATE: HY000

  Message: The client holds ownership of the GTID %s. Therefore, WAIT_FOR_EXECUTED_GTID_SET cannot wait for this GTID.

- Error number: 3174; Symbol: ER_CANNOT_ADD_FOREIGN_BASE_COL_VIRTUAL; SQLSTATE: HY000

  Message: Cannot add foreign key on the base column of indexed virtual column.

- Error number: 3175; Symbol: ER_CANNOT_CREATE_VIRTUAL_INDEX_CONSTRAINT; SQLSTATE: HY000

  Message: Cannot create index on virtual column whose base column has foreign constraint.

- Error number: 3176; Symbol: ER_ERROR_ON_MODIFYING_GTID_EXECUTED_TABLE; SQLSTATE: HY000

  Message: Please do not modify the %s table with an XA transaction. This is an internal system table used to store GTIDs for committed transactions. Although modifying it can lead to an inconsistent GTID state, if necessary you can modify it with a non-XA transaction.

- Error number: 3177; Symbol: ER_LOCK_REFUSED_BY_ENGINE; SQLSTATE: HY000

  Message: Lock acquisition refused by storage engine.

- Error number: 3178; Symbol: ER_UNSUPPORTED_ALTER_ONLINE_ON_VIRTUAL_COLUMN; SQLSTATE: HY000

  Message: ADD COLUMN col...VIRTUAL, ADD INDEX(col)

- Error number: 3179; Symbol: ER_MASTER_KEY_ROTATION_NOT_SUPPORTED_BY_SE; SQLSTATE: HY000

  Message: Master key rotation is not supported by storage engine.

- Error number: 3181; Symbol: ER_MASTER_KEY_ROTATION_BINLOG_FAILED; SQLSTATE: HY000

  Message: Write to binlog failed. However, master key rotation has been completed successfully.

- Error number: 3182; Symbol: ER_MASTER_KEY_ROTATION_SE_UNAVAILABLE; SQLSTATE: HY000

  Message: Storage engine is not available.

- Error number: 3183; Symbol: ER_TABLESPACE_CANNOT_ENCRYPT; SQLSTATE: HY000

  Message: This tablespace can't be encrypted.

- Error number: 3184; Symbol: ER_INVALID_ENCRYPTION_OPTION; SQLSTATE: HY000

  Message: Invalid encryption option.

- Error number: 3185; Symbol: ER_CANNOT_FIND_KEY_IN_KEYRING; SQLSTATE: HY000

  Message: Can't find master key from keyring, please check in the server log if a keyring is loaded and initialized successfully.

- Error number: 3186; Symbol: ER_CAPACITY_EXCEEDED_IN_PARSER; SQLSTATE: HY000

  Message: Parser bailed out for this query.

- Error number: 3187; Symbol: ER_UNSUPPORTED_ALTER_ENCRYPTION_INPLACE; SQLSTATE: HY000

  Message: Cannot alter encryption attribute by inplace algorithm.

- Error number: 3188; Symbol: ER_KEYRING_UDF_KEYRING_SERVICE_ERROR; SQLSTATE: HY000

  Message: Function '%s' failed because underlying keyring service returned an error. Please check if a keyring is installed and that provided arguments are valid for the keyring you are using.

- Error number: 3189; Symbol: ER_USER_COLUMN_OLD_LENGTH; SQLSTATE: HY000

  Message: It seems that your db schema is old. The %s column is 77 characters long and should be 93 characters long. Please perform the MySQL upgrade procedure.

- Error number: 3190; Symbol: ER_CANT_RESET_MASTER; SQLSTATE: HY000

  Message: RESET MASTER is not allowed because %s.

  ER_CANT_RESET_MASTER was removed after 8.0.32.

- Error number: 3190; Symbol: ER_CANT_RESET_SOURCE; SQLSTATE: HY000

  Message: RESET SOURCE is not allowed because %s.

  ER_CANT_RESET_SOURCE was added in 8.0.33.

- Error number: 3191; Symbol: ER_GROUP_REPLICATION_MAX_GROUP_SIZE; SQLSTATE: HY000

  Message: The START GROUP_REPLICATION command failed since the group already has 9 members.

- Error number: 3192; Symbol: ER_CANNOT_ADD_FOREIGN_BASE_COL_STORED; SQLSTATE: HY000

  Message: Cannot add foreign key on the base column of stored column.

- Error number: 3193; Symbol: ER_TABLE_REFERENCED; SQLSTATE: HY000

  Message: Cannot complete the operation because table is referenced by another connection.

- Error number: 3197; Symbol: ER_XA_RETRY; SQLSTATE: HY000

  Message: The resource manager is not able to commit the transaction branch at this time. Please retry later.

  ER_XA_RETRY was added in 8.0.2.

- Error number: 3198; Symbol: ER_KEYRING_AWS_UDF_AWS_KMS_ERROR; SQLSTATE: HY000

  Message: Function %s failed due to: %s.

  ER_KEYRING_AWS_UDF_AWS_KMS_ERROR was added in 8.0.2.

- Error number: 3199; Symbol: ER_BINLOG_UNSAFE_XA; SQLSTATE: HY000

  Message: Statement is unsafe because it is being used inside a XA transaction. Concurrent XA transactions may deadlock on replicas when replicated using statements.

  ER_BINLOG_UNSAFE_XA was added in 8.0.2.

- Error number: 3200; Symbol: ER_UDF_ERROR; SQLSTATE: HY000

  Message: %s UDF failed; %s

  ER_UDF_ERROR was added in 8.0.4.

- Error number: 3201; Symbol: ER_KEYRING_MIGRATION_FAILURE; SQLSTATE: HY000

  Message: Can not perform keyring migration : %s

  ER_KEYRING_MIGRATION_FAILURE was added in 8.0.4.

- Error number: 3202; Symbol: ER_KEYRING_ACCESS_DENIED_ERROR; SQLSTATE: 42000

  Message: Access denied; you need %s privileges for this operation

  ER_KEYRING_ACCESS_DENIED_ERROR was added in 8.0.4.

- Error number: 3203; Symbol: ER_KEYRING_MIGRATION_STATUS; SQLSTATE: HY000

  Message: Keyring migration %s.

  ER_KEYRING_MIGRATION_STATUS was added in 8.0.4.

- Error number: 3218; Symbol: ER_AUDIT_LOG_UDF_READ_INVALID_MAX_ARRAY_LENGTH_ARG_VALUE; SQLSTATE: HY000

Message: Invalid "max_array_length" argument value.

ER_AUDIT_LOG_UDF_READ_INVALID_MAX_ARRAY_LENGTH_ARG_VALUE was added in 8.0.11.

- Error number: 3231; Symbol: ER_WRITE_SET_EXCEEDS_LIMIT; SQLSTATE: HY000

  Message: The size of writeset data for the current transaction exceeds a limit imposed by an external component. If using Group Replication check 'group_replication_transaction_size_limit'.

  ER_WRITE_SET_EXCEEDS_LIMIT was added in 8.0.23.

- Error number: 3235; Symbol: ER_AES_INVALID_KDF_NAME; SQLSTATE: HY000

  Message: KDF method name is not valid. Please use hkdf or pbkdf2_hmac method name

  ER_AES_INVALID_KDF_NAME was added in 8.0.30.

- Error number: 3236; Symbol: ER_AES_INVALID_KDF_ITERATIONS; SQLSTATE: HY000

  Message: For KDF method pbkdf2_hmac iterations value less than 1000 or more than 65535 is not allowed due to security reasons. Please provide iterations >= 1000 and iterations < 65535

  ER_AES_INVALID_KDF_ITERATIONS was added in 8.0.30.

- Error number: 3237; Symbol: WARN_AES_KEY_SIZE; SQLSTATE: HY000

  Message: AES key size should be %d bytes length or secure KDF methods hkdf or pbkdf2_hmac should be used, please provide exact AES key size or use KDF methods for better security.

  WARN_AES_KEY_SIZE was added in 8.0.30.

- Error number: 3238; Symbol: ER_AES_INVALID_KDF_OPTION_SIZE; SQLSTATE: HY000

  Message: KDF option size is invalid, please provide valid size < %d bytes and not NULL

  ER_AES_INVALID_KDF_OPTION_SIZE was added in 8.0.30.

- Error number: 3500; Symbol: ER_UNSUPPORT_COMPRESSED_TEMPORARY_TABLE; SQLSTATE: HY000

  Message: CREATE TEMPORARY TABLE is not allowed with ROW_FORMAT=COMPRESSED or KEY_BLOCK_SIZE.

- Error number: 3501; Symbol: ER_ACL_OPERATION_FAILED; SQLSTATE: HY000

  Message: The ACL operation failed due to the following error from SE: errcode %d - %s

- Error number: 3502; Symbol: ER_UNSUPPORTED_INDEX_ALGORITHM; SQLSTATE: HY000

  Message: This storage engine does not support the %s index algorithm, storage engine default was used instead.

- Error number: 3503; Symbol: ER_NO_SUCH_DB; SQLSTATE: 42Y07

  Message: Database '%s' doesn't exist

- Error number: 3504; Symbol: ER_TOO_BIG_ENUM; SQLSTATE: HY000

  Message: Too many enumeration values for column %s.

- Error number: 3505; Symbol: ER_TOO_LONG_SET_ENUM_VALUE; SQLSTATE: HY000

  Message: Too long enumeration/set value for column %s.

- Error number: 3506; Symbol: ER_INVALID_DD_OBJECT; SQLSTATE: HY000

  Message: %s dictionary object is invalid. (%s)

- Error number: 3507; Symbol: ER_UPDATING_DD_TABLE; SQLSTATE: HY000

  Message: Failed to update %s dictionary object.

- Error number: 3508; Symbol: ER_INVALID_DD_OBJECT_ID; SQLSTATE: HY000

  Message: Dictionary object id (%lu) does not exist.

- Error number: 3509; Symbol: ER_INVALID_DD_OBJECT_NAME; SQLSTATE: HY000

  Message: Dictionary object name '%s' is invalid. (%s)

- Error number: 3510; Symbol: ER_TABLESPACE_MISSING_WITH_NAME; SQLSTATE: HY000

  Message: Tablespace %s doesn't exist.

- Error number: 3511; Symbol: ER_TOO_LONG_ROUTINE_COMMENT; SQLSTATE: HY000

  Message: Comment for routine '%s' is too long (max = %lu)

- Error number: 3512; Symbol: ER_SP_LOAD_FAILED; SQLSTATE: HY000

  Message: Failed to load routine '%s'.

- Error number: 3513; Symbol: ER_INVALID_BITWISE_OPERANDS_SIZE; SQLSTATE: HY000

  Message: Binary operands of bitwise operators must be of equal length

- Error number: 3514; Symbol: ER_INVALID_BITWISE_AGGREGATE_OPERANDS_SIZE; SQLSTATE: HY000

  Message: Aggregate bitwise functions cannot accept arguments longer than 511 bytes; consider using the SUBSTRING() function

- Error number: 3515; Symbol: ER_WARN_UNSUPPORTED_HINT; SQLSTATE: HY000

  Message: Hints aren't supported in %s

- Error number: 3516; Symbol: ER_UNEXPECTED_GEOMETRY_TYPE; SQLSTATE: 22S01

  Message: %s value is a geometry of unexpected type %s in %s.

- Error number: 3517; Symbol: ER_SRS_PARSE_ERROR; SQLSTATE: SR002

  Message: Can't parse the spatial reference system definition of SRID %u.

- Error number: 3518; Symbol: ER_SRS_PROJ_PARAMETER_MISSING; SQLSTATE: SR003

  Message: The spatial reference system definition for SRID %u does not specify the mandatory %s (EPSG %u) projection parameter.

- Error number: 3519; Symbol: ER_WARN_SRS_NOT_FOUND; SQLSTATE: 01000

Message: There's no spatial reference system with SRID %u.

- Error number: 3520; Symbol: ER_SRS_NOT_CARTESIAN; SQLSTATE: 22S00

  Message: Function %s is only defined for Cartesian spatial reference systems, but one of its arguments is in SRID %u, which is not Cartesian.

- Error number: 3521; Symbol: ER_SRS_NOT_CARTESIAN_UNDEFINED; SQLSTATE: SR001

  Message: Function %s is only defined for Cartesian spatial reference systems, but one of its arguments is in SRID %u, which has not been defined.

- Error number: 3522; Symbol: ER_PK_INDEX_CANT_BE_INVISIBLE; SQLSTATE: HY000

  Message: A primary key index cannot be invisible

- Error number: 3523; Symbol: ER_UNKNOWN_AUTHID; SQLSTATE: HY000

  Message: Unknown authorization ID `%s`@`%s`

- Error number: 3524; Symbol: ER_FAILED_ROLE_GRANT; SQLSTATE: HY000

  Message: Failed to grant %s` to %s

- Error number: 3525; Symbol: ER_OPEN_ROLE_TABLES; SQLSTATE: HY000

  Message: Failed to open the security system tables

- Error number: 3526; Symbol: ER_FAILED_DEFAULT_ROLES; SQLSTATE: HY000

  Message: Failed to set default roles

- Error number: 3527; Symbol: ER_COMPONENTS_NO_SCHEME; SQLSTATE: HY000

  Message: Cannot find schema in specified URN: '%s'.

- Error number: 3528; Symbol: ER_COMPONENTS_NO_SCHEME_SERVICE; SQLSTATE: HY000

  Message: Cannot acquire scheme load service implementation for schema '%s' in specified URN: '%s'.

- Error number: 3529; Symbol: ER_COMPONENTS_CANT_LOAD; SQLSTATE: HY000

  Message: Cannot load component from specified URN: '%s'.

- Error number: 3530; Symbol: ER_ROLE_NOT_GRANTED; SQLSTATE: HY000

  Message: `%s`@`%s` is not granted to `%s`@`%s`

- Error number: 3531; Symbol: ER_FAILED_REVOKE_ROLE; SQLSTATE: HY000

  Message: Could not revoke role from `%s`@`%s`

- Error number: 3532; Symbol: ER_RENAME_ROLE; SQLSTATE: HY000

  Message: Renaming of a role identifier is forbidden

- Error number: 3533; Symbol: ER_COMPONENTS_CANT_ACQUIRE_SERVICE_IMPLEMENTATION; SQLSTATE: HY000

Message: Cannot acquire specified service implementation: '%s'.

- Error number: 3534; Symbol: ER_COMPONENTS_CANT_SATISFY_DEPENDENCY; SQLSTATE: HY000

  Message: Cannot satisfy dependency for service '%s' required by component '%s'.

- Error number: 3535; Symbol: ER_COMPONENTS_LOAD_CANT_REGISTER_SERVICE_IMPLEMENTATION; SQLSTATE: HY000

  Message: Cannot register service implementation '%s' provided by component '%s'.

- Error number: 3536; Symbol: ER_COMPONENTS_LOAD_CANT_INITIALIZE; SQLSTATE: HY000

  Message: Initialization method provided by component '%s' failed.

- Error number: 3537; Symbol: ER_COMPONENTS_UNLOAD_NOT_LOADED; SQLSTATE: HY000

  Message: Component specified by URN '%s' to unload has not been loaded before.

- Error number: 3538; Symbol: ER_COMPONENTS_UNLOAD_CANT_DEINITIALIZE; SQLSTATE: HY000

  Message: De-initialization method provided by component '%s' failed.

- Error number: 3539; Symbol: ER_COMPONENTS_CANT_RELEASE_SERVICE; SQLSTATE: HY000

  Message: Release of previously acquired service implementation failed.

- Error number: 3540; Symbol: ER_COMPONENTS_UNLOAD_CANT_UNREGISTER_SERVICE; SQLSTATE: HY000

  Message: Unregistration of service implementation '%s' provided by component '%s' failed during unloading of the component.

- Error number: 3541; Symbol: ER_COMPONENTS_CANT_UNLOAD; SQLSTATE: HY000

  Message: Cannot unload component from specified URN: '%s'.

- Error number: 3542; Symbol: ER_WARN_UNLOAD_THE_NOT_PERSISTED; SQLSTATE: HY000

  Message: The Persistent Dynamic Loader was used to unload a component '%s', but it was not used to load that component before.

- Error number: 3543; Symbol: ER_COMPONENT_TABLE_INCORRECT; SQLSTATE: HY000

  Message: The mysql.component table is missing or has an incorrect definition.

- Error number: 3544; Symbol: ER_COMPONENT_MANIPULATE_ROW_FAILED; SQLSTATE: HY000

  Message: Failed to manipulate component '%s' persistence data. Error code %d from storage engine.

- Error number: 3545; Symbol: ER_COMPONENTS_UNLOAD_DUPLICATE_IN_GROUP; SQLSTATE: HY000

  Message: The component with specified URN: '%s' was specified in group more than once.

- Error number: 3546; Symbol: ER_CANT_SET_GTID_PURGED_DUE_SETS_CONSTRAINTS; SQLSTATE: HY000

  Message: @@GLOBAL.GTID_PURGED cannot be changed: %s

- Error number: 3547; Symbol: ER_CANNOT_LOCK_USER_MANAGEMENT_CACHES; SQLSTATE: HY000

  Message: Can not lock user management caches for processing.

- Error number: 3548; Symbol: ER_SRS_NOT_FOUND; SQLSTATE: SR001

  Message: There's no spatial reference system with SRID %u.

- Error number: 3549; Symbol: ER_VARIABLE_NOT_PERSISTED; SQLSTATE: HY000

  Message: Variables cannot be persisted. Please retry.

- Error number: 3550; Symbol: ER_IS_QUERY_INVALID_CLAUSE; SQLSTATE: HY000

  Message: Information schema queries do not support the '%s' clause.

- Error number: 3551; Symbol: ER_UNABLE_TO_STORE_STATISTICS; SQLSTATE: HY000

  Message: Unable to store dynamic %s statistics into data dictionary.

- Error number: 3552; Symbol: ER_NO_SYSTEM_SCHEMA_ACCESS; SQLSTATE: HY000

  Message: Access to system schema '%s' is rejected.

- Error number: 3553; Symbol: ER_NO_SYSTEM_TABLESPACE_ACCESS; SQLSTATE: HY000

  Message: Access to system tablespace '%s' is rejected.

- Error number: 3554; Symbol: ER_NO_SYSTEM_TABLE_ACCESS; SQLSTATE: HY000

  Message: Access to %s '%s.%s' is rejected.

- Error number: 3555; Symbol: ER_NO_SYSTEM_TABLE_ACCESS_FOR_DICTIONARY_TABLE; SQLSTATE: HY000

  Message: data dictionary table

  ER_NO_SYSTEM_TABLE_ACCESS_FOR_DICTIONARY_TABLE was added in 8.0.1.

- Error number: 3556; Symbol: ER_NO_SYSTEM_TABLE_ACCESS_FOR_SYSTEM_TABLE; SQLSTATE: HY000

  Message: system table

  ER_NO_SYSTEM_TABLE_ACCESS_FOR_SYSTEM_TABLE was added in 8.0.1.

- Error number: 3557; Symbol: ER_NO_SYSTEM_TABLE_ACCESS_FOR_TABLE; SQLSTATE: HY000

  Message: table

  ER_NO_SYSTEM_TABLE_ACCESS_FOR_TABLE was added in 8.0.1.

- Error number: 3558; Symbol: ER_INVALID_OPTION_KEY; SQLSTATE: 22023

  Message: Invalid option key '%s' in function %s.

  ER_INVALID_OPTION_KEY was added in 8.0.1.

- Error number: 3559; Symbol: ER_INVALID_OPTION_VALUE; SQLSTATE: 22023

Message: Invalid value '%s' for option '%s' in function '%s'.

ER_INVALID_OPTION_VALUE was added in 8.0.1.

- Error number: 3560; Symbol: ER_INVALID_OPTION_KEY_VALUE_PAIR; SQLSTATE: 22023

  Message: The string '%s' is not a valid key %c value pair in function %s.

  ER_INVALID_OPTION_KEY_VALUE_PAIR was added in 8.0.1.

- Error number: 3561; Symbol: ER_INVALID_OPTION_START_CHARACTER; SQLSTATE: 22023

  Message: The options argument in function %s starts with the invalid character '%c'.

  ER_INVALID_OPTION_START_CHARACTER was added in 8.0.1.

- Error number: 3562; Symbol: ER_INVALID_OPTION_END_CHARACTER; SQLSTATE: 22023

  Message: The options argument in function %s ends with the invalid character '%c'.

  ER_INVALID_OPTION_END_CHARACTER was added in 8.0.1.

- Error number: 3563; Symbol: ER_INVALID_OPTION_CHARACTERS; SQLSTATE: 22023

  Message: The options argument in function %s contains the invalid character sequence '%s'.

  ER_INVALID_OPTION_CHARACTERS was added in 8.0.1.

- Error number: 3564; Symbol: ER_DUPLICATE_OPTION_KEY; SQLSTATE: 22023

  Message: Duplicate option key '%s' in funtion '%s'.

  ER_DUPLICATE_OPTION_KEY was added in 8.0.1.

- Error number: 3565; Symbol: ER_WARN_SRS_NOT_FOUND_AXIS_ORDER; SQLSTATE: 01000

  Message: There's no spatial reference system with SRID %u. The axis order is unknown.

  ER_WARN_SRS_NOT_FOUND_AXIS_ORDER was added in 8.0.1.

- Error number: 3566; Symbol: ER_NO_ACCESS_TO_NATIVE_FCT; SQLSTATE: HY000

  Message: Access to native function '%s' is rejected.

  ER_NO_ACCESS_TO_NATIVE_FCT was added in 8.0.1.

- Error number: 3567; Symbol: ER_RESET_MASTER_TO_VALUE_OUT_OF_RANGE; SQLSTATE: HY000

  Message: The requested value '%llu' for the next binary log index is out of range. Please use a value between '1' and '%lu'.

  ER_RESET_MASTER_TO_VALUE_OUT_OF_RANGE was added in 8.0.1, removed after 8.0.32.

- Error number: 3567; Symbol: ER_RESET_SOURCE_TO_VALUE_OUT_OF_RANGE; SQLSTATE: HY000

  Message: The requested value '%llu' for the next binary log index is out of range. Please use a value between '1' and '%lu'.

  ER_RESET_SOURCE_TO_VALUE_OUT_OF_RANGE was added in 8.0.33.

- Error number: 3568; Symbol: ER_UNRESOLVED_TABLE_LOCK; SQLSTATE: HY000

  Message: Unresolved table name %s in locking clause.

  ER_UNRESOLVED_TABLE_LOCK was added in 8.0.1.

- Error number: 3569; Symbol: ER_DUPLICATE_TABLE_LOCK; SQLSTATE: HY000

  Message: Table %s appears in multiple locking clauses.

  ER_DUPLICATE_TABLE_LOCK was added in 8.0.1.

- Error number: 3570; Symbol: ER_BINLOG_UNSAFE_SKIP_LOCKED; SQLSTATE: HY000

  Message: Statement is unsafe because it uses SKIP LOCKED. The set of inserted values is non-deterministic.

  ER_BINLOG_UNSAFE_SKIP_LOCKED was added in 8.0.1.

- Error number: 3571; Symbol: ER_BINLOG_UNSAFE_NOWAIT; SQLSTATE: HY000

  Message: Statement is unsafe because it uses NOWAIT. Whether the command will succeed or fail is not deterministic.

  ER_BINLOG_UNSAFE_NOWAIT was added in 8.0.1.

- Error number: 3572; Symbol: ER_LOCK_NOWAIT; SQLSTATE: HY000

  Message: Statement aborted because lock(s) could not be acquired immediately and NOWAIT is set.

  ER_LOCK_NOWAIT was added in 8.0.1.

- Error number: 3573; Symbol: ER_CTE_RECURSIVE_REQUIRES_UNION; SQLSTATE: HY000

  Message: Recursive Common Table Expression '%s' should contain a UNION

  ER_CTE_RECURSIVE_REQUIRES_UNION was added in 8.0.1.

- Error number: 3574; Symbol: ER_CTE_RECURSIVE_REQUIRES_NONRECURSIVE_FIRST; SQLSTATE: HY000

  Message: Recursive Common Table Expression '%s' should have one or more non-recursive query blocks followed by one or more recursive ones

  ER_CTE_RECURSIVE_REQUIRES_NONRECURSIVE_FIRST was added in 8.0.1.

- Error number: 3575; Symbol: ER_CTE_RECURSIVE_FORBIDS_AGGREGATION; SQLSTATE: HY000

  Message: Recursive Common Table Expression '%s' can contain neither aggregation nor window functions in recursive query block

  ER_CTE_RECURSIVE_FORBIDS_AGGREGATION was added in 8.0.1.

- Error number: 3576; Symbol: ER_CTE_RECURSIVE_FORBIDDEN_JOIN_ORDER; SQLSTATE: HY000

  Message: In recursive query block of Recursive Common Table Expression '%s', the recursive table must neither be in the right argument of a LEFT JOIN, nor be forced to be non-first with join order hints

  ER_CTE_RECURSIVE_FORBIDDEN_JOIN_ORDER was added in 8.0.1.

- Error number: 3577; Symbol: ER_CTE_RECURSIVE_REQUIRES_SINGLE_REFERENCE; SQLSTATE: HY000

  Message: In recursive query block of Recursive Common Table Expression '%s', the recursive table must be referenced only once, and not in any subquery

  ER_CTE_RECURSIVE_REQUIRES_SINGLE_REFERENCE was added in 8.0.1.

- Error number: 3578; Symbol: ER_SWITCH_TMP_ENGINE; SQLSTATE: HY000

  Message: '%s' requires @@internal_tmp_disk_storage_engine=InnoDB

  ER_SWITCH_TMP_ENGINE was added in 8.0.1.

- Error number: 3579; Symbol: ER_WINDOW_NO_SUCH_WINDOW; SQLSTATE: HY000

  Message: Window name '%s' is not defined.

  ER_WINDOW_NO_SUCH_WINDOW was added in 8.0.2.

- Error number: 3580; Symbol: ER_WINDOW_CIRCULARITY_IN_WINDOW_GRAPH; SQLSTATE: HY000

  Message: There is a circularity in the window dependency graph.

  ER_WINDOW_CIRCULARITY_IN_WINDOW_GRAPH was added in 8.0.2.

- Error number: 3581; Symbol: ER_WINDOW_NO_CHILD_PARTITIONING; SQLSTATE: HY000

  Message: A window which depends on another cannot define partitioning.

  ER_WINDOW_NO_CHILD_PARTITIONING was added in 8.0.2.

- Error number: 3582; Symbol: ER_WINDOW_NO_INHERIT_FRAME; SQLSTATE: HY000

  Message: Window '%s' has a frame definition, so cannot be referenced by another window.

  ER_WINDOW_NO_INHERIT_FRAME was added in 8.0.2.

- Error number: 3583; Symbol: ER_WINDOW_NO_REDEFINE_ORDER_BY; SQLSTATE: HY000

  Message: Window '%s' cannot inherit '%s' since both contain an ORDER BY clause.

  ER_WINDOW_NO_REDEFINE_ORDER_BY was added in 8.0.2.

- Error number: 3584; Symbol: ER_WINDOW_FRAME_START_ILLEGAL; SQLSTATE: HY000

  Message: Window '%s': frame start cannot be UNBOUNDED FOLLOWING.

  ER_WINDOW_FRAME_START_ILLEGAL was added in 8.0.2.

- Error number: 3585; Symbol: ER_WINDOW_FRAME_END_ILLEGAL; SQLSTATE: HY000

  Message: Window '%s': frame end cannot be UNBOUNDED PRECEDING.

  ER_WINDOW_FRAME_END_ILLEGAL was added in 8.0.2.

- Error number: 3586; Symbol: ER_WINDOW_FRAME_ILLEGAL; SQLSTATE: HY000

  Message: Window '%s': frame start or end is negative, NULL or of non-integral type

ER_WINDOW_FRAME_ILLEGAL was added in 8.0.2.

- Error number: 3587; Symbol: ER_WINDOW_RANGE_FRAME_ORDER_TYPE; SQLSTATE: HY000

  Message: Window '%s' with RANGE N PRECEDING/FOLLOWING frame requires exactly one ORDER BY expression, of numeric or temporal type

  ER_WINDOW_RANGE_FRAME_ORDER_TYPE was added in 8.0.2.

- Error number: 3588; Symbol: ER_WINDOW_RANGE_FRAME_TEMPORAL_TYPE; SQLSTATE: HY000

  Message: Window '%s' with RANGE frame has ORDER BY expression of datetime type. Only INTERVAL bound value allowed.

  ER_WINDOW_RANGE_FRAME_TEMPORAL_TYPE was added in 8.0.2.

- Error number: 3589; Symbol: ER_WINDOW_RANGE_FRAME_NUMERIC_TYPE; SQLSTATE: HY000

  Message: Window '%s' with RANGE frame has ORDER BY expression of numeric type, INTERVAL bound value not allowed.

  ER_WINDOW_RANGE_FRAME_NUMERIC_TYPE was added in 8.0.2.

- Error number: 3590; Symbol: ER_WINDOW_RANGE_BOUND_NOT_CONSTANT; SQLSTATE: HY000

  Message: Window '%s' has a non-constant frame bound.

  ER_WINDOW_RANGE_BOUND_NOT_CONSTANT was added in 8.0.2.

- Error number: 3591; Symbol: ER_WINDOW_DUPLICATE_NAME; SQLSTATE: HY000

  Message: Window '%s' is defined twice.

  ER_WINDOW_DUPLICATE_NAME was added in 8.0.2.

- Error number: 3592; Symbol: ER_WINDOW_ILLEGAL_ORDER_BY; SQLSTATE: HY000

  Message: Window '%s': ORDER BY or PARTITION BY uses legacy position indication which is not supported, use expression.

  ER_WINDOW_ILLEGAL_ORDER_BY was added in 8.0.2.

- Error number: 3593; Symbol: ER_WINDOW_INVALID_WINDOW_FUNC_USE; SQLSTATE: HY000

  Message: You cannot use the window function '%s' in this context.'

  ER_WINDOW_INVALID_WINDOW_FUNC_USE was added in 8.0.2.

- Error number: 3594; Symbol: ER_WINDOW_INVALID_WINDOW_FUNC_ALIAS_USE; SQLSTATE: HY000

  Message: You cannot use the alias '%s' of an expression containing a window function in this context.'

  ER_WINDOW_INVALID_WINDOW_FUNC_ALIAS_USE was added in 8.0.2.

- Error number: 3595; Symbol: ER_WINDOW_NESTED_WINDOW_FUNC_USE_IN_WINDOW_SPEC; SQLSTATE: HY000

  Message: You cannot nest a window function in the specification of window '%s'.

ER_WINDOW_NESTED_WINDOW_FUNC_USE_IN_WINDOW_SPEC was added in 8.0.2.

- Error number: 3596; Symbol: ER_WINDOW_ROWS_INTERVAL_USE; SQLSTATE: HY000

  Message: Window '%s': INTERVAL can only be used with RANGE frames.

  ER_WINDOW_ROWS_INTERVAL_USE was added in 8.0.2.

- Error number: 3597; Symbol: ER_WINDOW_NO_GROUP_ORDER; SQLSTATE: HY000

  Message: ASC or DESC with GROUP BY isn't allowed with window functions; put ASC or DESC in ORDER BY

  ER_WINDOW_NO_GROUP_ORDER was added in 8.0.2, removed after 8.0.12.

- Error number: 3597; Symbol: ER_WINDOW_NO_GROUP_ORDER_UNUSED; SQLSTATE: HY000

  Message: ASC or DESC with GROUP BY isn't allowed with window functions; put ASC or DESC in ORDER BY

  ER_WINDOW_NO_GROUP_ORDER_UNUSED was added in 8.0.13.

- Error number: 3598; Symbol: ER_WINDOW_EXPLAIN_JSON; SQLSTATE: HY000

  Message: To get information about window functions use EXPLAIN FORMAT=JSON

  ER_WINDOW_EXPLAIN_JSON was added in 8.0.2.

- Error number: 3599; Symbol: ER_WINDOW_FUNCTION_IGNORES_FRAME; SQLSTATE: HY000

  Message: Window function '%s' ignores the frame clause of window '%s' and aggregates over the whole partition

  ER_WINDOW_FUNCTION_IGNORES_FRAME was added in 8.0.2.

- Error number: 3600; Symbol: ER_WINDOW_SE_NOT_ACCEPTABLE; SQLSTATE: HY000

  Message: Windowing requires @@internal_tmp_mem_storage_engine=TempTable.

  ER_WINDOW_SE_NOT_ACCEPTABLE was added in 8.0.2, removed after 8.0.3.

- Error number: 3600; Symbol: ER_WL9236_NOW_UNUSED; SQLSTATE: HY000

  Message: Windowing requires @@internal_tmp_mem_storage_engine=TempTable.

  ER_WL9236_NOW_UNUSED was added in 8.0.4.

- Error number: 3601; Symbol: ER_INVALID_NO_OF_ARGS; SQLSTATE: HY000

  Message: Too many arguments for function %s: %lu; maximum allowed is %s.

  ER_INVALID_NO_OF_ARGS was added in 8.0.1.

- Error number: 3602; Symbol: ER_FIELD_IN_GROUPING_NOT_GROUP_BY; SQLSTATE: HY000

  Message: Argument #%u of GROUPING function is not in GROUP BY

  ER_FIELD_IN_GROUPING_NOT_GROUP_BY was added in 8.0.1.

- Error number: 3603; Symbol: ER_TOO_LONG_TABLESPACE_COMMENT; SQLSTATE: HY000

  Message: Comment for tablespace '%s' is too long (max = %lu)

  ER_TOO_LONG_TABLESPACE_COMMENT was added in 8.0.1.

- Error number: 3604; Symbol: ER_ENGINE_CANT_DROP_TABLE; SQLSTATE: HY000

  Message: Storage engine can't drop table '%s'

  ER_ENGINE_CANT_DROP_TABLE was added in 8.0.1.

- Error number: 3605; Symbol: ER_ENGINE_CANT_DROP_MISSING_TABLE; SQLSTATE: HY000

  Message: Storage engine can't drop table '%s' because it is missing. Use DROP TABLE IF EXISTS to remove it from data-dictionary.

  ER_ENGINE_CANT_DROP_MISSING_TABLE was added in 8.0.1.

- Error number: 3606; Symbol: ER_TABLESPACE_DUP_FILENAME; SQLSTATE: HY000

  Message: Duplicate file name for tablespace '%s'

  ER_TABLESPACE_DUP_FILENAME was added in 8.0.1.

- Error number: 3607; Symbol: ER_DB_DROP_RMDIR2; SQLSTATE: HY000

  Message: Problem while dropping database. Can't remove database directory (%s). Please remove it manually.

  ER_DB_DROP_RMDIR2 was added in 8.0.1.

- Error number: 3608; Symbol: ER_IMP_NO_FILES_MATCHED; SQLSTATE: HY000

  Message: No SDI files matched the pattern '%s'

  ER_IMP_NO_FILES_MATCHED was added in 8.0.1.

- Error number: 3609; Symbol: ER_IMP_SCHEMA_DOES_NOT_EXIST; SQLSTATE: HY000

  Message: Schema '%s', referenced in SDI, does not exist.

  ER_IMP_SCHEMA_DOES_NOT_EXIST was added in 8.0.1.

- Error number: 3610; Symbol: ER_IMP_TABLE_ALREADY_EXISTS; SQLSTATE: HY000

  Message: Table '%s.%s', referenced in SDI, already exists.

  ER_IMP_TABLE_ALREADY_EXISTS was added in 8.0.1.

- Error number: 3611; Symbol: ER_IMP_INCOMPATIBLE_MYSQLD_VERSION; SQLSTATE: HY000

  Message: Imported mysqld_version (%llu) is not compatible with current (%llu)

  ER_IMP_INCOMPATIBLE_MYSQLD_VERSION was added in 8.0.1.

- Error number: 3612; Symbol: ER_IMP_INCOMPATIBLE_DD_VERSION; SQLSTATE: HY000

  Message: Imported dd version (%u) is not compatible with current (%u)

ER_IMP_INCOMPATIBLE_DD_VERSION was added in 8.0.1.

- Error number: 3613; Symbol: ER_IMP_INCOMPATIBLE_SDI_VERSION; SQLSTATE: HY000

  Message: Imported sdi version (%llu) is not compatible with current (%llu)

  ER_IMP_INCOMPATIBLE_SDI_VERSION was added in 8.0.1.
- Error number: 3614; Symbol: ER_WARN_INVALID_HINT; SQLSTATE: HY000

  Message: Invalid number of arguments for hint %s

  ER_WARN_INVALID_HINT was added in 8.0.1.
- Error number: 3615; Symbol: ER_VAR_DOES_NOT_EXIST; SQLSTATE: HY000

  Message: Variable %s does not exist in persisted config file

  ER_VAR_DOES_NOT_EXIST was added in 8.0.1.
- Error number: 3616; Symbol: ER_LONGITUDE_OUT_OF_RANGE; SQLSTATE: 22S02

  Message: Longitude %f is out of range in function %s. It must be within (%f, %f].

  ER_LONGITUDE_OUT_OF_RANGE was added in 8.0.1.
- Error number: 3617; Symbol: ER_LATITUDE_OUT_OF_RANGE; SQLSTATE: 22S03

  Message: Latitude %f is out of range in function %s. It must be within [%f, %f].

  ER_LATITUDE_OUT_OF_RANGE was added in 8.0.1.
- Error number: 3618; Symbol: ER_NOT_IMPLEMENTED_FOR_GEOGRAPHIC_SRS; SQLSTATE: 22S00

  Message: %s(%s) has not been implemented for geographic spatial reference systems.

  ER_NOT_IMPLEMENTED_FOR_GEOGRAPHIC_SRS was added in 8.0.1.
- Error number: 3619; Symbol: ER_ILLEGAL_PRIVILEGE_LEVEL; SQLSTATE: HY000

  Message: Illegal privilege level specified for %s

  ER_ILLEGAL_PRIVILEGE_LEVEL was added in 8.0.1.
- Error number: 3620; Symbol: ER_NO_SYSTEM_VIEW_ACCESS; SQLSTATE: HY000

  Message: Access to system view INFORMATION_SCHEMA.'%s' is rejected.

  ER_NO_SYSTEM_VIEW_ACCESS was added in 8.0.2.
- Error number: 3621; Symbol: ER_COMPONENT_FILTER_FLABBERGASTED; SQLSTATE: HY000

  Message: The log-filter component "%s" got confused at "%s" ...

  ER_COMPONENT_FILTER_FLABBERGASTED was added in 8.0.2.
- Error number: 3622; Symbol: ER_PART_EXPR_TOO_LONG; SQLSTATE: HY000

  Message: Partitioning expression is too long.

ER_PART_EXPR_TOO_LONG was added in 8.0.2.

- Error number: 3623; Symbol: ER_UDF_DROP_DYNAMICALLY_REGISTERED; SQLSTATE: HY000

  Message: DROP FUNCTION can't drop a dynamically registered user defined function

  ER_UDF_DROP_DYNAMICALLY_REGISTERED was added in 8.0.2.

- Error number: 3624; Symbol: ER_UNABLE_TO_STORE_COLUMN_STATISTICS; SQLSTATE: HY000

  Message: Unable to store column statistics for column '%s' in table '%s'.'%s'

  ER_UNABLE_TO_STORE_COLUMN_STATISTICS was added in 8.0.2.

- Error number: 3625; Symbol: ER_UNABLE_TO_UPDATE_COLUMN_STATISTICS; SQLSTATE: HY000

  Message: Unable to update column statistics for column '%s' in table '%s'.'%s'

  ER_UNABLE_TO_UPDATE_COLUMN_STATISTICS was added in 8.0.2.

- Error number: 3626; Symbol: ER_UNABLE_TO_DROP_COLUMN_STATISTICS; SQLSTATE: HY000

  Message: Unable to remove column statistics for column '%s' in table '%s'.'%s'

  ER_UNABLE_TO_DROP_COLUMN_STATISTICS was added in 8.0.2.

- Error number: 3627; Symbol: ER_UNABLE_TO_BUILD_HISTOGRAM; SQLSTATE: HY000

  Message: Unable to build histogram statistics for column '%s' in table '%s'.'%s'

  ER_UNABLE_TO_BUILD_HISTOGRAM was added in 8.0.2.

- Error number: 3628; Symbol: ER_MANDATORY_ROLE; SQLSTATE: HY000

  Message: The role %s is a mandatory role and can't be revoked or dropped. The restriction can be lifted by excluding the role identifier from the global variable mandatory_roles.

  ER_MANDATORY_ROLE was added in 8.0.2.

- Error number: 3629; Symbol: ER_MISSING_TABLESPACE_FILE; SQLSTATE: HY000

  Message: Tablespace '%s' does not have a file named '%s'

  ER_MISSING_TABLESPACE_FILE was added in 8.0.3.

- Error number: 3630; Symbol: ER_PERSIST_ONLY_ACCESS_DENIED_ERROR; SQLSTATE: 42000

  Message: Access denied; you need %s privileges for this operation

  ER_PERSIST_ONLY_ACCESS_DENIED_ERROR was added in 8.0.3.

- Error number: 3631; Symbol: ER_CMD_NEED_SUPER; SQLSTATE: HY000

  Message: You need the SUPER privilege for command '%s'

  ER_CMD_NEED_SUPER was added in 8.0.3.

- Error number: 3632; Symbol: ER_PATH_IN_DATADIR; SQLSTATE: HY000

Message: Path is within the current data directory '%s'

ER_PATH_IN_DATADIR was added in 8.0.3.

- Error number: 3633; Symbol: ER_DDL_IN_PROGRESS; SQLSTATE: HY000

  Message: Concurrent DDL is performed during the operation. Please try again.

  ER_DDL_IN_PROGRESS was added in 8.0.3, removed after 8.0.16.

- Error number: 3633; Symbol: ER_CLONE_DDL_IN_PROGRESS; SQLSTATE: HY000

  Message: Concurrent DDL is performed during clone operation. Please try again.

  ER_CLONE_DDL_IN_PROGRESS was added in 8.0.17.

- Error number: 3634; Symbol: ER_TOO_MANY_CONCURRENT_CLONES; SQLSTATE: HY000

  Message: Too many concurrent clone operations. Maximum allowed - %d.

  ER_TOO_MANY_CONCURRENT_CLONES was added in 8.0.3, removed after 8.0.16.

- Error number: 3634; Symbol: ER_CLONE_TOO_MANY_CONCURRENT_CLONES; SQLSTATE: HY000

  Message: Too many concurrent clone operations. Maximum allowed - %d.

  ER_CLONE_TOO_MANY_CONCURRENT_CLONES was added in 8.0.17.

- Error number: 3635; Symbol: ER_APPLIER_LOG_EVENT_VALIDATION_ERROR; SQLSTATE: HY000

  Message: The table in transaction %s does not comply with the requirements by an external plugin.

  ER_APPLIER_LOG_EVENT_VALIDATION_ERROR was added in 8.0.3.

- Error number: 3636; Symbol: ER_CTE_MAX_RECURSION_DEPTH; SQLSTATE: HY000

  Message: Recursive query aborted after %u iterations. Try increasing @@cte_max_recursion_depth to a larger value.

  ER_CTE_MAX_RECURSION_DEPTH was added in 8.0.3.

- Error number: 3637; Symbol: ER_NOT_HINT_UPDATABLE_VARIABLE; SQLSTATE: HY000

  Message: Variable %s cannot be set using SET_VAR hint.

  ER_NOT_HINT_UPDATABLE_VARIABLE was added in 8.0.3.

- Error number: 3638; Symbol: ER_CREDENTIALS_CONTRADICT_TO_HISTORY; SQLSTATE: HY000

  Message: Cannot use these credentials for '%.*s@%.*s' because they contradict the password history policy

  ER_CREDENTIALS_CONTRADICT_TO_HISTORY was added in 8.0.3.

- Error number: 3639; Symbol: ER_WARNING_PASSWORD_HISTORY_CLAUSES_VOID; SQLSTATE: HY000

  Message: Non-zero password history clauses ignored for user '%s'@'%s' as its authentication plugin %s does not support password history

ER_WARNING_PASSWORD_HISTORY_CLAUSES_VOID was added in 8.0.3.

- Error number: 3640; Symbol: ER_CLIENT_DOES_NOT_SUPPORT; SQLSTATE: HY000

  Message: The client doesn't support %s

  ER_CLIENT_DOES_NOT_SUPPORT was added in 8.0.3.

- Error number: 3641; Symbol: ER_I_S_SKIPPED_TABLESPACE; SQLSTATE: HY000

  Message: Tablespace '%s' was skipped since its definition is being modified by concurrent DDL statement

  ER_I_S_SKIPPED_TABLESPACE was added in 8.0.3.

- Error number: 3642; Symbol: ER_TABLESPACE_ENGINE_MISMATCH; SQLSTATE: HY000

  Message: Engine '%s' does not match stored engine '%s' for tablespace '%s'

  ER_TABLESPACE_ENGINE_MISMATCH was added in 8.0.3.

- Error number: 3643; Symbol: ER_WRONG_SRID_FOR_COLUMN; SQLSTATE: HY000

  Message: The SRID of the geometry does not match the SRID of the column '%s'. The SRID of the geometry is %lu, but the SRID of the column is %lu. Consider changing the SRID of the geometry or the SRID property of the column.

  ER_WRONG_SRID_FOR_COLUMN was added in 8.0.3.

- Error number: 3644; Symbol: ER_CANNOT_ALTER_SRID_DUE_TO_INDEX; SQLSTATE: HY000

  Message: The SRID specification on the column '%s' cannot be changed because there is a spatial index on the column. Please remove the spatial index before altering the SRID specification.

  ER_CANNOT_ALTER_SRID_DUE_TO_INDEX was added in 8.0.3.

- Error number: 3645; Symbol: ER_WARN_BINLOG_PARTIAL_UPDATES_DISABLED; SQLSTATE: HY000

  Message: When %s, the option binlog_row_value_options=%s will be ignored and updates will be written in full format to binary log.

  ER_WARN_BINLOG_PARTIAL_UPDATES_DISABLED was added in 8.0.3.

- Error number: 3646; Symbol: ER_WARN_BINLOG_V1_ROW_EVENTS_DISABLED; SQLSTATE: HY000

  Message: When %s, the option log_bin_use_v1_row_events=1 will be ignored and row events will be written in new format to binary log.

  ER_WARN_BINLOG_V1_ROW_EVENTS_DISABLED was added in 8.0.3.

- Error number: 3647; Symbol: ER_WARN_BINLOG_PARTIAL_UPDATES_SUGGESTS_PARTIAL_IMAGES; SQLSTATE: HY000

  Message: When %s, the option binlog_row_value_options=%s will be used only for the after-image. Full values will be written in the before-image, so the saving in disk space due to binlog_row_value_options is limited to less than 50%%.

  ER_WARN_BINLOG_PARTIAL_UPDATES_SUGGESTS_PARTIAL_IMAGES was added in 8.0.3.

- Error number: 3648; Symbol: ER_COULD_NOT_APPLY_JSON_DIFF; SQLSTATE: HY000

  Message: Could not apply JSON diff in table %.*s, column %s.

  ER_COULD_NOT_APPLY_JSON_DIFF was added in 8.0.3.
- Error number: 3649; Symbol: ER_CORRUPTED_JSON_DIFF; SQLSTATE: HY000

  Message: Corrupted JSON diff for table %.*s, column %s.

  ER_CORRUPTED_JSON_DIFF was added in 8.0.3.
- Error number: 3650; Symbol: ER_RESOURCE_GROUP_EXISTS; SQLSTATE: HY000

  Message: Resource Group '%s' exists

  ER_RESOURCE_GROUP_EXISTS was added in 8.0.3.
- Error number: 3651; Symbol: ER_RESOURCE_GROUP_NOT_EXISTS; SQLSTATE: HY000

  Message: Resource Group '%s' does not exist.

  ER_RESOURCE_GROUP_NOT_EXISTS was added in 8.0.3.
- Error number: 3652; Symbol: ER_INVALID_VCPU_ID; SQLSTATE: HY000

  Message: Invalid cpu id %u

  ER_INVALID_VCPU_ID was added in 8.0.3.
- Error number: 3653; Symbol: ER_INVALID_VCPU_RANGE; SQLSTATE: HY000

  Message: Invalid VCPU range %u-%u

  ER_INVALID_VCPU_RANGE was added in 8.0.3.
- Error number: 3654; Symbol: ER_INVALID_THREAD_PRIORITY; SQLSTATE: HY000

  Message: Invalid thread priority value %d for %s resource group %s. Allowed range is [%d, %d].

  ER_INVALID_THREAD_PRIORITY was added in 8.0.3.
- Error number: 3655; Symbol: ER_DISALLOWED_OPERATION; SQLSTATE: HY000

  Message: %s operation is disallowed on %s

  ER_DISALLOWED_OPERATION was added in 8.0.3.
- Error number: 3656; Symbol: ER_RESOURCE_GROUP_BUSY; SQLSTATE: HY000

  Message: Resource group %s is busy.

  ER_RESOURCE_GROUP_BUSY was added in 8.0.3.
- Error number: 3657; Symbol: ER_RESOURCE_GROUP_DISABLED; SQLSTATE: HY000

  Message: Resource group %s is disabled.

  ER_RESOURCE_GROUP_DISABLED was added in 8.0.3.

- Error number: 3658; Symbol: ER_FEATURE_UNSUPPORTED; SQLSTATE: HY000

  Message: Feature %s is unsupported (%s).

  ER_FEATURE_UNSUPPORTED was added in 8.0.3.
- Error number: 3659; Symbol: ER_ATTRIBUTE_IGNORED; SQLSTATE: HY000

  Message: Attribute %s is ignored (%s).

  ER_ATTRIBUTE_IGNORED was added in 8.0.3.
- Error number: 3660; Symbol: ER_INVALID_THREAD_ID; SQLSTATE: HY000

  Message: Invalid thread id (%llu).

  ER_INVALID_THREAD_ID was added in 8.0.3.
- Error number: 3661; Symbol: ER_RESOURCE_GROUP_BIND_FAILED; SQLSTATE: HY000

  Message: Unable to bind resource group %s with thread id (%llu).(%s).

  ER_RESOURCE_GROUP_BIND_FAILED was added in 8.0.3.
- Error number: 3662; Symbol: ER_INVALID_USE_OF_FORCE_OPTION; SQLSTATE: HY000

  Message: Option FORCE invalid as DISABLE option is not specified.

  ER_INVALID_USE_OF_FORCE_OPTION was added in 8.0.3.
- Error number: 3663; Symbol: ER_GROUP_REPLICATION_COMMAND_FAILURE; SQLSTATE: HY000

  Message: The %s command encountered a failure. %s

  ER_GROUP_REPLICATION_COMMAND_FAILURE was added in 8.0.4.
- Error number: 3664; Symbol: ER_SDI_OPERATION_FAILED; SQLSTATE: HY000

  Message: Failed to %s SDI '%s.%s' in tablespace '%s'.

  ER_SDI_OPERATION_FAILED was added in 8.0.3.
- Error number: 3665; Symbol: ER_MISSING_JSON_TABLE_VALUE; SQLSTATE: 22035

  Message: Missing value for JSON_TABLE column '%s'

  ER_MISSING_JSON_TABLE_VALUE was added in 8.0.4.
- Error number: 3666; Symbol: ER_WRONG_JSON_TABLE_VALUE; SQLSTATE: 2203F

  Message: Can't store an array or an object in the scalar JSON_TABLE column '%s'

  ER_WRONG_JSON_TABLE_VALUE was added in 8.0.4.
- Error number: 3667; Symbol: ER_TF_MUST_HAVE_ALIAS; SQLSTATE: 42000

  Message: Every table function must have an alias

  ER_TF_MUST_HAVE_ALIAS was added in 8.0.4.

- Error number: 3668; Symbol: ER_TF_FORBIDDEN_JOIN_TYPE; SQLSTATE: HY000

  Message: INNER or LEFT JOIN must be used for LATERAL references made by '%s'

  ER_TF_FORBIDDEN_JOIN_TYPE was added in 8.0.4.

- Error number: 3669; Symbol: ER_JT_VALUE_OUT_OF_RANGE; SQLSTATE: 22003

  Message: Value is out of range for JSON_TABLE's column '%s'

  ER_JT_VALUE_OUT_OF_RANGE was added in 8.0.4.

- Error number: 3670; Symbol: ER_JT_MAX_NESTED_PATH; SQLSTATE: 42000

  Message: More than supported %u NESTED PATHs were found in JSON_TABLE '%s'

  ER_JT_MAX_NESTED_PATH was added in 8.0.4.

- Error number: 3671; Symbol: ER_PASSWORD_EXPIRATION_NOT_SUPPORTED_BY_AUTH_METHOD; SQLSTATE: HY000

  Message: The selected authentication method %.*s does not support password expiration

  ER_PASSWORD_EXPIRATION_NOT_SUPPORTED_BY_AUTH_METHOD was added in 8.0.4.

- Error number: 3672; Symbol: ER_INVALID_GEOJSON_CRS_NOT_TOP_LEVEL; SQLSTATE: HY000

  Message: Invalid GeoJSON data provided to function %s: Member 'crs' must be specified in the top level object.

  ER_INVALID_GEOJSON_CRS_NOT_TOP_LEVEL was added in 8.0.4.

- Error number: 3673; Symbol: ER_BAD_NULL_ERROR_NOT_IGNORED; SQLSTATE: 23000

  Message: Column '%s' cannot be null

  ER_BAD_NULL_ERROR_NOT_IGNORED was added in 8.0.4.

- Error number: 3674; Symbol: WARN_USELESS_SPATIAL_INDEX; SQLSTATE: HY000

  Message: The spatial index on column '%s' will not be used by the query optimizer since the column does not have an SRID attribute. Consider adding an SRID attribute to the column.

  WARN_USELESS_SPATIAL_INDEX was added in 8.0.4.

- Error number: 3675; Symbol: ER_DISK_FULL_NOWAIT; SQLSTATE: HY000

  Message: Create table/tablespace '%s' failed, as disk is full

  ER_DISK_FULL_NOWAIT was added in 8.0.4.

- Error number: 3676; Symbol: ER_PARSE_ERROR_IN_DIGEST_FN; SQLSTATE: HY000

  Message: Could not parse argument to digest function: "%s".

  ER_PARSE_ERROR_IN_DIGEST_FN was added in 8.0.4.

- Error number: 3677; Symbol: ER_UNDISCLOSED_PARSE_ERROR_IN_DIGEST_FN; SQLSTATE: HY000

  Message: Could not parse argument to digest function.

ER_UNDISCLOSED_PARSE_ERROR_IN_DIGEST_FN was added in 8.0.4.

- Error number: 3678; Symbol: ER_SCHEMA_DIR_EXISTS; SQLSTATE: HY000

  Message: Schema directory '%s' already exists. This must be resolved manually (e.g. by moving the schema directory to another location).

  ER_SCHEMA_DIR_EXISTS was added in 8.0.4.

- Error number: 3679; Symbol: ER_SCHEMA_DIR_MISSING; SQLSTATE: HY000

  Message: Schema directory '%s' does not exist

  ER_SCHEMA_DIR_MISSING was added in 8.0.4.

- Error number: 3680; Symbol: ER_SCHEMA_DIR_CREATE_FAILED; SQLSTATE: HY000

  Message: Failed to create schema directory '%s' (errno: %d - %s)

  ER_SCHEMA_DIR_CREATE_FAILED was added in 8.0.4.

- Error number: 3681; Symbol: ER_SCHEMA_DIR_UNKNOWN; SQLSTATE: HY000

  Message: Schema '%s' does not exist, but schema directory '%s' was found. This must be resolved manually (e.g. by moving the schema directory to another location).

  ER_SCHEMA_DIR_UNKNOWN was added in 8.0.4.

- Error number: 3682; Symbol: ER_ONLY_IMPLEMENTED_FOR_SRID_0_AND_4326; SQLSTATE: 22S00

  Message: Function %s is only defined for SRID 0 and SRID 4326.

  ER_ONLY_IMPLEMENTED_FOR_SRID_0_AND_4326 was added in 8.0.4.

- Error number: 3683; Symbol: ER_BINLOG_EXPIRE_LOG_DAYS_AND_SECS_USED_TOGETHER; SQLSTATE: HY000

  Message: The option expire_logs_days and binlog_expire_logs_seconds cannot be used together. Please use binlog_expire_logs_seconds to set the expire time (expire_logs_days is deprecated)

  ER_BINLOG_EXPIRE_LOG_DAYS_AND_SECS_USED_TOGETHER was added in 8.0.11.

- Error number: 3684; Symbol: ER_REGEXP_STRING_NOT_TERMINATED; SQLSTATE: HY000

  Message: An output string could not be zero-terminated because the length exceeds the buffer capacity.

  ER_REGEXP_STRING_NOT_TERMINATED was added in 8.0.4, removed after 8.0.4.

- Error number: 3684; Symbol: ER_REGEXP_BUFFER_OVERFLOW; SQLSTATE: HY000

  Message: The result string is larger than the result buffer.

  ER_REGEXP_BUFFER_OVERFLOW was added in 8.0.4.

- Error number: 3685; Symbol: ER_REGEXP_ILLEGAL_ARGUMENT; SQLSTATE: HY000

  Message: Illegal argument to a regular expression.

  ER_REGEXP_ILLEGAL_ARGUMENT was added in 8.0.4.

- Error number: 3686; Symbol: ER_REGEXP_INDEX_OUTOFBOUNDS_ERROR; SQLSTATE: HY000

  Message: Index out of bounds in regular expression search.

  ER_REGEXP_INDEX_OUTOFBOUNDS_ERROR was added in 8.0.4.
- Error number: 3687; Symbol: ER_REGEXP_INTERNAL_ERROR; SQLSTATE: HY000

  Message: Internal error in the regular expression library.

  ER_REGEXP_INTERNAL_ERROR was added in 8.0.4.
- Error number: 3688; Symbol: ER_REGEXP_RULE_SYNTAX; SQLSTATE: HY000

  Message: Syntax error in regular expression on line %u, character %u.

  ER_REGEXP_RULE_SYNTAX was added in 8.0.4.
- Error number: 3689; Symbol: ER_REGEXP_BAD_ESCAPE_SEQUENCE; SQLSTATE: HY000

  Message: Unrecognized escape sequence in regular expression.

  ER_REGEXP_BAD_ESCAPE_SEQUENCE was added in 8.0.4.
- Error number: 3690; Symbol: ER_REGEXP_UNIMPLEMENTED; SQLSTATE: HY000

  Message: The regular expression contains a feature that is not implemented in this library version.

  ER_REGEXP_UNIMPLEMENTED was added in 8.0.4.
- Error number: 3691; Symbol: ER_REGEXP_MISMATCHED_PAREN; SQLSTATE: HY000

  Message: Mismatched parenthesis in regular expression.

  ER_REGEXP_MISMATCHED_PAREN was added in 8.0.4.
- Error number: 3692; Symbol: ER_REGEXP_BAD_INTERVAL; SQLSTATE: HY000

  Message: Incorrect description of a {min,max} interval.

  ER_REGEXP_BAD_INTERVAL was added in 8.0.4.
- Error number: 3693; Symbol: ER_REGEXP_MAX_LT_MIN; SQLSTATE: HY000

  Message: The maximum is less than the minumum in a {min,max} interval.

  ER_REGEXP_MAX_LT_MIN was added in 8.0.4.
- Error number: 3694; Symbol: ER_REGEXP_INVALID_BACK_REF; SQLSTATE: HY000

  Message: Invalid back-reference in regular expression.

  ER_REGEXP_INVALID_BACK_REF was added in 8.0.4.
- Error number: 3695; Symbol: ER_REGEXP_LOOK_BEHIND_LIMIT; SQLSTATE: HY000

  Message: The look-behind assertion exceeds the limit in regular expression.

  ER_REGEXP_LOOK_BEHIND_LIMIT was added in 8.0.4.

- Error number: 3696; Symbol: ER_REGEXP_MISSING_CLOSE_BRACKET; SQLSTATE: HY000

  Message: The regular expression contains an unclosed bracket expression.

  ER_REGEXP_MISSING_CLOSE_BRACKET was added in 8.0.4.

- Error number: 3697; Symbol: ER_REGEXP_INVALID_RANGE; SQLSTATE: HY000

  Message: The regular expression contains an [x-y] character range where x comes after y.

  ER_REGEXP_INVALID_RANGE was added in 8.0.4.

- Error number: 3698; Symbol: ER_REGEXP_STACK_OVERFLOW; SQLSTATE: HY000

  Message: Overflow in the regular expression backtrack stack.

  ER_REGEXP_STACK_OVERFLOW was added in 8.0.4.

- Error number: 3699; Symbol: ER_REGEXP_TIME_OUT; SQLSTATE: HY000

  Message: Timeout exceeded in regular expression match.

  ER_REGEXP_TIME_OUT was added in 8.0.4.

- Error number: 3700; Symbol: ER_REGEXP_PATTERN_TOO_BIG; SQLSTATE: HY000

  Message: The regular expression pattern exceeds limits on size or complexity.

  ER_REGEXP_PATTERN_TOO_BIG was added in 8.0.4.

- Error number: 3701; Symbol: ER_CANT_SET_ERROR_LOG_SERVICE; SQLSTATE: HY000

  Message: Value for %s got confusing at or around "%s". Syntax may be wrong, component may not be INSTALLed, or a component that does not support instances may be listed more than once.

  ER_CANT_SET_ERROR_LOG_SERVICE was added in 8.0.4.

- Error number: 3702; Symbol: ER_EMPTY_PIPELINE_FOR_ERROR_LOG_SERVICE; SQLSTATE: HY000

  Message: Setting an empty %s pipeline disables error logging!

  ER_EMPTY_PIPELINE_FOR_ERROR_LOG_SERVICE was added in 8.0.4.

- Error number: 3703; Symbol: ER_COMPONENT_FILTER_DIAGNOSTICS; SQLSTATE: HY000

  Message: filter %s: %s

  ER_COMPONENT_FILTER_DIAGNOSTICS was added in 8.0.4.

- Error number: 3704; Symbol: ER_INNODB_CANNOT_BE_IGNORED; SQLSTATE: HY000

  Message: ignore-builtin-innodb is ignored and will be removed in future releases.

  ER_INNODB_CANNOT_BE_IGNORED was added in 8.0.2, removed after 8.0.2.

- Error number: 3704; Symbol: ER_NOT_IMPLEMENTED_FOR_CARTESIAN_SRS; SQLSTATE: 22S00

  Message: %s(%s) has not been implemented for Cartesian spatial reference systems.

  ER_NOT_IMPLEMENTED_FOR_CARTESIAN_SRS was added in 8.0.4.

- Error number: 3705; Symbol: ER_NOT_IMPLEMENTED_FOR_PROJECTED_SRS; SQLSTATE: 22S00

  Message: %s(%s) has not been implemented for projected spatial reference systems.

  ER_NOT_IMPLEMENTED_FOR_PROJECTED_SRS was added in 8.0.4.
- Error number: 3706; Symbol: ER_NONPOSITIVE_RADIUS; SQLSTATE: 22003

  Message: Invalid radius provided to function %s: Radius must be greater than zero.

  ER_NONPOSITIVE_RADIUS was added in 8.0.4.
- Error number: 3707; Symbol: ER_RESTART_SERVER_FAILED; SQLSTATE: HY000

  Message: Restart server failed (%s).

  ER_RESTART_SERVER_FAILED was added in 8.0.4.
- Error number: 3708; Symbol: ER_SRS_MISSING_MANDATORY_ATTRIBUTE; SQLSTATE: SR006

  Message: Missing mandatory attribute %s.

  ER_SRS_MISSING_MANDATORY_ATTRIBUTE was added in 8.0.4.
- Error number: 3709; Symbol: ER_SRS_MULTIPLE_ATTRIBUTE_DEFINITIONS; SQLSTATE: SR006

  Message: Multiple definitions of attribute %s.

  ER_SRS_MULTIPLE_ATTRIBUTE_DEFINITIONS was added in 8.0.4.
- Error number: 3710; Symbol: ER_SRS_NAME_CANT_BE_EMPTY_OR_WHITESPACE; SQLSTATE: SR006

  Message: The spatial reference system name can't be an empty string or start or end with whitespace.

  ER_SRS_NAME_CANT_BE_EMPTY_OR_WHITESPACE was added in 8.0.4.
- Error number: 3711; Symbol: ER_SRS_ORGANIZATION_CANT_BE_EMPTY_OR_WHITESPACE; SQLSTATE: SR006

  Message: The organization name can't be an empty string or start or end with whitespace.

  ER_SRS_ORGANIZATION_CANT_BE_EMPTY_OR_WHITESPACE was added in 8.0.4.
- Error number: 3712; Symbol: ER_SRS_ID_ALREADY_EXISTS; SQLSTATE: SR004

  Message: There is already a spatial reference system with SRID %u.

  ER_SRS_ID_ALREADY_EXISTS was added in 8.0.4.
- Error number: 3713; Symbol: ER_WARN_SRS_ID_ALREADY_EXISTS; SQLSTATE: 01S00

  Message: There is already a spatial reference system with SRID %u.

  ER_WARN_SRS_ID_ALREADY_EXISTS was added in 8.0.4.
- Error number: 3714; Symbol: ER_CANT_MODIFY_SRID_0; SQLSTATE: SR000

  Message: SRID 0 is not modifiable.

  ER_CANT_MODIFY_SRID_0 was added in 8.0.4.

- Error number: 3715; Symbol: ER_WARN_RESERVED_SRID_RANGE; SQLSTATE: 01S01

  Message: The SRID range [%u, %u] has been reserved for system use. SRSs in this range may be added, modified or removed without warning during upgrade.

  ER_WARN_RESERVED_SRID_RANGE was added in 8.0.4.

- Error number: 3716; Symbol: ER_CANT_MODIFY_SRS_USED_BY_COLUMN; SQLSTATE: SR005

  Message: Can't modify SRID %u. There is at least one column depending on it.

  ER_CANT_MODIFY_SRS_USED_BY_COLUMN was added in 8.0.4.

- Error number: 3717; Symbol: ER_SRS_INVALID_CHARACTER_IN_ATTRIBUTE; SQLSTATE: SR006

  Message: Invalid character in attribute %s.

  ER_SRS_INVALID_CHARACTER_IN_ATTRIBUTE was added in 8.0.4.

- Error number: 3718; Symbol: ER_SRS_ATTRIBUTE_STRING_TOO_LONG; SQLSTATE: SR006

  Message: Attribute %s is too long. The maximum length is %u characters.

  ER_SRS_ATTRIBUTE_STRING_TOO_LONG was added in 8.0.4.

- Error number: 3719; Symbol: ER_DEPRECATED_UTF8_ALIAS; SQLSTATE: HY000

  Message: 'utf8' is currently an alias for the character set UTF8MB3, but will be an alias for UTF8MB4 in a future release. Please consider using UTF8MB4 in order to be unambiguous.

  ER_DEPRECATED_UTF8_ALIAS was added in 8.0.11.

- Error number: 3720; Symbol: ER_DEPRECATED_NATIONAL; SQLSTATE: HY000

  Message: NATIONAL/NCHAR/NVARCHAR implies the character set UTF8MB3, which will be replaced by UTF8MB4 in a future release. Please consider using CHAR(x) CHARACTER SET UTF8MB4 in order to be unambiguous.

  ER_DEPRECATED_NATIONAL was added in 8.0.11.

- Error number: 3721; Symbol: ER_INVALID_DEFAULT_UTF8MB4_COLLATION; SQLSTATE: HY000

  Message: Invalid default collation %s: utf8mb4_0900_ai_ci or utf8mb4_general_ci expected

  ER_INVALID_DEFAULT_UTF8MB4_COLLATION was added in 8.0.11.

- Error number: 3722; Symbol: ER_UNABLE_TO_COLLECT_LOG_STATUS; SQLSTATE: HY000

  Message: Unable to collect information for column '%s': %s.

  ER_UNABLE_TO_COLLECT_LOG_STATUS was added in 8.0.11.

- Error number: 3723; Symbol: ER_RESERVED_TABLESPACE_NAME; SQLSTATE: HY000

  Message: The table '%s' may not be created in the reserved tablespace '%s'.

  ER_RESERVED_TABLESPACE_NAME was added in 8.0.11.

- Error number: 3724; Symbol: ER_UNABLE_TO_SET_OPTION; SQLSTATE: HY000

Message: This option cannot be set %s.

ER_UNABLE_TO_SET_OPTION was added in 8.0.11.

- Error number: 3725; Symbol: ER_SLAVE_POSSIBLY_DIVERGED_AFTER_DDL; SQLSTATE: HY000

  Message: A commit for an atomic DDL statement was unsuccessful on the master and the slave. The slave supports atomic DDL statements but the master does not, so the action taken by the slave and master might differ. Check that their states have not diverged before proceeding.

  ER_SLAVE_POSSIBLY_DIVERGED_AFTER_DDL was added in 8.0.11, removed after 8.0.32.

- Error number: 3725; Symbol: ER_REPLICA_POSSIBLY_DIVERGED_AFTER_DDL; SQLSTATE: HY000

  Message: A commit for an atomic DDL statement was unsuccessful on the source and the replica. The replica supports atomic DDL statements but the source does not, so the action taken by the replica and source might differ. Check that their states have not diverged before proceeding.

  ER_REPLICA_POSSIBLY_DIVERGED_AFTER_DDL was added in 8.0.33.

- Error number: 3726; Symbol: ER_SRS_NOT_GEOGRAPHIC; SQLSTATE: 22S00

  Message: Function %s is only defined for geographic spatial reference systems, but one of its arguments is in SRID %u, which is not geographic.

  ER_SRS_NOT_GEOGRAPHIC was added in 8.0.12.

- Error number: 3727; Symbol: ER_POLYGON_TOO_LARGE; SQLSTATE: 22023

  Message: Function %s encountered a polygon that was too large. Polygons must cover less than half the planet.

  ER_POLYGON_TOO_LARGE was added in 8.0.12.

- Error number: 3728; Symbol: ER_SPATIAL_UNIQUE_INDEX; SQLSTATE: HY000

  Message: Spatial indexes can't be primary or unique indexes.

  ER_SPATIAL_UNIQUE_INDEX was added in 8.0.12.

- Error number: 3729; Symbol: ER_INDEX_TYPE_NOT_SUPPORTED_FOR_SPATIAL_INDEX; SQLSTATE: HY000

  Message: The index type %s is not supported for spatial indexes.

  ER_INDEX_TYPE_NOT_SUPPORTED_FOR_SPATIAL_INDEX was added in 8.0.12.

- Error number: 3730; Symbol: ER_FK_CANNOT_DROP_PARENT; SQLSTATE: HY000

  Message: Cannot drop table '%s' referenced by a foreign key constraint '%s' on table '%s'.

  ER_FK_CANNOT_DROP_PARENT was added in 8.0.12.

- Error number: 3731; Symbol: ER_GEOMETRY_PARAM_LONGITUDE_OUT_OF_RANGE; SQLSTATE: 22S02

  Message: A parameter of function %s contains a geometry with longitude %f, which is out of range. It must be within (%f, %f].

ER_GEOMETRY_PARAM_LONGITUDE_OUT_OF_RANGE was added in 8.0.12.

- Error number: 3732; Symbol: ER_GEOMETRY_PARAM_LATITUDE_OUT_OF_RANGE; SQLSTATE: 22S03

  Message: A parameter of function %s contains a geometry with latitude %f, which is out of range. It must be within [%f, %f].

  ER_GEOMETRY_PARAM_LATITUDE_OUT_OF_RANGE was added in 8.0.12.

- Error number: 3733; Symbol: ER_FK_CANNOT_USE_VIRTUAL_COLUMN; SQLSTATE: HY000

  Message: Foreign key '%s' uses virtual column '%s' which is not supported.

  ER_FK_CANNOT_USE_VIRTUAL_COLUMN was added in 8.0.12.

- Error number: 3734; Symbol: ER_FK_NO_COLUMN_PARENT; SQLSTATE: HY000

  Message: Failed to add the foreign key constraint. Missing column '%s' for constraint '%s' in the referenced table '%s'

  ER_FK_NO_COLUMN_PARENT was added in 8.0.12.

- Error number: 3735; Symbol: ER_CANT_SET_ERROR_SUPPRESSION_LIST; SQLSTATE: HY000

  Message: %s: Could not add suppression rule for code "%s". Rule-set may be full, or code may not correspond to an error-log message.

  ER_CANT_SET_ERROR_SUPPRESSION_LIST was added in 8.0.13.

- Error number: 3736; Symbol: ER_SRS_GEOGCS_INVALID_AXES; SQLSTATE: SR002

  Message: The spatial reference system definition for SRID %u specifies invalid geographic axes '%s' and '%s'. One axis must be NORTH or SOUTH and the other must be EAST or WEST.

  ER_SRS_GEOGCS_INVALID_AXES was added in 8.0.13.

- Error number: 3737; Symbol: ER_SRS_INVALID_SEMI_MAJOR_AXIS; SQLSTATE: SR002

  Message: The length of the semi-major axis must be a positive number.

  ER_SRS_INVALID_SEMI_MAJOR_AXIS was added in 8.0.13.

- Error number: 3738; Symbol: ER_SRS_INVALID_INVERSE_FLATTENING; SQLSTATE: SR002

  Message: The inverse flattening must be larger than 1.0, or 0.0 if the ellipsoid is a sphere.

  ER_SRS_INVALID_INVERSE_FLATTENING was added in 8.0.13.

- Error number: 3739; Symbol: ER_SRS_INVALID_ANGULAR_UNIT; SQLSTATE: SR002

  Message: The angular unit conversion factor must be a positive number.

  ER_SRS_INVALID_ANGULAR_UNIT was added in 8.0.13.

- Error number: 3740; Symbol: ER_SRS_INVALID_PRIME_MERIDIAN; SQLSTATE: SR002

  Message: The prime meridian must be within (-180, 180] degrees, specified in the SRS angular unit.

  ER_SRS_INVALID_PRIME_MERIDIAN was added in 8.0.13.

- Error number: 3741; Symbol: ER_TRANSFORM_SOURCE_SRS_NOT_SUPPORTED; SQLSTATE: 22S00

  Message: Transformation from SRID %u is not supported.

  ER_TRANSFORM_SOURCE_SRS_NOT_SUPPORTED was added in 8.0.13.

- Error number: 3742; Symbol: ER_TRANSFORM_TARGET_SRS_NOT_SUPPORTED; SQLSTATE: 22S00

  Message: Transformation to SRID %u is not supported.

  ER_TRANSFORM_TARGET_SRS_NOT_SUPPORTED was added in 8.0.13.

- Error number: 3743; Symbol: ER_TRANSFORM_SOURCE_SRS_MISSING_TOWGS84; SQLSTATE: 22S00

  Message: Transformation from SRID %u is not supported. The spatial reference system has no TOWGS84 clause.

  ER_TRANSFORM_SOURCE_SRS_MISSING_TOWGS84 was added in 8.0.13.

- Error number: 3744; Symbol: ER_TRANSFORM_TARGET_SRS_MISSING_TOWGS84; SQLSTATE: 22S00

  Message: Transformation to SRID %u is not supported. The spatial reference system has no TOWGS84 clause.

  ER_TRANSFORM_TARGET_SRS_MISSING_TOWGS84 was added in 8.0.13.

- Error number: 3745; Symbol: ER_TEMP_TABLE_PREVENTS_SWITCH_SESSION_BINLOG_FORMAT; SQLSTATE: HY000

  Message: Changing @@session.binlog_format is disallowed when the session has open temporary table(s). You could wait until these temporary table(s) are dropped and try again.

  ER_TEMP_TABLE_PREVENTS_SWITCH_SESSION_BINLOG_FORMAT was added in 8.0.13.

- Error number: 3746; Symbol: ER_TEMP_TABLE_PREVENTS_SWITCH_GLOBAL_BINLOG_FORMAT; SQLSTATE: HY000

  Message: Changing @@global.binlog_format or @@persist.binlog_format is disallowed when any replication channel has open temporary table(s). You could wait until Replica_open_temp_tables = 0 and try again

  ER_TEMP_TABLE_PREVENTS_SWITCH_GLOBAL_BINLOG_FORMAT was added in 8.0.13.

- Error number: 3747; Symbol: ER_RUNNING_APPLIER_PREVENTS_SWITCH_GLOBAL_BINLOG_FORMAT; SQLSTATE: HY000

  Message: Changing @@global.binlog_format or @@persist.binlog_format is disallowed when any replication channel applier thread is running. You could execute STOP REPLICA SQL_THREAD and try again.

  ER_RUNNING_APPLIER_PREVENTS_SWITCH_GLOBAL_BINLOG_FORMAT was added in 8.0.13.

- Error number: 3748; Symbol: ER_CLIENT_GTID_UNSAFE_CREATE_DROP_TEMP_TABLE_IN_TRX_IN_SBR; SQLSTATE: HY000

  Message: Statement violates GTID consistency: CREATE TEMPORARY TABLE and DROP TEMPORARY TABLE are not allowed inside a transaction or inside a procedure in a transactional context when @@session.binlog_format=STATEMENT.

ER_CLIENT_GTID_UNSAFE_CREATE_DROP_TEMP_TABLE_IN_TRX_IN_SBR was added in 8.0.13.

- Error number: 3750; Symbol: ER_TABLE_WITHOUT_PK; SQLSTATE: HY000

  Message: Unable to create or change a table without a primary key, when the system variable 'sql_require_primary_key' is set. Add a primary key to the table or unset this variable to avoid this message. Note that tables without a primary key can cause performance problems in row-based replication, so please consult your DBA before changing this setting.

  ER_TABLE_WITHOUT_PK was added in 8.0.13.

- Error number: 3751; Symbol: WARN_DATA_TRUNCATED_FUNCTIONAL_INDEX; SQLSTATE: 01000

  Message: Data truncated for functional index '%s' at row %ld

  WARN_DATA_TRUNCATED_FUNCTIONAL_INDEX was added in 8.0.13, removed after 8.0.16.

- Error number: 3751; Symbol: ER_WARN_DATA_TRUNCATED_FUNCTIONAL_INDEX; SQLSTATE: 01000

  Message: Data truncated for functional index '%s' at row %ld

  ER_WARN_DATA_TRUNCATED_FUNCTIONAL_INDEX was added in 8.0.17.

- Error number: 3752; Symbol: ER_WARN_DATA_OUT_OF_RANGE_FUNCTIONAL_INDEX; SQLSTATE: 22003

  Message: Value is out of range for functional index '%s' at row %ld

  ER_WARN_DATA_OUT_OF_RANGE_FUNCTIONAL_INDEX was added in 8.0.13.

- Error number: 3753; Symbol: ER_FUNCTIONAL_INDEX_ON_JSON_OR_GEOMETRY_FUNCTION; SQLSTATE: 42000

  Message: Cannot create a functional index on a function that returns a JSON or GEOMETRY value.

  ER_FUNCTIONAL_INDEX_ON_JSON_OR_GEOMETRY_FUNCTION was added in 8.0.13.

- Error number: 3754; Symbol: ER_FUNCTIONAL_INDEX_REF_AUTO_INCREMENT; SQLSTATE: HY000

  Message: Functional index '%s' cannot refer to an auto-increment column.

  ER_FUNCTIONAL_INDEX_REF_AUTO_INCREMENT was added in 8.0.13.

- Error number: 3755; Symbol: ER_CANNOT_DROP_COLUMN_FUNCTIONAL_INDEX; SQLSTATE: HY000

  Message: Cannot drop column '%s' because it is used by a functional index. In order to drop the column, you must remove the functional index.

  ER_CANNOT_DROP_COLUMN_FUNCTIONAL_INDEX was added in 8.0.13.

- Error number: 3756; Symbol: ER_FUNCTIONAL_INDEX_PRIMARY_KEY; SQLSTATE: HY000

  Message: The primary key cannot be a functional index

  ER_FUNCTIONAL_INDEX_PRIMARY_KEY was added in 8.0.13.

- Error number: 3757; Symbol: ER_FUNCTIONAL_INDEX_ON_LOB; SQLSTATE: HY000

  Message: Cannot create a functional index on an expression that returns a BLOB or TEXT. Please consider using CAST.

  ER_FUNCTIONAL_INDEX_ON_LOB was added in 8.0.13.

- Error number: 3758; Symbol: ER_FUNCTIONAL_INDEX_FUNCTION_IS_NOT_ALLOWED; SQLSTATE: HY000

  Message: Expression of functional index '%s' contains a disallowed function.

  ER_FUNCTIONAL_INDEX_FUNCTION_IS_NOT_ALLOWED was added in 8.0.13.

- Error number: 3759; Symbol: ER_FULLTEXT_FUNCTIONAL_INDEX; SQLSTATE: HY000

  Message: Fulltext functional index is not supported.

  ER_FULLTEXT_FUNCTIONAL_INDEX was added in 8.0.13.

- Error number: 3760; Symbol: ER_SPATIAL_FUNCTIONAL_INDEX; SQLSTATE: HY000

  Message: Spatial functional index is not supported.

  ER_SPATIAL_FUNCTIONAL_INDEX was added in 8.0.13.

- Error number: 3761; Symbol: ER_WRONG_KEY_COLUMN_FUNCTIONAL_INDEX; SQLSTATE: HY000

  Message: The used storage engine cannot index the expression '%s'.

  ER_WRONG_KEY_COLUMN_FUNCTIONAL_INDEX was added in 8.0.13.

- Error number: 3762; Symbol: ER_FUNCTIONAL_INDEX_ON_FIELD; SQLSTATE: HY000

  Message: Functional index on a column is not supported. Consider using a regular index instead.

  ER_FUNCTIONAL_INDEX_ON_FIELD was added in 8.0.13.

- Error number: 3763; Symbol: ER_GENERATED_COLUMN_NAMED_FUNCTION_IS_NOT_ALLOWED; SQLSTATE: HY000

  Message: Expression of generated column '%s' contains a disallowed function: %s.

  ER_GENERATED_COLUMN_NAMED_FUNCTION_IS_NOT_ALLOWED was added in 8.0.13.

- Error number: 3764; Symbol: ER_GENERATED_COLUMN_ROW_VALUE; SQLSTATE: HY000

  Message: Expression of generated column '%s' cannot refer to a row value.

  ER_GENERATED_COLUMN_ROW_VALUE was added in 8.0.13.

- Error number: 3765; Symbol: ER_GENERATED_COLUMN_VARIABLES; SQLSTATE: HY000

  Message: Expression of generated column '%s' cannot refer user or system variables.

  ER_GENERATED_COLUMN_VARIABLES was added in 8.0.13.

- Error number: 3766; Symbol: ER_DEPENDENT_BY_DEFAULT_GENERATED_VALUE; SQLSTATE: HY000

  Message: Column '%s' of table '%s' has a default value expression dependency and cannot be dropped or renamed.

  ER_DEPENDENT_BY_DEFAULT_GENERATED_VALUE was added in 8.0.13.

- Error number: 3767; Symbol: ER_DEFAULT_VAL_GENERATED_NON_PRIOR; SQLSTATE: HY000

  Message: Default value expression of column '%s' cannot refer to a column defined after it if that column is a generated column or has an expression as default value.

  ER_DEFAULT_VAL_GENERATED_NON_PRIOR was added in 8.0.13.

- Error number: 3768; Symbol: ER_DEFAULT_VAL_GENERATED_REF_AUTO_INC; SQLSTATE: HY000

  Message: Default value expression of column '%s' cannot refer to an auto-increment column.

  ER_DEFAULT_VAL_GENERATED_REF_AUTO_INC was added in 8.0.13.

- Error number: 3769; Symbol: ER_DEFAULT_VAL_GENERATED_FUNCTION_IS_NOT_ALLOWED; SQLSTATE: HY000

  Message: Default value expression of column '%s' contains a disallowed function.

  ER_DEFAULT_VAL_GENERATED_FUNCTION_IS_NOT_ALLOWED was added in 8.0.13.

- Error number: 3770; Symbol: ER_DEFAULT_VAL_GENERATED_NAMED_FUNCTION_IS_NOT_ALLOWED; SQLSTATE: HY000

  Message: Default value expression of column '%s' contains a disallowed function: %s.

  ER_DEFAULT_VAL_GENERATED_NAMED_FUNCTION_IS_NOT_ALLOWED was added in 8.0.13.

- Error number: 3771; Symbol: ER_DEFAULT_VAL_GENERATED_ROW_VALUE; SQLSTATE: HY000

  Message: Default value expression of column '%s' cannot refer to a row value.

  ER_DEFAULT_VAL_GENERATED_ROW_VALUE was added in 8.0.13.

- Error number: 3772; Symbol: ER_DEFAULT_VAL_GENERATED_VARIABLES; SQLSTATE: HY000

  Message: Default value expression of column '%s' cannot refer user or system variables.

  ER_DEFAULT_VAL_GENERATED_VARIABLES was added in 8.0.13.

- Error number: 3773; Symbol: ER_DEFAULT_AS_VAL_GENERATED; SQLSTATE: HY000

  Message: DEFAULT function cannot be used with default value expressions

  ER_DEFAULT_AS_VAL_GENERATED was added in 8.0.13.

- Error number: 3774; Symbol: ER_UNSUPPORTED_ACTION_ON_DEFAULT_VAL_GENERATED; SQLSTATE: HY000

  Message: '%s' is not supported for default value expressions.

  ER_UNSUPPORTED_ACTION_ON_DEFAULT_VAL_GENERATED was added in 8.0.13.

- Error number: 3775; Symbol: ER_GTID_UNSAFE_ALTER_ADD_COL_WITH_DEFAULT_EXPRESSION; SQLSTATE: HY000

  Message: Statement violates GTID consistency: ALTER TABLE ... ADD COLUMN .. with expression as DEFAULT.

  ER_GTID_UNSAFE_ALTER_ADD_COL_WITH_DEFAULT_EXPRESSION was added in 8.0.13.

- Error number: 3776; Symbol: ER_FK_CANNOT_CHANGE_ENGINE; SQLSTATE: HY000

  Message: Cannot change table's storage engine because the table participates in a foreign key constraint.

  ER_FK_CANNOT_CHANGE_ENGINE was added in 8.0.13.

- Error number: 3777; Symbol: ER_WARN_DEPRECATED_USER_SET_EXPR; SQLSTATE: HY000

  Message: Setting user variables within expressions is deprecated and will be removed in a future release. Consider alternatives: 'SET variable=expression, ...', or 'SELECT expression(s) INTO variables(s)'.

  ER_WARN_DEPRECATED_USER_SET_EXPR was added in 8.0.13.

- Error number: 3778; Symbol: ER_WARN_DEPRECATED_UTF8MB3_COLLATION; SQLSTATE: HY000

  Message: '%s' is a collation of the deprecated character set UTF8MB3. Please consider using UTF8MB4 with an appropriate collation instead.

  ER_WARN_DEPRECATED_UTF8MB3_COLLATION was added in 8.0.13.

- Error number: 3779; Symbol: ER_WARN_DEPRECATED_NESTED_COMMENT_SYNTAX; SQLSTATE: HY000

  Message: Nested comment syntax is deprecated and will be removed in a future release.

  ER_WARN_DEPRECATED_NESTED_COMMENT_SYNTAX was added in 8.0.13.

- Error number: 3780; Symbol: ER_FK_INCOMPATIBLE_COLUMNS; SQLSTATE: HY000

  Message: Referencing column '%s' and referenced column '%s' in foreign key constraint '%s' are incompatible.

  ER_FK_INCOMPATIBLE_COLUMNS was added in 8.0.14.

- Error number: 3781; Symbol: ER_GR_HOLD_WAIT_TIMEOUT; SQLSTATE: HY000

  Message: Timeout exceeded for held statement while new Group Replication primary member is applying backlog.

  ER_GR_HOLD_WAIT_TIMEOUT was added in 8.0.14.

- Error number: 3782; Symbol: ER_GR_HOLD_KILLED; SQLSTATE: HY000

  Message: Held statement aborted because Group Replication plugin got shut down or thread was killed while new primary member was applying backlog.

  ER_GR_HOLD_KILLED was added in 8.0.14.

- Error number: 3783; Symbol: ER_GR_HOLD_MEMBER_STATUS_ERROR; SQLSTATE: HY000

Message: Held statement was aborted due to member being in error state, while backlog is being applied during Group Replication primary election.

`ER_GR_HOLD_MEMBER_STATUS_ERROR` was added in 8.0.14.

- Error number: `3784`; Symbol: `ER_RPL_ENCRYPTION_FAILED_TO_FETCH_KEY`; SQLSTATE: `HY000`

  Message: Failed to fetch key from keyring, please check if keyring is loaded.

  `ER_RPL_ENCRYPTION_FAILED_TO_FETCH_KEY` was added in 8.0.14.

- Error number: `3785`; Symbol: `ER_RPL_ENCRYPTION_KEY_NOT_FOUND`; SQLSTATE: `HY000`

  Message: Can't find key from keyring, please check in the server log if a keyring is loaded and initialized successfully.

  `ER_RPL_ENCRYPTION_KEY_NOT_FOUND` was added in 8.0.14.

- Error number: `3786`; Symbol: `ER_RPL_ENCRYPTION_KEYRING_INVALID_KEY`; SQLSTATE: `HY000`

  Message: Fetched an invalid key from keyring.

  `ER_RPL_ENCRYPTION_KEYRING_INVALID_KEY` was added in 8.0.14.

- Error number: `3787`; Symbol: `ER_RPL_ENCRYPTION_HEADER_ERROR`; SQLSTATE: `HY000`

  Message: Error reading a replication log encryption header: %s.

  `ER_RPL_ENCRYPTION_HEADER_ERROR` was added in 8.0.14.

- Error number: `3788`; Symbol: `ER_RPL_ENCRYPTION_FAILED_TO_ROTATE_LOGS`; SQLSTATE: `HY000`

  Message: Failed to rotate some logs after changing binlog encryption settings. Please fix the problem and rotate the logs manually.

  `ER_RPL_ENCRYPTION_FAILED_TO_ROTATE_LOGS` was added in 8.0.14.

- Error number: `3789`; Symbol: `ER_RPL_ENCRYPTION_KEY_EXISTS_UNEXPECTED`; SQLSTATE: `HY000`

  Message: Key %s exists unexpected.

  `ER_RPL_ENCRYPTION_KEY_EXISTS_UNEXPECTED` was added in 8.0.14.

- Error number: `3790`; Symbol: `ER_RPL_ENCRYPTION_FAILED_TO_GENERATE_KEY`; SQLSTATE: `HY000`

  Message: Failed to generate key, please check if keyring is loaded.

  `ER_RPL_ENCRYPTION_FAILED_TO_GENERATE_KEY` was added in 8.0.14.

- Error number: `3791`; Symbol: `ER_RPL_ENCRYPTION_FAILED_TO_STORE_KEY`; SQLSTATE: `HY000`

  Message: Failed to store key, please check if keyring is loaded.

  `ER_RPL_ENCRYPTION_FAILED_TO_STORE_KEY` was added in 8.0.14.

- Error number: `3792`; Symbol: `ER_RPL_ENCRYPTION_FAILED_TO_REMOVE_KEY`; SQLSTATE: `HY000`

  Message: Failed to remove key, please check if keyring is loaded.

ER_RPL_ENCRYPTION_FAILED_TO_REMOVE_KEY was added in 8.0.14.

- Error number: 3793; Symbol: ER_RPL_ENCRYPTION_UNABLE_TO_CHANGE_OPTION; SQLSTATE: HY000

  Message: Failed to change binlog_encryption value. %s.

  ER_RPL_ENCRYPTION_UNABLE_TO_CHANGE_OPTION was added in 8.0.14.

- Error number: 3794; Symbol: ER_RPL_ENCRYPTION_MASTER_KEY_RECOVERY_FAILED; SQLSTATE: HY000

  Message: Unable to recover binlog encryption master key, please check if keyring is loaded.

  ER_RPL_ENCRYPTION_MASTER_KEY_RECOVERY_FAILED was added in 8.0.14.

- Error number: 3795; Symbol: ER_SLOW_LOG_MODE_IGNORED_WHEN_NOT_LOGGING_TO_FILE; SQLSTATE: HY000

  Message: slow query log file format changed as requested, but setting will have no effect when not actually logging to a file.

  ER_SLOW_LOG_MODE_IGNORED_WHEN_NOT_LOGGING_TO_FILE was added in 8.0.14.

- Error number: 3796; Symbol: ER_GRP_TRX_CONSISTENCY_NOT_ALLOWED; SQLSTATE: HY000

  Message: The option group_replication_consistency cannot be used on the current member state.

  ER_GRP_TRX_CONSISTENCY_NOT_ALLOWED was added in 8.0.14.

- Error number: 3797; Symbol: ER_GRP_TRX_CONSISTENCY_BEFORE; SQLSTATE: HY000

  Message: Error while waiting for group transactions commit on group_replication_consistency= 'BEFORE'.

  ER_GRP_TRX_CONSISTENCY_BEFORE was added in 8.0.14.

- Error number: 3798; Symbol: ER_GRP_TRX_CONSISTENCY_AFTER_ON_TRX_BEGIN; SQLSTATE: HY000

  Message: Error while waiting for transactions with group_replication_consistency= 'AFTER' to commit.

  ER_GRP_TRX_CONSISTENCY_AFTER_ON_TRX_BEGIN was added in 8.0.14.

- Error number: 3799; Symbol: ER_GRP_TRX_CONSISTENCY_BEGIN_NOT_ALLOWED; SQLSTATE: HY000

  Message: The Group Replication plugin is stopping, therefore new transactions are not allowed to start.

  ER_GRP_TRX_CONSISTENCY_BEGIN_NOT_ALLOWED was added in 8.0.14.

- Error number: 3800; Symbol: ER_FUNCTIONAL_INDEX_ROW_VALUE_IS_NOT_ALLOWED; SQLSTATE: HY000

  Message: Expression of functional index '%s' cannot refer to a row value.

  ER_FUNCTIONAL_INDEX_ROW_VALUE_IS_NOT_ALLOWED was added in 8.0.14.

- Error number: 3801; Symbol: ER_RPL_ENCRYPTION_FAILED_TO_ENCRYPT; SQLSTATE: HY000

  Message: Failed to encrypt content to write into binlog file: %s.

  ER_RPL_ENCRYPTION_FAILED_TO_ENCRYPT was added in 8.0.14.

- Error number: 3802; Symbol: ER_PAGE_TRACKING_NOT_STARTED; SQLSTATE: HY000

  Message: Page Tracking is not started yet.

  ER_PAGE_TRACKING_NOT_STARTED was added in 8.0.16.

- Error number: 3803; Symbol: ER_PAGE_TRACKING_RANGE_NOT_TRACKED; SQLSTATE: HY000

  Message: Tracking was not enabled for the LSN range specified

  ER_PAGE_TRACKING_RANGE_NOT_TRACKED was added in 8.0.16.

- Error number: 3804; Symbol: ER_PAGE_TRACKING_CANNOT_PURGE; SQLSTATE: HY000

  Message: Cannot purge data when concurrent clone is in progress. Try later.

  ER_PAGE_TRACKING_CANNOT_PURGE was added in 8.0.16.

- Error number: 3805; Symbol: ER_RPL_ENCRYPTION_CANNOT_ROTATE_BINLOG_MASTER_KEY; SQLSTATE: HY000

  Message: Cannot rotate binary log master key when 'binlog-encryption' is off.

  ER_RPL_ENCRYPTION_CANNOT_ROTATE_BINLOG_MASTER_KEY was added in 8.0.16.

- Error number: 3806; Symbol: ER_BINLOG_MASTER_KEY_RECOVERY_OUT_OF_COMBINATION; SQLSTATE: HY000

  Message: Unable to recover binary log master key, the combination of new_master_key_seqno=%u, master_key_seqno=%u and old_master_key_seqno=%u are wrong.

  ER_BINLOG_MASTER_KEY_RECOVERY_OUT_OF_COMBINATION was added in 8.0.16.

- Error number: 3807; Symbol: ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_OPERATE_KEY; SQLSTATE: HY000

  Message: Failed to operate binary log master key on keyring, please check if keyring is loaded. The statement had no effect: the old binary log master key is still in use, the keyring, binary and relay log files are unchanged, and the server could not start using a new binary log master key for encrypting new binary and relay log files.

  ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_OPERATE_KEY was added in 8.0.16.

- Error number: 3808; Symbol: ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_ROTATE_LOGS; SQLSTATE: HY000

  Message: Failed to rotate one or more binary or relay log files. A new binary log master key was generated and will be used to encrypt new binary and relay log files. There may still exist binary or relay log files using the previous binary log master key.

  ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_ROTATE_LOGS was added in 8.0.16.

- Error number: 3809; Symbol: ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_REENCRYPT_LOG; SQLSTATE: HY000

  Message: %s. A new binary log master key was generated and will be used to encrypt new binary and relay log files. There may still exist binary or relay log files using the previous binary log master key.

  ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_REENCRYPT_LOG was added in 8.0.16.

- Error number: 3810; Symbol: ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_CLEANUP_UNUSED_KEYS; SQLSTATE: HY000

  Message: Failed to remove unused binary log encryption keys from the keyring, please check if keyring is loaded. The unused binary log encryption keys may still exist in the keyring, and they will be removed upon server restart or next 'ALTER INSTANCE ROTATE BINLOG MASTER KEY' execution.

  ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_CLEANUP_UNUSED_KEYS was added in 8.0.16.

- Error number: 3811; Symbol: ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_CLEANUP_AUX_KEY; SQLSTATE: HY000

  Message: Failed to remove auxiliary binary log encryption key from keyring, please check if keyring is loaded. The cleanup of the binary log master key rotation process did not finish as expected and the cleanup will take place upon server restart or next 'ALTER INSTANCE ROTATE BINLOG MASTER KEY' execution.

  ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_CLEANUP_AUX_KEY was added in 8.0.16.

- Error number: 3812; Symbol: ER_NON_BOOLEAN_EXPR_FOR_CHECK_CONSTRAINT; SQLSTATE: HY000

  Message: An expression of non-boolean type specified to a check constraint '%s'.

  ER_NON_BOOLEAN_EXPR_FOR_CHECK_CONSTRAINT was added in 8.0.16.

- Error number: 3813; Symbol: ER_COLUMN_CHECK_CONSTRAINT_REFERENCES_OTHER_COLUMN; SQLSTATE: HY000

  Message: Column check constraint '%s' references other column.

  ER_COLUMN_CHECK_CONSTRAINT_REFERENCES_OTHER_COLUMN was added in 8.0.16.

- Error number: 3814; Symbol: ER_CHECK_CONSTRAINT_NAMED_FUNCTION_IS_NOT_ALLOWED; SQLSTATE: HY000

  Message: An expression of a check constraint '%s' contains disallowed function: %s.

  ER_CHECK_CONSTRAINT_NAMED_FUNCTION_IS_NOT_ALLOWED was added in 8.0.16.

- Error number: 3815; Symbol: ER_CHECK_CONSTRAINT_FUNCTION_IS_NOT_ALLOWED; SQLSTATE: HY000

  Message: An expression of a check constraint '%s' contains disallowed function.

  ER_CHECK_CONSTRAINT_FUNCTION_IS_NOT_ALLOWED was added in 8.0.16.

- Error number: 3816; Symbol: ER_CHECK_CONSTRAINT_VARIABLES; SQLSTATE: HY000

  Message: An expression of a check constraint '%s' cannot refer to a user or system variable.

ER_CHECK_CONSTRAINT_VARIABLES was added in 8.0.16.

- Error number: 3817; Symbol: ER_CHECK_CONSTRAINT_ROW_VALUE; SQLSTATE: HY000

  Message: Check constraint '%s' cannot refer to a row value.

  ER_CHECK_CONSTRAINT_ROW_VALUE was added in 8.0.16.

- Error number: 3818; Symbol: ER_CHECK_CONSTRAINT_REFERS_AUTO_INCREMENT_COLUMN; SQLSTATE: HY000

  Message: Check constraint '%s' cannot refer to an auto-increment column.

  ER_CHECK_CONSTRAINT_REFERS_AUTO_INCREMENT_COLUMN was added in 8.0.16.

- Error number: 3819; Symbol: ER_CHECK_CONSTRAINT_VIOLATED; SQLSTATE: HY000

  Message: Check constraint '%s' is violated.

  ER_CHECK_CONSTRAINT_VIOLATED was added in 8.0.16.

- Error number: 3820; Symbol: ER_CHECK_CONSTRAINT_REFERS_UNKNOWN_COLUMN; SQLSTATE: HY000

  Message: Check constraint '%s' refers to non-existing column '%s'.

  ER_CHECK_CONSTRAINT_REFERS_UNKNOWN_COLUMN was added in 8.0.16.

- Error number: 3821; Symbol: ER_CHECK_CONSTRAINT_NOT_FOUND; SQLSTATE: HY000

  Message: Check constraint '%s' is not found in the table.

  ER_CHECK_CONSTRAINT_NOT_FOUND was added in 8.0.16.

- Error number: 3822; Symbol: ER_CHECK_CONSTRAINT_DUP_NAME; SQLSTATE: HY000

  Message: Duplicate check constraint name '%s'.

  ER_CHECK_CONSTRAINT_DUP_NAME was added in 8.0.16.

- Error number: 3823; Symbol: ER_CHECK_CONSTRAINT_CLAUSE_USING_FK_REFER_ACTION_COLUMN; SQLSTATE: HY000

  Message: Column '%s' cannot be used in a check constraint '%s': needed in a foreign key constraint '%s' referential action.

  ER_CHECK_CONSTRAINT_CLAUSE_USING_FK_REFER_ACTION_COLUMN was added in 8.0.16.

- Error number: 3824; Symbol: WARN_UNENCRYPTED_TABLE_IN_ENCRYPTED_DB; SQLSTATE: HY000

  Message: Creating an unencrypted table in a database with default encryption enabled.

  WARN_UNENCRYPTED_TABLE_IN_ENCRYPTED_DB was added in 8.0.16.

- Error number: 3825; Symbol: ER_INVALID_ENCRYPTION_REQUEST; SQLSTATE: HY000

  Message: Request to create %s table while using an %s tablespace.

  ER_INVALID_ENCRYPTION_REQUEST was added in 8.0.16.

- Error number: 3826; Symbol: ER_CANNOT_SET_TABLE_ENCRYPTION; SQLSTATE: HY000

  Message: Table encryption differ from its database default encryption, and user doesn't have enough privilege.

  ER_CANNOT_SET_TABLE_ENCRYPTION was added in 8.0.16.

- Error number: 3827; Symbol: ER_CANNOT_SET_DATABASE_ENCRYPTION; SQLSTATE: HY000

  Message: Database default encryption differ from 'default_table_encryption' setting, and user doesn't have enough privilege.

  ER_CANNOT_SET_DATABASE_ENCRYPTION was added in 8.0.16.

- Error number: 3828; Symbol: ER_CANNOT_SET_TABLESPACE_ENCRYPTION; SQLSTATE: HY000

  Message: Tablespace encryption differ from 'default_table_encryption' setting, and user doesn't have enough privilege.

  ER_CANNOT_SET_TABLESPACE_ENCRYPTION was added in 8.0.16.

- Error number: 3829; Symbol: ER_TABLESPACE_CANNOT_BE_ENCRYPTED; SQLSTATE: HY000

  Message: This tablespace can't be encrypted, because one of table's schema has default encryption OFF and user doesn't have enough privilege.

  ER_TABLESPACE_CANNOT_BE_ENCRYPTED was added in 8.0.16.

- Error number: 3830; Symbol: ER_TABLESPACE_CANNOT_BE_DECRYPTED; SQLSTATE: HY000

  Message: This tablespace can't be decrypted, because one of table's schema has default encryption ON and user doesn't have enough privilege.

  ER_TABLESPACE_CANNOT_BE_DECRYPTED was added in 8.0.16.

- Error number: 3831; Symbol: ER_TABLESPACE_TYPE_UNKNOWN; SQLSTATE: HY000

  Message: Cannot determine the type of the tablespace named '%s'.

  ER_TABLESPACE_TYPE_UNKNOWN was added in 8.0.16.

- Error number: 3832; Symbol: ER_TARGET_TABLESPACE_UNENCRYPTED; SQLSTATE: HY000

  Message: Source tablespace is encrypted but target tablespace is not.

  ER_TARGET_TABLESPACE_UNENCRYPTED was added in 8.0.16.

- Error number: 3833; Symbol: ER_CANNOT_USE_ENCRYPTION_CLAUSE; SQLSTATE: HY000

  Message: ENCRYPTION clause is not valid for %s tablespace.

  ER_CANNOT_USE_ENCRYPTION_CLAUSE was added in 8.0.16.

- Error number: 3834; Symbol: ER_INVALID_MULTIPLE_CLAUSES; SQLSTATE: HY000

  Message: Multiple %s clauses

  ER_INVALID_MULTIPLE_CLAUSES was added in 8.0.16.

- Error number: 3835; Symbol: ER_UNSUPPORTED_USE_OF_GRANT_AS; SQLSTATE: HY000

Message: GRANT ... AS is currently supported only for global privileges.

ER_UNSUPPORTED_USE_OF_GRANT_AS was added in 8.0.16.

- Error number: 3836; Symbol: ER_UKNOWN_AUTH_ID_OR_ACCESS_DENIED_FOR_GRANT_AS; SQLSTATE: HY000

  Message: Either some of the authorization IDs in the AS clause are invalid or the current user lacks privileges to execute the statement.

  ER_UKNOWN_AUTH_ID_OR_ACCESS_DENIED_FOR_GRANT_AS was added in 8.0.16.

- Error number: 3837; Symbol: ER_DEPENDENT_BY_FUNCTIONAL_INDEX; SQLSTATE: HY000

  Message: Column '%s' has a functional index dependency and cannot be dropped or renamed.

  ER_DEPENDENT_BY_FUNCTIONAL_INDEX was added in 8.0.17.

- Error number: 3838; Symbol: ER_PLUGIN_NOT_EARLY; SQLSTATE: HY000

  Message: Plugin '%s' is not to be used as an "early" plugin. Don't add it to --early-plugin-load, keyring migration etc.

  ER_PLUGIN_NOT_EARLY was added in 8.0.17.

- Error number: 3839; Symbol: ER_INNODB_REDO_LOG_ARCHIVE_START_SUBDIR_PATH; SQLSTATE: HY000

  Message: Redo log archiving start prohibits path name in 'subdir' argument

  ER_INNODB_REDO_LOG_ARCHIVE_START_SUBDIR_PATH was added in 8.0.17.

- Error number: 3840; Symbol: ER_INNODB_REDO_LOG_ARCHIVE_START_TIMEOUT; SQLSTATE: HY000

  Message: Redo log archiving start timed out

  ER_INNODB_REDO_LOG_ARCHIVE_START_TIMEOUT was added in 8.0.17.

- Error number: 3841; Symbol: ER_INNODB_REDO_LOG_ARCHIVE_DIRS_INVALID; SQLSTATE: HY000

  Message: Server variable 'innodb_redo_log_archive_dirs' is NULL or empty

  ER_INNODB_REDO_LOG_ARCHIVE_DIRS_INVALID was added in 8.0.17.

- Error number: 3842; Symbol: ER_INNODB_REDO_LOG_ARCHIVE_LABEL_NOT_FOUND; SQLSTATE: HY000

  Message: Label '%s' not found in server variable 'innodb_redo_log_archive_dirs'

  ER_INNODB_REDO_LOG_ARCHIVE_LABEL_NOT_FOUND was added in 8.0.17.

- Error number: 3843; Symbol: ER_INNODB_REDO_LOG_ARCHIVE_DIR_EMPTY; SQLSTATE: HY000

  Message: Directory is empty after label '%s' in server variable 'innodb_redo_log_archive_dirs'

  ER_INNODB_REDO_LOG_ARCHIVE_DIR_EMPTY was added in 8.0.17.

- Error number: 3844; Symbol: ER_INNODB_REDO_LOG_ARCHIVE_NO_SUCH_DIR; SQLSTATE: HY000

Message: Redo log archive directory '%s' does not exist or is not a directory

ER_INNODB_REDO_LOG_ARCHIVE_NO_SUCH_DIR was added in 8.0.17.

- Error number: 3845; Symbol: ER_INNODB_REDO_LOG_ARCHIVE_DIR_CLASH; SQLSTATE: HY000

  Message: Redo log archive directory '%s' is in, under, or over server directory '%s' - '%s'

  ER_INNODB_REDO_LOG_ARCHIVE_DIR_CLASH was added in 8.0.17.

- Error number: 3846; Symbol: ER_INNODB_REDO_LOG_ARCHIVE_DIR_PERMISSIONS; SQLSTATE: HY000

  Message: Redo log archive directory '%s' is accessible to all OS users

  ER_INNODB_REDO_LOG_ARCHIVE_DIR_PERMISSIONS was added in 8.0.17.

- Error number: 3847; Symbol: ER_INNODB_REDO_LOG_ARCHIVE_FILE_CREATE; SQLSTATE: HY000

  Message: Cannot create redo log archive file '%s' (OS errno: %d - %s)

  ER_INNODB_REDO_LOG_ARCHIVE_FILE_CREATE was added in 8.0.17.

- Error number: 3848; Symbol: ER_INNODB_REDO_LOG_ARCHIVE_ACTIVE; SQLSTATE: HY000

  Message: Redo log archiving has been started on '%s' - Call innodb_redo_log_archive_stop() first

  ER_INNODB_REDO_LOG_ARCHIVE_ACTIVE was added in 8.0.17.

- Error number: 3849; Symbol: ER_INNODB_REDO_LOG_ARCHIVE_INACTIVE; SQLSTATE: HY000

  Message: Redo log archiving is not active

  ER_INNODB_REDO_LOG_ARCHIVE_INACTIVE was added in 8.0.17.

- Error number: 3850; Symbol: ER_INNODB_REDO_LOG_ARCHIVE_FAILED; SQLSTATE: HY000

  Message: Redo log archiving failed: %s

  ER_INNODB_REDO_LOG_ARCHIVE_FAILED was added in 8.0.17.

- Error number: 3851; Symbol: ER_INNODB_REDO_LOG_ARCHIVE_SESSION; SQLSTATE: HY000

  Message: Redo log archiving has not been started by this session

  ER_INNODB_REDO_LOG_ARCHIVE_SESSION was added in 8.0.17.

- Error number: 3852; Symbol: ER_STD_REGEX_ERROR; SQLSTATE: HY000

  Message: Regex error: %s in function %s.

  ER_STD_REGEX_ERROR was added in 8.0.17.

- Error number: 3853; Symbol: ER_INVALID_JSON_TYPE; SQLSTATE: 22032

  Message: Invalid JSON type in argument %u to function %s; an %s is required.

  ER_INVALID_JSON_TYPE was added in 8.0.17.

- Error number: 3854; Symbol: ER_CANNOT_CONVERT_STRING; SQLSTATE: HY000

  Message: Cannot convert string '%s' from %s to %s

  ER_CANNOT_CONVERT_STRING was added in 8.0.17.

- Error number: 3855; Symbol: ER_DEPENDENT_BY_PARTITION_FUNC; SQLSTATE: HY000

  Message: Column '%s' has a partitioning function dependency and cannot be dropped or renamed.

  ER_DEPENDENT_BY_PARTITION_FUNC was added in 8.0.17.

- Error number: 3856; Symbol: ER_WARN_DEPRECATED_FLOAT_AUTO_INCREMENT; SQLSTATE: HY000

  Message: AUTO_INCREMENT support for FLOAT/DOUBLE columns is deprecated and will be removed in a future release. Consider removing AUTO_INCREMENT from column '%s'.

  ER_WARN_DEPRECATED_FLOAT_AUTO_INCREMENT was added in 8.0.17.

- Error number: 3857; Symbol: ER_RPL_CANT_STOP_SLAVE_WHILE_LOCKED_BACKUP; SQLSTATE: HY000

  Message: Cannot stop the slave SQL thread while the instance is locked for backup. Try running `UNLOCK INSTANCE` first.

  ER_RPL_CANT_STOP_SLAVE_WHILE_LOCKED_BACKUP was added in 8.0.17, removed after 8.0.32.

- Error number: 3857; Symbol: ER_RPL_CANT_STOP_REPLICA_WHILE_LOCKED_BACKUP; SQLSTATE: HY000

  Message: Cannot stop the replica SQL thread while the instance is locked for backup. Try running `UNLOCK INSTANCE` first.

  ER_RPL_CANT_STOP_REPLICA_WHILE_LOCKED_BACKUP was added in 8.0.33.

- Error number: 3858; Symbol: ER_WARN_DEPRECATED_FLOAT_DIGITS; SQLSTATE: HY000

  Message: Specifying number of digits for floating point data types is deprecated and will be removed in a future release.

  ER_WARN_DEPRECATED_FLOAT_DIGITS was added in 8.0.17.

- Error number: 3859; Symbol: ER_WARN_DEPRECATED_FLOAT_UNSIGNED; SQLSTATE: HY000

  Message: UNSIGNED for decimal and floating point data types is deprecated and support for it will be removed in a future release.

  ER_WARN_DEPRECATED_FLOAT_UNSIGNED was added in 8.0.17.

- Error number: 3860; Symbol: ER_WARN_DEPRECATED_INTEGER_DISPLAY_WIDTH; SQLSTATE: HY000

  Message: Integer display width is deprecated and will be removed in a future release.

  ER_WARN_DEPRECATED_INTEGER_DISPLAY_WIDTH was added in 8.0.17.

- Error number: 3861; Symbol: ER_WARN_DEPRECATED_ZEROFILL; SQLSTATE: HY000

  Message: The ZEROFILL attribute is deprecated and will be removed in a future release. Use the LPAD function to zero-pad numbers, or store the formatted numbers in a CHAR column.

  ER_WARN_DEPRECATED_ZEROFILL was added in 8.0.17.

- Error number: 3862; Symbol: ER_CLONE_DONOR; SQLSTATE: HY000

  Message: Clone Donor Error: %s.

  ER_CLONE_DONOR was added in 8.0.17.

- Error number: 3863; Symbol: ER_CLONE_PROTOCOL; SQLSTATE: HY000

  Message: Clone received unexpected response from Donor : %s.

  ER_CLONE_PROTOCOL was added in 8.0.17.

- Error number: 3864; Symbol: ER_CLONE_DONOR_VERSION; SQLSTATE: HY000

  Message: Clone Donor MySQL version: %s is different from Recipient MySQL version %s.

  ER_CLONE_DONOR_VERSION was added in 8.0.17.

- Error number: 3865; Symbol: ER_CLONE_OS; SQLSTATE: HY000

  Message: Clone Donor OS: %s is different from Recipient OS: %s.

  ER_CLONE_OS was added in 8.0.17.

- Error number: 3866; Symbol: ER_CLONE_PLATFORM; SQLSTATE: HY000

  Message: Clone Donor platform: %s is different from Recipient platform: %s.

  ER_CLONE_PLATFORM was added in 8.0.17.

- Error number: 3867; Symbol: ER_CLONE_CHARSET; SQLSTATE: HY000

  Message: Clone Donor collation: %s is unavailable in Recipient.

  ER_CLONE_CHARSET was added in 8.0.17.

- Error number: 3868; Symbol: ER_CLONE_CONFIG; SQLSTATE: HY000

  Message: Clone Configuration %s: Donor value: %s is different from Recipient value: %s.

  ER_CLONE_CONFIG was added in 8.0.17.

- Error number: 3869; Symbol: ER_CLONE_SYS_CONFIG; SQLSTATE: HY000

  Message: Clone system configuration: %s

  ER_CLONE_SYS_CONFIG was added in 8.0.17.

- Error number: 3870; Symbol: ER_CLONE_PLUGIN_MATCH; SQLSTATE: HY000

  Message: Clone Donor plugin %s is not active in Recipient.

  ER_CLONE_PLUGIN_MATCH was added in 8.0.17.

- Error number: 3871; Symbol: ER_CLONE_LOOPBACK; SQLSTATE: HY000

  Message: Clone cannot use loop back connection while cloning into current data directory.

  ER_CLONE_LOOPBACK was added in 8.0.17.
- Error number: 3872; Symbol: ER_CLONE_ENCRYPTION; SQLSTATE: HY000

  Message: Clone needs SSL connection for encrypted table.

  ER_CLONE_ENCRYPTION was added in 8.0.17.
- Error number: 3873; Symbol: ER_CLONE_DISK_SPACE; SQLSTATE: HY000

  Message: Clone estimated database size is %s. Available space %s is not enough.

  ER_CLONE_DISK_SPACE was added in 8.0.17.
- Error number: 3874; Symbol: ER_CLONE_IN_PROGRESS; SQLSTATE: HY000

  Message: Concurrent clone in progress. Please try after clone is complete.

  ER_CLONE_IN_PROGRESS was added in 8.0.17.
- Error number: 3875; Symbol: ER_CLONE_DISALLOWED; SQLSTATE: HY000

  Message: The clone operation cannot be executed when %s.

  ER_CLONE_DISALLOWED was added in 8.0.17.
- Error number: 3876; Symbol: ER_CANNOT_GRANT_ROLES_TO_ANONYMOUS_USER; SQLSTATE: HY000

  Message: Cannot grant roles to an anonymous user.

  ER_CANNOT_GRANT_ROLES_TO_ANONYMOUS_USER was added in 8.0.16.
- Error number: 3877; Symbol: ER_SECONDARY_ENGINE_PLUGIN; SQLSTATE: HY000

  Message: %s

  ER_SECONDARY_ENGINE_PLUGIN was added in 8.0.14.
- Error number: 3878; Symbol: ER_SECOND_PASSWORD_CANNOT_BE_EMPTY; SQLSTATE: HY000

  Message: Empty password can not be retained as second password for user '%s'@'%s'.

  ER_SECOND_PASSWORD_CANNOT_BE_EMPTY was added in 8.0.14.
- Error number: 3879; Symbol: ER_DB_ACCESS_DENIED; SQLSTATE: HY000

  Message: Access denied for AuthId `%s`@`%s` to database '%s'.

  ER_DB_ACCESS_DENIED was added in 8.0.16.
- Error number: 3880; Symbol: ER_DA_AUTH_ID_WITH_SYSTEM_USER_PRIV_IN_MANDATORY_ROLES; SQLSTATE: HY000

  Message: Cannot set mandatory_roles: AuthId `%s`@`%s` has '%s' privilege.

  ER_DA_AUTH_ID_WITH_SYSTEM_USER_PRIV_IN_MANDATORY_ROLES was added in 8.0.17.

- Error number: 3881; Symbol: ER_DA_RPL_GTID_TABLE_CANNOT_OPEN; SQLSTATE: HY000

  Message: Gtid table is not ready to be used. Table '%s.%s' cannot be opened.

  ER_DA_RPL_GTID_TABLE_CANNOT_OPEN was added in 8.0.17.

- Error number: 3882; Symbol: ER_GEOMETRY_IN_UNKNOWN_LENGTH_UNIT; SQLSTATE: SU001

  Message: The geometry passed to function %s is in SRID 0, which doesn't specify a length unit. Can't convert to '%s'.

  ER_GEOMETRY_IN_UNKNOWN_LENGTH_UNIT was added in 8.0.14.

- Error number: 3883; Symbol: ER_DA_PLUGIN_INSTALL_ERROR; SQLSTATE: HY000

  Message: Error installing plugin '%s': %s

  ER_DA_PLUGIN_INSTALL_ERROR was added in 8.0.17.

- Error number: 3884; Symbol: ER_NO_SESSION_TEMP; SQLSTATE: HY000

  Message: Storage engine could not allocate temporary tablespace for this session.

  ER_NO_SESSION_TEMP was added in 8.0.13.

- Error number: 3885; Symbol: ER_DA_UNKNOWN_ERROR_NUMBER; SQLSTATE: HY000

  Message: Got unknown error: %d

  ER_DA_UNKNOWN_ERROR_NUMBER was added in 8.0.17.

- Error number: 3886; Symbol: ER_COLUMN_CHANGE_SIZE; SQLSTATE: HY000

  Message: Could not change column '%s' of table '%s'. The resulting size of index '%s' would exceed the max key length of %d bytes.

  ER_COLUMN_CHANGE_SIZE was added in 8.0.14.

- Error number: 3887; Symbol: ER_REGEXP_INVALID_CAPTURE_GROUP_NAME; SQLSTATE: HY000

  Message: A capture group has an invalid name.

  ER_REGEXP_INVALID_CAPTURE_GROUP_NAME was added in 8.0.11.

- Error number: 3888; Symbol: ER_DA_SSL_LIBRARY_ERROR; SQLSTATE: HY000

  Message: Failed to set up SSL because of the following SSL library error: %s

  ER_DA_SSL_LIBRARY_ERROR was added in 8.0.17.

- Error number: 3889; Symbol: ER_SECONDARY_ENGINE; SQLSTATE: HY000

  Message: Secondary engine operation failed. %s.

  ER_SECONDARY_ENGINE was added in 8.0.13.

- Error number: 3890; Symbol: ER_SECONDARY_ENGINE_DDL; SQLSTATE: HY000

  Message: DDLs on a table with a secondary engine defined are not allowed.

ER_SECONDARY_ENGINE_DDL was added in 8.0.13.

- Error number: 3891; Symbol: ER_INCORRECT_CURRENT_PASSWORD; SQLSTATE: HY000

  Message: Incorrect current password. Specify the correct password which has to be replaced.

  ER_INCORRECT_CURRENT_PASSWORD was added in 8.0.13.

- Error number: 3892; Symbol: ER_MISSING_CURRENT_PASSWORD; SQLSTATE: HY000

  Message: Current password needs to be specified in the REPLACE clause in order to change it.

  ER_MISSING_CURRENT_PASSWORD was added in 8.0.13.

- Error number: 3893; Symbol: ER_CURRENT_PASSWORD_NOT_REQUIRED; SQLSTATE: HY000

  Message: Do not specify the current password while changing it for other users.

  ER_CURRENT_PASSWORD_NOT_REQUIRED was added in 8.0.13.

- Error number: 3894; Symbol: ER_PASSWORD_CANNOT_BE_RETAINED_ON_PLUGIN_CHANGE; SQLSTATE: HY000

  Message: Current password can not be retained for user '%s'@'%s' because authentication plugin is being changed.

  ER_PASSWORD_CANNOT_BE_RETAINED_ON_PLUGIN_CHANGE was added in 8.0.14.

- Error number: 3895; Symbol: ER_CURRENT_PASSWORD_CANNOT_BE_RETAINED; SQLSTATE: HY000

  Message: Current password can not be retained for user '%s'@'%s' because new password is empty.

  ER_CURRENT_PASSWORD_CANNOT_BE_RETAINED was added in 8.0.14.

- Error number: 3896; Symbol: ER_PARTIAL_REVOKES_EXIST; SQLSTATE: HY000

  Message: At least one partial revoke exists on a database. The system variable '@@partial_revokes' must be set to ON.

  ER_PARTIAL_REVOKES_EXIST was added in 8.0.16.

- Error number: 3897; Symbol: ER_CANNOT_GRANT_SYSTEM_PRIV_TO_MANDATORY_ROLE; SQLSTATE: HY000

  Message: AuthId `%s`@`%s` is set as mandatory_roles. Cannot grant the '%s' privilege.

  ER_CANNOT_GRANT_SYSTEM_PRIV_TO_MANDATORY_ROLE was added in 8.0.16.

- Error number: 3898; Symbol: ER_XA_REPLICATION_FILTERS; SQLSTATE: HY000

  Message: The use of replication filters with XA transactions is not supported, and can lead to an undefined state in the replica.

  ER_XA_REPLICATION_FILTERS was added in 8.0.12.

- Error number: 3899; Symbol: ER_UNSUPPORTED_SQL_MODE; SQLSTATE: HY000

  Message: sql_mode=0x%08x is not supported.

ER_UNSUPPORTED_SQL_MODE was added in 8.0.11.

- Error number: 3900; Symbol: ER_REGEXP_INVALID_FLAG; SQLSTATE: HY000

  Message: Invalid match mode flag in regular expression.

  ER_REGEXP_INVALID_FLAG was added in 8.0.12.

- Error number: 3901; Symbol: ER_PARTIAL_REVOKE_AND_DB_GRANT_BOTH_EXISTS; SQLSTATE: HY000

  Message: '%s' privilege for database '%s' exists both as partial revoke and mysql.db simultaneously. It could mean that the 'mysql' schema is corrupted.

  ER_PARTIAL_REVOKE_AND_DB_GRANT_BOTH_EXISTS was added in 8.0.16.

- Error number: 3902; Symbol: ER_UNIT_NOT_FOUND; SQLSTATE: SU001

  Message: There's no unit of measure named '%s'.

  ER_UNIT_NOT_FOUND was added in 8.0.14.

- Error number: 3903; Symbol: ER_INVALID_JSON_VALUE_FOR_FUNC_INDEX; SQLSTATE: 22018

  Message: Invalid JSON value for CAST for functional index '%s'.

  ER_INVALID_JSON_VALUE_FOR_FUNC_INDEX was added in 8.0.16.

- Error number: 3904; Symbol: ER_JSON_VALUE_OUT_OF_RANGE_FOR_FUNC_INDEX; SQLSTATE: 22003

  Message: Out of range JSON value for CAST for functional index '%s'.

  ER_JSON_VALUE_OUT_OF_RANGE_FOR_FUNC_INDEX was added in 8.0.16.

- Error number: 3905; Symbol: ER_EXCEEDED_MV_KEYS_NUM; SQLSTATE: HY000

  Message: Exceeded max number of values per record for multi-valued index '%s' by %u value(s).

  ER_EXCEEDED_MV_KEYS_NUM was added in 8.0.16.

- Error number: 3906; Symbol: ER_EXCEEDED_MV_KEYS_SPACE; SQLSTATE: HY000

  Message: Exceeded max total length of values per record for multi-valued index '%s' by %u bytes.

  ER_EXCEEDED_MV_KEYS_SPACE was added in 8.0.16.

- Error number: 3907; Symbol: ER_FUNCTIONAL_INDEX_DATA_IS_TOO_LONG; SQLSTATE: 22001

  Message: Data too long for functional index '%s'.

  ER_FUNCTIONAL_INDEX_DATA_IS_TOO_LONG was added in 8.0.16.

- Error number: 3908; Symbol: ER_WRONG_MVI_VALUE; SQLSTATE: HY000

  Message: Cannot store an array or an object in a scalar key part of the index '%s'.

  ER_WRONG_MVI_VALUE was added in 8.0.16.

- Error number: 3909; Symbol: ER_WARN_FUNC_INDEX_NOT_APPLICABLE; SQLSTATE: HY000

  Message: Cannot use functional index '%s' due to type or collation conversion.

  ER_WARN_FUNC_INDEX_NOT_APPLICABLE was added in 8.0.16.

- Error number: 3910; Symbol: ER_GRP_RPL_UDF_ERROR; SQLSTATE: HY000

  Message: The function '%s' failed. %s

  ER_GRP_RPL_UDF_ERROR was added in 8.0.13.

- Error number: 3911; Symbol: ER_UPDATE_GTID_PURGED_WITH_GR; SQLSTATE: HY000

  Message: Cannot update GTID_PURGED with the Group Replication plugin running

  ER_UPDATE_GTID_PURGED_WITH_GR was added in 8.0.12.

- Error number: 3912; Symbol: ER_GROUPING_ON_TIMESTAMP_IN_DST; SQLSTATE: HY000

  Message: Grouping on temporal is non-deterministic for timezones having DST. Please consider switching to UTC for this query.

  ER_GROUPING_ON_TIMESTAMP_IN_DST was added in 8.0.17.

- Error number: 3913; Symbol: ER_TABLE_NAME_CAUSES_TOO_LONG_PATH; SQLSTATE: HY000

  Message: Long database name and identifier for object resulted in a path length too long for table '%s'. Please check the path limit for your OS.

  ER_TABLE_NAME_CAUSES_TOO_LONG_PATH was added in 8.0.4.

- Error number: 3914; Symbol: ER_AUDIT_LOG_INSUFFICIENT_PRIVILEGE; SQLSTATE: HY000

  Message: Request ignored for '%s'@'%s'. Role needed to perform operation: '%s'

  ER_AUDIT_LOG_INSUFFICIENT_PRIVILEGE was added in 8.0.16.

- Error number: 3916; Symbol: ER_DA_GRP_RPL_STARTED_AUTO_REJOIN; SQLSTATE: HY000

  Message: Started auto-rejoin procedure attempt %lu of %lu

  ER_DA_GRP_RPL_STARTED_AUTO_REJOIN was added in 8.0.17.

- Error number: 3917; Symbol: ER_SYSVAR_CHANGE_DURING_QUERY; SQLSTATE: HY000

  Message: A plugin was loaded or unloaded during a query, a system variable table was changed.

  ER_SYSVAR_CHANGE_DURING_QUERY was added in 8.0.18.

- Error number: 3918; Symbol: ER_GLOBSTAT_CHANGE_DURING_QUERY; SQLSTATE: HY000

  Message: A plugin was loaded or unloaded during a query, a global status variable was changed.

  ER_GLOBSTAT_CHANGE_DURING_QUERY was added in 8.0.18.

- Error number: 3919; Symbol: ER_GRP_RPL_MESSAGE_SERVICE_INIT_FAILURE; SQLSTATE: HY000

  Message: The START GROUP_REPLICATION command failed to start its message service.

ER_GRP_RPL_MESSAGE_SERVICE_INIT_FAILURE was added in 8.0.18.

- Error number: 3920; Symbol: ER_CHANGE_MASTER_WRONG_COMPRESSION_ALGORITHM_CLIENT; SQLSTATE: HY000

  Message: Invalid MASTER_COMPRESSION_ALGORITHMS '%s' for channel '%s'.

  ER_CHANGE_MASTER_WRONG_COMPRESSION_ALGORITHM_CLIENT was added in 8.0.18, removed after 8.0.32.

- Error number: 3920; Symbol: ER_CHANGE_SOURCE_WRONG_COMPRESSION_ALGORITHM_CLIENT; SQLSTATE: HY000

  Message: Invalid SOURCE_COMPRESSION_ALGORITHMS '%s' for channel '%s'.

  ER_CHANGE_SOURCE_WRONG_COMPRESSION_ALGORITHM_CLIENT was added in 8.0.33.

- Error number: 3921; Symbol: ER_CHANGE_MASTER_WRONG_COMPRESSION_LEVEL_CLIENT; SQLSTATE: HY000

  Message: Invalid MASTER_ZSTD_COMPRESSION_LEVEL %u for channel '%s'.

  ER_CHANGE_MASTER_WRONG_COMPRESSION_LEVEL_CLIENT was added in 8.0.18, removed after 8.0.32.

- Error number: 3921; Symbol: ER_CHANGE_SOURCE_WRONG_COMPRESSION_LEVEL_CLIENT; SQLSTATE: HY000

  Message: Invalid SOURCE_ZSTD_COMPRESSION_LEVEL %u for channel '%s'.

  ER_CHANGE_SOURCE_WRONG_COMPRESSION_LEVEL_CLIENT was added in 8.0.33.

- Error number: 3922; Symbol: ER_WRONG_COMPRESSION_ALGORITHM_CLIENT; SQLSTATE: HY000

  Message: Invalid compression algorithm '%s'.

  ER_WRONG_COMPRESSION_ALGORITHM_CLIENT was added in 8.0.18.

- Error number: 3923; Symbol: ER_WRONG_COMPRESSION_LEVEL_CLIENT; SQLSTATE: HY000

  Message: Invalid zstd compression level for algorithm '%s'.

  ER_WRONG_COMPRESSION_LEVEL_CLIENT was added in 8.0.18.

- Error number: 3924; Symbol: ER_CHANGE_MASTER_WRONG_COMPRESSION_ALGORITHM_LIST_CLIENT; SQLSTATE: HY000

  Message: Specified compression algorithm list '%s' exceeds total count of 3 for channel '%s'.

  ER_CHANGE_MASTER_WRONG_COMPRESSION_ALGORITHM_LIST_CLIENT was added in 8.0.18, removed after 8.0.32.

- Error number: 3924; Symbol: ER_CHANGE_SOURCE_WRONG_COMPRESSION_ALGORITHM_LIST_CLIENT; SQLSTATE: HY000

  Message: Specified compression algorithm list '%s' exceeds total count of 3 for channel '%s'.

  ER_CHANGE_SOURCE_WRONG_COMPRESSION_ALGORITHM_LIST_CLIENT was added in 8.0.33.

- Error number: 3925; Symbol: ER_CLIENT_PRIVILEGE_CHECKS_USER_CANNOT_BE_ANONYMOUS; SQLSTATE: HY000

  Message: PRIVILEGE_CHECKS_USER for replication channel '%s' was set to ``@`%s`, but anonymous users are disallowed for PRIVILEGE_CHECKS_USER.

  ER_CLIENT_PRIVILEGE_CHECKS_USER_CANNOT_BE_ANONYMOUS was added in 8.0.18.

- Error number: 3926; Symbol: ER_CLIENT_PRIVILEGE_CHECKS_USER_DOES_NOT_EXIST; SQLSTATE: HY000

  Message: PRIVILEGE_CHECKS_USER for replication channel '%s' was set to `%s`@`%s`, but this is not an existing user.

  ER_CLIENT_PRIVILEGE_CHECKS_USER_DOES_NOT_EXIST was added in 8.0.18.

- Error number: 3927; Symbol: ER_CLIENT_PRIVILEGE_CHECKS_USER_CORRUPT; SQLSTATE: HY000

  Message: Invalid, corrupted PRIVILEGE_CHECKS_USER was found in the replication configuration repository for channel '%s'. Use CHANGE REPLICATION SOURCE TO PRIVILEGE_CHECKS_USER to correct the configuration.

  ER_CLIENT_PRIVILEGE_CHECKS_USER_CORRUPT was added in 8.0.18.

- Error number: 3928; Symbol: ER_CLIENT_PRIVILEGE_CHECKS_USER_NEEDS_RPL_APPLIER_PRIV; SQLSTATE: HY000

  Message: PRIVILEGE_CHECKS_USER for replication channel '%s' was set to `%s`@`%s`, but this user does not have REPLICATION_APPLIER privilege.

  ER_CLIENT_PRIVILEGE_CHECKS_USER_NEEDS_RPL_APPLIER_PRIV was added in 8.0.18.

- Error number: 3929; Symbol: ER_WARN_DA_PRIVILEGE_NOT_REGISTERED; SQLSTATE: HY000

  Message: Dynamic privilege '%s' is not registered with the server.

  ER_WARN_DA_PRIVILEGE_NOT_REGISTERED was added in 8.0.18.

- Error number: 3930; Symbol: ER_CLIENT_KEYRING_UDF_KEY_INVALID; SQLSTATE: HY000

  Message: Function '%s' failed because key is invalid.

  ER_CLIENT_KEYRING_UDF_KEY_INVALID was added in 8.0.19.

- Error number: 3931; Symbol: ER_CLIENT_KEYRING_UDF_KEY_TYPE_INVALID; SQLSTATE: HY000

  Message: Function '%s' failed because key type is invalid.

  ER_CLIENT_KEYRING_UDF_KEY_TYPE_INVALID was added in 8.0.19.

- Error number: 3932; Symbol: ER_CLIENT_KEYRING_UDF_KEY_TOO_LONG; SQLSTATE: HY000

  Message: Function '%s' failed because key length is too long.

  ER_CLIENT_KEYRING_UDF_KEY_TOO_LONG was added in 8.0.19.

- Error number: 3933; Symbol: ER_CLIENT_KEYRING_UDF_KEY_TYPE_TOO_LONG; SQLSTATE: HY000

  Message: Function '%s' failed because key type is too long.

ER_CLIENT_KEYRING_UDF_KEY_TYPE_TOO_LONG was added in 8.0.19.

- Error number: 3934; Symbol: ER_JSON_SCHEMA_VALIDATION_ERROR_WITH_DETAILED_REPORT; SQLSTATE: HY000

  Message: %s.

  ER_JSON_SCHEMA_VALIDATION_ERROR_WITH_DETAILED_REPORT was added in 8.0.19.

- Error number: 3935; Symbol: ER_DA_UDF_INVALID_CHARSET_SPECIFIED; SQLSTATE: HY000

  Message: Invalid character set '%s' was specified. It must be either character set name or collation name as supported by server.

  ER_DA_UDF_INVALID_CHARSET_SPECIFIED was added in 8.0.19.

- Error number: 3936; Symbol: ER_DA_UDF_INVALID_CHARSET; SQLSTATE: HY000

  Message: Invalid character set '%s' was specified. It must be a character set name as supported by server.

  ER_DA_UDF_INVALID_CHARSET was added in 8.0.19.

- Error number: 3937; Symbol: ER_DA_UDF_INVALID_COLLATION; SQLSTATE: HY000

  Message: Invalid collation '%s' was specified. It must be a collation name as supported by server.

  ER_DA_UDF_INVALID_COLLATION was added in 8.0.19.

- Error number: 3938; Symbol: ER_DA_UDF_INVALID_EXTENSION_ARGUMENT_TYPE; SQLSTATE: HY000

  Message: Invalid extension argument type '%s' was specified. Refer the MySQL manual for the valid UDF extension arguments type.

  ER_DA_UDF_INVALID_EXTENSION_ARGUMENT_TYPE was added in 8.0.19.

- Error number: 3939; Symbol: ER_MULTIPLE_CONSTRAINTS_WITH_SAME_NAME; SQLSTATE: HY000

  Message: Table has multiple constraints with the name '%s'. Please use constraint specific '%s' clause.

  ER_MULTIPLE_CONSTRAINTS_WITH_SAME_NAME was added in 8.0.19.

- Error number: 3940; Symbol: ER_CONSTRAINT_NOT_FOUND; SQLSTATE: HY000

  Message: Constraint '%s' does not exist.

  ER_CONSTRAINT_NOT_FOUND was added in 8.0.19.

- Error number: 3941; Symbol: ER_ALTER_CONSTRAINT_ENFORCEMENT_NOT_SUPPORTED; SQLSTATE: HY000

  Message: Altering constraint enforcement is not supported for the constraint '%s'. Enforcement state alter is not supported for the PRIMARY, UNIQUE and FOREIGN KEY type constraints.

  ER_ALTER_CONSTRAINT_ENFORCEMENT_NOT_SUPPORTED was added in 8.0.19.

- Error number: 3942; Symbol: ER_TABLE_VALUE_CONSTRUCTOR_MUST_HAVE_COLUMNS; SQLSTATE: HY000

  Message: Each row of a VALUES clause must have at least one column, unless when used as source in an INSERT statement.

  ER_TABLE_VALUE_CONSTRUCTOR_MUST_HAVE_COLUMNS was added in 8.0.19.

- Error number: 3943; Symbol: ER_TABLE_VALUE_CONSTRUCTOR_CANNOT_HAVE_DEFAULT; SQLSTATE: HY000

  Message: A VALUES clause cannot use DEFAULT values, unless used as a source in an INSERT statement.

  ER_TABLE_VALUE_CONSTRUCTOR_CANNOT_HAVE_DEFAULT was added in 8.0.19.

- Error number: 3944; Symbol: ER_CLIENT_QUERY_FAILURE_INVALID_NON_ROW_FORMAT; SQLSTATE: HY000

  Message: The query does not comply with variable require_row_format restrictions.

  ER_CLIENT_QUERY_FAILURE_INVALID_NON_ROW_FORMAT was added in 8.0.19.

- Error number: 3945; Symbol: ER_REQUIRE_ROW_FORMAT_INVALID_VALUE; SQLSTATE: HY000

  Message: The requested value %s is invalid for REQUIRE_ROW_FORMAT, must be either 0 or 1.

  ER_REQUIRE_ROW_FORMAT_INVALID_VALUE was added in 8.0.19.

- Error number: 3946; Symbol: ER_FAILED_TO_DETERMINE_IF_ROLE_IS_MANDATORY; SQLSTATE: HY000

  Message: Failed to acquire lock on user management service, unable to determine if role `%s`@`%s` is mandatory

  ER_FAILED_TO_DETERMINE_IF_ROLE_IS_MANDATORY was added in 8.0.19.

- Error number: 3947; Symbol: ER_FAILED_TO_FETCH_MANDATORY_ROLE_LIST; SQLSTATE: HY000

  Message: Failed to acquire lock on user management service, unable to fetch mandatory role list

  ER_FAILED_TO_FETCH_MANDATORY_ROLE_LIST was added in 8.0.19.

- Error number: 3948; Symbol: ER_CLIENT_LOCAL_FILES_DISABLED; SQLSTATE: 42000

  Message: Loading local data is disabled; this must be enabled on both the client and server sides

  ER_CLIENT_LOCAL_FILES_DISABLED was added in 8.0.19.

- Error number: 3949; Symbol: ER_IMP_INCOMPATIBLE_CFG_VERSION; SQLSTATE: HY000

  Message: Failed to import %s because the CFG file version (%u) is not compatible with the current version (%u)

  ER_IMP_INCOMPATIBLE_CFG_VERSION was added in 8.0.19.

- Error number: 3950; Symbol: ER_DA_OOM; SQLSTATE: HY000

  Message: Out of memory

ER_DA_OOM was added in 8.0.19.

- Error number: 3951; Symbol: ER_DA_UDF_INVALID_ARGUMENT_TO_SET_CHARSET; SQLSTATE: HY000

  Message: Character set can be set only for the UDF argument type STRING.

  ER_DA_UDF_INVALID_ARGUMENT_TO_SET_CHARSET was added in 8.0.19.

- Error number: 3952; Symbol: ER_DA_UDF_INVALID_RETURN_TYPE_TO_SET_CHARSET; SQLSTATE: HY000

  Message: Character set can be set only for the UDF RETURN type STRING.

  ER_DA_UDF_INVALID_RETURN_TYPE_TO_SET_CHARSET was added in 8.0.19.

- Error number: 3953; Symbol: ER_MULTIPLE_INTO_CLAUSES; SQLSTATE: HY000

  Message: Multiple INTO clauses in one query block.

  ER_MULTIPLE_INTO_CLAUSES was added in 8.0.19.

- Error number: 3954; Symbol: ER_MISPLACED_INTO; SQLSTATE: HY000

  Message: Misplaced INTO clause, INTO is not allowed inside subqueries, and must be placed at end of UNION clauses.

  ER_MISPLACED_INTO was added in 8.0.19.

- Error number: 3955; Symbol: ER_USER_ACCESS_DENIED_FOR_USER_ACCOUNT_BLOCKED_BY_PASSWORD_LOCK; SQLSTATE: HY000

  Message: Access denied for user '%s'@'%s'. Account is blocked for %s day(s) (%s day(s) remaining) due to %u consecutive failed logins.

  ER_USER_ACCESS_DENIED_FOR_USER_ACCOUNT_BLOCKED_BY_PASSWORD_LOCK was added in 8.0.19.

- Error number: 3956; Symbol: ER_WARN_DEPRECATED_YEAR_UNSIGNED; SQLSTATE: HY000

  Message: UNSIGNED for the YEAR data type is deprecated and support for it will be removed in a future release.

  ER_WARN_DEPRECATED_YEAR_UNSIGNED was added in 8.0.19.

- Error number: 3957; Symbol: ER_CLONE_NETWORK_PACKET; SQLSTATE: HY000

  Message: Clone needs max_allowed_packet value to be %u or more. Current value is %u

  ER_CLONE_NETWORK_PACKET was added in 8.0.19.

- Error number: 3958; Symbol: ER_SDI_OPERATION_FAILED_MISSING_RECORD; SQLSTATE: HY000

  Message: Failed to %s sdi for %s.%s in %s due to missing record.

  ER_SDI_OPERATION_FAILED_MISSING_RECORD was added in 8.0.19.

- Error number: 3959; Symbol: ER_DEPENDENT_BY_CHECK_CONSTRAINT; SQLSTATE: HY000

  Message: Check constraint '%s' uses column '%s', hence column cannot be dropped or renamed.

  ER_DEPENDENT_BY_CHECK_CONSTRAINT was added in 8.0.19.

- Error number: 3960; Symbol: ER_GRP_OPERATION_NOT_ALLOWED_GR_MUST_STOP; SQLSTATE: HY000

  Message: This operation cannot be performed while Group Replication is running; run STOP GROUP_REPLICATION first

  ER_GRP_OPERATION_NOT_ALLOWED_GR_MUST_STOP was added in 8.0.20.

- Error number: 3961; Symbol: ER_WARN_DEPRECATED_JSON_TABLE_ON_ERROR_ON_EMPTY; SQLSTATE: HY000

  Message: Specifying an ON EMPTY clause after the ON ERROR clause in a JSON_TABLE column definition is deprecated syntax and will be removed in a future release. Specify ON EMPTY before ON ERROR instead.

  ER_WARN_DEPRECATED_JSON_TABLE_ON_ERROR_ON_EMPTY was added in 8.0.20.

- Error number: 3962; Symbol: ER_WARN_DEPRECATED_INNER_INTO; SQLSTATE: HY000

  Message: The INTO clause is deprecated inside query blocks of query expressions and will be removed in a future release. Please move the INTO clause to the end of statement instead.

  ER_WARN_DEPRECATED_INNER_INTO was added in 8.0.20.

- Error number: 3963; Symbol: ER_WARN_DEPRECATED_VALUES_FUNCTION_ALWAYS_NULL; SQLSTATE: HY000

  Message: The VALUES function is deprecated and will be removed in a future release. It always returns NULL in this context. If you meant to access a value from the VALUES clause of the INSERT statement, consider using an alias (INSERT INTO ... VALUES (...) AS alias) and reference alias.col instead of VALUES(col) in the ON DUPLICATE KEY UPDATE clause.

  ER_WARN_DEPRECATED_VALUES_FUNCTION_ALWAYS_NULL was added in 8.0.20.

- Error number: 3964; Symbol: ER_WARN_DEPRECATED_SQL_CALC_FOUND_ROWS; SQLSTATE: HY000

  Message: SQL_CALC_FOUND_ROWS is deprecated and will be removed in a future release. Consider using two separate queries instead.

  ER_WARN_DEPRECATED_SQL_CALC_FOUND_ROWS was added in 8.0.16.

- Error number: 3965; Symbol: ER_WARN_DEPRECATED_FOUND_ROWS; SQLSTATE: HY000

  Message: FOUND_ROWS() is deprecated and will be removed in a future release. Consider using COUNT(*) instead.

  ER_WARN_DEPRECATED_FOUND_ROWS was added in 8.0.16.

- Error number: 3966; Symbol: ER_MISSING_JSON_VALUE; SQLSTATE: 22035

  Message: No value was found by '%s' on the specified path.

  ER_MISSING_JSON_VALUE was added in 8.0.21.

- Error number: 3967; Symbol: ER_MULTIPLE_JSON_VALUES; SQLSTATE: 22034

  Message: More than one value was found by '%s' on the specified path.

  ER_MULTIPLE_JSON_VALUES was added in 8.0.21.

- Error number: 3968; Symbol: ER_HOSTNAME_TOO_LONG; SQLSTATE: HY000

  Message: Hostname cannot be longer than %d characters.

  ER_HOSTNAME_TOO_LONG was added in 8.0.21.

- Error number: 3969; Symbol: ER_WARN_CLIENT_DEPRECATED_PARTITION_PREFIX_KEY; SQLSTATE: HY000

  Message: Column '%s.%s.%s' having prefix key part '%s(%u)' is ignored by the partitioning function. Use of prefixed columns in the PARTITION BY KEY() clause is deprecated and will be removed in a future release.

  ER_WARN_CLIENT_DEPRECATED_PARTITION_PREFIX_KEY was added in 8.0.21.

- Error number: 3970; Symbol: ER_GROUP_REPLICATION_USER_EMPTY_MSG; SQLSTATE: HY000

  Message: The START GROUP_REPLICATION command failed since the username provided for recovery channel is empty.

  ER_GROUP_REPLICATION_USER_EMPTY_MSG was added in 8.0.21.

- Error number: 3971; Symbol: ER_GROUP_REPLICATION_USER_MANDATORY_MSG; SQLSTATE: HY000

  Message: The START GROUP_REPLICATION command failed since the USER option was not provided with PASSWORD for recovery channel.

  ER_GROUP_REPLICATION_USER_MANDATORY_MSG was added in 8.0.21.

- Error number: 3972; Symbol: ER_GROUP_REPLICATION_PASSWORD_LENGTH; SQLSTATE: HY000

  Message: The START GROUP_REPLICATION command failed since the password provided for the recovery channel exceeds the maximum length of 32 characters.

  ER_GROUP_REPLICATION_PASSWORD_LENGTH was added in 8.0.21.

- Error number: 3973; Symbol: ER_SUBQUERY_TRANSFORM_REJECTED; SQLSTATE: HY000

  Message: Statement requires a transform of a subquery to a non-SET operation (like IN2EXISTS, or subquery-to-LATERAL-derived-table). This is not allowed with optimizer switch 'subquery_to_derived' on

  ER_SUBQUERY_TRANSFORM_REJECTED was added in 8.0.21.

- Error number: 3974; Symbol: ER_DA_GRP_RPL_RECOVERY_ENDPOINT_FORMAT; SQLSTATE: HY000

  Message: Invalid input value for recovery socket endpoints '%s'. Please, provide a valid, comma separated, list of endpoints (IP:port)

  ER_DA_GRP_RPL_RECOVERY_ENDPOINT_FORMAT was added in 8.0.21.

- Error number: 3975; Symbol: ER_DA_GRP_RPL_RECOVERY_ENDPOINT_INVALID; SQLSTATE: HY000

  Message: The server is not listening on endpoint '%s'. Only endpoints that the server is listening on are valid recovery endpoints.

  ER_DA_GRP_RPL_RECOVERY_ENDPOINT_INVALID was added in 8.0.21.

- Error number: 3976; Symbol: ER_WRONG_VALUE_FOR_VAR_PLUS_ACTIONABLE_PART; SQLSTATE: HY000

  Message: Variable '%s' cannot be set to the value of '%s'. %s

  ER_WRONG_VALUE_FOR_VAR_PLUS_ACTIONABLE_PART was added in 8.0.21.

- Error number: 3977; Symbol: ER_STATEMENT_NOT_ALLOWED_AFTER_START_TRANSACTION; SQLSTATE: HY000

  Message: Only BINLOG INSERT, COMMIT and ROLLBACK statements are allowed after CREATE TABLE with START TRANSACTION statement.

  ER_STATEMENT_NOT_ALLOWED_AFTER_START_TRANSACTION was added in 8.0.21.

- Error number: 3978; Symbol: ER_FOREIGN_KEY_WITH_ATOMIC_CREATE_SELECT; SQLSTATE: HY000

  Message: Foreign key creation is not allowed with CREATE TABLE as SELECT and CREATE TABLE with START TRANSACTION statement.

  ER_FOREIGN_KEY_WITH_ATOMIC_CREATE_SELECT was added in 8.0.21.

- Error number: 3979; Symbol: ER_NOT_ALLOWED_WITH_START_TRANSACTION; SQLSTATE: HY000

  Message: START TRANSACTION clause cannot be used %s

  ER_NOT_ALLOWED_WITH_START_TRANSACTION was added in 8.0.21.

- Error number: 3980; Symbol: ER_INVALID_JSON_ATTRIBUTE; SQLSTATE: HY000

  Message: Invalid json attribute, error: "%s" at pos %u: '%s'

  ER_INVALID_JSON_ATTRIBUTE was added in 8.0.21.

- Error number: 3981; Symbol: ER_ENGINE_ATTRIBUTE_NOT_SUPPORTED; SQLSTATE: HY000

  Message: Storage engine '%s' does not support ENGINE_ATTRIBUTE.

  ER_ENGINE_ATTRIBUTE_NOT_SUPPORTED was added in 8.0.21.

- Error number: 3982; Symbol: ER_INVALID_USER_ATTRIBUTE_JSON; SQLSTATE: HY000

  Message: The user attribute must be a valid JSON object

  ER_INVALID_USER_ATTRIBUTE_JSON was added in 8.0.21.

- Error number: 3983; Symbol: ER_INNODB_REDO_DISABLED; SQLSTATE: HY000

  Message: Cannot perform operation as InnoDB redo logging is disabled. Please retry after enabling redo log with ALTER INSTANCE

  ER_INNODB_REDO_DISABLED was added in 8.0.21.

- Error number: 3984; Symbol: ER_INNODB_REDO_ARCHIVING_ENABLED; SQLSTATE: HY000

  Message: Cannot perform operation as InnoDB is archiving redo log. Please retry after stopping redo archive by invoking innodb_redo_log_archive_stop()

  ER_INNODB_REDO_ARCHIVING_ENABLED was added in 8.0.21.

- Error number: 3985; Symbol: ER_MDL_OUT_OF_RESOURCES; SQLSTATE: HY000

  Message: Not enough resources to complete lock request.

  ER_MDL_OUT_OF_RESOURCES was added in 8.0.21.

- Error number: 3986; Symbol: ER_IMPLICIT_COMPARISON_FOR_JSON; SQLSTATE: HY000

  Message: Evaluating a JSON value in SQL boolean context does an implicit comparison against JSON integer 0; if this is not what you want, consider converting JSON to a SQL numeric type with JSON_VALUE RETURNING

  ER_IMPLICIT_COMPARISON_FOR_JSON was added in 8.0.21.

- Error number: 3987; Symbol: ER_FUNCTION_DOES_NOT_SUPPORT_CHARACTER_SET; SQLSTATE: HY000

  Message: The function %s does not support the character set '%s'.

  ER_FUNCTION_DOES_NOT_SUPPORT_CHARACTER_SET was added in 8.0.21.

- Error number: 3988; Symbol: ER_IMPOSSIBLE_STRING_CONVERSION; SQLSTATE: HY000

  Message: Conversion from collation %s into %s impossible for %s

  ER_IMPOSSIBLE_STRING_CONVERSION was added in 8.0.22.

- Error number: 3989; Symbol: ER_SCHEMA_READ_ONLY; SQLSTATE: HY000

  Message: Schema '%s' is in read only mode.

  ER_SCHEMA_READ_ONLY was added in 8.0.22.

- Error number: 3990; Symbol: ER_RPL_ASYNC_RECONNECT_GTID_MODE_OFF; SQLSTATE: HY000

  Message: Failed to enable Asynchronous Replication Connection Failover feature. The CHANGE REPLICATION SOURCE TO SOURCE_CONNECTION_AUTO_FAILOVER = 1 can only be set when @@GLOBAL.GTID_MODE = ON.

  ER_RPL_ASYNC_RECONNECT_GTID_MODE_OFF was added in 8.0.22.

- Error number: 3991; Symbol: ER_RPL_ASYNC_RECONNECT_AUTO_POSITION_OFF; SQLSTATE: HY000

  Message: Failed to enable Asynchronous Replication Connection Failover feature. The CHANGE REPLICATION SOURCE TO SOURCE_CONNECTION_AUTO_FAILOVER = 1 can only be set when SOURCE_AUTO_POSITION option of CHANGE REPLICATION SOURCE TO is enabled.

  ER_RPL_ASYNC_RECONNECT_AUTO_POSITION_OFF was added in 8.0.22.

- Error number: 3992; Symbol: ER_DISABLE_GTID_MODE_REQUIRES_ASYNC_RECONNECT_OFF; SQLSTATE: HY000

  Message: The @@GLOBAL.GTID_MODE = %s cannot be executed because Asynchronous Replication Connection Failover is enabled i.e. CHANGE REPLICATION SOURCE TO SOURCE_CONNECTION_AUTO_FAILOVER = 1.

  ER_DISABLE_GTID_MODE_REQUIRES_ASYNC_RECONNECT_OFF was added in 8.0.22.

- Error number: 3993; Symbol: ER_DISABLE_AUTO_POSITION_REQUIRES_ASYNC_RECONNECT_OFF; SQLSTATE: HY000

  Message: CHANGE REPLICATION SOURCE TO SOURCE_AUTO_POSITION = 0 cannot be executed because Asynchronous Replication Connection Failover is enabled i.e. CHANGE REPLICATION SOURCE TO SOURCE_CONNECTION_AUTO_FAILOVER = 1.

  ER_DISABLE_AUTO_POSITION_REQUIRES_ASYNC_RECONNECT_OFF was added in 8.0.22.

- Error number: 3994; Symbol: ER_INVALID_PARAMETER_USE; SQLSTATE: HY000

  Message: Invalid use of parameters in '%s'

  ER_INVALID_PARAMETER_USE was added in 8.0.22.

- Error number: 3995; Symbol: ER_CHARACTER_SET_MISMATCH; SQLSTATE: HY000

  Message: Character set '%s' cannot be used in conjunction with '%s' in call to %s.

  ER_CHARACTER_SET_MISMATCH was added in 8.0.22.

- Error number: 3996; Symbol: ER_WARN_VAR_VALUE_CHANGE_NOT_SUPPORTED; SQLSTATE: HY000

  Message: Changing %s not supported on this platform. Falling back to the default.

  ER_WARN_VAR_VALUE_CHANGE_NOT_SUPPORTED was added in 8.0.22.

- Error number: 3997; Symbol: ER_INVALID_TIME_ZONE_INTERVAL; SQLSTATE: HY000

  Message: Invalid time zone interval: '%s'

  ER_INVALID_TIME_ZONE_INTERVAL was added in 8.0.22.

- Error number: 3998; Symbol: ER_INVALID_CAST; SQLSTATE: HY000

  Message: Cannot cast value to %s.

  ER_INVALID_CAST was added in 8.0.22.

- Error number: 3999; Symbol: ER_HYPERGRAPH_NOT_SUPPORTED_YET; SQLSTATE: 42000

Message: The hypergraph optimizer does not yet support '%s'

ER_HYPERGRAPH_NOT_SUPPORTED_YET was added in 8.0.22.

- Error number: 4000; Symbol: ER_WARN_HYPERGRAPH_EXPERIMENTAL; SQLSTATE: HY000

  Message: The hypergraph optimizer is highly experimental and is meant for testing only. Do not enable it unless you are a MySQL developer.

  ER_WARN_HYPERGRAPH_EXPERIMENTAL was added in 8.0.22.

- Error number: 4001; Symbol: ER_DA_NO_ERROR_LOG_PARSER_CONFIGURED; SQLSTATE: HY000

  Message: None of the log-sinks selected with --log-error-services=... provides a log-parser. The server will not be able to make the previous runs' error-logs available in performance_schema.error_log.

  ER_DA_NO_ERROR_LOG_PARSER_CONFIGURED was added in 8.0.22.

- Error number: 4002; Symbol: ER_DA_ERROR_LOG_TABLE_DISABLED; SQLSTATE: HY000

  Message: None of the log-sinks selected in @@global.log_error_services supports writing to the performance schema. The server will not be able to make the current runs' error events available in performance_schema.error_log. To change this, add a log-sink that supports the performance schema to @@global.log_error_services.

  ER_DA_ERROR_LOG_TABLE_DISABLED was added in 8.0.22.

- Error number: 4003; Symbol: ER_DA_ERROR_LOG_MULTIPLE_FILTERS; SQLSTATE: HY000

  Message: @@global.log_error_services lists more than one log-filter service. This is discouraged as it will make it hard to understand which rule in which filter affected a log-event.

  ER_DA_ERROR_LOG_MULTIPLE_FILTERS was added in 8.0.22.

- Error number: 4004; Symbol: ER_DA_CANT_OPEN_ERROR_LOG; SQLSTATE: HY000

  Message: Could not open file '%s' for error logging%s%s

  ER_DA_CANT_OPEN_ERROR_LOG was added in 8.0.22.

- Error number: 4005; Symbol: ER_USER_REFERENCED_AS_DEFINER; SQLSTATE: HY000

  Message: User %s is referenced as a definer account in %s.

  ER_USER_REFERENCED_AS_DEFINER was added in 8.0.22.

- Error number: 4006; Symbol: ER_CANNOT_USER_REFERENCED_AS_DEFINER; SQLSTATE: HY000

  Message: Operation %s failed for %s as it is referenced as a definer account in %s.

  ER_CANNOT_USER_REFERENCED_AS_DEFINER was added in 8.0.22.

- Error number: 4007; Symbol: ER_REGEX_NUMBER_TOO_BIG; SQLSTATE: HY000

  Message: Decimal number in regular expression is too large.

  ER_REGEX_NUMBER_TOO_BIG was added in 8.0.22.

- Error number: 4008; Symbol: ER_SPVAR_NONINTEGER_TYPE; SQLSTATE: HY000

Message: The variable "%s" has a non-integer based type

`ER_SPVAR_NONINTEGER_TYPE` was added in 8.0.22.

- Error number: `4009`; Symbol: `WARN_UNSUPPORTED_ACL_TABLES_READ`; SQLSTATE: `HY000`

  Message: Reads with serializable isolation/SELECT FOR SHARE are not supported for ACL tables.

  `WARN_UNSUPPORTED_ACL_TABLES_READ` was added in 8.0.22.

- Error number: `4010`; Symbol: `ER_BINLOG_UNSAFE_ACL_TABLE_READ_IN_DML_DDL`; SQLSTATE: `HY000`

  Message: The statement is unsafe because it updates a table depending on ACL table read operation. As storage engine row locks are skipped for ACL table, it may not have same effect on source and replica.

  `ER_BINLOG_UNSAFE_ACL_TABLE_READ_IN_DML_DDL` was added in 8.0.22.

- Error number: `4011`; Symbol: `ER_STOP_REPLICA_MONITOR_IO_THREAD_TIMEOUT`; SQLSTATE: `HY000`

  Message: STOP REPLICA command execution is incomplete: Replica Monitor thread got the stop signal, thread is busy, Monitor thread will stop once the current task is complete.

  `ER_STOP_REPLICA_MONITOR_IO_THREAD_TIMEOUT` was added in 8.0.23.

- Error number: `4012`; Symbol: `ER_STARTING_REPLICA_MONITOR_IO_THREAD`; SQLSTATE: `HY000`

  Message: The Replica Monitor thread failed to start.

  `ER_STARTING_REPLICA_MONITOR_IO_THREAD` was added in 8.0.23.

- Error number: `4013`; Symbol: `ER_CANT_USE_ANONYMOUS_TO_GTID_WITH_GTID_MODE_NOT_ON`; SQLSTATE: `HY000`

  Message: Replication cannot start%s with ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS = LOCAL|<UUID> as this server uses @@GLOBAL.GTID_MODE <> ON.

  `ER_CANT_USE_ANONYMOUS_TO_GTID_WITH_GTID_MODE_NOT_ON` was added in 8.0.23.

- Error number: `4014`; Symbol: `ER_CANT_COMBINE_ANONYMOUS_TO_GTID_AND_AUTOPOSITION`; SQLSTATE: `HY000`

  Message: The options ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS = LOCAL|<UUID> and SOURCE_AUTO_POSITION = 1 cannot be used together.

  `ER_CANT_COMBINE_ANONYMOUS_TO_GTID_AND_AUTOPOSITION` was added in 8.0.23.

- Error number: 4015; Symbol: ER_ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS_REQUIRES_GTID_MODE_ON; SQLSTATE: HY000

  Message: CHANGE REPLICATION SOURCE TO ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS = LOCAL|<UUID> cannot be executed because @@GLOBAL.GTID_MODE <> ON.

  ER_ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS_REQUIRES_GTID_MODE_ON was added in 8.0.23.

- Error number: 4016; Symbol: ER_SQL_SLAVE_SKIP_COUNTER_USED_WITH_GTID_MODE_ON; SQLSTATE: HY000

  Message: The value of sql_slave_skip_counter will only take effect for channels running with ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS <> OFF.

  ER_SQL_SLAVE_SKIP_COUNTER_USED_WITH_GTID_MODE_ON was added in 8.0.23, removed after 8.0.25.

- Error number: 4016; Symbol: ER_SQL_REPLICA_SKIP_COUNTER_USED_WITH_GTID_MODE_ON; SQLSTATE: HY000

  Message: The value of sql_replica_skip_counter will only take effect for channels running with ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS <> OFF.

  ER_SQL_REPLICA_SKIP_COUNTER_USED_WITH_GTID_MODE_ON was added in 8.0.26.

- Error number: 4017; Symbol: ER_USING_ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS_AS_LOCAL_OR_UUID; SQLSTATE: HY000

  Message: Using ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS creates limitations on the replication topology - you cannot fail over between downstream and upstream servers. Only use this option if it is not possible to enable GTIDs on the source, for instance, because of lack of permissions. If possible, use the procedure for enabling GTID transactions online instead, as described in the documentation.

  ER_USING_ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS_AS_LOCAL_OR_UUID was added in 8.0.23.

- Error number: 4018; Symbol: ER_CANT_SET_ANONYMOUS_TO_GTID_AND_WAIT_UNTIL_SQL_THD_AFTER_GTIDS; SQLSTATE: HY000

  Message: WAIT_UNTIL_SQL_THREAD_AFTER_GTIDS cannot be used on a channel configured with ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS = LOCAL|<UUID>

  ER_CANT_SET_ANONYMOUS_TO_GTID_AND_WAIT_UNTIL_SQL_THD_AFTER_GTIDS was added in 8.0.23.

- Error number: 4019; Symbol: ER_CANT_SET_SQL_AFTER_OR_BEFORE_GTIDS_WITH_ANONYMOUS_TO_GTID; SQLSTATE: HY000

  Message: The SQL_AFTER_GTIDS or SQL_BEFORE_GTIDS clauses for START REPLICA cannot be used when the replication channel is configured with ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS = LOCAL|<UUID>.

ER_CANT_SET_SQL_AFTER_OR_BEFORE_GTIDS_WITH_ANONYMOUS_TO_GTID was added in 8.0.23.

- Error number: 4020; Symbol: ER_ANONYMOUS_TO_GTID_UUID_SAME_AS_GROUP_NAME; SQLSTATE: HY000

  Message: Replication '%s' is configured with ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS = <UUID> where the UUID value is equal to the group_replication_group_name

  ER_ANONYMOUS_TO_GTID_UUID_SAME_AS_GROUP_NAME was added in 8.0.23.

- Error number: 4021; Symbol: ER_CANT_USE_SAME_UUID_AS_GROUP_NAME; SQLSTATE: HY000

  Message: CHANGE REPLICATION SOURCE TO ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS = <UUID> cannot be executed because the UUID value is equal to the group_replication_group_name.

  ER_CANT_USE_SAME_UUID_AS_GROUP_NAME was added in 8.0.23.

- Error number: 4022; Symbol: ER_GRP_RPL_RECOVERY_CHANNEL_STILL_RUNNING; SQLSTATE: HY000

  Message: The group_replication_recovery channel is still running, most likely it is waiting for a database/table lock, which is preventing the channel from stopping. Please check database/table locks, including the ones created by backup tools.

  ER_GRP_RPL_RECOVERY_CHANNEL_STILL_RUNNING was added in 8.0.23.

- Error number: 4023; Symbol: ER_INNODB_INVALID_AUTOEXTEND_SIZE_VALUE; SQLSTATE: HY000

  Message: AUTOEXTEND_SIZE should be a multiple of %uM

  ER_INNODB_INVALID_AUTOEXTEND_SIZE_VALUE was added in 8.0.23.

- Error number: 4024; Symbol: ER_INNODB_INCOMPATIBLE_WITH_TABLESPACE; SQLSTATE: HY000

  Message: InnoDB: "%s" not allowed with general tablespaces

  ER_INNODB_INCOMPATIBLE_WITH_TABLESPACE was added in 8.0.23.

- Error number: 4025; Symbol: ER_INNODB_AUTOEXTEND_SIZE_OUT_OF_RANGE; SQLSTATE: HY000

  Message: AUTOEXTEND_SIZE value should be between %uM and %uM

  ER_INNODB_AUTOEXTEND_SIZE_OUT_OF_RANGE was added in 8.0.23.

- Error number: 4026; Symbol: ER_CANNOT_USE_AUTOEXTEND_SIZE_CLAUSE; SQLSTATE: HY000

  Message: AUTOEXTEND_SIZE clause is not valid for %s tablespace.

  ER_CANNOT_USE_AUTOEXTEND_SIZE_CLAUSE was added in 8.0.23.

- Error number: 4027; Symbol: ER_ROLE_GRANTED_TO_ITSELF; SQLSTATE: HY000

  Message: User account %s is directly or indirectly granted to the role %s. The GRANT would create a loop

  ER_ROLE_GRANTED_TO_ITSELF was added in 8.0.23.

- Error number: 4028; Symbol: ER_TABLE_MUST_HAVE_A_VISIBLE_COLUMN; SQLSTATE: HY000

  Message: A table must have at least one visible column.

  ER_TABLE_MUST_HAVE_A_VISIBLE_COLUMN was added in 8.0.23.

- Error number: 4029; Symbol: ER_INNODB_COMPRESSION_FAILURE; SQLSTATE: HY000

  Message: Compression failed with the following error : %s

  ER_INNODB_COMPRESSION_FAILURE was added in 8.0.23.

- Error number: 4030; Symbol: ER_WARN_ASYNC_CONN_FAILOVER_NETWORK_NAMESPACE; SQLSTATE: HY000

  Message: The parameter network_namespace is reserved for future use. Please use the CHANGE REPLICATION SOURCE command to set channel network_namespace parameter.

  ER_WARN_ASYNC_CONN_FAILOVER_NETWORK_NAMESPACE was added in 8.0.23.

- Error number: 4031; Symbol: ER_CLIENT_INTERACTION_TIMEOUT; SQLSTATE: HY000

  Message: The client was disconnected by the server because of inactivity. See wait_timeout and interactive_timeout for configuring this behavior.

  ER_CLIENT_INTERACTION_TIMEOUT was added in 8.0.24.

- Error number: 4032; Symbol: ER_INVALID_CAST_TO_GEOMETRY; SQLSTATE: 22S01

  Message: Invalid cast from %s to %s.

  ER_INVALID_CAST_TO_GEOMETRY was added in 8.0.24.

- Error number: 4033; Symbol: ER_INVALID_CAST_POLYGON_RING_DIRECTION; SQLSTATE: 22S04

  Message: Invalid cast from %s to %s. A polygon ring is in the wrong direction.

  ER_INVALID_CAST_POLYGON_RING_DIRECTION was added in 8.0.24.

- Error number: 4034; Symbol: ER_GIS_DIFFERENT_SRIDS_AGGREGATION; SQLSTATE: 22S05

  Message: Arguments to function %s contains geometries with different SRIDs: %u and %u. All geometries must have the same SRID.

  ER_GIS_DIFFERENT_SRIDS_AGGREGATION was added in 8.0.24.

- Error number: 4035; Symbol: ER_RELOAD_KEYRING_FAILURE; SQLSTATE: HY000

  Message: Keyring reload failed. Please check error log for more details.

  ER_RELOAD_KEYRING_FAILURE was added in 8.0.24.

- Error number: 4036; Symbol: ER_SDI_GET_KEYS_INVALID_TABLESPACE; SQLSTATE: HY000

  Message: Tablespace '%s' is invalid for SDI operations.

  ER_SDI_GET_KEYS_INVALID_TABLESPACE was added in 8.0.24.

- Error number: 4037; Symbol: ER_CHANGE_RPL_SRC_WRONG_COMPRESSION_ALGORITHM_SIZE; SQLSTATE: HY000

Message: Value too long setting SOURCE_COMPRESSION_ALGORITHMS option to a %d chars long string for channel '%s'.

ER_CHANGE_RPL_SRC_WRONG_COMPRESSION_ALGORITHM_SIZE was added in 8.0.24.

- Error number: 4038; Symbol: ER_WARN_DEPRECATED_TLS_VERSION_FOR_CHANNEL_CLI; SQLSTATE: HY000

  Message: A deprecated TLS version %s is enabled for channel %s. Please use TLSv1.2 or higher.

  ER_WARN_DEPRECATED_TLS_VERSION_FOR_CHANNEL_CLI was added in 8.0.26, removed after 8.0.27.

- Error number: 4039; Symbol: ER_CANT_USE_SAME_UUID_AS_VIEW_CHANGE_UUID; SQLSTATE: HY000

  Message: CHANGE REPLICATION SOURCE TO ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS = <UUID> cannot be executed because the UUID value is equal to the group_replication_view_change_uuid.

  ER_CANT_USE_SAME_UUID_AS_VIEW_CHANGE_UUID was added in 8.0.26.

- Error number: 4040; Symbol: ER_ANONYMOUS_TO_GTID_UUID_SAME_AS_VIEW_CHANGE_UUID; SQLSTATE: HY000

  Message: Replication '%s' is configured with ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS = <UUID> where the UUID value is equal to the group_replication_view_change_uuid

  ER_ANONYMOUS_TO_GTID_UUID_SAME_AS_VIEW_CHANGE_UUID was added in 8.0.26.

- Error number: 4041; Symbol: ER_GRP_RPL_VIEW_CHANGE_UUID_FAIL_GET_VARIABLE; SQLSTATE: HY000

  Message: Unable to retrieve group_replication_view_change_uuid variable during server checks on replication operations.

  ER_GRP_RPL_VIEW_CHANGE_UUID_FAIL_GET_VARIABLE was added in 8.0.26.

- Error number: 4042; Symbol: ER_WARN_ADUIT_LOG_MAX_SIZE_AND_PRUNE_SECONDS; SQLSTATE: HY000

  Message: Both audit_log_max_size and audit_log_prune_seconds are set to non-zero. audit_log_max_size takes precedence and audit_log_prune_seconds is ignored

  ER_WARN_ADUIT_LOG_MAX_SIZE_AND_PRUNE_SECONDS was added in 8.0.26.

- Error number: 4043; Symbol: ER_WARN_ADUIT_LOG_MAX_SIZE_CLOSE_TO_ROTATE_ON_SIZE; SQLSTATE: HY000

  Message: audit_log_rotate_on_size is not granular enough for the value of audit_log_max_size supplied. Should be at least %d times smaller.

  ER_WARN_ADUIT_LOG_MAX_SIZE_CLOSE_TO_ROTATE_ON_SIZE was added in 8.0.26.

- Error number: 4044; Symbol: ER_KERBEROS_CREATE_USER; SQLSTATE: HY000

  Message: Create/Alter user has failed, Configured user realm as authentication string is empty, Please make sure to configure authentication string as user realm.

  ER_KERBEROS_CREATE_USER was added in 8.0.26.

- Error number: 4045; Symbol: ER_INSTALL_PLUGIN_CONFLICT_CLIENT; SQLSTATE: HY000

  Message: Cannot install the %s plugin when the %s plugin is installed.

  ER_INSTALL_PLUGIN_CONFLICT_CLIENT was added in 8.0.26.

- Error number: 4046; Symbol: ER_DA_ERROR_LOG_COMPONENT_FLUSH_FAILED; SQLSTATE: HY000

  Message: %d error logging component(s) failed to flush. For file-based logs this can happen when the path or permissions of the log-file have changed. Failure to flush filed-based logs may affect log-rotation.

  ER_DA_ERROR_LOG_COMPONENT_FLUSH_FAILED was added in 8.0.26.

- Error number: 4047; Symbol: ER_WARN_SQL_AFTER_MTS_GAPS_GAP_NOT_CALCULATED; SQLSTATE: HY000

  Message: The until clause SQL_AFTER_MTS_GAPS is being used for channel '%s' when GTID_MODE = ON and SOURCE_AUTO_POSITION=1 meaning the server did not compute internally what gaps may exist in the relay log transaction execution. To close any execution gaps use either the SQL_BEFORE_GTIDS or SQL_AFTER_GTIDS until clause.

  ER_WARN_SQL_AFTER_MTS_GAPS_GAP_NOT_CALCULATED was added in 8.0.26.

- Error number: 4048; Symbol: ER_INVALID_ASSIGNMENT_TARGET; SQLSTATE: 42000

  Message: Invalid target for assignment in INSERT or UPDATE statement '%s'.

  ER_INVALID_ASSIGNMENT_TARGET was added in 8.0.26.

- Error number: 4049; Symbol: ER_OPERATION_NOT_ALLOWED_ON_GR_SECONDARY; SQLSTATE: HY000

  Message: This operation cannot be performed on a Group Replication secondary member, it must be done on the group primary.

  ER_OPERATION_NOT_ALLOWED_ON_GR_SECONDARY was added in 8.0.26.

- Error number: 4050; Symbol: ER_GRP_RPL_FAILOVER_CHANNEL_STATUS_PROPAGATION; SQLSTATE: HY000

  Message: Unable to propagate the SOURCE_CONNECTION_AUTO_FAILOVER value for channel '%s' to group replication members. Please retry the operation.

  ER_GRP_RPL_FAILOVER_CHANNEL_STATUS_PROPAGATION was added in 8.0.26.

- Error number: 4051; Symbol: ER_WARN_AUDIT_LOG_FORMAT_UNIX_TIMESTAMP_ONLY_WHEN_JSON; SQLSTATE: HY000

  Message: audit_log_format_unix_timestamp is applicable only when audit_log_format = JSON.

  ER_WARN_AUDIT_LOG_FORMAT_UNIX_TIMESTAMP_ONLY_WHEN_JSON was added in 8.0.26.

- Error number: 4052; Symbol: ER_INVALID_MFA_PLUGIN_SPECIFIED; SQLSTATE: HY000

  Message: Invalid plugin "%s" specified as %d factor during "%s".

  ER_INVALID_MFA_PLUGIN_SPECIFIED was added in 8.0.27.

- Error number: 4053; Symbol: ER_IDENTIFIED_BY_UNSUPPORTED; SQLSTATE: HY000

  Message: IDENTIFIED BY clause during "%s" not supported for plugin "%s".

  ER_IDENTIFIED_BY_UNSUPPORTED was added in 8.0.27.

- Error number: 4054; Symbol: ER_INVALID_PLUGIN_FOR_REGISTRATION; SQLSTATE: HY000

  Message: This operation is not supported for plugin "%s".

  ER_INVALID_PLUGIN_FOR_REGISTRATION was added in 8.0.27.

- Error number: 4055; Symbol: ER_PLUGIN_REQUIRES_REGISTRATION; SQLSTATE: HY000

  Message: Authentication plugin requires registration. Please refer ALTER USER syntax or set --fido-register-factor command line option to do registration.

  ER_PLUGIN_REQUIRES_REGISTRATION was added in 8.0.27.

- Error number: 4056; Symbol: ER_MFA_METHOD_EXISTS; SQLSTATE: HY000

  Message: %d factor authentication method exists. Please do ALTER USER... DROP %d factor before doing this operation OR do ALTER USER... MODIFY %d factor... to modify existing %d factor authentication method.

  ER_MFA_METHOD_EXISTS was added in 8.0.27.

- Error number: 4057; Symbol: ER_MFA_METHOD_NOT_EXISTS; SQLSTATE: HY000

  Message: %d factor authentication method doesn't exist. Please do ALTER USER... ADD %d factor... before doing this operation.

  ER_MFA_METHOD_NOT_EXISTS was added in 8.0.27.

- Error number: 4058; Symbol: ER_AUTHENTICATION_POLICY_MISMATCH; SQLSTATE: HY000

  Message: %d factor authentication method does not match against authentication policy. Please refer @@authentication_policy system variable.

  ER_AUTHENTICATION_POLICY_MISMATCH was added in 8.0.27.

- Error number: 4059; Symbol: ER_PLUGIN_REGISTRATION_DONE; SQLSTATE: HY000

  Message: The registration for %d factor authentication method is already completed. You cannot perform registration multiple times.

  ER_PLUGIN_REGISTRATION_DONE was added in 8.0.27.

- Error number: 4060; Symbol: ER_INVALID_USER_FOR_REGISTRATION; SQLSTATE: HY000

  Message: The registration operation is not allowed for user '%s'@'%s'. The operation can only be performed in user's own session.

  ER_INVALID_USER_FOR_REGISTRATION was added in 8.0.27.

- Error number: 4061; Symbol: ER_USER_REGISTRATION_FAILED; SQLSTATE: HY000

  Message: Authentication plugin's registration failed.

  ER_USER_REGISTRATION_FAILED was added in 8.0.27.

- Error number: 4062; Symbol: ER_MFA_METHODS_INVALID_ORDER; SQLSTATE: HY000

  Message: %d factor authentication method should be added before %d factor authentication method.

  ER_MFA_METHODS_INVALID_ORDER was added in 8.0.27.

- Error number: 4063; Symbol: ER_MFA_METHODS_IDENTICAL; SQLSTATE: HY000

  Message: Authentication factor should be different.

  ER_MFA_METHODS_IDENTICAL was added in 8.0.27.

- Error number: 4064; Symbol: ER_INVALID_MFA_OPERATIONS_FOR_PASSWORDLESS_USER; SQLSTATE: HY000

  Message: The operation "%s" cannot be performed for user '%s'@'%s' configured to connect without a password.

  ER_INVALID_MFA_OPERATIONS_FOR_PASSWORDLESS_USER was added in 8.0.27.

- Error number: 4065; Symbol: ER_CHANGE_REPLICATION_SOURCE_NO_OPTIONS_FOR_GTID_ONLY; SQLSTATE: HY000

  Message: GTID_ONLY cannot be enabled for replication channel '%s'. You need GTID_MODE = ON, SOURCE_AUTO_POSITION = 1 and REQUIRE_ROW_FORMAT = 1.

  ER_CHANGE_REPLICATION_SOURCE_NO_OPTIONS_FOR_GTID_ONLY was added in 8.0.27.

- Error number: 4066; Symbol: ER_CHANGE_REP_SOURCE_CANT_DISABLE_REQ_ROW_FORMAT_WITH_GTID_ONLY; SQLSTATE: HY000

  Message: REQUIRE_ROW_FORMAT cannot be disabled for replication channel '%s' when GTID_ONLY=1.

  ER_CHANGE_REP_SOURCE_CANT_DISABLE_REQ_ROW_FORMAT_WITH_GTID_ONLY was added in 8.0.27.

- Error number: 4067; Symbol: ER_CHANGE_REP_SOURCE_CANT_DISABLE_AUTO_POSITION_WITH_GTID_ONLY; SQLSTATE: HY000

  Message: SOURCE_AUTO_POSITION cannot be disabled for replication channel '%s' when GTID_ONLY=1.

  ER_CHANGE_REP_SOURCE_CANT_DISABLE_AUTO_POSITION_WITH_GTID_ONLY was added in 8.0.27.

- Error number: 4068; Symbol: ER_CHANGE_REP_SOURCE_CANT_DISABLE_GTID_ONLY_WITHOUT_POSITIONS; SQLSTATE: HY000

  Message: When disabling GTID_ONLY and SOURCE_AUTO_POSITION FOR CHANNEL '%s' you must provide SOURCE_LOG_FILE and SOURCE_LOG_POS as source positions are invalid.

  ER_CHANGE_REP_SOURCE_CANT_DISABLE_GTID_ONLY_WITHOUT_POSITIONS was added in 8.0.27.

- Error number: 4069; Symbol: ER_CHANGE_REP_SOURCE_CANT_DISABLE_AUTO_POS_WITHOUT_POSITIONS; SQLSTATE: HY000

  Message: When disabling SOURCE_AUTO_POSITION FOR CHANNEL '%s' you must provide SOURCE_LOG_FILE and SOURCE_LOG_POS as source positions are invalid.

  ER_CHANGE_REP_SOURCE_CANT_DISABLE_AUTO_POS_WITHOUT_POSITIONS was added in 8.0.27.

- Error number: 4070; Symbol: ER_CHANGE_REP_SOURCE_GR_CHANNEL_WITH_GTID_MODE_NOT_ON; SQLSTATE: HY000

  Message: When configuring a group replication channel you must do it when GTID_MODE = ON.

  ER_CHANGE_REP_SOURCE_GR_CHANNEL_WITH_GTID_MODE_NOT_ON was added in 8.0.27.

- Error number: 4071; Symbol: ER_CANT_USE_GTID_ONLY_WITH_GTID_MODE_NOT_ON; SQLSTATE: HY000

  Message: Replication cannot start%s with GTID_ONLY = 1 as this server uses @@GLOBAL.GTID_MODE <> ON.

  ER_CANT_USE_GTID_ONLY_WITH_GTID_MODE_NOT_ON was added in 8.0.27.

- Error number: 4072; Symbol: ER_WARN_C_DISABLE_GTID_ONLY_WITH_SOURCE_AUTO_POS_INVALID_POS; SQLSTATE: HY000

  Message: The replication positions relative to the source may be out-of-date on channel '%s', due to the use of GTID_ONLY=1. The out-of-date positions can still be used in some cases so, in order to update them, we suggest that you start the replication to receive and apply at least one transaction, which will set the positions to valid values.

  ER_WARN_C_DISABLE_GTID_ONLY_WITH_SOURCE_AUTO_POS_INVALID_POS was added in 8.0.27.

- Error number: 4073; Symbol: ER_DA_SSL_FIPS_MODE_ERROR; SQLSTATE: HY000

  Message: SSL fips mode error: %s

  ER_DA_SSL_FIPS_MODE_ERROR was added in 8.0.27.

- Error number: 4074; Symbol: ER_VALUE_OUT_OF_RANGE; SQLSTATE: HY000

Message: %s=%llu is outside the valid range [%llu,%llu]. %llu will be used.

`ER_VALUE_OUT_OF_RANGE` was added in 8.0.27.

- Error number: `4075`; Symbol: `ER_FULLTEXT_WITH_ROLLUP`; SQLSTATE: `HY000`

  Message: MATCH does not support ROLLUP columns.

  `ER_FULLTEXT_WITH_ROLLUP` was added in 8.0.28.

- Error number: `4076`; Symbol: `ER_REGEXP_MISSING_RESOURCE`; SQLSTATE: `HY000`

  Message: Missing locale resource in regular expression library.

  `ER_REGEXP_MISSING_RESOURCE` was added in 8.0.28.

- Error number: `4077`; Symbol: `ER_WARN_REGEXP_USING_DEFAULT`; SQLSTATE: `HY000`

  Message: Regular expression library used default (root) locale.

  `ER_WARN_REGEXP_USING_DEFAULT` was added in 8.0.28.

- Error number: `4078`; Symbol: `ER_REGEXP_MISSING_FILE`; SQLSTATE: `HY000`

  Message: Missing data file in regular expression library.

  `ER_REGEXP_MISSING_FILE` was added in 8.0.28.

- Error number: `4079`; Symbol: `ER_WARN_DEPRECATED_COLLATION`; SQLSTATE: `HY000`

  Message: '%s' is a collation of the deprecated character set %s. Please consider using %s with an appropriate collation instead.

  `ER_WARN_DEPRECATED_COLLATION` was added in 8.0.28.

- Error number: `4080`; Symbol: `ER_CONCURRENT_PROCEDURE_USAGE`; SQLSTATE: `HY000`

  Message: The %s was called when there was already another concurrent call to this procedure. No action was taken. Wait for other calls to %s to finish before retrying.

  `ER_CONCURRENT_PROCEDURE_USAGE` was added in 8.0.28.

- Error number: `4081`; Symbol: `ER_DA_GLOBAL_CONN_LIMIT`; SQLSTATE: `HY000`

  Message: Connection closed. Global connection memory limit %llu bytes exceeded. Consumed %llu bytes.

  `ER_DA_GLOBAL_CONN_LIMIT` was added in 8.0.28.

- Error number: `4082`; Symbol: `ER_DA_CONN_LIMIT`; SQLSTATE: `HY000`

  Message: Connection closed. Connection memory limit %llu bytes exceeded. Consumed %llu bytes.

  `ER_DA_CONN_LIMIT` was added in 8.0.28.

- Error number: `4083`; Symbol: `ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_COLUMN_TYPE_INSTANT`; SQLSTATE: `HY000`

  Message: Need to rebuild the table to change column type

ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_COLUMN_TYPE_INSTANT was added in 8.0.28.

- Error number: 4084; Symbol: ER_WARN_SF_UDF_NAME_COLLISION; SQLSTATE: HY000

  Message: This function '%s' has the same name as a loadable function (UDF). To invoke the stored function, it is necessary to qualify it with the schema name.

  ER_WARN_SF_UDF_NAME_COLLISION was added in 8.0.28.

- Error number: 4085; Symbol: ER_CANNOT_PURGE_BINLOG_WITH_BACKUP_LOCK; SQLSTATE: HY000

  Message: Could not purge binary logs since another session is executing LOCK INSTANCE FOR BACKUP. Wait for that session to release the lock.

  ER_CANNOT_PURGE_BINLOG_WITH_BACKUP_LOCK was added in 8.0.28.

- Error number: 4086; Symbol: ER_TOO_MANY_WINDOWS; SQLSTATE: HY000

  Message: Too many windows in SELECT: %d. Maximum allowed is %d. Use named windows to share windows between window functions.

  ER_TOO_MANY_WINDOWS was added in 8.0.28.

- Error number: 4087; Symbol: ER_MYSQLBACKUP_CLIENT_MSG; SQLSTATE: HY000

  Message: %s

  ER_MYSQLBACKUP_CLIENT_MSG was added in 8.0.28.

- Error number: 4088; Symbol: ER_COMMENT_CONTAINS_INVALID_STRING; SQLSTATE: HY000

  Message: Comment for %s '%s' contains an invalid %s character string: '%s'.

  ER_COMMENT_CONTAINS_INVALID_STRING was added in 8.0.28.

- Error number: 4089; Symbol: ER_DEFINITION_CONTAINS_INVALID_STRING; SQLSTATE: HY000

  Message: Definition of %s '%s.%s' contains an invalid %s character string: '%s'.

  ER_DEFINITION_CONTAINS_INVALID_STRING was added in 8.0.28.

- Error number: 4090; Symbol: ER_CANT_EXECUTE_COMMAND_WITH_ASSIGNED_GTID_NEXT; SQLSTATE: HY000

  Message: Can't execute the given command when @@SESSION.GTID_NEXT == 'UUID:NUMBER'.

  ER_CANT_EXECUTE_COMMAND_WITH_ASSIGNED_GTID_NEXT was added in 8.0.28.

- Error number: 4091; Symbol: ER_XA_TEMP_TABLE; SQLSTATE: HY000

  Message: XA: Temporary tables cannot be accessed inside XA transactions when xa_detach_on_prepare=ON

  ER_XA_TEMP_TABLE was added in 8.0.29.

- Error number: 4092; Symbol: ER_INNODB_MAX_ROW_VERSION; SQLSTATE: HY000

  Message: Maximum row versions reached for table %s. No more columns can be added or dropped instantly. Please use COPY/INPLACE.

ER_INNODB_MAX_ROW_VERSION was added in 8.0.29.

- Error number: 4093; Symbol: ER_INNODB_INSTANT_ADD_NOT_SUPPORTED_MAX_SIZE; SQLSTATE: HY000

  Message: Column can't be added with ALGORITHM=INSTANT as after this max possible row size crosses max permissible row size. Try ALGORITHM=INPLACE/COPY.

  ER_INNODB_INSTANT_ADD_NOT_SUPPORTED_MAX_SIZE was added in 8.0.29, removed after 8.0.31.

- Error number: 4094; Symbol: ER_OPERATION_NOT_ALLOWED_WHILE_PRIMARY_CHANGE_IS_RUNNING; SQLSTATE: HY000

  Message: All queries have been blocked while function 'group_replication_set_as_primary()' is executing. Please refer timeout parameter of function 'group_replication_set_as_primary()'.

  ER_OPERATION_NOT_ALLOWED_WHILE_PRIMARY_CHANGE_IS_RUNNING was added in 8.0.29.

- Error number: 4095; Symbol: ER_WARN_DEPRECATED_DATETIME_DELIMITER; SQLSTATE: HY000

  Message: Delimiter '%s' in position %d in datetime value '%s' at row %d is deprecated. Prefer the standard '%c'.

  ER_WARN_DEPRECATED_DATETIME_DELIMITER was added in 8.0.29.

- Error number: 4096; Symbol: ER_WARN_DEPRECATED_SUPERFLUOUS_DELIMITER; SQLSTATE: HY000

  Message: Delimiter '%s' in position %d in datetime value '%s' at row %d is superfluous and is deprecated. Please remove.

  ER_WARN_DEPRECATED_SUPERFLUOUS_DELIMITER was added in 8.0.29.

- Error number: 4097; Symbol: ER_CANNOT_PERSIST_SENSITIVE_VARIABLES; SQLSTATE: HY000

  Message: Cannot persist SENSITIVE system variable '%s' because keyring component support is unavailable.

  ER_CANNOT_PERSIST_SENSITIVE_VARIABLES was added in 8.0.29.

- Error number: 4098; Symbol: ER_WARN_CANNOT_SECURELY_PERSIST_SENSITIVE_VARIABLES; SQLSTATE: HY000

  Message: SENSITIVE system variable '%s' was persisted without encryption. Consider restarting server with keyring component support to persist SENSITIVE variables securely.

  ER_WARN_CANNOT_SECURELY_PERSIST_SENSITIVE_VARIABLES was added in 8.0.29.

- Error number: 4099; Symbol: ER_WARN_TRG_ALREADY_EXISTS; SQLSTATE: HY000

  Message: Trigger '%s' already exists on the table '%s'.'%s'.

  ER_WARN_TRG_ALREADY_EXISTS was added in 8.0.29.

- Error number: 4100; Symbol: ER_IF_NOT_EXISTS_UNSUPPORTED_TRG_EXISTS_ON_DIFFERENT_TABLE; SQLSTATE: HY000

  Message: Trigger '%s'.'%s' already exists on a different table. The 'IF NOT EXISTS' clause is only supported for triggers associated with the same table.

  ER_IF_NOT_EXISTS_UNSUPPORTED_TRG_EXISTS_ON_DIFFERENT_TABLE was added in 8.0.29.

- Error number: 4101; Symbol: ER_IF_NOT_EXISTS_UNSUPPORTED_UDF_NATIVE_FCT_NAME_COLLISION; SQLSTATE: HY000

  Message: This function '%s' has the same name as a native function. The 'IF NOT EXISTS' clause is not supported while creating a loadable function with the same name as a native function.

  ER_IF_NOT_EXISTS_UNSUPPORTED_UDF_NATIVE_FCT_NAME_COLLISION was added in 8.0.29.

- Error number: 4102; Symbol: ER_SET_PASSWORD_AUTH_PLUGIN_ERROR; SQLSTATE: HY000

  Message: SET PASSWORD has no significance for user '%s'@'%s' as the authentication method used doesn't store authentication data in the MySQL server. Please consider using ALTER USER instead if you want to change authentication parameters.

  ER_SET_PASSWORD_AUTH_PLUGIN_ERROR was added in 8.0.29.

- Error number: 4105; Symbol: ER_SRS_INVALID_LATITUDE_OF_ORIGIN; SQLSTATE: SR002

  Message: Latitude of origin must be within [-90, 90] degrees, specified in the SRS angular unit.

  ER_SRS_INVALID_LATITUDE_OF_ORIGIN was added in 8.0.30.

- Error number: 4106; Symbol: ER_SRS_INVALID_LONGITUDE_OF_ORIGIN; SQLSTATE: SR002

  Message: Longitude of origin must be within (-180, 180] degrees, specified in the SRS angular unit.

  ER_SRS_INVALID_LONGITUDE_OF_ORIGIN was added in 8.0.30.

- Error number: 4107; Symbol: ER_SRS_UNUSED_PROJ_PARAMETER_PRESENT; SQLSTATE: SR002

  Message: The spatial reference system definition for SRID %u contains unused projection parameter "%s".

  ER_SRS_UNUSED_PROJ_PARAMETER_PRESENT was added in 8.0.30.

- Error number: 4108; Symbol: ER_GIPK_COLUMN_EXISTS; SQLSTATE: HY000

  Message: Failed to generate invisible primary key. Column 'my_row_id' already exists.

  ER_GIPK_COLUMN_EXISTS was added in 8.0.30.

- Error number: 4109; Symbol: ER_GIPK_FAILED_AUTOINC_COLUMN_EXISTS; SQLSTATE: HY000

  Message: Failed to generate invisible primary key. Auto-increment column already exists.

  ER_GIPK_FAILED_AUTOINC_COLUMN_EXISTS was added in 8.0.30.

- Error number: 4110; Symbol: ER_GIPK_COLUMN_ALTER_NOT_ALLOWED; SQLSTATE: HY000

  Message: Altering generated invisible primary key column 'my_row_id' is not allowed.

  ER_GIPK_COLUMN_ALTER_NOT_ALLOWED was added in 8.0.30.

- Error number: 4111; Symbol: ER_DROP_PK_COLUMN_TO_DROP_GIPK; SQLSTATE: HY000

  Message: Please drop primary key column to be able to drop generated invisible primary key.

  ER_DROP_PK_COLUMN_TO_DROP_GIPK was added in 8.0.30.

- Error number: 4112; Symbol: ER_CREATE_SELECT_WITH_GIPK_DISALLOWED_IN_SBR; SQLSTATE: HY000

  Message: Generating an invisible primary key for a table created using CREATE TABLE ... SELECT ... is disallowed when binlog_format=STATEMENT. It cannot be guaranteed that the SELECT retrieves rows in the same order on source and replica. Therefore, it cannot be guaranteed that the value generated for the generated implicit primary key column will be the same on source and replica for all rows. Use binlog_format=ROW or MIXED to execute this statement.

  ER_CREATE_SELECT_WITH_GIPK_DISALLOWED_IN_SBR was added in 8.0.30.

- Error number: 4113; Symbol: ER_DA_EXPIRE_LOGS_DAYS_IGNORED; SQLSTATE: HY000

  Message: The option expire_logs_days cannot be used together with option binlog_expire_logs_seconds. To set one, first unset the other by setting it to 0.

  ER_DA_EXPIRE_LOGS_DAYS_IGNORED was added in 8.0.30.

- Error number: 4114; Symbol: ER_CTE_RECURSIVE_NOT_UNION; SQLSTATE: HY000

  Message: Recursive table reference in EXCEPT or INTERSECT operand is not allowed.

  ER_CTE_RECURSIVE_NOT_UNION was added in 8.0.31.

- Error number: 4115; Symbol: ER_COMMAND_BACKEND_FAILED_TO_FETCH_SECURITY_CTX; SQLSTATE: HY000

  Message: Error when trying to fetch information from security context object, when trying to connect the server.

  ER_COMMAND_BACKEND_FAILED_TO_FETCH_SECURITY_CTX was added in 8.0.31.

- Error number: 4116; Symbol: ER_COMMAND_SERVICE_BACKEND_FAILED; SQLSTATE: HY000

  Message: Error in command service backend interface, because of : "%s"

  ER_COMMAND_SERVICE_BACKEND_FAILED was added in 8.0.31.

- Error number: 4117; Symbol: ER_CLIENT_FILE_PRIVILEGE_FOR_REPLICATION_CHECKS; SQLSTATE: HY000

  Message: The PRIVILEGE_CHECKS_USER for channel '%s' would need FILE privilege to execute a LOAD DATA INFILE statement replicated in statement format. Consider using binlog_format=ROW on source. If the replicated events are trusted, recover from the failure by temporarily granting FILE to the PRIVILEGE_CHECKS_USER.

  ER_CLIENT_FILE_PRIVILEGE_FOR_REPLICATION_CHECKS was added in 8.0.31.

- Error number: 4118; Symbol: ER_GROUP_REPLICATION_FORCE_MEMBERS_COMMAND_FAILURE; SQLSTATE: HY000

  Message: The 'SET GLOBAL group_replication_force_members=%s' command encountered a failure. %s

  ER_GROUP_REPLICATION_FORCE_MEMBERS_COMMAND_FAILURE was added in 8.0.31.

- Error number: 4119; Symbol: ER_WARN_DEPRECATED_IDENT; SQLSTATE: HY000

  Message: Using %s as unquoted identifier is deprecated, please use quotes or rename the identifier.

  ER_WARN_DEPRECATED_IDENT was added in 8.0.31.

- Error number: 4120; Symbol: ER_INTERSECT_ALL_MAX_DUPLICATES_EXCEEDED; SQLSTATE: HY000

  Message: Max number of duplicate rows in INTERSECT ALL exceeded.

  ER_INTERSECT_ALL_MAX_DUPLICATES_EXCEEDED was added in 8.0.31.

- Error number: 4121; Symbol: ER_TP_QUERY_THRS_PER_GRP_EXCEEDS_TXN_THR_LIMIT; SQLSTATE: HY000

  Message: Query threads count(%u) exceeds transaction threads limit(%u) per group. Please use query threads count per group smaller or equal to max transaction threads limit per group

  ER_TP_QUERY_THRS_PER_GRP_EXCEEDS_TXN_THR_LIMIT was added in 8.0.31.

- Error number: 4122; Symbol: ER_BAD_TIMESTAMP_FORMAT; SQLSTATE: HY000

  Message: Invalid timestamp format in %s udf

  ER_BAD_TIMESTAMP_FORMAT was added in 8.0.31.

- Error number: 4123; Symbol: ER_SHAPE_PRIDICTION_UDF; SQLSTATE: HY000

  Message: SHAPE_PREDICTION UDF %s got error because of %s.

  ER_SHAPE_PRIDICTION_UDF was added in 8.0.31.

- Error number: 4124; Symbol: ER_SRS_INVALID_HEIGHT; SQLSTATE: SR002

  Message: Height parameter must be non negative.

  ER_SRS_INVALID_HEIGHT was added in 8.0.32.

- Error number: 4125; Symbol: ER_SRS_INVALID_SCALING; SQLSTATE: SR002

  Message: Scaling parameter must be non negative.

  ER_SRS_INVALID_SCALING was added in 8.0.32.

- Error number: 4126; Symbol: ER_SRS_INVALID_ZONE_WIDTH; SQLSTATE: SR002

  Message: Zone width parameter must be an integer between 1-60.

  ER_SRS_INVALID_ZONE_WIDTH was added in 8.0.32.

- Error number: 4127; Symbol: ER_SRS_INVALID_LATITUDE_POLAR_STERE_VAR_A; SQLSTATE: SR002

  Message: Latitude of origin must be +-90 degrees, specified in the SRS angular unit, in Polar Stereographic (variant A) projection method (EPSG:9810).

  ER_SRS_INVALID_LATITUDE_POLAR_STERE_VAR_A was added in 8.0.32.

- Error number: 4128; Symbol: ER_WARN_DEPRECATED_CLIENT_NO_SCHEMA_OPTION; SQLSTATE: HY000

  Message: The client is using a deprecated CLIENT_NO_SCHEMA client option. CLIENT_NO_SCHEMA will be removed in a future release.

  ER_WARN_DEPRECATED_CLIENT_NO_SCHEMA_OPTION was added in 8.0.32.

- Error number: 4129; Symbol: ER_TABLE_NOT_EMPTY; SQLSTATE: HY000

  Message: Table '%s' is not empty.

  ER_TABLE_NOT_EMPTY was added in 8.0.32.

- Error number: 4130; Symbol: ER_TABLE_NO_PRIMARY_KEY; SQLSTATE: HY000

  Message: Table '%s' has no primary key.

  ER_TABLE_NO_PRIMARY_KEY was added in 8.0.32.

- Error number: 4131; Symbol: ER_TABLE_IN_SHARED_TABLESPACE; SQLSTATE: HY000

  Message: Table '%s' is in a shared tablespace.

  ER_TABLE_IN_SHARED_TABLESPACE was added in 8.0.32.

- Error number: 4132; Symbol: ER_INDEX_OTHER_THAN_PK; SQLSTATE: HY000

  Message: Table '%s' has indexes other than primary key.

  ER_INDEX_OTHER_THAN_PK was added in 8.0.32.

- Error number: 4133; Symbol: ER_LOAD_BULK_DATA_UNSORTED; SQLSTATE: HY000

  Message: [IN PRIMARY KEY ORDER] specified but data not sorted: LOAD BULK DATA into table '%s' failed: %s

  ER_LOAD_BULK_DATA_UNSORTED was added in 8.0.32.

- Error number: 4134; Symbol: ER_BULK_EXECUTOR_ERROR; SQLSTATE: HY000

  Message: Bulk executor error: %s

  ER_BULK_EXECUTOR_ERROR was added in 8.0.32.

- Error number: 4135; Symbol: ER_BULK_READER_LIBCURL_INIT_FAILED; SQLSTATE: HY000

  Message: Bulk reader failed to initialize libcurl

  ER_BULK_READER_LIBCURL_INIT_FAILED was added in 8.0.32.

- Error number: 4136; Symbol: ER_BULK_READER_LIBCURL_ERROR; SQLSTATE: HY000

Message: Bulk reader got libcurl error: %s

ER_BULK_READER_LIBCURL_ERROR was added in 8.0.32.

- Error number: 4137; Symbol: ER_BULK_READER_SERVER_ERROR; SQLSTATE: HY000

  Message: Bulk reader got error response from server: %ld

  ER_BULK_READER_SERVER_ERROR was added in 8.0.32.

- Error number: 4138; Symbol: ER_BULK_READER_COMMUNICATION_ERROR; SQLSTATE: HY000

  Message: Bulk reader got error in communication with source server, check the error log for additional details.

  ER_BULK_READER_COMMUNICATION_ERROR was added in 8.0.32.

- Error number: 4139; Symbol: ER_BULK_LOAD_DATA_FAILED; SQLSTATE: HY000

  Message: Bulk loader failed, mysql_load->load returned an error, check the error log for additional details.

  ER_BULK_LOAD_DATA_FAILED was added in 8.0.32.

- Error number: 4140; Symbol: ER_BULK_LOADER_COLUMN_TOO_BIG_FOR_LEFTOVER_BUFFER; SQLSTATE: HY000

  Message: CSV column too big for leftover buffer.

  ER_BULK_LOADER_COLUMN_TOO_BIG_FOR_LEFTOVER_BUFFER was added in 8.0.32.

- Error number: 4141; Symbol: ER_BULK_LOADER_COMPONENT_ERROR; SQLSTATE: HY000

  Message: Bulk loader component error: %s

  ER_BULK_LOADER_COMPONENT_ERROR was added in 8.0.32.

- Error number: 4142; Symbol: ER_BULK_LOADER_FILE_CONTAINS_LESS_LINES_THAN_IGNORE_CLAUSE; SQLSTATE: HY000

  Message: The first file being loaded contained less lines than the ignore clause

  ER_BULK_LOADER_FILE_CONTAINS_LESS_LINES_THAN_IGNORE_CLAUSE was added in 8.0.32.

- Error number: 4143; Symbol: ER_BULK_PARSER_MISSING_ENCLOSED_BY; SQLSTATE: HY000

  Message: Missing ENCLOSED BY character at row %ld in file '%s'. Add OPTIONALLY to the ENCLOSED BY clause to allow this input.

  ER_BULK_PARSER_MISSING_ENCLOSED_BY was added in 8.0.32.

- Error number: 4144; Symbol: ER_BULK_PARSER_ROW_BUFFER_MAX_TOTAL_COLS_EXCEEDED; SQLSTATE: HY000

  Message: The number of input columns that need to be buffered for parsing exceeded predefined buffer max size for file '%s'.

  ER_BULK_PARSER_ROW_BUFFER_MAX_TOTAL_COLS_EXCEEDED was added in 8.0.32.

- Error number: 4145; Symbol: ER_BULK_PARSER_COPY_BUFFER_SIZE_EXCEEDED; SQLSTATE: HY000

  Message: The column data that needed to be copied due to escaped characters exceeded the size of the internal copy buffer for file '%s'.

  ER_BULK_PARSER_COPY_BUFFER_SIZE_EXCEEDED was added in 8.0.32.

- Error number: 4146; Symbol: ER_BULK_PARSER_UNEXPECTED_END_OF_INPUT; SQLSTATE: HY000

  Message: Unexpected end of input found at row %ld in file '%s'. Data for some columns is missing.

  ER_BULK_PARSER_UNEXPECTED_END_OF_INPUT was added in 8.0.32.

- Error number: 4147; Symbol: ER_BULK_PARSER_UNEXPECTED_ROW_TERMINATOR; SQLSTATE: HY000

  Message: Unexpected row terminator found at row %ld in file '%s'. Data for some columns is missing.

  ER_BULK_PARSER_UNEXPECTED_ROW_TERMINATOR was added in 8.0.32.

- Error number: 4148; Symbol: ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_ENDING_ENCLOSED_BY; SQLSTATE: HY000

  Message: Unexpected characters after ending ENCLOSED BY character found at row %ld in file '%s'.

  ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_ENDING_ENCLOSED_BY was added in 8.0.32.

- Error number: 4149; Symbol: ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_NULL_ESCAPE; SQLSTATE: HY000

  Message: Unexpected characters after NULL escape (\N) found at row %ld in file '%s'.

  ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_NULL_ESCAPE was added in 8.0.32.

- Error number: 4150; Symbol: ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_COLUMN_TERMINATOR; SQLSTATE: HY000

  Message: Unexpected characters after column terminator found at row %ld in file '%s'.

  ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_COLUMN_TERMINATOR was added in 8.0.32.

- Error number: 4151; Symbol: ER_BULK_PARSER_INCOMPLETE_ESCAPE_SEQUENCE; SQLSTATE: HY000

  Message: Unexpected end of input found at row %ld in file '%s' resulting in incomplete escape sequence.

  ER_BULK_PARSER_INCOMPLETE_ESCAPE_SEQUENCE was added in 8.0.32.

- Error number: 4152; Symbol: ER_LOAD_BULK_DATA_FAILED; SQLSTATE: HY000

  Message: LOAD BULK DATA into table '%s' failed: %s

  ER_LOAD_BULK_DATA_FAILED was added in 8.0.32.

- Error number: 4153; Symbol: ER_LOAD_BULK_DATA_WRONG_VALUE_FOR_FIELD; SQLSTATE: HY000

  Message: Incorrect %s value: '%s' for column '%s' at row %ld in file '%s'

ER_LOAD_BULK_DATA_WRONG_VALUE_FOR_FIELD was added in 8.0.32.

- Error number: 4154; Symbol: ER_LOAD_BULK_DATA_WARN_NULL_TO_NOTNULL; SQLSTATE: HY000

  Message: NULL supplied to NOT NULL column '%s' at row %ld in file '%s'

  ER_LOAD_BULK_DATA_WARN_NULL_TO_NOTNULL was added in 8.0.32.

- Error number: 4155; Symbol: ER_REQUIRE_TABLE_PRIMARY_KEY_CHECK_GENERATE_WITH_GR; SQLSTATE: HY000

  Message: On a Group Replication channel, setting REQUIRE_TABLE_PRIMARY_KEY_CHECK to 'GENERATE' is not allowed.

  ER_REQUIRE_TABLE_PRIMARY_KEY_CHECK_GENERATE_WITH_GR was added in 8.0.32.

- Error number: 4156; Symbol: ER_CANT_CHANGE_SYS_VAR_IN_READ_ONLY_MODE; SQLSTATE: HY000

  Message: Cannot change the '%s' system variable in read-only mode.

  ER_CANT_CHANGE_SYS_VAR_IN_READ_ONLY_MODE was added in 8.0.32.

- Error number: 4157; Symbol: ER_INNODB_INSTANT_ADD_DROP_NOT_SUPPORTED_MAX_SIZE; SQLSTATE: HY000

  Message: Column can't be added or dropped with ALGORITHM=INSTANT as either max possible row size already crosses max permissible row size or may cross it after add. Try ALGORITHM=INPLACE/COPY.

  ER_INNODB_INSTANT_ADD_DROP_NOT_SUPPORTED_MAX_SIZE was added in 8.0.32.

- Error number: 4158; Symbol: ER_INNODB_INSTANT_ADD_NOT_SUPPORTED_MAX_FIELDS; SQLSTATE: HY000

  Message: Column can't be added to '%s' with ALGORITHM=INSTANT anymore. Please try ALGORITHM=INPLACE/COPY.

  ER_INNODB_INSTANT_ADD_NOT_SUPPORTED_MAX_FIELDS was added in 8.0.32.

- Error number: 4159; Symbol: ER_CANT_SET_PERSISTED; SQLSTATE: HY000

  Message: Failed to set persisted options.

  ER_CANT_SET_PERSISTED was added in 8.0.2.

- Error number: 4160; Symbol: ER_INSTALL_COMPONENT_SET_NULL_VALUE; SQLSTATE: HY000

  Message: The value supplied for %s in the SET list cannot be null

  ER_INSTALL_COMPONENT_SET_NULL_VALUE was added in 8.0.33.

- Error number: 4161; Symbol: ER_INSTALL_COMPONENT_SET_UNUSED_VALUE; SQLSTATE: HY000

  Message: The assignment of %s in SET doesn't match any of the variables registered by the component(s)

  ER_INSTALL_COMPONENT_SET_UNUSED_VALUE was added in 8.0.33.

- Error number: 4162; Symbol: ER_WARN_DEPRECATED_USER_DEFINED_COLLATIONS; SQLSTATE: HY000

  Message: '%s' is a user defined collation. User defined collations are deprecated and will be removed in a future release. Consider using a compiled collation instead.

  ER_WARN_DEPRECATED_USER_DEFINED_COLLATIONS was added in 8.0.33.

- Error number: 4163; Symbol: ER_USER_LOCK_OVERLONG_NAME; SQLSTATE: 42000

  Message: User-level lock name '%s' should not exceed %d characters.

  ER_USER_LOCK_OVERLONG_NAME was added in 8.0.34.

- Error number: 4164; Symbol: ER_WARN_NO_SPACE_VERSION_COMMENT; SQLSTATE: HY000

  Message: Immediately starting the version comment after the version number is deprecated and may change behavior in a future release. Please insert a white-space character after the version number.

  ER_WARN_NO_SPACE_VERSION_COMMENT was added in 8.0.34.

- Error number: 4165; Symbol: ER_VALIDATE_PASSWORD_INSUFFICIENT_CHANGED_CHARACTERS; SQLSTATE: HY000

  Message: The new password must have at least '%u' characters that are different from the old password. It has only '%u' character(s) different. For this comparison, uppercase letters and lowercase letters are considered to be equal.

  ER_VALIDATE_PASSWORD_INSUFFICIENT_CHANGED_CHARACTERS was added in 8.0.34.

- Error number: 4166; Symbol: ER_WARN_DEPRECATED_WITH_NOTE; SQLSTATE: HY000

  Message: '%s' is deprecated and will be removed in a future release. %s

  ER_WARN_DEPRECATED_WITH_NOTE was added in 8.0.35.

- Error number: 4167; Symbol: ER_CANT_RUN_COMMAND_SERVICES_RECURSIVELY; SQLSTATE: HY000

  Message: Running recursive calls to SQL execution service is not supported

  ER_CANT_RUN_COMMAND_SERVICES_RECURSIVELY was added in 8.0.43.

- Error number: MY-010000; Symbol: ER_PARSER_TRACE; SQLSTATE: XX999

  Message: Parser saw: %s

  ER_PARSER_TRACE was added in 8.0.2.

- Error number: MY-010001; Symbol: ER_BOOTSTRAP_CANT_THREAD; SQLSTATE: HY000

  Message: Can't create thread to handle bootstrap (errno: %d)

  ER_BOOTSTRAP_CANT_THREAD was added in 8.0.2.

- Error number: MY-010002; Symbol: ER_TRIGGER_INVALID_VALUE; SQLSTATE: HY000

  Message: Trigger for table '%s'.'%s': invalid %s value (%s).

  ER_TRIGGER_INVALID_VALUE was added in 8.0.2.
- Error number: MY-010003; Symbol: ER_OPT_WRONG_TREE; SQLSTATE: HY000

  Message: Wrong tree: %s

  ER_OPT_WRONG_TREE was added in 8.0.2.
- Error number: MY-010004; Symbol: ER_DD_FAILSAFE; SQLSTATE: HY000

  Message: Error: Invalid %s

  ER_DD_FAILSAFE was added in 8.0.2.
- Error number: MY-010005; Symbol: ER_DD_NO_WRITES_NO_REPOPULATION; SQLSTATE: HY000

  Message: Skip re-populating collations and character sets tables in %s%sread-only mode.

  ER_DD_NO_WRITES_NO_REPOPULATION was added in 8.0.2.
- Error number: MY-010006; Symbol: ER_DD_VERSION_FOUND; SQLSTATE: HY000

  Message: Using data dictionary with version '%d'.

  ER_DD_VERSION_FOUND was added in 8.0.2.
- Error number: MY-010007; Symbol: ER_DD_VERSION_INSTALLED; SQLSTATE: HY000

  Message: Installed data dictionary with version %d

  ER_DD_VERSION_INSTALLED was added in 8.0.2.
- Error number: MY-010008; Symbol: ER_DD_VERSION_UNSUPPORTED; SQLSTATE: HY000

  Message: Data Dictionary version '%d' not supported.

  ER_DD_VERSION_UNSUPPORTED was added in 8.0.2.
- Error number: MY-010009; Symbol: ER_LOG_SYSLOG_FACILITY_FAIL; SQLSTATE: HY000

  Message: Failed to set syslog facility to "%s", setting to "%s" (%d) instead.

  ER_LOG_SYSLOG_FACILITY_FAIL was added in 8.0.2, removed after 8.0.12.
- Error number: MY-010010; Symbol: ER_LOG_SYSLOG_CANNOT_OPEN; SQLSTATE: HY000

  Message: Cannot open %s; check privileges, or remove syseventlog from --log-error-services!

  ER_LOG_SYSLOG_CANNOT_OPEN was added in 8.0.2.
- Error number: MY-010011; Symbol: ER_LOG_SLOW_CANNOT_OPEN; SQLSTATE: HY000

  Message: either restart the query logging by using "SET GLOBAL SLOW_QUERY_LOG=ON" or

  ER_LOG_SLOW_CANNOT_OPEN was added in 8.0.2.

- Error number: MY-010012; Symbol: ER_LOG_GENERAL_CANNOT_OPEN; SQLSTATE: HY000

  Message: either restart the query logging by using "SET GLOBAL GENERAL_LOG=ON" or

  ER_LOG_GENERAL_CANNOT_OPEN was added in 8.0.2.

- Error number: MY-010013; Symbol: ER_LOG_CANNOT_WRITE; SQLSTATE: HY000

  Message: Failed to write to %s: %s

  ER_LOG_CANNOT_WRITE was added in 8.0.2.

- Error number: MY-010014; Symbol: ER_RPL_ZOMBIE_ENCOUNTERED; SQLSTATE: HY000

  Message: While initializing dump thread for replica with %s <%s>, found a zombie dump thread with the same %s. Source is killing the zombie dump thread(%u).

  ER_RPL_ZOMBIE_ENCOUNTERED was added in 8.0.2, removed after 8.0.40.

- Error number: MY-010015; Symbol: ER_RPL_GTID_TABLE_CANNOT_OPEN; SQLSTATE: HY000

  Message: Gtid table is not ready to be used. Table '%s.%s' cannot be opened.

  ER_RPL_GTID_TABLE_CANNOT_OPEN was added in 8.0.2.

- Error number: MY-010016; Symbol: ER_SYSTEM_SCHEMA_NOT_FOUND; SQLSTATE: HY000

  Message: System schema directory does not exist.

  ER_SYSTEM_SCHEMA_NOT_FOUND was added in 8.0.2.

- Error number: MY-010017; Symbol: ER_DD_INIT_UPGRADE_FAILED; SQLSTATE: HY000

  Message: Error in initializing dictionary, upgrade will do a cleanup and exit

  ER_DD_INIT_UPGRADE_FAILED was added in 8.0.2.

- Error number: MY-010018; Symbol: ER_VIEW_UNKNOWN_CHARSET_OR_COLLATION; SQLSTATE: HY000

  Message: View '%s'.'%s': unknown charset name and/or collation name (client: '%s'; connection: '%s').

  ER_VIEW_UNKNOWN_CHARSET_OR_COLLATION was added in 8.0.2.

- Error number: MY-010019; Symbol: ER_DD_VIEW_CANT_ALLOC_CHARSET; SQLSTATE: HY000

  Message: Error in allocating memory for character set name for view %s.%s.

  ER_DD_VIEW_CANT_ALLOC_CHARSET was added in 8.0.2.

- Error number: MY-010020; Symbol: ER_DD_INIT_FAILED; SQLSTATE: HY000

  Message: Data Dictionary initialization failed.

  ER_DD_INIT_FAILED was added in 8.0.2.

- Error number: MY-010021; Symbol: ER_DD_UPDATING_PLUGIN_MD_FAILED; SQLSTATE: HY000

  Message: Failed to update plugin metadata in dictionary tables.

ER_DD_UPDATING_PLUGIN_MD_FAILED was added in 8.0.2.

- Error number: MY-010022; Symbol: ER_DD_POPULATING_TABLES_FAILED; SQLSTATE: HY000

  Message: Failed to Populate DD tables.

  ER_DD_POPULATING_TABLES_FAILED was added in 8.0.2.

- Error number: MY-010023; Symbol: ER_DD_VIEW_CANT_CREATE; SQLSTATE: HY000

  Message: Error in Creating View %s.%s

  ER_DD_VIEW_CANT_CREATE was added in 8.0.2.

- Error number: MY-010024; Symbol: ER_DD_METADATA_NOT_FOUND; SQLSTATE: HY000

  Message: Unable to start server. Cannot find the meta data for data dictionary table '%s'.

  ER_DD_METADATA_NOT_FOUND was added in 8.0.2.

- Error number: MY-010025; Symbol: ER_DD_CACHE_NOT_EMPTY_AT_SHUTDOWN; SQLSTATE: HY000

  Message: Dictionary cache not empty at shutdown.

  ER_DD_CACHE_NOT_EMPTY_AT_SHUTDOWN was added in 8.0.2.

- Error number: MY-010026; Symbol: ER_DD_OBJECT_REMAINS; SQLSTATE: HY000

  Message: Dictionary objects used but not released.

  ER_DD_OBJECT_REMAINS was added in 8.0.2.

- Error number: MY-010027; Symbol: ER_DD_OBJECT_REMAINS_IN_RELEASER; SQLSTATE: HY000

  Message: Dictionary objects left in default releaser.

  ER_DD_OBJECT_REMAINS_IN_RELEASER was added in 8.0.2.

- Error number: MY-010028; Symbol: ER_DD_OBJECT_RELEASER_REMAINS; SQLSTATE: HY000

  Message: Dictionary object auto releaser not deleted

  ER_DD_OBJECT_RELEASER_REMAINS was added in 8.0.2.

- Error number: MY-010029; Symbol: ER_DD_CANT_GET_OBJECT_KEY; SQLSTATE: HY000

  Message: Error: Unable to create primary object key

  ER_DD_CANT_GET_OBJECT_KEY was added in 8.0.2.

- Error number: MY-010030; Symbol: ER_DD_CANT_CREATE_OBJECT_KEY; SQLSTATE: HY000

  Message: Error: Unable to create object key

  ER_DD_CANT_CREATE_OBJECT_KEY was added in 8.0.2.

- Error number: MY-010031; Symbol: ER_CANT_CREATE_HANDLE_MGR_THREAD; SQLSTATE: HY000

  Message: Can't create handle_manager thread (errno= %d)

ER_CANT_CREATE_HANDLE_MGR_THREAD was added in 8.0.2.

- Error number: MY-010032; Symbol: ER_RPL_REPO_HAS_GAPS; SQLSTATE: HY000

  Message: It is not possible to change the type of the relay log's repository because there are workers' repositories with gaps. Please, fix the gaps first before doing such change.

  ER_RPL_REPO_HAS_GAPS was added in 8.0.2.

- Error number: MY-010033; Symbol: ER_INVALID_VALUE_FOR_ENFORCE_GTID_CONSISTENCY; SQLSTATE: HY000

  Message: option 'enforce-gtid-consistency': value '%s' was not recognized. Setting enforce-gtid-consistency to OFF.

  ER_INVALID_VALUE_FOR_ENFORCE_GTID_CONSISTENCY was added in 8.0.2.

- Error number: MY-010034; Symbol: ER_CHANGED_ENFORCE_GTID_CONSISTENCY; SQLSTATE: HY000

  Message: Changed ENFORCE_GTID_CONSISTENCY from %s to %s.

  ER_CHANGED_ENFORCE_GTID_CONSISTENCY was added in 8.0.2.

- Error number: MY-010035; Symbol: ER_CHANGED_GTID_MODE; SQLSTATE: HY000

  Message: Changed GTID_MODE from %s to %s.

  ER_CHANGED_GTID_MODE was added in 8.0.2.

- Error number: MY-010036; Symbol: ER_DISABLED_STORAGE_ENGINE_AS_DEFAULT; SQLSTATE: HY000

  Message: %s is set to a disabled storage engine %s.

  ER_DISABLED_STORAGE_ENGINE_AS_DEFAULT was added in 8.0.2.

- Error number: MY-010037; Symbol: ER_DEBUG_SYNC_HIT; SQLSTATE: HY000

  Message: Debug sync points hit: %s

  ER_DEBUG_SYNC_HIT was added in 8.0.2.

- Error number: MY-010038; Symbol: ER_DEBUG_SYNC_EXECUTED; SQLSTATE: HY000

  Message: Debug sync points executed: %s

  ER_DEBUG_SYNC_EXECUTED was added in 8.0.2.

- Error number: MY-010039; Symbol: ER_DEBUG_SYNC_THREAD_MAX; SQLSTATE: HY000

  Message: Debug sync points max active per thread: %s

  ER_DEBUG_SYNC_THREAD_MAX was added in 8.0.2.

- Error number: MY-010040; Symbol: ER_DEBUG_SYNC_OOM; SQLSTATE: HY000

  Message: Debug Sync Facility disabled due to lack of memory.

ER_DEBUG_SYNC_OOM was added in 8.0.2.

- Error number: MY-010041; Symbol: ER_CANT_INIT_TC_LOG; SQLSTATE: HY000

  Message: Can't init tc log

  ER_CANT_INIT_TC_LOG was added in 8.0.2.

- Error number: MY-010042; Symbol: ER_EVENT_CANT_INIT_QUEUE; SQLSTATE: HY000

  Message: Event Scheduler: Can't initialize the execution queue

  ER_EVENT_CANT_INIT_QUEUE was added in 8.0.2.

- Error number: MY-010043; Symbol: ER_EVENT_PURGING_QUEUE; SQLSTATE: HY000

  Message: Event Scheduler: Purging the queue. %u events

  ER_EVENT_PURGING_QUEUE was added in 8.0.2.

- Error number: MY-010044; Symbol: ER_EVENT_LAST_EXECUTION; SQLSTATE: HY000

  Message: Event Scheduler: Last execution of %s.%s. %s

  ER_EVENT_LAST_EXECUTION was added in 8.0.2.

- Error number: MY-010045; Symbol: ER_EVENT_MESSAGE_STACK; SQLSTATE: HY000

  Message: %*s

  ER_EVENT_MESSAGE_STACK was added in 8.0.2.

- Error number: MY-010046; Symbol: ER_EVENT_EXECUTION_FAILED; SQLSTATE: HY000

  Message: Event Scheduler: [%s].[%s.%s] event execution failed.

  ER_EVENT_EXECUTION_FAILED was added in 8.0.2.

- Error number: MY-010047; Symbol: ER_CANT_INIT_SCHEDULER_THREAD; SQLSTATE: HY000

  Message: Event Scheduler: Cannot initialize the scheduler thread

  ER_CANT_INIT_SCHEDULER_THREAD was added in 8.0.2.

- Error number: MY-010048; Symbol: ER_SCHEDULER_STOPPED; SQLSTATE: HY000

  Message: Event Scheduler: Stopped

  ER_SCHEDULER_STOPPED was added in 8.0.2.

- Error number: MY-010049; Symbol: ER_CANT_CREATE_SCHEDULER_THREAD; SQLSTATE: HY000

  Message: Event scheduler: Failed to start scheduler, Can not create thread for event scheduler (errno= %d)

  ER_CANT_CREATE_SCHEDULER_THREAD was added in 8.0.2.

- Error number: MY-010050; Symbol: ER_SCHEDULER_WAITING; SQLSTATE: HY000

Message: Event Scheduler: Waiting for the scheduler thread to reply

ER_SCHEDULER_WAITING was added in 8.0.2.

- Error number: MY-010051; Symbol: ER_SCHEDULER_STARTED; SQLSTATE: HY000

  Message: Event Scheduler: scheduler thread started with id %u

  ER_SCHEDULER_STARTED was added in 8.0.2.

- Error number: MY-010052; Symbol: ER_SCHEDULER_STOPPING_FAILED_TO_GET_EVENT; SQLSTATE: HY000

  Message: Event Scheduler: Serious error during getting next event to execute. Stopping

  ER_SCHEDULER_STOPPING_FAILED_TO_GET_EVENT was added in 8.0.2.

- Error number: MY-010053; Symbol: ER_SCHEDULER_STOPPING_FAILED_TO_CREATE_WORKER; SQLSTATE: HY000

  Message: Event_scheduler::execute_top: Can not create event worker thread (errno=%d). Stopping event scheduler

  ER_SCHEDULER_STOPPING_FAILED_TO_CREATE_WORKER was added in 8.0.2.

- Error number: MY-010054; Symbol: ER_SCHEDULER_KILLING; SQLSTATE: HY000

  Message: Event Scheduler: Killing the scheduler thread, thread id %u

  ER_SCHEDULER_KILLING was added in 8.0.2.

- Error number: MY-010055; Symbol: ER_UNABLE_TO_RESOLVE_IP; SQLSTATE: HY000

  Message: IP address '%s' could not be resolved: %s

  ER_UNABLE_TO_RESOLVE_IP was added in 8.0.2.

- Error number: MY-010056; Symbol: ER_UNABLE_TO_RESOLVE_HOSTNAME; SQLSTATE: HY000

  Message: Host name '%s' could not be resolved: %s

  ER_UNABLE_TO_RESOLVE_HOSTNAME was added in 8.0.2.

- Error number: MY-010057; Symbol: ER_HOSTNAME_RESEMBLES_IPV4; SQLSTATE: HY000

  Message: IP address '%s' has been resolved to the host name '%s', which resembles IPv4-address itself.

  ER_HOSTNAME_RESEMBLES_IPV4 was added in 8.0.2.

- Error number: MY-010058; Symbol: ER_HOSTNAME_DOESNT_RESOLVE_TO; SQLSTATE: HY000

  Message: Hostname '%s' does not resolve to '%s'.

  ER_HOSTNAME_DOESNT_RESOLVE_TO was added in 8.0.2.

- Error number: MY-010059; Symbol: ER_ADDRESSES_FOR_HOSTNAME_HEADER; SQLSTATE: HY000

  Message: Hostname '%s' has the following IP addresses:

ER_ADDRESSES_FOR_HOSTNAME_HEADER was added in 8.0.2.

- Error number: MY-010060; Symbol: ER_ADDRESSES_FOR_HOSTNAME_LIST_ITEM; SQLSTATE: HY000

  Message: - %s

  ER_ADDRESSES_FOR_HOSTNAME_LIST_ITEM was added in 8.0.2.

- Error number: MY-010061; Symbol: ER_TRG_WITHOUT_DEFINER; SQLSTATE: HY000

  Message: Definer clause is missing in Trigger of Table %s. Rebuild Trigger to fix definer.

  ER_TRG_WITHOUT_DEFINER was added in 8.0.2.

- Error number: MY-010062; Symbol: ER_TRG_NO_CLIENT_CHARSET; SQLSTATE: HY000

  Message: Client character set is missing for trigger of table %s. Using default character set.

  ER_TRG_NO_CLIENT_CHARSET was added in 8.0.2.

- Error number: MY-010063; Symbol: ER_PARSING_VIEW; SQLSTATE: HY000

  Message: Error in parsing view %s.%s

  ER_PARSING_VIEW was added in 8.0.2.

- Error number: MY-010064; Symbol: ER_COMPONENTS_INFRASTRUCTURE_BOOTSTRAP; SQLSTATE: HY000

  Message: Failed to bootstrap components infrastructure.

  ER_COMPONENTS_INFRASTRUCTURE_BOOTSTRAP was added in 8.0.2.

- Error number: MY-010065; Symbol: ER_COMPONENTS_INFRASTRUCTURE_SHUTDOWN; SQLSTATE: HY000

  Message: Failed to shutdown components infrastructure.

  ER_COMPONENTS_INFRASTRUCTURE_SHUTDOWN was added in 8.0.2.

- Error number: MY-010066; Symbol: ER_COMPONENTS_PERSIST_LOADER_BOOTSTRAP; SQLSTATE: HY000

  Message: Failed to bootstrap persistent components loader.

  ER_COMPONENTS_PERSIST_LOADER_BOOTSTRAP was added in 8.0.2.

- Error number: MY-010067; Symbol: ER_DEPART_WITH_GRACE; SQLSTATE: HY000

  Message: Giving %d client threads a chance to die gracefully

  ER_DEPART_WITH_GRACE was added in 8.0.2.

- Error number: MY-010068; Symbol: ER_CA_SELF_SIGNED; SQLSTATE: HY000

  Message: CA certificate %s is self signed.

  ER_CA_SELF_SIGNED was added in 8.0.2.

- Error number: MY-010069; Symbol: ER_SSL_LIBRARY_ERROR; SQLSTATE: HY000

  Message: Failed to set up SSL because of the following SSL library error: %s

  ER_SSL_LIBRARY_ERROR was added in 8.0.2.

- Error number: MY-010070; Symbol: ER_NO_THD_NO_UUID; SQLSTATE: HY000

  Message: Failed to generate a server UUID because it is failed to allocate the THD.

  ER_NO_THD_NO_UUID was added in 8.0.2.

- Error number: MY-010071; Symbol: ER_UUID_SALT; SQLSTATE: HY000

  Message: Salting uuid generator variables, current_pid: %lu, server_start_time: %lu, bytes_sent: %llu,

  ER_UUID_SALT was added in 8.0.2.

- Error number: MY-010072; Symbol: ER_UUID_IS; SQLSTATE: HY000

  Message: Generated uuid: '%s', server_start_time: %lu, bytes_sent: %llu

  ER_UUID_IS was added in 8.0.2.

- Error number: MY-010073; Symbol: ER_UUID_INVALID; SQLSTATE: HY000

  Message: The server_uuid stored in auto.cnf file is not a valid UUID.

  ER_UUID_INVALID was added in 8.0.2.

- Error number: MY-010074; Symbol: ER_UUID_SCRUB; SQLSTATE: HY000

  Message: Garbage characters found at the end of the server_uuid value in auto.cnf file. It should be of length '%d' (UUID_LENGTH). Clear it and restart the server.

  ER_UUID_SCRUB was added in 8.0.2.

- Error number: MY-010075; Symbol: ER_CREATING_NEW_UUID; SQLSTATE: HY000

  Message: No existing UUID has been found, so we assume that this is the first time that this server has been started. Generating a new UUID: %s.

  ER_CREATING_NEW_UUID was added in 8.0.2.

- Error number: MY-010076; Symbol: ER_CANT_CREATE_UUID; SQLSTATE: HY000

  Message: Initialization of the server's UUID failed because it could not be read from the auto.cnf file. If this is a new server, the initialization failed because it was not possible to generate a new UUID.

  ER_CANT_CREATE_UUID was added in 8.0.2.

- Error number: MY-010077; Symbol: ER_UNKNOWN_UNSUPPORTED_STORAGE_ENGINE; SQLSTATE: HY000

  Message: Unknown/unsupported storage engine: %s

  ER_UNKNOWN_UNSUPPORTED_STORAGE_ENGINE was added in 8.0.2.

- Error number: MY-010078; Symbol: ER_SECURE_AUTH_VALUE_UNSUPPORTED; SQLSTATE: HY000

Message: Unsupported value 0 for secure-auth

ER_SECURE_AUTH_VALUE_UNSUPPORTED was added in 8.0.2.

- Error number: MY-010079; Symbol: ER_INVALID_INSTRUMENT; SQLSTATE: HY000

  Message: Invalid instrument name or value for performance_schema_instrument '%s'

  ER_INVALID_INSTRUMENT was added in 8.0.2.

- Error number: MY-010080; Symbol: ER_INNODB_MANDATORY; SQLSTATE: HY000

  Message: The use of InnoDB is mandatory since MySQL 5.7. The former options like '--innodb=0/1/OFF/ON' or '--skip-innodb' are ignored.

  ER_INNODB_MANDATORY was added in 8.0.2.

- Error number: MY-010082; Symbol: ER_OLD_PASSWORDS_NO_MIDDLE_GROUND; SQLSTATE: HY000

  Message: Invalid old_passwords mode: 1. Valid values are 2 and 0

  ER_OLD_PASSWORDS_NO_MIDDLE_GROUND was added in 8.0.2, removed after 8.0.15.

- Error number: MY-010083; Symbol: ER_VERBOSE_REQUIRES_HELP; SQLSTATE: HY000

  Message: --verbose is for use with --help; did you mean --log-error-verbosity?

  ER_VERBOSE_REQUIRES_HELP was added in 8.0.2.

- Error number: MY-010084; Symbol: ER_POINTLESS_WITHOUT_SLOWLOG; SQLSTATE: HY000

  Message: options --log-slow-admin-statements, --log-queries-not-using-indexes and --log-slow-replica-statements have no effect if --slow-query-log is not set

  ER_POINTLESS_WITHOUT_SLOWLOG was added in 8.0.2.

- Error number: MY-010085; Symbol: ER_WASTEFUL_NET_BUFFER_SIZE; SQLSTATE: HY000

  Message: net_buffer_length (%lu) is set to be larger than max_allowed_packet (%lu). Please rectify.

  ER_WASTEFUL_NET_BUFFER_SIZE was added in 8.0.2.

- Error number: MY-010086; Symbol: ER_DEPRECATED_TIMESTAMP_IMPLICIT_DEFAULTS; SQLSTATE: HY000

  Message: TIMESTAMP with implicit DEFAULT value is deprecated. Please use --explicit_defaults_for_timestamp server option (see documentation for more details).

  ER_DEPRECATED_TIMESTAMP_IMPLICIT_DEFAULTS was added in 8.0.2.

- Error number: MY-010087; Symbol: ER_FT_BOOL_SYNTAX_INVALID; SQLSTATE: HY000

  Message: Invalid ft-boolean-syntax string: %s

  ER_FT_BOOL_SYNTAX_INVALID was added in 8.0.2.

- Error number: MY-010088; Symbol: ER_CREDENTIALLESS_AUTO_USER_BAD; SQLSTATE: HY000

  Message: 'NO_AUTO_CREATE_USER' sql mode was not set.

ER_CREDENTIALLESS_AUTO_USER_BAD was added in 8.0.2.

- Error number: MY-010089; Symbol: ER_CONNECTION_HANDLING_OOM; SQLSTATE: HY000

  Message: Could not allocate memory for connection handling

  ER_CONNECTION_HANDLING_OOM was added in 8.0.2.

- Error number: MY-010090; Symbol: ER_THREAD_HANDLING_OOM; SQLSTATE: HY000

  Message: Could not allocate memory for thread handling

  ER_THREAD_HANDLING_OOM was added in 8.0.2.

- Error number: MY-010091; Symbol: ER_CANT_CREATE_TEST_FILE; SQLSTATE: HY000

  Message: Can't create test file %s

  ER_CANT_CREATE_TEST_FILE was added in 8.0.2.

- Error number: MY-010092; Symbol: ER_CANT_CREATE_PID_FILE; SQLSTATE: HY000

  Message: Can't start server: can't create PID file: %s

  ER_CANT_CREATE_PID_FILE was added in 8.0.2.

- Error number: MY-010093; Symbol: ER_CANT_REMOVE_PID_FILE; SQLSTATE: HY000

  Message: Unable to delete pid file: %s

  ER_CANT_REMOVE_PID_FILE was added in 8.0.2.

- Error number: MY-010094; Symbol: ER_CANT_CREATE_SHUTDOWN_THREAD; SQLSTATE: HY000

  Message: Can't create thread to handle shutdown requests (errno= %d)

  ER_CANT_CREATE_SHUTDOWN_THREAD was added in 8.0.2.

- Error number: MY-010095; Symbol: ER_SEC_FILE_PRIV_CANT_ACCESS_DIR; SQLSTATE: HY000

  Message: Failed to access directory for --secure-file-priv. Please make sure that directory exists and is accessible by MySQL Server. Supplied value : %s

  ER_SEC_FILE_PRIV_CANT_ACCESS_DIR was added in 8.0.2.

- Error number: MY-010096; Symbol: ER_SEC_FILE_PRIV_IGNORED; SQLSTATE: HY000

  Message: Ignoring --secure-file-priv value as server is running with --initialize(-insecure).

  ER_SEC_FILE_PRIV_IGNORED was added in 8.0.2.

- Error number: MY-010097; Symbol: ER_SEC_FILE_PRIV_EMPTY; SQLSTATE: HY000

  Message: Insecure configuration for --secure-file-priv: Current value does not restrict location of generated files. Consider setting it to a valid, non-empty path.

  ER_SEC_FILE_PRIV_EMPTY was added in 8.0.2.

- Error number: MY-010098; Symbol: ER_SEC_FILE_PRIV_NULL; SQLSTATE: HY000

Message: --secure-file-priv is set to NULL. Operations related to importing and exporting data are disabled

`ER_SEC_FILE_PRIV_NULL` was added in 8.0.2.

- Error number: `MY-010099`; Symbol: `ER_SEC_FILE_PRIV_DIRECTORY_INSECURE`; SQLSTATE: `HY000`

  Message: Insecure configuration for --secure-file-priv: %s is accessible through --secure-file-priv. Consider choosing a different directory.

  `ER_SEC_FILE_PRIV_DIRECTORY_INSECURE` was added in 8.0.2.

- Error number: `MY-010100`; Symbol: `ER_SEC_FILE_PRIV_CANT_STAT`; SQLSTATE: `HY000`

  Message: Failed to get stat for directory pointed out by --secure-file-priv

  `ER_SEC_FILE_PRIV_CANT_STAT` was added in 8.0.2.

- Error number: `MY-010101`; Symbol: `ER_SEC_FILE_PRIV_DIRECTORY_PERMISSIONS`; SQLSTATE: `HY000`

  Message: Insecure configuration for --secure-file-priv: Location is accessible to all OS users. Consider choosing a different directory.

  `ER_SEC_FILE_PRIV_DIRECTORY_PERMISSIONS` was added in 8.0.2.

- Error number: `MY-010102`; Symbol: `ER_SEC_FILE_PRIV_ARGUMENT_TOO_LONG`; SQLSTATE: `HY000`

  Message: Value for --secure-file-priv is longer than maximum limit of %d

  `ER_SEC_FILE_PRIV_ARGUMENT_TOO_LONG` was added in 8.0.2.

- Error number: `MY-010103`; Symbol: `ER_CANT_CREATE_NAMED_PIPES_THREAD`; SQLSTATE: `HY000`

  Message: Can't create thread to handle named pipes (errno= %d)

  `ER_CANT_CREATE_NAMED_PIPES_THREAD` was added in 8.0.2.

- Error number: `MY-010104`; Symbol: `ER_CANT_CREATE_TCPIP_THREAD`; SQLSTATE: `HY000`

  Message: Can't create thread to handle TCP/IP (errno= %d)

  `ER_CANT_CREATE_TCPIP_THREAD` was added in 8.0.2.

- Error number: `MY-010105`; Symbol: `ER_CANT_CREATE_SHM_THREAD`; SQLSTATE: `HY000`

  Message: Can't create thread to handle shared memory (errno= %d)

  `ER_CANT_CREATE_SHM_THREAD` was added in 8.0.2.

- Error number: `MY-010106`; Symbol: `ER_CANT_CREATE_INTERRUPT_THREAD`; SQLSTATE: `HY000`

  Message: Can't create interrupt-thread (error %d, errno: %d)

  `ER_CANT_CREATE_INTERRUPT_THREAD` was added in 8.0.2.

- Error number: `MY-010107`; Symbol: `ER_WRITABLE_CONFIG_REMOVED`; SQLSTATE: `HY000`

Message: World-writable config file '%s' has been removed.

ER_WRITABLE_CONFIG_REMOVED was added in 8.0.2.

- Error number: MY-010108; Symbol: ER_CORE_VALUES; SQLSTATE: HY000

  Message: setrlimit could not change the size of core files to 'infinity'; We may not be able to generate a core file on signals

  ER_CORE_VALUES was added in 8.0.2.

- Error number: MY-010109; Symbol: ER_WRONG_DATETIME_SPEC; SQLSTATE: HY000

  Message: Wrong date/time format specifier: %s

  ER_WRONG_DATETIME_SPEC was added in 8.0.2.

- Error number: MY-010110; Symbol: ER_RPL_BINLOG_FILTERS_OOM; SQLSTATE: HY000

  Message: Could not allocate replication and binlog filters: %s

  ER_RPL_BINLOG_FILTERS_OOM was added in 8.0.2.

- Error number: MY-010111; Symbol: ER_KEYCACHE_OOM; SQLSTATE: HY000

  Message: Cannot allocate the keycache

  ER_KEYCACHE_OOM was added in 8.0.2.

- Error number: MY-010112; Symbol: ER_CONFIRMING_THE_FUTURE; SQLSTATE: HY000

  Message: Current time has got past year 2038. Validating current time with %d iterations before initiating the normal server shutdown process.

  ER_CONFIRMING_THE_FUTURE was added in 8.0.2.

- Error number: MY-010113; Symbol: ER_BACK_IN_TIME; SQLSTATE: HY000

  Message: Iteration %d: Obtained valid current time from system

  ER_BACK_IN_TIME was added in 8.0.2.

- Error number: MY-010114; Symbol: ER_FUTURE_DATE; SQLSTATE: HY000

  Message: Iteration %d: Current time obtained from system is greater than 2038

  ER_FUTURE_DATE was added in 8.0.2.

- Error number: MY-010115; Symbol: ER_UNSUPPORTED_DATE; SQLSTATE: HY000

  Message: This MySQL server doesn't support dates later then 2038

  ER_UNSUPPORTED_DATE was added in 8.0.2.

- Error number: MY-010116; Symbol: ER_STARTING_AS; SQLSTATE: HY000

  Message: %s (mysqld %s) starting as process %lu

  ER_STARTING_AS was added in 8.0.2.

- Error number: MY-010117; Symbol: ER_SHUTTING_DOWN_SLAVE_THREADS; SQLSTATE: HY000

  Message: Shutting down slave threads

  ER_SHUTTING_DOWN_SLAVE_THREADS was added in 8.0.2, removed after 8.0.32.
- Error number: MY-010117; Symbol: ER_SHUTTING_DOWN_REPLICA_THREADS; SQLSTATE: HY000

  Message: Shutting down replica threads

  ER_SHUTTING_DOWN_REPLICA_THREADS was added in 8.0.33.
- Error number: MY-010118; Symbol: ER_DISCONNECTING_REMAINING_CLIENTS; SQLSTATE: HY000

  Message: Forcefully disconnecting %d remaining clients

  ER_DISCONNECTING_REMAINING_CLIENTS was added in 8.0.2.
- Error number: MY-010119; Symbol: ER_ABORTING; SQLSTATE: HY000

  Message: Aborting

  ER_ABORTING was added in 8.0.2.
- Error number: MY-010120; Symbol: ER_BINLOG_END; SQLSTATE: HY000

  Message: Binlog end

  ER_BINLOG_END was added in 8.0.2.
- Error number: MY-010121; Symbol: ER_CALL_ME_LOCALHOST; SQLSTATE: HY000

  Message: gethostname failed, using '%s' as hostname

  ER_CALL_ME_LOCALHOST was added in 8.0.2.
- Error number: MY-010122; Symbol: ER_USER_REQUIRES_ROOT; SQLSTATE: HY000

  Message: One can only use the --user switch if running as root

  ER_USER_REQUIRES_ROOT was added in 8.0.2.
- Error number: MY-010123; Symbol: ER_REALLY_RUN_AS_ROOT; SQLSTATE: HY000

  Message: Fatal error: Please read "Security" section of the manual to find out how to run mysqld as root!

  ER_REALLY_RUN_AS_ROOT was added in 8.0.2.
- Error number: MY-010124; Symbol: ER_USER_WHAT_USER; SQLSTATE: HY000

  Message: Fatal error: Can't change to run as user '%s' ; Please check that the user exists!

  ER_USER_WHAT_USER was added in 8.0.2.
- Error number: MY-010125; Symbol: ER_TRANSPORTS_WHAT_TRANSPORTS; SQLSTATE: HY000

  Message: Server is started with --require-secure-transport=ON but no secure transports (SSL or Shared Memory) are configured.

  ER_TRANSPORTS_WHAT_TRANSPORTS was added in 8.0.2.

- Error number: MY-010126; Symbol: ER_FAIL_SETGID; SQLSTATE: HY000

  Message: setgid: %s

  ER_FAIL_SETGID was added in 8.0.2.
- Error number: MY-010127; Symbol: ER_FAIL_SETUID; SQLSTATE: HY000

  Message: setuid: %s

  ER_FAIL_SETUID was added in 8.0.2.
- Error number: MY-010128; Symbol: ER_FAIL_SETREGID; SQLSTATE: HY000

  Message: setregid: %s

  ER_FAIL_SETREGID was added in 8.0.2.
- Error number: MY-010129; Symbol: ER_FAIL_SETREUID; SQLSTATE: HY000

  Message: setreuid: %s

  ER_FAIL_SETREUID was added in 8.0.2.
- Error number: MY-010130; Symbol: ER_FAIL_CHROOT; SQLSTATE: HY000

  Message: chroot: %s

  ER_FAIL_CHROOT was added in 8.0.2.
- Error number: MY-010131; Symbol: ER_WIN_LISTEN_BUT_HOW; SQLSTATE: HY000

  Message: TCP/IP, --shared-memory, or --named-pipe should be configured on NT OS

  ER_WIN_LISTEN_BUT_HOW was added in 8.0.2.
- Error number: MY-010132; Symbol: ER_NOT_RIGHT_NOW; SQLSTATE: HY000

  Message: CTRL-C ignored during startup

  ER_NOT_RIGHT_NOW was added in 8.0.2.
- Error number: MY-010133; Symbol: ER_FIXING_CLIENT_CHARSET; SQLSTATE: HY000

  Message: '%s' can not be used as client character set. '%s' will be used as default client character set.

  ER_FIXING_CLIENT_CHARSET was added in 8.0.2.
- Error number: MY-010134; Symbol: ER_OOM; SQLSTATE: HY000

  Message: Out of memory

  ER_OOM was added in 8.0.2.
- Error number: MY-010135; Symbol: ER_FAILED_TO_LOCK_MEM; SQLSTATE: HY000

  Message: Failed to lock memory. Errno: %d

  ER_FAILED_TO_LOCK_MEM was added in 8.0.2.

- Error number: MY-010136; Symbol: ER_MYINIT_FAILED; SQLSTATE: HY000

  Message: my_init() failed.

  ER_MYINIT_FAILED was added in 8.0.2.
- Error number: MY-010137; Symbol: ER_BEG_INITFILE; SQLSTATE: HY000

  Message: Execution of init_file \'%s\' started.

  ER_BEG_INITFILE was added in 8.0.2.
- Error number: MY-010138; Symbol: ER_END_INITFILE; SQLSTATE: HY000

  Message: Execution of init_file \'%s\' ended.

  ER_END_INITFILE was added in 8.0.2.
- Error number: MY-010139; Symbol: ER_CHANGED_MAX_OPEN_FILES; SQLSTATE: HY000

  Message: Changed limits: max_open_files: %lu (requested %lu)

  ER_CHANGED_MAX_OPEN_FILES was added in 8.0.2.
- Error number: MY-010140; Symbol: ER_CANT_INCREASE_MAX_OPEN_FILES; SQLSTATE: HY000

  Message: Could not increase number of max_open_files to more than %lu (request: %lu)

  ER_CANT_INCREASE_MAX_OPEN_FILES was added in 8.0.2.
- Error number: MY-010141; Symbol: ER_CHANGED_MAX_CONNECTIONS; SQLSTATE: HY000

  Message: Changed limits: max_connections: %lu (requested %lu)

  ER_CHANGED_MAX_CONNECTIONS was added in 8.0.2.
- Error number: MY-010142; Symbol: ER_CHANGED_TABLE_OPEN_CACHE; SQLSTATE: HY000

  Message: Changed limits: table_open_cache: %lu (requested %lu)

  ER_CHANGED_TABLE_OPEN_CACHE was added in 8.0.2.
- Error number: MY-010143; Symbol: ER_THE_USER_ABIDES; SQLSTATE: HY000

  Message: Ignoring user change to '%s' because the user was set to '%s' earlier on the command line

  ER_THE_USER_ABIDES was added in 8.0.2.
- Error number: MY-010144; Symbol: ER_RPL_CANT_ADD_DO_TABLE; SQLSTATE: HY000

  Message: Could not add do table rule '%s'!

  ER_RPL_CANT_ADD_DO_TABLE was added in 8.0.2.
- Error number: MY-010145; Symbol: ER_RPL_CANT_ADD_IGNORE_TABLE; SQLSTATE: HY000

  Message: Could not add ignore table rule '%s'!

  ER_RPL_CANT_ADD_IGNORE_TABLE was added in 8.0.2.

- Error number: MY-010146; Symbol: ER_TRACK_VARIABLES_BOGUS; SQLSTATE: HY000

  Message: The variable session_track_system_variables either has duplicate values or invalid values.

  ER_TRACK_VARIABLES_BOGUS was added in 8.0.2.

- Error number: MY-010147; Symbol: ER_EXCESS_ARGUMENTS; SQLSTATE: HY000

  Message: Too many arguments (first extra is '%s').

  ER_EXCESS_ARGUMENTS was added in 8.0.2.

- Error number: MY-010148; Symbol: ER_VERBOSE_HINT; SQLSTATE: HY000

  Message: Use --verbose --help to get a list of available options!

  ER_VERBOSE_HINT was added in 8.0.2.

- Error number: MY-010149; Symbol: ER_CANT_READ_ERRMSGS; SQLSTATE: HY000

  Message: Unable to read errmsg.sys file

  ER_CANT_READ_ERRMSGS was added in 8.0.2.

- Error number: MY-010150; Symbol: ER_CANT_INIT_DBS; SQLSTATE: HY000

  Message: Can't init databases

  ER_CANT_INIT_DBS was added in 8.0.2.

- Error number: MY-010151; Symbol: ER_LOG_OUTPUT_CONTRADICTORY; SQLSTATE: HY000

  Message: There were other values specified to log-output besides NONE. Disabling slow and general logs anyway.

  ER_LOG_OUTPUT_CONTRADICTORY was added in 8.0.2.

- Error number: MY-010152; Symbol: ER_NO_CSV_NO_LOG_TABLES; SQLSTATE: HY000

  Message: CSV engine is not present, falling back to the log files

  ER_NO_CSV_NO_LOG_TABLES was added in 8.0.2.

- Error number: MY-010153; Symbol: ER_RPL_REWRITEDB_MISSING_ARROW; SQLSTATE: HY000

  Message: Bad syntax in replicate-rewrite-db - missing '->'!

  ER_RPL_REWRITEDB_MISSING_ARROW was added in 8.0.2.

- Error number: MY-010154; Symbol: ER_RPL_REWRITEDB_EMPTY_FROM; SQLSTATE: HY000

  Message: Bad syntax in replicate-rewrite-db - empty FROM db!

  ER_RPL_REWRITEDB_EMPTY_FROM was added in 8.0.2.

- Error number: MY-010155; Symbol: ER_RPL_REWRITEDB_EMPTY_TO; SQLSTATE: HY000

  Message: Bad syntax in replicate-rewrite-db - empty TO db!

  ER_RPL_REWRITEDB_EMPTY_TO was added in 8.0.2.

- Error number: MY-010156; Symbol: ER_LOG_FILES_GIVEN_LOG_OUTPUT_IS_TABLE; SQLSTATE: HY000

  Message: Although a path was specified for the %s, log tables are used. To enable logging to files use the --log-output=file option.

  ER_LOG_FILES_GIVEN_LOG_OUTPUT_IS_TABLE was added in 8.0.2.

- Error number: MY-010157; Symbol: ER_LOG_FILE_INVALID; SQLSTATE: HY000

  Message: Invalid value for %s: %s

  ER_LOG_FILE_INVALID was added in 8.0.2.

- Error number: MY-010158; Symbol: ER_LOWER_CASE_TABLE_NAMES_CS_DD_ON_CI_FS_UNSUPPORTED; SQLSTATE: HY000

  Message: The server option 'lower_case_table_names' is configured to use case sensitive table names but the data directory is on a case-insensitive file system which is an unsupported combination. Please consider either using a case sensitive file system for your data directory or switching to a case-insensitive table name mode.

  ER_LOWER_CASE_TABLE_NAMES_CS_DD_ON_CI_FS_UNSUPPORTED was added in 8.0.2.

- Error number: MY-010159; Symbol: ER_LOWER_CASE_TABLE_NAMES_USING_2; SQLSTATE: HY000

  Message: Setting lower_case_table_names=2 because file system for %s is case insensitive

  ER_LOWER_CASE_TABLE_NAMES_USING_2 was added in 8.0.2.

- Error number: MY-010160; Symbol: ER_LOWER_CASE_TABLE_NAMES_USING_0; SQLSTATE: HY000

  Message: lower_case_table_names was set to 2, even though your the file system '%s' is case sensitive. Now setting lower_case_table_names to 0 to avoid future problems.

  ER_LOWER_CASE_TABLE_NAMES_USING_0 was added in 8.0.2.

- Error number: MY-010161; Symbol: ER_NEED_LOG_BIN; SQLSTATE: HY000

  Message: You need to use --log-bin to make %s work.

  ER_NEED_LOG_BIN was added in 8.0.2.

- Error number: MY-010162; Symbol: ER_NEED_FILE_INSTEAD_OF_DIR; SQLSTATE: HY000

  Message: Path '%s' is a directory name, please specify a file name for %s option

  ER_NEED_FILE_INSTEAD_OF_DIR was added in 8.0.2.

- Error number: MY-010163; Symbol: ER_LOG_BIN_BETTER_WITH_NAME; SQLSTATE: HY000

  Message: No argument was provided to --log-bin, and --log-bin-index was not used; so replication may break when this MySQL server acts as a source and has his hostname changed!! Please use '--log-bin=%s' to avoid this problem.

  ER_LOG_BIN_BETTER_WITH_NAME was added in 8.0.2.

- Error number: MY-010164; Symbol: ER_BINLOG_NEEDS_SERVERID; SQLSTATE: HY000

Message: You have enabled the binary log, but you haven't provided the mandatory server-id. Please refer to the proper server start-up parameters documentation

ER_BINLOG_NEEDS_SERVERID was added in 8.0.2.

- Error number: MY-010165; Symbol: ER_RPL_CANT_MAKE_PATHS; SQLSTATE: HY000

  Message: Unable to create replication path names: out of memory or path names too long (path name exceeds %d or file name exceeds %d).

  ER_RPL_CANT_MAKE_PATHS was added in 8.0.2.

- Error number: MY-010166; Symbol: ER_CANT_INITIALIZE_GTID; SQLSTATE: HY000

  Message: Failed to initialize GTID structures.

  ER_CANT_INITIALIZE_GTID was added in 8.0.2.

- Error number: MY-010167; Symbol: ER_CANT_INITIALIZE_EARLY_PLUGINS; SQLSTATE: HY000

  Message: Failed to initialize early plugins.

  ER_CANT_INITIALIZE_EARLY_PLUGINS was added in 8.0.2.

- Error number: MY-010168; Symbol: ER_CANT_INITIALIZE_BUILTIN_PLUGINS; SQLSTATE: HY000

  Message: Failed to initialize builtin plugins.

  ER_CANT_INITIALIZE_BUILTIN_PLUGINS was added in 8.0.2.

- Error number: MY-010169; Symbol: ER_CANT_INITIALIZE_DYNAMIC_PLUGINS; SQLSTATE: HY000

  Message: Failed to initialize dynamic plugins.

  ER_CANT_INITIALIZE_DYNAMIC_PLUGINS was added in 8.0.2.

- Error number: MY-010170; Symbol: ER_PERFSCHEMA_INIT_FAILED; SQLSTATE: HY000

  Message: Performance schema disabled (reason: init failed).

  ER_PERFSCHEMA_INIT_FAILED was added in 8.0.2.

- Error number: MY-010171; Symbol: ER_STACKSIZE_UNEXPECTED; SQLSTATE: HY000

  Message: Asked for %lu thread stack, but got %ld

  ER_STACKSIZE_UNEXPECTED was added in 8.0.2.

- Error number: MY-010172; Symbol: ER_CANT_SET_DATADIR; SQLSTATE: HY000

  Message: failed to set datadir to %s

  ER_CANT_SET_DATADIR was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010173; Symbol: ER_CANT_STAT_DATADIR; SQLSTATE: HY000

  Message: Can't read data directory's stats (%d): %s. Assuming that it's not owned by the same user/group

ER_CANT_STAT_DATADIR was added in 8.0.2.

- Error number: MY-010174; Symbol: ER_CANT_CHOWN_DATADIR; SQLSTATE: HY000

  Message: Can't change data directory owner to %s

  ER_CANT_CHOWN_DATADIR was added in 8.0.2.

- Error number: MY-010175; Symbol: ER_CANT_SET_UP_PERSISTED_VALUES; SQLSTATE: HY000

  Message: Setting persistent options failed.

  ER_CANT_SET_UP_PERSISTED_VALUES was added in 8.0.2.

- Error number: MY-010176; Symbol: ER_CANT_SAVE_GTIDS; SQLSTATE: HY000

  Message: Failed to save the set of Global Transaction Identifiers of the last binary log into the mysql.gtid_executed table while the server was shutting down. The next server restart will make another attempt to save Global Transaction Identifiers into the table.

  ER_CANT_SAVE_GTIDS was added in 8.0.2.

- Error number: MY-010177; Symbol: ER_AUTH_CANT_SET_DEFAULT_PLUGIN; SQLSTATE: HY000

  Message: Can't start server: Invalid value for --default-authentication-plugin

  ER_AUTH_CANT_SET_DEFAULT_PLUGIN was added in 8.0.2.

- Error number: MY-010178; Symbol: ER_CANT_JOIN_SHUTDOWN_THREAD; SQLSTATE: HY000

  Message: Could not join %sthread. error:%d

  ER_CANT_JOIN_SHUTDOWN_THREAD was added in 8.0.2.

- Error number: MY-010179; Symbol: ER_CANT_HASH_DO_AND_IGNORE_RULES; SQLSTATE: HY000

  Message: An error occurred while building do_table and ignore_table rules to hashes for global replication filter.

  ER_CANT_HASH_DO_AND_IGNORE_RULES was added in 8.0.2.

- Error number: MY-010180; Symbol: ER_CANT_OPEN_CA; SQLSTATE: HY000

  Message: Error opening CA certificate file

  ER_CANT_OPEN_CA was added in 8.0.2.

- Error number: MY-010181; Symbol: ER_CANT_ACCESS_CAPATH; SQLSTATE: HY000

  Message: Error accessing directory pointed by --ssl-capath

  ER_CANT_ACCESS_CAPATH was added in 8.0.2.

- Error number: MY-010182; Symbol: ER_SSL_TRYING_DATADIR_DEFAULTS; SQLSTATE: HY000

  Message: Found %s, %s and %s in data directory. Trying to enable SSL support using them.

  ER_SSL_TRYING_DATADIR_DEFAULTS was added in 8.0.2.

- Error number: MY-010183; Symbol: ER_AUTO_OPTIONS_FAILED; SQLSTATE: HY000

  Message: Failed to create %s(file: '%s', errno %d)

  ER_AUTO_OPTIONS_FAILED was added in 8.0.2.

- Error number: MY-010184; Symbol: ER_CANT_INIT_TIMER; SQLSTATE: HY000

  Message: Failed to initialize timer component (errno %d).

  ER_CANT_INIT_TIMER was added in 8.0.2.

- Error number: MY-010185; Symbol: ER_SERVERID_TOO_LARGE; SQLSTATE: HY000

  Message: server-id configured is too large to represent with server-id-bits configured.

  ER_SERVERID_TOO_LARGE was added in 8.0.2.

- Error number: MY-010186; Symbol: ER_DEFAULT_SE_UNAVAILABLE; SQLSTATE: HY000

  Message: Default%s storage engine (%s) is not available

  ER_DEFAULT_SE_UNAVAILABLE was added in 8.0.2.

- Error number: MY-010187; Symbol: ER_CANT_OPEN_ERROR_LOG; SQLSTATE: HY000

  Message: Could not open file '%s' for error logging%s%s

  ER_CANT_OPEN_ERROR_LOG was added in 8.0.2.

- Error number: MY-010188; Symbol: ER_INVALID_ERROR_LOG_NAME; SQLSTATE: HY000

  Message: Invalid log file name after expanding symlinks: '%s'

  ER_INVALID_ERROR_LOG_NAME was added in 8.0.2.

- Error number: MY-010189; Symbol: ER_RPL_INFINITY_DENIED; SQLSTATE: HY000

  Message: using --replicate-same-server-id in conjunction with --log-replica-updates is impossible, it would lead to infinite loops in this server.

  ER_RPL_INFINITY_DENIED was added in 8.0.2.

- Error number: MY-010190; Symbol: ER_RPL_INFINITY_IGNORED; SQLSTATE: HY000

  Message: using --replicate-same-server-id in conjunction with --log-replica-updates would lead to infinite loops in this server. However this will be ignored as the --log-bin option is not defined or your server is running with global transaction identiers enabled.

  ER_RPL_INFINITY_IGNORED was added in 8.0.2.

- Error number: MY-010191; Symbol: ER_NDB_TABLES_NOT_READY; SQLSTATE: HY000

  Message: NDB : Tables not available after %lu seconds. Consider increasing --ndb-wait-setup value

  ER_NDB_TABLES_NOT_READY was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010192; Symbol: ER_TABLE_CHECK_INTACT; SQLSTATE: HY000

  Message: %s

ER_TABLE_CHECK_INTACT was added in 8.0.2.

- Error number: MY-010193; Symbol: ER_DD_TABLESPACE_NOT_FOUND; SQLSTATE: HY000

  Message: Unable to start server. The data dictionary tablespace '%s' does not exist.

  ER_DD_TABLESPACE_NOT_FOUND was added in 8.0.2.

- Error number: MY-010194; Symbol: ER_DD_TRG_CONNECTION_COLLATION_MISSING; SQLSTATE: HY000

  Message: Connection collation is missing for trigger of table %s. Using default connection collation.

  ER_DD_TRG_CONNECTION_COLLATION_MISSING was added in 8.0.2.

- Error number: MY-010195; Symbol: ER_DD_TRG_DB_COLLATION_MISSING; SQLSTATE: HY000

  Message: Database collation is missing for trigger of table %s. Using Default character set.

  ER_DD_TRG_DB_COLLATION_MISSING was added in 8.0.2.

- Error number: MY-010196; Symbol: ER_DD_TRG_DEFINER_OOM; SQLSTATE: HY000

  Message: Error in Memory allocation for Definer %s for Trigger.

  ER_DD_TRG_DEFINER_OOM was added in 8.0.2.

- Error number: MY-010197; Symbol: ER_DD_TRG_FILE_UNREADABLE; SQLSTATE: HY000

  Message: Error in reading %s.TRG file.

  ER_DD_TRG_FILE_UNREADABLE was added in 8.0.2.

- Error number: MY-010198; Symbol: ER_TRG_CANT_PARSE; SQLSTATE: HY000

  Message: Error in parsing Triggers from %s.TRG file.

  ER_TRG_CANT_PARSE was added in 8.0.2.

- Error number: MY-010199; Symbol: ER_DD_TRG_CANT_ADD; SQLSTATE: HY000

  Message: Error in creating DD entry for Trigger %s.%s

  ER_DD_TRG_CANT_ADD was added in 8.0.2.

- Error number: MY-010200; Symbol: ER_DD_CANT_RESOLVE_VIEW; SQLSTATE: HY000

  Message: Resolving dependency for the view '%s.%s' failed. View is no more valid to use

  ER_DD_CANT_RESOLVE_VIEW was added in 8.0.2.

- Error number: MY-010201; Symbol: ER_DD_VIEW_WITHOUT_DEFINER; SQLSTATE: HY000

  Message: %s.%s has no definer (as per an old view format). Current user is used as definer. Please recreate the view.

  ER_DD_VIEW_WITHOUT_DEFINER was added in 8.0.2.

- Error number: MY-010202; Symbol: ER_PLUGIN_INIT_FAILED; SQLSTATE: HY000

Message: Plugin '%s' init function returned error.

ER_PLUGIN_INIT_FAILED was added in 8.0.2.

- Error number: MY-010203; Symbol: ER_RPL_TRX_DELEGATES_INIT_FAILED; SQLSTATE: HY000

  Message: Initialization of transaction delegates failed. Please report a bug.

  ER_RPL_TRX_DELEGATES_INIT_FAILED was added in 8.0.2.

- Error number: MY-010204; Symbol: ER_RPL_BINLOG_STORAGE_DELEGATES_INIT_FAILED; SQLSTATE: HY000

  Message: Initialization binlog storage delegates failed. Please report a bug.

  ER_RPL_BINLOG_STORAGE_DELEGATES_INIT_FAILED was added in 8.0.2.

- Error number: MY-010205; Symbol: ER_RPL_BINLOG_TRANSMIT_DELEGATES_INIT_FAILED; SQLSTATE: HY000

  Message: Initialization of binlog transmit delegates failed. Please report a bug.

  ER_RPL_BINLOG_TRANSMIT_DELEGATES_INIT_FAILED was added in 8.0.2.

- Error number: MY-010206; Symbol: ER_RPL_BINLOG_RELAY_DELEGATES_INIT_FAILED; SQLSTATE: HY000

  Message: Initialization binlog relay IO delegates failed. Please report a bug.

  ER_RPL_BINLOG_RELAY_DELEGATES_INIT_FAILED was added in 8.0.2.

- Error number: MY-010207; Symbol: ER_RPL_PLUGIN_FUNCTION_FAILED; SQLSTATE: HY000

  Message: Run function '...' in plugin '%s' failed

  ER_RPL_PLUGIN_FUNCTION_FAILED was added in 8.0.2.

- Error number: MY-010208; Symbol: ER_SQL_HA_READ_FAILED; SQLSTATE: HY000

  Message: mysql_ha_read: Got error %d when reading table '%s'

  ER_SQL_HA_READ_FAILED was added in 8.0.2.

- Error number: MY-010209; Symbol: ER_SR_BOGUS_VALUE; SQLSTATE: HY000

  Message: Stored routine '%s'.'%s': invalid value in column %s.

  ER_SR_BOGUS_VALUE was added in 8.0.2.

- Error number: MY-010210; Symbol: ER_SR_INVALID_CONTEXT; SQLSTATE: HY000

  Message: Invalid creation context '%s.%s'.

  ER_SR_INVALID_CONTEXT was added in 8.0.2.

- Error number: MY-010211; Symbol: ER_READING_TABLE_FAILED; SQLSTATE: HY000

  Message: Got error %d when reading table '%s'

ER_READING_TABLE_FAILED was added in 8.0.2.

- Error number: MY-010212; Symbol: ER_DES_FILE_WRONG_KEY; SQLSTATE: HY000

  Message: load_des_file: Found wrong key_number: %c

  ER_DES_FILE_WRONG_KEY was added in 8.0.2.

- Error number: MY-010214; Symbol: ER_JSON_PARSE_ERROR; SQLSTATE: HY000

  Message: Persisted config file is corrupt. Please ensure mysqld-auto.cnf file is valid JSON.

  ER_JSON_PARSE_ERROR was added in 8.0.2.

- Error number: MY-010215; Symbol: ER_CONFIG_OPTION_WITHOUT_GROUP; SQLSTATE: HY000

  Message: Found option without preceding group in config file

  ER_CONFIG_OPTION_WITHOUT_GROUP was added in 8.0.2.

- Error number: MY-010216; Symbol: ER_VALGRIND_DO_QUICK_LEAK_CHECK; SQLSTATE: HY000

  Message: VALGRIND_DO_QUICK_LEAK_CHECK

  ER_VALGRIND_DO_QUICK_LEAK_CHECK was added in 8.0.2.

- Error number: MY-010217; Symbol: ER_VALGRIND_COUNT_LEAKS; SQLSTATE: HY000

  Message: VALGRIND_COUNT_LEAKS reports %lu leaked bytes for query '%.*s'

  ER_VALGRIND_COUNT_LEAKS was added in 8.0.2.

- Error number: MY-010218; Symbol: ER_LOAD_DATA_INFILE_FAILED_IN_UNEXPECTED_WAY; SQLSTATE: HY000

  Message: LOAD DATA INFILE in the replica SQL Thread can only read from --replica-load-tmpdir. Please, report a bug.

  ER_LOAD_DATA_INFILE_FAILED_IN_UNEXPECTED_WAY was added in 8.0.2.

- Error number: MY-010219; Symbol: ER_UNKNOWN_ERROR_NUMBER; SQLSTATE: HY000

  Message: Got unknown error: %d

  ER_UNKNOWN_ERROR_NUMBER was added in 8.0.2.

- Error number: MY-010220; Symbol: ER_UDF_CANT_ALLOC_FOR_STRUCTURES; SQLSTATE: HY000

  Message: Can't allocate memory for udf structures

  ER_UDF_CANT_ALLOC_FOR_STRUCTURES was added in 8.0.2.

- Error number: MY-010221; Symbol: ER_UDF_CANT_ALLOC_FOR_FUNCTION; SQLSTATE: HY000

  Message: Can't alloc memory for udf function: '%s'

  ER_UDF_CANT_ALLOC_FOR_FUNCTION was added in 8.0.2.

- Error number: MY-010222; Symbol: ER_UDF_INVALID_ROW_IN_FUNCTION_TABLE; SQLSTATE: HY000

  Message: Invalid row in mysql.func table for function '%s'

  ER_UDF_INVALID_ROW_IN_FUNCTION_TABLE was added in 8.0.2.

- Error number: MY-010223; Symbol: ER_UDF_CANT_OPEN_FUNCTION_TABLE; SQLSTATE: HY000

  Message: Could not open the mysql.func table. Please perform the MySQL upgrade procedure.

  ER_UDF_CANT_OPEN_FUNCTION_TABLE was added in 8.0.2.

- Error number: MY-010224; Symbol: ER_XA_RECOVER_FOUND_TRX_IN_SE; SQLSTATE: HY000

  Message: Found %d prepared transaction(s) in %s

  ER_XA_RECOVER_FOUND_TRX_IN_SE was added in 8.0.2.

- Error number: MY-010225; Symbol: ER_XA_RECOVER_FOUND_XA_TRX; SQLSTATE: HY000

  Message: Found %d prepared XA transactions

  ER_XA_RECOVER_FOUND_XA_TRX was added in 8.0.2.

- Error number: MY-010226; Symbol: ER_XA_IGNORING_XID; SQLSTATE: HY000

  Message: ignore xid %s

  ER_XA_IGNORING_XID was added in 8.0.2, removed after 8.0.29.

- Error number: MY-010227; Symbol: ER_XA_COMMITTING_XID; SQLSTATE: HY000

  Message: commit xid %s

  ER_XA_COMMITTING_XID was added in 8.0.2, removed after 8.0.29.

- Error number: MY-010228; Symbol: ER_XA_ROLLING_BACK_XID; SQLSTATE: HY000

  Message: rollback xid %s

  ER_XA_ROLLING_BACK_XID was added in 8.0.2, removed after 8.0.29.

- Error number: MY-010229; Symbol: ER_XA_STARTING_RECOVERY; SQLSTATE: HY000

  Message: Starting XA crash recovery...

  ER_XA_STARTING_RECOVERY was added in 8.0.2.

- Error number: MY-010230; Symbol: ER_XA_NO_MULTI_2PC_HEURISTIC_RECOVER; SQLSTATE: HY000

  Message: --tc-heuristic-recover rollback strategy is not safe on systems with more than one 2-phase-commit-capable storage engine. Aborting crash recovery.

  ER_XA_NO_MULTI_2PC_HEURISTIC_RECOVER was added in 8.0.2.

- Error number: MY-010231; Symbol: ER_XA_RECOVER_EXPLANATION; SQLSTATE: HY000

  Message: Found %d prepared transactions! It means that mysqld was not shut down properly last time and critical recovery information (last binlog or %s file) was manually deleted after a crash. You have to start mysqld with --tc-heuristic-recover switch to commit or rollback pending transactions.

  ER_XA_RECOVER_EXPLANATION was added in 8.0.2.

- Error number: MY-010232; Symbol: ER_XA_RECOVERY_DONE; SQLSTATE: HY000

  Message: XA crash recovery finished.

  ER_XA_RECOVERY_DONE was added in 8.0.2.

- Error number: MY-010233; Symbol: ER_TRX_GTID_COLLECT_REJECT; SQLSTATE: HY000

  Message: Failed to collect GTID to send in the response packet!

  ER_TRX_GTID_COLLECT_REJECT was added in 8.0.2.

- Error number: MY-010234; Symbol: ER_SQL_AUTHOR_DEFAULT_ROLES_FAIL; SQLSTATE: HY000

  Message: MYSQL.DEFAULT_ROLES couldn't be updated for authorization identifier %s

  ER_SQL_AUTHOR_DEFAULT_ROLES_FAIL was added in 8.0.2.

- Error number: MY-010235; Symbol: ER_SQL_USER_TABLE_CREATE_WARNING; SQLSTATE: HY000

  Message: Following users were specified in CREATE USER IF NOT EXISTS but they already exist. Corresponding entry in binary log used default authentication plugin '%s' to rewrite authentication information (if any) for them: %s

  ER_SQL_USER_TABLE_CREATE_WARNING was added in 8.0.2.

- Error number: MY-010236; Symbol: ER_SQL_USER_TABLE_ALTER_WARNING; SQLSTATE: HY000

  Message: Following users were specified in ALTER USER IF EXISTS but they do not exist. Corresponding entry in binary log used default authentication plugin '%s' to rewrite authentication information (if any) for them: %s

  ER_SQL_USER_TABLE_ALTER_WARNING was added in 8.0.2.

- Error number: MY-010237; Symbol: ER_ROW_IN_WRONG_PARTITION_PLEASE_REPAIR; SQLSTATE: HY000

  Message: Table '%s' corrupted: row in wrong partition: %s -- Please REPAIR the table!

  ER_ROW_IN_WRONG_PARTITION_PLEASE_REPAIR was added in 8.0.2.

- Error number: MY-010238; Symbol: ER_MYISAM_CRASHED_ERROR_IN_THREAD; SQLSTATE: HY000

  Message: Got an error from thread_id=%u, %s:%d

  ER_MYISAM_CRASHED_ERROR_IN_THREAD was added in 8.0.2.

- Error number: MY-010239; Symbol: ER_MYISAM_CRASHED_ERROR_IN; SQLSTATE: HY000

  Message: Got an error from unknown thread, %s:%d

  ER_MYISAM_CRASHED_ERROR_IN was added in 8.0.2.
- Error number: MY-010240; Symbol: ER_TOO_MANY_STORAGE_ENGINES; SQLSTATE: HY000

  Message: Too many storage engines!

  ER_TOO_MANY_STORAGE_ENGINES was added in 8.0.2.
- Error number: MY-010241; Symbol: ER_SE_TYPECODE_CONFLICT; SQLSTATE: HY000

  Message: Storage engine '%s' has conflicting typecode. Assigning value %d.

  ER_SE_TYPECODE_CONFLICT was added in 8.0.2.
- Error number: MY-010242; Symbol: ER_TRX_WRITE_SET_OOM; SQLSTATE: HY000

  Message: Out of memory on transaction write set extraction

  ER_TRX_WRITE_SET_OOM was added in 8.0.2.
- Error number: MY-010243; Symbol: ER_HANDLERTON_OOM; SQLSTATE: HY000

  Message: Unable to allocate memory for plugin '%s' handlerton.

  ER_HANDLERTON_OOM was added in 8.0.2.
- Error number: MY-010244; Symbol: ER_CONN_SHM_LISTENER; SQLSTATE: HY000

  Message: Shared memory setting up listener

  ER_CONN_SHM_LISTENER was added in 8.0.2.
- Error number: MY-010245; Symbol: ER_CONN_SHM_CANT_CREATE_SERVICE; SQLSTATE: HY000

  Message: Can't create shared memory service: %s. : %s

  ER_CONN_SHM_CANT_CREATE_SERVICE was added in 8.0.2.
- Error number: MY-010246; Symbol: ER_CONN_SHM_CANT_CREATE_CONNECTION; SQLSTATE: HY000

  Message: Can't create shared memory connection: %s. : %s

  ER_CONN_SHM_CANT_CREATE_CONNECTION was added in 8.0.2.
- Error number: MY-010247; Symbol: ER_CONN_PIP_CANT_CREATE_EVENT; SQLSTATE: HY000

  Message: Can't create event, last error=%u

  ER_CONN_PIP_CANT_CREATE_EVENT was added in 8.0.2.
- Error number: MY-010248; Symbol: ER_CONN_PIP_CANT_CREATE_PIPE; SQLSTATE: HY000

  Message: Can't create new named pipe!: %s

  ER_CONN_PIP_CANT_CREATE_PIPE was added in 8.0.2.

- Error number: MY-010249; Symbol: ER_CONN_PER_THREAD_NO_THREAD; SQLSTATE: HY000

  Message: Can't create thread to handle new connection(errno= %d)

  ER_CONN_PER_THREAD_NO_THREAD was added in 8.0.2.

- Error number: MY-010250; Symbol: ER_CONN_TCP_NO_SOCKET; SQLSTATE: HY000

  Message: Failed to create a socket for %s '%s': errno: %d.

  ER_CONN_TCP_NO_SOCKET was added in 8.0.2.

- Error number: MY-010251; Symbol: ER_CONN_TCP_CREATED; SQLSTATE: HY000

  Message: Server socket created on IP: '%s'.

  ER_CONN_TCP_CREATED was added in 8.0.2.

- Error number: MY-010252; Symbol: ER_CONN_TCP_ADDRESS; SQLSTATE: HY000

  Message: Server hostname (bind-address): '%s'; port: %d

  ER_CONN_TCP_ADDRESS was added in 8.0.2.

- Error number: MY-010253; Symbol: ER_CONN_TCP_IPV6_AVAILABLE; SQLSTATE: HY000

  Message: IPv6 is available.

  ER_CONN_TCP_IPV6_AVAILABLE was added in 8.0.2.

- Error number: MY-010254; Symbol: ER_CONN_TCP_IPV6_UNAVAILABLE; SQLSTATE: HY000

  Message: IPv6 is not available.

  ER_CONN_TCP_IPV6_UNAVAILABLE was added in 8.0.2.

- Error number: MY-010255; Symbol: ER_CONN_TCP_ERROR_WITH_STRERROR; SQLSTATE: HY000

  Message: Can't create IP socket: %s

  ER_CONN_TCP_ERROR_WITH_STRERROR was added in 8.0.2.

- Error number: MY-010256; Symbol: ER_CONN_TCP_CANT_RESOLVE_HOSTNAME; SQLSTATE: HY000

  Message: Can't start server: cannot resolve hostname!

  ER_CONN_TCP_CANT_RESOLVE_HOSTNAME was added in 8.0.2.

- Error number: MY-010257; Symbol: ER_CONN_TCP_IS_THERE_ANOTHER_USING_PORT; SQLSTATE: HY000

  Message: Do you already have another mysqld server running on port: %d ?

  ER_CONN_TCP_IS_THERE_ANOTHER_USING_PORT was added in 8.0.2.

- Error number: MY-010258; Symbol: ER_CONN_UNIX_IS_THERE_ANOTHER_USING_SOCKET; SQLSTATE: HY000

  Message: Do you already have another mysqld server running on socket: %s ?

ER_CONN_UNIX_IS_THERE_ANOTHER_USING_SOCKET was added in 8.0.2.

- Error number: MY-010259; Symbol: ER_CONN_UNIX_PID_CLAIMED_SOCKET_FILE; SQLSTATE: HY000

  Message: Another process with pid %d is using unix socket file.

  ER_CONN_UNIX_PID_CLAIMED_SOCKET_FILE was added in 8.0.2.

- Error number: MY-010260; Symbol: ER_CONN_TCP_CANT_RESET_V6ONLY; SQLSTATE: HY000

  Message: Failed to reset IPV6_V6ONLY flag (error: %d). The server will listen to IPv6 addresses only.

  ER_CONN_TCP_CANT_RESET_V6ONLY was added in 8.0.2.

- Error number: MY-010261; Symbol: ER_CONN_TCP_BIND_RETRY; SQLSTATE: HY000

  Message: Retrying bind on TCP/IP port %u

  ER_CONN_TCP_BIND_RETRY was added in 8.0.2.

- Error number: MY-010262; Symbol: ER_CONN_TPC_BIND_FAIL; SQLSTATE: HY000

  Message: Can't start server: Bind on TCP/IP port: %s

  ER_CONN_TPC_BIND_FAIL was added in 8.0.2, removed after 8.0.11.

- Error number: MY-010262; Symbol: ER_CONN_TCP_BIND_FAIL; SQLSTATE: HY000

  Message: Can't start server: Bind on TCP/IP port: %s

  ER_CONN_TCP_BIND_FAIL was added in 8.0.12.

- Error number: MY-010263; Symbol: ER_CONN_TCP_IP_NOT_LOGGED; SQLSTATE: HY000

  Message: Fails to print out IP-address.

  ER_CONN_TCP_IP_NOT_LOGGED was added in 8.0.2.

- Error number: MY-010264; Symbol: ER_CONN_TCP_RESOLVE_INFO; SQLSTATE: HY000

  Message: - '%s' resolves to '%s';

  ER_CONN_TCP_RESOLVE_INFO was added in 8.0.2.

- Error number: MY-010265; Symbol: ER_CONN_TCP_START_FAIL; SQLSTATE: HY000

  Message: Can't start server: listen() on TCP/IP port: %s

  ER_CONN_TCP_START_FAIL was added in 8.0.2.

- Error number: MY-010266; Symbol: ER_CONN_TCP_LISTEN_FAIL; SQLSTATE: HY000

  Message: listen() on TCP/IP failed with error %d

  ER_CONN_TCP_LISTEN_FAIL was added in 8.0.2.

- Error number: MY-010267; Symbol: ER_CONN_UNIX_PATH_TOO_LONG; SQLSTATE: HY000

Message: The socket file path is too long (> %u): %s

ER_CONN_UNIX_PATH_TOO_LONG was added in 8.0.2.

- Error number: MY-010268; Symbol: ER_CONN_UNIX_LOCK_FILE_FAIL; SQLSTATE: HY000

  Message: Unable to setup unix socket lock file.

  ER_CONN_UNIX_LOCK_FILE_FAIL was added in 8.0.2.

- Error number: MY-010269; Symbol: ER_CONN_UNIX_NO_FD; SQLSTATE: HY000

  Message: Can't start server: UNIX Socket : %s

  ER_CONN_UNIX_NO_FD was added in 8.0.2.

- Error number: MY-010270; Symbol: ER_CONN_UNIX_NO_BIND_NO_START; SQLSTATE: HY000

  Message: Can't start server : Bind on unix socket: %s

  ER_CONN_UNIX_NO_BIND_NO_START was added in 8.0.2.

- Error number: MY-010271; Symbol: ER_CONN_UNIX_LISTEN_FAILED; SQLSTATE: HY000

  Message: listen() on Unix socket failed with error %d

  ER_CONN_UNIX_LISTEN_FAILED was added in 8.0.2.

- Error number: MY-010272; Symbol: ER_CONN_UNIX_LOCK_FILE_GIVING_UP; SQLSTATE: HY000

  Message: Unable to create unix socket lock file %s after retries.

  ER_CONN_UNIX_LOCK_FILE_GIVING_UP was added in 8.0.2.

- Error number: MY-010273; Symbol: ER_CONN_UNIX_LOCK_FILE_CANT_CREATE; SQLSTATE: HY000

  Message: Could not create unix socket lock file %s.

  ER_CONN_UNIX_LOCK_FILE_CANT_CREATE was added in 8.0.2.

- Error number: MY-010274; Symbol: ER_CONN_UNIX_LOCK_FILE_CANT_OPEN; SQLSTATE: HY000

  Message: Could not open unix socket lock file %s.

  ER_CONN_UNIX_LOCK_FILE_CANT_OPEN was added in 8.0.2.

- Error number: MY-010275; Symbol: ER_CONN_UNIX_LOCK_FILE_CANT_READ; SQLSTATE: HY000

  Message: Could not read unix socket lock file %s.

  ER_CONN_UNIX_LOCK_FILE_CANT_READ was added in 8.0.2.

- Error number: MY-010276; Symbol: ER_CONN_UNIX_LOCK_FILE_EMPTY; SQLSTATE: HY000

  Message: Unix socket lock file is empty %s.

  ER_CONN_UNIX_LOCK_FILE_EMPTY was added in 8.0.2.

- Error number: MY-010277; Symbol: ER_CONN_UNIX_LOCK_FILE_PIDLESS; SQLSTATE: HY000

Message: Invalid pid in unix socket lock file %s.

ER_CONN_UNIX_LOCK_FILE_PIDLESS was added in 8.0.2.

- Error number: MY-010278; Symbol: ER_CONN_UNIX_LOCK_FILE_CANT_WRITE; SQLSTATE: HY000

  Message: Could not write unix socket lock file %s errno %d.

  ER_CONN_UNIX_LOCK_FILE_CANT_WRITE was added in 8.0.2.
- Error number: MY-010279; Symbol: ER_CONN_UNIX_LOCK_FILE_CANT_DELETE; SQLSTATE: HY000

  Message: Could not remove unix socket lock file %s errno %d.

  ER_CONN_UNIX_LOCK_FILE_CANT_DELETE was added in 8.0.2.
- Error number: MY-010280; Symbol: ER_CONN_UNIX_LOCK_FILE_CANT_SYNC; SQLSTATE: HY000

  Message: Could not sync unix socket lock file %s errno %d.

  ER_CONN_UNIX_LOCK_FILE_CANT_SYNC was added in 8.0.2.
- Error number: MY-010281; Symbol: ER_CONN_UNIX_LOCK_FILE_CANT_CLOSE; SQLSTATE: HY000

  Message: Could not close unix socket lock file %s errno %d.

  ER_CONN_UNIX_LOCK_FILE_CANT_CLOSE was added in 8.0.2.
- Error number: MY-010282; Symbol: ER_CONN_SOCKET_SELECT_FAILED; SQLSTATE: HY000

  Message: mysqld: Got error %d from select

  ER_CONN_SOCKET_SELECT_FAILED was added in 8.0.2.
- Error number: MY-010283; Symbol: ER_CONN_SOCKET_ACCEPT_FAILED; SQLSTATE: HY000

  Message: Error in accept: %s

  ER_CONN_SOCKET_ACCEPT_FAILED was added in 8.0.2.
- Error number: MY-010284; Symbol: ER_AUTH_RSA_CANT_FIND; SQLSTATE: HY000

  Message: RSA %s key file not found: %s. Some authentication plugins will not work.

  ER_AUTH_RSA_CANT_FIND was added in 8.0.2.
- Error number: MY-010285; Symbol: ER_AUTH_RSA_CANT_PARSE; SQLSTATE: HY000

  Message: Failure to parse RSA %s key (file exists): %s: %s

  ER_AUTH_RSA_CANT_PARSE was added in 8.0.2.
- Error number: MY-010286; Symbol: ER_AUTH_RSA_CANT_READ; SQLSTATE: HY000

  Message: Failure to read key file: %s

  ER_AUTH_RSA_CANT_READ was added in 8.0.2.
- Error number: MY-010287; Symbol: ER_AUTH_RSA_FILES_NOT_FOUND; SQLSTATE: HY000

Message: RSA key files not found. Some authentication plugins will not work.

`ER_AUTH_RSA_FILES_NOT_FOUND` was added in 8.0.2.

- Error number: `MY-010288`; Symbol: `ER_CONN_ATTR_TRUNCATED`; SQLSTATE: `HY000`

  Message: Connection attributes of length %lu were truncated (%d bytes lost) for connection %llu, user %s@%s (as %s), auth: %s

  `ER_CONN_ATTR_TRUNCATED` was added in 8.0.2.

- Error number: `MY-010289`; Symbol: `ER_X509_CIPHERS_MISMATCH`; SQLSTATE: `HY000`

  Message: X.509 ciphers mismatch: should be '%s' but is '%s'

  `ER_X509_CIPHERS_MISMATCH` was added in 8.0.2.

- Error number: `MY-010290`; Symbol: `ER_X509_ISSUER_MISMATCH`; SQLSTATE: `HY000`

  Message: X.509 issuer mismatch: should be '%s' but is '%s'

  `ER_X509_ISSUER_MISMATCH` was added in 8.0.2.

- Error number: `MY-010291`; Symbol: `ER_X509_SUBJECT_MISMATCH`; SQLSTATE: `HY000`

  Message: X.509 subject mismatch: should be '%s' but is '%s'

  `ER_X509_SUBJECT_MISMATCH` was added in 8.0.2.

- Error number: `MY-010292`; Symbol: `ER_AUTH_CANT_ACTIVATE_ROLE`; SQLSTATE: `HY000`

  Message: Failed to activate default role %s for %s

  `ER_AUTH_CANT_ACTIVATE_ROLE` was added in 8.0.2.

- Error number: `MY-010293`; Symbol: `ER_X509_NEEDS_RSA_PRIVKEY`; SQLSTATE: `HY000`

  Message: Could not generate RSA private key required for X.509 certificate.

  `ER_X509_NEEDS_RSA_PRIVKEY` was added in 8.0.2.

- Error number: `MY-010294`; Symbol: `ER_X509_CANT_WRITE_KEY`; SQLSTATE: `HY000`

  Message: Could not write key file: %s

  `ER_X509_CANT_WRITE_KEY` was added in 8.0.2.

- Error number: `MY-010295`; Symbol: `ER_X509_CANT_CHMOD_KEY`; SQLSTATE: `HY000`

  Message: Could not set file permission for %s

  `ER_X509_CANT_CHMOD_KEY` was added in 8.0.2.

- Error number: `MY-010296`; Symbol: `ER_X509_CANT_READ_CA_KEY`; SQLSTATE: `HY000`

  Message: Could not read CA key file: %s

  `ER_X509_CANT_READ_CA_KEY` was added in 8.0.2.

- Error number: MY-010297; Symbol: ER_X509_CANT_READ_CA_CERT; SQLSTATE: HY000

  Message: Could not read CA certificate file: %s

  ER_X509_CANT_READ_CA_CERT was added in 8.0.2.
- Error number: MY-010298; Symbol: ER_X509_CANT_CREATE_CERT; SQLSTATE: HY000

  Message: Could not generate X.509 certificate.

  ER_X509_CANT_CREATE_CERT was added in 8.0.2.
- Error number: MY-010299; Symbol: ER_X509_CANT_WRITE_CERT; SQLSTATE: HY000

  Message: Could not write certificate file: %s

  ER_X509_CANT_WRITE_CERT was added in 8.0.2.
- Error number: MY-010300; Symbol: ER_AUTH_CANT_CREATE_RSA_PAIR; SQLSTATE: HY000

  Message: Could not generate RSA Private/Public key pair

  ER_AUTH_CANT_CREATE_RSA_PAIR was added in 8.0.2.
- Error number: MY-010301; Symbol: ER_AUTH_CANT_WRITE_PRIVKEY; SQLSTATE: HY000

  Message: Could not write private key file: %s

  ER_AUTH_CANT_WRITE_PRIVKEY was added in 8.0.2.
- Error number: MY-010302; Symbol: ER_AUTH_CANT_WRITE_PUBKEY; SQLSTATE: HY000

  Message: Could not write public key file: %s

  ER_AUTH_CANT_WRITE_PUBKEY was added in 8.0.2.
- Error number: MY-010303; Symbol: ER_AUTH_SSL_CONF_PREVENTS_CERT_GENERATION; SQLSTATE: HY000

  Message: Skipping generation of SSL certificates as options related to SSL are specified.

  ER_AUTH_SSL_CONF_PREVENTS_CERT_GENERATION was added in 8.0.2.
- Error number: MY-010304; Symbol: ER_AUTH_USING_EXISTING_CERTS; SQLSTATE: HY000

  Message: Skipping generation of SSL certificates as certificate files are present in data directory.

  ER_AUTH_USING_EXISTING_CERTS was added in 8.0.2.
- Error number: MY-010305; Symbol: ER_AUTH_CERTS_SAVED_TO_DATADIR; SQLSTATE: HY000

  Message: Auto generated SSL certificates are placed in data directory.

  ER_AUTH_CERTS_SAVED_TO_DATADIR was added in 8.0.2.
- Error number: MY-010306; Symbol: ER_AUTH_CERT_GENERATION_DISABLED; SQLSTATE: HY000

  Message: Skipping generation of SSL certificates as --auto_generate_certs is set to OFF.

  ER_AUTH_CERT_GENERATION_DISABLED was added in 8.0.2.

- Error number: MY-010307; Symbol: ER_AUTH_RSA_CONF_PREVENTS_KEY_GENERATION; SQLSTATE: HY000

  Message: Skipping generation of RSA key pair through %s as options related to RSA keys are specified.

  ER_AUTH_RSA_CONF_PREVENTS_KEY_GENERATION was added in 8.0.2.

- Error number: MY-010308; Symbol: ER_AUTH_KEY_GENERATION_SKIPPED_PAIR_PRESENT; SQLSTATE: HY000

  Message: Skipping generation of RSA key pair through %s as key files are present in data directory.

  ER_AUTH_KEY_GENERATION_SKIPPED_PAIR_PRESENT was added in 8.0.2.

- Error number: MY-010309; Symbol: ER_AUTH_KEYS_SAVED_TO_DATADIR; SQLSTATE: HY000

  Message: Auto generated RSA key files through %s are placed in data directory.

  ER_AUTH_KEYS_SAVED_TO_DATADIR was added in 8.0.2.

- Error number: MY-010310; Symbol: ER_AUTH_KEY_GENERATION_DISABLED; SQLSTATE: HY000

  Message: Skipping generation of RSA key pair as %s is set to OFF.

  ER_AUTH_KEY_GENERATION_DISABLED was added in 8.0.2.

- Error number: MY-010311; Symbol: ER_AUTHCACHE_PROXIES_PRIV_SKIPPED_NEEDS_RESOLVE; SQLSTATE: HY000

  Message: 'proxies_priv' entry '%s@%s %s@%s' ignored in --skip-name-resolve mode.

  ER_AUTHCACHE_PROXIES_PRIV_SKIPPED_NEEDS_RESOLVE was added in 8.0.2.

- Error number: MY-010312; Symbol: ER_AUTHCACHE_PLUGIN_MISSING; SQLSTATE: HY000

  Message: The plugin '%.*s' used to authenticate user '%s'@'%.*s' is not loaded. Nobody can currently login using this account.

  ER_AUTHCACHE_PLUGIN_MISSING was added in 8.0.2.

- Error number: MY-010313; Symbol: ER_AUTHCACHE_PLUGIN_CONFIG; SQLSTATE: HY000

  Message: The plugin '%s' is used to authenticate user '%s'@'%.*s', %s configured. Nobody can currently login using this account.

  ER_AUTHCACHE_PLUGIN_CONFIG was added in 8.0.2.

- Error number: MY-010314; Symbol: ER_AUTHCACHE_ROLE_TABLES_DODGY; SQLSTATE: HY000

  Message: Could not load mysql.role_edges and mysql.default_roles tables. ACL DDLs will not work unless mysql_upgrade is executed.

  ER_AUTHCACHE_ROLE_TABLES_DODGY was added in 8.0.2, removed after 8.0.4.

- Error number: MY-010315; Symbol: ER_AUTHCACHE_USER_SKIPPED_NEEDS_RESOLVE; SQLSTATE: HY000

  Message: 'user' entry '%s@%s' ignored in --skip-name-resolve mode.

  ER_AUTHCACHE_USER_SKIPPED_NEEDS_RESOLVE was added in 8.0.2.

- Error number: MY-010316; Symbol: ER_AUTHCACHE_USER_TABLE_DODGY; SQLSTATE: HY000

  Message: Fatal error: Could not read the column 'authentication_string' from table 'mysql.user'. Please perform the MySQL upgrade procedure.

  ER_AUTHCACHE_USER_TABLE_DODGY was added in 8.0.2.

- Error number: MY-010317; Symbol: ER_AUTHCACHE_USER_IGNORED_DEPRECATED_PASSWORD; SQLSTATE: HY000

  Message: User entry '%s'@'%s' has a deprecated pre-4.1 password. The user will be ignored and no one can login with this user anymore.

  ER_AUTHCACHE_USER_IGNORED_DEPRECATED_PASSWORD was added in 8.0.2.

- Error number: MY-010318; Symbol: ER_AUTHCACHE_USER_IGNORED_NEEDS_PLUGIN; SQLSTATE: HY000

  Message: User entry '%s'@'%s' has an empty plugin value. The user will be ignored and no one can login with this user anymore.

  ER_AUTHCACHE_USER_IGNORED_NEEDS_PLUGIN was added in 8.0.2.

- Error number: MY-010319; Symbol: ER_AUTHCACHE_USER_IGNORED_INVALID_PASSWORD; SQLSTATE: HY000

  Message: Found invalid password for user: '%s@%s'; Ignoring user

  ER_AUTHCACHE_USER_IGNORED_INVALID_PASSWORD was added in 8.0.2.

- Error number: MY-010320; Symbol: ER_AUTHCACHE_EXPIRED_PASSWORD_UNSUPPORTED; SQLSTATE: HY000

  Message: 'user' entry '%s@%s' has the password ignore flag raised, but its authentication plugin doesn't support password expiration. The user id will be ignored.

  ER_AUTHCACHE_EXPIRED_PASSWORD_UNSUPPORTED was added in 8.0.2.

- Error number: MY-010321; Symbol: ER_NO_SUPER_WITHOUT_USER_PLUGIN; SQLSTATE: HY000

  Message: Some of the user accounts with SUPER privileges were disabled because of empty mysql.user.plugin value. If you are upgrading from MySQL 5.6 to MySQL 5.7 it means that substitution for the empty plugin column was not possible. Probably because of pre 4.1 password hash. If your account is disabled you will need to perform the MySQL upgrade procedure. For complete instructions on how to upgrade MySQL to a new version please see the 'Upgrading MySQL' section from the MySQL manual.

  ER_NO_SUPER_WITHOUT_USER_PLUGIN was added in 8.0.2.

- Error number: MY-010322; Symbol: ER_AUTHCACHE_DB_IGNORED_EMPTY_NAME; SQLSTATE: HY000

  Message: Found an entry in the 'db' table with empty database name; Skipped

  ER_AUTHCACHE_DB_IGNORED_EMPTY_NAME was added in 8.0.2.

- Error number: MY-010323; Symbol: ER_AUTHCACHE_DB_SKIPPED_NEEDS_RESOLVE; SQLSTATE: HY000

  Message: 'db' entry '%s %s@%s' ignored in --skip-name-resolve mode.

  ER_AUTHCACHE_DB_SKIPPED_NEEDS_RESOLVE was added in 8.0.2.

- Error number: MY-010324; Symbol: ER_AUTHCACHE_DB_ENTRY_LOWERCASED_REVOKE_WILL_FAIL; SQLSTATE: HY000

  Message: 'db' entry '%s %s@%s' had database in mixed case that has been forced to lowercase because lower_case_table_names is set. It will not be possible to remove this privilege using REVOKE.

  ER_AUTHCACHE_DB_ENTRY_LOWERCASED_REVOKE_WILL_FAIL was added in 8.0.2.

- Error number: MY-010325; Symbol: ER_AUTHCACHE_TABLE_PROXIES_PRIV_MISSING; SQLSTATE: HY000

  Message: The system table mysql.proxies_priv is missing. Please perform the MySQL upgrade procedure.

  ER_AUTHCACHE_TABLE_PROXIES_PRIV_MISSING was added in 8.0.2.

- Error number: MY-010326; Symbol: ER_AUTHCACHE_CANT_OPEN_AND_LOCK_PRIVILEGE_TABLES; SQLSTATE: HY000

  Message: Fatal error: Can't open and lock privilege tables: %s

  ER_AUTHCACHE_CANT_OPEN_AND_LOCK_PRIVILEGE_TABLES was added in 8.0.2.

- Error number: MY-010327; Symbol: ER_AUTHCACHE_CANT_INIT_GRANT_SUBSYSTEM; SQLSTATE: HY000

  Message: Fatal: can't initialize grant subsystem - '%s'

  ER_AUTHCACHE_CANT_INIT_GRANT_SUBSYSTEM was added in 8.0.2.

- Error number: MY-010328; Symbol: ER_AUTHCACHE_PROCS_PRIV_SKIPPED_NEEDS_RESOLVE; SQLSTATE: HY000

  Message: 'procs_priv' entry '%s %s@%s' ignored in --skip-name-resolve mode.

  ER_AUTHCACHE_PROCS_PRIV_SKIPPED_NEEDS_RESOLVE was added in 8.0.2.

- Error number: MY-010329; Symbol: ER_AUTHCACHE_PROCS_PRIV_ENTRY_IGNORED_BAD_ROUTINE_TYPE; SQLSTATE: HY000

  Message: 'procs_priv' entry '%s' ignored, bad routine type

  ER_AUTHCACHE_PROCS_PRIV_ENTRY_IGNORED_BAD_ROUTINE_TYPE was added in 8.0.2.

- Error number: MY-010330; Symbol: ER_AUTHCACHE_TABLES_PRIV_SKIPPED_NEEDS_RESOLVE; SQLSTATE: HY000

Message: 'tables_priv' entry '%s %s@%s' ignored in --skip-name-resolve mode.

ER_AUTHCACHE_TABLES_PRIV_SKIPPED_NEEDS_RESOLVE was added in 8.0.2.

- Error number: MY-010331; Symbol: ER_USER_NOT_IN_EXTRA_USERS_BINLOG_POSSIBLY_INCOMPLETE; SQLSTATE: HY000

  Message: Failed to add %s in extra_users. Binary log entry may miss some of the users.

  ER_USER_NOT_IN_EXTRA_USERS_BINLOG_POSSIBLY_INCOMPLETE was added in 8.0.2.

- Error number: MY-010332; Symbol: ER_DD_SCHEMA_NOT_FOUND; SQLSTATE: HY000

  Message: Unable to start server. The data dictionary schema '%s' does not exist.

  ER_DD_SCHEMA_NOT_FOUND was added in 8.0.2.

- Error number: MY-010333; Symbol: ER_DD_TABLE_NOT_FOUND; SQLSTATE: HY000

  Message: Unable to start server. The data dictionary table '%s' does not exist.

  ER_DD_TABLE_NOT_FOUND was added in 8.0.2.

- Error number: MY-010334; Symbol: ER_DD_SE_INIT_FAILED; SQLSTATE: HY000

  Message: Failed to initialize DD Storage Engine

  ER_DD_SE_INIT_FAILED was added in 8.0.2.

- Error number: MY-010335; Symbol: ER_DD_ABORTING_PARTIAL_UPGRADE; SQLSTATE: HY000

  Message: Found partially upgraded DD. Aborting upgrade and deleting all DD tables. Start the upgrade process again.

  ER_DD_ABORTING_PARTIAL_UPGRADE was added in 8.0.2.

- Error number: MY-010336; Symbol: ER_DD_FRM_EXISTS_FOR_TABLE; SQLSTATE: HY000

  Message: Found .frm file with same name as one of the Dictionary Tables.

  ER_DD_FRM_EXISTS_FOR_TABLE was added in 8.0.2.

- Error number: MY-010337; Symbol: ER_DD_CREATED_FOR_UPGRADE; SQLSTATE: HY000

  Message: Created Data Dictionary for upgrade

  ER_DD_CREATED_FOR_UPGRADE was added in 8.0.2.

- Error number: MY-010338; Symbol: ER_ERRMSG_CANT_FIND_FILE; SQLSTATE: HY000

  Message: Can't find error-message file '%s'. Check error-message file location and 'lc-messages-dir' configuration directive.

  ER_ERRMSG_CANT_FIND_FILE was added in 8.0.2.

- Error number: MY-010339; Symbol: ER_ERRMSG_LOADING_55_STYLE; SQLSTATE: HY000

  Message: Using pre 5.5 semantics to load error messages from %s. If this is not intended, refer to the documentation for valid usage of --lc-messages-dir and --language parameters.

ER_ERRMSG_LOADING_55_STYLE was added in 8.0.2.

- Error number: MY-010340; Symbol: ER_ERRMSG_MISSING_IN_FILE; SQLSTATE: HY000

  Message: Error message file '%s' had only %d error messages, but it should contain at least %d error messages. Check that the above file is the right version for this program!

  ER_ERRMSG_MISSING_IN_FILE was added in 8.0.2.

- Error number: MY-010341; Symbol: ER_ERRMSG_OOM; SQLSTATE: HY000

  Message: Not enough memory for messagefile '%s'

  ER_ERRMSG_OOM was added in 8.0.2.

- Error number: MY-010342; Symbol: ER_ERRMSG_CANT_READ; SQLSTATE: HY000

  Message: Can't read from messagefile '%s'

  ER_ERRMSG_CANT_READ was added in 8.0.2.

- Error number: MY-010343; Symbol: ER_TABLE_INCOMPATIBLE_DECIMAL_FIELD; SQLSTATE: HY000

  Message: Found incompatible DECIMAL field '%s' in %s; Please do "ALTER TABLE `%s` FORCE" to fix it!

  ER_TABLE_INCOMPATIBLE_DECIMAL_FIELD was added in 8.0.2.

- Error number: MY-010344; Symbol: ER_TABLE_INCOMPATIBLE_YEAR_FIELD; SQLSTATE: HY000

  Message: Found incompatible YEAR(x) field '%s' in %s; Please do "ALTER TABLE `%s` FORCE" to fix it!

  ER_TABLE_INCOMPATIBLE_YEAR_FIELD was added in 8.0.2.

- Error number: MY-010345; Symbol: ER_INVALID_CHARSET_AND_DEFAULT_IS_MB; SQLSTATE: HY000

  Message: '%s' had no or invalid character set, and default character set is multi-byte, so character column sizes may have changed

  ER_INVALID_CHARSET_AND_DEFAULT_IS_MB was added in 8.0.2.

- Error number: MY-010346; Symbol: ER_TABLE_WRONG_KEY_DEFINITION; SQLSTATE: HY000

  Message: Found wrong key definition in %s; Please do "ALTER TABLE `%s` FORCE " to fix it!

  ER_TABLE_WRONG_KEY_DEFINITION was added in 8.0.2.

- Error number: MY-010347; Symbol: ER_CANT_OPEN_FRM_FILE; SQLSTATE: HY000

  Message: Unable to open file %s

  ER_CANT_OPEN_FRM_FILE was added in 8.0.2.

- Error number: MY-010348; Symbol: ER_CANT_READ_FRM_FILE; SQLSTATE: HY000

  Message: Error in reading file %s

ER_CANT_READ_FRM_FILE was added in 8.0.2.

- Error number: MY-010349; Symbol: ER_TABLE_CREATED_WITH_DIFFERENT_VERSION; SQLSTATE: HY000

  Message: Table '%s' was created with a different version of MySQL and cannot be read

  ER_TABLE_CREATED_WITH_DIFFERENT_VERSION was added in 8.0.2.

- Error number: MY-010350; Symbol: ER_VIEW_UNPARSABLE; SQLSTATE: HY000

  Message: Unable to read view %s

  ER_VIEW_UNPARSABLE was added in 8.0.2.

- Error number: MY-010351; Symbol: ER_FILE_TYPE_UNKNOWN; SQLSTATE: HY000

  Message: File %s has unknown type in its header.

  ER_FILE_TYPE_UNKNOWN was added in 8.0.2.

- Error number: MY-010352; Symbol: ER_INVALID_INFO_IN_FRM; SQLSTATE: HY000

  Message: Incorrect information in file %s

  ER_INVALID_INFO_IN_FRM was added in 8.0.2.

- Error number: MY-010353; Symbol: ER_CANT_OPEN_AND_LOCK_PRIVILEGE_TABLES; SQLSTATE: HY000

  Message: Can't open and lock privilege tables: %s

  ER_CANT_OPEN_AND_LOCK_PRIVILEGE_TABLES was added in 8.0.2.

- Error number: MY-010354; Symbol: ER_AUDIT_PLUGIN_DOES_NOT_SUPPORT_AUDIT_AUTH_EVENTS; SQLSTATE: HY000

  Message: Plugin '%s' cannot subscribe to MYSQL_AUDIT_AUTHORIZATION events. Currently not supported.

  ER_AUDIT_PLUGIN_DOES_NOT_SUPPORT_AUDIT_AUTH_EVENTS was added in 8.0.2.

- Error number: MY-010355; Symbol: ER_AUDIT_PLUGIN_HAS_INVALID_DATA; SQLSTATE: HY000

  Message: Plugin '%s' has invalid data.

  ER_AUDIT_PLUGIN_HAS_INVALID_DATA was added in 8.0.2.

- Error number: MY-010356; Symbol: ER_TZ_OOM_INITIALIZING_TIME_ZONES; SQLSTATE: HY000

  Message: Fatal error: OOM while initializing time zones

  ER_TZ_OOM_INITIALIZING_TIME_ZONES was added in 8.0.2.

- Error number: MY-010357; Symbol: ER_TZ_CANT_OPEN_AND_LOCK_TIME_ZONE_TABLE; SQLSTATE: HY000

  Message: Can't open and lock time zone table: %s trying to live without them

ER_TZ_CANT_OPEN_AND_LOCK_TIME_ZONE_TABLE was added in 8.0.2.

- Error number: MY-010358; Symbol: ER_TZ_OOM_LOADING_LEAP_SECOND_TABLE; SQLSTATE: HY000

  Message: Fatal error: Out of memory while loading mysql.time_zone_leap_second table

  ER_TZ_OOM_LOADING_LEAP_SECOND_TABLE was added in 8.0.2.

- Error number: MY-010359; Symbol: ER_TZ_TOO_MANY_LEAPS_IN_LEAP_SECOND_TABLE; SQLSTATE: HY000

  Message: Fatal error: While loading mysql.time_zone_leap_second table: too much leaps

  ER_TZ_TOO_MANY_LEAPS_IN_LEAP_SECOND_TABLE was added in 8.0.2.

- Error number: MY-010360; Symbol: ER_TZ_ERROR_LOADING_LEAP_SECOND_TABLE; SQLSTATE: HY000

  Message: Fatal error: Error while loading mysql.time_zone_leap_second table

  ER_TZ_ERROR_LOADING_LEAP_SECOND_TABLE was added in 8.0.2.

- Error number: MY-010361; Symbol: ER_TZ_UNKNOWN_OR_ILLEGAL_DEFAULT_TIME_ZONE; SQLSTATE: HY000

  Message: Fatal error: Illegal or unknown default time zone '%s'

  ER_TZ_UNKNOWN_OR_ILLEGAL_DEFAULT_TIME_ZONE was added in 8.0.2.

- Error number: MY-010362; Symbol: ER_TZ_CANT_FIND_DESCRIPTION_FOR_TIME_ZONE; SQLSTATE: HY000

  Message: Can't find description of time zone '%.*s'

  ER_TZ_CANT_FIND_DESCRIPTION_FOR_TIME_ZONE was added in 8.0.2.

- Error number: MY-010363; Symbol: ER_TZ_CANT_FIND_DESCRIPTION_FOR_TIME_ZONE_ID; SQLSTATE: HY000

  Message: Can't find description of time zone '%u'

  ER_TZ_CANT_FIND_DESCRIPTION_FOR_TIME_ZONE_ID was added in 8.0.2.

- Error number: MY-010364; Symbol: ER_TZ_TRANSITION_TYPE_TABLE_TYPE_TOO_LARGE; SQLSTATE: HY000

  Message: Error while loading time zone description from mysql.time_zone_transition_type table: too big transition type id

  ER_TZ_TRANSITION_TYPE_TABLE_TYPE_TOO_LARGE was added in 8.0.2.

- Error number: MY-010365; Symbol: ER_TZ_TRANSITION_TYPE_TABLE_ABBREVIATIONS_EXCEED_SPACE; SQLSTATE: HY000

  Message: Error while loading time zone description from mysql.time_zone_transition_type table: not enough room for abbreviations

ER_TZ_TRANSITION_TYPE_TABLE_ABBREVIATIONS_EXCEED_SPACE was added in 8.0.2.

- Error number: MY-010366; Symbol: ER_TZ_TRANSITION_TYPE_TABLE_LOAD_ERROR; SQLSTATE: HY000

  Message: Error while loading time zone description from mysql.time_zone_transition_type table

  ER_TZ_TRANSITION_TYPE_TABLE_LOAD_ERROR was added in 8.0.2.

- Error number: MY-010367; Symbol: ER_TZ_TRANSITION_TABLE_TOO_MANY_TRANSITIONS; SQLSTATE: HY000

  Message: Error while loading time zone description from mysql.time_zone_transition table: too much transitions

  ER_TZ_TRANSITION_TABLE_TOO_MANY_TRANSITIONS was added in 8.0.2.

- Error number: MY-010368; Symbol: ER_TZ_TRANSITION_TABLE_BAD_TRANSITION_TYPE; SQLSTATE: HY000

  Message: Error while loading time zone description from mysql.time_zone_transition table: bad transition type id

  ER_TZ_TRANSITION_TABLE_BAD_TRANSITION_TYPE was added in 8.0.2.

- Error number: MY-010369; Symbol: ER_TZ_TRANSITION_TABLE_LOAD_ERROR; SQLSTATE: HY000

  Message: Error while loading time zone description from mysql.time_zone_transition table

  ER_TZ_TRANSITION_TABLE_LOAD_ERROR was added in 8.0.2.

- Error number: MY-010370; Symbol: ER_TZ_NO_TRANSITION_TYPES_IN_TIME_ZONE; SQLSTATE: HY000

  Message: loading time zone without transition types

  ER_TZ_NO_TRANSITION_TYPES_IN_TIME_ZONE was added in 8.0.2.

- Error number: MY-010371; Symbol: ER_TZ_OOM_LOADING_TIME_ZONE_DESCRIPTION; SQLSTATE: HY000

  Message: Out of memory while loading time zone description

  ER_TZ_OOM_LOADING_TIME_ZONE_DESCRIPTION was added in 8.0.2.

- Error number: MY-010372; Symbol: ER_TZ_CANT_BUILD_MKTIME_MAP; SQLSTATE: HY000

  Message: Unable to build mktime map for time zone

  ER_TZ_CANT_BUILD_MKTIME_MAP was added in 8.0.2.

- Error number: MY-010373; Symbol: ER_TZ_OOM_WHILE_LOADING_TIME_ZONE; SQLSTATE: HY000

  Message: Out of memory while loading time zone

  ER_TZ_OOM_WHILE_LOADING_TIME_ZONE was added in 8.0.2.

- Error number: MY-010374; Symbol: ER_TZ_OOM_WHILE_SETTING_TIME_ZONE; SQLSTATE: HY000

Message: Fatal error: Out of memory while setting new time zone

ER_TZ_OOM_WHILE_SETTING_TIME_ZONE was added in 8.0.2.

- Error number: MY-010375; Symbol: ER_SLAVE_SQL_THREAD_STOPPED_UNTIL_CONDITION_BAD; SQLSTATE: HY000

  Message: Slave SQL thread is stopped because UNTIL condition is bad(%s:%llu).

  ER_SLAVE_SQL_THREAD_STOPPED_UNTIL_CONDITION_BAD was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010375; Symbol: ER_REPLICA_SQL_THREAD_STOPPED_UNTIL_CONDITION_BAD; SQLSTATE: HY000

  Message: Replica SQL thread is stopped because UNTIL condition is bad(%s:%llu).

  ER_REPLICA_SQL_THREAD_STOPPED_UNTIL_CONDITION_BAD was added in 8.0.33.

- Error number: MY-010376; Symbol: ER_SLAVE_SQL_THREAD_STOPPED_UNTIL_POSITION_REACHED; SQLSTATE: HY000

  Message: Slave SQL thread stopped because it reached its UNTIL position %llu

  ER_SLAVE_SQL_THREAD_STOPPED_UNTIL_POSITION_REACHED was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010376; Symbol: ER_REPLICA_SQL_THREAD_STOPPED_UNTIL_POSITION_REACHED; SQLSTATE: HY000

  Message: Replica SQL thread stopped because it reached its UNTIL position %llu

  ER_REPLICA_SQL_THREAD_STOPPED_UNTIL_POSITION_REACHED was added in 8.0.33.

- Error number: MY-010377; Symbol: ER_SLAVE_SQL_THREAD_STOPPED_BEFORE_GTIDS_ALREADY_APPLIED; SQLSTATE: HY000

  Message: Slave SQL thread stopped because UNTIL SQL_BEFORE_GTIDS %s is already applied

  ER_SLAVE_SQL_THREAD_STOPPED_BEFORE_GTIDS_ALREADY_APPLIED was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010377; Symbol: ER_REPLICA_SQL_THREAD_STOPPED_BEFORE_GTIDS_ALREADY_APPLIED; SQLSTATE: HY000

  Message: Replica SQL thread stopped because UNTIL SQL_BEFORE_GTIDS %s is already applied

  ER_REPLICA_SQL_THREAD_STOPPED_BEFORE_GTIDS_ALREADY_APPLIED was added in 8.0.33.

- Error number: MY-010378; Symbol: ER_SLAVE_SQL_THREAD_STOPPED_BEFORE_GTIDS_REACHED; SQLSTATE: HY000

  Message: Slave SQL thread stopped because it reached UNTIL SQL_BEFORE_GTIDS %s

  ER_SLAVE_SQL_THREAD_STOPPED_BEFORE_GTIDS_REACHED was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010378; Symbol: ER_REPLICA_SQL_THREAD_STOPPED_BEFORE_GTIDS_REACHED; SQLSTATE: HY000

  Message: Replica SQL thread stopped because it reached UNTIL SQL_BEFORE_GTIDS %s

  ER_REPLICA_SQL_THREAD_STOPPED_BEFORE_GTIDS_REACHED was added in 8.0.33.

- Error number: MY-010379; Symbol: ER_SLAVE_SQL_THREAD_STOPPED_AFTER_GTIDS_REACHED; SQLSTATE: HY000

  Message: Slave SQL thread stopped because it reached UNTIL SQL_AFTER_GTIDS %s

  ER_SLAVE_SQL_THREAD_STOPPED_AFTER_GTIDS_REACHED was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010379; Symbol: ER_REPLICA_SQL_THREAD_STOPPED_AFTER_GTIDS_REACHED; SQLSTATE: HY000

  Message: Replica SQL thread stopped because it reached UNTIL SQL_AFTER_GTIDS %s

  ER_REPLICA_SQL_THREAD_STOPPED_AFTER_GTIDS_REACHED was added in 8.0.33.

- Error number: MY-010380; Symbol: ER_SLAVE_SQL_THREAD_STOPPED_GAP_TRX_PROCESSED; SQLSTATE: HY000

  Message: Slave SQL thread stopped according to UNTIL SQL_AFTER_MTS_GAPS as it has processed all gap transactions left from the previous slave session.

  ER_SLAVE_SQL_THREAD_STOPPED_GAP_TRX_PROCESSED was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010380; Symbol: ER_REPLICA_SQL_THREAD_STOPPED_GAP_TRX_PROCESSED; SQLSTATE: HY000

  Message: Replica SQL thread stopped according to UNTIL SQL_AFTER_MTS_GAPS as it has processed all gap transactions left from the previous replica session.

  ER_REPLICA_SQL_THREAD_STOPPED_GAP_TRX_PROCESSED was added in 8.0.33.

- Error number: MY-010381; Symbol: ER_GROUP_REPLICATION_PLUGIN_NOT_INSTALLED; SQLSTATE: HY000

  Message: Group Replication plugin is not installed.

  ER_GROUP_REPLICATION_PLUGIN_NOT_INSTALLED was added in 8.0.2.

- Error number: MY-010382; Symbol: ER_GTID_ALREADY_ADDED_BY_USER; SQLSTATE: HY000

  Message: The transaction owned GTID is already in the %s table, which is caused by an explicit modifying from user client.

  ER_GTID_ALREADY_ADDED_BY_USER was added in 8.0.2.

- Error number: MY-010383; Symbol: ER_FAILED_TO_DELETE_FROM_GTID_EXECUTED_TABLE; SQLSTATE: HY000

  Message: Failed to delete the row: '%s' from the gtid_executed table.

  ER_FAILED_TO_DELETE_FROM_GTID_EXECUTED_TABLE was added in 8.0.2.

- Error number: MY-010384; Symbol: ER_FAILED_TO_COMPRESS_GTID_EXECUTED_TABLE; SQLSTATE: HY000

  Message: Failed to compress the gtid_executed table.

  ER_FAILED_TO_COMPRESS_GTID_EXECUTED_TABLE was added in 8.0.2.

- Error number: MY-010385; Symbol: ER_FAILED_TO_COMPRESS_GTID_EXECUTED_TABLE_OOM; SQLSTATE: HY000

  Message: Failed to compress the gtid_executed table, because it is failed to allocate the THD.

  ER_FAILED_TO_COMPRESS_GTID_EXECUTED_TABLE_OOM was added in 8.0.2.

- Error number: MY-010386; Symbol: ER_FAILED_TO_INIT_THREAD_ATTR_FOR_GTID_TABLE_COMPRESSION; SQLSTATE: HY000

  Message: Failed to initialize thread attribute when creating compression thread.

  ER_FAILED_TO_INIT_THREAD_ATTR_FOR_GTID_TABLE_COMPRESSION was added in 8.0.2.

- Error number: MY-010387; Symbol: ER_FAILED_TO_CREATE_GTID_TABLE_COMPRESSION_THREAD; SQLSTATE: HY000

  Message: Can not create thread to compress gtid_executed table (errno= %d)

  ER_FAILED_TO_CREATE_GTID_TABLE_COMPRESSION_THREAD was added in 8.0.2.

- Error number: MY-010388; Symbol: ER_FAILED_TO_JOIN_GTID_TABLE_COMPRESSION_THREAD; SQLSTATE: HY000

  Message: Could not join gtid_executed table compression thread. error:%d

  ER_FAILED_TO_JOIN_GTID_TABLE_COMPRESSION_THREAD was added in 8.0.2.

- Error number: MY-010389; Symbol: ER_NPIPE_FAILED_TO_INIT_SECURITY_DESCRIPTOR; SQLSTATE: HY000

  Message: Can't start server : Initialize security descriptor: %s

  ER_NPIPE_FAILED_TO_INIT_SECURITY_DESCRIPTOR was added in 8.0.2.

- Error number: MY-010390; Symbol: ER_NPIPE_FAILED_TO_SET_SECURITY_DESCRIPTOR; SQLSTATE: HY000

  Message: Can't start server : Set security descriptor: %s

  ER_NPIPE_FAILED_TO_SET_SECURITY_DESCRIPTOR was added in 8.0.2.

- Error number: MY-010391; Symbol: ER_NPIPE_PIPE_ALREADY_IN_USE; SQLSTATE: HY000

  Message: Can't start server : Named Pipe "%s" already in use.

  ER_NPIPE_PIPE_ALREADY_IN_USE was added in 8.0.2.

- Error number: MY-010392; Symbol: ER_NDB_SLAVE_SAW_EPOCH_LOWER_THAN_PREVIOUS_ON_START; SQLSTATE: HY000

  Message: NDB Slave : At SQL thread start applying epoch %llu/%llu (%llu) from Master ServerId %u which is lower than previously applied epoch %llu/%llu (%llu). Group Master Log : %s Group Master Log Pos : %llu. Check slave positioning.

  ER_NDB_SLAVE_SAW_EPOCH_LOWER_THAN_PREVIOUS_ON_START was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010393; Symbol: ER_NDB_SLAVE_SAW_EPOCH_LOWER_THAN_PREVIOUS; SQLSTATE: HY000

  Message: NDB Slave : SQL thread stopped as applying epoch %llu/%llu (%llu) from Master ServerId %u which is lower than previously applied epoch %llu/%llu (%llu). Group Master Log : %s Group Master Log Pos : %llu

  ER_NDB_SLAVE_SAW_EPOCH_LOWER_THAN_PREVIOUS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010394; Symbol: ER_NDB_SLAVE_SAW_ALREADY_COMMITTED_EPOCH; SQLSTATE: HY000

  Message: NDB Slave : SQL thread stopped as attempted to reapply already committed epoch %llu/%llu (%llu) from server id %u. Group Master Log : %s Group Master Log Pos : %llu.

  ER_NDB_SLAVE_SAW_ALREADY_COMMITTED_EPOCH was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010395; Symbol: ER_NDB_SLAVE_PREVIOUS_EPOCH_NOT_COMMITTED; SQLSTATE: HY000

  Message: NDB Slave : SQL thread stopped as attempting to apply new epoch %llu/%llu (%llu) while lower received epoch %llu/%llu (%llu) has not been committed. Master server id : %u. Group Master Log : %s Group Master Log Pos : %llu.

  ER_NDB_SLAVE_PREVIOUS_EPOCH_NOT_COMMITTED was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010396; Symbol: ER_NDB_SLAVE_MISSING_DATA_FOR_TIMESTAMP_COLUMN; SQLSTATE: HY000

  Message: NDB Slave: missing data for %s timestamp column %u.

  ER_NDB_SLAVE_MISSING_DATA_FOR_TIMESTAMP_COLUMN was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010397; Symbol: ER_NDB_SLAVE_LOGGING_EXCEPTIONS_TO; SQLSTATE: HY000

  Message: NDB Slave: Table %s.%s logging exceptions to %s.%s

  ER_NDB_SLAVE_LOGGING_EXCEPTIONS_TO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010398; Symbol: ER_NDB_SLAVE_LOW_EPOCH_RESOLUTION; SQLSTATE: HY000

  Message: NDB Slave: Table %s.%s : %s, low epoch resolution

  ER_NDB_SLAVE_LOW_EPOCH_RESOLUTION was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010399; Symbol: ER_NDB_INFO_FOUND_UNEXPECTED_FIELD_TYPE; SQLSTATE: HY000

  Message: Found unexpected field type %u

  ER_NDB_INFO_FOUND_UNEXPECTED_FIELD_TYPE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010400; Symbol: ER_NDB_INFO_FAILED_TO_CREATE_NDBINFO; SQLSTATE: HY000

  Message: Failed to create NdbInfo

  ER_NDB_INFO_FAILED_TO_CREATE_NDBINFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010401; Symbol: ER_NDB_INFO_FAILED_TO_INIT_NDBINFO; SQLSTATE: HY000

  Message: Failed to init NdbInfo

  ER_NDB_INFO_FAILED_TO_INIT_NDBINFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010402; Symbol: ER_NDB_CLUSTER_WRONG_NUMBER_OF_FUNCTION_ARGUMENTS; SQLSTATE: HY000

  Message: ndb_serialize_cond: Unexpected mismatch of found and expected number of function arguments %u

  ER_NDB_CLUSTER_WRONG_NUMBER_OF_FUNCTION_ARGUMENTS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010403; Symbol: ER_NDB_CLUSTER_SCHEMA_INFO; SQLSTATE: HY000

  Message: %s - %s.%s

  ER_NDB_CLUSTER_SCHEMA_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010404; Symbol: ER_NDB_CLUSTER_GENERIC_MESSAGE; SQLSTATE: HY000

  Message: %s

  ER_NDB_CLUSTER_GENERIC_MESSAGE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010405; Symbol: ER_RPL_CANT_OPEN_INFO_TABLE; SQLSTATE: HY000

  Message: Info table is not ready to be used. Table '%s.%s' cannot be opened.

  ER_RPL_CANT_OPEN_INFO_TABLE was added in 8.0.2.

- Error number: MY-010406; Symbol: ER_RPL_CANT_SCAN_INFO_TABLE; SQLSTATE: HY000

  Message: Info table is not ready to be used. Table '%s.%s' cannot be scanned.

  ER_RPL_CANT_SCAN_INFO_TABLE was added in 8.0.2.

- Error number: MY-010407; Symbol: ER_RPL_CORRUPTED_INFO_TABLE; SQLSTATE: HY000

  Message: Corrupted table %s.%s. Check out table definition.

  ER_RPL_CORRUPTED_INFO_TABLE was added in 8.0.2.

- Error number: MY-010408; Symbol: ER_RPL_CORRUPTED_KEYS_IN_INFO_TABLE; SQLSTATE: HY000

  Message: Info table has a problem with its key field(s). Table '%s.%s' expected field #%u to be '%s' but found '%s' instead.

  ER_RPL_CORRUPTED_KEYS_IN_INFO_TABLE was added in 8.0.2.

- Error number: MY-010409; Symbol: ER_RPL_WORKER_ID_IS; SQLSTATE: HY000

  Message: Choosing worker id %lu, the following is going to be %lu

  ER_RPL_WORKER_ID_IS was added in 8.0.2.

- Error number: MY-010410; Symbol: ER_RPL_INCONSISTENT_TIMESTAMPS_IN_TRX; SQLSTATE: HY000

  Message: Transaction is tagged with inconsistent logical timestamps: sequence_number (%lld) <= last_committed (%lld)

  ER_RPL_INCONSISTENT_TIMESTAMPS_IN_TRX was added in 8.0.2.

- Error number: MY-010411; Symbol: ER_RPL_INCONSISTENT_SEQUENCE_NO_IN_TRX; SQLSTATE: HY000

  Message: Transaction's sequence number is inconsistent with that of a preceding one: sequence_number (%lld) <= previous sequence_number (%lld)

  ER_RPL_INCONSISTENT_SEQUENCE_NO_IN_TRX was added in 8.0.2.

- Error number: MY-010412; Symbol: ER_RPL_CHANNELS_REQUIRE_TABLES_AS_INFO_REPOSITORIES; SQLSTATE: HY000

  Message: For the creation of replication channels the connection metadata and applier metadata repositories must be set to TABLE

  ER_RPL_CHANNELS_REQUIRE_TABLES_AS_INFO_REPOSITORIES was added in 8.0.2.

- Error number: MY-010413; Symbol: ER_RPL_CHANNELS_REQUIRE_NON_ZERO_SERVER_ID; SQLSTATE: HY000

  Message: For the creation of replication channels the server id must be different from 0

  ER_RPL_CHANNELS_REQUIRE_NON_ZERO_SERVER_ID was added in 8.0.2.

- Error number: MY-010414; Symbol: ER_RPL_REPO_SHOULD_BE_TABLE; SQLSTATE: HY000

  Message: Replica: Wrong repository. Repository should be TABLE

  ER_RPL_REPO_SHOULD_BE_TABLE was added in 8.0.2.

- Error number: MY-010415; Symbol: ER_RPL_ERROR_CREATING_MASTER_INFO; SQLSTATE: HY000

  Message: Error creating master info: %s.

  ER_RPL_ERROR_CREATING_MASTER_INFO was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010415; Symbol: ER_RPL_ERROR_CREATING_CONNECTION_METADATA; SQLSTATE: HY000

Message: Error creating connection metadata: %s.

ER_RPL_ERROR_CREATING_CONNECTION_METADATA was added in 8.0.33.

- Error number: MY-010416; Symbol: ER_RPL_ERROR_CHANGING_MASTER_INFO_REPO_TYPE; SQLSTATE: HY000

  Message: Error changing the type of master info's repository: %s.

  ER_RPL_ERROR_CHANGING_MASTER_INFO_REPO_TYPE was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010416; Symbol: ER_RPL_ERROR_CHANGING_CONNECTION_METADATA_REPO_TYPE; SQLSTATE: HY000

  Message: Error changing the type of connection metadata's repository: %s.

  ER_RPL_ERROR_CHANGING_CONNECTION_METADATA_REPO_TYPE was added in 8.0.33.

- Error number: MY-010417; Symbol: ER_RPL_CHANGING_RELAY_LOG_INFO_REPO_TYPE_FAILED_DUE_TO_GAPS; SQLSTATE: HY000

  Message: It is not possible to change the type of the relay log repository because there are workers repositories with possible execution gaps. The value of --relay_log_info_repository is altered to one of the found Worker repositories. The gaps have to be sorted out before resuming with the type change.

  ER_RPL_CHANGING_RELAY_LOG_INFO_REPO_TYPE_FAILED_DUE_TO_GAPS was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010417; Symbol: ER_RPL_CHANGING_APPLIER_METADATA_REPO_TYPE_FAILED_DUE_TO_GAPS; SQLSTATE: HY000

  Message: It is not possible to change the type of the relay log repository because there are workers repositories with possible execution gaps. The value of --relay_log_info_repository is altered to one of the found Worker repositories. The gaps have to be sorted out before resuming with the type change.

  ER_RPL_CHANGING_APPLIER_METADATA_REPO_TYPE_FAILED_DUE_TO_GAPS was added in 8.0.33.

- Error number: MY-010418; Symbol: ER_RPL_ERROR_CREATING_RELAY_LOG_INFO; SQLSTATE: HY000

  Message: Error creating relay log info: %s.

  ER_RPL_ERROR_CREATING_RELAY_LOG_INFO was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010418; Symbol: ER_RPL_ERROR_CREATING_APPLIER_METADATA; SQLSTATE: HY000

  Message: Error creating applier metadata: %s.

  ER_RPL_ERROR_CREATING_APPLIER_METADATA was added in 8.0.33.

- Error number: MY-010419; Symbol: ER_RPL_ERROR_CHANGING_RELAY_LOG_INFO_REPO_TYPE; SQLSTATE: HY000

  Message: Error changing the type of relay log info's repository: %s.

  ER_RPL_ERROR_CHANGING_RELAY_LOG_INFO_REPO_TYPE was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010419; Symbol: ER_RPL_ERROR_CHANGING_APPLIER_METADATA_REPO_TYPE; SQLSTATE: HY000

  Message: Error changing the type of applier metadata's repository: %s.

  ER_RPL_ERROR_CHANGING_APPLIER_METADATA_REPO_TYPE was added in 8.0.33.

- Error number: MY-010420; Symbol: ER_RPL_FAILED_TO_DELETE_FROM_SLAVE_WORKERS_INFO_REPOSITORY; SQLSTATE: HY000

  Message: Could not delete from Slave Workers info repository.

  ER_RPL_FAILED_TO_DELETE_FROM_SLAVE_WORKERS_INFO_REPOSITORY was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010420; Symbol: ER_RPL_FAILED_TO_DELETE_FROM_REPLICA_WORKERS_INFO_REPOSITORY; SQLSTATE: HY000

  Message: Could not delete from Replica Workers info repository.

  ER_RPL_FAILED_TO_DELETE_FROM_REPLICA_WORKERS_INFO_REPOSITORY was added in 8.0.33.

- Error number: MY-010421; Symbol: ER_RPL_FAILED_TO_RESET_STATE_IN_SLAVE_INFO_REPOSITORY; SQLSTATE: HY000

  Message: Could not store the reset Slave Worker state into the slave info repository.

  ER_RPL_FAILED_TO_RESET_STATE_IN_SLAVE_INFO_REPOSITORY was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010421; Symbol: ER_RPL_FAILED_TO_RESET_STATE_IN_REPLICA_INFO_REPOSITORY; SQLSTATE: HY000

  Message: Could not store the reset Replica Worker state into the replica info repository.

  ER_RPL_FAILED_TO_RESET_STATE_IN_REPLICA_INFO_REPOSITORY was added in 8.0.33.

- Error number: MY-010422; Symbol: ER_RPL_ERROR_CHECKING_REPOSITORY; SQLSTATE: HY000

  Message: Error in checking %s repository info type of %s.

  ER_RPL_ERROR_CHECKING_REPOSITORY was added in 8.0.2.

- Error number: MY-010423; Symbol: ER_RPL_SLAVE_GENERIC_MESSAGE; SQLSTATE: HY000

  Message: Slave: %s

  ER_RPL_SLAVE_GENERIC_MESSAGE was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010423; Symbol: ER_RPL_REPLICA_GENERIC_MESSAGE; SQLSTATE: HY000

  Message: Replica: %s

  ER_RPL_REPLICA_GENERIC_MESSAGE was added in 8.0.33.

- Error number: MY-010424; Symbol: ER_RPL_SLAVE_COULD_NOT_CREATE_CHANNEL_LIST; SQLSTATE: HY000

  Message: Slave: Could not create channel list

ER_RPL_SLAVE_COULD_NOT_CREATE_CHANNEL_LIST was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010424; Symbol: ER_RPL_REPLICA_COULD_NOT_CREATE_CHANNEL_LIST; SQLSTATE: HY000

  Message: Replica: Could not create channel list

  ER_RPL_REPLICA_COULD_NOT_CREATE_CHANNEL_LIST was added in 8.0.33.

- Error number: MY-010425; Symbol: ER_RPL_MULTISOURCE_REQUIRES_TABLE_TYPE_REPOSITORIES; SQLSTATE: HY000

  Message: Replica: This replica was a multisourced replica previously which is supported only by both TABLE based connection metadata and applier metadata repositories. Found one or both of the info repos to be type FILE. Set both repos to type TABLE.

  ER_RPL_MULTISOURCE_REQUIRES_TABLE_TYPE_REPOSITORIES was added in 8.0.2.

- Error number: MY-010426; Symbol: ER_RPL_SLAVE_FAILED_TO_INIT_A_MASTER_INFO_STRUCTURE; SQLSTATE: HY000

  Message: Slave: Failed to initialize the master info structure for channel '%s'; its record may still be present in 'mysql.slave_master_info' table, consider deleting it.

  ER_RPL_SLAVE_FAILED_TO_INIT_A_MASTER_INFO_STRUCTURE was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010426; Symbol: ER_RPL_REPLICA_FAILED_TO_INIT_A_CONNECTION_METADATA_STRUCTURE; SQLSTATE: HY000

  Message: Replica: Failed to initialize the connection metadata structure for channel '%s'; its record may still be present in the applier metadata repository, consider deleting it.

  ER_RPL_REPLICA_FAILED_TO_INIT_A_CONNECTION_METADATA_STRUCTURE was added in 8.0.33.

- Error number: MY-010427; Symbol: ER_RPL_SLAVE_FAILED_TO_INIT_MASTER_INFO_STRUCTURE; SQLSTATE: HY000

  Message: Failed to initialize the master info structure%s

  ER_RPL_SLAVE_FAILED_TO_INIT_MASTER_INFO_STRUCTURE was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010427; Symbol: ER_RPL_REPLICA_FAILED_TO_INIT_CONNECTION_METADATA_STRUCTURE; SQLSTATE: HY000

  Message: Failed to initialize the connection metadata structure%s

  ER_RPL_REPLICA_FAILED_TO_INIT_CONNECTION_METADATA_STRUCTURE was added in 8.0.33.

- Error number: MY-010428; Symbol: ER_RPL_SLAVE_FAILED_TO_CREATE_CHANNEL_FROM_MASTER_INFO; SQLSTATE: HY000

  Message: Slave: Failed to create a channel from master info table repository.

  ER_RPL_SLAVE_FAILED_TO_CREATE_CHANNEL_FROM_MASTER_INFO was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010428; Symbol: ER_RPL_REPLICA_FAILED_TO_CREATE_CHANNEL_FROM_CONNECTION_METADATA; SQLSTATE: HY000

  Message: Replica: Failed to create a channel from connection metadata repository.

  ER_RPL_REPLICA_FAILED_TO_CREATE_CHANNEL_FROM_CONNECTION_METADATA was added in 8.0.33.

- Error number: MY-010429; Symbol: ER_RPL_FAILED_TO_CREATE_NEW_INFO_FILE; SQLSTATE: HY000

  Message: Failed to create a new info file (file '%s', errno %d)

  ER_RPL_FAILED_TO_CREATE_NEW_INFO_FILE was added in 8.0.2.

- Error number: MY-010430; Symbol: ER_RPL_FAILED_TO_CREATE_CACHE_FOR_INFO_FILE; SQLSTATE: HY000

  Message: Failed to create a cache on info file (file '%s')

  ER_RPL_FAILED_TO_CREATE_CACHE_FOR_INFO_FILE was added in 8.0.2.

- Error number: MY-010431; Symbol: ER_RPL_FAILED_TO_OPEN_INFO_FILE; SQLSTATE: HY000

  Message: Failed to open the existing info file (file '%s', errno %d)

  ER_RPL_FAILED_TO_OPEN_INFO_FILE was added in 8.0.2.

- Error number: MY-010432; Symbol: ER_RPL_GTID_MEMORY_FINALLY_AVAILABLE; SQLSTATE: HY000

  Message: Server overcomes the temporary 'out of memory' in '%d' tries while allocating a new chunk of intervals for storing GTIDs.

  ER_RPL_GTID_MEMORY_FINALLY_AVAILABLE was added in 8.0.2.

- Error number: MY-010433; Symbol: ER_SERVER_COST_UNKNOWN_COST_CONSTANT; SQLSTATE: HY000

  Message: Unknown cost constant "%s" in mysql.server_cost table

  ER_SERVER_COST_UNKNOWN_COST_CONSTANT was added in 8.0.2.

- Error number: MY-010434; Symbol: ER_SERVER_COST_INVALID_COST_CONSTANT; SQLSTATE: HY000

  Message: Invalid value for cost constant "%s" in mysql.server_cost table: %.1f

  ER_SERVER_COST_INVALID_COST_CONSTANT was added in 8.0.2.

- Error number: MY-010435; Symbol: ER_ENGINE_COST_UNKNOWN_COST_CONSTANT; SQLSTATE: HY000

  Message: Unknown cost constant "%s" in mysql.engine_cost table

  ER_ENGINE_COST_UNKNOWN_COST_CONSTANT was added in 8.0.2.

- Error number: MY-010436; Symbol: ER_ENGINE_COST_UNKNOWN_STORAGE_ENGINE; SQLSTATE: HY000

  Message: Unknown storage engine "%s" in mysql.engine_cost table

  ER_ENGINE_COST_UNKNOWN_STORAGE_ENGINE was added in 8.0.2.

- Error number: MY-010437; Symbol: ER_ENGINE_COST_INVALID_DEVICE_TYPE_FOR_SE; SQLSTATE: HY000

  Message: Invalid device type %d for "%s" storage engine for cost constant "%s" in mysql.engine_cost table

  ER_ENGINE_COST_INVALID_DEVICE_TYPE_FOR_SE was added in 8.0.2.

- Error number: MY-010438; Symbol: ER_ENGINE_COST_INVALID_CONST_CONSTANT_FOR_SE_AND_DEVICE; SQLSTATE: HY000

  Message: Invalid value for cost constant "%s" for "%s" storage engine and device type %d in mysql.engine_cost table: %.1f

  ER_ENGINE_COST_INVALID_CONST_CONSTANT_FOR_SE_AND_DEVICE was added in 8.0.2.

- Error number: MY-010439; Symbol: ER_SERVER_COST_FAILED_TO_READ; SQLSTATE: HY000

  Message: Error while reading from mysql.server_cost table.

  ER_SERVER_COST_FAILED_TO_READ was added in 8.0.2.

- Error number: MY-010440; Symbol: ER_ENGINE_COST_FAILED_TO_READ; SQLSTATE: HY000

  Message: Error while reading from mysql.engine_cost table.

  ER_ENGINE_COST_FAILED_TO_READ was added in 8.0.2.

- Error number: MY-010441; Symbol: ER_FAILED_TO_OPEN_COST_CONSTANT_TABLES; SQLSTATE: HY000

  Message: Failed to open optimizer cost constant tables

  ER_FAILED_TO_OPEN_COST_CONSTANT_TABLES was added in 8.0.2.

- Error number: MY-010442; Symbol: ER_RPL_UNSUPPORTED_UNIGNORABLE_EVENT_IN_STREAM; SQLSTATE: HY000

  Message: Unsupported non-ignorable event fed into the event stream.

  ER_RPL_UNSUPPORTED_UNIGNORABLE_EVENT_IN_STREAM was added in 8.0.2.

- Error number: MY-010443; Symbol: ER_RPL_GTID_LOG_EVENT_IN_STREAM; SQLSTATE: HY000

  Message: GTID_LOG_EVENT or ANONYMOUS_GTID_LOG_EVENT is not expected in an event stream %s.

  ER_RPL_GTID_LOG_EVENT_IN_STREAM was added in 8.0.2.

- Error number: MY-010444; Symbol: ER_RPL_UNEXPECTED_BEGIN_IN_STREAM; SQLSTATE: HY000

  Message: QUERY(BEGIN) is not expected in an event stream in the middle of a %s.

ER_RPL_UNEXPECTED_BEGIN_IN_STREAM was added in 8.0.2.

- Error number: MY-010445; Symbol: ER_RPL_UNEXPECTED_COMMIT_ROLLBACK_OR_XID_LOG_EVENT_IN_STREAM; SQLSTATE: HY000

  Message: QUERY(COMMIT or ROLLBACK) or XID_LOG_EVENT is not expected in an event stream %s.

  ER_RPL_UNEXPECTED_COMMIT_ROLLBACK_OR_XID_LOG_EVENT_IN_STREAM was added in 8.0.2.

- Error number: MY-010446; Symbol: ER_RPL_UNEXPECTED_XA_ROLLBACK_IN_STREAM; SQLSTATE: HY000

  Message: QUERY(XA ROLLBACK) is not expected in an event stream %s.

  ER_RPL_UNEXPECTED_XA_ROLLBACK_IN_STREAM was added in 8.0.2.

- Error number: MY-010447; Symbol: ER_EVENT_EXECUTION_FAILED_CANT_AUTHENTICATE_USER; SQLSTATE: HY000

  Message: Event Scheduler: [%s].[%s.%s] execution failed, failed to authenticate the user.

  ER_EVENT_EXECUTION_FAILED_CANT_AUTHENTICATE_USER was added in 8.0.2.

- Error number: MY-010448; Symbol: ER_EVENT_EXECUTION_FAILED_USER_LOST_EVEN_PRIVILEGE; SQLSTATE: HY000

  Message: Event Scheduler: [%s].[%s.%s] execution failed, user no longer has EVENT privilege.

  ER_EVENT_EXECUTION_FAILED_USER_LOST_EVEN_PRIVILEGE was added in 8.0.2.

- Error number: MY-010449; Symbol: ER_EVENT_ERROR_DURING_COMPILATION; SQLSTATE: HY000

  Message: Event Scheduler: %serror during compilation of %s.%s

  ER_EVENT_ERROR_DURING_COMPILATION was added in 8.0.2.

- Error number: MY-010450; Symbol: ER_EVENT_DROPPING; SQLSTATE: HY000

  Message: Event Scheduler: Dropping %s.%s

  ER_EVENT_DROPPING was added in 8.0.2.

- Error number: MY-010451; Symbol: ER_NDB_SCHEMA_GENERIC_MESSAGE; SQLSTATE: HY000

  Message: Ndb schema[%s.%s]: %s

  ER_NDB_SCHEMA_GENERIC_MESSAGE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010452; Symbol: ER_RPL_INCOMPATIBLE_DECIMAL_IN_RBR; SQLSTATE: HY000

  Message: In RBR mode, Replica received incompatible DECIMAL field (old-style decimal field) from Source while creating conversion table. Please consider changing datatype on Source to new style decimal by executing ALTER command for column Name: %s.%s.%s.

  ER_RPL_INCOMPATIBLE_DECIMAL_IN_RBR was added in 8.0.2.

- Error number: MY-010453; Symbol: ER_INIT_ROOT_WITHOUT_PASSWORD; SQLSTATE: HY000

Message: root@localhost is created with an empty password ! Please consider switching off the --initialize-insecure option.

`ER_INIT_ROOT_WITHOUT_PASSWORD` was added in 8.0.2.

- Error number: `MY-010454`; Symbol: `ER_INIT_GENERATING_TEMP_PASSWORD_FOR_ROOT`; SQLSTATE: `HY000`

  Message: A temporary password is generated for root@localhost: %s

  `ER_INIT_GENERATING_TEMP_PASSWORD_FOR_ROOT` was added in 8.0.2.

- Error number: `MY-010455`; Symbol: `ER_INIT_CANT_OPEN_BOOTSTRAP_FILE`; SQLSTATE: `HY000`

  Message: Failed to open the bootstrap file %s

  `ER_INIT_CANT_OPEN_BOOTSTRAP_FILE` was added in 8.0.2.

- Error number: `MY-010456`; Symbol: `ER_INIT_BOOTSTRAP_COMPLETE`; SQLSTATE: `HY000`

  Message: Bootstrapping complete

  `ER_INIT_BOOTSTRAP_COMPLETE` was added in 8.0.2.

- Error number: `MY-010457`; Symbol: `ER_INIT_DATADIR_NOT_EMPTY_WONT_INITIALIZE`; SQLSTATE: `HY000`

  Message: --initialize specified but the data directory has files in it. Aborting.

  `ER_INIT_DATADIR_NOT_EMPTY_WONT_INITIALIZE` was added in 8.0.2.

- Error number: `MY-010458`; Symbol: `ER_INIT_DATADIR_EXISTS_WONT_INITIALIZE`; SQLSTATE: `HY000`

  Message: --initialize specified on an existing data directory.

  `ER_INIT_DATADIR_EXISTS_WONT_INITIALIZE` was added in 8.0.2.

- Error number: `MY-010459`; Symbol: `ER_INIT_DATADIR_EXISTS_AND_PATH_TOO_LONG_WONT_INITIALIZE`; SQLSTATE: `HY000`

  Message: --initialize specified but the data directory exists and the path is too long. Aborting.

  `ER_INIT_DATADIR_EXISTS_AND_PATH_TOO_LONG_WONT_INITIALIZE` was added in 8.0.2.

- Error number: `MY-010460`; Symbol: `ER_INIT_DATADIR_EXISTS_AND_NOT_WRITABLE_WONT_INITIALIZE`; SQLSTATE: `HY000`

  Message: --initialize specified but the data directory exists and is not writable. Aborting.

  `ER_INIT_DATADIR_EXISTS_AND_NOT_WRITABLE_WONT_INITIALIZE` was added in 8.0.2.

- Error number: `MY-010461`; Symbol: `ER_INIT_CREATING_DD`; SQLSTATE: `HY000`

  Message: Creating the data directory %s

  `ER_INIT_CREATING_DD` was added in 8.0.2.

- Error number: `MY-010462`; Symbol: `ER_RPL_BINLOG_STARTING_DUMP`; SQLSTATE: `HY000`

Message: Start binlog_dump to source_thread_id(%u) replica_server(%u), pos(%s, %llu)

ER_RPL_BINLOG_STARTING_DUMP was added in 8.0.2.

- Error number: MY-010463; Symbol: ER_RPL_BINLOG_MASTER_SENDS_HEARTBEAT; SQLSTATE: HY000

  Message: master sends heartbeat message

  ER_RPL_BINLOG_MASTER_SENDS_HEARTBEAT was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010463; Symbol: ER_RPL_BINLOG_SOURCE_SENDS_HEARTBEAT; SQLSTATE: HY000

  Message: source sends heartbeat message

  ER_RPL_BINLOG_SOURCE_SENDS_HEARTBEAT was added in 8.0.33.

- Error number: MY-010464; Symbol: ER_RPL_BINLOG_SKIPPING_REMAINING_HEARTBEAT_INFO; SQLSTATE: HY000

  Message: the rest of heartbeat info skipped ...

  ER_RPL_BINLOG_SKIPPING_REMAINING_HEARTBEAT_INFO was added in 8.0.2.

- Error number: MY-010465; Symbol: ER_RPL_BINLOG_MASTER_USES_CHECKSUM_AND_SLAVE_CANT; SQLSTATE: HY000

  Message: Master is configured to log replication events with checksum, but will not send such events to slaves that cannot process them

  ER_RPL_BINLOG_MASTER_USES_CHECKSUM_AND_SLAVE_CANT was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010465; Symbol: ER_RPL_BINLOG_SOURCE_USES_CHECKSUM_AND_REPLICA_CANT; SQLSTATE: HY000

  Message: Source is configured to log replication events with checksum, but will not send such events to replicas that cannot process them

  ER_RPL_BINLOG_SOURCE_USES_CHECKSUM_AND_REPLICA_CANT was added in 8.0.33.

- Error number: MY-010466; Symbol: ER_NDB_QUERY_FAILED; SQLSTATE: HY000

  Message: NDB: Query '%s' failed, error: %d: %s

  ER_NDB_QUERY_FAILED was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010467; Symbol: ER_KILLING_THREAD; SQLSTATE: HY000

  Message: Killing thread %lu

  ER_KILLING_THREAD was added in 8.0.2.

- Error number: MY-010468; Symbol: ER_DETACHING_SESSION_LEFT_BY_PLUGIN; SQLSTATE: HY000

  Message: Plugin %s is deinitializing a thread but left a session attached. Detaching it forcefully.

ER_DETACHING_SESSION_LEFT_BY_PLUGIN was added in 8.0.2.

- Error number: MY-010469; Symbol: ER_CANT_DETACH_SESSION_LEFT_BY_PLUGIN; SQLSTATE: HY000

  Message: Failed to detach the session.

  ER_CANT_DETACH_SESSION_LEFT_BY_PLUGIN was added in 8.0.2.

- Error number: MY-010470; Symbol: ER_DETACHED_SESSIONS_LEFT_BY_PLUGIN; SQLSTATE: HY000

  Message: Closed forcefully %u session%s left opened by plugin %s

  ER_DETACHED_SESSIONS_LEFT_BY_PLUGIN was added in 8.0.2.

- Error number: MY-010471; Symbol: ER_FAILED_TO_DECREMENT_NUMBER_OF_THREADS; SQLSTATE: HY000

  Message: Failed to decrement the number of threads

  ER_FAILED_TO_DECREMENT_NUMBER_OF_THREADS was added in 8.0.2.

- Error number: MY-010472; Symbol: ER_PLUGIN_DID_NOT_DEINITIALIZE_THREADS; SQLSTATE: HY000

  Message: Plugin %s did not deinitialize %u threads

  ER_PLUGIN_DID_NOT_DEINITIALIZE_THREADS was added in 8.0.2.

- Error number: MY-010473; Symbol: ER_KILLED_THREADS_OF_PLUGIN; SQLSTATE: HY000

  Message: Killed %u threads of plugin %s

  ER_KILLED_THREADS_OF_PLUGIN was added in 8.0.2.

- Error number: MY-010474; Symbol: ER_NDB_SLAVE_MAX_REPLICATED_EPOCH_UNKNOWN; SQLSTATE: HY000

  Message: NDB Slave : Could not determine maximum replicated epoch from %s.%s at Slave start, error %u %s

  ER_NDB_SLAVE_MAX_REPLICATED_EPOCH_UNKNOWN was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010475; Symbol: ER_NDB_SLAVE_MAX_REPLICATED_EPOCH_SET_TO; SQLSTATE: HY000

  Message: NDB Slave : MaxReplicatedEpoch set to %llu (%u/%u) at Slave start

  ER_NDB_SLAVE_MAX_REPLICATED_EPOCH_SET_TO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010476; Symbol: ER_NDB_NODE_ID_AND_MANAGEMENT_SERVER_INFO; SQLSTATE: HY000

  Message: NDB: NodeID is %lu, management server '%s:%lu'

  ER_NDB_NODE_ID_AND_MANAGEMENT_SERVER_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010477; Symbol: ER_NDB_DISCONNECT_INFO; SQLSTATE: HY000

  Message: tid %u: node[%u] transaction_hint=%u, transaction_no_hint=%u

  ER_NDB_DISCONNECT_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010478; Symbol: ER_NDB_COLUMN_DEFAULTS_DIFFER; SQLSTATE: HY000

  Message: NDB Internal error: Default values differ for column %u, ndb_default: %d

  ER_NDB_COLUMN_DEFAULTS_DIFFER was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010479; Symbol: ER_NDB_COLUMN_SHOULD_NOT_HAVE_NATIVE_DEFAULT; SQLSTATE: HY000

  Message: NDB Internal error: Column %u has native default, but shouldn't. Flags=%u, type=%u

  ER_NDB_COLUMN_SHOULD_NOT_HAVE_NATIVE_DEFAULT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010480; Symbol: ER_NDB_FIELD_INFO; SQLSTATE: HY000

  Message: field[name: '%s', type: %u, real_type: %u, flags: 0x%x, is_null: %d]

  ER_NDB_FIELD_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010481; Symbol: ER_NDB_COLUMN_INFO; SQLSTATE: HY000

  Message: ndbCol[name: '%s', type: %u, column_no: %d, nullable: %d]

  ER_NDB_COLUMN_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010482; Symbol: ER_NDB_OOM_IN_FIX_UNIQUE_INDEX_ATTR_ORDER; SQLSTATE: HY000

  Message: fix_unique_index_attr_order: my_malloc(%u) failure

  ER_NDB_OOM_IN_FIX_UNIQUE_INDEX_ATTR_ORDER was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010483; Symbol: ER_NDB_SLAVE_MALFORMED_EVENT_RECEIVED_ON_TABLE; SQLSTATE: HY000

  Message: NDB Slave : Malformed event received on table %s cannot parse. Stopping Slave.

  ER_NDB_SLAVE_MALFORMED_EVENT_RECEIVED_ON_TABLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010484; Symbol: ER_NDB_SLAVE_CONFLICT_FUNCTION_REQUIRES_ROLE; SQLSTATE: HY000

  Message: NDB Slave : Conflict function %s defined on table %s requires ndb_slave_conflict_role variable to be set. Stopping slave.

  ER_NDB_SLAVE_CONFLICT_FUNCTION_REQUIRES_ROLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010485; Symbol: ER_NDB_SLAVE_CONFLICT_DETECTION_REQUIRES_TRANSACTION_IDS; SQLSTATE: HY000

  Message: NDB Slave : Transactional conflict detection defined on table %s, but events received without transaction ids. Check --ndb-log-transaction-id setting on upstream Cluster.

  ER_NDB_SLAVE_CONFLICT_DETECTION_REQUIRES_TRANSACTION_IDS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010486; Symbol: ER_NDB_SLAVE_BINLOG_MISSING_INFO_FOR_CONFLICT_DETECTION; SQLSTATE: HY000

  Message: NDB Slave : Binlog event on table %s missing info necessary for conflict detection. Check binlog format options on upstream cluster.

  ER_NDB_SLAVE_BINLOG_MISSING_INFO_FOR_CONFLICT_DETECTION was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010487; Symbol: ER_NDB_ERROR_IN_READAUTOINCREMENTVALUE; SQLSTATE: HY000

  Message: Error %lu in readAutoIncrementValue(): %s

  ER_NDB_ERROR_IN_READAUTOINCREMENTVALUE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010488; Symbol: ER_NDB_FOUND_UNCOMMITTED_AUTOCOMMIT; SQLSTATE: HY000

  Message: found uncommitted autocommit+rbwr transaction, commit status: %d

  ER_NDB_FOUND_UNCOMMITTED_AUTOCOMMIT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010489; Symbol: ER_NDB_SLAVE_TOO_MANY_RETRIES; SQLSTATE: HY000

  Message: Ndb slave retried transaction %u time(s) in vain. Giving up.

  ER_NDB_SLAVE_TOO_MANY_RETRIES was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010490; Symbol: ER_NDB_SLAVE_ERROR_IN_UPDATE_CREATE_INFO; SQLSTATE: HY000

  Message: Error %lu in ::update_create_info(): %s

  ER_NDB_SLAVE_ERROR_IN_UPDATE_CREATE_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010491; Symbol: ER_NDB_SLAVE_CANT_ALLOCATE_TABLE_SHARE; SQLSTATE: HY000

  Message: NDB: allocating table share for %s failed

  ER_NDB_SLAVE_CANT_ALLOCATE_TABLE_SHARE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010492; Symbol: ER_NDB_BINLOG_ERROR_INFO_FROM_DA; SQLSTATE: HY000

  Message: NDB Binlog: (%d)%s

  ER_NDB_BINLOG_ERROR_INFO_FROM_DA was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010493; Symbol: ER_NDB_BINLOG_CREATE_TABLE_EVENT; SQLSTATE: HY000

Message: NDB Binlog: CREATE TABLE Event: %s

ER_NDB_BINLOG_CREATE_TABLE_EVENT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010494; Symbol: ER_NDB_BINLOG_FAILED_CREATE_TABLE_EVENT_OPERATIONS; SQLSTATE: HY000

  Message: NDB Binlog: FAILED CREATE TABLE event operations. Event: %s

  ER_NDB_BINLOG_FAILED_CREATE_TABLE_EVENT_OPERATIONS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010495; Symbol: ER_NDB_BINLOG_RENAME_EVENT; SQLSTATE: HY000

  Message: NDB Binlog: RENAME Event: %s

  ER_NDB_BINLOG_RENAME_EVENT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010496; Symbol: ER_NDB_BINLOG_FAILED_CREATE_EVENT_OPERATIONS_DURING_RENAME; SQLSTATE: HY000

  Message: NDB Binlog: FAILED create event operations during RENAME. Event %s

  ER_NDB_BINLOG_FAILED_CREATE_EVENT_OPERATIONS_DURING_RENAME was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010497; Symbol: ER_NDB_UNEXPECTED_RENAME_TYPE; SQLSTATE: HY000

  Message: Unexpected rename case detected, sql_command: %d

  ER_NDB_UNEXPECTED_RENAME_TYPE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010498; Symbol: ER_NDB_ERROR_IN_GET_AUTO_INCREMENT; SQLSTATE: HY000

  Message: Error %lu in ::get_auto_increment(): %s

  ER_NDB_ERROR_IN_GET_AUTO_INCREMENT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010499; Symbol: ER_NDB_CREATING_SHARE_IN_OPEN; SQLSTATE: HY000

  Message: Calling ndbcluster_create_binlog_setup(%s) in ::open

  ER_NDB_CREATING_SHARE_IN_OPEN was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010500; Symbol: ER_NDB_TABLE_OPENED_READ_ONLY; SQLSTATE: HY000

  Message: table '%s' opened read only

  ER_NDB_TABLE_OPENED_READ_ONLY was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010501; Symbol: ER_NDB_INITIALIZE_GIVEN_CLUSTER_PLUGIN_DISABLED; SQLSTATE: HY000

  Message: NDB: '--initialize' -> ndbcluster plugin disabled

  ER_NDB_INITIALIZE_GIVEN_CLUSTER_PLUGIN_DISABLED was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010502; Symbol: ER_NDB_BINLOG_FORMAT_CHANGED_FROM_STMT_TO_MIXED; SQLSTATE: HY000

  Message: NDB: Changed global value of binlog_format from STATEMENT to MIXED

  ER_NDB_BINLOG_FORMAT_CHANGED_FROM_STMT_TO_MIXED was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010503; Symbol: ER_NDB_TRAILING_SHARE_RELEASED_BY_CLOSE_CACHED_TABLES; SQLSTATE: HY000

  Message: NDB_SHARE: trailing share %s, released by close_cached_tables

  ER_NDB_TRAILING_SHARE_RELEASED_BY_CLOSE_CACHED_TABLES was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010504; Symbol: ER_NDB_SHARE_ALREADY_EXISTS; SQLSTATE: HY000

  Message: NDB_SHARE: %s already exists use_count=%d. Moving away for safety, but possible memleak.

  ER_NDB_SHARE_ALREADY_EXISTS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010505; Symbol: ER_NDB_HANDLE_TRAILING_SHARE_INFO; SQLSTATE: HY000

  Message: handle_trailing_share: %s use_count: %u

  ER_NDB_HANDLE_TRAILING_SHARE_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010506; Symbol: ER_NDB_CLUSTER_GET_SHARE_INFO; SQLSTATE: HY000

  Message: ndbcluster_get_share: %s use_count: %u

  ER_NDB_CLUSTER_GET_SHARE_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010507; Symbol: ER_NDB_CLUSTER_REAL_FREE_SHARE_INFO; SQLSTATE: HY000

  Message: ndbcluster_real_free_share: %s use_count: %u

  ER_NDB_CLUSTER_REAL_FREE_SHARE_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010508; Symbol: ER_NDB_CLUSTER_REAL_FREE_SHARE_DROP_FAILED; SQLSTATE: HY000

  Message: ndbcluster_real_free_share: %s, still open - ignored 'free' (leaked?)

  ER_NDB_CLUSTER_REAL_FREE_SHARE_DROP_FAILED was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010509; Symbol: ER_NDB_CLUSTER_FREE_SHARE_INFO; SQLSTATE: HY000

  Message: ndbcluster_free_share: %s use_count: %u

  ER_NDB_CLUSTER_FREE_SHARE_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010510; Symbol: ER_NDB_CLUSTER_MARK_SHARE_DROPPED_INFO; SQLSTATE: HY000

  Message: ndbcluster_mark_share_dropped: %s use_count: %u

ER_NDB_CLUSTER_MARK_SHARE_DROPPED_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010511; Symbol: ER_NDB_CLUSTER_MARK_SHARE_DROPPED_DESTROYING_SHARE; SQLSTATE: HY000

  Message: ndbcluster_mark_share_dropped: destroys share %s

  ER_NDB_CLUSTER_MARK_SHARE_DROPPED_DESTROYING_SHARE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010512; Symbol: ER_NDB_CLUSTER_OOM_THD_NDB; SQLSTATE: HY000

  Message: Could not allocate Thd_ndb object

  ER_NDB_CLUSTER_OOM_THD_NDB was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010513; Symbol: ER_NDB_BINLOG_NDB_TABLES_INITIALLY_READ_ONLY; SQLSTATE: HY000

  Message: NDB Binlog: Ndb tables initially read only.

  ER_NDB_BINLOG_NDB_TABLES_INITIALLY_READ_ONLY was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010514; Symbol: ER_NDB_UTIL_THREAD_OOM; SQLSTATE: HY000

  Message: ndb util thread: malloc failure, query cache not maintained properly

  ER_NDB_UTIL_THREAD_OOM was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010515; Symbol: ER_NDB_ILLEGAL_VALUE_FOR_NDB_RECV_THREAD_CPU_MASK; SQLSTATE: HY000

  Message: Trying to set ndb_recv_thread_cpu_mask to illegal value = %s, ignored

  ER_NDB_ILLEGAL_VALUE_FOR_NDB_RECV_THREAD_CPU_MASK was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010516; Symbol: ER_NDB_TOO_MANY_CPUS_IN_NDB_RECV_THREAD_CPU_MASK; SQLSTATE: HY000

  Message: Trying to set too many CPU's in ndb_recv_thread_cpu_mask, ignored this variable, erroneus value = %s

  ER_NDB_TOO_MANY_CPUS_IN_NDB_RECV_THREAD_CPU_MASK was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010517; Symbol: ER_DBUG_CHECK_SHARES_OPEN; SQLSTATE: HY000

  Message: dbug_check_shares open:

  ER_DBUG_CHECK_SHARES_OPEN was added in 8.0.2.

- Error number: MY-010518; Symbol: ER_DBUG_CHECK_SHARES_INFO; SQLSTATE: HY000

  Message: %s.%s: state: %s(%u) use_count: %u

  ER_DBUG_CHECK_SHARES_INFO was added in 8.0.2.

- Error number: MY-010519; Symbol: ER_DBUG_CHECK_SHARES_DROPPED; SQLSTATE: HY000

  Message: dbug_check_shares dropped:

  ER_DBUG_CHECK_SHARES_DROPPED was added in 8.0.2.

- Error number: MY-010520; Symbol: ER_INVALID_OR_OLD_TABLE_OR_DB_NAME; SQLSTATE: HY000

  Message: Invalid (old?) table or database name '%s'

  ER_INVALID_OR_OLD_TABLE_OR_DB_NAME was added in 8.0.2.

- Error number: MY-010521; Symbol: ER_TC_RECOVERING_AFTER_CRASH_USING; SQLSTATE: HY000

  Message: Recovering after a crash using %s

  ER_TC_RECOVERING_AFTER_CRASH_USING was added in 8.0.2.

- Error number: MY-010522; Symbol: ER_TC_CANT_AUTO_RECOVER_WITH_TC_HEURISTIC_RECOVER; SQLSTATE: HY000

  Message: Cannot perform automatic crash recovery when --tc-heuristic-recover is used

  ER_TC_CANT_AUTO_RECOVER_WITH_TC_HEURISTIC_RECOVER was added in 8.0.2.

- Error number: MY-010523; Symbol: ER_TC_BAD_MAGIC_IN_TC_LOG; SQLSTATE: HY000

  Message: Bad magic header in tc log

  ER_TC_BAD_MAGIC_IN_TC_LOG was added in 8.0.2.

- Error number: MY-010524; Symbol: ER_TC_NEED_N_SE_SUPPORTING_2PC_FOR_RECOVERY; SQLSTATE: HY000

  Message: Recovery failed! You must enable exactly %d storage engines that support two-phase commit protocol

  ER_TC_NEED_N_SE_SUPPORTING_2PC_FOR_RECOVERY was added in 8.0.2.

- Error number: MY-010525; Symbol: ER_TC_RECOVERY_FAILED_THESE_ARE_YOUR_OPTIONS; SQLSTATE: HY000

  Message: Crash recovery failed. Either correct the problem (if it's, for example, out of memory error) and restart, or delete tc log and start mysqld with --tc-heuristic-recover={commit|rollback}

  ER_TC_RECOVERY_FAILED_THESE_ARE_YOUR_OPTIONS was added in 8.0.2.

- Error number: MY-010526; Symbol: ER_TC_HEURISTIC_RECOVERY_MODE; SQLSTATE: HY000

  Message: Heuristic crash recovery mode

  ER_TC_HEURISTIC_RECOVERY_MODE was added in 8.0.2.

- Error number: MY-010527; Symbol: ER_TC_HEURISTIC_RECOVERY_FAILED; SQLSTATE: HY000

  Message: Heuristic crash recovery failed

  ER_TC_HEURISTIC_RECOVERY_FAILED was added in 8.0.2.

- Error number: MY-010528; Symbol: ER_TC_RESTART_WITHOUT_TC_HEURISTIC_RECOVER; SQLSTATE: HY000

  Message: Please restart mysqld without --tc-heuristic-recover

  ER_TC_RESTART_WITHOUT_TC_HEURISTIC_RECOVER was added in 8.0.2.

- Error number: MY-010529; Symbol: ER_RPL_SLAVE_FAILED_TO_CREATE_OR_RECOVER_INFO_REPOSITORIES; SQLSTATE: HY000

  Message: Failed to create or recover replication info repositories.

  ER_RPL_SLAVE_FAILED_TO_CREATE_OR_RECOVER_INFO_REPOSITORIES was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010529; Symbol: ER_RPL_REPLICA_FAILED_TO_CREATE_OR_RECOVER_INFO_REPOSITORIES; SQLSTATE: HY000

  Message: Failed to create or recover replication info repositories.

  ER_RPL_REPLICA_FAILED_TO_CREATE_OR_RECOVER_INFO_REPOSITORIES was added in 8.0.33.

- Error number: MY-010530; Symbol: ER_RPL_SLAVE_AUTO_POSITION_IS_1_AND_GTID_MODE_IS_OFF; SQLSTATE: HY000

  Message: Detected misconfiguration: replication channel '%s' was configured with AUTO_POSITION = 1, but the server was started with --gtid-mode=off. Either reconfigure replication using CHANGE MASTER TO MASTER_AUTO_POSITION = 0 FOR CHANNEL '%s', or change GTID_MODE to some value other than OFF, before starting the slave receiver thread.

  ER_RPL_SLAVE_AUTO_POSITION_IS_1_AND_GTID_MODE_IS_OFF was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010530; Symbol: ER_RPL_REPLICA_AUTO_POSITION_IS_1_AND_GTID_MODE_IS_OFF; SQLSTATE: HY000

  Message: Detected misconfiguration: replication channel '%s' was configured with AUTO_POSITION = 1, but the server was started with --gtid-mode=off. Either reconfigure replication using CHANGE REPLICATION SOURCE TO SOURCE_AUTO_POSITION = 0 FOR CHANNEL '%s', or change GTID_MODE to some value other than OFF, before starting the replica receiver thread.

  ER_RPL_REPLICA_AUTO_POSITION_IS_1_AND_GTID_MODE_IS_OFF was added in 8.0.33.

- Error number: MY-010531; Symbol: ER_RPL_SLAVE_CANT_START_SLAVE_FOR_CHANNEL; SQLSTATE: HY000

  Message: Slave: Could not start slave for channel '%s'. operation discontinued

  ER_RPL_SLAVE_CANT_START_SLAVE_FOR_CHANNEL was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010531; Symbol: ER_RPL_REPLICA_CANT_START_REPLICA_FOR_CHANNEL; SQLSTATE: HY000

  Message: Replica: Could not start replica for channel '%s'. operation discontinued

  ER_RPL_REPLICA_CANT_START_REPLICA_FOR_CHANNEL was added in 8.0.33.

- Error number: MY-010532; Symbol: ER_RPL_SLAVE_CANT_STOP_SLAVE_FOR_CHANNEL; SQLSTATE: HY000

  Message: Slave: Could not stop slave for channel '%s' operation discontinued

  ER_RPL_SLAVE_CANT_STOP_SLAVE_FOR_CHANNEL was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010532; Symbol: ER_RPL_REPLICA_CANT_STOP_REPLICA_FOR_CHANNEL; SQLSTATE: HY000

  Message: Replica: Could not stop replica for channel '%s' operation discontinued

  ER_RPL_REPLICA_CANT_STOP_REPLICA_FOR_CHANNEL was added in 8.0.33.

- Error number: MY-010533; Symbol: ER_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_MASTER; SQLSTATE: HY000

  Message: Error during --relay-log-recovery: Could not locate rotate event from the master.

  ER_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_MASTER was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010533; Symbol: ER_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_SOURCE; SQLSTATE: HY000

  Message: Error during --relay-log-recovery: Could not locate rotate event from the source.

  ER_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_SOURCE was added in 8.0.33.

- Error number: MY-010534; Symbol: ER_RPL_RECOVERY_ERROR_READ_RELAY_LOG; SQLSTATE: HY000

  Message: Error during --relay-log-recovery: Error reading events from relay log: %d

  ER_RPL_RECOVERY_ERROR_READ_RELAY_LOG was added in 8.0.2.

- Error number: MY-010535; Symbol: ER_RPL_RECOVERY_ERROR_FREEING_IO_CACHE; SQLSTATE: HY000

  Message: Error during --relay-log-recovery: Error while freeing IO_CACHE object

  ER_RPL_RECOVERY_ERROR_FREEING_IO_CACHE was added in 8.0.2, removed after 8.0.12.

- Error number: MY-010536; Symbol: ER_RPL_RECOVERY_SKIPPED_GROUP_REPLICATION_CHANNEL; SQLSTATE: HY000

  Message: Relay log recovery skipped for group replication channel.

  ER_RPL_RECOVERY_SKIPPED_GROUP_REPLICATION_CHANNEL was added in 8.0.2.

- Error number: MY-010537; Symbol: ER_RPL_RECOVERY_ERROR; SQLSTATE: HY000

  Message: Error during --relay-log-recovery: %s

  ER_RPL_RECOVERY_ERROR was added in 8.0.2.

- Error number: MY-010538; Symbol: ER_RPL_RECOVERY_IO_ERROR_READING_RELAY_LOG_INDEX; SQLSTATE: HY000

  Message: Error during --relay-log-recovery: Could not read relay log index file due to an IO error.

ER_RPL_RECOVERY_IO_ERROR_READING_RELAY_LOG_INDEX was added in 8.0.2.

- Error number: MY-010539; Symbol: ER_RPL_RECOVERY_FILE_MASTER_POS_INFO; SQLSTATE: HY000

  Message: Recovery from master pos %ld and file %s%s. Previous relay log pos and relay log file had been set to %lld, %s respectively.

  ER_RPL_RECOVERY_FILE_MASTER_POS_INFO was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010539; Symbol: ER_RPL_RECOVERY_FILE_SOURCE_POS_INFO; SQLSTATE: HY000

  Message: Recovery from source pos %ld and file %s%s. Previous relay log pos and relay log file had been set to %lld, %s respectively.

  ER_RPL_RECOVERY_FILE_SOURCE_POS_INFO was added in 8.0.33.

- Error number: MY-010540; Symbol: ER_RPL_RECOVERY_REPLICATE_SAME_SERVER_ID_REQUIRES_POSITION; SQLSTATE: HY000

  Message: Error during --relay-log-recovery: replicate_same_server_id is in use and sql thread's positions are not initialized, hence relay log recovery cannot happen.

  ER_RPL_RECOVERY_REPLICATE_SAME_SERVER_ID_REQUIRES_POSITION was added in 8.0.2.

- Error number: MY-010541; Symbol: ER_RPL_MTS_RECOVERY_STARTING_COORDINATOR; SQLSTATE: HY000

  Message: MTS recovery: starting coordinator thread to fill MTS gaps.

  ER_RPL_MTS_RECOVERY_STARTING_COORDINATOR was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010541; Symbol: ER_RPL_MTA_RECOVERY_STARTING_COORDINATOR; SQLSTATE: HY000

  Message: MTA recovery: starting coordinator thread to fill MTA gaps.

  ER_RPL_MTA_RECOVERY_STARTING_COORDINATOR was added in 8.0.33.

- Error number: MY-010542; Symbol: ER_RPL_MTS_RECOVERY_FAILED_TO_START_COORDINATOR; SQLSTATE: HY000

  Message: MTS recovery: failed to start the coordinator thread. Check the error log for additional details.

  ER_RPL_MTS_RECOVERY_FAILED_TO_START_COORDINATOR was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010542; Symbol: ER_RPL_MTA_RECOVERY_FAILED_TO_START_COORDINATOR; SQLSTATE: HY000

  Message: MTA recovery: failed to start the coordinator thread. Check the error log for additional details.

  ER_RPL_MTA_RECOVERY_FAILED_TO_START_COORDINATOR was added in 8.0.33.

- Error number: MY-010543; Symbol: ER_RPL_MTS_AUTOMATIC_RECOVERY_FAILED; SQLSTATE: HY000

Message: MTS recovery: automatic recovery failed. Either the slave server had stopped due to an error during an earlier session or relay logs are corrupted.Fix the cause of the slave side error and restart the slave server or consider using RESET SLAVE.

`ER_RPL_MTS_AUTOMATIC_RECOVERY_FAILED` was added in 8.0.2, removed after 8.0.32.

- Error number: `MY-010543`; Symbol: `ER_RPL_MTA_AUTOMATIC_RECOVERY_FAILED`; SQLSTATE: `HY000`

  Message: MTA recovery: automatic recovery failed. Either the replica server had stopped due to an error during an earlier session or relay logs are corrupted.Fix the cause of the replica side error and restart the replica server or consider using RESET REPLICA.

  `ER_RPL_MTA_AUTOMATIC_RECOVERY_FAILED` was added in 8.0.33.

- Error number: `MY-010544`; Symbol: `ER_RPL_MTS_RECOVERY_CANT_OPEN_RELAY_LOG`; SQLSTATE: `HY000`

  Message: Failed to open the relay log '%s' (relay_log_pos %s).

  `ER_RPL_MTS_RECOVERY_CANT_OPEN_RELAY_LOG` was added in 8.0.2, removed after 8.0.32.

- Error number: `MY-010544`; Symbol: `ER_RPL_MTA_RECOVERY_CANT_OPEN_RELAY_LOG`; SQLSTATE: `HY000`

  Message: Failed to open the relay log '%s' (relay_log_pos %s).

  `ER_RPL_MTA_RECOVERY_CANT_OPEN_RELAY_LOG` was added in 8.0.33.

- Error number: `MY-010545`; Symbol: `ER_RPL_MTS_RECOVERY_SUCCESSFUL`; SQLSTATE: `HY000`

  Message: MTS recovery: completed successfully.

  `ER_RPL_MTS_RECOVERY_SUCCESSFUL` was added in 8.0.2, removed after 8.0.32.

- Error number: `MY-010545`; Symbol: `ER_RPL_MTA_RECOVERY_SUCCESSFUL`; SQLSTATE: `HY000`

  Message: MTA recovery: completed successfully.

  `ER_RPL_MTA_RECOVERY_SUCCESSFUL` was added in 8.0.33.

- Error number: `MY-010546`; Symbol: `ER_RPL_SERVER_ID_MISSING`; SQLSTATE: `HY000`

  Message: Server id not set, will not start replica%s

  `ER_RPL_SERVER_ID_MISSING` was added in 8.0.2.

- Error number: `MY-010547`; Symbol: `ER_RPL_CANT_CREATE_SLAVE_THREAD`; SQLSTATE: `HY000`

  Message: Can't create slave thread%s.

  `ER_RPL_CANT_CREATE_SLAVE_THREAD` was added in 8.0.2, removed after 8.0.32.

- Error number: `MY-010547`; Symbol: `ER_RPL_CANT_CREATE_REPLICA_THREAD`; SQLSTATE: `HY000`

  Message: Can't create replica thread%s.

  `ER_RPL_CANT_CREATE_REPLICA_THREAD` was added in 8.0.33.

- Error number: MY-010548; Symbol: ER_RPL_SLAVE_IO_THREAD_WAS_KILLED; SQLSTATE: HY000

  Message: The slave IO thread%s was killed while executing initialization query '%s'

  ER_RPL_SLAVE_IO_THREAD_WAS_KILLED was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010548; Symbol: ER_RPL_REPLICA_IO_THREAD_WAS_KILLED; SQLSTATE: HY000

  Message: The replica IO thread%s was killed while executing initialization query '%s'

  ER_RPL_REPLICA_IO_THREAD_WAS_KILLED was added in 8.0.33.

- Error number: MY-010549; Symbol: ER_RPL_SLAVE_MASTER_UUID_HAS_CHANGED; SQLSTATE: HY000

  Message: The master's UUID has changed, although this should not happen unless you have changed it manually. The old UUID was %s.

  ER_RPL_SLAVE_MASTER_UUID_HAS_CHANGED was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010550; Symbol: ER_RPL_SLAVE_USES_CHECKSUM_AND_MASTER_PRE_50; SQLSTATE: HY000

  Message: Found a master with MySQL server version older than 5.0. With checksums enabled on the slave, replication might not work correctly. To ensure correct replication, restart the slave server with --replica_sql_verify_checksum=0.

  ER_RPL_SLAVE_USES_CHECKSUM_AND_MASTER_PRE_50 was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010550; Symbol: ER_RPL_REPLICA_USES_CHECKSUM_AND_SOURCE_PRE_50; SQLSTATE: HY000

  Message: Found a source with MySQL server version older than 5.0. With checksums enabled on the replica, replication might not work correctly. To ensure correct replication, restart the replica server with --replica_sql_verify_checksum=0.

  ER_RPL_REPLICA_USES_CHECKSUM_AND_SOURCE_PRE_50 was added in 8.0.33.

- Error number: MY-010551; Symbol: ER_RPL_SLAVE_SECONDS_BEHIND_MASTER_DUBIOUS; SQLSTATE: HY000

  Message: "SELECT UNIX_TIMESTAMP()" failed on master, do not trust column Seconds_Behind_Master of SHOW SLAVE STATUS. Error: %s (%d)

  ER_RPL_SLAVE_SECONDS_BEHIND_MASTER_DUBIOUS was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010551; Symbol: ER_RPL_REPLICA_SECONDS_BEHIND_SOURCE_DUBIOUS; SQLSTATE: HY000

  Message: "SELECT UNIX_TIMESTAMP()" failed on source, do not trust column Seconds_Behind_Source of SHOW REPLICA STATUS. Error: %s (%d)

  ER_RPL_REPLICA_SECONDS_BEHIND_SOURCE_DUBIOUS was added in 8.0.33.

- Error number: MY-010552; Symbol: ER_RPL_SLAVE_CANT_FLUSH_MASTER_INFO_FILE; SQLSTATE: HY000

  Message: Failed to flush master info file.

  ER_RPL_SLAVE_CANT_FLUSH_MASTER_INFO_FILE was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010552; Symbol: ER_RPL_REPLICA_CANT_FLUSH_CONNECTION_METADATA_REPOS; SQLSTATE: HY000

  Message: Failed to flush connection metadata repository.

  ER_RPL_REPLICA_CANT_FLUSH_CONNECTION_METADATA_REPOS was added in 8.0.33.

- Error number: MY-010553; Symbol: ER_RPL_SLAVE_REPORT_HOST_TOO_LONG; SQLSTATE: HY000

  Message: The length of report_host is %zu. It is larger than the max length(%d), so this slave cannot be registered to the master%s.

  ER_RPL_SLAVE_REPORT_HOST_TOO_LONG was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010553; Symbol: ER_RPL_REPLICA_REPORT_HOST_TOO_LONG; SQLSTATE: HY000

  Message: The length of report_host is %zu. It is larger than the max length(%d), so this replica cannot be registered to the source%s.

  ER_RPL_REPLICA_REPORT_HOST_TOO_LONG was added in 8.0.33.

- Error number: MY-010554; Symbol: ER_RPL_SLAVE_REPORT_USER_TOO_LONG; SQLSTATE: HY000

  Message: The length of report_user is %zu. It is larger than the max length(%d), so this slave cannot be registered to the master%s.

  ER_RPL_SLAVE_REPORT_USER_TOO_LONG was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010554; Symbol: ER_RPL_REPLICA_REPORT_USER_TOO_LONG; SQLSTATE: HY000

  Message: The length of report_user is %zu. It is larger than the max length(%d), so this replica cannot be registered to the source%s.

  ER_RPL_REPLICA_REPORT_USER_TOO_LONG was added in 8.0.33.

- Error number: MY-010555; Symbol: ER_RPL_SLAVE_REPORT_PASSWORD_TOO_LONG; SQLSTATE: HY000

  Message: The length of report_password is %zu. It is larger than the max length(%d), so this slave cannot be registered to the master%s.

  ER_RPL_SLAVE_REPORT_PASSWORD_TOO_LONG was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010555; Symbol: ER_RPL_REPLICA_REPORT_PASSWORD_TOO_LONG; SQLSTATE: HY000

  Message: The length of report_password is %zu. It is larger than the max length(%d), so this replica cannot be registered to the source%s.

  ER_RPL_REPLICA_REPORT_PASSWORD_TOO_LONG was added in 8.0.33.

- Error number: MY-010556; Symbol: ER_RPL_SLAVE_ERROR_RETRYING; SQLSTATE: HY000

  Message: Error on %s: %d %s, will retry in %d secs

  ER_RPL_SLAVE_ERROR_RETRYING was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010556; Symbol: ER_RPL_REPLICA_ERROR_RETRYING; SQLSTATE: HY000

  Message: Error on %s: %d %s, will retry in %d secs

  ER_RPL_REPLICA_ERROR_RETRYING was added in 8.0.33.

- Error number: MY-010557; Symbol: ER_RPL_SLAVE_ERROR_READING_FROM_SERVER; SQLSTATE: HY000

  Message: Error reading packet from server%s: %s (server_errno=%d)

  ER_RPL_SLAVE_ERROR_READING_FROM_SERVER was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010557; Symbol: ER_RPL_REPLICA_ERROR_READING_FROM_SERVER; SQLSTATE: HY000

  Message: Error reading packet from server%s: %s (server_errno=%d)

  ER_RPL_REPLICA_ERROR_READING_FROM_SERVER was added in 8.0.33.

- Error number: MY-010558; Symbol: ER_RPL_SLAVE_DUMP_THREAD_KILLED_BY_MASTER; SQLSTATE: HY000

  Message: Slave%s: received end packet from server due to dump thread being killed on master. Dump threads are killed for example during master shutdown, explicitly by a user, or when the master receives a binlog send request from a duplicate server UUID <%s> : Error %s

  ER_RPL_SLAVE_DUMP_THREAD_KILLED_BY_MASTER was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010558; Symbol: ER_RPL_REPLICA_DUMP_THREAD_KILLED_BY_SOURCE; SQLSTATE: HY000

  Message: Replica%s: received end packet from server due to dump thread being killed on source. Dump threads are killed for example during source shutdown, explicitly by a user, or when the source receives a binlog send request from a duplicate server UUID <%s> : Error %s

  ER_RPL_REPLICA_DUMP_THREAD_KILLED_BY_SOURCE was added in 8.0.33.

- Error number: MY-010559; Symbol: ER_RPL_MTS_STATISTICS; SQLSTATE: HY000

  Message: Multi-threaded slave statistics%s: seconds elapsed = %lu; events assigned = %llu; worker queues filled over overrun level = %lu; waited due a Worker queue full = %lu; waited due the total size = %lu; waited at clock conflicts = %llu waited (count) when Workers occupied = %lu waited when Workers occupied = %llu

  ER_RPL_MTS_STATISTICS was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010559; Symbol: ER_RPL_MTA_STATISTICS; SQLSTATE: HY000

  Message: Multi-threaded replica statistics%s: seconds elapsed = %lu; events assigned = %llu; worker queues filled over overrun level = %lu; waited due a Worker queue full = %lu; waited due the total size =

%lu; waited at clock conflicts = %llu waited (count) when Workers occupied = %lu waited when Workers occupied = %llu

ER_RPL_MTA_STATISTICS was added in 8.0.33.

- Error number: MY-010560; Symbol: ER_RPL_MTS_RECOVERY_COMPLETE; SQLSTATE: HY000

  Message: Slave%s: MTS Recovery has completed at relay log %s, position %llu master log %s, position %llu.

  ER_RPL_MTS_RECOVERY_COMPLETE was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010560; Symbol: ER_RPL_MTA_RECOVERY_COMPLETE; SQLSTATE: HY000

  Message: Replica%s: MTA Recovery has completed at relay log %s, position %llu source log %s, position %llu.

  ER_RPL_MTA_RECOVERY_COMPLETE was added in 8.0.33.

- Error number: MY-010561; Symbol: ER_RPL_SLAVE_CANT_INIT_RELAY_LOG_POSITION; SQLSTATE: HY000

  Message: Error initializing relay log position%s: %s

  ER_RPL_SLAVE_CANT_INIT_RELAY_LOG_POSITION was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010561; Symbol: ER_RPL_REPLICA_CANT_INIT_RELAY_LOG_POSITION; SQLSTATE: HY000

  Message: Error initializing relay log position%s: %s

  ER_RPL_REPLICA_CANT_INIT_RELAY_LOG_POSITION was added in 8.0.33.

- Error number: MY-010562; Symbol: ER_RPL_SLAVE_CONNECTED_TO_MASTER_REPLICATION_STARTED; SQLSTATE: HY000

  Message: Slave I/O thread%s: connected to master '%s@%s:%d',replication started in log '%s' at position %s

  ER_RPL_SLAVE_CONNECTED_TO_MASTER_REPLICATION_STARTED was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010563; Symbol: ER_RPL_SLAVE_IO_THREAD_KILLED; SQLSTATE: HY000

  Message: Slave I/O thread%s killed while connecting to master

  ER_RPL_SLAVE_IO_THREAD_KILLED was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010563; Symbol: ER_RPL_REPLICA_IO_THREAD_KILLED; SQLSTATE: HY000

  Message: Replica I/O thread%s killed while connecting to source

  ER_RPL_REPLICA_IO_THREAD_KILLED was added in 8.0.33.

- Error number: MY-010564; Symbol: ER_RPL_SLAVE_IO_THREAD_CANT_REGISTER_ON_MASTER; SQLSTATE: HY000

  Message: Slave I/O thread couldn't register on master

ER_RPL_SLAVE_IO_THREAD_CANT_REGISTER_ON_MASTER was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010564; Symbol: ER_RPL_REPLICA_IO_THREAD_CANT_REGISTER_ON_SOURCE; SQLSTATE: HY000

  Message: Replica I/O thread couldn't register on source

  ER_RPL_REPLICA_IO_THREAD_CANT_REGISTER_ON_SOURCE was added in 8.0.33.

- Error number: MY-010565; Symbol: ER_RPL_SLAVE_FORCING_TO_RECONNECT_IO_THREAD; SQLSTATE: HY000

  Message: Forcing to reconnect slave I/O thread%s

  ER_RPL_SLAVE_FORCING_TO_RECONNECT_IO_THREAD was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010565; Symbol: ER_RPL_REPLICA_FORCING_TO_RECONNECT_IO_THREAD; SQLSTATE: HY000

  Message: Forcing to reconnect replica I/O thread%s

  ER_RPL_REPLICA_FORCING_TO_RECONNECT_IO_THREAD was added in 8.0.33.

- Error number: MY-010566; Symbol: ER_RPL_SLAVE_ERROR_REQUESTING_BINLOG_DUMP; SQLSTATE: HY000

  Message: Failed on request_dump()%s

  ER_RPL_SLAVE_ERROR_REQUESTING_BINLOG_DUMP was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010566; Symbol: ER_RPL_REPLICA_ERROR_REQUESTING_BINLOG_DUMP; SQLSTATE: HY000

  Message: Failed on request_dump()%s

  ER_RPL_REPLICA_ERROR_REQUESTING_BINLOG_DUMP was added in 8.0.33.

- Error number: MY-010567; Symbol: ER_RPL_LOG_ENTRY_EXCEEDS_SLAVE_MAX_ALLOWED_PACKET; SQLSTATE: HY000

  Message: Log entry on master is longer than slave_max_allowed_packet (%lu) on slave. If the entry is correct, restart the server with a higher value of slave_max_allowed_packet

  ER_RPL_LOG_ENTRY_EXCEEDS_SLAVE_MAX_ALLOWED_PACKET was added in 8.0.2, removed after 8.0.25.

- Error number: MY-010567; Symbol: ER_RPL_LOG_ENTRY_EXCEEDS_REPLICA_MAX_ALLOWED_PACKET; SQLSTATE: HY000

  Message: Log entry on source is longer than replica_max_allowed_packet (%lu) on replica. If the entry is correct, restart the server with a higher value of replica_max_allowed_packet

  ER_RPL_LOG_ENTRY_EXCEEDS_REPLICA_MAX_ALLOWED_PACKET was added in 8.0.26.

- Error number: MY-010568; Symbol: ER_RPL_SLAVE_STOPPING_AS_MASTER_OOM; SQLSTATE: HY000

  Message: Stopping slave I/O thread due to out-of-memory error from master

ER_RPL_SLAVE_STOPPING_AS_MASTER_OOM was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010568; Symbol: ER_RPL_REPLICA_STOPPING_AS_SOURCE_OOM; SQLSTATE: HY000

  Message: Stopping replica I/O thread due to out-of-memory error from source

  ER_RPL_REPLICA_STOPPING_AS_SOURCE_OOM was added in 8.0.33.

- Error number: MY-010569; Symbol: ER_RPL_SLAVE_IO_THREAD_ABORTED_WAITING_FOR_RELAY_LOG_SPACE; SQLSTATE: HY000

  Message: Slave I/O thread aborted while waiting for relay log space

  ER_RPL_SLAVE_IO_THREAD_ABORTED_WAITING_FOR_RELAY_LOG_SPACE was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010569; Symbol: ER_RPL_REPLICA_IO_THREAD_ABORTED_WAITING_FOR_RELAY_LOG_SPACE; SQLSTATE: HY000

  Message: Replica I/O thread aborted while waiting for relay log space

  ER_RPL_REPLICA_IO_THREAD_ABORTED_WAITING_FOR_RELAY_LOG_SPACE was added in 8.0.33.

- Error number: MY-010570; Symbol: ER_RPL_SLAVE_IO_THREAD_EXITING; SQLSTATE: HY000

  Message: Slave I/O thread exiting%s, read up to log '%s', position %s

  ER_RPL_SLAVE_IO_THREAD_EXITING was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010570; Symbol: ER_RPL_REPLICA_IO_THREAD_EXITING; SQLSTATE: HY000

  Message: Replica I/O thread exiting%s, read up to log '%s', position %s

  ER_RPL_REPLICA_IO_THREAD_EXITING was added in 8.0.33.

- Error number: MY-010571; Symbol: ER_RPL_SLAVE_CANT_INITIALIZE_SLAVE_WORKER; SQLSTATE: HY000

  Message: Failed during slave worker initialization%s

  ER_RPL_SLAVE_CANT_INITIALIZE_SLAVE_WORKER was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010571; Symbol: ER_RPL_REPLICA_CANT_INITIALIZE_REPLICA_WORKER; SQLSTATE: HY000

  Message: Failed during replica worker initialization%s

  ER_RPL_REPLICA_CANT_INITIALIZE_REPLICA_WORKER was added in 8.0.33.

- Error number: MY-010572; Symbol: ER_RPL_MTS_GROUP_RECOVERY_RELAY_LOG_INFO_FOR_WORKER; SQLSTATE: HY000

  Message: Slave: MTS group recovery relay log info based on Worker-Id %lu, group_relay_log_name %s, group_relay_log_pos %llu group_master_log_name %s, group_master_log_pos %llu

  ER_RPL_MTS_GROUP_RECOVERY_RELAY_LOG_INFO_FOR_WORKER was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010572; Symbol: ER_RPL_MTA_GROUP_RECOVERY_APPLIER_METADATA_FOR_WORKER; SQLSTATE: HY000

  Message: Replica: MTA group recovery applier metadata based on Worker-Id %lu, group_relay_log_name %s, group_relay_log_pos %llu group_source_log_name %s, group_source_log_pos %llu

  ER_RPL_MTA_GROUP_RECOVERY_APPLIER_METADATA_FOR_WORKER was added in 8.0.33.

- Error number: MY-010573; Symbol: ER_RPL_ERROR_LOOKING_FOR_LOG; SQLSTATE: HY000

  Message: Error looking for %s.

  ER_RPL_ERROR_LOOKING_FOR_LOG was added in 8.0.2.

- Error number: MY-010574; Symbol: ER_RPL_MTS_GROUP_RECOVERY_RELAY_LOG_INFO; SQLSTATE: HY000

  Message: Slave: MTS group recovery relay log info group_master_log_name %s, event_master_log_pos %llu.

  ER_RPL_MTS_GROUP_RECOVERY_RELAY_LOG_INFO was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010574; Symbol: ER_RPL_MTA_GROUP_RECOVERY_APPLIER_METADATA; SQLSTATE: HY000

  Message: Replica: MTA group recovery applier metadata group_source_log_name %s, event_source_log_pos %llu.

  ER_RPL_MTA_GROUP_RECOVERY_APPLIER_METADATA was added in 8.0.33.

- Error number: MY-010575; Symbol: ER_RPL_CANT_FIND_FOLLOWUP_FILE; SQLSTATE: HY000

  Message: Error looking for file after %s.

  ER_RPL_CANT_FIND_FOLLOWUP_FILE was added in 8.0.2.

- Error number: MY-010576; Symbol: ER_RPL_MTS_CHECKPOINT_PERIOD_DIFFERS_FROM_CNT; SQLSTATE: HY000

  Message: This an error cnt != mta_checkpoint_period

  ER_RPL_MTS_CHECKPOINT_PERIOD_DIFFERS_FROM_CNT was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010576; Symbol: ER_RPL_MTA_CHECKPOINT_PERIOD_DIFFERS_FROM_CNT; SQLSTATE: HY000

  Message: This an error cnt != mta_checkpoint_period

  ER_RPL_MTA_CHECKPOINT_PERIOD_DIFFERS_FROM_CNT was added in 8.0.33.

- Error number: MY-010577; Symbol: ER_RPL_SLAVE_WORKER_THREAD_CREATION_FAILED; SQLSTATE: HY000

  Message: Failed during slave worker thread creation%s

  ER_RPL_SLAVE_WORKER_THREAD_CREATION_FAILED was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010577; Symbol: ER_RPL_REPLICA_WORKER_THREAD_CREATION_FAILED; SQLSTATE: HY000

  Message: Failed during replica worker thread creation%s

  ER_RPL_REPLICA_WORKER_THREAD_CREATION_FAILED was added in 8.0.33.

- Error number: MY-010578; Symbol: ER_RPL_SLAVE_WORKER_THREAD_CREATION_FAILED_WITH_ERRNO; SQLSTATE: HY000

  Message: Failed during slave worker thread creation%s (errno= %d)

  ER_RPL_SLAVE_WORKER_THREAD_CREATION_FAILED_WITH_ERRNO was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010578; Symbol: ER_RPL_REPLICA_WORKER_THREAD_CREATION_FAILED_WITH_ERRNO; SQLSTATE: HY000

  Message: Failed during replica worker thread creation%s (errno= %d)

  ER_RPL_REPLICA_WORKER_THREAD_CREATION_FAILED_WITH_ERRNO was added in 8.0.33.

- Error number: MY-010579; Symbol: ER_RPL_SLAVE_FAILED_TO_INIT_PARTITIONS_HASH; SQLSTATE: HY000

  Message: Failed to init partitions hash

  ER_RPL_SLAVE_FAILED_TO_INIT_PARTITIONS_HASH was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010579; Symbol: ER_RPL_REPLICA_FAILED_TO_INIT_PARTITIONS_HASH; SQLSTATE: HY000

  Message: Failed to init partitions hash

  ER_RPL_REPLICA_FAILED_TO_INIT_PARTITIONS_HASH was added in 8.0.33.

- Error number: MY-010580; Symbol: ER_RPL_SLAVE_NDB_TABLES_NOT_AVAILABLE; SQLSTATE: HY000

  Message: Slave SQL thread : NDB : Tables not available after %lu seconds. Consider increasing --ndb-wait-setup value

  ER_RPL_SLAVE_NDB_TABLES_NOT_AVAILABLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010581; Symbol: ER_RPL_SLAVE_SQL_THREAD_STARTING; SQLSTATE: HY000

  Message: Slave SQL thread%s initialized, starting replication in log '%s' at position %s, relay log '%s' position: %s

  ER_RPL_SLAVE_SQL_THREAD_STARTING was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010581; Symbol: ER_RPL_REPLICA_SQL_THREAD_STARTING; SQLSTATE: HY000

  Message: Replica SQL thread%s initialized, starting replication in log '%s' at position %s, relay log '%s' position: %s

  ER_RPL_REPLICA_SQL_THREAD_STARTING was added in 8.0.33.

- Error number: MY-010582; Symbol: ER_RPL_SLAVE_SKIP_COUNTER_EXECUTED; SQLSTATE: HY000

Message: 'SQL_REPLICA_SKIP_COUNTER=%ld' executed at relay_log_file='%s', relay_log_pos='%ld', master_log_name='%s', master_log_pos='%ld' and new position at relay_log_file='%s', relay_log_pos='%ld', master_log_name='%s', master_log_pos='%ld'

ER_RPL_SLAVE_SKIP_COUNTER_EXECUTED was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010582; Symbol: ER_RPL_REPLICA_SKIP_COUNTER_EXECUTED; SQLSTATE: HY000

  Message: 'SQL_REPLICA_SKIP_COUNTER=%ld' executed at relay_log_file='%s', relay_log_pos='%ld', source_log_name='%s', source_log_pos='%ld' and new position at relay_log_file='%s', relay_log_pos='%ld', source_log_name='%s', source_log_pos='%ld'

  ER_RPL_REPLICA_SKIP_COUNTER_EXECUTED was added in 8.0.33.

- Error number: MY-010583; Symbol: ER_RPL_SLAVE_ADDITIONAL_ERROR_INFO_FROM_DA; SQLSTATE: HY000

  Message: Slave (additional info): %s Error_code: MY-%06d

  ER_RPL_SLAVE_ADDITIONAL_ERROR_INFO_FROM_DA was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010583; Symbol: ER_RPL_REPLICA_ADDITIONAL_ERROR_INFO_FROM_DA; SQLSTATE: HY000

  Message: Replica (additional info): %s Error_code: MY-%06d

  ER_RPL_REPLICA_ADDITIONAL_ERROR_INFO_FROM_DA was added in 8.0.33.

- Error number: MY-010584; Symbol: ER_RPL_SLAVE_ERROR_INFO_FROM_DA; SQLSTATE: HY000

  Message: Slave: %s Error_code: MY-%06d

  ER_RPL_SLAVE_ERROR_INFO_FROM_DA was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010584; Symbol: ER_RPL_REPLICA_ERROR_INFO_FROM_DA; SQLSTATE: HY000

  Message: Replica: %s Error_code: MY-%06d

  ER_RPL_REPLICA_ERROR_INFO_FROM_DA was added in 8.0.33.

- Error number: MY-010585; Symbol: ER_RPL_SLAVE_ERROR_LOADING_USER_DEFINED_LIBRARY; SQLSTATE: HY000

  Message: Error loading user-defined library, slave SQL thread aborted. Install the missing library, and restart the slave SQL thread with "SLAVE START". We stopped at log '%s' position %s

  ER_RPL_SLAVE_ERROR_LOADING_USER_DEFINED_LIBRARY was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010585; Symbol: ER_RPL_REPLICA_ERROR_LOADING_USER_DEFINED_LIBRARY; SQLSTATE: HY000

  Message: Error loading user-defined library, replica SQL thread aborted. Install the missing library, and restart the replica SQL thread with "START REPLICA". We stopped at log '%s' position %s

  ER_RPL_REPLICA_ERROR_LOADING_USER_DEFINED_LIBRARY was added in 8.0.33.

- Error number: MY-010586; Symbol: ER_RPL_SLAVE_ERROR_RUNNING_QUERY; SQLSTATE: HY000

  Message: Error running query, slave SQL thread aborted. Fix the problem, and restart the slave SQL thread with "SLAVE START". We stopped at log '%s' position %s

  ER_RPL_SLAVE_ERROR_RUNNING_QUERY was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010586; Symbol: ER_RPL_REPLICA_ERROR_RUNNING_QUERY; SQLSTATE: HY000

  Message: Error running query, replica SQL thread aborted. Fix the problem, and restart the replica SQL thread with "START REPLICA". We stopped at log '%s' position %s

  ER_RPL_REPLICA_ERROR_RUNNING_QUERY was added in 8.0.33.

- Error number: MY-010587; Symbol: ER_RPL_SLAVE_SQL_THREAD_EXITING; SQLSTATE: HY000

  Message: Slave SQL thread%s exiting, replication stopped in log '%s' at position %s

  ER_RPL_SLAVE_SQL_THREAD_EXITING was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010587; Symbol: ER_RPL_REPLICA_SQL_THREAD_EXITING; SQLSTATE: HY000

  Message: Replica SQL thread%s exiting, replication stopped in log '%s' at position %s

  ER_RPL_REPLICA_SQL_THREAD_EXITING was added in 8.0.33.

- Error number: MY-010588; Symbol: ER_RPL_SLAVE_READ_INVALID_EVENT_FROM_MASTER; SQLSTATE: HY000

  Message: Read invalid event from master: '%s', master could be corrupt but a more likely cause of this is a bug

  ER_RPL_SLAVE_READ_INVALID_EVENT_FROM_MASTER was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010588; Symbol: ER_RPL_REPLICA_READ_INVALID_EVENT_FROM_SOURCE; SQLSTATE: HY000

  Message: Read invalid event from source: '%s', source could be corrupt but a more likely cause of this is a bug

  ER_RPL_REPLICA_READ_INVALID_EVENT_FROM_SOURCE was added in 8.0.33.

- Error number: MY-010589; Symbol: ER_RPL_SLAVE_QUEUE_EVENT_FAILED_INVALID_CONFIGURATION; SQLSTATE: HY000

  Message: The queue event failed for channel '%s' as its configuration is invalid.

  ER_RPL_SLAVE_QUEUE_EVENT_FAILED_INVALID_CONFIGURATION was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010589; Symbol: ER_RPL_REPLICA_QUEUE_EVENT_FAILED_INVALID_CONFIGURATION; SQLSTATE: HY000

  Message: The queue event failed for channel '%s' as its configuration is invalid.

  ER_RPL_REPLICA_QUEUE_EVENT_FAILED_INVALID_CONFIGURATION was added in 8.0.33.

- Error number: MY-010590; Symbol: ER_RPL_SLAVE_IO_THREAD_DETECTED_UNEXPECTED_EVENT_SEQUENCE; SQLSTATE: HY000

Message: An unexpected event sequence was detected by the IO thread while queuing the event received from master '%s' binary log file, at position %llu.

ER_RPL_SLAVE_IO_THREAD_DETECTED_UNEXPECTED_EVENT_SEQUENCE was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010590; Symbol: ER_RPL_REPLICA_IO_THREAD_DETECTED_UNEXPECTED_EVENT_SEQUENCE; SQLSTATE: HY000

  Message: An unexpected event sequence was detected by the IO thread while queuing the event received from source '%s' binary log file, at position %llu.

  ER_RPL_REPLICA_IO_THREAD_DETECTED_UNEXPECTED_EVENT_SEQUENCE was added in 8.0.33.

- Error number: MY-010591; Symbol: ER_RPL_SLAVE_CANT_USE_CHARSET; SQLSTATE: HY000

  Message: '%s' can not be used as client character set. '%s' will be used as default client character set while connecting to master.

  ER_RPL_SLAVE_CANT_USE_CHARSET was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010591; Symbol: ER_RPL_REPLICA_CANT_USE_CHARSET; SQLSTATE: HY000

  Message: '%s' can not be used as client character set. '%s' will be used as default client character set while connecting to source.

  ER_RPL_REPLICA_CANT_USE_CHARSET was added in 8.0.33.

- Error number: MY-010592; Symbol: ER_RPL_SLAVE_CONNECTED_TO_MASTER_REPLICATION_RESUMED; SQLSTATE: HY000

  Message: Slave%s: connected to master '%s@%s:%d',replication resumed in log '%s' at position %s

  ER_RPL_SLAVE_CONNECTED_TO_MASTER_REPLICATION_RESUMED was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010592; Symbol: ER_RPL_REPLICA_CONNECTED_TO_SOURCE_REPLICATION_RESUMED; SQLSTATE: HY000

  Message: Replica%s: connected to source '%s@%s:%d',replication resumed in log '%s' at position %s

  ER_RPL_REPLICA_CONNECTED_TO_SOURCE_REPLICATION_RESUMED was added in 8.0.33.

- Error number: MY-010593; Symbol: ER_RPL_SLAVE_NEXT_LOG_IS_ACTIVE; SQLSTATE: HY000

  Message: next log '%s' is active

  ER_RPL_SLAVE_NEXT_LOG_IS_ACTIVE was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010593; Symbol: ER_RPL_REPLICA_NEXT_LOG_IS_ACTIVE; SQLSTATE: HY000

  Message: next log '%s' is active

  ER_RPL_REPLICA_NEXT_LOG_IS_ACTIVE was added in 8.0.33.

- Error number: MY-010594; Symbol: ER_RPL_SLAVE_NEXT_LOG_IS_INACTIVE; SQLSTATE: HY000

  Message: next log '%s' is not active

ER_RPL_SLAVE_NEXT_LOG_IS_INACTIVE was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010594; Symbol: ER_RPL_REPLICA_NEXT_LOG_IS_INACTIVE; SQLSTATE: HY000

  Message: next log '%s' is not active

  ER_RPL_REPLICA_NEXT_LOG_IS_INACTIVE was added in 8.0.33.

- Error number: MY-010595; Symbol: ER_RPL_SLAVE_SQL_THREAD_IO_ERROR_READING_EVENT; SQLSTATE: HY000

  Message: Slave SQL thread%s: I/O error reading event (errno: %d cur_log->error: %d)

  ER_RPL_SLAVE_SQL_THREAD_IO_ERROR_READING_EVENT was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010595; Symbol: ER_RPL_REPLICA_SQL_THREAD_IO_ERROR_READING_EVENT; SQLSTATE: HY000

  Message: Replica SQL thread%s: I/O error reading event (errno: %d cur_log->error: %d)

  ER_RPL_REPLICA_SQL_THREAD_IO_ERROR_READING_EVENT was added in 8.0.33.

- Error number: MY-010596; Symbol: ER_RPL_SLAVE_ERROR_READING_RELAY_LOG_EVENTS; SQLSTATE: HY000

  Message: Error reading relay log event%s: %s

  ER_RPL_SLAVE_ERROR_READING_RELAY_LOG_EVENTS was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010596; Symbol: ER_RPL_REPLICA_ERROR_READING_RELAY_LOG_EVENTS; SQLSTATE: HY000

  Message: Error reading relay log event%s: %s

  ER_RPL_REPLICA_ERROR_READING_RELAY_LOG_EVENTS was added in 8.0.33.

- Error number: MY-010597; Symbol: ER_SLAVE_CHANGE_MASTER_TO_EXECUTED; SQLSTATE: HY000

  Message: 'CHANGE MASTER TO%s executed'. Previous state master_host='%s', master_port= %u, master_log_file='%s', master_log_pos= %ld, master_bind='%s'. New state master_host='%s', master_port= %u, master_log_file='%s', master_log_pos= %ld, master_bind='%s'.

  ER_SLAVE_CHANGE_MASTER_TO_EXECUTED was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010597; Symbol: ER_REPLICA_CHANGE_SOURCE_TO_EXECUTED; SQLSTATE: HY000

  Message: 'CHANGE REPLICATION SOURCE TO%s executed'. Previous state source_host='%s', source_port= %u, source_log_file='%s', source_log_pos= %ld, source_bind='%s'. New state source_host='%s', source_port= %u, source_log_file='%s', source_log_pos= %ld, source_bind='%s'.

  ER_REPLICA_CHANGE_SOURCE_TO_EXECUTED was added in 8.0.33.

- Error number: MY-010598; Symbol: ER_RPL_SLAVE_NEW_MASTER_INFO_NEEDS_REPOS_TYPE_OTHER_THAN_FILE; SQLSTATE: HY000

  Message: Slave: Cannot create new master info structure when repositories are of type FILE. Convert slave repositories to TABLE to replicate from multiple sources.

  ER_RPL_SLAVE_NEW_MASTER_INFO_NEEDS_REPOS_TYPE_OTHER_THAN_FILE was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010598; Symbol: ER_RPL_REPLICA_NEW_C_M_NEEDS_REPOS_TYPE_OTHER_THAN_FILE; SQLSTATE: HY000

  Message: Replica: Cannot create new connection metadata structure when repositories are of type FILE. Convert replica repositories to TABLE to replicate from multiple sources.

  ER_RPL_REPLICA_NEW_C_M_NEEDS_REPOS_TYPE_OTHER_THAN_FILE was added in 8.0.33.

- Error number: MY-010599; Symbol: ER_RPL_FAILED_TO_STAT_LOG_IN_INDEX; SQLSTATE: HY000

  Message: log %s listed in the index, but failed to stat.

  ER_RPL_FAILED_TO_STAT_LOG_IN_INDEX was added in 8.0.2.

- Error number: MY-010600; Symbol: ER_RPL_LOG_NOT_FOUND_WHILE_COUNTING_RELAY_LOG_SPACE; SQLSTATE: HY000

  Message: Could not find first log while counting relay log space.

  ER_RPL_LOG_NOT_FOUND_WHILE_COUNTING_RELAY_LOG_SPACE was added in 8.0.2.

- Error number: MY-010601; Symbol: ER_SLAVE_CANT_USE_TEMPDIR; SQLSTATE: HY000

  Message: Unable to use slave's temporary directory '%s'.

  ER_SLAVE_CANT_USE_TEMPDIR was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010601; Symbol: ER_REPLICA_CANT_USE_TEMPDIR; SQLSTATE: HY000

  Message: Unable to use replica's temporary directory '%s'.

  ER_REPLICA_CANT_USE_TEMPDIR was added in 8.0.33.

- Error number: MY-010602; Symbol: ER_RPL_RELAY_LOG_NEEDS_FILE_NOT_DIRECTORY; SQLSTATE: HY000

  Message: Path '%s' is a directory name, please specify a file name for --relay-log option.

  ER_RPL_RELAY_LOG_NEEDS_FILE_NOT_DIRECTORY was added in 8.0.2.

- Error number: MY-010603; Symbol: ER_RPL_RELAY_LOG_INDEX_NEEDS_FILE_NOT_DIRECTORY; SQLSTATE: HY000

  Message: Path '%s' is a directory name, please specify a file name for --relay-log-index option.

  ER_RPL_RELAY_LOG_INDEX_NEEDS_FILE_NOT_DIRECTORY was added in 8.0.2.

- Error number: MY-010604; Symbol: ER_RPL_PLEASE_USE_OPTION_RELAY_LOG; SQLSTATE: HY000

  Message: Neither --relay-log nor --relay-log-index were used; so replication may break when this MySQL server acts as a replica and has his hostname changed!! Please use '--relay-log=%s' to avoid this problem.

  ER_RPL_PLEASE_USE_OPTION_RELAY_LOG was added in 8.0.2.

- Error number: MY-010605; Symbol: ER_RPL_OPEN_INDEX_FILE_FAILED; SQLSTATE: HY000

  Message: Failed in open_index_file() called from Relay_log_info::rli_init_info().

  ER_RPL_OPEN_INDEX_FILE_FAILED was added in 8.0.2.

- Error number: MY-010606; Symbol: ER_RPL_CANT_INITIALIZE_GTID_SETS_IN_RLI_INIT_INFO; SQLSTATE: HY000

  Message: Failed in init_gtid_sets() called from Relay_log_info::rli_init_info().

  ER_RPL_CANT_INITIALIZE_GTID_SETS_IN_RLI_INIT_INFO was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010606; Symbol: ER_RPL_CANT_INITIALIZE_GTID_SETS_IN_AM_INIT_INFO; SQLSTATE: HY000

  Message: Failed in init_gtid_sets() called from Relay_log_info::rli_init_info().

  ER_RPL_CANT_INITIALIZE_GTID_SETS_IN_AM_INIT_INFO was added in 8.0.33.

- Error number: MY-010607; Symbol: ER_RPL_CANT_OPEN_LOG_IN_RLI_INIT_INFO; SQLSTATE: HY000

  Message: Failed in open_log() called from Relay_log_info::rli_init_info().

  ER_RPL_CANT_OPEN_LOG_IN_RLI_INIT_INFO was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010607; Symbol: ER_RPL_CANT_OPEN_LOG_IN_AM_INIT_INFO; SQLSTATE: HY000

  Message: Failed in open_log() called from Relay_log_info::rli_init_info().

  ER_RPL_CANT_OPEN_LOG_IN_AM_INIT_INFO was added in 8.0.33.

- Error number: MY-010608; Symbol: ER_RPL_ERROR_WRITING_RELAY_LOG_CONFIGURATION; SQLSTATE: HY000

  Message: Error writing relay log configuration.

  ER_RPL_ERROR_WRITING_RELAY_LOG_CONFIGURATION was added in 8.0.2.

- Error number: MY-010609; Symbol: ER_NDB_OOM_GET_NDB_BLOBS_VALUE; SQLSTATE: HY000

  Message: get_ndb_blobs_value: my_malloc(%u) failed

  ER_NDB_OOM_GET_NDB_BLOBS_VALUE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010610; Symbol: ER_NDB_THREAD_TIMED_OUT; SQLSTATE: HY000

  Message: NDB: Thread id %u timed out (30s) waiting for epoch %u/%u to be handled. Progress : %u/%u -> %u/%u.

  ER_NDB_THREAD_TIMED_OUT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010611; Symbol: ER_NDB_TABLE_IS_NOT_DISTRIBUTED; SQLSTATE: HY000

  Message: NDB: Inconsistency detected in distributed privilege tables. Table '%s.%s' is not distributed

  ER_NDB_TABLE_IS_NOT_DISTRIBUTED was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010612; Symbol: ER_NDB_CREATING_TABLE; SQLSTATE: HY000

  Message: NDB: Creating %s.%s

  ER_NDB_CREATING_TABLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010613; Symbol: ER_NDB_FLUSHING_TABLE_INFO; SQLSTATE: HY000

  Message: NDB: Flushing %s.%s

  ER_NDB_FLUSHING_TABLE_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010614; Symbol: ER_NDB_CLEANING_STRAY_TABLES; SQLSTATE: HY000

  Message: NDB: Cleaning stray tables from database '%s'

  ER_NDB_CLEANING_STRAY_TABLES was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010615; Symbol: ER_NDB_DISCOVERED_MISSING_DB; SQLSTATE: HY000

  Message: NDB: Discovered missing database '%s'

  ER_NDB_DISCOVERED_MISSING_DB was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010616; Symbol: ER_NDB_DISCOVERED_REMAINING_DB; SQLSTATE: HY000

  Message: NDB: Discovered remaining database '%s'

  ER_NDB_DISCOVERED_REMAINING_DB was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010617; Symbol: ER_NDB_CLUSTER_FIND_ALL_DBS_RETRY; SQLSTATE: HY000

  Message: NDB: ndbcluster_find_all_databases retry: %u - %s

  ER_NDB_CLUSTER_FIND_ALL_DBS_RETRY was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010618; Symbol: ER_NDB_CLUSTER_FIND_ALL_DBS_FAIL; SQLSTATE: HY000

  Message: NDB: ndbcluster_find_all_databases fail: %u - %s

  ER_NDB_CLUSTER_FIND_ALL_DBS_FAIL was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010619; Symbol: ER_NDB_SKIPPING_SETUP_TABLE; SQLSTATE: HY000

  Message: NDB: skipping setup table %s.%s, in state %d

  ER_NDB_SKIPPING_SETUP_TABLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010620; Symbol: ER_NDB_FAILED_TO_SET_UP_TABLE; SQLSTATE: HY000

  Message: NDB: failed to setup table %s.%s, error: %d, %s

  ER_NDB_FAILED_TO_SET_UP_TABLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010621; Symbol: ER_NDB_MISSING_FRM_DISCOVERING; SQLSTATE: HY000

  Message: NDB: missing frm for %s.%s, discovering...

  ER_NDB_MISSING_FRM_DISCOVERING was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010622; Symbol: ER_NDB_MISMATCH_IN_FRM_DISCOVERING; SQLSTATE: HY000

  Message: NDB: mismatch in frm for %s.%s, discovering...

  ER_NDB_MISMATCH_IN_FRM_DISCOVERING was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010623; Symbol: ER_NDB_BINLOG_CLEANING_UP_SETUP_LEFTOVERS; SQLSTATE: HY000

  Message: ndb_binlog_setup: Clean up leftovers

  ER_NDB_BINLOG_CLEANING_UP_SETUP_LEFTOVERS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010624; Symbol: ER_NDB_WAITING_INFO; SQLSTATE: HY000

  Message: NDB %s: waiting max %u sec for %s %s. epochs: (%u/%u,%u/%u,%u/%u) injector proc_info: %s

  ER_NDB_WAITING_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010625; Symbol: ER_NDB_WAITING_INFO_WITH_MAP; SQLSTATE: HY000

  Message: NDB %s: waiting max %u sec for %s %s. epochs: (%u/%u,%u/%u,%u/%u) injector proc_info: %s map: %x%08x

  ER_NDB_WAITING_INFO_WITH_MAP was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010626; Symbol: ER_NDB_TIMEOUT_WHILE_DISTRIBUTING; SQLSTATE: HY000

  Message: NDB %s: distributing %s timed out. Ignoring...

  ER_NDB_TIMEOUT_WHILE_DISTRIBUTING was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010627; Symbol: ER_NDB_NOT_WAITING_FOR_DISTRIBUTING; SQLSTATE: HY000

  Message: NDB %s: not waiting for distributing %s

  ER_NDB_NOT_WAITING_FOR_DISTRIBUTING was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010628; Symbol: ER_NDB_DISTRIBUTED_INFO; SQLSTATE: HY000

  Message: NDB: distributed %s.%s(%u/%u) type: %s(%u) query: \'%s\' to %x%08x

  ER_NDB_DISTRIBUTED_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010629; Symbol: ER_NDB_DISTRIBUTION_COMPLETE; SQLSTATE: HY000

Message: NDB: distribution of %s.%s(%u/%u) type: %s(%u) query: \'%s\' - complete!

ER_NDB_DISTRIBUTION_COMPLETE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010630; Symbol: ER_NDB_SCHEMA_DISTRIBUTION_FAILED; SQLSTATE: HY000

  Message: NDB Schema dist: Data node: %d failed, subscriber bitmask %x%08x

  ER_NDB_SCHEMA_DISTRIBUTION_FAILED was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010631; Symbol: ER_NDB_SCHEMA_DISTRIBUTION_REPORTS_SUBSCRIBE; SQLSTATE: HY000

  Message: NDB Schema dist: Data node: %d reports subscribe from node %d, subscriber bitmask %x %08x

  ER_NDB_SCHEMA_DISTRIBUTION_REPORTS_SUBSCRIBE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010632; Symbol: ER_NDB_SCHEMA_DISTRIBUTION_REPORTS_UNSUBSCRIBE; SQLSTATE: HY000

  Message: NDB Schema dist: Data node: %d reports unsubscribe from node %d, subscriber bitmask %x %08x

  ER_NDB_SCHEMA_DISTRIBUTION_REPORTS_UNSUBSCRIBE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010633; Symbol: ER_NDB_BINLOG_CANT_DISCOVER_TABLE_FROM_SCHEMA_EVENT; SQLSTATE: HY000

  Message: NDB Binlog: Could not discover table '%s.%s' from binlog schema event '%s' from node %d. my_errno: %d

  ER_NDB_BINLOG_CANT_DISCOVER_TABLE_FROM_SCHEMA_EVENT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010634; Symbol: ER_NDB_BINLOG_SIGNALLING_UNKNOWN_VALUE; SQLSTATE: HY000

  Message: NDB: unknown value for binlog signalling 0x%X, %s not logged

  ER_NDB_BINLOG_SIGNALLING_UNKNOWN_VALUE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010635; Symbol: ER_NDB_BINLOG_REPLY_TO; SQLSTATE: HY000

  Message: NDB: reply to %s.%s(%u/%u) from %s to %x%08x

  ER_NDB_BINLOG_REPLY_TO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010636; Symbol: ER_NDB_BINLOG_CANT_RELEASE_SLOCK; SQLSTATE: HY000

  Message: NDB: Could not release slock on '%s.%s', Error code: %d Message: %s

  ER_NDB_BINLOG_CANT_RELEASE_SLOCK was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010637; Symbol: ER_NDB_CANT_FIND_TABLE; SQLSTATE: HY000

  Message: NDB schema: Could not find table '%s.%s' in NDB

  ER_NDB_CANT_FIND_TABLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010638; Symbol: ER_NDB_DISCARDING_EVENT_NO_OBJ; SQLSTATE: HY000

  Message: NDB: Discarding event...no obj: %s (%u/%u)

  ER_NDB_DISCARDING_EVENT_NO_OBJ was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010639; Symbol: ER_NDB_DISCARDING_EVENT_ID_VERSION_MISMATCH; SQLSTATE: HY000

  Message: NDB: Discarding event...key: %s non matching id/version [%u/%u] != [%u/%u]

  ER_NDB_DISCARDING_EVENT_ID_VERSION_MISMATCH was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010640; Symbol: ER_NDB_CLEAR_SLOCK_INFO; SQLSTATE: HY000

  Message: NDB: CLEAR_SLOCK key: %s(%u/%u) %x%08x, from %s to %x%08x

  ER_NDB_CLEAR_SLOCK_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010641; Symbol: ER_NDB_BINLOG_SKIPPING_LOCAL_TABLE; SQLSTATE: HY000

  Message: NDB Binlog: Skipping locally defined table '%s.%s' from binlog schema event '%s' from node %d.

  ER_NDB_BINLOG_SKIPPING_LOCAL_TABLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010642; Symbol: ER_NDB_BINLOG_ONLINE_ALTER_RENAME; SQLSTATE: HY000

  Message: NDB Binlog: handling online alter/rename

  ER_NDB_BINLOG_ONLINE_ALTER_RENAME was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010643; Symbol: ER_NDB_BINLOG_CANT_REOPEN_SHADOW_TABLE; SQLSTATE: HY000

  Message: NDB Binlog: Failed to re-open shadow table %s.%s

  ER_NDB_BINLOG_CANT_REOPEN_SHADOW_TABLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010644; Symbol: ER_NDB_BINLOG_ONLINE_ALTER_RENAME_COMPLETE; SQLSTATE: HY000

  Message: NDB Binlog: handling online alter/rename done

  ER_NDB_BINLOG_ONLINE_ALTER_RENAME_COMPLETE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010645; Symbol: ER_NDB_BINLOG_SKIPPING_DROP_OF_LOCAL_TABLE; SQLSTATE: HY000

  Message: NDB Binlog: Skipping drop of locally defined table '%s.%s' from binlog schema event '%s' from node %d.

  ER_NDB_BINLOG_SKIPPING_DROP_OF_LOCAL_TABLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010646; Symbol: ER_NDB_BINLOG_SKIPPING_RENAME_OF_LOCAL_TABLE; SQLSTATE: HY000

  Message: NDB Binlog: Skipping renaming locally defined table '%s.%s' from binlog schema event '%s' from node %d.

  ER_NDB_BINLOG_SKIPPING_RENAME_OF_LOCAL_TABLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010647; Symbol: ER_NDB_BINLOG_SKIPPING_DROP_OF_DB_CONTAINING_LOCAL_TABLES; SQLSTATE: HY000

  Message: NDB Binlog: Skipping drop database '%s' since it contained local tables binlog schema event '%s' from node %d.

  ER_NDB_BINLOG_SKIPPING_DROP_OF_DB_CONTAINING_LOCAL_TABLES was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010648; Symbol: ER_NDB_BINLOG_GOT_DIST_PRIV_EVENT_FLUSHING_PRIVILEGES; SQLSTATE: HY000

  Message: Got dist_priv event: %s, flushing privileges

  ER_NDB_BINLOG_GOT_DIST_PRIV_EVENT_FLUSHING_PRIVILEGES was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010649; Symbol: ER_NDB_BINLOG_GOT_SCHEMA_EVENT; SQLSTATE: HY000

  Message: NDB: got schema event on %s.%s(%u/%u) query: '%s' type: %s(%d) node: %u slock: %x %08x

  ER_NDB_BINLOG_GOT_SCHEMA_EVENT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010650; Symbol: ER_NDB_BINLOG_SKIPPING_OLD_SCHEMA_OPERATION; SQLSTATE: HY000

  Message: NDB schema: Skipping old schema operation(RENAME_TABLE_NEW) on %s.%s

  ER_NDB_BINLOG_SKIPPING_OLD_SCHEMA_OPERATION was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010651; Symbol: ER_NDB_CLUSTER_FAILURE; SQLSTATE: HY000

  Message: NDB Schema dist: cluster failure at epoch %u/%u.

  ER_NDB_CLUSTER_FAILURE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010652; Symbol: ER_NDB_TABLES_INITIALLY_READ_ONLY_ON_RECONNECT; SQLSTATE: HY000

  Message: NDB Binlog: ndb tables initially read only on reconnect.

  ER_NDB_TABLES_INITIALLY_READ_ONLY_ON_RECONNECT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010653; Symbol: ER_NDB_IGNORING_UNKNOWN_EVENT; SQLSTATE: HY000

  Message: NDB Schema dist: unknown event %u, ignoring...

  ER_NDB_IGNORING_UNKNOWN_EVENT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010654; Symbol: ER_NDB_BINLOG_OPENING_INDEX; SQLSTATE: HY000

Message: NDB Binlog: Opening ndb_binlog_index: %d, '%s'

ER_NDB_BINLOG_OPENING_INDEX was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010655; Symbol: ER_NDB_BINLOG_CANT_LOCK_NDB_BINLOG_INDEX; SQLSTATE: HY000

  Message: NDB Binlog: Unable to lock table ndb_binlog_index

  ER_NDB_BINLOG_CANT_LOCK_NDB_BINLOG_INDEX was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010656; Symbol: ER_NDB_BINLOG_INJECTING_RANDOM_WRITE_FAILURE; SQLSTATE: HY000

  Message: NDB Binlog: Injecting random write failure

  ER_NDB_BINLOG_INJECTING_RANDOM_WRITE_FAILURE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010657; Symbol: ER_NDB_BINLOG_CANT_WRITE_TO_NDB_BINLOG_INDEX; SQLSTATE: HY000

  Message: NDB Binlog: Failed writing to ndb_binlog_index for epoch %u/%u orig_server_id %u orig_epoch %u/%u with error %d.

  ER_NDB_BINLOG_CANT_WRITE_TO_NDB_BINLOG_INDEX was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010658; Symbol: ER_NDB_BINLOG_WRITING_TO_NDB_BINLOG_INDEX; SQLSTATE: HY000

  Message: NDB Binlog: Writing row (%s) to ndb_binlog_index - %s

  ER_NDB_BINLOG_WRITING_TO_NDB_BINLOG_INDEX was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010659; Symbol: ER_NDB_BINLOG_CANT_COMMIT_TO_NDB_BINLOG_INDEX; SQLSTATE: HY000

  Message: NDB Binlog: Failed committing transaction to ndb_binlog_index with error %d.

  ER_NDB_BINLOG_CANT_COMMIT_TO_NDB_BINLOG_INDEX was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010660; Symbol: ER_NDB_BINLOG_WRITE_TO_NDB_BINLOG_INDEX_FAILED_AFTER_KILL; SQLSTATE: HY000

  Message: NDB Binlog: Failed writing to ndb_binlog_index table while retrying after kill during shutdown

  ER_NDB_BINLOG_WRITE_TO_NDB_BINLOG_INDEX_FAILED_AFTER_KILL was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010661; Symbol: ER_NDB_BINLOG_USING_SERVER_ID_0_SLAVES_WILL_NOT; SQLSTATE: HY000

  Message: NDB: server id set to zero - changes logged to bin log with server id zero will be logged with another server id by slave mysqlds

  ER_NDB_BINLOG_USING_SERVER_ID_0_SLAVES_WILL_NOT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010662; Symbol: ER_NDB_SERVER_ID_RESERVED_OR_TOO_LARGE; SQLSTATE: HY000

  Message: NDB: server id provided is too large to be represented in opt_server_id_bits or is reserved

  ER_NDB_SERVER_ID_RESERVED_OR_TOO_LARGE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010663; Symbol: ER_NDB_BINLOG_NDB_LOG_TRANSACTION_ID_REQUIRES_V2_ROW_EVENTS; SQLSTATE: HY000

  Message: NDB: --ndb-log-transaction-id requires v2 Binlog row events but server is using v1.

  ER_NDB_BINLOG_NDB_LOG_TRANSACTION_ID_REQUIRES_V2_ROW_EVENTS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010664; Symbol: ER_NDB_BINLOG_NDB_LOG_APPLY_STATUS_FORCING_FULL_USE_WRITE; SQLSTATE: HY000

  Message: NDB: ndb-log-apply-status forcing %s.%s to FULL USE_WRITE

  ER_NDB_BINLOG_NDB_LOG_APPLY_STATUS_FORCING_FULL_USE_WRITE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010665; Symbol: ER_NDB_BINLOG_GENERIC_MESSAGE; SQLSTATE: HY000

  Message: NDB Binlog: %s

  ER_NDB_BINLOG_GENERIC_MESSAGE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010666; Symbol: ER_NDB_CONFLICT_GENERIC_MESSAGE; SQLSTATE: HY000

  Message: %s

  ER_NDB_CONFLICT_GENERIC_MESSAGE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010667; Symbol: ER_NDB_TRANS_DEPENDENCY_TRACKER_ERROR; SQLSTATE: HY000

  Message: %s

  ER_NDB_TRANS_DEPENDENCY_TRACKER_ERROR was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010668; Symbol: ER_NDB_CONFLICT_FN_PARSE_ERROR; SQLSTATE: HY000

  Message: NDB Slave: Table %s.%s : Parse error on conflict fn : %s

  ER_NDB_CONFLICT_FN_PARSE_ERROR was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010669; Symbol: ER_NDB_CONFLICT_FN_SETUP_ERROR; SQLSTATE: HY000

  Message: NDB Slave: Table %s.%s : %s

  ER_NDB_CONFLICT_FN_SETUP_ERROR was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010670; Symbol: ER_NDB_BINLOG_FAILED_TO_GET_TABLE; SQLSTATE: HY000

  Message: NDB Binlog: Failed to get table %s from ndb: %s, %d

  ER_NDB_BINLOG_FAILED_TO_GET_TABLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010671; Symbol: ER_NDB_BINLOG_NOT_LOGGING; SQLSTATE: HY000

  Message: NDB Binlog: NOT logging %s

  ER_NDB_BINLOG_NOT_LOGGING was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010672; Symbol: ER_NDB_BINLOG_CREATE_TABLE_EVENT_FAILED; SQLSTATE: HY000

  Message: NDB Binlog: FAILED CREATE (DISCOVER) TABLE Event: %s

  ER_NDB_BINLOG_CREATE_TABLE_EVENT_FAILED was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010673; Symbol: ER_NDB_BINLOG_CREATE_TABLE_EVENT_INFO; SQLSTATE: HY000

  Message: NDB Binlog: CREATE (DISCOVER) TABLE Event: %s

  ER_NDB_BINLOG_CREATE_TABLE_EVENT_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010674; Symbol: ER_NDB_BINLOG_DISCOVER_TABLE_EVENT_INFO; SQLSTATE: HY000

  Message: NDB Binlog: DISCOVER TABLE Event: %s

  ER_NDB_BINLOG_DISCOVER_TABLE_EVENT_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010675; Symbol: ER_NDB_BINLOG_BLOB_REQUIRES_PK; SQLSTATE: HY000

  Message: NDB Binlog: logging of table %s with BLOB attribute and no PK is not supported

  ER_NDB_BINLOG_BLOB_REQUIRES_PK was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010676; Symbol: ER_NDB_BINLOG_CANT_CREATE_EVENT_IN_DB; SQLSTATE: HY000

  Message: NDB Binlog: Unable to create event in database. Event: %s Error Code: %d Message: %s

  ER_NDB_BINLOG_CANT_CREATE_EVENT_IN_DB was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010677; Symbol: ER_NDB_BINLOG_CANT_CREATE_EVENT_IN_DB_AND_CANT_DROP; SQLSTATE: HY000

  Message: NDB Binlog: Unable to create event in database. Attempt to correct with drop failed. Event: %s Error Code: %d Message: %s

  ER_NDB_BINLOG_CANT_CREATE_EVENT_IN_DB_AND_CANT_DROP was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010678; Symbol: ER_NDB_BINLOG_CANT_CREATE_EVENT_IN_DB_DROPPED; SQLSTATE: HY000

  Message: NDB Binlog: Unable to create event in database. Attempt to correct with drop ok, but create failed. Event: %s Error Code: %d Message: %s

  ER_NDB_BINLOG_CANT_CREATE_EVENT_IN_DB_DROPPED was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010679; Symbol: ER_NDB_BINLOG_DISCOVER_REUSING_OLD_EVENT_OPS; SQLSTATE: HY000

Message: NDB Binlog: discover reusing old ev op

ER_NDB_BINLOG_DISCOVER_REUSING_OLD_EVENT_OPS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010680; Symbol: ER_NDB_BINLOG_CREATING_NDBEVENTOPERATION_FAILED; SQLSTATE: HY000

  Message: NDB Binlog: Creating NdbEventOperation failed for %s

  ER_NDB_BINLOG_CREATING_NDBEVENTOPERATION_FAILED was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010681; Symbol: ER_NDB_BINLOG_CANT_CREATE_BLOB; SQLSTATE: HY000

  Message: NDB Binlog: Creating NdbEventOperation blob field %u handles failed (code=%d) for %s

  ER_NDB_BINLOG_CANT_CREATE_BLOB was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010682; Symbol: ER_NDB_BINLOG_NDBEVENT_EXECUTE_FAILED; SQLSTATE: HY000

  Message: NDB Binlog: ndbevent->execute failed for %s; %d %s

  ER_NDB_BINLOG_NDBEVENT_EXECUTE_FAILED was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010683; Symbol: ER_NDB_CREATE_EVENT_OPS_LOGGING_INFO; SQLSTATE: HY000

  Message: NDB Binlog: logging %s (%s,%s)

  ER_NDB_CREATE_EVENT_OPS_LOGGING_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010684; Symbol: ER_NDB_BINLOG_CANT_DROP_EVENT_FROM_DB; SQLSTATE: HY000

  Message: NDB Binlog: Unable to drop event in database. Event: %s Error Code: %d Message: %s

  ER_NDB_BINLOG_CANT_DROP_EVENT_FROM_DB was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010685; Symbol: ER_NDB_TIMED_OUT_IN_DROP_TABLE; SQLSTATE: HY000

  Message: NDB %s: %s timed out. Ignoring...

  ER_NDB_TIMED_OUT_IN_DROP_TABLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010686; Symbol: ER_NDB_BINLOG_UNHANDLED_ERROR_FOR_TABLE; SQLSTATE: HY000

  Message: NDB Binlog: unhandled error %d for table %s

  ER_NDB_BINLOG_UNHANDLED_ERROR_FOR_TABLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010687; Symbol: ER_NDB_BINLOG_CLUSTER_FAILURE; SQLSTATE: HY000

  Message: NDB Binlog: cluster failure for %s at epoch %u/%u.

  ER_NDB_BINLOG_CLUSTER_FAILURE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010688; Symbol: ER_NDB_BINLOG_UNKNOWN_NON_DATA_EVENT; SQLSTATE: HY000

  Message: NDB Binlog: unknown non data event %d for %s. Ignoring...

  ER_NDB_BINLOG_UNKNOWN_NON_DATA_EVENT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010689; Symbol: ER_NDB_BINLOG_INJECTOR_DISCARDING_ROW_EVENT_METADATA; SQLSTATE: HY000

  Message: NDB: Binlog Injector discarding row event meta data as server is using v1 row events. (%u %x)

  ER_NDB_BINLOG_INJECTOR_DISCARDING_ROW_EVENT_METADATA was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010690; Symbol: ER_NDB_REMAINING_OPEN_TABLES; SQLSTATE: HY000

  Message: remove_all_event_operations: Remaining open tables:

  ER_NDB_REMAINING_OPEN_TABLES was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010691; Symbol: ER_NDB_REMAINING_OPEN_TABLE_INFO; SQLSTATE: HY000

  Message: %s.%s, use_count: %u

  ER_NDB_REMAINING_OPEN_TABLE_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010692; Symbol: ER_NDB_COULD_NOT_GET_APPLY_STATUS_SHARE; SQLSTATE: HY000

  Message: NDB: Could not get apply status share

  ER_NDB_COULD_NOT_GET_APPLY_STATUS_SHARE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010693; Symbol: ER_NDB_BINLOG_SERVER_SHUTDOWN_DURING_NDB_CLUSTER_START; SQLSTATE: HY000

  Message: NDB Binlog: Server shutdown detected while waiting for ndbcluster to start...

  ER_NDB_BINLOG_SERVER_SHUTDOWN_DURING_NDB_CLUSTER_START was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010694; Symbol: ER_NDB_BINLOG_CLUSTER_RESTARTED_RESET_MASTER_SUGGESTED; SQLSTATE: HY000

  Message: NDB Binlog: cluster has been restarted --initial or with older filesystem. ndb_latest_handled_binlog_epoch: %u/%u, while current epoch: %u/%u. RESET MASTER should be issued. Resetting ndb_latest_handled_binlog_epoch.

  ER_NDB_BINLOG_CLUSTER_RESTARTED_RESET_MASTER_SUGGESTED was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010695; Symbol: ER_NDB_BINLOG_CLUSTER_HAS_RECONNECTED; SQLSTATE: HY000

  Message: NDB Binlog: cluster has reconnected. Changes to the database that occurred while disconnected will not be in the binlog

ER_NDB_BINLOG_CLUSTER_HAS_RECONNECTED was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010696; Symbol: ER_NDB_BINLOG_STARTING_LOG_AT_EPOCH; SQLSTATE: HY000

  Message: NDB Binlog: starting log at epoch %u/%u

  ER_NDB_BINLOG_STARTING_LOG_AT_EPOCH was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010697; Symbol: ER_NDB_BINLOG_NDB_TABLES_WRITABLE; SQLSTATE: HY000

  Message: NDB Binlog: ndb tables writable

  ER_NDB_BINLOG_NDB_TABLES_WRITABLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010698; Symbol: ER_NDB_BINLOG_SHUTDOWN_DETECTED; SQLSTATE: HY000

  Message: NDB Binlog: Server shutdown detected...

  ER_NDB_BINLOG_SHUTDOWN_DETECTED was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010699; Symbol: ER_NDB_BINLOG_LOST_SCHEMA_CONNECTION_WAITING; SQLSTATE: HY000

  Message: NDB Binlog: Just lost schema connection, hanging around

  ER_NDB_BINLOG_LOST_SCHEMA_CONNECTION_WAITING was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010700; Symbol: ER_NDB_BINLOG_LOST_SCHEMA_CONNECTION_CONTINUING; SQLSTATE: HY000

  Message: NDB Binlog: ...and on our way

  ER_NDB_BINLOG_LOST_SCHEMA_CONNECTION_CONTINUING was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010701; Symbol: ER_NDB_BINLOG_ERROR_HANDLING_SCHEMA_EVENT; SQLSTATE: HY000

  Message: NDB: error %lu (%s) on handling binlog schema event

  ER_NDB_BINLOG_ERROR_HANDLING_SCHEMA_EVENT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010702; Symbol: ER_NDB_BINLOG_CANT_INJECT_APPLY_STATUS_WRITE_ROW; SQLSTATE: HY000

  Message: NDB Binlog: Failed to inject apply status write row

  ER_NDB_BINLOG_CANT_INJECT_APPLY_STATUS_WRITE_ROW was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010703; Symbol: ER_NDB_BINLOG_ERROR_DURING_GCI_ROLLBACK; SQLSTATE: HY000

  Message: NDB Binlog: Error during ROLLBACK of GCI %u/%u. Error: %d

  ER_NDB_BINLOG_ERROR_DURING_GCI_ROLLBACK was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010704; Symbol: ER_NDB_BINLOG_ERROR_DURING_GCI_COMMIT; SQLSTATE: HY000

  Message: NDB Binlog: Error during COMMIT of GCI. Error: %d

  ER_NDB_BINLOG_ERROR_DURING_GCI_COMMIT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010705; Symbol: ER_NDB_BINLOG_LATEST_TRX_IN_EPOCH_NOT_IN_BINLOG; SQLSTATE: HY000

  Message: NDB Binlog: latest transaction in epoch %u/%u not in binlog as latest handled epoch is %u/%u

  ER_NDB_BINLOG_LATEST_TRX_IN_EPOCH_NOT_IN_BINLOG was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010706; Symbol: ER_NDB_BINLOG_RELEASING_EXTRA_SHARE_REFERENCES; SQLSTATE: HY000

  Message: NDB Binlog: Release extra share references

  ER_NDB_BINLOG_RELEASING_EXTRA_SHARE_REFERENCES was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010707; Symbol: ER_NDB_BINLOG_REMAINING_OPEN_TABLES; SQLSTATE: HY000

  Message: NDB Binlog: remaining open tables:

  ER_NDB_BINLOG_REMAINING_OPEN_TABLES was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010708; Symbol: ER_NDB_BINLOG_REMAINING_OPEN_TABLE_INFO; SQLSTATE: HY000

  Message: %s.%s state: %u use_count: %u

  ER_NDB_BINLOG_REMAINING_OPEN_TABLE_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010709; Symbol: ER_TREE_CORRUPT_PARENT_SHOULD_POINT_AT_PARENT; SQLSTATE: HY000

  Message: Wrong tree: Parent doesn't point at parent

  ER_TREE_CORRUPT_PARENT_SHOULD_POINT_AT_PARENT was added in 8.0.2.

- Error number: MY-010710; Symbol: ER_TREE_CORRUPT_ROOT_SHOULD_BE_BLACK; SQLSTATE: HY000

  Message: Wrong tree: Root should be black

  ER_TREE_CORRUPT_ROOT_SHOULD_BE_BLACK was added in 8.0.2.

- Error number: MY-010711; Symbol: ER_TREE_CORRUPT_2_CONSECUTIVE_REDS; SQLSTATE: HY000

  Message: Wrong tree: Found two red in a row

  ER_TREE_CORRUPT_2_CONSECUTIVE_REDS was added in 8.0.2.

- Error number: MY-010712; Symbol: ER_TREE_CORRUPT_RIGHT_IS_LEFT; SQLSTATE: HY000

  Message: Wrong tree: Found right == left

ER_TREE_CORRUPT_RIGHT_IS_LEFT was added in 8.0.2.

- Error number: MY-010713; Symbol: ER_TREE_CORRUPT_INCORRECT_BLACK_COUNT; SQLSTATE: HY000

  Message: Wrong tree: Incorrect black-count: %d - %d

  ER_TREE_CORRUPT_INCORRECT_BLACK_COUNT was added in 8.0.2.

- Error number: MY-010714; Symbol: ER_WRONG_COUNT_FOR_ORIGIN; SQLSTATE: HY000

  Message: Use_count: Wrong count %lu for origin %p

  ER_WRONG_COUNT_FOR_ORIGIN was added in 8.0.2.

- Error number: MY-010715; Symbol: ER_WRONG_COUNT_FOR_KEY; SQLSTATE: HY000

  Message: Use_count: Wrong count for key at %p, %lu should be %lu

  ER_WRONG_COUNT_FOR_KEY was added in 8.0.2.

- Error number: MY-010716; Symbol: ER_WRONG_COUNT_OF_ELEMENTS; SQLSTATE: HY000

  Message: Wrong number of elements: %u (should be %u) for tree at %p

  ER_WRONG_COUNT_OF_ELEMENTS was added in 8.0.2.

- Error number: MY-010717; Symbol: ER_RPL_ERROR_READING_SLAVE_WORKER_CONFIGURATION; SQLSTATE: HY000

  Message: Error reading slave worker configuration

  ER_RPL_ERROR_READING_SLAVE_WORKER_CONFIGURATION was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010717; Symbol: ER_RPL_ERROR_READING_REPLICA_WORKER_CONFIGURATION; SQLSTATE: HY000

  Message: Error reading replica worker configuration

  ER_RPL_ERROR_READING_REPLICA_WORKER_CONFIGURATION was added in 8.0.33.

- Error number: MY-010718; Symbol: ER_RPL_ERROR_WRITING_SLAVE_WORKER_CONFIGURATION; SQLSTATE: HY000

  Message: Error writing slave worker configuration

  ER_RPL_ERROR_WRITING_SLAVE_WORKER_CONFIGURATION was added in 8.0.2, removed after 8.0.18.

- Error number: MY-010719; Symbol: ER_RPL_FAILED_TO_OPEN_RELAY_LOG; SQLSTATE: HY000

  Message: Failed to open relay log %s, error: %s

  ER_RPL_FAILED_TO_OPEN_RELAY_LOG was added in 8.0.2.

- Error number: MY-010720; Symbol: ER_RPL_WORKER_CANT_READ_RELAY_LOG; SQLSTATE: HY000

  Message: Error when worker read relay log events,relay log name %s, position %llu

ER_RPL_WORKER_CANT_READ_RELAY_LOG was added in 8.0.2.

- Error number: MY-010721; Symbol: ER_RPL_WORKER_CANT_FIND_NEXT_RELAY_LOG; SQLSTATE: HY000

  Message: Failed to find next relay log when retrying the transaction, current relay log is %s

  ER_RPL_WORKER_CANT_FIND_NEXT_RELAY_LOG was added in 8.0.2.

- Error number: MY-010722; Symbol: ER_RPL_MTS_SLAVE_COORDINATOR_HAS_WAITED; SQLSTATE: HY000

  Message: Multi-threaded slave: Coordinator has waited %lu times hitting replica_pending_jobs_size_max; current event size = %zu.

  ER_RPL_MTS_SLAVE_COORDINATOR_HAS_WAITED was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010722; Symbol: ER_RPL_MTA_REPLICA_COORDINATOR_HAS_WAITED; SQLSTATE: HY000

  Message: Multi-threaded replica: Coordinator has waited %lu times hitting replica_pending_jobs_size_max; current event size = %zu.

  ER_RPL_MTA_REPLICA_COORDINATOR_HAS_WAITED was added in 8.0.33.

- Error number: MY-010723; Symbol: ER_BINLOG_FAILED_TO_WRITE_DROP_FOR_TEMP_TABLES; SQLSTATE: HY000

  Message: Failed to write the DROP statement for temporary tables to binary log

  ER_BINLOG_FAILED_TO_WRITE_DROP_FOR_TEMP_TABLES was added in 8.0.2.

- Error number: MY-010724; Symbol: ER_BINLOG_OOM_WRITING_DELETE_WHILE_OPENING_HEAP_TABLE; SQLSTATE: HY000

  Message: When opening HEAP table, could not allocate memory to write 'DELETE FROM `%s`.`%s`' to the binary log

  ER_BINLOG_OOM_WRITING_DELETE_WHILE_OPENING_HEAP_TABLE was added in 8.0.2.

- Error number: MY-010725; Symbol: ER_FAILED_TO_REPAIR_TABLE; SQLSTATE: HY000

  Message: Couldn't repair table: %s.%s

  ER_FAILED_TO_REPAIR_TABLE was added in 8.0.2.

- Error number: MY-010726; Symbol: ER_FAILED_TO_REMOVE_TEMP_TABLE; SQLSTATE: HY000

  Message: Could not remove temporary table: '%s', error: %d

  ER_FAILED_TO_REMOVE_TEMP_TABLE was added in 8.0.2.

- Error number: MY-010727; Symbol: ER_SYSTEM_TABLE_NOT_TRANSACTIONAL; SQLSTATE: HY000

  Message: System table '%.*s' is expected to be transactional.

  ER_SYSTEM_TABLE_NOT_TRANSACTIONAL was added in 8.0.2.

- Error number: MY-010728; Symbol: ER_RPL_ERROR_WRITING_MASTER_CONFIGURATION; SQLSTATE: HY000

  Message: Error writing master configuration.

  ER_RPL_ERROR_WRITING_MASTER_CONFIGURATION was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010728; Symbol: ER_RPL_ERROR_WRITING_SOURCE_CONFIGURATION; SQLSTATE: HY000

  Message: Error writing source configuration.

  ER_RPL_ERROR_WRITING_SOURCE_CONFIGURATION was added in 8.0.33.

- Error number: MY-010729; Symbol: ER_RPL_ERROR_READING_MASTER_CONFIGURATION; SQLSTATE: HY000

  Message: Error reading master configuration.

  ER_RPL_ERROR_READING_MASTER_CONFIGURATION was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010729; Symbol: ER_RPL_ERROR_READING_SOURCE_CONFIGURATION; SQLSTATE: HY000

  Message: Error reading source configuration.

  ER_RPL_ERROR_READING_SOURCE_CONFIGURATION was added in 8.0.33.

- Error number: MY-010730; Symbol: ER_RPL_SSL_INFO_IN_MASTER_INFO_IGNORED; SQLSTATE: HY000

  Message: SSL information in the master info file are ignored because this MySQL slave was compiled without SSL support.

  ER_RPL_SSL_INFO_IN_MASTER_INFO_IGNORED was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010730; Symbol: ER_RPL_SSL_INFO_IN_CONNECTION_METADATA_IGNORED; SQLSTATE: HY000

  Message: SSL information in the connection metadata repository are ignored because this MySQL replica was compiled without SSL support.

  ER_RPL_SSL_INFO_IN_CONNECTION_METADATA_IGNORED was added in 8.0.33.

- Error number: MY-010731; Symbol: ER_PLUGIN_FAILED_DEINITIALIZATION; SQLSTATE: HY000

  Message: Plugin '%s' of type %s failed deinitialization

  ER_PLUGIN_FAILED_DEINITIALIZATION was added in 8.0.2.

- Error number: MY-010732; Symbol: ER_PLUGIN_HAS_NONZERO_REFCOUNT_AFTER_DEINITIALIZATION; SQLSTATE: HY000

  Message: Plugin '%s' has ref_count=%d after deinitialization.

  ER_PLUGIN_HAS_NONZERO_REFCOUNT_AFTER_DEINITIALIZATION was added in 8.0.2.

- Error number: MY-010733; Symbol: ER_PLUGIN_SHUTTING_DOWN_PLUGIN; SQLSTATE: HY000

Message: Shutting down plugin '%s'

ER_PLUGIN_SHUTTING_DOWN_PLUGIN was added in 8.0.2.

- Error number: MY-010734; Symbol: ER_PLUGIN_REGISTRATION_FAILED; SQLSTATE: HY000

  Message: Plugin '%s' registration as a %s failed.

  ER_PLUGIN_REGISTRATION_FAILED was added in 8.0.2.

- Error number: MY-010735; Symbol: ER_PLUGIN_CANT_OPEN_PLUGIN_TABLE; SQLSTATE: HY000

  Message: Could not open the mysql.plugin table. Please perform the MySQL upgrade procedure.

  ER_PLUGIN_CANT_OPEN_PLUGIN_TABLE was added in 8.0.2.

- Error number: MY-010736; Symbol: ER_PLUGIN_CANT_LOAD; SQLSTATE: HY000

  Message: Couldn't load plugin named '%s' with soname '%s'.

  ER_PLUGIN_CANT_LOAD was added in 8.0.2.

- Error number: MY-010737; Symbol: ER_PLUGIN_LOAD_PARAMETER_TOO_LONG; SQLSTATE: HY000

  Message: plugin-load parameter too long

  ER_PLUGIN_LOAD_PARAMETER_TOO_LONG was added in 8.0.2.

- Error number: MY-010738; Symbol: ER_PLUGIN_FORCING_SHUTDOWN; SQLSTATE: HY000

  Message: Plugin '%s' will be forced to shutdown

  ER_PLUGIN_FORCING_SHUTDOWN was added in 8.0.2.

- Error number: MY-010739; Symbol: ER_PLUGIN_HAS_NONZERO_REFCOUNT_AFTER_SHUTDOWN; SQLSTATE: HY000

  Message: Plugin '%s' has ref_count=%d after shutdown.

  ER_PLUGIN_HAS_NONZERO_REFCOUNT_AFTER_SHUTDOWN was added in 8.0.2.

- Error number: MY-010740; Symbol: ER_PLUGIN_UNKNOWN_VARIABLE_TYPE; SQLSTATE: HY000

  Message: Unknown variable type code 0x%x in plugin '%s'.

  ER_PLUGIN_UNKNOWN_VARIABLE_TYPE was added in 8.0.2.

- Error number: MY-010741; Symbol: ER_PLUGIN_VARIABLE_SET_READ_ONLY; SQLSTATE: HY000

  Message: Server variable %s of plugin %s was forced to be read-only: string variable without update_func and PLUGIN_VAR_MEMALLOC flag

  ER_PLUGIN_VARIABLE_SET_READ_ONLY was added in 8.0.2.

- Error number: MY-010742; Symbol: ER_PLUGIN_VARIABLE_MISSING_NAME; SQLSTATE: HY000

  Message: Missing variable name in plugin '%s'.

  ER_PLUGIN_VARIABLE_MISSING_NAME was added in 8.0.2.

- Error number: MY-010743; Symbol: ER_PLUGIN_VARIABLE_NOT_ALLOCATED_THREAD_LOCAL; SQLSTATE: HY000

  Message: Thread local variable '%s' not allocated in plugin '%s'.

  ER_PLUGIN_VARIABLE_NOT_ALLOCATED_THREAD_LOCAL was added in 8.0.2.

- Error number: MY-010744; Symbol: ER_PLUGIN_OOM; SQLSTATE: HY000

  Message: Out of memory for plugin '%s'.

  ER_PLUGIN_OOM was added in 8.0.2.

- Error number: MY-010745; Symbol: ER_PLUGIN_BAD_OPTIONS; SQLSTATE: HY000

  Message: Bad options for plugin '%s'.

  ER_PLUGIN_BAD_OPTIONS was added in 8.0.2.

- Error number: MY-010746; Symbol: ER_PLUGIN_PARSING_OPTIONS_FAILED; SQLSTATE: HY000

  Message: Parsing options for plugin '%s' failed.

  ER_PLUGIN_PARSING_OPTIONS_FAILED was added in 8.0.2.

- Error number: MY-010747; Symbol: ER_PLUGIN_DISABLED; SQLSTATE: HY000

  Message: Plugin '%s' is disabled.

  ER_PLUGIN_DISABLED was added in 8.0.2.

- Error number: MY-010748; Symbol: ER_PLUGIN_HAS_CONFLICTING_SYSTEM_VARIABLES; SQLSTATE: HY000

  Message: Plugin '%s' has conflicting system variables

  ER_PLUGIN_HAS_CONFLICTING_SYSTEM_VARIABLES was added in 8.0.2.

- Error number: MY-010749; Symbol: ER_PLUGIN_CANT_SET_PERSISTENT_OPTIONS; SQLSTATE: HY000

  Message: Setting persistent options for plugin '%s' failed.

  ER_PLUGIN_CANT_SET_PERSISTENT_OPTIONS was added in 8.0.2.

- Error number: MY-010750; Symbol: ER_MY_NET_WRITE_FAILED_FALLING_BACK_ON_STDERR; SQLSTATE: HY000

  Message: Failed on my_net_write, writing to stderr instead: %s

  ER_MY_NET_WRITE_FAILED_FALLING_BACK_ON_STDERR was added in 8.0.2.

- Error number: MY-010751; Symbol: ER_RETRYING_REPAIR_WITHOUT_QUICK; SQLSTATE: HY000

  Message: Retrying repair of: '%s' without quick

  ER_RETRYING_REPAIR_WITHOUT_QUICK was added in 8.0.2.

- Error number: MY-010752; Symbol: ER_RETRYING_REPAIR_WITH_KEYCACHE; SQLSTATE: HY000

Message: Retrying repair of: '%s' with keycache

ER_RETRYING_REPAIR_WITH_KEYCACHE was added in 8.0.2.

- Error number: MY-010753; Symbol: ER_FOUND_ROWS_WHILE_REPAIRING; SQLSTATE: HY000

  Message: Found %s of %s rows when repairing '%s'

  ER_FOUND_ROWS_WHILE_REPAIRING was added in 8.0.2.

- Error number: MY-010754; Symbol: ER_ERROR_DURING_OPTIMIZE_TABLE; SQLSTATE: HY000

  Message: Warning: Optimize table got errno %d on %s.%s, retrying

  ER_ERROR_DURING_OPTIMIZE_TABLE was added in 8.0.2.

- Error number: MY-010755; Symbol: ER_ERROR_ENABLING_KEYS; SQLSTATE: HY000

  Message: Warning: Enabling keys got errno %d on %s.%s, retrying

  ER_ERROR_ENABLING_KEYS was added in 8.0.2.

- Error number: MY-010756; Symbol: ER_CHECKING_TABLE; SQLSTATE: HY000

  Message: Checking table: '%s'

  ER_CHECKING_TABLE was added in 8.0.2.

- Error number: MY-010757; Symbol: ER_RECOVERING_TABLE; SQLSTATE: HY000

  Message: Recovering table: '%s'

  ER_RECOVERING_TABLE was added in 8.0.2.

- Error number: MY-010758; Symbol: ER_CANT_CREATE_TABLE_SHARE_FROM_FRM; SQLSTATE: HY000

  Message: Error in creating TABLE_SHARE from %s.frm file.

  ER_CANT_CREATE_TABLE_SHARE_FROM_FRM was added in 8.0.2.

- Error number: MY-010759; Symbol: ER_CANT_LOCK_TABLE; SQLSTATE: HY000

  Message: Unable to acquire lock on %s.%s

  ER_CANT_LOCK_TABLE was added in 8.0.2.

- Error number: MY-010760; Symbol: ER_CANT_ALLOC_TABLE_OBJECT; SQLSTATE: HY000

  Message: Error in allocation memory for TABLE object.

  ER_CANT_ALLOC_TABLE_OBJECT was added in 8.0.2.

- Error number: MY-010761; Symbol: ER_CANT_CREATE_HANDLER_OBJECT_FOR_TABLE; SQLSTATE: HY000

  Message: Error in creating handler object for table %s.%s

  ER_CANT_CREATE_HANDLER_OBJECT_FOR_TABLE was added in 8.0.2.

- Error number: MY-010762; Symbol: ER_CANT_SET_HANDLER_REFERENCE_FOR_TABLE; SQLSTATE: HY000

  Message: Error in setting handler reference for table %s.%s

  ER_CANT_SET_HANDLER_REFERENCE_FOR_TABLE was added in 8.0.2.

- Error number: MY-010763; Symbol: ER_CANT_LOCK_TABLESPACE; SQLSTATE: HY000

  Message: Unable to acquire lock on tablespace name %s

  ER_CANT_LOCK_TABLESPACE was added in 8.0.2.

- Error number: MY-010764; Symbol: ER_CANT_UPGRADE_GENERATED_COLUMNS_TO_DD; SQLSTATE: HY000

  Message: Error in processing generated columns for table %s.%s

  ER_CANT_UPGRADE_GENERATED_COLUMNS_TO_DD was added in 8.0.2.

- Error number: MY-010765; Symbol: ER_DD_ERROR_CREATING_ENTRY; SQLSTATE: HY000

  Message: Error in Creating DD entry for %s.%s

  ER_DD_ERROR_CREATING_ENTRY was added in 8.0.2.

- Error number: MY-010766; Symbol: ER_DD_CANT_FETCH_TABLE_DATA; SQLSTATE: HY000

  Message: Error in fetching %s.%s table data from dictionary

  ER_DD_CANT_FETCH_TABLE_DATA was added in 8.0.2.

- Error number: MY-010767; Symbol: ER_DD_CANT_FIX_SE_DATA; SQLSTATE: HY000

  Message: Error in fixing SE data for %s.%s

  ER_DD_CANT_FIX_SE_DATA was added in 8.0.2.

- Error number: MY-010768; Symbol: ER_DD_CANT_CREATE_SP; SQLSTATE: HY000

  Message: Error in creating stored program '%s.%s'

  ER_DD_CANT_CREATE_SP was added in 8.0.2.

- Error number: MY-010769; Symbol: ER_CANT_OPEN_DB_OPT_USING_DEFAULT_CHARSET; SQLSTATE: HY000

  Message: Unable to open db.opt file %s. Using default Character set.

  ER_CANT_OPEN_DB_OPT_USING_DEFAULT_CHARSET was added in 8.0.2.

- Error number: MY-010770; Symbol: ER_CANT_CREATE_CACHE_FOR_DB_OPT; SQLSTATE: HY000

  Message: Unable to intialize IO cache to open db.opt file %s.

  ER_CANT_CREATE_CACHE_FOR_DB_OPT was added in 8.0.2.

- Error number: MY-010771; Symbol: ER_CANT_IDENTIFY_CHARSET_USING_DEFAULT; SQLSTATE: HY000

Message: Unable to identify the charset in %s. Using default character set.

`ER_CANT_IDENTIFY_CHARSET_USING_DEFAULT` was added in 8.0.2.

- Error number: `MY-010772`; Symbol: `ER_DB_OPT_NOT_FOUND_USING_DEFAULT_CHARSET`; SQLSTATE: `HY000`

  Message: db.opt file not found for %s database. Using default Character set.

  `ER_DB_OPT_NOT_FOUND_USING_DEFAULT_CHARSET` was added in 8.0.2.

- Error number: `MY-010773`; Symbol: `ER_EVENT_CANT_GET_TIMEZONE_FROM_FIELD`; SQLSTATE: `HY000`

  Message: Event '%s'.'%s': invalid value in column mysql.event.time_zone.

  This error can occur for upgrades to MySQL 8.0 from previous versions. During the upgrade process, the server reads the `mysql.event` system table and migrates its contents to the internal data dictionary.

  `ER_EVENT_CANT_GET_TIMEZONE_FROM_FIELD` was added in 8.0.2.

- Error number: `MY-010774`; Symbol: `ER_EVENT_CANT_FIND_TIMEZONE`; SQLSTATE: `HY000`

  Message: Event '%s'.'%s': has invalid time zone value

  This error can occur for upgrades to MySQL 8.0 from previous versions. During the upgrade process, the server reads the `mysql.event` system table and migrates its contents to the internal data dictionary.

  `ER_EVENT_CANT_FIND_TIMEZONE` was added in 8.0.2.

- Error number: `MY-010775`; Symbol: `ER_EVENT_CANT_GET_CHARSET`; SQLSTATE: `HY000`

  Message: Event '%s'.'%s': invalid value in column mysql.event.character_set_client.

  This error can occur for upgrades to MySQL 8.0 from previous versions. During the upgrade process, the server reads the `mysql.event` system table and migrates its contents to the internal data dictionary.

  `ER_EVENT_CANT_GET_CHARSET` was added in 8.0.2.

- Error number: `MY-010776`; Symbol: `ER_EVENT_CANT_GET_COLLATION`; SQLSTATE: `HY000`

  Message: Event '%s'.'%s': invalid value in column mysql.event.collation_connection.

  This error can occur for upgrades to MySQL 8.0 from previous versions. During the upgrade process, the server reads the `mysql.event` system table and migrates its contents to the internal data dictionary.

  `ER_EVENT_CANT_GET_COLLATION` was added in 8.0.2.

- Error number: `MY-010777`; Symbol: `ER_EVENT_CANT_OPEN_TABLE_MYSQL_EVENT`; SQLSTATE: `HY000`

  Message: Failed to open mysql.event Table.

  This error can occur for upgrades to MySQL 8.0 from previous versions. During the upgrade process, the server reads the `mysql.event` system table and migrates its contents to the internal data dictionary.

  `ER_EVENT_CANT_OPEN_TABLE_MYSQL_EVENT` was added in 8.0.2.

- Error number: MY-010778; Symbol: ER_CANT_PARSE_STORED_ROUTINE_BODY; SQLSTATE: HY000

  Message: Parsing '%s.%s' routine body failed.%s

  ER_CANT_PARSE_STORED_ROUTINE_BODY was added in 8.0.2.

- Error number: MY-010779; Symbol: ER_CANT_OPEN_TABLE_MYSQL_PROC; SQLSTATE: HY000

  Message: Failed to open mysql.proc Table.

  This error can occur for upgrades to MySQL 8.0 from previous versions. During the upgrade process, the server reads the mysql.proc system table and migrates its contents to the internal data dictionary.

  ER_CANT_OPEN_TABLE_MYSQL_PROC was added in 8.0.2.

- Error number: MY-010780; Symbol: ER_CANT_READ_TABLE_MYSQL_PROC; SQLSTATE: HY000

  Message: Failed to read mysql.proc table.

  This error can occur for upgrades to MySQL 8.0 from previous versions. During the upgrade process, the server reads the mysql.proc system table and migrates its contents to the internal data dictionary.

  ER_CANT_READ_TABLE_MYSQL_PROC was added in 8.0.2.

- Error number: MY-010781; Symbol: ER_FILE_EXISTS_DURING_UPGRADE; SQLSTATE: HY000

  Message: Found %s file in mysql schema. DD will create .ibd file with same name. Please rename table and start upgrade process again.

  ER_FILE_EXISTS_DURING_UPGRADE was added in 8.0.2.

- Error number: MY-010782; Symbol: ER_CANT_OPEN_DATADIR_AFTER_UPGRADE_FAILURE; SQLSTATE: HY000

  Message: Unable to open the data directory %s during clean up after upgrade failed

  ER_CANT_OPEN_DATADIR_AFTER_UPGRADE_FAILURE was added in 8.0.2.

- Error number: MY-010783; Symbol: ER_CANT_SET_PATH_FOR; SQLSTATE: HY000

  Message: Failed to set path %s

  ER_CANT_SET_PATH_FOR was added in 8.0.2.

- Error number: MY-010784; Symbol: ER_CANT_OPEN_DIR; SQLSTATE: HY000

  Message: Failed to open dir %s

  ER_CANT_OPEN_DIR was added in 8.0.2.

- Error number: MY-010785; Symbol: ER_NDB_EMPTY_NODEID_IN_NDB_CLUSTER_CONNECTION_POOL_NODEIDS; SQLSTATE: HY000

  Message: NDB: Found empty nodeid specified in --ndb-cluster-connection-pool-nodeids='%s'.

  ER_NDB_EMPTY_NODEID_IN_NDB_CLUSTER_CONNECTION_POOL_NODEIDS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010786; Symbol: ER_NDB_CANT_PARSE_NDB_CLUSTER_CONNECTION_POOL_NODEIDS; SQLSTATE: HY000

  Message: NDB: Could not parse '%s' in --ndb-cluster-connection-pool-nodeids='%s'.

  ER_NDB_CANT_PARSE_NDB_CLUSTER_CONNECTION_POOL_NODEIDS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010787; Symbol: ER_NDB_INVALID_NODEID_IN_NDB_CLUSTER_CONNECTION_POOL_NODEIDS; SQLSTATE: HY000

  Message: NDB: Invalid nodeid %d in --ndb-cluster-connection-pool-nodeids='%s'.

  ER_NDB_INVALID_NODEID_IN_NDB_CLUSTER_CONNECTION_POOL_NODEIDS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010788; Symbol: ER_NDB_DUPLICATE_NODEID_IN_NDB_CLUSTER_CONNECTION_POOL_NODEIDS; SQLSTATE: HY000

  Message: NDB: Found duplicate nodeid %d in --ndb-cluster-connection-pool-nodeids='%s'.

  ER_NDB_DUPLICATE_NODEID_IN_NDB_CLUSTER_CONNECTION_POOL_NODEIDS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010789; Symbol: ER_NDB_POOL_SIZE_MUST_MATCH_NDB_CLUSTER_CONNECTION_POOL_NODEIDS; SQLSTATE: HY000

  Message: NDB: The size of the cluster connection pool must be equal to the number of nodeids in --ndb-cluster-connection-pool-nodeids='%s'.

  ER_NDB_POOL_SIZE_MUST_MATCH_NDB_CLUSTER_CONNECTION_POOL_NODEIDS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010790; Symbol: ER_NDB_NODEID_NOT_FIRST_IN_NDB_CLUSTER_CONNECTION_POOL_NODEIDS; SQLSTATE: HY000

  Message: NDB: The nodeid specified by --ndb-nodeid must be equal to the first nodeid in --ndb-cluster-connection-pool-nodeids='%s'.

  ER_NDB_NODEID_NOT_FIRST_IN_NDB_CLUSTER_CONNECTION_POOL_NODEIDS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010791; Symbol: ER_NDB_USING_NODEID; SQLSTATE: HY000

  Message: NDB: using nodeid %u

  ER_NDB_USING_NODEID was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010792; Symbol: ER_NDB_CANT_ALLOC_GLOBAL_NDB_CLUSTER_CONNECTION; SQLSTATE: HY000

  Message: NDB: failed to allocate global ndb cluster connection

  ER_NDB_CANT_ALLOC_GLOBAL_NDB_CLUSTER_CONNECTION was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010793; Symbol: ER_NDB_CANT_ALLOC_GLOBAL_NDB_OBJECT; SQLSTATE: HY000

  Message: NDB: failed to allocate global ndb object

  ER_NDB_CANT_ALLOC_GLOBAL_NDB_OBJECT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010794; Symbol: ER_NDB_USING_NODEID_LIST; SQLSTATE: HY000

  Message: NDB[%u]: using nodeid %u

  ER_NDB_USING_NODEID_LIST was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010795; Symbol: ER_NDB_CANT_ALLOC_NDB_CLUSTER_CONNECTION; SQLSTATE: HY000

  Message: NDB[%u]: failed to allocate cluster connect object

  ER_NDB_CANT_ALLOC_NDB_CLUSTER_CONNECTION was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010796; Symbol: ER_NDB_STARTING_CONNECT_THREAD; SQLSTATE: HY000

  Message: NDB[%u]: starting connect thread

  ER_NDB_STARTING_CONNECT_THREAD was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010797; Symbol: ER_NDB_NODE_INFO; SQLSTATE: HY000

  Message: NDB[%u]: NodeID: %d, %s

  ER_NDB_NODE_INFO was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010798; Symbol: ER_NDB_CANT_START_CONNECT_THREAD; SQLSTATE: HY000

  Message: NDB[%u]: failed to start connect thread

  ER_NDB_CANT_START_CONNECT_THREAD was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010799; Symbol: ER_NDB_GENERIC_ERROR; SQLSTATE: HY000

  Message: NDB: error (%u) %s

  ER_NDB_GENERIC_ERROR was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010800; Symbol: ER_NDB_CPU_MASK_TOO_SHORT; SQLSTATE: HY000

  Message: Ignored receive thread CPU mask, mask too short, %u CPUs needed in mask, only %u CPUs provided

  ER_NDB_CPU_MASK_TOO_SHORT was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010801; Symbol: ER_EVENT_ERROR_CREATING_QUERY_TO_WRITE_TO_BINLOG; SQLSTATE: HY000

  Message: Event Error: An error occurred while creating query string, before writing it into binary log.

  ER_EVENT_ERROR_CREATING_QUERY_TO_WRITE_TO_BINLOG was added in 8.0.2.

- Error number: MY-010802; Symbol: ER_EVENT_SCHEDULER_ERROR_LOADING_FROM_DB; SQLSTATE: HY000

Message: Event Scheduler: Error while loading from disk.

ER_EVENT_SCHEDULER_ERROR_LOADING_FROM_DB was added in 8.0.2.

- Error number: MY-010803; Symbol: ER_EVENT_SCHEDULER_ERROR_GETTING_EVENT_OBJECT; SQLSTATE: HY000

  Message: Event Scheduler: Error getting event object.

  ER_EVENT_SCHEDULER_ERROR_GETTING_EVENT_OBJECT was added in 8.0.2.

- Error number: MY-010804; Symbol: ER_EVENT_SCHEDULER_GOT_BAD_DATA_FROM_TABLE; SQLSTATE: HY000

  Message: Event Scheduler: Error while loading events from mysql.events.The table probably contains bad data or is corrupted

  ER_EVENT_SCHEDULER_GOT_BAD_DATA_FROM_TABLE was added in 8.0.2.

- Error number: MY-010805; Symbol: ER_EVENT_CANT_GET_LOCK_FOR_DROPPING_EVENT; SQLSTATE: HY000

  Message: Unable to obtain lock for dropping event %s from schema %s

  ER_EVENT_CANT_GET_LOCK_FOR_DROPPING_EVENT was added in 8.0.2.

- Error number: MY-010806; Symbol: ER_EVENT_UNABLE_TO_DROP_EVENT; SQLSTATE: HY000

  Message: Unable to drop event %s from schema %s

  ER_EVENT_UNABLE_TO_DROP_EVENT was added in 8.0.2.

- Error number: MY-010807; Symbol: ER_BINLOG_ATTACHING_THREAD_MEMORY_FINALLY_AVAILABLE; SQLSTATE: HY000

  Message: Server overcomes the temporary 'out of memory' in '%d' tries while attaching to session thread during the group commit phase.

  ER_BINLOG_ATTACHING_THREAD_MEMORY_FINALLY_AVAILABLE was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010808; Symbol: ER_BINLOG_CANT_RESIZE_CACHE; SQLSTATE: HY000

  Message: Unable to resize binlog IOCACHE auxiliary file

  ER_BINLOG_CANT_RESIZE_CACHE was added in 8.0.2.

- Error number: MY-010809; Symbol: ER_BINLOG_FILE_BEING_READ_NOT_PURGED; SQLSTATE: HY000

  Message: file %s was not purged because it was being read by thread number %u

  ER_BINLOG_FILE_BEING_READ_NOT_PURGED was added in 8.0.2.

- Error number: MY-010810; Symbol: ER_BINLOG_IO_ERROR_READING_HEADER; SQLSTATE: HY000

  Message: I/O error reading the header from the binary log, errno=%d, io cache code=%d

  ER_BINLOG_IO_ERROR_READING_HEADER was added in 8.0.2.

- Error number: MY-010811; Symbol: ER_BINLOG_CANT_OPEN_LOG; SQLSTATE: HY000

  Message: Failed to open log (file '%s', errno %d)

  ER_BINLOG_CANT_OPEN_LOG was added in 8.0.2, removed after 8.0.12.

- Error number: MY-010812; Symbol: ER_BINLOG_CANT_CREATE_CACHE_FOR_LOG; SQLSTATE: HY000

  Message: Failed to create a cache on log (file '%s')

  ER_BINLOG_CANT_CREATE_CACHE_FOR_LOG was added in 8.0.2, removed after 8.0.12.

- Error number: MY-010813; Symbol: ER_BINLOG_FILE_EXTENSION_NUMBER_EXHAUSTED; SQLSTATE: HY000

  Message: Log filename extension number exhausted: %06lu. Please fix this by archiving old logs and updating the index files.

  ER_BINLOG_FILE_EXTENSION_NUMBER_EXHAUSTED was added in 8.0.2.

- Error number: MY-010814; Symbol: ER_BINLOG_FILE_NAME_TOO_LONG; SQLSTATE: HY000

  Message: Log filename too large: %s%s (%zu). Please fix this by archiving old logs and updating the index files.

  ER_BINLOG_FILE_NAME_TOO_LONG was added in 8.0.2.

- Error number: MY-010815; Symbol: ER_BINLOG_FILE_EXTENSION_NUMBER_RUNNING_LOW; SQLSTATE: HY000

  Message: Next log extension: %lu. Remaining log filename extensions: %lu. Please consider archiving some logs.

  ER_BINLOG_FILE_EXTENSION_NUMBER_RUNNING_LOW was added in 8.0.2.

- Error number: MY-010816; Symbol: ER_BINLOG_CANT_OPEN_FOR_LOGGING; SQLSTATE: HY000

  Message: Could not open %s for logging (error %d). Turning logging off for the whole duration of the MySQL server process. To turn it on again: fix the cause, shutdown the MySQL server and restart it.

  ER_BINLOG_CANT_OPEN_FOR_LOGGING was added in 8.0.2.

- Error number: MY-010817; Symbol: ER_BINLOG_FAILED_TO_SYNC_INDEX_FILE; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::open_index_file failed to sync the index file.

  ER_BINLOG_FAILED_TO_SYNC_INDEX_FILE was added in 8.0.2.

- Error number: MY-010818; Symbol: ER_BINLOG_ERROR_READING_GTIDS_FROM_RELAY_LOG; SQLSTATE: HY000

Message: Error reading GTIDs from relaylog: %d

ER_BINLOG_ERROR_READING_GTIDS_FROM_RELAY_LOG was added in 8.0.2.

- Error number: MY-010819; Symbol: ER_BINLOG_EVENTS_READ_FROM_RELAY_LOG_INFO; SQLSTATE: HY000

  Message: %lu events read in relaylog file '%s' for updating Retrieved_Gtid_Set and/or IO thread transaction parser state.

  ER_BINLOG_EVENTS_READ_FROM_RELAY_LOG_INFO was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010819; Symbol: ER_BINLOG_EVENTS_READ_FROM_APPLIER_METADATA; SQLSTATE: HY000

  Message: %lu events read in relaylog file '%s' for updating Retrieved_Gtid_Set and/or IO thread transaction parser state.

  ER_BINLOG_EVENTS_READ_FROM_APPLIER_METADATA was added in 8.0.33.

- Error number: MY-010820; Symbol: ER_BINLOG_ERROR_READING_GTIDS_FROM_BINARY_LOG; SQLSTATE: HY000

  Message: Error reading GTIDs from binary log: %d

  ER_BINLOG_ERROR_READING_GTIDS_FROM_BINARY_LOG was added in 8.0.2.

- Error number: MY-010821; Symbol: ER_BINLOG_EVENTS_READ_FROM_BINLOG_INFO; SQLSTATE: HY000

  Message: Read %lu events from binary log file '%s' to determine the GTIDs purged from binary logs.

  ER_BINLOG_EVENTS_READ_FROM_BINLOG_INFO was added in 8.0.2.

- Error number: MY-010822; Symbol: ER_BINLOG_CANT_GENERATE_NEW_FILE_NAME; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::open failed to generate new file name.

  ER_BINLOG_CANT_GENERATE_NEW_FILE_NAME was added in 8.0.2.

- Error number: MY-010823; Symbol: ER_BINLOG_FAILED_TO_SYNC_INDEX_FILE_IN_OPEN; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::open failed to sync the index file.

  ER_BINLOG_FAILED_TO_SYNC_INDEX_FILE_IN_OPEN was added in 8.0.2.

- Error number: MY-010824; Symbol: ER_BINLOG_CANT_USE_FOR_LOGGING; SQLSTATE: HY000

  Message: Could not use %s for logging (error %d). Turning logging off for the whole duration of the MySQL server process. To turn it on again: fix the cause, shutdown the MySQL server and restart it.

  ER_BINLOG_CANT_USE_FOR_LOGGING was added in 8.0.2.

- Error number: MY-010825; Symbol: ER_BINLOG_FAILED_TO_CLOSE_INDEX_FILE_WHILE_REBUILDING; SQLSTATE: HY000

Message: While rebuilding index file %s: Failed to close the index file.

ER_BINLOG_FAILED_TO_CLOSE_INDEX_FILE_WHILE_REBUILDING was added in 8.0.2.

- Error number: MY-010826; Symbol: ER_BINLOG_FAILED_TO_DELETE_INDEX_FILE_WHILE_REBUILDING; SQLSTATE: HY000

  Message: While rebuilding index file %s: Failed to delete the existing index file. It could be that file is being used by some other process.

  ER_BINLOG_FAILED_TO_DELETE_INDEX_FILE_WHILE_REBUILDING was added in 8.0.2.

- Error number: MY-010827; Symbol: ER_BINLOG_FAILED_TO_RENAME_INDEX_FILE_WHILE_REBUILDING; SQLSTATE: HY000

  Message: While rebuilding index file %s: Failed to rename the new index file to the existing index file.

  ER_BINLOG_FAILED_TO_RENAME_INDEX_FILE_WHILE_REBUILDING was added in 8.0.2.

- Error number: MY-010828; Symbol: ER_BINLOG_FAILED_TO_OPEN_INDEX_FILE_AFTER_REBUILDING; SQLSTATE: HY000

  Message: After rebuilding the index file %s: Failed to open the index file.

  ER_BINLOG_FAILED_TO_OPEN_INDEX_FILE_AFTER_REBUILDING was added in 8.0.2.

- Error number: MY-010829; Symbol: ER_BINLOG_CANT_APPEND_LOG_TO_TMP_INDEX; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::add_log_to_index failed to append log file name: %s, to crash safe index file.

  ER_BINLOG_CANT_APPEND_LOG_TO_TMP_INDEX was added in 8.0.2.

- Error number: MY-010830; Symbol: ER_BINLOG_CANT_LOCATE_OLD_BINLOG_OR_RELAY_LOG_FILES; SQLSTATE: HY000

  Message: Failed to locate old binlog or relay log files

  ER_BINLOG_CANT_LOCATE_OLD_BINLOG_OR_RELAY_LOG_FILES was added in 8.0.2.

- Error number: MY-010831; Symbol: ER_BINLOG_CANT_DELETE_FILE; SQLSTATE: HY000

  Message: Failed to delete file '%s'

  ER_BINLOG_CANT_DELETE_FILE was added in 8.0.2.

- Error number: MY-010832; Symbol: ER_BINLOG_CANT_SET_TMP_INDEX_NAME; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::set_crash_safe_index_file_name failed to set file name.

  ER_BINLOG_CANT_SET_TMP_INDEX_NAME was added in 8.0.2.

- Error number: MY-010833; Symbol: ER_BINLOG_FAILED_TO_OPEN_TEMPORARY_INDEX_FILE; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::open_crash_safe_index_file failed to open temporary index file.

  ER_BINLOG_FAILED_TO_OPEN_TEMPORARY_INDEX_FILE was added in 8.0.2.

- Error number: MY-010834; Symbol: ER_BINLOG_ERROR_GETTING_NEXT_LOG_FROM_INDEX; SQLSTATE: HY000

  Message: next log error: %d offset: %s log: %s included: %d

  ER_BINLOG_ERROR_GETTING_NEXT_LOG_FROM_INDEX was added in 8.0.2, removed after 8.0.12.

- Error number: MY-010835; Symbol: ER_BINLOG_CANT_OPEN_TMP_INDEX; SQLSTATE: HY000

  Message: %s failed to open the crash safe index file.

  ER_BINLOG_CANT_OPEN_TMP_INDEX was added in 8.0.2.

- Error number: MY-010836; Symbol: ER_BINLOG_CANT_COPY_INDEX_TO_TMP; SQLSTATE: HY000

  Message: %s failed to copy index file to crash safe index file.

  ER_BINLOG_CANT_COPY_INDEX_TO_TMP was added in 8.0.2.

- Error number: MY-010837; Symbol: ER_BINLOG_CANT_CLOSE_TMP_INDEX; SQLSTATE: HY000

  Message: %s failed to close the crash safe index file.

  ER_BINLOG_CANT_CLOSE_TMP_INDEX was added in 8.0.2.

- Error number: MY-010838; Symbol: ER_BINLOG_CANT_MOVE_TMP_TO_INDEX; SQLSTATE: HY000

  Message: %s failed to move crash safe index file to index file.

  ER_BINLOG_CANT_MOVE_TMP_TO_INDEX was added in 8.0.2.

- Error number: MY-010839; Symbol: ER_BINLOG_PURGE_LOGS_CALLED_WITH_FILE_NOT_IN_INDEX; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::purge_logs was called with file %s not listed in the index.

  ER_BINLOG_PURGE_LOGS_CALLED_WITH_FILE_NOT_IN_INDEX was added in 8.0.2.

- Error number: MY-010840; Symbol: ER_BINLOG_PURGE_LOGS_CANT_SYNC_INDEX_FILE; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::purge_logs failed to sync the index file.

  ER_BINLOG_PURGE_LOGS_CANT_SYNC_INDEX_FILE was added in 8.0.2.

- Error number: MY-010841; Symbol: ER_BINLOG_PURGE_LOGS_CANT_COPY_TO_REGISTER_FILE; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::purge_logs failed to copy %s to register file.

  ER_BINLOG_PURGE_LOGS_CANT_COPY_TO_REGISTER_FILE was added in 8.0.2.

- Error number: MY-010842; Symbol: ER_BINLOG_PURGE_LOGS_CANT_FLUSH_REGISTER_FILE; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::purge_logs failed to flush register file.

  ER_BINLOG_PURGE_LOGS_CANT_FLUSH_REGISTER_FILE was added in 8.0.2.

- Error number: MY-010843; Symbol: ER_BINLOG_PURGE_LOGS_CANT_UPDATE_INDEX_FILE; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::purge_logs failed to update the index file

  ER_BINLOG_PURGE_LOGS_CANT_UPDATE_INDEX_FILE was added in 8.0.2.

- Error number: MY-010844; Symbol: ER_BINLOG_PURGE_LOGS_FAILED_TO_PURGE_LOG; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::purge_logs failed to process registered files that would be purged.

  ER_BINLOG_PURGE_LOGS_FAILED_TO_PURGE_LOG was added in 8.0.2.

- Error number: MY-010845; Symbol: ER_BINLOG_FAILED_TO_SET_PURGE_INDEX_FILE_NAME; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::set_purge_index_file_name failed to set file name.

  ER_BINLOG_FAILED_TO_SET_PURGE_INDEX_FILE_NAME was added in 8.0.2.

- Error number: MY-010846; Symbol: ER_BINLOG_FAILED_TO_OPEN_REGISTER_FILE; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::open_purge_index_file failed to open register file.

  ER_BINLOG_FAILED_TO_OPEN_REGISTER_FILE was added in 8.0.2.

- Error number: MY-010847; Symbol: ER_BINLOG_FAILED_TO_REINIT_REGISTER_FILE; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::purge_index_entry failed to reinit register file for read

  ER_BINLOG_FAILED_TO_REINIT_REGISTER_FILE was added in 8.0.2.

- Error number: MY-010848; Symbol: ER_BINLOG_FAILED_TO_READ_REGISTER_FILE; SQLSTATE: HY000

  Message: MYSQL_BIN_LOG::purge_index_entry error %d reading from register file.

  ER_BINLOG_FAILED_TO_READ_REGISTER_FILE was added in 8.0.2.

- Error number: MY-010849; Symbol: ER_CANT_STAT_FILE; SQLSTATE: HY000

  Message: Failed to execute mysql_file_stat on file '%s'

  ER_CANT_STAT_FILE was added in 8.0.2.

- Error number: MY-010850; Symbol: ER_BINLOG_CANT_DELETE_LOG_FILE_DOES_INDEX_MATCH_FILES; SQLSTATE: HY000

  Message: Failed to delete log file '%s'; consider examining correspondence of your binlog index file to the actual binlog files

  ER_BINLOG_CANT_DELETE_LOG_FILE_DOES_INDEX_MATCH_FILES was added in 8.0.2.

- Error number: MY-010851; Symbol: ER_BINLOG_CANT_DELETE_FILE_AND_READ_BINLOG_INDEX; SQLSTATE: HY000

  Message: Failed to delete file '%s' and read the binlog index file

  ER_BINLOG_CANT_DELETE_FILE_AND_READ_BINLOG_INDEX was added in 8.0.2.

- Error number: MY-010852; Symbol: ER_BINLOG_FAILED_TO_DELETE_LOG_FILE; SQLSTATE: HY000

  Message: Failed to delete log file '%s'

  ER_BINLOG_FAILED_TO_DELETE_LOG_FILE was added in 8.0.2.

- Error number: MY-010853; Symbol: ER_BINLOG_LOGGING_INCIDENT_TO_STOP_SLAVES; SQLSTATE: HY000

  Message: %s An incident event has been written to the binary log which will stop the slaves.

  ER_BINLOG_LOGGING_INCIDENT_TO_STOP_SLAVES was added in 8.0.2, removed after 8.0.32.

- Error number: MY-010853; Symbol: ER_BINLOG_LOGGING_INCIDENT_TO_STOP_REPLICAS; SQLSTATE: HY000

  Message: %s An incident event has been written to the binary log which will stop the replicas.

  ER_BINLOG_LOGGING_INCIDENT_TO_STOP_REPLICAS was added in 8.0.33.

- Error number: MY-010854; Symbol: ER_BINLOG_CANT_FIND_LOG_IN_INDEX; SQLSTATE: HY000

  Message: find_log_pos() failed (error: %d)

  ER_BINLOG_CANT_FIND_LOG_IN_INDEX was added in 8.0.2.

- Error number: MY-010855; Symbol: ER_BINLOG_RECOVERING_AFTER_CRASH_USING; SQLSTATE: HY000

  Message: Recovering after a crash using %s

  ER_BINLOG_RECOVERING_AFTER_CRASH_USING was added in 8.0.2.

- Error number: MY-010856; Symbol: ER_BINLOG_CANT_OPEN_CRASHED_BINLOG; SQLSTATE: HY000

  Message: Failed to open the crashed binlog file when source server is recovering it.

  ER_BINLOG_CANT_OPEN_CRASHED_BINLOG was added in 8.0.2.

- Error number: MY-010857; Symbol: ER_BINLOG_CANT_TRIM_CRASHED_BINLOG; SQLSTATE: HY000

  Message: Failed to trim the crashed binlog file when source server is recovering it.

  ER_BINLOG_CANT_TRIM_CRASHED_BINLOG was added in 8.0.2.

- Error number: MY-010858; Symbol: ER_BINLOG_CRASHED_BINLOG_TRIMMED; SQLSTATE: HY000

  Message: Crashed binlog file %s size is %llu, but recovered up to %llu. Binlog trimmed to %llu bytes.

  ER_BINLOG_CRASHED_BINLOG_TRIMMED was added in 8.0.2.

- Error number: MY-010859; Symbol: ER_BINLOG_CANT_CLEAR_IN_USE_FLAG_FOR_CRASHED_BINLOG; SQLSTATE: HY000

  Message: Failed to clear LOG_EVENT_BINLOG_IN_USE_F for the crashed binlog file when source server is recovering it.

  ER_BINLOG_CANT_CLEAR_IN_USE_FLAG_FOR_CRASHED_BINLOG was added in 8.0.2.

- Error number: MY-010860; Symbol: ER_BINLOG_FAILED_TO_RUN_AFTER_SYNC_HOOK; SQLSTATE: HY000

  Message: Failed to run 'after_sync' hooks

  ER_BINLOG_FAILED_TO_RUN_AFTER_SYNC_HOOK was added in 8.0.2.

- Error number: MY-010861; Symbol: ER_TURNING_LOGGING_OFF_FOR_THE_DURATION; SQLSTATE: HY000

  Message: %s Hence turning logging off for the whole duration of the MySQL server process. To turn it on again: fix the cause, shutdown the MySQL server and restart it.

  ER_TURNING_LOGGING_OFF_FOR_THE_DURATION was added in 8.0.2.

- Error number: MY-010862; Symbol: ER_BINLOG_FAILED_TO_RUN_AFTER_FLUSH_HOOK; SQLSTATE: HY000

  Message: Failed to run 'after_flush' hooks

  ER_BINLOG_FAILED_TO_RUN_AFTER_FLUSH_HOOK was added in 8.0.2.

- Error number: MY-010863; Symbol: ER_BINLOG_CRASH_RECOVERY_FAILED; SQLSTATE: HY000

  Message: Crash recovery failed. Either correct the problem (if it's, for example, out of memory error) and restart, or delete (or rename) binary log and start mysqld with --tc-heuristic-recover={commit|rollback}

  ER_BINLOG_CRASH_RECOVERY_FAILED was added in 8.0.2, removed after 8.0.29.

- Error number: MY-010864; Symbol: ER_BINLOG_WARNING_SUPPRESSED; SQLSTATE: HY000

  Message: The following warning was suppressed %d times during the last %d seconds in the error log

  ER_BINLOG_WARNING_SUPPRESSED was added in 8.0.2.

- Error number: MY-010865; Symbol: ER_NDB_LOG_ENTRY; SQLSTATE: HY000

  Message: NDB: %s

  ER_NDB_LOG_ENTRY was added in 8.0.2.

- Error number: MY-010866; Symbol: ER_NDB_LOG_ENTRY_WITH_PREFIX; SQLSTATE: HY000

  Message: NDB %s: %s

  ER_NDB_LOG_ENTRY_WITH_PREFIX was added in 8.0.2.

- Error number: MY-010867; Symbol: ER_NDB_BINLOG_CANT_CREATE_PURGE_THD; SQLSTATE: HY000

  Message: NDB: Unable to purge %s.%s File=%s (failed to setup thd)

  ER_NDB_BINLOG_CANT_CREATE_PURGE_THD was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010868; Symbol: ER_INNODB_UNKNOWN_COLLATION; SQLSTATE: HY000

  Message: Unknown collation #%lu.

  ER_INNODB_UNKNOWN_COLLATION was added in 8.0.2.

- Error number: MY-010869; Symbol: ER_INNODB_INVALID_LOG_GROUP_HOME_DIR; SQLSTATE: HY000

  Message: syntax error in innodb_log_group_home_dir

  ER_INNODB_INVALID_LOG_GROUP_HOME_DIR was added in 8.0.2.

- Error number: MY-010870; Symbol: ER_INNODB_INVALID_INNODB_UNDO_DIRECTORY; SQLSTATE: HY000

  Message: syntax error in innodb_undo_directory

  ER_INNODB_INVALID_INNODB_UNDO_DIRECTORY was added in 8.0.2.

- Error number: MY-010871; Symbol: ER_INNODB_ILLEGAL_COLON_IN_POOL; SQLSTATE: HY000

  Message: InnoDB: innodb_buffer_pool_filename cannot have colon (:) in the file name.

  ER_INNODB_ILLEGAL_COLON_IN_POOL was added in 8.0.2.

- Error number: MY-010872; Symbol: ER_INNODB_INVALID_PAGE_SIZE; SQLSTATE: HY000

  Message: InnoDB: Invalid page size=%lu.

  ER_INNODB_INVALID_PAGE_SIZE was added in 8.0.2.

- Error number: MY-010873; Symbol: ER_INNODB_DIRTY_WATER_MARK_NOT_LOW; SQLSTATE: HY000

  Message: InnoDB: innodb_max_dirty_pages_pct_lwm cannot be set higher than innodb_max_dirty_pages_pct. Setting innodb_max_dirty_pages_pct_lwm to %lf

  ER_INNODB_DIRTY_WATER_MARK_NOT_LOW was added in 8.0.2.

- Error number: MY-010874; Symbol: ER_INNODB_IO_CAPACITY_EXCEEDS_MAX; SQLSTATE: HY000

Message: InnoDB: innodb_io_capacity cannot be set higher than innodb_io_capacity_max. Setting innodb_io_capacity to %lu

ER_INNODB_IO_CAPACITY_EXCEEDS_MAX was added in 8.0.2.

- Error number: MY-010875; Symbol: ER_INNODB_FILES_SAME; SQLSTATE: HY000

  Message: %s and %s file names seem to be the same.

  ER_INNODB_FILES_SAME was added in 8.0.2.

- Error number: MY-010876; Symbol: ER_INNODB_UNREGISTERED_TRX_ACTIVE; SQLSTATE: HY000

  Message: Transaction not registered for MySQL 2PC, but transaction is active

  ER_INNODB_UNREGISTERED_TRX_ACTIVE was added in 8.0.2.

- Error number: MY-010877; Symbol: ER_INNODB_CLOSING_CONNECTION_ROLLS_BACK; SQLSTATE: HY000

  Message: MySQL is closing a connection that has an active InnoDB transaction. %llu row modifications will roll back.

  ER_INNODB_CLOSING_CONNECTION_ROLLS_BACK was added in 8.0.2.

- Error number: MY-010878; Symbol: ER_INNODB_TRX_XLATION_TABLE_OOM; SQLSTATE: HY000

  Message: InnoDB: fail to allocate memory for index translation table. Number of Index:%lu, array size: %lu

  ER_INNODB_TRX_XLATION_TABLE_OOM was added in 8.0.2.

- Error number: MY-010879; Symbol: ER_INNODB_CANT_FIND_INDEX_IN_INNODB_DD; SQLSTATE: HY000

  Message: Cannot find index %s in InnoDB index dictionary.

  ER_INNODB_CANT_FIND_INDEX_IN_INNODB_DD was added in 8.0.2.

- Error number: MY-010880; Symbol: ER_INNODB_INDEX_COLUMN_INFO_UNLIKE_MYSQLS; SQLSTATE: HY000

  Message: Found index %s whose column info does not match that of MySQL.

  ER_INNODB_INDEX_COLUMN_INFO_UNLIKE_MYSQLS was added in 8.0.2.

- Error number: MY-010881; Symbol: ER_INNODB_CANT_OPEN_TABLE; SQLSTATE: HY000

  Message: Failed to open table %s.

  ER_INNODB_CANT_OPEN_TABLE was added in 8.0.2, removed after 8.0.18.

- Error number: MY-010882; Symbol: ER_INNODB_CANT_BUILD_INDEX_XLATION_TABLE_FOR; SQLSTATE: HY000

  Message: Build InnoDB index translation table for Table %s failed

  ER_INNODB_CANT_BUILD_INDEX_XLATION_TABLE_FOR was added in 8.0.2.

- Error number: MY-010883; Symbol: ER_INNODB_PK_NOT_IN_MYSQL; SQLSTATE: HY000

  Message: Table %s has a primary key in InnoDB data dictionary, but not in MySQL!

  ER_INNODB_PK_NOT_IN_MYSQL was added in 8.0.2.

- Error number: MY-010884; Symbol: ER_INNODB_PK_ONLY_IN_MYSQL; SQLSTATE: HY000

  Message: Table %s has no primary key in InnoDB data dictionary, but has one in MySQL! If you created the table with a MySQL version < 3.23.54 and did not define a primary key, but defined a unique key with all non-NULL columns, then MySQL internally treats that key as the primary key. You can fix this error by dump + DROP + CREATE + reimport of the table.

  ER_INNODB_PK_ONLY_IN_MYSQL was added in 8.0.2.

- Error number: MY-010885; Symbol: ER_INNODB_CLUSTERED_INDEX_PRIVATE; SQLSTATE: HY000

  Message: Table %s key_used_on_scan is %lu even though there is no primary key inside InnoDB.

  ER_INNODB_CLUSTERED_INDEX_PRIVATE was added in 8.0.2.

- Error number: MY-010886; Symbol: ER_INNODB_PARTITION_TABLE_LOWERCASED; SQLSTATE: HY000

  Message: Partition table %s opened after converting to lower case. The table may have been moved from a case-insensitive file system. Please recreate the table in the current file system.

  ER_INNODB_PARTITION_TABLE_LOWERCASED was added in 8.0.2, removed after 8.0.18.

- Error number: MY-010887; Symbol: ER_ERRMSG_REPLACEMENT_DODGY; SQLSTATE: HY000

  Message: Cannot replace error message (%s,%s,%s) "%s" with "%s"; wrong number or type of %% subsitutions.

  ER_ERRMSG_REPLACEMENT_DODGY was added in 8.0.2.

- Error number: MY-010888; Symbol: ER_ERRMSG_REPLACEMENTS_FAILED; SQLSTATE: HY000

  Message: Table for error message replacements could not be found or read, or one or more replacements could not be applied.

  ER_ERRMSG_REPLACEMENTS_FAILED was added in 8.0.2.

- Error number: MY-010889; Symbol: ER_NPIPE_CANT_CREATE; SQLSTATE: HY000

  Message: %s: %s

  ER_NPIPE_CANT_CREATE was added in 8.0.2.

- Error number: MY-010890; Symbol: ER_PARTITION_MOVE_CREATED_DUPLICATE_ROW_PLEASE_FIX; SQLSTATE: HY000

  Message: Table '%s': Delete from part %d failed with error %d. But it was already inserted into part %d, when moving the misplaced row! Please manually fix the duplicate row: %s

  ER_PARTITION_MOVE_CREATED_DUPLICATE_ROW_PLEASE_FIX was added in 8.0.2.

- Error number: MY-010891; Symbol: ER_AUDIT_CANT_ABORT_COMMAND; SQLSTATE: HY000

Message: Command '%s' cannot be aborted. The trigger error was (%d) [%s]: %s

ER_AUDIT_CANT_ABORT_COMMAND was added in 8.0.2.

- Error number: MY-010892; Symbol: ER_AUDIT_CANT_ABORT_EVENT; SQLSTATE: HY000

  Message: Event '%s' cannot be aborted. The trigger error was (%d) [%s]: %s

  ER_AUDIT_CANT_ABORT_EVENT was added in 8.0.2.

- Error number: MY-010893; Symbol: ER_AUDIT_WARNING; SQLSTATE: HY000

  Message: %s. The trigger error was (%d) [%s]: %s

  ER_AUDIT_WARNING was added in 8.0.2.

- Error number: MY-010894; Symbol: ER_NDB_NUMBER_OF_CHANNELS; SQLSTATE: HY000

  Message: Slave SQL: Configuration with number of replication masters = %u' is not supported when applying to Ndb

  ER_NDB_NUMBER_OF_CHANNELS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010895; Symbol: ER_NDB_SLAVE_PARALLEL_WORKERS; SQLSTATE: HY000

  Message: Slave SQL: Configuration 'slave_parallel_workers = %lu' is not supported when applying to Ndb

  ER_NDB_SLAVE_PARALLEL_WORKERS was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010896; Symbol: ER_NDB_DISTRIBUTING_ERR; SQLSTATE: HY000

  Message: NDB %s: distributing %s err: %u

  ER_NDB_DISTRIBUTING_ERR was added in 8.0.2, removed after 8.0.13.

- Error number: MY-010897; Symbol: ER_RPL_SLAVE_INSECURE_CHANGE_MASTER; SQLSTATE: HY000

  Message: Storing MySQL user name or password information in the master info repository is not secure and is therefore not recommended. Please consider using the USER and PASSWORD connection options for START SLAVE; see the 'START SLAVE Syntax' in the MySQL Manual for more information.

  ER_RPL_SLAVE_INSECURE_CHANGE_MASTER was added in 8.0.4, removed after 8.0.32.

- Error number: MY-010897; Symbol: ER_RPL_REPLICA_INSECURE_CHANGE_SOURCE; SQLSTATE: HY000

  Message: Storing MySQL user name or password information in the connection metadata repository is not secure and is therefore not recommended. Please consider using the USER and PASSWORD connection options for START REPLICA; see the 'START REPLICA Syntax' in the MySQL Manual for more information.

  ER_RPL_REPLICA_INSECURE_CHANGE_SOURCE was added in 8.0.33.

- Error number: MY-010898; Symbol: ER_RPL_SLAVE_FLUSH_RELAY_LOGS_NOT_ALLOWED; SQLSTATE: HY000

Message: FLUSH RELAY LOGS cannot be performed on channel '%s'.

ER_RPL_SLAVE_FLUSH_RELAY_LOGS_NOT_ALLOWED was added in 8.0.4, removed after 8.0.15.

- Error number: MY-010899; Symbol: ER_RPL_SLAVE_INCORRECT_CHANNEL; SQLSTATE: HY000

  Message: Slave channel '%s' does not exist.

  ER_RPL_SLAVE_INCORRECT_CHANNEL was added in 8.0.4, removed after 8.0.32.

- Error number: MY-010899; Symbol: ER_RPL_REPLICA_INCORRECT_CHANNEL; SQLSTATE: HY000

  Message: Replica channel '%s' does not exist.

  ER_RPL_REPLICA_INCORRECT_CHANNEL was added in 8.0.33.

- Error number: MY-010900; Symbol: ER_FAILED_TO_FIND_DL_ENTRY; SQLSTATE: HY000

  Message: Can't find symbol '%s' in library.

  ER_FAILED_TO_FIND_DL_ENTRY was added in 8.0.4.

- Error number: MY-010901; Symbol: ER_FAILED_TO_OPEN_SHARED_LIBRARY; SQLSTATE: HY000

  Message: Can't open shared library '%s' (errno: %d %s).

  ER_FAILED_TO_OPEN_SHARED_LIBRARY was added in 8.0.4.

- Error number: MY-010902; Symbol: ER_THREAD_PRIORITY_IGNORED; SQLSTATE: HY000

  Message: Thread priority attribute setting in Resource Group SQL shall be ignored due to unsupported platform or insufficient privilege.

  ER_THREAD_PRIORITY_IGNORED was added in 8.0.4.

- Error number: MY-010903; Symbol: ER_BINLOG_CACHE_SIZE_TOO_LARGE; SQLSTATE: HY000

  Message: Option binlog_cache_size (%lu) is greater than max_binlog_cache_size (%lu); setting binlog_cache_size equal to max_binlog_cache_size.

  ER_BINLOG_CACHE_SIZE_TOO_LARGE was added in 8.0.4.

- Error number: MY-010904; Symbol: ER_BINLOG_STMT_CACHE_SIZE_TOO_LARGE; SQLSTATE: HY000

  Message: Option binlog_stmt_cache_size (%lu) is greater than max_binlog_stmt_cache_size (%lu); setting binlog_stmt_cache_size equal to max_binlog_stmt_cache_size.

  ER_BINLOG_STMT_CACHE_SIZE_TOO_LARGE was added in 8.0.4.

- Error number: MY-010905; Symbol: ER_FAILED_TO_GENERATE_UNIQUE_LOGFILE; SQLSTATE: HY000

  Message: Can't generate a unique log-filename %s.(1-999).

  ER_FAILED_TO_GENERATE_UNIQUE_LOGFILE was added in 8.0.4.

- Error number: MY-010906; Symbol: ER_FAILED_TO_READ_FILE; SQLSTATE: HY000

Message: Error reading file '%s' (errno: %d - %s)

ER_FAILED_TO_READ_FILE was added in 8.0.4.

- Error number: MY-010907; Symbol: ER_FAILED_TO_WRITE_TO_FILE; SQLSTATE: HY000

  Message: Error writing file '%s' (errno: %d - %s)

  ER_FAILED_TO_WRITE_TO_FILE was added in 8.0.4.

- Error number: MY-010908; Symbol: ER_BINLOG_UNSAFE_MESSAGE_AND_STATEMENT; SQLSTATE: HY000

  Message: %s Statement: %s

  ER_BINLOG_UNSAFE_MESSAGE_AND_STATEMENT was added in 8.0.4.

- Error number: MY-010909; Symbol: ER_FORCE_CLOSE_THREAD; SQLSTATE: HY000

  Message: %s: Forcing close of thread %ld user: '%s'.

  ER_FORCE_CLOSE_THREAD was added in 8.0.4.

- Error number: MY-010910; Symbol: ER_SERVER_SHUTDOWN_COMPLETE; SQLSTATE: HY000

  Message: %s: Shutdown complete (mysqld %s) %s.

  ER_SERVER_SHUTDOWN_COMPLETE was added in 8.0.4.

- Error number: MY-010911; Symbol: ER_RPL_CANT_HAVE_SAME_BASENAME; SQLSTATE: HY000

  Message: Cannot have same base name '%s' for both binary and relay logs. Please check %s (default '%s' if --log-bin option is not used, default '%s' if --log-bin option is used without argument) and %s (default '%s') options to ensure they do not conflict.

  ER_RPL_CANT_HAVE_SAME_BASENAME was added in 8.0.3.

- Error number: MY-010912; Symbol: ER_RPL_GTID_MODE_REQUIRES_ENFORCE_GTID_CONSISTENCY_ON; SQLSTATE: HY000

  Message: GTID_MODE = ON requires ENFORCE_GTID_CONSISTENCY = ON.

  ER_RPL_GTID_MODE_REQUIRES_ENFORCE_GTID_CONSISTENCY_ON was added in 8.0.4.

- Error number: MY-010913; Symbol: ER_WARN_NO_SERVERID_SPECIFIED; SQLSTATE: HY000

  Message: You have not provided a mandatory server-id. Servers in a replication topology must have unique server-ids. Please refer to the proper server start-up parameters documentation.

  ER_WARN_NO_SERVERID_SPECIFIED was added in 8.0.3.

- Error number: MY-010914; Symbol: ER_ABORTING_USER_CONNECTION; SQLSTATE: HY000

  Message: Aborted connection %u to db: '%s' user: '%s' host: '%s' (%s).

  ER_ABORTING_USER_CONNECTION was added in 8.0.4.

- Error number: MY-010915; Symbol: ER_SQL_MODE_MERGED_WITH_STRICT_MODE; SQLSTATE: HY000

Message: 'NO_ZERO_DATE', 'NO_ZERO_IN_DATE' and 'ERROR_FOR_DIVISION_BY_ZERO' sql modes should be used with strict mode. They will be merged with strict mode in a future release.

ER_SQL_MODE_MERGED_WITH_STRICT_MODE was added in 8.0.4.

- Error number: MY-010916; Symbol: ER_GTID_PURGED_WAS_UPDATED; SQLSTATE: HY000

  Message: @@GLOBAL.GTID_PURGED was changed from '%s' to '%s'.

  ER_GTID_PURGED_WAS_UPDATED was added in 8.0.4.

- Error number: MY-010917; Symbol: ER_GTID_EXECUTED_WAS_UPDATED; SQLSTATE: HY000

  Message: @@GLOBAL.GTID_EXECUTED was changed from '%s' to '%s'.

  ER_GTID_EXECUTED_WAS_UPDATED was added in 8.0.4.

- Error number: MY-010918; Symbol: ER_DEPRECATE_MSG_WITH_REPLACEMENT; SQLSTATE: HY000

  Message: '%s' is deprecated and will be removed in a future release. Please use %s instead.

  ER_DEPRECATE_MSG_WITH_REPLACEMENT was added in 8.0.4.

- Error number: MY-010919; Symbol: ER_TRG_CREATION_CTX_NOT_SET; SQLSTATE: HY000

  Message: Triggers for table `%s`.`%s` have no creation context

  ER_TRG_CREATION_CTX_NOT_SET was added in 8.0.4.

- Error number: MY-010920; Symbol: ER_FILE_HAS_OLD_FORMAT; SQLSTATE: HY000

  Message: '%s' has an old format, you should re-create the '%s' object(s)

  ER_FILE_HAS_OLD_FORMAT was added in 8.0.4.

- Error number: MY-010921; Symbol: ER_VIEW_CREATION_CTX_NOT_SET; SQLSTATE: HY000

  Message: View `%s`.`%s` has no creation context

  ER_VIEW_CREATION_CTX_NOT_SET was added in 8.0.4.

- Error number: MY-010923; Symbol: ER_TABLE_UPGRADE_REQUIRED; SQLSTATE: HY000

  Message: Table upgrade required. Please do "REPAIR TABLE `%s`" or dump/reload to fix it!

  ER_TABLE_UPGRADE_REQUIRED was added in 8.0.4.

- Error number: MY-010924; Symbol: ER_GET_ERRNO_FROM_STORAGE_ENGINE; SQLSTATE: HY000

  Message: Got error %d - '%s' from storage engine.

  ER_GET_ERRNO_FROM_STORAGE_ENGINE was added in 8.0.4.

- Error number: MY-010925; Symbol: ER_ACCESS_DENIED_ERROR_WITHOUT_PASSWORD; SQLSTATE: HY000

  Message: Access denied for user '%s'@'%s'

  ER_ACCESS_DENIED_ERROR_WITHOUT_PASSWORD was added in 8.0.4.

- Error number: MY-010926; Symbol: ER_ACCESS_DENIED_ERROR_WITH_PASSWORD; SQLSTATE: HY000

  Message: Access denied for user '%s'@'%s' (using password: %s)

  ER_ACCESS_DENIED_ERROR_WITH_PASSWORD was added in 8.0.4.

- Error number: MY-010927; Symbol: ER_ACCESS_DENIED_FOR_USER_ACCOUNT_LOCKED; SQLSTATE: HY000

  Message: Access denied for user '%s'@'%s'. Account is locked.

  ER_ACCESS_DENIED_FOR_USER_ACCOUNT_LOCKED was added in 8.0.4.

- Error number: MY-010928; Symbol: ER_MUST_CHANGE_EXPIRED_PASSWORD; SQLSTATE: HY000

  Message: Your password has expired. To log in you must change it using a client that supports expired passwords.

  ER_MUST_CHANGE_EXPIRED_PASSWORD was added in 8.0.4, removed after 8.0.28.

- Error number: MY-010929; Symbol: ER_SYSTEM_TABLES_NOT_SUPPORTED_BY_STORAGE_ENGINE; SQLSTATE: HY000

  Message: Storage engine '%s' does not support system tables. [%s.%s].

  ER_SYSTEM_TABLES_NOT_SUPPORTED_BY_STORAGE_ENGINE was added in 8.0.4.

- Error number: MY-010930; Symbol: ER_FILESORT_TERMINATED; SQLSTATE: HY000

  Message: Sort aborted

  ER_FILESORT_TERMINATED was added in 8.0.4, removed after 8.0.18.

- Error number: MY-010931; Symbol: ER_SERVER_STARTUP_MSG; SQLSTATE: HY000

  Message: %s: ready for connections. Version: '%s' socket: '%s' port: %d %s.

  ER_SERVER_STARTUP_MSG was added in 8.0.4.

- Error number: MY-010932; Symbol: ER_FAILED_TO_FIND_LOCALE_NAME; SQLSTATE: HY000

  Message: Unknown locale: '%s'.

  ER_FAILED_TO_FIND_LOCALE_NAME was added in 8.0.4.

- Error number: MY-010933; Symbol: ER_FAILED_TO_FIND_COLLATION_NAME; SQLSTATE: HY000

  Message: Unknown collation: '%s'.

  ER_FAILED_TO_FIND_COLLATION_NAME was added in 8.0.4.

- Error number: MY-010934; Symbol: ER_SERVER_OUT_OF_RESOURCES; SQLSTATE: HY000

  Message: Out of memory; check if mysqld or some other process uses all available memory; if not, you may have to use 'ulimit' to allow mysqld to use more memory or you can add more swap space

  ER_SERVER_OUT_OF_RESOURCES was added in 8.0.4.

- Error number: MY-010935; Symbol: ER_SERVER_OUTOFMEMORY; SQLSTATE: HY000

Message: Out of memory; restart server and try again (needed %d bytes)

ER_SERVER_OUTOFMEMORY was added in 8.0.4.

- Error number: MY-010936; Symbol: ER_INVALID_COLLATION_FOR_CHARSET; SQLSTATE: HY000

  Message: COLLATION '%s' is not valid for CHARACTER SET '%s'

  ER_INVALID_COLLATION_FOR_CHARSET was added in 8.0.4.

- Error number: MY-010937; Symbol: ER_CANT_START_ERROR_LOG_SERVICE; SQLSTATE: HY000

  Message: Failed to set %s at or around "%s" -- service is valid, but can not be initialized; please check its configuration and make sure it can read its input(s) and write to its output(s).

  ER_CANT_START_ERROR_LOG_SERVICE was added in 8.0.4.

- Error number: MY-010938; Symbol: ER_CREATING_NEW_UUID_FIRST_START; SQLSTATE: HY000

  Message: Generating a new UUID: %s.

  ER_CREATING_NEW_UUID_FIRST_START was added in 8.0.4.

- Error number: MY-010939; Symbol: ER_FAILED_TO_GET_ABSOLUTE_PATH; SQLSTATE: HY000

  Message: Failed to get absolute path of program executable %s

  ER_FAILED_TO_GET_ABSOLUTE_PATH was added in 8.0.4.

- Error number: MY-010940; Symbol: ER_PERFSCHEMA_COMPONENTS_INFRASTRUCTURE_BOOTSTRAP; SQLSTATE: HY000

  Message: Failed to bootstrap performance schema components infrastructure.

  ER_PERFSCHEMA_COMPONENTS_INFRASTRUCTURE_BOOTSTRAP was added in 8.0.4.

- Error number: MY-010941; Symbol: ER_PERFSCHEMA_COMPONENTS_INFRASTRUCTURE_SHUTDOWN; SQLSTATE: HY000

  Message: Failed to deinit performance schema components infrastructure.

  ER_PERFSCHEMA_COMPONENTS_INFRASTRUCTURE_SHUTDOWN was added in 8.0.4.

- Error number: MY-010942; Symbol: ER_DUP_FD_OPEN_FAILED; SQLSTATE: HY000

  Message: Could not open duplicate fd for %s: %s.

  ER_DUP_FD_OPEN_FAILED was added in 8.0.4.

- Error number: MY-010943; Symbol: ER_SYSTEM_VIEW_INIT_FAILED; SQLSTATE: HY000

  Message: System views initialization failed.

  ER_SYSTEM_VIEW_INIT_FAILED was added in 8.0.4.

- Error number: MY-010944; Symbol: ER_RESOURCE_GROUP_POST_INIT_FAILED; SQLSTATE: HY000

  Message: Resource group post initialization failed.

ER_RESOURCE_GROUP_POST_INIT_FAILED was added in 8.0.4.

- Error number: MY-010945; Symbol: ER_RESOURCE_GROUP_SUBSYSTEM_INIT_FAILED; SQLSTATE: HY000

  Message: Resource Group subsystem initialization failed.

  ER_RESOURCE_GROUP_SUBSYSTEM_INIT_FAILED was added in 8.0.4.

- Error number: MY-010946; Symbol: ER_FAILED_START_MYSQLD_DAEMON; SQLSTATE: HY000

  Message: Failed to start mysqld daemon. Check mysqld error log.

  ER_FAILED_START_MYSQLD_DAEMON was added in 8.0.4.

- Error number: MY-010947; Symbol: ER_CANNOT_CHANGE_TO_ROOT_DIR; SQLSTATE: HY000

  Message: Cannot change to root directory: %s.

  ER_CANNOT_CHANGE_TO_ROOT_DIR was added in 8.0.4.

- Error number: MY-010948; Symbol: ER_PERSISTENT_PRIVILEGES_BOOTSTRAP; SQLSTATE: HY000

  Message: Failed to bootstrap persistent privileges.

  ER_PERSISTENT_PRIVILEGES_BOOTSTRAP was added in 8.0.4.

- Error number: MY-010949; Symbol: ER_BASEDIR_SET_TO; SQLSTATE: HY000

  Message: Basedir set to %s.

  ER_BASEDIR_SET_TO was added in 8.0.4.

- Error number: MY-010950; Symbol: ER_RPL_FILTER_ADD_WILD_DO_TABLE_FAILED; SQLSTATE: HY000

  Message: Could not add wild do table rule '%s'!

  ER_RPL_FILTER_ADD_WILD_DO_TABLE_FAILED was added in 8.0.4.

- Error number: MY-010951; Symbol: ER_RPL_FILTER_ADD_WILD_IGNORE_TABLE_FAILED; SQLSTATE: HY000

  Message: Could not add wild ignore table rule '%s'!

  ER_RPL_FILTER_ADD_WILD_IGNORE_TABLE_FAILED was added in 8.0.4.

- Error number: MY-010952; Symbol: ER_PRIVILEGE_SYSTEM_INIT_FAILED; SQLSTATE: HY000

  Message: The privilege system failed to initialize correctly. For complete instructions on how to upgrade MySQL to a new version please see the 'Upgrading MySQL' section from the MySQL manual.

  ER_PRIVILEGE_SYSTEM_INIT_FAILED was added in 8.0.4.

- Error number: MY-010953; Symbol: ER_CANNOT_SET_LOG_ERROR_SERVICES; SQLSTATE: HY000

  Message: Cannot set services "%s" requested in --log-error-services, using defaults.

  ER_CANNOT_SET_LOG_ERROR_SERVICES was added in 8.0.4.

- Error number: MY-010954; Symbol: ER_PERFSCHEMA_TABLES_INIT_FAILED; SQLSTATE: HY000

  Message: Performance schema tables initialization failed.

  ER_PERFSCHEMA_TABLES_INIT_FAILED was added in 8.0.4.

- Error number: MY-010955; Symbol: ER_TX_EXTRACTION_ALGORITHM_FOR_BINLOG_TX_DEPEDENCY_TRACKING; SQLSTATE: HY000

  Message: The transaction_write_set_extraction must be set to %s when binlog_transaction_dependency_tracking is %s.

  ER_TX_EXTRACTION_ALGORITHM_FOR_BINLOG_TX_DEPEDENCY_TRACKING was added in 8.0.4.

- Error number: MY-010956; Symbol: ER_INVALID_REPLICATION_TIMESTAMPS; SQLSTATE: HY000

  Message: Invalid replication timestamps: original commit timestamp is more recent than the immediate commit timestamp. This may be an issue if delayed replication is active. Make sure that servers have their clocks set to the correct time. No further message will be emitted until after timestamps become valid again.

  ER_INVALID_REPLICATION_TIMESTAMPS was added in 8.0.4, removed after 8.0.25.

- Error number: MY-010957; Symbol: ER_RPL_TIMESTAMPS_RETURNED_TO_NORMAL; SQLSTATE: HY000

  Message: The replication timestamps have returned to normal values.

  ER_RPL_TIMESTAMPS_RETURNED_TO_NORMAL was added in 8.0.4, removed after 8.0.25.

- Error number: MY-010958; Symbol: ER_BINLOG_FILE_OPEN_FAILED; SQLSTATE: HY000

  Message: %s.

  ER_BINLOG_FILE_OPEN_FAILED was added in 8.0.4.

- Error number: MY-010959; Symbol: ER_BINLOG_EVENT_WRITE_TO_STMT_CACHE_FAILED; SQLSTATE: HY000

  Message: Failed to write an incident event into stmt_cache.

  ER_BINLOG_EVENT_WRITE_TO_STMT_CACHE_FAILED was added in 8.0.4.

- Error number: MY-010960; Symbol: ER_SLAVE_RELAY_LOG_TRUNCATE_INFO; SQLSTATE: HY000

  Message: Relaylog file %s size was %llu, but was truncated at %llu.

  ER_SLAVE_RELAY_LOG_TRUNCATE_INFO was added in 8.0.4, removed after 8.0.32.

- Error number: MY-010960; Symbol: ER_REPLICA_RELAY_LOG_TRUNCATE_INFO; SQLSTATE: HY000

  Message: Relaylog file %s size was %llu, but was truncated at %llu.

  ER_REPLICA_RELAY_LOG_TRUNCATE_INFO was added in 8.0.33.

- Error number: MY-010961; Symbol: ER_SLAVE_RELAY_LOG_PURGE_FAILED; SQLSTATE: HY000

  Message: Unable to purge relay log files. %s:%s.

  ER_SLAVE_RELAY_LOG_PURGE_FAILED was added in 8.0.4, removed after 8.0.32.

- Error number: MY-010961; Symbol: ER_REPLICA_RELAY_LOG_PURGE_FAILED; SQLSTATE: HY000

  Message: Unable to purge relay log files. %s:%s.

  ER_REPLICA_RELAY_LOG_PURGE_FAILED was added in 8.0.33.

- Error number: MY-010962; Symbol: ER_RPL_SLAVE_FILTER_CREATE_FAILED; SQLSTATE: HY000

  Message: Slave: failed in creating filter for channel '%s'.

  ER_RPL_SLAVE_FILTER_CREATE_FAILED was added in 8.0.4, removed after 8.0.32.

- Error number: MY-010962; Symbol: ER_RPL_REPLICA_FILTER_CREATE_FAILED; SQLSTATE: HY000

  Message: Replica: failed in creating filter for channel '%s'.

  ER_RPL_REPLICA_FILTER_CREATE_FAILED was added in 8.0.33.

- Error number: MY-010963; Symbol: ER_RPL_SLAVE_GLOBAL_FILTERS_COPY_FAILED; SQLSTATE: HY000

  Message: Slave: failed in copying the global filters to its own per-channel filters on configuration for channel '%s'.

  ER_RPL_SLAVE_GLOBAL_FILTERS_COPY_FAILED was added in 8.0.4, removed after 8.0.32.

- Error number: MY-010963; Symbol: ER_RPL_REPLICA_GLOBAL_FILTERS_COPY_FAILED; SQLSTATE: HY000

  Message: Replica: failed in copying the global filters to its own per-channel filters on configuration for channel '%s'.

  ER_RPL_REPLICA_GLOBAL_FILTERS_COPY_FAILED was added in 8.0.33.

- Error number: MY-010964; Symbol: ER_RPL_SLAVE_RESET_FILTER_OPTIONS; SQLSTATE: HY000

  Message: There are per-channel replication filter(s) configured for channel '%s' which does not exist. The filter(s) have been discarded.

  ER_RPL_SLAVE_RESET_FILTER_OPTIONS was added in 8.0.4, removed after 8.0.32.

- Error number: MY-010964; Symbol: ER_RPL_REPLICA_RESET_FILTER_OPTIONS; SQLSTATE: HY000

  Message: There are per-channel replication filter(s) configured for channel '%s' which does not exist. The filter(s) have been discarded.

  ER_RPL_REPLICA_RESET_FILTER_OPTIONS was added in 8.0.33.

- Error number: MY-010965; Symbol: ER_MISSING_GRANT_SYSTEM_TABLE; SQLSTATE: HY000

  Message: The system table mysql.global_grants is missing. Please perform the MySQL upgrade procedure.

  ER_MISSING_GRANT_SYSTEM_TABLE was added in 8.0.4.

- Error number: MY-010966; Symbol: ER_MISSING_ACL_SYSTEM_TABLE; SQLSTATE: HY000

  Message: ACL table mysql.%.*s missing. Some operations may fail.

  ER_MISSING_ACL_SYSTEM_TABLE was added in 8.0.4.

- Error number: MY-010967; Symbol: ER_ANONYMOUS_AUTH_ID_NOT_ALLOWED_IN_MANDATORY_ROLES; SQLSTATE: HY000

  Message: Can't set mandatory_role %s@%s: Anonymous authorization IDs are not allowed as roles.

  ER_ANONYMOUS_AUTH_ID_NOT_ALLOWED_IN_MANDATORY_ROLES was added in 8.0.4.

- Error number: MY-010968; Symbol: ER_UNKNOWN_AUTH_ID_IN_MANDATORY_ROLE; SQLSTATE: HY000

  Message: Can't set mandatory_role: There's no such authorization ID %s@%s.

  ER_UNKNOWN_AUTH_ID_IN_MANDATORY_ROLE was added in 8.0.4.

- Error number: MY-010969; Symbol: ER_WRITE_ROW_TO_PARTITION_FAILED; SQLSTATE: HY000

  Message: Table '%s' failed to move/insert a row from part %d into part %d: %s.

  ER_WRITE_ROW_TO_PARTITION_FAILED was added in 8.0.4.

- Error number: MY-010970; Symbol: ER_RESOURCE_GROUP_METADATA_UPDATE_SKIPPED; SQLSTATE: HY000

  Message: Skipped updating resource group metadata in InnoDB read only mode.

  ER_RESOURCE_GROUP_METADATA_UPDATE_SKIPPED was added in 8.0.4.

- Error number: MY-010971; Symbol: ER_FAILED_TO_PERSIST_RESOURCE_GROUP_METADATA; SQLSTATE: HY000

  Message: Failed to persist resource group %s to Data Dictionary.

  ER_FAILED_TO_PERSIST_RESOURCE_GROUP_METADATA was added in 8.0.4.

- Error number: MY-010972; Symbol: ER_FAILED_TO_DESERIALIZE_RESOURCE_GROUP; SQLSTATE: HY000

  Message: Failed to deserialize resource group %s.

  ER_FAILED_TO_DESERIALIZE_RESOURCE_GROUP was added in 8.0.4.

- Error number: MY-010973; Symbol: ER_FAILED_TO_UPDATE_RESOURCE_GROUP; SQLSTATE: HY000

  Message: Update of resource group %s failed.

  ER_FAILED_TO_UPDATE_RESOURCE_GROUP was added in 8.0.4.

- Error number: MY-010974; Symbol: ER_RESOURCE_GROUP_VALIDATION_FAILED; SQLSTATE: HY000

  Message: Validation of resource group %s failed. Resource group is disabled.

  ER_RESOURCE_GROUP_VALIDATION_FAILED was added in 8.0.4.

- Error number: MY-010975; Symbol: ER_FAILED_TO_ALLOCATE_MEMORY_FOR_RESOURCE_GROUP; SQLSTATE: HY000

  Message: Unable to allocate memory for Resource Group %s.

  ER_FAILED_TO_ALLOCATE_MEMORY_FOR_RESOURCE_GROUP was added in 8.0.4.

- Error number: MY-010976; Symbol: ER_FAILED_TO_ALLOCATE_MEMORY_FOR_RESOURCE_GROUP_HASH; SQLSTATE: HY000

  Message: Failed to allocate memory for resource group hash.

  ER_FAILED_TO_ALLOCATE_MEMORY_FOR_RESOURCE_GROUP_HASH was added in 8.0.4.

- Error number: MY-010977; Symbol: ER_FAILED_TO_ADD_RESOURCE_GROUP_TO_MAP; SQLSTATE: HY000

  Message: Failed to add resource group %s to resource group map.

  ER_FAILED_TO_ADD_RESOURCE_GROUP_TO_MAP was added in 8.0.4.

- Error number: MY-010978; Symbol: ER_RESOURCE_GROUP_IS_DISABLED; SQLSTATE: HY000

  Message: Resource group feature is disabled. (Server is compiled with DISABLE_PSI_THREAD).

  ER_RESOURCE_GROUP_IS_DISABLED was added in 8.0.4.

- Error number: MY-010979; Symbol: ER_FAILED_TO_APPLY_RESOURCE_GROUP_CONTROLLER; SQLSTATE: HY000

  Message: Unable to apply resource group controller %s.

  ER_FAILED_TO_APPLY_RESOURCE_GROUP_CONTROLLER was added in 8.0.4.

- Error number: MY-010980; Symbol: ER_FAILED_TO_ACQUIRE_LOCK_ON_RESOURCE_GROUP; SQLSTATE: HY000

  Message: Unable to acquire lock on the resource group %s. Hint to switch resource group shall be ignored.

  ER_FAILED_TO_ACQUIRE_LOCK_ON_RESOURCE_GROUP was added in 8.0.4.

- Error number: MY-010981; Symbol: ER_PFS_NOTIFICATION_FUNCTION_REGISTER_FAILED; SQLSTATE: HY000

  Message: PFS %s notification function registration failed.

  ER_PFS_NOTIFICATION_FUNCTION_REGISTER_FAILED was added in 8.0.4.

- Error number: MY-010982; Symbol: ER_RES_GRP_SET_THR_AFFINITY_FAILED; SQLSTATE: HY000

  Message: Unable to bind thread id %llu to cpu id %u (error code %d - %s).

ER_RES_GRP_SET_THR_AFFINITY_FAILED was added in 8.0.4.

- Error number: MY-010983; Symbol: ER_RES_GRP_SET_THR_AFFINITY_TO_CPUS_FAILED; SQLSTATE: HY000

  Message: Unable to bind thread id %llu to cpu ids (error code %d - %s).

  ER_RES_GRP_SET_THR_AFFINITY_TO_CPUS_FAILED was added in 8.0.4.

- Error number: MY-010984; Symbol: ER_RES_GRP_THD_UNBIND_FROM_CPU_FAILED; SQLSTATE: HY000

  Message: Unbind thread id %llu failed. (error code %d - %s).

  ER_RES_GRP_THD_UNBIND_FROM_CPU_FAILED was added in 8.0.4.

- Error number: MY-010985; Symbol: ER_RES_GRP_SET_THREAD_PRIORITY_FAILED; SQLSTATE: HY000

  Message: Setting thread priority %d to thread id %llu failed. (error code %d - %s).

  ER_RES_GRP_SET_THREAD_PRIORITY_FAILED was added in 8.0.4.

- Error number: MY-010986; Symbol: ER_RES_GRP_FAILED_TO_DETERMINE_NICE_CAPABILITY; SQLSTATE: HY000

  Message: Unable to determine CAP_SYS_NICE capability.

  ER_RES_GRP_FAILED_TO_DETERMINE_NICE_CAPABILITY was added in 8.0.4.

- Error number: MY-010987; Symbol: ER_RES_GRP_FAILED_TO_GET_THREAD_HANDLE; SQLSTATE: HY000

  Message: %s failed: Failed to get handle for thread %llu.

  ER_RES_GRP_FAILED_TO_GET_THREAD_HANDLE was added in 8.0.4.

- Error number: MY-010988; Symbol: ER_RES_GRP_GET_THREAD_PRIO_NOT_SUPPORTED; SQLSTATE: HY000

  Message: Retrieval of thread priority unsupported on %s.

  ER_RES_GRP_GET_THREAD_PRIO_NOT_SUPPORTED was added in 8.0.4.

- Error number: MY-010989; Symbol: ER_RES_GRP_FAILED_DETERMINE_CPU_COUNT; SQLSTATE: HY000

  Message: Unable to determine the number of CPUs.

  ER_RES_GRP_FAILED_DETERMINE_CPU_COUNT was added in 8.0.4.

- Error number: MY-010990; Symbol: ER_RES_GRP_FEATURE_NOT_AVAILABLE; SQLSTATE: HY000

  Message: Resource group feature shall not be available. Incompatible thread handling option.

  ER_RES_GRP_FEATURE_NOT_AVAILABLE was added in 8.0.4.

- Error number: MY-010991; Symbol: ER_RES_GRP_INVALID_THREAD_PRIORITY; SQLSTATE: HY000

Message: Invalid thread priority %d for a %s resource group. Allowed range is [%d, %d].

ER_RES_GRP_INVALID_THREAD_PRIORITY was added in 8.0.4.

- Error number: MY-010992; Symbol: ER_RES_GRP_SOLARIS_PROCESSOR_BIND_TO_CPUID_FAILED; SQLSTATE: HY000

  Message: bind_to_cpu failed: processor_bind for cpuid %u failed (error code %d - %s).

  ER_RES_GRP_SOLARIS_PROCESSOR_BIND_TO_CPUID_FAILED was added in 8.0.4.

- Error number: MY-010993; Symbol: ER_RES_GRP_SOLARIS_PROCESSOR_BIND_TO_THREAD_FAILED; SQLSTATE: HY000

  Message: bind_to_cpu failed: processor_bind for thread %%llx with cpu id %u (error code %d - %s).

  ER_RES_GRP_SOLARIS_PROCESSOR_BIND_TO_THREAD_FAILED was added in 8.0.4.

- Error number: MY-010994; Symbol: ER_RES_GRP_SOLARIS_PROCESSOR_AFFINITY_FAILED; SQLSTATE: HY000

  Message: %s failed: processor_affinity failed (error code %d - %s).

  ER_RES_GRP_SOLARIS_PROCESSOR_AFFINITY_FAILED was added in 8.0.4.

- Error number: MY-010995; Symbol: ER_DD_UPGRADE_RENAME_IDX_STATS_FILE_FAILED; SQLSTATE: HY000

  Message: Error in renaming mysql_index_stats.ibd.

  ER_DD_UPGRADE_RENAME_IDX_STATS_FILE_FAILED was added in 8.0.4.

- Error number: MY-010996; Symbol: ER_DD_UPGRADE_DD_OPEN_FAILED; SQLSTATE: HY000

  Message: Error in opening data directory %s.

  ER_DD_UPGRADE_DD_OPEN_FAILED was added in 8.0.4.

- Error number: MY-010997; Symbol: ER_DD_UPGRADE_FAILED_TO_FETCH_TABLESPACES; SQLSTATE: HY000

  Message: Error in fetching list of tablespaces.

  ER_DD_UPGRADE_FAILED_TO_FETCH_TABLESPACES was added in 8.0.4.

- Error number: MY-010998; Symbol: ER_DD_UPGRADE_FAILED_TO_ACQUIRE_TABLESPACE; SQLSTATE: HY000

  Message: Error in acquiring Tablespace for SDI insertion %s.

  ER_DD_UPGRADE_FAILED_TO_ACQUIRE_TABLESPACE was added in 8.0.4.

- Error number: MY-010999; Symbol: ER_DD_UPGRADE_FAILED_TO_RESOLVE_TABLESPACE_ENGINE; SQLSTATE: HY000

  Message: Error in resolving Engine name for tablespace %s with engine %s.

  ER_DD_UPGRADE_FAILED_TO_RESOLVE_TABLESPACE_ENGINE was added in 8.0.4.

- Error number: MY-011000; Symbol: ER_FAILED_TO_CREATE_SDI_FOR_TABLESPACE; SQLSTATE: HY000

  Message: Error in creating SDI for %s tablespace.

  ER_FAILED_TO_CREATE_SDI_FOR_TABLESPACE was added in 8.0.4.

- Error number: MY-011001; Symbol: ER_FAILED_TO_STORE_SDI_FOR_TABLESPACE; SQLSTATE: HY000

  Message: Error in storing SDI for %s tablespace.

  ER_FAILED_TO_STORE_SDI_FOR_TABLESPACE was added in 8.0.4.

- Error number: MY-011002; Symbol: ER_DD_UPGRADE_FAILED_TO_FETCH_TABLES; SQLSTATE: HY000

  Message: Error in fetching list of tables.

  ER_DD_UPGRADE_FAILED_TO_FETCH_TABLES was added in 8.0.4.

- Error number: MY-011003; Symbol: ER_DD_UPGRADE_DD_POPULATED; SQLSTATE: HY000

  Message: Finished populating Data Dictionary tables with data.

  ER_DD_UPGRADE_DD_POPULATED was added in 8.0.4.

- Error number: MY-011004; Symbol: ER_DD_UPGRADE_INFO_FILE_OPEN_FAILED; SQLSTATE: HY000

  Message: Could not open the upgrade info file '%s' in the MySQL servers datadir, errno: %d.

  ER_DD_UPGRADE_INFO_FILE_OPEN_FAILED was added in 8.0.4.

- Error number: MY-011005; Symbol: ER_DD_UPGRADE_INFO_FILE_CLOSE_FAILED; SQLSTATE: HY000

  Message: Could not close the upgrade info file '%s' in the MySQL servers datadir, errno: %d.

  ER_DD_UPGRADE_INFO_FILE_CLOSE_FAILED was added in 8.0.4.

- Error number: MY-011006; Symbol: ER_DD_UPGRADE_TABLESPACE_MIGRATION_FAILED; SQLSTATE: HY000

  Message: Got error %d from SE while migrating tablespaces.

  ER_DD_UPGRADE_TABLESPACE_MIGRATION_FAILED was added in 8.0.4.

- Error number: MY-011007; Symbol: ER_DD_UPGRADE_FAILED_TO_CREATE_TABLE_STATS; SQLSTATE: HY000

  Message: Error in creating TABLE statistics entry. Fix statistics data by using ANALYZE command.

  ER_DD_UPGRADE_FAILED_TO_CREATE_TABLE_STATS was added in 8.0.4.

- Error number: MY-011008; Symbol: ER_DD_UPGRADE_TABLE_STATS_MIGRATE_COMPLETED; SQLSTATE: HY000

  Message: Finished migrating TABLE statistics data.

ER_DD_UPGRADE_TABLE_STATS_MIGRATE_COMPLETED was added in 8.0.4.

- Error number: MY-011009; Symbol: ER_DD_UPGRADE_FAILED_TO_CREATE_INDEX_STATS; SQLSTATE: HY000

  Message: Error in creating Index statistics entry. Fix statistics data by using ANALYZE command.

  ER_DD_UPGRADE_FAILED_TO_CREATE_INDEX_STATS was added in 8.0.4.

- Error number: MY-011010; Symbol: ER_DD_UPGRADE_INDEX_STATS_MIGRATE_COMPLETED; SQLSTATE: HY000

  Message: Finished migrating INDEX statistics data.

  ER_DD_UPGRADE_INDEX_STATS_MIGRATE_COMPLETED was added in 8.0.4.

- Error number: MY-011011; Symbol: ER_DD_UPGRADE_FAILED_FIND_VALID_DATA_DIR; SQLSTATE: HY000

  Message: Failed to find valid data directory.

  ER_DD_UPGRADE_FAILED_FIND_VALID_DATA_DIR was added in 8.0.4.

- Error number: MY-011012; Symbol: ER_DD_UPGRADE_START; SQLSTATE: HY000

  Message: Starting upgrade of data directory.

  ER_DD_UPGRADE_START was added in 8.0.4.

- Error number: MY-011013; Symbol: ER_DD_UPGRADE_FAILED_INIT_DD_SE; SQLSTATE: HY000

  Message: Failed to initialize DD Storage Engine.

  ER_DD_UPGRADE_FAILED_INIT_DD_SE was added in 8.0.4.

- Error number: MY-011014; Symbol: ER_DD_UPGRADE_FOUND_PARTIALLY_UPGRADED_DD_ABORT; SQLSTATE: HY000

  Message: Found partially upgraded DD. Aborting upgrade and deleting all DD tables. Start the upgrade process again.

  ER_DD_UPGRADE_FOUND_PARTIALLY_UPGRADED_DD_ABORT was added in 8.0.4.

- Error number: MY-011015; Symbol: ER_DD_UPGRADE_FOUND_PARTIALLY_UPGRADED_DD_CONTINUE; SQLSTATE: HY000

  Message: Found partially upgraded DD. Upgrade will continue and start the server.

  ER_DD_UPGRADE_FOUND_PARTIALLY_UPGRADED_DD_CONTINUE was added in 8.0.4.

- Error number: MY-011016; Symbol: ER_DD_UPGRADE_SE_LOGS_FAILED; SQLSTATE: HY000

  Message: Error in upgrading engine logs.

  ER_DD_UPGRADE_SE_LOGS_FAILED was added in 8.0.4.

- Error number: MY-011017; Symbol: ER_DD_UPGRADE_SDI_INFO_UPDATE_FAILED; SQLSTATE: HY000

Message: Error in updating SDI information.

ER_DD_UPGRADE_SDI_INFO_UPDATE_FAILED was added in 8.0.4.

- Error number: MY-011018; Symbol: ER_SKIP_UPDATING_METADATA_IN_SE_RO_MODE; SQLSTATE: HY000

  Message: Skip updating %s metadata in InnoDB read-only mode.

  ER_SKIP_UPDATING_METADATA_IN_SE_RO_MODE was added in 8.0.4.

- Error number: MY-011019; Symbol: ER_CREATED_SYSTEM_WITH_VERSION; SQLSTATE: HY000

  Message: Created system views with I_S version %d.

  ER_CREATED_SYSTEM_WITH_VERSION was added in 8.0.4.

- Error number: MY-011020; Symbol: ER_UNKNOWN_ERROR_DETECTED_IN_SE; SQLSTATE: HY000

  Message: Unknown error detected %d in handler.

  ER_UNKNOWN_ERROR_DETECTED_IN_SE was added in 8.0.4.

- Error number: MY-011021; Symbol: ER_READ_LOG_EVENT_FAILED; SQLSTATE: HY000

  Message: Error in Log_event::read_log_event(): '%s', data_len: %lu, event_type: %d.

  ER_READ_LOG_EVENT_FAILED was added in 8.0.4.

- Error number: MY-011022; Symbol: ER_ROW_DATA_TOO_BIG_TO_WRITE_IN_BINLOG; SQLSTATE: HY000

  Message: The row data is greater than 4GB, which is too big to write to the binary log.

  ER_ROW_DATA_TOO_BIG_TO_WRITE_IN_BINLOG was added in 8.0.4.

- Error number: MY-011023; Symbol: ER_FAILED_TO_CONSTRUCT_DROP_EVENT_QUERY; SQLSTATE: HY000

  Message: Unable to construct DROP EVENT SQL query string.

  ER_FAILED_TO_CONSTRUCT_DROP_EVENT_QUERY was added in 8.0.4.

- Error number: MY-011024; Symbol: ER_FAILED_TO_BINLOG_DROP_EVENT; SQLSTATE: HY000

  Message: Unable to binlog drop event %s.%s.

  ER_FAILED_TO_BINLOG_DROP_EVENT was added in 8.0.4.

- Error number: MY-011025; Symbol: ER_FAILED_TO_START_SLAVE_THREAD; SQLSTATE: HY000

  Message: Failed to start slave threads for channel '%s'.

  ER_FAILED_TO_START_SLAVE_THREAD was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011025; Symbol: ER_FAILED_TO_START_REPLICA_THREAD; SQLSTATE: HY000

  Message: Failed to start replica threads for channel '%s'.

ER_FAILED_TO_START_REPLICA_THREAD was added in 8.0.33.

- Error number: MY-011026; Symbol: ER_RPL_IO_THREAD_KILLED; SQLSTATE: HY000

  Message: %s%s.

  ER_RPL_IO_THREAD_KILLED was added in 8.0.4.

- Error number: MY-011027; Symbol: ER_SLAVE_RECONNECT_FAILED; SQLSTATE: HY000

  Message: Failed registering on master, reconnecting to try again, log '%s' at position %s. %s.

  ER_SLAVE_RECONNECT_FAILED was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011027; Symbol: ER_REPLICA_RECONNECT_FAILED; SQLSTATE: HY000

  Message: Failed registering on source, reconnecting to try again, log '%s' at position %s. %s.

  ER_REPLICA_RECONNECT_FAILED was added in 8.0.33.

- Error number: MY-011028; Symbol: ER_SLAVE_KILLED_AFTER_RECONNECT; SQLSTATE: HY000

  Message: Slave I/O thread killed during or after reconnect.

  ER_SLAVE_KILLED_AFTER_RECONNECT was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011028; Symbol: ER_REPLICA_KILLED_AFTER_RECONNECT; SQLSTATE: HY000

  Message: Replica I/O thread killed during or after reconnect.

  ER_REPLICA_KILLED_AFTER_RECONNECT was added in 8.0.33.

- Error number: MY-011029; Symbol: ER_SLAVE_NOT_STARTED_ON_SOME_CHANNELS; SQLSTATE: HY000

  Message: Some of the channels are not created/initialized properly. Check for additional messages above. You will not be able to start replication on those channels until the issue is resolved and the server restarted.

  ER_SLAVE_NOT_STARTED_ON_SOME_CHANNELS was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011029; Symbol: ER_REPLICA_NOT_STARTED_ON_SOME_CHANNELS; SQLSTATE: HY000

  Message: Some of the channels are not created/initialized properly. Check for additional messages above. You will not be able to start replication on those channels until the issue is resolved and the server restarted.

  ER_REPLICA_NOT_STARTED_ON_SOME_CHANNELS was added in 8.0.33.

- Error number: MY-011030; Symbol: ER_FAILED_TO_ADD_RPL_FILTER; SQLSTATE: HY000

  Message: Failed to add a replication filter into filter map for channel '%s'.

  ER_FAILED_TO_ADD_RPL_FILTER was added in 8.0.4.

- Error number: MY-011031; Symbol: ER_PER_CHANNEL_RPL_FILTER_CONF_FOR_GRP_RPL; SQLSTATE: HY000

Message: There are per-channel replication filter(s) configured for group replication channel '%s' which is disallowed. The filter(s) have been discarded.

`ER_PER_CHANNEL_RPL_FILTER_CONF_FOR_GRP_RPL` was added in 8.0.4.

- Error number: `MY-011032`; Symbol: `ER_RPL_FILTERS_NOT_ATTACHED_TO_CHANNEL`; SQLSTATE: `HY000`

  Message: There are per-channel replication filter(s) configured for channel '%s' which does not exist. The filter(s) have been discarded.

  `ER_RPL_FILTERS_NOT_ATTACHED_TO_CHANNEL` was added in 8.0.4.

- Error number: `MY-011033`; Symbol: `ER_FAILED_TO_BUILD_DO_AND_IGNORE_TABLE_HASHES`; SQLSTATE: `HY000`

  Message: An error occurred while building do_table and ignore_table rules to hashes for per-channel filter.

  `ER_FAILED_TO_BUILD_DO_AND_IGNORE_TABLE_HASHES` was added in 8.0.4.

- Error number: `MY-011034`; Symbol: `ER_CLONE_PLUGIN_NOT_LOADED`; SQLSTATE: `HY000`

  Message: Clone plugin not loaded.

  `ER_CLONE_PLUGIN_NOT_LOADED` was added in 8.0.4, removed after 8.0.16.

- Error number: `MY-011034`; Symbol: `ER_CLONE_PLUGIN_NOT_LOADED_TRACE`; SQLSTATE: `HY000`

  Message: Clone plugin cannot be loaded.

  `ER_CLONE_PLUGIN_NOT_LOADED_TRACE` was added in 8.0.17.

- Error number: `MY-011035`; Symbol: `ER_CLONE_HANDLER_EXISTS`; SQLSTATE: `HY000`

  Message: Clone Handler exists.

  `ER_CLONE_HANDLER_EXISTS` was added in 8.0.4, removed after 8.0.16.

- Error number: `MY-011035`; Symbol: `ER_CLONE_HANDLER_EXIST_TRACE`; SQLSTATE: `HY000`

  Message: Clone Handler exists.

  `ER_CLONE_HANDLER_EXIST_TRACE` was added in 8.0.17.

- Error number: `MY-011036`; Symbol: `ER_FAILED_TO_CREATE_CLONE_HANDLER`; SQLSTATE: `HY000`

  Message: Could not create Clone Handler.

  `ER_FAILED_TO_CREATE_CLONE_HANDLER` was added in 8.0.4, removed after 8.0.16.

- Error number: `MY-011036`; Symbol: `ER_CLONE_CREATE_HANDLER_FAIL_TRACE`; SQLSTATE: `HY000`

  Message: Could not create Clone Handler.

  `ER_CLONE_CREATE_HANDLER_FAIL_TRACE` was added in 8.0.17.

- Error number: `MY-011037`; Symbol: `ER_CYCLE_TIMER_IS_NOT_AVAILABLE`; SQLSTATE: `HY000`

Message: The CYCLE timer is not available. WAIT events in the performance_schema will not be timed.

ER_CYCLE_TIMER_IS_NOT_AVAILABLE was added in 8.0.4.

- Error number: MY-011038; Symbol: ER_NANOSECOND_TIMER_IS_NOT_AVAILABLE; SQLSTATE: HY000

  Message: The NANOSECOND timer is not available. IDLE/STAGE/STATEMENT/TRANSACTION events in the performance_schema will not be timed.

  ER_NANOSECOND_TIMER_IS_NOT_AVAILABLE was added in 8.0.4.

- Error number: MY-011039; Symbol: ER_MICROSECOND_TIMER_IS_NOT_AVAILABLE; SQLSTATE: HY000

  Message: The MICROSECOND timer is not available. IDLE/STAGE/STATEMENT/TRANSACTION events in the performance_schema will not be timed.

  ER_MICROSECOND_TIMER_IS_NOT_AVAILABLE was added in 8.0.4.

- Error number: MY-011040; Symbol: ER_PFS_MALLOC_ARRAY_OVERFLOW; SQLSTATE: HY000

  Message: Failed to allocate memory for %zu chunks each of size %zu for buffer '%s' due to overflow.

  ER_PFS_MALLOC_ARRAY_OVERFLOW was added in 8.0.4.

- Error number: MY-011041; Symbol: ER_PFS_MALLOC_ARRAY_OOM; SQLSTATE: HY000

  Message: Failed to allocate %zu bytes for buffer '%s' due to out-of-memory.

  ER_PFS_MALLOC_ARRAY_OOM was added in 8.0.4.

- Error number: MY-011042; Symbol: ER_INNODB_FAILED_TO_FIND_IDX_WITH_KEY_NO; SQLSTATE: HY000

  Message: InnoDB could not find index %s key no %u for table %s through its index translation table.

  ER_INNODB_FAILED_TO_FIND_IDX_WITH_KEY_NO was added in 8.0.4.

- Error number: MY-011043; Symbol: ER_INNODB_FAILED_TO_FIND_IDX; SQLSTATE: HY000

  Message: Cannot find index %s in InnoDB index translation table.

  ER_INNODB_FAILED_TO_FIND_IDX was added in 8.0.4.

- Error number: MY-011044; Symbol: ER_INNODB_FAILED_TO_FIND_IDX_FROM_DICT_CACHE; SQLSTATE: HY000

  Message: InnoDB could not find key no %u with name %s from dict cache for table %s.

  ER_INNODB_FAILED_TO_FIND_IDX_FROM_DICT_CACHE was added in 8.0.4.

- Error number: MY-011045; Symbol: ER_INNODB_ACTIVE_INDEX_CHANGE_FAILED; SQLSTATE: HY000

  Message: InnoDB: change_active_index(%u) failed.

  ER_INNODB_ACTIVE_INDEX_CHANGE_FAILED was added in 8.0.4.

- Error number: MY-011046; Symbol: ER_INNODB_DIFF_IN_REF_LEN; SQLSTATE: HY000

  Message: Stored ref len is %lu, but table ref len is %lu.

  ER_INNODB_DIFF_IN_REF_LEN was added in 8.0.4.

- Error number: MY-011047; Symbol: ER_WRONG_TYPE_FOR_COLUMN_PREFIX_IDX_FLD; SQLSTATE: HY000

  Message: MySQL is trying to create a column prefix index field, on an inappropriate data type. Table name %s, column name %s.

  ER_WRONG_TYPE_FOR_COLUMN_PREFIX_IDX_FLD was added in 8.0.4.

- Error number: MY-011048; Symbol: ER_INNODB_CANNOT_CREATE_TABLE; SQLSTATE: HY000

  Message: Cannot create table %s.

  ER_INNODB_CANNOT_CREATE_TABLE was added in 8.0.4.

- Error number: MY-011049; Symbol: ER_INNODB_INTERNAL_INDEX; SQLSTATE: HY000

  Message: Found index %s in InnoDB index list but not its MySQL index number. It could be an InnoDB internal index.

  ER_INNODB_INTERNAL_INDEX was added in 8.0.4.

- Error number: MY-011050; Symbol: ER_INNODB_IDX_CNT_MORE_THAN_DEFINED_IN_MYSQL; SQLSTATE: HY000

  Message: InnoDB: Table %s contains %lu indexes inside InnoDB, which is different from the number of indexes %u defined in MySQL.

  ER_INNODB_IDX_CNT_MORE_THAN_DEFINED_IN_MYSQL was added in 8.0.4.

- Error number: MY-011051; Symbol: ER_INNODB_IDX_CNT_FEWER_THAN_DEFINED_IN_MYSQL; SQLSTATE: HY000

  Message: Table %s contains fewer indexes inside InnoDB than are defined in the MySQL. Have you mixed up with data dictionary from different installation?

  ER_INNODB_IDX_CNT_FEWER_THAN_DEFINED_IN_MYSQL was added in 8.0.4.

- Error number: MY-011052; Symbol: ER_INNODB_IDX_COLUMN_CNT_DIFF; SQLSTATE: HY000

  Message: Index %s of %s has %lu columns unique inside InnoDB, but MySQL is asking statistics for %lu columns. Have you mixed data dictionary from different installation?

  ER_INNODB_IDX_COLUMN_CNT_DIFF was added in 8.0.4.

- Error number: MY-011053; Symbol: ER_INNODB_USE_MONITOR_GROUP_NAME; SQLSTATE: HY000

  Message: Monitor counter '%s' cannot be turned on/off individually. Please use its module name to turn on/off the counters in the module as a group.

  ER_INNODB_USE_MONITOR_GROUP_NAME was added in 8.0.4.

- Error number: MY-011054; Symbol: ER_INNODB_MONITOR_DEFAULT_VALUE_NOT_DEFINED; SQLSTATE: HY000

Message: Default value is not defined for this set option. Please specify correct counter or module name.

ER_INNODB_MONITOR_DEFAULT_VALUE_NOT_DEFINED was added in 8.0.4.

- Error number: MY-011055; Symbol: ER_INNODB_MONITOR_IS_ENABLED; SQLSTATE: HY000

  Message: InnoDB: Monitor %s is already enabled.

  ER_INNODB_MONITOR_IS_ENABLED was added in 8.0.4.

- Error number: MY-011056; Symbol: ER_INNODB_INVALID_MONITOR_COUNTER_NAME; SQLSTATE: HY000

  Message: Invalid monitor counter : %s.

  ER_INNODB_INVALID_MONITOR_COUNTER_NAME was added in 8.0.4.

- Error number: MY-011057; Symbol: ER_WIN_LOAD_LIBRARY_FAILED; SQLSTATE: HY000

  Message: LoadLibrary("%s") failed: GetLastError returns %lu.

  ER_WIN_LOAD_LIBRARY_FAILED was added in 8.0.4.

- Error number: MY-011058; Symbol: ER_PARTITION_HANDLER_ADMIN_MSG; SQLSTATE: HY000

  Message: %s.

  ER_PARTITION_HANDLER_ADMIN_MSG was added in 8.0.4.

- Error number: MY-011059; Symbol: ER_RPL_RLI_INIT_INFO_MSG; SQLSTATE: HY000

  Message: %s.

  ER_RPL_RLI_INIT_INFO_MSG was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011059; Symbol: ER_RPL_AM_INIT_INFO_MSG; SQLSTATE: HY000

  Message: %s.

  ER_RPL_AM_INIT_INFO_MSG was added in 8.0.33.

- Error number: MY-011060; Symbol: ER_DD_UPGRADE_TABLE_INTACT_ERROR; SQLSTATE: HY000

  Message: %s.

  ER_DD_UPGRADE_TABLE_INTACT_ERROR was added in 8.0.4.

- Error number: MY-011061; Symbol: ER_SERVER_INIT_COMPILED_IN_COMMANDS; SQLSTATE: HY000

  Message: %s.

  ER_SERVER_INIT_COMPILED_IN_COMMANDS was added in 8.0.4.

- Error number: MY-011062; Symbol: ER_MYISAM_CHECK_METHOD_ERROR; SQLSTATE: HY000

  Message: %s.

  ER_MYISAM_CHECK_METHOD_ERROR was added in 8.0.4.

- Error number: MY-011063; Symbol: ER_MYISAM_CRASHED_ERROR; SQLSTATE: HY000

  Message: %s.

  ER_MYISAM_CRASHED_ERROR was added in 8.0.4.

- Error number: MY-011064; Symbol: ER_WAITPID_FAILED; SQLSTATE: HY000

  Message: Unable to wait for process %lld.

  ER_WAITPID_FAILED was added in 8.0.4.

- Error number: MY-011065; Symbol: ER_FAILED_TO_FIND_MYSQLD_STATUS; SQLSTATE: HY000

  Message: Unable to determine if daemon is running: %s (rc=%d).

  ER_FAILED_TO_FIND_MYSQLD_STATUS was added in 8.0.4.

- Error number: MY-011066; Symbol: ER_INNODB_ERROR_LOGGER_MSG; SQLSTATE: HY000

  Message: %s

  ER_INNODB_ERROR_LOGGER_MSG was added in 8.0.4.

- Error number: MY-011067; Symbol: ER_INNODB_ERROR_LOGGER_FATAL_MSG; SQLSTATE: HY000

  Message: [FATAL] InnoDB: %s

  ER_INNODB_ERROR_LOGGER_FATAL_MSG was added in 8.0.4.

- Error number: MY-011068; Symbol: ER_DEPRECATED_SYNTAX_WITH_REPLACEMENT; SQLSTATE: HY000

  Message: The syntax '%s' is deprecated and will be removed in a future release. Please use %s instead.

  ER_DEPRECATED_SYNTAX_WITH_REPLACEMENT was added in 8.0.4.

- Error number: MY-011069; Symbol: ER_DEPRECATED_SYNTAX_NO_REPLACEMENT; SQLSTATE: HY000

  Message: The syntax '%s' is deprecated and will be removed in a future release.

  ER_DEPRECATED_SYNTAX_NO_REPLACEMENT was added in 8.0.4.

- Error number: MY-011070; Symbol: ER_DEPRECATE_MSG_NO_REPLACEMENT; SQLSTATE: HY000

  Message: '%s' is deprecated and will be removed in a future release.

  ER_DEPRECATE_MSG_NO_REPLACEMENT was added in 8.0.4.

- Error number: MY-011071; Symbol: ER_LOG_PRINTF_MSG; SQLSTATE: HY000

  Message: %s

  ER_LOG_PRINTF_MSG was added in 8.0.4.

- Error number: MY-011072; Symbol: ER_BINLOG_LOGGING_NOT_POSSIBLE; SQLSTATE: HY000

  Message: Binary logging not possible. Message: %s.

ER_BINLOG_LOGGING_NOT_POSSIBLE was added in 8.0.4.

- Error number: MY-011073; Symbol: ER_FAILED_TO_SET_PERSISTED_OPTIONS; SQLSTATE: HY000

  Message: Failed to set persisted options.

  ER_FAILED_TO_SET_PERSISTED_OPTIONS was added in 8.0.4.

- Error number: MY-011074; Symbol: ER_COMPONENTS_FAILED_TO_ACQUIRE_SERVICE_IMPLEMENTATION; SQLSTATE: HY000

  Message: Cannot acquire specified service implementation: '%s'.

  ER_COMPONENTS_FAILED_TO_ACQUIRE_SERVICE_IMPLEMENTATION was added in 8.0.4.

- Error number: MY-011075; Symbol: ER_RES_GRP_INVALID_VCPU_RANGE; SQLSTATE: HY000

  Message: Invalid VCPU range %u-%u.

  ER_RES_GRP_INVALID_VCPU_RANGE was added in 8.0.4.

- Error number: MY-011076; Symbol: ER_RES_GRP_INVALID_VCPU_ID; SQLSTATE: HY000

  Message: Invalid cpu id %u.

  ER_RES_GRP_INVALID_VCPU_ID was added in 8.0.4.

- Error number: MY-011077; Symbol: ER_ERROR_DURING_FLUSH_LOG_COMMIT_PHASE; SQLSTATE: HY000

  Message: Got error %d during FLUSH_LOGS.

  ER_ERROR_DURING_FLUSH_LOG_COMMIT_PHASE was added in 8.0.4.

- Error number: MY-011078; Symbol: ER_DROP_DATABASE_FAILED_RMDIR_MANUALLY; SQLSTATE: HY000

  Message: Problem while dropping database. Can't remove database directory (%s). Please remove it manually.

  ER_DROP_DATABASE_FAILED_RMDIR_MANUALLY was added in 8.0.4.

- Error number: MY-011079; Symbol: ER_BINLOG_EXPIRAY_LOG_DAYS_AND_SECS_USED_TOGETHER; SQLSTATE: HY000

  Message: The option expire_logs_days cannot be used together with option binlog_expire_logs_seconds. Therefore, value of expire_logs_days is ignored.

  ER_BINLOG_EXPIRAY_LOG_DAYS_AND_SECS_USED_TOGETHER was added in 8.0.4, removed after 8.0.4.

- Error number: MY-011079; Symbol: ER_EXPIRE_LOGS_DAYS_IGNORED; SQLSTATE: HY000

  Message: The option expire_logs_days cannot be used together with option binlog_expire_logs_seconds. Therefore, value of expire_logs_days is ignored.

  ER_EXPIRE_LOGS_DAYS_IGNORED was added in 8.0.4.

- Error number: MY-011080; Symbol: ER_BINLOG_MALFORMED_OR_OLD_RELAY_LOG; SQLSTATE: HY000

  Message: malformed or very old relay log which does not have FormatDescriptor.

  ER_BINLOG_MALFORMED_OR_OLD_RELAY_LOG was added in 8.0.4.

- Error number: MY-011081; Symbol: ER_DD_UPGRADE_VIEW_COLUMN_NAME_TOO_LONG; SQLSTATE: HY000

  Message: Upgrade of view '%s.%s' failed. Re-create the view with the explicit column name lesser than 64 characters.

  ER_DD_UPGRADE_VIEW_COLUMN_NAME_TOO_LONG was added in 8.0.4.

- Error number: MY-011082; Symbol: ER_TABLE_NEEDS_DUMP_UPGRADE; SQLSTATE: HY000

  Message: Table upgrade required for `%s`.`%s`. Please dump/reload table to fix it!

  ER_TABLE_NEEDS_DUMP_UPGRADE was added in 8.0.4.

- Error number: MY-011083; Symbol: ER_DD_UPGRADE_FAILED_TO_UPDATE_VER_NO_IN_TABLESPACE; SQLSTATE: HY000

  Message: Error in updating version number in %s tablespace.

  ER_DD_UPGRADE_FAILED_TO_UPDATE_VER_NO_IN_TABLESPACE was added in 8.0.4.

- Error number: MY-011084; Symbol: ER_KEYRING_MIGRATION_FAILED; SQLSTATE: HY000

  Message: Keyring migration failed.

  ER_KEYRING_MIGRATION_FAILED was added in 8.0.4.

- Error number: MY-011085; Symbol: ER_KEYRING_MIGRATION_SUCCESSFUL; SQLSTATE: HY000

  Message: Keyring migration successful.

  ER_KEYRING_MIGRATION_SUCCESSFUL was added in 8.0.4.

- Error number: MY-011086; Symbol: ER_RESTART_RECEIVED_INFO; SQLSTATE: HY000

  Message: Received RESTART from user %s. Restarting mysqld (Version: %s).

  ER_RESTART_RECEIVED_INFO was added in 8.0.4.

- Error number: MY-011087; Symbol: ER_LCTN_CHANGED; SQLSTATE: HY000

  Message: Different lower_case_table_names settings for server ('%u') and data dictionary ('%u').

  ER_LCTN_CHANGED was added in 8.0.4.

- Error number: MY-011088; Symbol: ER_DD_INITIALIZE; SQLSTATE: HY000

  Message: Data dictionary initializing version '%u'.

  ER_DD_INITIALIZE was added in 8.0.4.

- Error number: MY-011089; Symbol: ER_DD_RESTART; SQLSTATE: HY000

Message: Data dictionary restarting version '%u'.

ER_DD_RESTART was added in 8.0.4.

- Error number: MY-011090; Symbol: ER_DD_UPGRADE; SQLSTATE: HY000

  Message: Data dictionary upgrading from version '%u' to '%u'.

  ER_DD_UPGRADE was added in 8.0.4.

- Error number: MY-011091; Symbol: ER_DD_UPGRADE_OFF; SQLSTATE: HY000

  Message: Data dictionary upgrade prohibited by the command line option '--no_dd_upgrade'.

  ER_DD_UPGRADE_OFF was added in 8.0.4.

- Error number: MY-011092; Symbol: ER_DD_UPGRADE_VERSION_NOT_SUPPORTED; SQLSTATE: HY000

  Message: Upgrading the data dictionary from dictionary version '%u' is not supported.

  ER_DD_UPGRADE_VERSION_NOT_SUPPORTED was added in 8.0.4.

- Error number: MY-011093; Symbol: ER_DD_UPGRADE_SCHEMA_UNAVAILABLE; SQLSTATE: HY000

  Message: Upgrading the data dictionary failed, temporary schema name '%s' not available.

  ER_DD_UPGRADE_SCHEMA_UNAVAILABLE was added in 8.0.4.

- Error number: MY-011094; Symbol: ER_DD_MINOR_DOWNGRADE; SQLSTATE: HY000

  Message: Data dictionary minor downgrade from version '%u' to '%u'.

  ER_DD_MINOR_DOWNGRADE was added in 8.0.4.

- Error number: MY-011095; Symbol: ER_DD_MINOR_DOWNGRADE_VERSION_NOT_SUPPORTED; SQLSTATE: HY000

  Message: Minor downgrade of the Data dictionary from dictionary version '%u' is not supported.

  ER_DD_MINOR_DOWNGRADE_VERSION_NOT_SUPPORTED was added in 8.0.4.

- Error number: MY-011096; Symbol: ER_DD_NO_VERSION_FOUND; SQLSTATE: HY000

  Message: No data dictionary version number found.

  ER_DD_NO_VERSION_FOUND was added in 8.0.4.

- Error number: MY-011097; Symbol: ER_THREAD_POOL_NOT_SUPPORTED_ON_PLATFORM; SQLSTATE: HY000

  Message: Thread pool not supported, requires a minimum of %s.

  ER_THREAD_POOL_NOT_SUPPORTED_ON_PLATFORM was added in 8.0.4.

- Error number: MY-011098; Symbol: ER_THREAD_POOL_SIZE_TOO_LOW; SQLSTATE: HY000

  Message: thread_pool_size=0 means thread pool disabled, Allowed range of thread_pool_size is %d-%d.

ER_THREAD_POOL_SIZE_TOO_LOW was added in 8.0.4.

- Error number: MY-011099; Symbol: ER_THREAD_POOL_SIZE_TOO_HIGH; SQLSTATE: HY000

  Message: thread_pool_size=%lu is too high, %d is maximum, thread pool is disabled. Allowed range of thread_pool_size is %d-%d.

  ER_THREAD_POOL_SIZE_TOO_HIGH was added in 8.0.4.

- Error number: MY-011100; Symbol: ER_THREAD_POOL_ALGORITHM_INVALID; SQLSTATE: HY000

  Message: thread_pool_algorithm can be set to 0 and 1, 0 indicates the default low concurrency algorithm, 1 means a high concurrency algorithm.

  ER_THREAD_POOL_ALGORITHM_INVALID was added in 8.0.4.

- Error number: MY-011101; Symbol: ER_THREAD_POOL_INVALID_STALL_LIMIT; SQLSTATE: HY000

  Message: thread_pool_stall_limit can be %d at minimum and %d at maximum, smaller values would render the thread pool fairly useless and higher values could make it possible to have undetected deadlock issues in the MySQL Server.

  ER_THREAD_POOL_INVALID_STALL_LIMIT was added in 8.0.4.

- Error number: MY-011102; Symbol: ER_THREAD_POOL_INVALID_PRIO_KICKUP_TIMER; SQLSTATE: HY000

  Message: Invalid value of thread_pool_prio_kickup_timer specified. Value of thread_pool_prio_kickup_timer should be in range 0-4294967294.

  ER_THREAD_POOL_INVALID_PRIO_KICKUP_TIMER was added in 8.0.4.

- Error number: MY-011103; Symbol: ER_THREAD_POOL_MAX_UNUSED_THREADS_INVALID; SQLSTATE: HY000

  Message: thread_pool_max_unused_threads cannot be set higher than %d.

  ER_THREAD_POOL_MAX_UNUSED_THREADS_INVALID was added in 8.0.4.

- Error number: MY-011104; Symbol: ER_THREAD_POOL_CON_HANDLER_INIT_FAILED; SQLSTATE: HY000

  Message: Failed to instantiate the connection handler object.

  ER_THREAD_POOL_CON_HANDLER_INIT_FAILED was added in 8.0.4.

- Error number: MY-011105; Symbol: ER_THREAD_POOL_INIT_FAILED; SQLSTATE: HY000

  Message: Failed to initialize thread pool plugin.

  ER_THREAD_POOL_INIT_FAILED was added in 8.0.4.

- Error number: MY-011107; Symbol: ER_THREAD_POOL_CANNOT_SET_THREAD_SPECIFIC_DATA; SQLSTATE: HY000

  Message: Can't setup connection teardown thread-specific data.

  ER_THREAD_POOL_CANNOT_SET_THREAD_SPECIFIC_DATA was added in 8.0.4.

- Error number: MY-011108; Symbol: ER_THREAD_POOL_FAILED_TO_CREATE_CONNECT_HANDLER_THD; SQLSTATE: HY000

  Message: Creation of connect handler thread failed.

  ER_THREAD_POOL_FAILED_TO_CREATE_CONNECT_HANDLER_THD was added in 8.0.4.

- Error number: MY-011109; Symbol: ER_THREAD_POOL_FAILED_TO_CREATE_THD_AND_AUTH_CONN; SQLSTATE: HY000

  Message: Failed to create thd and authenticate connection.

  ER_THREAD_POOL_FAILED_TO_CREATE_THD_AND_AUTH_CONN was added in 8.0.4.

- Error number: MY-011110; Symbol: ER_THREAD_POOL_FAILED_PROCESS_CONNECT_EVENT; SQLSTATE: HY000

  Message: Failed to process connection event.

  ER_THREAD_POOL_FAILED_PROCESS_CONNECT_EVENT was added in 8.0.4.

- Error number: MY-011111; Symbol: ER_THREAD_POOL_FAILED_TO_CREATE_POOL; SQLSTATE: HY000

  Message: Can't create pool thread (error %d, errno: %d).

  ER_THREAD_POOL_FAILED_TO_CREATE_POOL was added in 8.0.4.

- Error number: MY-011112; Symbol: ER_THREAD_POOL_RATE_LIMITED_ERROR_MSGS; SQLSTATE: HY000

  Message: %.*s.

  ER_THREAD_POOL_RATE_LIMITED_ERROR_MSGS was added in 8.0.4.

- Error number: MY-011113; Symbol: ER_TRHEAD_POOL_LOW_LEVEL_INIT_FAILED; SQLSTATE: HY000

  Message: tp_group_low_level_init() failed.

  ER_TRHEAD_POOL_LOW_LEVEL_INIT_FAILED was added in 8.0.4.

- Error number: MY-011114; Symbol: ER_THREAD_POOL_LOW_LEVEL_REARM_FAILED; SQLSTATE: HY000

  Message: Rearm failed even after 30 seconds, can't continue without notify socket.

  ER_THREAD_POOL_LOW_LEVEL_REARM_FAILED was added in 8.0.4.

- Error number: MY-011115; Symbol: ER_THREAD_POOL_BUFFER_TOO_SMALL; SQLSTATE: HY000

  Message: %s: %s buffer is too small

  ER_THREAD_POOL_BUFFER_TOO_SMALL was added in 8.0.4.

- Error number: MY-011116; Symbol: ER_MECAB_NOT_SUPPORTED; SQLSTATE: HY000

  Message: Mecab v%s is not supported, the lowest version supported is v%s.

  ER_MECAB_NOT_SUPPORTED was added in 8.0.4.
- Error number: MY-011117; Symbol: ER_MECAB_NOT_VERIFIED; SQLSTATE: HY000

  Message: Mecab v%s is not verified, the highest version supported is v%s.

  ER_MECAB_NOT_VERIFIED was added in 8.0.4.
- Error number: MY-011118; Symbol: ER_MECAB_CREATING_MODEL; SQLSTATE: HY000

  Message: Mecab: Trying createModel(%s).

  ER_MECAB_CREATING_MODEL was added in 8.0.4.
- Error number: MY-011119; Symbol: ER_MECAB_FAILED_TO_CREATE_MODEL; SQLSTATE: HY000

  Message: Mecab: createModel() failed: %s.

  ER_MECAB_FAILED_TO_CREATE_MODEL was added in 8.0.4.
- Error number: MY-011120; Symbol: ER_MECAB_FAILED_TO_CREATE_TRIGGER; SQLSTATE: HY000

  Message: Mecab: createTagger() failed: %s.

  ER_MECAB_FAILED_TO_CREATE_TRIGGER was added in 8.0.4.
- Error number: MY-011121; Symbol: ER_MECAB_UNSUPPORTED_CHARSET; SQLSTATE: HY000

  Message: Mecab: Unsupported dictionary charset %s.

  ER_MECAB_UNSUPPORTED_CHARSET was added in 8.0.4.
- Error number: MY-011122; Symbol: ER_MECAB_CHARSET_LOADED; SQLSTATE: HY000

  Message: Mecab: Loaded dictionary charset is %s.

  ER_MECAB_CHARSET_LOADED was added in 8.0.4.
- Error number: MY-011123; Symbol: ER_MECAB_PARSE_FAILED; SQLSTATE: HY000

  Message: Mecab: parse() failed: %s.

  ER_MECAB_PARSE_FAILED was added in 8.0.4.
- Error number: MY-011124; Symbol: ER_MECAB_OOM_WHILE_PARSING_TEXT; SQLSTATE: HY000

  Message: Mecab: parse() failed: out of memory.

  ER_MECAB_OOM_WHILE_PARSING_TEXT was added in 8.0.4.
- Error number: MY-011125; Symbol: ER_MECAB_CREATE_LATTICE_FAILED; SQLSTATE: HY000

  Message: Mecab: createLattice() failed: %s.

  ER_MECAB_CREATE_LATTICE_FAILED was added in 8.0.4.

- Error number: MY-011126; Symbol: ER_SEMISYNC_TRACE_ENTER_FUNC; SQLSTATE: HY000

  Message: ---> %s enter.

  ER_SEMISYNC_TRACE_ENTER_FUNC was added in 8.0.4.

- Error number: MY-011127; Symbol: ER_SEMISYNC_TRACE_EXIT_WITH_INT_EXIT_CODE; SQLSTATE: HY000

  Message: <--- %s exit (%d).

  ER_SEMISYNC_TRACE_EXIT_WITH_INT_EXIT_CODE was added in 8.0.4.

- Error number: MY-011128; Symbol: ER_SEMISYNC_TRACE_EXIT_WITH_BOOL_EXIT_CODE; SQLSTATE: HY000

  Message: <--- %s exit (%s).

  ER_SEMISYNC_TRACE_EXIT_WITH_BOOL_EXIT_CODE was added in 8.0.4.

- Error number: MY-011129; Symbol: ER_SEMISYNC_TRACE_EXIT; SQLSTATE: HY000

  Message: <--- %s exit.

  ER_SEMISYNC_TRACE_EXIT was added in 8.0.4.

- Error number: MY-011130; Symbol: ER_SEMISYNC_RPL_INIT_FOR_TRX; SQLSTATE: HY000

  Message: Semi-sync replication initialized for transactions.

  ER_SEMISYNC_RPL_INIT_FOR_TRX was added in 8.0.4.

- Error number: MY-011131; Symbol: ER_SEMISYNC_FAILED_TO_ALLOCATE_TRX_NODE; SQLSTATE: HY000

  Message: %s: transaction node allocation failed for: (%s, %lu).

  ER_SEMISYNC_FAILED_TO_ALLOCATE_TRX_NODE was added in 8.0.4.

- Error number: MY-011132; Symbol: ER_SEMISYNC_BINLOG_WRITE_OUT_OF_ORDER; SQLSTATE: HY000

  Message: %s: binlog write out-of-order, tail (%s, %lu), new node (%s, %lu).

  ER_SEMISYNC_BINLOG_WRITE_OUT_OF_ORDER was added in 8.0.4.

- Error number: MY-011133; Symbol: ER_SEMISYNC_INSERT_LOG_INFO_IN_ENTRY; SQLSTATE: HY000

  Message: %s: insert (%s, %lu) in entry(%u).

  ER_SEMISYNC_INSERT_LOG_INFO_IN_ENTRY was added in 8.0.4.

- Error number: MY-011134; Symbol: ER_SEMISYNC_PROBE_LOG_INFO_IN_ENTRY; SQLSTATE: HY000

  Message: %s: probe (%s, %lu) in entry(%u).

  ER_SEMISYNC_PROBE_LOG_INFO_IN_ENTRY was added in 8.0.4.

- Error number: MY-011135; Symbol: ER_SEMISYNC_CLEARED_ALL_ACTIVE_TRANSACTION_NODES; SQLSTATE: HY000

  Message: %s: cleared all nodes.

  ER_SEMISYNC_CLEARED_ALL_ACTIVE_TRANSACTION_NODES was added in 8.0.4.

- Error number: MY-011136; Symbol: ER_SEMISYNC_CLEARED_ACTIVE_TRANSACTION_TILL_POS; SQLSTATE: HY000

  Message: %s: cleared %d nodes back until pos (%s, %lu).

  ER_SEMISYNC_CLEARED_ACTIVE_TRANSACTION_TILL_POS was added in 8.0.4.

- Error number: MY-011137; Symbol: ER_SEMISYNC_REPLY_MAGIC_NO_ERROR; SQLSTATE: HY000

  Message: Read semi-sync reply magic number error.

  ER_SEMISYNC_REPLY_MAGIC_NO_ERROR was added in 8.0.4.

- Error number: MY-011138; Symbol: ER_SEMISYNC_REPLY_PKT_LENGTH_TOO_SMALL; SQLSTATE: HY000

  Message: Read semi-sync reply length error: packet is too small.

  ER_SEMISYNC_REPLY_PKT_LENGTH_TOO_SMALL was added in 8.0.4.

- Error number: MY-011139; Symbol: ER_SEMISYNC_REPLY_BINLOG_FILE_TOO_LARGE; SQLSTATE: HY000

  Message: Read semi-sync reply binlog file length too large.

  ER_SEMISYNC_REPLY_BINLOG_FILE_TOO_LARGE was added in 8.0.4.

- Error number: MY-011140; Symbol: ER_SEMISYNC_SERVER_REPLY; SQLSTATE: HY000

  Message: %s: Got reply(%s, %lu) from server %u.

  ER_SEMISYNC_SERVER_REPLY was added in 8.0.4.

- Error number: MY-011141; Symbol: ER_SEMISYNC_FUNCTION_CALLED_TWICE; SQLSTATE: HY000

  Message: %s called twice.

  ER_SEMISYNC_FUNCTION_CALLED_TWICE was added in 8.0.4.

- Error number: MY-011142; Symbol: ER_SEMISYNC_RPL_ENABLED_ON_MASTER; SQLSTATE: HY000

  Message: Semi-sync replication enabled on the master.

  ER_SEMISYNC_RPL_ENABLED_ON_MASTER was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011142; Symbol: ER_SEMISYNC_RPL_ENABLED_ON_SOURCE; SQLSTATE: HY000

  Message: Semi-sync replication enabled on the source.

  ER_SEMISYNC_RPL_ENABLED_ON_SOURCE was added in 8.0.33.

- Error number: MY-011143; Symbol: ER_SEMISYNC_MASTER_OOM; SQLSTATE: HY000

Message: Cannot allocate memory to enable semi-sync on the master.

`ER_SEMISYNC_MASTER_OOM` was added in 8.0.4, removed after 8.0.32.

- Error number: `MY-011143`; Symbol: `ER_SEMISYNC_SOURCE_OOM`; SQLSTATE: `HY000`

  Message: Cannot allocate memory to enable semi-sync on the source.

  `ER_SEMISYNC_SOURCE_OOM` was added in 8.0.33.

- Error number: `MY-011144`; Symbol: `ER_SEMISYNC_DISABLED_ON_MASTER`; SQLSTATE: `HY000`

  Message: Semi-sync replication disabled on the master.

  `ER_SEMISYNC_DISABLED_ON_MASTER` was added in 8.0.4, removed after 8.0.32.

- Error number: `MY-011144`; Symbol: `ER_SEMISYNC_DISABLED_ON_SOURCE`; SQLSTATE: `HY000`

  Message: Semi-sync replication disabled on the source.

  `ER_SEMISYNC_DISABLED_ON_SOURCE` was added in 8.0.33.

- Error number: `MY-011145`; Symbol: `ER_SEMISYNC_FORCED_SHUTDOWN`; SQLSTATE: `HY000`

  Message: SEMISYNC: Forced shutdown. Some updates might not be replicated.

  `ER_SEMISYNC_FORCED_SHUTDOWN` was added in 8.0.4.

- Error number: `MY-011146`; Symbol: `ER_SEMISYNC_MASTER_GOT_REPLY_AT_POS`; SQLSTATE: `HY000`

  Message: %s: Got reply at (%s, %lu).

  `ER_SEMISYNC_MASTER_GOT_REPLY_AT_POS` was added in 8.0.4, removed after 8.0.32.

- Error number: `MY-011146`; Symbol: `ER_SEMISYNC_SOURCE_GOT_REPLY_AT_POS`; SQLSTATE: `HY000`

  Message: %s: Got reply at (%s, %lu).

  `ER_SEMISYNC_SOURCE_GOT_REPLY_AT_POS` was added in 8.0.33.

- Error number: `MY-011147`; Symbol: `ER_SEMISYNC_MASTER_SIGNAL_ALL_WAITING_THREADS`; SQLSTATE: `HY000`

  Message: %s: signal all waiting threads.

  `ER_SEMISYNC_MASTER_SIGNAL_ALL_WAITING_THREADS` was added in 8.0.4, removed after 8.0.32.

- Error number: `MY-011147`; Symbol: `ER_SEMISYNC_SOURCE_SIGNAL_ALL_WAITING_THREADS`; SQLSTATE: `HY000`

  Message: %s: signal all waiting threads.

  `ER_SEMISYNC_SOURCE_SIGNAL_ALL_WAITING_THREADS` was added in 8.0.33.

- Error number: `MY-011148`; Symbol: `ER_SEMISYNC_MASTER_TRX_WAIT_POS`; SQLSTATE: `HY000`

  Message: %s: wait pos (%s, %lu), repl(%d).

ER_SEMISYNC_MASTER_TRX_WAIT_POS was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011148; Symbol: ER_SEMISYNC_SOURCE_TRX_WAIT_POS; SQLSTATE: HY000

  Message: %s: wait pos (%s, %lu), repl(%d).

  ER_SEMISYNC_SOURCE_TRX_WAIT_POS was added in 8.0.33.

- Error number: MY-011149; Symbol: ER_SEMISYNC_BINLOG_REPLY_IS_AHEAD; SQLSTATE: HY000

  Message: %s: Binlog reply is ahead (%s, %lu).

  ER_SEMISYNC_BINLOG_REPLY_IS_AHEAD was added in 8.0.4.

- Error number: MY-011150; Symbol: ER_SEMISYNC_MOVE_BACK_WAIT_POS; SQLSTATE: HY000

  Message: %s: move back wait position (%s, %lu).

  ER_SEMISYNC_MOVE_BACK_WAIT_POS was added in 8.0.4.

- Error number: MY-011151; Symbol: ER_SEMISYNC_INIT_WAIT_POS; SQLSTATE: HY000

  Message: %s: init wait position (%s, %lu).

  ER_SEMISYNC_INIT_WAIT_POS was added in 8.0.4.

- Error number: MY-011152; Symbol: ER_SEMISYNC_WAIT_TIME_FOR_BINLOG_SENT; SQLSTATE: HY000

  Message: %s: wait %lu ms for binlog sent (%s, %lu).

  ER_SEMISYNC_WAIT_TIME_FOR_BINLOG_SENT was added in 8.0.4.

- Error number: MY-011153; Symbol: ER_SEMISYNC_WAIT_FOR_BINLOG_TIMEDOUT; SQLSTATE: HY000

  Message: Timeout waiting for reply of binlog (file: %s, pos: %lu), semi-sync up to file %s, position %lu.

  ER_SEMISYNC_WAIT_FOR_BINLOG_TIMEDOUT was added in 8.0.4.

- Error number: MY-011154; Symbol: ER_SEMISYNC_WAIT_TIME_ASSESSMENT_FOR_COMMIT_TRX_FAILED; SQLSTATE: HY000

  Message: Assessment of waiting time for commitTrx failed at wait position (%s, %lu).

  ER_SEMISYNC_WAIT_TIME_ASSESSMENT_FOR_COMMIT_TRX_FAILED was added in 8.0.4.

- Error number: MY-011155; Symbol: ER_SEMISYNC_RPL_SWITCHED_OFF; SQLSTATE: HY000

  Message: Semi-sync replication switched OFF.

  ER_SEMISYNC_RPL_SWITCHED_OFF was added in 8.0.4.

- Error number: MY-011156; Symbol: ER_SEMISYNC_RPL_SWITCHED_ON; SQLSTATE: HY000

  Message: Semi-sync replication switched ON at (%s, %lu).

  ER_SEMISYNC_RPL_SWITCHED_ON was added in 8.0.4.

- Error number: MY-011157; Symbol: ER_SEMISYNC_NO_SPACE_IN_THE_PKT; SQLSTATE: HY000

  Message: No enough space in the packet for semi-sync extra header, semi-sync replication disabled.

  ER_SEMISYNC_NO_SPACE_IN_THE_PKT was added in 8.0.4.

- Error number: MY-011158; Symbol: ER_SEMISYNC_SYNC_HEADER_UPDATE_INFO; SQLSTATE: HY000

  Message: %s: server(%d), (%s, %lu) sync(%d), repl(%d).

  ER_SEMISYNC_SYNC_HEADER_UPDATE_INFO was added in 8.0.4.

- Error number: MY-011159; Symbol: ER_SEMISYNC_FAILED_TO_INSERT_TRX_NODE; SQLSTATE: HY000

  Message: Semi-sync failed to insert tranx_node for binlog file: %s, position: %lu.

  ER_SEMISYNC_FAILED_TO_INSERT_TRX_NODE was added in 8.0.4.

- Error number: MY-011160; Symbol: ER_SEMISYNC_TRX_SKIPPED_AT_POS; SQLSTATE: HY000

  Message: %s: Transaction skipped at (%s, %lu).

  ER_SEMISYNC_TRX_SKIPPED_AT_POS was added in 8.0.4.

- Error number: MY-011161; Symbol: ER_SEMISYNC_MASTER_FAILED_ON_NET_FLUSH; SQLSTATE: HY000

  Message: Semi-sync master failed on net_flush() before waiting for replica reply.

  ER_SEMISYNC_MASTER_FAILED_ON_NET_FLUSH was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011161; Symbol: ER_SEMISYNC_SOURCE_FAILED_ON_NET_FLUSH; SQLSTATE: HY000

  Message: Semi-sync source failed on net_flush() before waiting for replica reply.

  ER_SEMISYNC_SOURCE_FAILED_ON_NET_FLUSH was added in 8.0.33.

- Error number: MY-011162; Symbol: ER_SEMISYNC_RECEIVED_ACK_IS_SMALLER; SQLSTATE: HY000

  Message: The received ack is smaller than m_greatest_ack.

  ER_SEMISYNC_RECEIVED_ACK_IS_SMALLER was added in 8.0.4.

- Error number: MY-011163; Symbol: ER_SEMISYNC_ADD_ACK_TO_SLOT; SQLSTATE: HY000

  Message: Add the ack into slot %u.

  ER_SEMISYNC_ADD_ACK_TO_SLOT was added in 8.0.4.

- Error number: MY-011164; Symbol: ER_SEMISYNC_UPDATE_EXISTING_SLAVE_ACK; SQLSTATE: HY000

  Message: Update an exsiting ack in slot %u.

  ER_SEMISYNC_UPDATE_EXISTING_SLAVE_ACK was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011164; Symbol: ER_SEMISYNC_UPDATE_EXISTING_REPLICA_ACK; SQLSTATE: HY000

  Message: Update an exsiting ack in slot %u.

  ER_SEMISYNC_UPDATE_EXISTING_REPLICA_ACK was added in 8.0.33.

- Error number: MY-011165; Symbol: ER_SEMISYNC_FAILED_TO_START_ACK_RECEIVER_THD; SQLSTATE: HY000

  Message: Failed to start semi-sync ACK receiver thread, could not create thread(errno:%d).

  ER_SEMISYNC_FAILED_TO_START_ACK_RECEIVER_THD was added in 8.0.4.

- Error number: MY-011166; Symbol: ER_SEMISYNC_STARTING_ACK_RECEIVER_THD; SQLSTATE: HY000

  Message: Starting ack receiver thread.

  ER_SEMISYNC_STARTING_ACK_RECEIVER_THD was added in 8.0.4.

- Error number: MY-011167; Symbol: ER_SEMISYNC_FAILED_TO_WAIT_ON_DUMP_SOCKET; SQLSTATE: HY000

  Message: Failed to wait on semi-sync dump sockets, error: errno=%d.

  ER_SEMISYNC_FAILED_TO_WAIT_ON_DUMP_SOCKET was added in 8.0.4.

- Error number: MY-011168; Symbol: ER_SEMISYNC_STOPPING_ACK_RECEIVER_THREAD; SQLSTATE: HY000

  Message: Stopping ack receiver thread.

  ER_SEMISYNC_STOPPING_ACK_RECEIVER_THREAD was added in 8.0.4.

- Error number: MY-011169; Symbol: ER_SEMISYNC_FAILED_REGISTER_SLAVE_TO_RECEIVER; SQLSTATE: HY000

  Message: Failed to register slave to semi-sync ACK receiver thread.

  ER_SEMISYNC_FAILED_REGISTER_SLAVE_TO_RECEIVER was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011169; Symbol: ER_SEMISYNC_FAILED_REGISTER_REPLICA_TO_RECEIVER; SQLSTATE: HY000

  Message: Failed to register replica to semi-sync ACK receiver thread.

  ER_SEMISYNC_FAILED_REGISTER_REPLICA_TO_RECEIVER was added in 8.0.33.

- Error number: MY-011170; Symbol: ER_SEMISYNC_START_BINLOG_DUMP_TO_SLAVE; SQLSTATE: HY000

  Message: Start %s binlog_dump to slave (server_id: %d), pos(%s, %lu).

  ER_SEMISYNC_START_BINLOG_DUMP_TO_SLAVE was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011170; Symbol: ER_SEMISYNC_START_BINLOG_DUMP_TO_REPLICA; SQLSTATE: HY000

Message: Start %s binlog_dump to replica (server_id: %d), pos(%s, %lu).

ER_SEMISYNC_START_BINLOG_DUMP_TO_REPLICA was added in 8.0.33.

- Error number: MY-011171; Symbol: ER_SEMISYNC_STOP_BINLOG_DUMP_TO_SLAVE; SQLSTATE: HY000

  Message: Stop %s binlog_dump to slave (server_id: %d).

  ER_SEMISYNC_STOP_BINLOG_DUMP_TO_SLAVE was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011171; Symbol: ER_SEMISYNC_STOP_BINLOG_DUMP_TO_REPLICA; SQLSTATE: HY000

  Message: Stop %s binlog_dump to replica (server_id: %d).

  ER_SEMISYNC_STOP_BINLOG_DUMP_TO_REPLICA was added in 8.0.33.

- Error number: MY-011172; Symbol: ER_SEMISYNC_UNREGISTER_TRX_OBSERVER_FAILED; SQLSTATE: HY000

  Message: unregister_trans_observer failed.

  ER_SEMISYNC_UNREGISTER_TRX_OBSERVER_FAILED was added in 8.0.4.

- Error number: MY-011173; Symbol: ER_SEMISYNC_UNREGISTER_BINLOG_STORAGE_OBSERVER_FAILED; SQLSTATE: HY000

  Message: unregister_binlog_storage_observer failed.

  ER_SEMISYNC_UNREGISTER_BINLOG_STORAGE_OBSERVER_FAILED was added in 8.0.4.

- Error number: MY-011174; Symbol: ER_SEMISYNC_UNREGISTER_BINLOG_TRANSMIT_OBSERVER_FAILED; SQLSTATE: HY000

  Message: unregister_binlog_transmit_observer failed.

  ER_SEMISYNC_UNREGISTER_BINLOG_TRANSMIT_OBSERVER_FAILED was added in 8.0.4.

- Error number: MY-011175; Symbol: ER_SEMISYNC_UNREGISTERED_REPLICATOR; SQLSTATE: HY000

  Message: unregister_replicator OK.

  ER_SEMISYNC_UNREGISTERED_REPLICATOR was added in 8.0.4.

- Error number: MY-011176; Symbol: ER_SEMISYNC_SOCKET_FD_TOO_LARGE; SQLSTATE: HY000

  Message: Semisync replica socket fd is %u. select() cannot handle if the socket fd is bigger than %u (FD_SETSIZE).

  ER_SEMISYNC_SOCKET_FD_TOO_LARGE was added in 8.0.4.

- Error number: MY-011177; Symbol: ER_SEMISYNC_SLAVE_REPLY; SQLSTATE: HY000

  Message: %s: reply - %d.

  ER_SEMISYNC_SLAVE_REPLY was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011177; Symbol: ER_SEMISYNC_REPLICA_REPLY; SQLSTATE: HY000

  Message: %s: reply - %d.

  ER_SEMISYNC_REPLICA_REPLY was added in 8.0.33.

- Error number: MY-011178; Symbol: ER_SEMISYNC_MISSING_MAGIC_NO_FOR_SEMISYNC_PKT; SQLSTATE: HY000

  Message: Missing magic number for semi-sync packet, packet len: %lu.

  ER_SEMISYNC_MISSING_MAGIC_NO_FOR_SEMISYNC_PKT was added in 8.0.4.

- Error number: MY-011179; Symbol: ER_SEMISYNC_SLAVE_START; SQLSTATE: HY000

  Message: Slave I/O thread: Start %s replication to master '%s@%s:%d' in log '%s' at position %lu.

  ER_SEMISYNC_SLAVE_START was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011179; Symbol: ER_SEMISYNC_REPLICA_START; SQLSTATE: HY000

  Message: Replica I/O thread: Start %s replication to source '%s@%s:%d' in log '%s' at position %lu.

  ER_SEMISYNC_REPLICA_START was added in 8.0.33.

- Error number: MY-011180; Symbol: ER_SEMISYNC_SLAVE_REPLY_WITH_BINLOG_INFO; SQLSTATE: HY000

  Message: %s: reply (%s, %lu).

  ER_SEMISYNC_SLAVE_REPLY_WITH_BINLOG_INFO was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011180; Symbol: ER_SEMISYNC_REPLICA_REPLY_WITH_BINLOG_INFO; SQLSTATE: HY000

  Message: %s: reply (%s, %lu).

  ER_SEMISYNC_REPLICA_REPLY_WITH_BINLOG_INFO was added in 8.0.33.

- Error number: MY-011181; Symbol: ER_SEMISYNC_SLAVE_NET_FLUSH_REPLY_FAILED; SQLSTATE: HY000

  Message: Semi-sync slave net_flush() reply failed.

  ER_SEMISYNC_SLAVE_NET_FLUSH_REPLY_FAILED was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011181; Symbol: ER_SEMISYNC_REPLICA_NET_FLUSH_REPLY_FAILED; SQLSTATE: HY000

  Message: Semi-sync replica net_flush() reply failed.

  ER_SEMISYNC_REPLICA_NET_FLUSH_REPLY_FAILED was added in 8.0.33.

- Error number: MY-011182; Symbol: ER_SEMISYNC_SLAVE_SEND_REPLY_FAILED; SQLSTATE: HY000

  Message: Semi-sync slave send reply failed: %s (%d).

  ER_SEMISYNC_SLAVE_SEND_REPLY_FAILED was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011182; Symbol: ER_SEMISYNC_REPLICA_SEND_REPLY_FAILED; SQLSTATE: HY000

  Message: Semi-sync replica send reply failed: %s (%d).

  ER_SEMISYNC_REPLICA_SEND_REPLY_FAILED was added in 8.0.33.

- Error number: MY-011183; Symbol: ER_SEMISYNC_EXECUTION_FAILED_ON_MASTER; SQLSTATE: HY000

  Message: Execution failed on master: %s; error %d

  ER_SEMISYNC_EXECUTION_FAILED_ON_MASTER was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011183; Symbol: ER_SEMISYNC_EXECUTION_FAILED_ON_SOURCE; SQLSTATE: HY000

  Message: Execution failed on source: %s; error %d

  ER_SEMISYNC_EXECUTION_FAILED_ON_SOURCE was added in 8.0.33.

- Error number: MY-011184; Symbol: ER_SEMISYNC_NOT_SUPPORTED_BY_MASTER; SQLSTATE: HY000

  Message: Master server does not support semi-sync, fallback to asynchronous replication

  ER_SEMISYNC_NOT_SUPPORTED_BY_MASTER was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011184; Symbol: ER_SEMISYNC_NOT_SUPPORTED_BY_SOURCE; SQLSTATE: HY000

  Message: Source server does not support semi-sync, fallback to asynchronous replication

  ER_SEMISYNC_NOT_SUPPORTED_BY_SOURCE was added in 8.0.33.

- Error number: MY-011185; Symbol: ER_SEMISYNC_SLAVE_SET_FAILED; SQLSTATE: HY000

  Message: Set 'rpl_semi_sync_replica=1' on master failed

  ER_SEMISYNC_SLAVE_SET_FAILED was added in 8.0.4, removed after 8.0.32.

- Error number: MY-011185; Symbol: ER_SEMISYNC_REPLICA_SET_FAILED; SQLSTATE: HY000

  Message: Set 'rpl_semi_sync_replica=1' on source failed

  ER_SEMISYNC_REPLICA_SET_FAILED was added in 8.0.33.

- Error number: MY-011186; Symbol: ER_SEMISYNC_FAILED_TO_STOP_ACK_RECEIVER_THD; SQLSTATE: HY000

  Message: Failed to stop ack receiver thread on my_thread_join, errno(%d).

  ER_SEMISYNC_FAILED_TO_STOP_ACK_RECEIVER_THD was added in 8.0.4.

- Error number: MY-011187; Symbol: ER_FIREWALL_FAILED_TO_READ_FIREWALL_TABLES; SQLSTATE: HY000

  Message: Failed to read the firewall tables

  ER_FIREWALL_FAILED_TO_READ_FIREWALL_TABLES was added in 8.0.4.

- Error number: MY-011188; Symbol: ER_FIREWALL_FAILED_TO_REG_DYNAMIC_PRIVILEGES; SQLSTATE: HY000

  Message: Failed to register dynamic privileges

  ER_FIREWALL_FAILED_TO_REG_DYNAMIC_PRIVILEGES was added in 8.0.4.

- Error number: MY-011189; Symbol: ER_FIREWALL_RECORDING_STMT_WAS_TRUNCATED; SQLSTATE: HY000

  Message: Statement was truncated and not recorded: %s

  ER_FIREWALL_RECORDING_STMT_WAS_TRUNCATED was added in 8.0.4.

- Error number: MY-011190; Symbol: ER_FIREWALL_RECORDING_STMT_WITHOUT_TEXT; SQLSTATE: HY000

  Message: Statement with no text was not recorded

  ER_FIREWALL_RECORDING_STMT_WITHOUT_TEXT was added in 8.0.4.

- Error number: MY-011191; Symbol: ER_FIREWALL_SUSPICIOUS_STMT; SQLSTATE: HY000

  Message: SUSPICIOUS STATEMENT from '%s'. Reason: %s Statement: %s

  ER_FIREWALL_SUSPICIOUS_STMT was added in 8.0.4.

- Error number: MY-011192; Symbol: ER_FIREWALL_ACCESS_DENIED; SQLSTATE: HY000

  Message: ACCESS DENIED for '%s'. Reason: %s Statement: %s

  ER_FIREWALL_ACCESS_DENIED was added in 8.0.4.

- Error number: MY-011193; Symbol: ER_FIREWALL_SKIPPED_UNKNOWN_USER_MODE; SQLSTATE: HY000

  Message: Skipped unknown user mode '%s'

  ER_FIREWALL_SKIPPED_UNKNOWN_USER_MODE was added in 8.0.4.

- Error number: MY-011194; Symbol: ER_FIREWALL_RELOADING_CACHE; SQLSTATE: HY000

  Message: Reloading cache from disk

  ER_FIREWALL_RELOADING_CACHE was added in 8.0.4.

- Error number: MY-011195; Symbol: ER_FIREWALL_RESET_FOR_USER; SQLSTATE: HY000

  Message: FIREWALL RESET for '%s'

  ER_FIREWALL_RESET_FOR_USER was added in 8.0.4.

- Error number: MY-011196; Symbol: ER_FIREWALL_STATUS_FLUSHED; SQLSTATE: HY000

Message: Counters are reset to zero

ER_FIREWALL_STATUS_FLUSHED was added in 8.0.4.

- Error number: MY-011197; Symbol: ER_KEYRING_LOGGER_ERROR_MSG; SQLSTATE: HY000

  Message: %s

  ER_KEYRING_LOGGER_ERROR_MSG was added in 8.0.4.

- Error number: MY-011198; Symbol: ER_AUDIT_LOG_FILTER_IS_NOT_INSTALLED; SQLSTATE: HY000

  Message: Audit Log plugin supports filtering mode, which has not been installed yet. Audit Log plugin will run in the legacy mode, which will be removed in the next release.

  ER_AUDIT_LOG_FILTER_IS_NOT_INSTALLED was added in 8.0.4.

- Error number: MY-011199; Symbol: ER_AUDIT_LOG_SWITCHING_TO_INCLUDE_LIST; SQLSTATE: HY000

  Message: Previously exclude list is used, now we start using include list, exclude list is set to NULL.

  ER_AUDIT_LOG_SWITCHING_TO_INCLUDE_LIST was added in 8.0.4.

- Error number: MY-011200; Symbol: ER_AUDIT_LOG_CANNOT_SET_LOG_POLICY_WITH_OTHER_POLICIES; SQLSTATE: HY000

  Message: Cannot set audit_log_policy simultaneously with either audit_log_connection_policy or audit_log_statement_policy, setting audit_log_connection_policy and audit_log_statement_policy based on audit_log_policy.

  ER_AUDIT_LOG_CANNOT_SET_LOG_POLICY_WITH_OTHER_POLICIES was added in 8.0.4.

- Error number: MY-011201; Symbol: ER_AUDIT_LOG_ONLY_INCLUDE_LIST_USED; SQLSTATE: HY000

  Message: Both include and exclude lists provided, include list is preferred, exclude list is set to NULL.

  ER_AUDIT_LOG_ONLY_INCLUDE_LIST_USED was added in 8.0.4.

- Error number: MY-011202; Symbol: ER_AUDIT_LOG_INDEX_MAP_CANNOT_ACCESS_DIR; SQLSTATE: HY000

  Message: Could not access '%s' directory.

  ER_AUDIT_LOG_INDEX_MAP_CANNOT_ACCESS_DIR was added in 8.0.4.

- Error number: MY-011203; Symbol: ER_AUDIT_LOG_WRITER_RENAME_FILE_FAILED; SQLSTATE: HY000

  Message: Could not rename file from '%s' to '%s'.

  ER_AUDIT_LOG_WRITER_RENAME_FILE_FAILED was added in 8.0.4.

- Error number: MY-011204; Symbol: ER_AUDIT_LOG_WRITER_DEST_FILE_ALREADY_EXISTS; SQLSTATE: HY000

Message: File '%s' should not exist. It may be incomplete. The server crashed.

ER_AUDIT_LOG_WRITER_DEST_FILE_ALREADY_EXISTS was added in 8.0.4.

- Error number: MY-011205; Symbol: ER_AUDIT_LOG_WRITER_RENAME_FILE_FAILED_REMOVE_FILE_MANUALLY; SQLSTATE: HY000

  Message: Could not rename file from '%s' to '%s'. Remove the file manually.

  ER_AUDIT_LOG_WRITER_RENAME_FILE_FAILED_REMOVE_FILE_MANUALLY was added in 8.0.4.

- Error number: MY-011206; Symbol: ER_AUDIT_LOG_WRITER_INCOMPLETE_FILE_RENAMED; SQLSTATE: HY000

  Message: Incomplete file renamed from '%s' to '%s'.

  ER_AUDIT_LOG_WRITER_INCOMPLETE_FILE_RENAMED was added in 8.0.4.

- Error number: MY-011207; Symbol: ER_AUDIT_LOG_WRITER_FAILED_TO_WRITE_TO_FILE; SQLSTATE: HY000

  Message: Error writing file \'%s\' (errno: %d - %s).

  ER_AUDIT_LOG_WRITER_FAILED_TO_WRITE_TO_FILE was added in 8.0.4.

- Error number: MY-011208; Symbol: ER_AUDIT_LOG_EC_WRITER_FAILED_TO_INIT_ENCRYPTION; SQLSTATE: HY000

  Message: Could not initialize audit log file encryption.

  ER_AUDIT_LOG_EC_WRITER_FAILED_TO_INIT_ENCRYPTION was added in 8.0.4.

- Error number: MY-011209; Symbol: ER_AUDIT_LOG_EC_WRITER_FAILED_TO_INIT_COMPRESSION; SQLSTATE: HY000

  Message: Could not initialize audit log file compression.

  ER_AUDIT_LOG_EC_WRITER_FAILED_TO_INIT_COMPRESSION was added in 8.0.4.

- Error number: MY-011210; Symbol: ER_AUDIT_LOG_EC_WRITER_FAILED_TO_CREATE_FILE; SQLSTATE: HY000

  Message: Could not create '%s' file for audit logging.

  ER_AUDIT_LOG_EC_WRITER_FAILED_TO_CREATE_FILE was added in 8.0.4.

- Error number: MY-011211; Symbol: ER_AUDIT_LOG_RENAME_LOG_FILE_BEFORE_FLUSH; SQLSTATE: HY000

  Message: Audit log file (%s) must be manually renamed before audit_log_flush is set to true.

  ER_AUDIT_LOG_RENAME_LOG_FILE_BEFORE_FLUSH was added in 8.0.4.

- Error number: MY-011212; Symbol: ER_AUDIT_LOG_FILTER_RESULT_MSG; SQLSTATE: HY000

  Message: %s

  ER_AUDIT_LOG_FILTER_RESULT_MSG was added in 8.0.4.

- Error number: MY-011213; Symbol: ER_AUDIT_LOG_JSON_READER_FAILED_TO_PARSE; SQLSTATE: HY000

  Message: Error parsing JSON event. Event not accessible.

  ER_AUDIT_LOG_JSON_READER_FAILED_TO_PARSE was added in 8.0.4.

- Error number: MY-011214; Symbol: ER_AUDIT_LOG_JSON_READER_BUF_TOO_SMALL; SQLSTATE: HY000

  Message: Buffer is too small to hold JSON event. Number of events skipped: %zu.

  ER_AUDIT_LOG_JSON_READER_BUF_TOO_SMALL was added in 8.0.4.

- Error number: MY-011215; Symbol: ER_AUDIT_LOG_JSON_READER_FAILED_TO_OPEN_FILE; SQLSTATE: HY000

  Message: Could not open JSON file for reading. Reading next file if exists.

  ER_AUDIT_LOG_JSON_READER_FAILED_TO_OPEN_FILE was added in 8.0.4.

- Error number: MY-011216; Symbol: ER_AUDIT_LOG_JSON_READER_FILE_PARSING_ERROR; SQLSTATE: HY000

  Message: JSON file parsing error. Reading next file if exists

  ER_AUDIT_LOG_JSON_READER_FILE_PARSING_ERROR was added in 8.0.4.

- Error number: MY-011217; Symbol: ER_AUDIT_LOG_FILTER_INVALID_COLUMN_COUNT; SQLSTATE: HY000

  Message: Invalid column count in the '%s.%s' table.

  ER_AUDIT_LOG_FILTER_INVALID_COLUMN_COUNT was added in 8.0.4, removed after 8.0.25.

- Error number: MY-011218; Symbol: ER_AUDIT_LOG_FILTER_INVALID_COLUMN_DEFINITION; SQLSTATE: HY000

  Message: Invalid column definition of the '%s.%s' table.

  ER_AUDIT_LOG_FILTER_INVALID_COLUMN_DEFINITION was added in 8.0.4, removed after 8.0.25.

- Error number: MY-011219; Symbol: ER_AUDIT_LOG_FILTER_FAILED_TO_STORE_TABLE_FLDS; SQLSTATE: HY000

  Message: Could not store field of the %s table.

  ER_AUDIT_LOG_FILTER_FAILED_TO_STORE_TABLE_FLDS was added in 8.0.4.

- Error number: MY-011220; Symbol: ER_AUDIT_LOG_FILTER_FAILED_TO_UPDATE_TABLE; SQLSTATE: HY000

  Message: Could not update %s table.

  ER_AUDIT_LOG_FILTER_FAILED_TO_UPDATE_TABLE was added in 8.0.4.

- Error number: MY-011221; Symbol: ER_AUDIT_LOG_FILTER_FAILED_TO_INSERT_INTO_TABLE; SQLSTATE: HY000

Message: Could not insert into %s table.

ER_AUDIT_LOG_FILTER_FAILED_TO_INSERT_INTO_TABLE was added in 8.0.4.

- Error number: MY-011222; Symbol: ER_AUDIT_LOG_FILTER_FAILED_TO_DELETE_FROM_TABLE; SQLSTATE: HY000

  Message: Could not delete from %s table.

  ER_AUDIT_LOG_FILTER_FAILED_TO_DELETE_FROM_TABLE was added in 8.0.4.

- Error number: MY-011223; Symbol: ER_AUDIT_LOG_FILTER_FAILED_TO_INIT_TABLE_FOR_READ; SQLSTATE: HY000

  Message: Could not initialize %s table for reading.

  ER_AUDIT_LOG_FILTER_FAILED_TO_INIT_TABLE_FOR_READ was added in 8.0.4.

- Error number: MY-011224; Symbol: ER_AUDIT_LOG_FILTER_FAILED_TO_READ_TABLE; SQLSTATE: HY000

  Message: Could not read %s table.

  ER_AUDIT_LOG_FILTER_FAILED_TO_READ_TABLE was added in 8.0.4.

- Error number: MY-011225; Symbol: ER_AUDIT_LOG_FILTER_FAILED_TO_CLOSE_TABLE_AFTER_READING; SQLSTATE: HY000

  Message: Could not close %s table reading.

  ER_AUDIT_LOG_FILTER_FAILED_TO_CLOSE_TABLE_AFTER_READING was added in 8.0.4.

- Error number: MY-011226; Symbol: ER_AUDIT_LOG_FILTER_USER_AND_HOST_CANNOT_BE_EMPTY; SQLSTATE: HY000

  Message: Both user and host columns of %s table cannot be empty.

  ER_AUDIT_LOG_FILTER_USER_AND_HOST_CANNOT_BE_EMPTY was added in 8.0.4.

- Error number: MY-011227; Symbol: ER_AUDIT_LOG_FILTER_FLD_FILTERNAME_CANNOT_BE_EMPTY; SQLSTATE: HY000

  Message: Filtername column of %s table cannot be empty.

  ER_AUDIT_LOG_FILTER_FLD_FILTERNAME_CANNOT_BE_EMPTY was added in 8.0.4.

- Error number: MY-011228; Symbol: ER_VALIDATE_PWD_DICT_FILE_NOT_SPECIFIED; SQLSTATE: HY000

  Message: Dictionary file not specified

  ER_VALIDATE_PWD_DICT_FILE_NOT_SPECIFIED was added in 8.0.4.

- Error number: MY-011229; Symbol: ER_VALIDATE_PWD_DICT_FILE_NOT_LOADED; SQLSTATE: HY000

  Message: Dictionary file not loaded

  ER_VALIDATE_PWD_DICT_FILE_NOT_LOADED was added in 8.0.4.

- Error number: MY-011230; Symbol: ER_VALIDATE_PWD_DICT_FILE_TOO_BIG; SQLSTATE: HY000

  Message: Dictionary file size exceeded MAX_DICTIONARY_FILE_LENGTH, not loaded

  ER_VALIDATE_PWD_DICT_FILE_TOO_BIG was added in 8.0.4.

- Error number: MY-011231; Symbol: ER_VALIDATE_PWD_FAILED_TO_READ_DICT_FILE; SQLSTATE: HY000

  Message: Exception while reading the dictionary file

  ER_VALIDATE_PWD_FAILED_TO_READ_DICT_FILE was added in 8.0.4.

- Error number: MY-011232; Symbol: ER_VALIDATE_PWD_FAILED_TO_GET_FLD_FROM_SECURITY_CTX; SQLSTATE: HY000

  Message: Can't retrieve the %s from the security context

  ER_VALIDATE_PWD_FAILED_TO_GET_FLD_FROM_SECURITY_CTX was added in 8.0.4.

- Error number: MY-011233; Symbol: ER_VALIDATE_PWD_FAILED_TO_GET_SECURITY_CTX; SQLSTATE: HY000

  Message: Can't retrieve the security context

  ER_VALIDATE_PWD_FAILED_TO_GET_SECURITY_CTX was added in 8.0.4.

- Error number: MY-011234; Symbol: ER_VALIDATE_PWD_LENGTH_CHANGED; SQLSTATE: HY000

  Message: Effective value of validate_password_length is changed. New value is %d

  ER_VALIDATE_PWD_LENGTH_CHANGED was added in 8.0.4.

- Error number: MY-011235; Symbol: ER_REWRITER_QUERY_ERROR_MSG; SQLSTATE: HY000

  Message: %s

  ER_REWRITER_QUERY_ERROR_MSG was added in 8.0.4.

- Error number: MY-011236; Symbol: ER_REWRITER_QUERY_FAILED; SQLSTATE: HY000

  Message: Rewritten query failed to parse:%s

  ER_REWRITER_QUERY_FAILED was added in 8.0.4.

- Error number: MY-011237; Symbol: ER_XPLUGIN_STARTUP_FAILED; SQLSTATE: HY000

  Message: Startup failed with error "%s"

  ER_XPLUGIN_STARTUP_FAILED was added in 8.0.4.

- Error number: MY-011238; Symbol: ER_XPLUGIN_SERVER_EXITING; SQLSTATE: HY000

Message: Exiting

ER_XPLUGIN_SERVER_EXITING was added in 8.0.4, removed after 8.0.12.

- Error number: MY-011239; Symbol: ER_XPLUGIN_SERVER_EXITED; SQLSTATE: HY000

  Message: Exit done

  ER_XPLUGIN_SERVER_EXITED was added in 8.0.4, removed after 8.0.12.

- Error number: MY-011240; Symbol: ER_XPLUGIN_USING_SSL_CONF_FROM_SERVER; SQLSTATE: HY000

  Message: Using SSL configuration from MySQL Server

  ER_XPLUGIN_USING_SSL_CONF_FROM_SERVER was added in 8.0.4.

- Error number: MY-011241; Symbol: ER_XPLUGIN_USING_SSL_CONF_FROM_MYSQLX; SQLSTATE: HY000

  Message: Using SSL configuration from Mysqlx Plugin

  ER_XPLUGIN_USING_SSL_CONF_FROM_MYSQLX was added in 8.0.4.

- Error number: MY-011242; Symbol: ER_XPLUGIN_FAILED_TO_USE_SSL_CONF; SQLSTATE: HY000

  Message: Neither MySQL Server nor Mysqlx Plugin has valid SSL configuration

  ER_XPLUGIN_FAILED_TO_USE_SSL_CONF was added in 8.0.4.

- Error number: MY-011243; Symbol: ER_XPLUGIN_USING_SSL_FOR_TLS_CONNECTION; SQLSTATE: HY000

  Message: Using %s for TLS connections

  ER_XPLUGIN_USING_SSL_FOR_TLS_CONNECTION was added in 8.0.4.

- Error number: MY-011244; Symbol: ER_XPLUGIN_REFERENCE_TO_SECURE_CONN_WITH_XPLUGIN; SQLSTATE: HY000

  Message: For more information, please see the Using Secure Connections with X Plugin section in the MySQL documentation

  ER_XPLUGIN_REFERENCE_TO_SECURE_CONN_WITH_XPLUGIN was added in 8.0.4.

- Error number: MY-011245; Symbol: ER_XPLUGIN_ERROR_MSG; SQLSTATE: HY000

  Message: %s

  ER_XPLUGIN_ERROR_MSG was added in 8.0.4.

- Error number: MY-011246; Symbol: ER_SHA_PWD_FAILED_TO_PARSE_AUTH_STRING; SQLSTATE: HY000

  Message: Failed to parse stored authentication string for %s. Please check if mysql.user table not corrupted

  ER_SHA_PWD_FAILED_TO_PARSE_AUTH_STRING was added in 8.0.4.

- Error number: MY-011247; Symbol: ER_SHA_PWD_FAILED_TO_GENERATE_MULTI_ROUND_HASH; SQLSTATE: HY000

  Message: Error in generating multi-round hash for %s. Plugin can not perform authentication without it. This may be a transient problem

  ER_SHA_PWD_FAILED_TO_GENERATE_MULTI_ROUND_HASH was added in 8.0.4.

- Error number: MY-011248; Symbol: ER_SHA_PWD_AUTH_REQUIRES_RSA_OR_SSL; SQLSTATE: HY000

  Message: Authentication requires either RSA keys or SSL encryption

  ER_SHA_PWD_AUTH_REQUIRES_RSA_OR_SSL was added in 8.0.4.

- Error number: MY-011249; Symbol: ER_SHA_PWD_RSA_KEY_TOO_LONG; SQLSTATE: HY000

  Message: RSA key cipher length of %u is too long. Max value is %u

  ER_SHA_PWD_RSA_KEY_TOO_LONG was added in 8.0.4.

- Error number: MY-011250; Symbol: ER_PLUGIN_COMMON_FAILED_TO_OPEN_FILTER_TABLES; SQLSTATE: HY000

  Message: Failed to open the %s filter tables

  ER_PLUGIN_COMMON_FAILED_TO_OPEN_FILTER_TABLES was added in 8.0.4.

- Error number: MY-011251; Symbol: ER_PLUGIN_COMMON_FAILED_TO_OPEN_TABLE; SQLSTATE: HY000

  Message: Failed to open '%s.%s' %s table

  ER_PLUGIN_COMMON_FAILED_TO_OPEN_TABLE was added in 8.0.4.

- Error number: MY-011252; Symbol: ER_AUTH_LDAP_ERROR_LOGGER_ERROR_MSG; SQLSTATE: HY000

  Message: %s

  ER_AUTH_LDAP_ERROR_LOGGER_ERROR_MSG was added in 8.0.4.

- Error number: MY-011253; Symbol: ER_CONN_CONTROL_ERROR_MSG; SQLSTATE: HY000

  Message: %s

  ER_CONN_CONTROL_ERROR_MSG was added in 8.0.4.

- Error number: MY-011254; Symbol: ER_GRP_RPL_ERROR_MSG; SQLSTATE: HY000

  Message: %s

  ER_GRP_RPL_ERROR_MSG was added in 8.0.4.

- Error number: MY-011255; Symbol: ER_SHA_PWD_SALT_FOR_USER_CORRUPT; SQLSTATE: HY000

  Message: Password salt for user '%s' is corrupt

  ER_SHA_PWD_SALT_FOR_USER_CORRUPT was added in 8.0.4.

- Error number: MY-011256; Symbol: ER_SYS_VAR_COMPONENT_OOM; SQLSTATE: HY000

  Message: Out of memory for component system variable '%s'.

  ER_SYS_VAR_COMPONENT_OOM was added in 8.0.4.

- Error number: MY-011257; Symbol: ER_SYS_VAR_COMPONENT_VARIABLE_SET_READ_ONLY; SQLSTATE: HY000

  Message: variable %s of component %s was forced to be read-only: string variable without update_func and PLUGIN_VAR_MEMALLOC flag.

  ER_SYS_VAR_COMPONENT_VARIABLE_SET_READ_ONLY was added in 8.0.4.

- Error number: MY-011258; Symbol: ER_SYS_VAR_COMPONENT_UNKNOWN_VARIABLE_TYPE; SQLSTATE: HY000

  Message: Unknown variable type code 0x%x in component '%s'.

  ER_SYS_VAR_COMPONENT_UNKNOWN_VARIABLE_TYPE was added in 8.0.4.

- Error number: MY-011259; Symbol: ER_SYS_VAR_COMPONENT_FAILED_TO_PARSE_VARIABLE_OPTIONS; SQLSTATE: HY000

  Message: Parsing options for variable '%s' failed.

  ER_SYS_VAR_COMPONENT_FAILED_TO_PARSE_VARIABLE_OPTIONS was added in 8.0.4.

- Error number: MY-011260; Symbol: ER_SYS_VAR_COMPONENT_FAILED_TO_MAKE_VARIABLE_PERSISTENT; SQLSTATE: HY000

  Message: Setting persistent options for component variable '%s' failed.

  ER_SYS_VAR_COMPONENT_FAILED_TO_MAKE_VARIABLE_PERSISTENT was added in 8.0.4.

- Error number: MY-011261; Symbol: ER_COMPONENT_FILTER_CONFUSED; SQLSTATE: HY000

  Message: The log-filter component "%s" got confused at "%s" (state: %s) ...

  ER_COMPONENT_FILTER_CONFUSED was added in 8.0.4.

- Error number: MY-011262; Symbol: ER_STOP_SLAVE_IO_THREAD_DISK_SPACE; SQLSTATE: HY000

  Message: Waiting until I/O thread for channel '%s' finish writing to disk before stopping. Free some disk space or use 'KILL' to abort I/O thread operation. Notice that aborting the I/O thread while rotating the relay log might corrupt the relay logs, requiring a server restart to fix it.

  ER_STOP_SLAVE_IO_THREAD_DISK_SPACE was added in 8.0.2, removed after 8.0.32.

- Error number: MY-011262; Symbol: ER_STOP_REPLICA_IO_THREAD_DISK_SPACE; SQLSTATE: HY000

  Message: Waiting until I/O thread for channel '%s' finish writing to disk before stopping. Free some disk space or use 'KILL' to abort I/O thread operation. Notice that aborting the I/O thread while rotating the relay log might corrupt the relay logs, requiring a server restart to fix it.

  ER_STOP_REPLICA_IO_THREAD_DISK_SPACE was added in 8.0.33.

- Error number: MY-011263; Symbol: ER_LOG_FILE_CANNOT_OPEN; SQLSTATE: HY000

Message: Could not use %s for logging (error %d - %s). Turning logging off for the server process. To turn it on again: fix the cause, then%s restart the MySQL server.

`ER_LOG_FILE_CANNOT_OPEN` was added in 8.0.2.

- Error number: `MY-011268`; Symbol: `ER_PERSIST_OPTION_STATUS`; SQLSTATE: `HY000`

  Message: Configuring persisted options failed: "%s".

  `ER_PERSIST_OPTION_STATUS` was added in 8.0.11.

- Error number: `MY-011269`; Symbol: `ER_NOT_IMPLEMENTED_GET_TABLESPACE_STATISTICS`; SQLSTATE: `HY000`

  Message: The storage engine '%s' does not provide dynamic table statistics

  `ER_NOT_IMPLEMENTED_GET_TABLESPACE_STATISTICS` was added in 8.0.11.

- Error number: `MY-011272`; Symbol: `ER_SSL_FIPS_MODE_ERROR`; SQLSTATE: `HY000`

  Message: SSL fips mode error: %s

  `ER_SSL_FIPS_MODE_ERROR` was added in 8.0.11.

- Error number: `MY-011273`; Symbol: `ER_CONN_INIT_CONNECT_IGNORED`; SQLSTATE: `HY000`

  Message: init_connect variable is ignored for user: %s host: %s due to expired password.

  `ER_CONN_INIT_CONNECT_IGNORED` was added in 8.0.11.

- Error number: `MY-011275`; Symbol: `ER_REWRITER_OOM`; SQLSTATE: `HY000`

  Message: Out of memory.

  `ER_REWRITER_OOM` was added in 8.0.11.

- Error number: `MY-011276`; Symbol: `ER_REWRITER_TABLE_MALFORMED_ERROR`; SQLSTATE: `HY000`

  Message: Wrong column count or names when loading rules.

  `ER_REWRITER_TABLE_MALFORMED_ERROR` was added in 8.0.11.

- Error number: `MY-011277`; Symbol: `ER_REWRITER_LOAD_FAILED`; SQLSTATE: `HY000`

  Message: Some rules failed to load.

  `ER_REWRITER_LOAD_FAILED` was added in 8.0.11.

- Error number: `MY-011278`; Symbol: `ER_REWRITER_READ_FAILED`; SQLSTATE: `HY000`

  Message: Got error from storage engine while refreshing rewrite rules.

  `ER_REWRITER_READ_FAILED` was added in 8.0.11.

- Error number: `MY-011279`; Symbol: `ER_CONN_CONTROL_EVENT_COORDINATOR_INIT_FAILED`; SQLSTATE: `HY000`

  Message: Failed to initialize Connection_event_coordinator

ER_CONN_CONTROL_EVENT_COORDINATOR_INIT_FAILED was added in 8.0.11.

- Error number: MY-011280; Symbol: ER_CONN_CONTROL_STAT_CONN_DELAY_TRIGGERED_UPDATE_FAILED; SQLSTATE: HY000

  Message: Failed to update connection delay triggered stats

  ER_CONN_CONTROL_STAT_CONN_DELAY_TRIGGERED_UPDATE_FAILED was added in 8.0.11.

- Error number: MY-011281; Symbol: ER_CONN_CONTROL_STAT_CONN_DELAY_TRIGGERED_RESET_FAILED; SQLSTATE: HY000

  Message: Failed to reset connection delay triggered stats

  ER_CONN_CONTROL_STAT_CONN_DELAY_TRIGGERED_RESET_FAILED was added in 8.0.11.

- Error number: MY-011282; Symbol: ER_CONN_CONTROL_INVALID_CONN_DELAY_TYPE; SQLSTATE: HY000

  Message: Unexpected option type for connection delay.

  ER_CONN_CONTROL_INVALID_CONN_DELAY_TYPE was added in 8.0.11.

- Error number: MY-011283; Symbol: ER_CONN_CONTROL_DELAY_ACTION_INIT_FAILED; SQLSTATE: HY000

  Message: Failed to initialize Connection_delay_action

  ER_CONN_CONTROL_DELAY_ACTION_INIT_FAILED was added in 8.0.11.

- Error number: MY-011284; Symbol: ER_CONN_CONTROL_FAILED_TO_SET_CONN_DELAY; SQLSTATE: HY000

  Message: Could not set %s delay for connection delay.

  ER_CONN_CONTROL_FAILED_TO_SET_CONN_DELAY was added in 8.0.11.

- Error number: MY-011285; Symbol: ER_CONN_CONTROL_FAILED_TO_UPDATE_CONN_DELAY_HASH; SQLSTATE: HY000

  Message: Failed to update connection delay hash for account : %s

  ER_CONN_CONTROL_FAILED_TO_UPDATE_CONN_DELAY_HASH was added in 8.0.11.

- Error number: MY-011286; Symbol: ER_XPLUGIN_FORCE_STOP_CLIENT; SQLSTATE: HY000

  Message: %s: Force stopping client because exception occurred: %s

  ER_XPLUGIN_FORCE_STOP_CLIENT was added in 8.0.11.

- Error number: MY-011287; Symbol: ER_XPLUGIN_MAX_AUTH_ATTEMPTS_REACHED; SQLSTATE: HY000

  Message: %s.%u: Maximum number of authentication attempts reached, login failed.

  ER_XPLUGIN_MAX_AUTH_ATTEMPTS_REACHED was added in 8.0.11.

- Error number: MY-011288; Symbol: ER_XPLUGIN_BUFFER_PAGE_ALLOC_FAILED; SQLSTATE: HY000

  Message: Error allocating Buffer_page: %s

  ER_XPLUGIN_BUFFER_PAGE_ALLOC_FAILED was added in 8.0.11.

- Error number: MY-011289; Symbol: ER_XPLUGIN_DETECTED_HANGING_CLIENTS; SQLSTATE: HY000

  Message: Detected %u hanging client(s)

  ER_XPLUGIN_DETECTED_HANGING_CLIENTS was added in 8.0.11.

- Error number: MY-011290; Symbol: ER_XPLUGIN_FAILED_TO_ACCEPT_CLIENT; SQLSTATE: HY000

  Message: Error accepting client

  ER_XPLUGIN_FAILED_TO_ACCEPT_CLIENT was added in 8.0.11.

- Error number: MY-011291; Symbol: ER_XPLUGIN_FAILED_TO_SCHEDULE_CLIENT; SQLSTATE: HY000

  Message: Internal error scheduling client for execution

  ER_XPLUGIN_FAILED_TO_SCHEDULE_CLIENT was added in 8.0.11.

- Error number: MY-011292; Symbol: ER_XPLUGIN_FAILED_TO_PREPARE_IO_INTERFACES; SQLSTATE: HY000

  Message: Preparation of I/O interfaces failed, X Protocol won't be accessible

  ER_XPLUGIN_FAILED_TO_PREPARE_IO_INTERFACES was added in 8.0.11.

- Error number: MY-011293; Symbol: ER_XPLUGIN_SRV_SESSION_INIT_THREAD_FAILED; SQLSTATE: HY000

  Message: srv_session_init_thread returned error

  ER_XPLUGIN_SRV_SESSION_INIT_THREAD_FAILED was added in 8.0.11.

- Error number: MY-011294; Symbol: ER_XPLUGIN_UNABLE_TO_USE_USER_SESSION_ACCOUNT; SQLSTATE: HY000

  Message: Unable to use user mysql.session account when connecting the server for internal plugin requests.

  ER_XPLUGIN_UNABLE_TO_USE_USER_SESSION_ACCOUNT was added in 8.0.11.

- Error number: MY-011295; Symbol: ER_XPLUGIN_REFERENCE_TO_USER_ACCOUNT_DOC_SECTION; SQLSTATE: HY000

  Message: For more information, please see the X Plugin User Account section in the MySQL documentation

  ER_XPLUGIN_REFERENCE_TO_USER_ACCOUNT_DOC_SECTION was added in 8.0.11.

- Error number: MY-011296; Symbol: ER_XPLUGIN_UNEXPECTED_EXCEPTION_DISPATCHING_CMD; SQLSTATE: HY000

Message: %s: Unexpected exception dispatching command: %s

ER_XPLUGIN_UNEXPECTED_EXCEPTION_DISPATCHING_CMD was added in 8.0.11.

- Error number: MY-011297; Symbol: ER_XPLUGIN_EXCEPTION_IN_TASK_SCHEDULER; SQLSTATE: HY000

  Message: Exception in post: %s

  ER_XPLUGIN_EXCEPTION_IN_TASK_SCHEDULER was added in 8.0.11.

- Error number: MY-011298; Symbol: ER_XPLUGIN_TASK_SCHEDULING_FAILED; SQLSTATE: HY000

  Message: Internal error scheduling task

  ER_XPLUGIN_TASK_SCHEDULING_FAILED was added in 8.0.11.

- Error number: MY-011299; Symbol: ER_XPLUGIN_EXCEPTION_IN_EVENT_LOOP; SQLSTATE: HY000

  Message: Exception in event loop: "%s": %s

  ER_XPLUGIN_EXCEPTION_IN_EVENT_LOOP was added in 8.0.11.

- Error number: MY-011300; Symbol: ER_XPLUGIN_LISTENER_SETUP_FAILED; SQLSTATE: HY000

  Message: Setup of %s failed, %s

  ER_XPLUGIN_LISTENER_SETUP_FAILED was added in 8.0.11.

- Error number: MY-011301; Symbol: ER_XPLUING_NET_STARTUP_FAILED; SQLSTATE: HY000

  Message: %s

  ER_XPLUING_NET_STARTUP_FAILED was added in 8.0.11.

- Error number: MY-011302; Symbol: ER_XPLUGIN_FAILED_AT_SSL_CONF; SQLSTATE: HY000

  Message: Failed at SSL configuration: "%s"

  ER_XPLUGIN_FAILED_AT_SSL_CONF was added in 8.0.11.

- Error number: MY-011303; Symbol: ER_XPLUGIN_CLIENT_SSL_HANDSHAKE_FAILED; SQLSTATE: HY000

  Message: Error during SSL handshake for client connection (%i)

  ER_XPLUGIN_CLIENT_SSL_HANDSHAKE_FAILED was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011304; Symbol: ER_XPLUGIN_SSL_HANDSHAKE_WITH_SERVER_FAILED; SQLSTATE: HY000

  Message: %s: Error during SSL handshake

  ER_XPLUGIN_SSL_HANDSHAKE_WITH_SERVER_FAILED was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011305; Symbol: ER_XPLUGIN_FAILED_TO_CREATE_SESSION_FOR_CONN; SQLSTATE: HY000

  Message: %s: Error creating session for connection from %s

ER_XPLUGIN_FAILED_TO_CREATE_SESSION_FOR_CONN was added in 8.0.11.

- Error number: MY-011306; Symbol: ER_XPLUGIN_FAILED_TO_INITIALIZE_SESSION; SQLSTATE: HY000

  Message: %s: Error initializing session for connection: %s

  ER_XPLUGIN_FAILED_TO_INITIALIZE_SESSION was added in 8.0.11.

- Error number: MY-011307; Symbol: ER_XPLUGIN_MESSAGE_TOO_LONG; SQLSTATE: HY000

  Message: %s: Message of size %u received, exceeding the limit of %i

  ER_XPLUGIN_MESSAGE_TOO_LONG was added in 8.0.11.

- Error number: MY-011308; Symbol: ER_XPLUGIN_UNINITIALIZED_MESSAGE; SQLSTATE: HY000

  Message: Message is not properly initialized: %s

  ER_XPLUGIN_UNINITIALIZED_MESSAGE was added in 8.0.11.

- Error number: MY-011309; Symbol: ER_XPLUGIN_FAILED_TO_SET_MIN_NUMBER_OF_WORKERS; SQLSTATE: HY000

  Message: Unable to set minimal number of workers to %u; actual value is %i

  ER_XPLUGIN_FAILED_TO_SET_MIN_NUMBER_OF_WORKERS was added in 8.0.11.

- Error number: MY-011310; Symbol: ER_XPLUGIN_UNABLE_TO_ACCEPT_CONNECTION; SQLSTATE: HY000

  Message: Unable to accept connection, disconnecting client

  ER_XPLUGIN_UNABLE_TO_ACCEPT_CONNECTION was added in 8.0.11.

- Error number: MY-011311; Symbol: ER_XPLUGIN_ALL_IO_INTERFACES_DISABLED; SQLSTATE: HY000

  Message: All I/O interfaces are disabled, X Protocol won't be accessible

  ER_XPLUGIN_ALL_IO_INTERFACES_DISABLED was added in 8.0.11.

- Error number: MY-011312; Symbol: ER_XPLUGIN_INVALID_MSG_DURING_CLIENT_INIT; SQLSTATE: HY000

  Message: %s: Invalid message %i received during client initialization

  ER_XPLUGIN_INVALID_MSG_DURING_CLIENT_INIT was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011313; Symbol: ER_XPLUGIN_CLOSING_CLIENTS_ON_SHUTDOWN; SQLSTATE: HY000

  Message: %s: closing client because of shutdown (state: %i)

  ER_XPLUGIN_CLOSING_CLIENTS_ON_SHUTDOWN was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011314; Symbol: ER_XPLUGIN_ERROR_READING_SOCKET; SQLSTATE: HY000

  Message: %s: Error reading from socket %s (%i)

ER_XPLUGIN_ERROR_READING_SOCKET was added in 8.0.11.

- Error number: MY-011315; Symbol: ER_XPLUGIN_PEER_DISCONNECTED_WHILE_READING_MSG_BODY; SQLSTATE: HY000

  Message: %s: peer disconnected while reading message body

  ER_XPLUGIN_PEER_DISCONNECTED_WHILE_READING_MSG_BODY was added in 8.0.11.

- Error number: MY-011316; Symbol: ER_XPLUGIN_READ_FAILED_CLOSING_CONNECTION; SQLSTATE: HY000

  Message: client_id:%s - %s while reading from socket, closing connection

  ER_XPLUGIN_READ_FAILED_CLOSING_CONNECTION was added in 8.0.11.

- Error number: MY-011317; Symbol: ER_XPLUGIN_INVALID_AUTH_METHOD; SQLSTATE: HY000

  Message: %s.%u: Invalid authentication method %s

  ER_XPLUGIN_INVALID_AUTH_METHOD was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011318; Symbol: ER_XPLUGIN_UNEXPECTED_MSG_DURING_AUTHENTICATION; SQLSTATE: HY000

  Message: %s: Unexpected message of type %i received during authentication

  ER_XPLUGIN_UNEXPECTED_MSG_DURING_AUTHENTICATION was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011319; Symbol: ER_XPLUGIN_ERROR_WRITING_TO_CLIENT; SQLSTATE: HY000

  Message: Error writing to client: %s (%i)

  ER_XPLUGIN_ERROR_WRITING_TO_CLIENT was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011320; Symbol: ER_XPLUGIN_SCHEDULER_STARTED; SQLSTATE: HY000

  Message: Scheduler "%s" started.

  ER_XPLUGIN_SCHEDULER_STARTED was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011321; Symbol: ER_XPLUGIN_SCHEDULER_STOPPED; SQLSTATE: HY000

  Message: Scheduler "%s" stopped.

  ER_XPLUGIN_SCHEDULER_STOPPED was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011322; Symbol: ER_XPLUGIN_LISTENER_SYS_VARIABLE_ERROR; SQLSTATE: HY000

  Message: Please see the MySQL documentation for '%s' system variables to fix the error

  ER_XPLUGIN_LISTENER_SYS_VARIABLE_ERROR was added in 8.0.11.

- Error number: MY-011323; Symbol: ER_XPLUGIN_LISTENER_STATUS_MSG; SQLSTATE: HY000

  Message: X Plugin ready for connections. %s

ER_XPLUGIN_LISTENER_STATUS_MSG was added in 8.0.11.

- Error number: MY-011324; Symbol: ER_XPLUGIN_RETRYING_BIND_ON_PORT; SQLSTATE: HY000

  Message: Retrying `bind()` on TCP/IP port %i

  ER_XPLUGIN_RETRYING_BIND_ON_PORT was added in 8.0.11.

- Error number: MY-011325; Symbol: ER_XPLUGIN_SHUTDOWN_TRIGGERED; SQLSTATE: HY000

  Message: Shutdown triggered by mysqld abort flag

  ER_XPLUGIN_SHUTDOWN_TRIGGERED was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011326; Symbol: ER_XPLUGIN_USER_ACCOUNT_WITH_ALL_PERMISSIONS; SQLSTATE: HY000

  Message: Using %s account for authentication which has all required permissions

  ER_XPLUGIN_USER_ACCOUNT_WITH_ALL_PERMISSIONS was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011327; Symbol: ER_XPLUGIN_EXISTING_USER_ACCOUNT_WITH_INCOMPLETE_GRANTS; SQLSTATE: HY000

  Message: Using existing %s account for authentication. Incomplete grants will be fixed

  ER_XPLUGIN_EXISTING_USER_ACCOUNT_WITH_INCOMPLETE_GRANTS was added in 8.0.11.

- Error number: MY-011328; Symbol: ER_XPLUGIN_SERVER_STARTS_HANDLING_CONNECTIONS; SQLSTATE: HY000

  Message: Server starts handling incoming connections

  ER_XPLUGIN_SERVER_STARTS_HANDLING_CONNECTIONS was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011329; Symbol: ER_XPLUGIN_SERVER_STOPPED_HANDLING_CONNECTIONS; SQLSTATE: HY000

  Message: Stopped handling incoming connections

  ER_XPLUGIN_SERVER_STOPPED_HANDLING_CONNECTIONS was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011330; Symbol: ER_XPLUGIN_FAILED_TO_INTERRUPT_SESSION; SQLSTATE: HY000

  Message: %s: Could not interrupt client session

  ER_XPLUGIN_FAILED_TO_INTERRUPT_SESSION was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011331; Symbol: ER_XPLUGIN_CLIENT_RELEASE_TRIGGERED; SQLSTATE: HY000

  Message: %s: release triggered by timeout in state:%i

  ER_XPLUGIN_CLIENT_RELEASE_TRIGGERED was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011332; Symbol: ER_XPLUGIN_IPv6_AVAILABLE; SQLSTATE: HY000

Message: IPv6 is available

ER_XPLUGIN_IPv6_AVAILABLE was added in 8.0.11.

- Error number: MY-011333; Symbol: ER_XPLUGIN_UNIX_SOCKET_NOT_CONFIGURED; SQLSTATE: HY000

  Message: UNIX socket not configured

  ER_XPLUGIN_UNIX_SOCKET_NOT_CONFIGURED was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011334; Symbol: ER_XPLUGIN_CLIENT_KILL_MSG; SQLSTATE: HY000

  Message: Kill client: %i %s

  ER_XPLUGIN_CLIENT_KILL_MSG was added in 8.0.11.

- Error number: MY-011335; Symbol: ER_XPLUGIN_FAILED_TO_GET_SECURITY_CTX; SQLSTATE: HY000

  Message: Could not get security context for session

  ER_XPLUGIN_FAILED_TO_GET_SECURITY_CTX was added in 8.0.11.

- Error number: MY-011336; Symbol: ER_XPLUGIN_FAILED_TO_SWITCH_SECURITY_CTX_TO_ROOT; SQLSTATE: HY000

  Message: Unable to switch security context to root

  ER_XPLUGIN_FAILED_TO_SWITCH_SECURITY_CTX_TO_ROOT was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011337; Symbol: ER_XPLUGIN_FAILED_TO_CLOSE_SQL_SESSION; SQLSTATE: HY000

  Message: Error closing SQL session

  ER_XPLUGIN_FAILED_TO_CLOSE_SQL_SESSION was added in 8.0.11.

- Error number: MY-011338; Symbol: ER_XPLUGIN_FAILED_TO_EXECUTE_ADMIN_CMD; SQLSTATE: HY000

  Message: Error executing admin command %s: %s

  ER_XPLUGIN_FAILED_TO_EXECUTE_ADMIN_CMD was added in 8.0.11.

- Error number: MY-011339; Symbol: ER_XPLUGIN_EMPTY_ADMIN_CMD; SQLSTATE: HY000

  Message: Error executing empty admin command

  ER_XPLUGIN_EMPTY_ADMIN_CMD was added in 8.0.11.

- Error number: MY-011340; Symbol: ER_XPLUGIN_FAILED_TO_GET_SYS_VAR; SQLSTATE: HY000

  Message: Unable to retrieve system variable \'%s\'

  ER_XPLUGIN_FAILED_TO_GET_SYS_VAR was added in 8.0.11.

- Error number: MY-011341; Symbol: ER_XPLUGIN_FAILED_TO_GET_CREATION_STMT; SQLSTATE: HY000

  Message: Unable to get creation stmt for collection \'%s\'; query result size: %lu

  ER_XPLUGIN_FAILED_TO_GET_CREATION_STMT was added in 8.0.11.

- Error number: MY-011342; Symbol: ER_XPLUGIN_FAILED_TO_GET_ENGINE_INFO; SQLSTATE: HY000

  Message: Unable to get engine info for collection \'%s\'; creation stmt: %s

  ER_XPLUGIN_FAILED_TO_GET_ENGINE_INFO was added in 8.0.11.

- Error number: MY-011343; Symbol: ER_XPLUGIN_FAIL_TO_GET_RESULT_DATA; SQLSTATE: HY000

  Message: Error getting result data: %s

  ER_XPLUGIN_FAIL_TO_GET_RESULT_DATA was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011344; Symbol: ER_XPLUGIN_CAPABILITY_EXPIRED_PASSWORD; SQLSTATE: HY000

  Message: Capability expired password failed with error: %s

  ER_XPLUGIN_CAPABILITY_EXPIRED_PASSWORD was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011345; Symbol: ER_XPLUGIN_FAILED_TO_SET_SO_REUSEADDR_FLAG; SQLSTATE: HY000

  Message: Failed to set SO_REUSEADDR flag (error: %d).

  ER_XPLUGIN_FAILED_TO_SET_SO_REUSEADDR_FLAG was added in 8.0.11.

- Error number: MY-011346; Symbol: ER_XPLUGIN_FAILED_TO_OPEN_INTERNAL_SESSION; SQLSTATE: HY000

  Message: Could not open internal MySQL session

  ER_XPLUGIN_FAILED_TO_OPEN_INTERNAL_SESSION was added in 8.0.11.

- Error number: MY-011347; Symbol: ER_XPLUGIN_FAILED_TO_SWITCH_CONTEXT; SQLSTATE: HY000

  Message: Unable to switch context to user %s

  ER_XPLUGIN_FAILED_TO_SWITCH_CONTEXT was added in 8.0.11.

- Error number: MY-011348; Symbol: ER_XPLUGIN_FAILED_TO_UNREGISTER_UDF; SQLSTATE: HY000

  Message: Can\'t unregister \'%s\' user defined function

  ER_XPLUGIN_FAILED_TO_UNREGISTER_UDF was added in 8.0.11.

- Error number: MY-011349; Symbol: ER_XPLUGIN_GET_PEER_ADDRESS_FAILED; SQLSTATE: HY000

  Message: %s: get peer address failed, can't resolve IP to hostname

  ER_XPLUGIN_GET_PEER_ADDRESS_FAILED was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011350; Symbol: ER_XPLUGIN_CAPABILITY_CLIENT_INTERACTIVE_FAILED; SQLSTATE: HY000

  Message: Capability client interactive failed with error: %s

  ER_XPLUGIN_CAPABILITY_CLIENT_INTERACTIVE_FAILED was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011351; Symbol: ER_XPLUGIN_FAILED_TO_RESET_IPV6_V6ONLY_FLAG; SQLSTATE: HY000

  Message: Failed to reset IPV6_V6ONLY flag (error: %d). The server will listen to IPv6 addresses only.

  ER_XPLUGIN_FAILED_TO_RESET_IPV6_V6ONLY_FLAG was added in 8.0.11.

- Error number: MY-011352; Symbol: ER_KEYRING_INVALID_KEY_TYPE; SQLSTATE: HY000

  Message: Invalid key type

  ER_KEYRING_INVALID_KEY_TYPE was added in 8.0.11.

- Error number: MY-011353; Symbol: ER_KEYRING_INVALID_KEY_LENGTH; SQLSTATE: HY000

  Message: Invalid key length for given block cipher

  ER_KEYRING_INVALID_KEY_LENGTH was added in 8.0.11.

- Error number: MY-011354; Symbol: ER_KEYRING_FAILED_TO_CREATE_KEYRING_DIR; SQLSTATE: HY000

  Message: Could not create keyring directory. The keyring_file will stay unusable until correct path to the keyring directory gets provided

  ER_KEYRING_FAILED_TO_CREATE_KEYRING_DIR was added in 8.0.11.

- Error number: MY-011355; Symbol: ER_KEYRING_FILE_INIT_FAILED; SQLSTATE: HY000

  Message: keyring_file initialization failure. Please check if the keyring_file_data points to readable keyring file or keyring file can be created in the specified location. The keyring_file will stay unusable until correct path to the keyring file gets provided

  ER_KEYRING_FILE_INIT_FAILED was added in 8.0.11.

- Error number: MY-011356; Symbol: ER_KEYRING_INTERNAL_EXCEPTION_FAILED_FILE_INIT; SQLSTATE: HY000

  Message: keyring_file initialization failure due to internal exception inside the plugin.

  ER_KEYRING_INTERNAL_EXCEPTION_FAILED_FILE_INIT was added in 8.0.11.

- Error number: MY-011357; Symbol: ER_KEYRING_FAILED_TO_GENERATE_KEY; SQLSTATE: HY000

  Message: Failed to generate a key due to internal exception inside keyring_file plugin

ER_KEYRING_FAILED_TO_GENERATE_KEY was added in 8.0.11.

- Error number: MY-011358; Symbol: ER_KEYRING_CHECK_KEY_FAILED_DUE_TO_INVALID_KEY; SQLSTATE: HY000

  Message: Error while %s key: invalid key_type

  ER_KEYRING_CHECK_KEY_FAILED_DUE_TO_INVALID_KEY was added in 8.0.11.

- Error number: MY-011359; Symbol: ER_KEYRING_CHECK_KEY_FAILED_DUE_TO_EMPTY_KEY_ID; SQLSTATE: HY000

  Message: Error while %s key: key_id cannot be empty

  ER_KEYRING_CHECK_KEY_FAILED_DUE_TO_EMPTY_KEY_ID was added in 8.0.11.

- Error number: MY-011360; Symbol: ER_KEYRING_OPERATION_FAILED_DUE_TO_INTERNAL_ERROR; SQLSTATE: HY000

  Message: Failed to %s due to internal exception inside %s plugin

  ER_KEYRING_OPERATION_FAILED_DUE_TO_INTERNAL_ERROR was added in 8.0.11.

- Error number: MY-011361; Symbol: ER_KEYRING_INCORRECT_FILE; SQLSTATE: HY000

  Message: Incorrect Keyring file

  ER_KEYRING_INCORRECT_FILE was added in 8.0.11.

- Error number: MY-011362; Symbol: ER_KEYRING_FOUND_MALFORMED_BACKUP_FILE; SQLSTATE: HY000

  Message: Found malformed keyring backup file - removing it

  ER_KEYRING_FOUND_MALFORMED_BACKUP_FILE was added in 8.0.11.

- Error number: MY-011363; Symbol: ER_KEYRING_FAILED_TO_RESTORE_FROM_BACKUP_FILE; SQLSTATE: HY000

  Message: Error while restoring keyring from backup file cannot overwrite keyring with backup

  ER_KEYRING_FAILED_TO_RESTORE_FROM_BACKUP_FILE was added in 8.0.11.

- Error number: MY-011364; Symbol: ER_KEYRING_FAILED_TO_FLUSH_KEYRING_TO_FILE; SQLSTATE: HY000

  Message: Error while flushing in-memory keyring into keyring file

  ER_KEYRING_FAILED_TO_FLUSH_KEYRING_TO_FILE was added in 8.0.11.

- Error number: MY-011365; Symbol: ER_KEYRING_FAILED_TO_GET_FILE_STAT; SQLSTATE: HY000

  Message: Error while reading stat for %s.Please check if file %s was not removed. OS returned this error: %s

  ER_KEYRING_FAILED_TO_GET_FILE_STAT was added in 8.0.11.

- Error number: MY-011366; Symbol: ER_KEYRING_FAILED_TO_REMOVE_FILE; SQLSTATE: HY000

Message: Could not remove file %s OS retuned this error: %s

ER_KEYRING_FAILED_TO_REMOVE_FILE was added in 8.0.11.

- Error number: MY-011367; Symbol: ER_KEYRING_FAILED_TO_TRUNCATE_FILE; SQLSTATE: HY000

  Message: Could not truncate file %s. OS retuned this error: %s

  ER_KEYRING_FAILED_TO_TRUNCATE_FILE was added in 8.0.11.

- Error number: MY-011368; Symbol: ER_KEYRING_UNKNOWN_ERROR; SQLSTATE: HY000

  Message: Unknown error %d

  ER_KEYRING_UNKNOWN_ERROR was added in 8.0.11.

- Error number: MY-011369; Symbol: ER_KEYRING_FAILED_TO_SET_KEYRING_FILE_DATA; SQLSTATE: HY000

  Message: keyring_file_data cannot be set to new value as the keyring file cannot be created/accessed in the provided path

  ER_KEYRING_FAILED_TO_SET_KEYRING_FILE_DATA was added in 8.0.11.

- Error number: MY-011370; Symbol: ER_KEYRING_FILE_IO_ERROR; SQLSTATE: HY000

  Message: %s

  ER_KEYRING_FILE_IO_ERROR was added in 8.0.11.

- Error number: MY-011371; Symbol: ER_KEYRING_FAILED_TO_LOAD_KEYRING_CONTENT; SQLSTATE: HY000

  Message: Error while loading keyring content. The keyring might be malformed

  ER_KEYRING_FAILED_TO_LOAD_KEYRING_CONTENT was added in 8.0.11.

- Error number: MY-011372; Symbol: ER_KEYRING_FAILED_TO_FLUSH_KEYS_TO_KEYRING; SQLSTATE: HY000

  Message: Could not flush keys to keyring

  ER_KEYRING_FAILED_TO_FLUSH_KEYS_TO_KEYRING was added in 8.0.11.

- Error number: MY-011373; Symbol: ER_KEYRING_FAILED_TO_FLUSH_KEYS_TO_KEYRING_BACKUP; SQLSTATE: HY000

  Message: Could not flush keys to keyring's backup

  ER_KEYRING_FAILED_TO_FLUSH_KEYS_TO_KEYRING_BACKUP was added in 8.0.11.

- Error number: MY-011374; Symbol: ER_KEYRING_KEY_FETCH_FAILED_DUE_TO_EMPTY_KEY_ID; SQLSTATE: HY000

  Message: Error while fetching key: key_id cannot be empty

  ER_KEYRING_KEY_FETCH_FAILED_DUE_TO_EMPTY_KEY_ID was added in 8.0.11.

- Error number: MY-011375; Symbol: ER_KEYRING_FAILED_TO_REMOVE_KEY_DUE_TO_EMPTY_ID; SQLSTATE: HY000

  Message: Error while removing key: key_id cannot be empty

  ER_KEYRING_FAILED_TO_REMOVE_KEY_DUE_TO_EMPTY_ID was added in 8.0.11.

- Error number: MY-011376; Symbol: ER_KEYRING_OKV_INCORRECT_KEY_VAULT_CONFIGURED; SQLSTATE: HY000

  Message: For keyring_okv to be initialized, please point keyring_okv_conf_dir variable to a directory with Oracle Key Vault configuration file and ssl materials

  ER_KEYRING_OKV_INCORRECT_KEY_VAULT_CONFIGURED was added in 8.0.11.

- Error number: MY-011377; Symbol: ER_KEYRING_OKV_INIT_FAILED_DUE_TO_INCORRECT_CONF; SQLSTATE: HY000

  Message: keyring_okv initialization failure. Please check that the keyring_okv_conf_dir points to a readable directory and that the directory contains Oracle Key Vault configuration file and ssl materials. Please also check that Oracle Key Vault is up and running.

  ER_KEYRING_OKV_INIT_FAILED_DUE_TO_INCORRECT_CONF was added in 8.0.11.

- Error number: MY-011378; Symbol: ER_KEYRING_OKV_INIT_FAILED_DUE_TO_INTERNAL_ERROR; SQLSTATE: HY000

  Message: keyring_okv initialization failure due to internal exception inside the plugin

  ER_KEYRING_OKV_INIT_FAILED_DUE_TO_INTERNAL_ERROR was added in 8.0.11.

- Error number: MY-011379; Symbol: ER_KEYRING_OKV_INVALID_KEY_TYPE; SQLSTATE: HY000

  Message: Invalid key type

  ER_KEYRING_OKV_INVALID_KEY_TYPE was added in 8.0.11.

- Error number: MY-011380; Symbol: ER_KEYRING_OKV_INVALID_KEY_LENGTH_FOR_CIPHER; SQLSTATE: HY000

  Message: Invalid key length for given block cipher

  ER_KEYRING_OKV_INVALID_KEY_LENGTH_FOR_CIPHER was added in 8.0.11.

- Error number: MY-011381; Symbol: ER_KEYRING_OKV_FAILED_TO_GENERATE_KEY_DUE_TO_INTERNAL_ERROR; SQLSTATE: HY000

  Message: Failed to generate a key due to internal exception inside keyring_okv plugin

  ER_KEYRING_OKV_FAILED_TO_GENERATE_KEY_DUE_TO_INTERNAL_ERROR was added in 8.0.11.

- Error number: MY-011382; Symbol: ER_KEYRING_OKV_FAILED_TO_FIND_SERVER_ENTRY; SQLSTATE: HY000

  Message: Could not find entry for server in configuration file %s

  ER_KEYRING_OKV_FAILED_TO_FIND_SERVER_ENTRY was added in 8.0.11.

- Error number: MY-011383; Symbol: ER_KEYRING_OKV_FAILED_TO_FIND_STANDBY_SERVER_ENTRY; SQLSTATE: HY000

  Message: Could not find entry for standby server in configuration file %s

  ER_KEYRING_OKV_FAILED_TO_FIND_STANDBY_SERVER_ENTRY was added in 8.0.11.

- Error number: MY-011384; Symbol: ER_KEYRING_OKV_FAILED_TO_PARSE_CONF_FILE; SQLSTATE: HY000

  Message: Could not parse the %s file provided

  ER_KEYRING_OKV_FAILED_TO_PARSE_CONF_FILE was added in 8.0.11.

- Error number: MY-011385; Symbol: ER_KEYRING_OKV_FAILED_TO_LOAD_KEY_UID; SQLSTATE: HY000

  Message: Could not load keys' uids from the OKV server

  ER_KEYRING_OKV_FAILED_TO_LOAD_KEY_UID was added in 8.0.11.

- Error number: MY-011386; Symbol: ER_KEYRING_OKV_FAILED_TO_INIT_SSL_LAYER; SQLSTATE: HY000

  Message: Could not initialize ssl layer

  ER_KEYRING_OKV_FAILED_TO_INIT_SSL_LAYER was added in 8.0.11.

- Error number: MY-011387; Symbol: ER_KEYRING_OKV_FAILED_TO_INIT_CLIENT; SQLSTATE: HY000

  Message: Could not initialize OKV client

  ER_KEYRING_OKV_FAILED_TO_INIT_CLIENT was added in 8.0.11.

- Error number: MY-011388; Symbol: ER_KEYRING_OKV_CONNECTION_TO_SERVER_FAILED; SQLSTATE: HY000

  Message: Could not connect to the OKV server

  ER_KEYRING_OKV_CONNECTION_TO_SERVER_FAILED was added in 8.0.11.

- Error number: MY-011389; Symbol: ER_KEYRING_OKV_FAILED_TO_REMOVE_KEY; SQLSTATE: HY000

  Message: Could not remove the key

  ER_KEYRING_OKV_FAILED_TO_REMOVE_KEY was added in 8.0.11.

- Error number: MY-011390; Symbol: ER_KEYRING_OKV_FAILED_TO_ADD_ATTRIBUTE; SQLSTATE: HY000

  Message: Could not add attribute, attribute_name=%s attribute value=%s

  ER_KEYRING_OKV_FAILED_TO_ADD_ATTRIBUTE was added in 8.0.11.

- Error number: MY-011391; Symbol: ER_KEYRING_OKV_FAILED_TO_GENERATE_KEY; SQLSTATE: HY000

Message: Could not generate the key.

ER_KEYRING_OKV_FAILED_TO_GENERATE_KEY was added in 8.0.11.

- Error number: MY-011392; Symbol: ER_KEYRING_OKV_FAILED_TO_STORE_KEY; SQLSTATE: HY000

  Message: Could not store the key.

  ER_KEYRING_OKV_FAILED_TO_STORE_KEY was added in 8.0.11.

- Error number: MY-011393; Symbol: ER_KEYRING_OKV_FAILED_TO_ACTIVATE_KEYS; SQLSTATE: HY000

  Message: Could not activate the key.

  ER_KEYRING_OKV_FAILED_TO_ACTIVATE_KEYS was added in 8.0.11.

- Error number: MY-011394; Symbol: ER_KEYRING_OKV_FAILED_TO_FETCH_KEY; SQLSTATE: HY000

  Message: Could not fetch generated key

  ER_KEYRING_OKV_FAILED_TO_FETCH_KEY was added in 8.0.11.

- Error number: MY-011395; Symbol: ER_KEYRING_OKV_FAILED_TO_STORE_OR_GENERATE_KEY; SQLSTATE: HY000

  Message: Could not store/generate the key - failed to set key attribute x-key-ready

  ER_KEYRING_OKV_FAILED_TO_STORE_OR_GENERATE_KEY was added in 8.0.11.

- Error number: MY-011396; Symbol: ER_KEYRING_OKV_FAILED_TO_RETRIEVE_KEY_SIGNATURE; SQLSTATE: HY000

  Message: Could not retrieve key signature from custom attributes

  ER_KEYRING_OKV_FAILED_TO_RETRIEVE_KEY_SIGNATURE was added in 8.0.11.

- Error number: MY-011397; Symbol: ER_KEYRING_OKV_FAILED_TO_RETRIEVE_KEY; SQLSTATE: HY000

  Message: Could not retrieve key from OKV

  ER_KEYRING_OKV_FAILED_TO_RETRIEVE_KEY was added in 8.0.11.

- Error number: MY-011398; Symbol: ER_KEYRING_OKV_FAILED_TO_LOAD_SSL_TRUST_STORE; SQLSTATE: HY000

  Message: Error loading trust store

  ER_KEYRING_OKV_FAILED_TO_LOAD_SSL_TRUST_STORE was added in 8.0.11.

- Error number: MY-011399; Symbol: ER_KEYRING_OKV_FAILED_TO_SET_CERTIFICATE_FILE; SQLSTATE: HY000

  Message: Error setting the certificate file.

  ER_KEYRING_OKV_FAILED_TO_SET_CERTIFICATE_FILE was added in 8.0.11.

- Error number: MY-011400; Symbol: ER_KEYRING_OKV_FAILED_TO_SET_KEY_FILE; SQLSTATE: HY000

  Message: Error setting the key file.

  ER_KEYRING_OKV_FAILED_TO_SET_KEY_FILE was added in 8.0.11.

- Error number: MY-011401; Symbol: ER_KEYRING_OKV_KEY_MISMATCH; SQLSTATE: HY000

  Message: Private key does not match the certificate public key

  ER_KEYRING_OKV_KEY_MISMATCH was added in 8.0.11.

- Error number: MY-011402; Symbol: ER_KEYRING_ENCRYPTED_FILE_INCORRECT_KEYRING_FILE; SQLSTATE: HY000

  Message: Incorrect Keyring file

  ER_KEYRING_ENCRYPTED_FILE_INCORRECT_KEYRING_FILE was added in 8.0.11.

- Error number: MY-011403; Symbol: ER_KEYRING_ENCRYPTED_FILE_DECRYPTION_FAILED; SQLSTATE: HY000

  Message: Keyring_encrypted_file decryption failed. Please verify --keyring-encrypted-file-password option value.

  ER_KEYRING_ENCRYPTED_FILE_DECRYPTION_FAILED was added in 8.0.11.

- Error number: MY-011404; Symbol: ER_KEYRING_ENCRYPTED_FILE_FOUND_MALFORMED_BACKUP_FILE; SQLSTATE: HY000

  Message: Found malformed keyring backup file - removing it

  ER_KEYRING_ENCRYPTED_FILE_FOUND_MALFORMED_BACKUP_FILE was added in 8.0.11.

- Error number: MY-011405; Symbol: ER_KEYRING_ENCRYPTED_FILE_FAILED_TO_RESTORE_KEYRING; SQLSTATE: HY000

  Message: Error while restoring keyring from backup file cannot overwrite keyring with backup

  ER_KEYRING_ENCRYPTED_FILE_FAILED_TO_RESTORE_KEYRING was added in 8.0.11.

- Error number: MY-011406; Symbol: ER_KEYRING_ENCRYPTED_FILE_FAILED_TO_FLUSH_KEYRING; SQLSTATE: HY000

  Message: Error while flushing in-memory keyring into keyring file

  ER_KEYRING_ENCRYPTED_FILE_FAILED_TO_FLUSH_KEYRING was added in 8.0.11.

- Error number: MY-011407; Symbol: ER_KEYRING_ENCRYPTED_FILE_ENCRYPTION_FAILED; SQLSTATE: HY000

  Message: Keyring_encrypted_file encryption failed. Please verify --keyring-encrypted-file-password option value.

  ER_KEYRING_ENCRYPTED_FILE_ENCRYPTION_FAILED was added in 8.0.11.

- Error number: MY-011408; Symbol: ER_KEYRING_ENCRYPTED_FILE_INVALID_KEYRING_DIR; SQLSTATE: HY000

Message: keyring_encrypted_file_data cannot be set to new value as the keyring file cannot be created/accessed in the provided path

`ER_KEYRING_ENCRYPTED_FILE_INVALID_KEYRING_DIR` was added in 8.0.11.

- Error number: `MY-011409`; Symbol: `ER_KEYRING_ENCRYPTED_FILE_FAILED_TO_CREATE_KEYRING_DIR`; SQLSTATE: `HY000`

  Message: Could not create keyring directory The keyring_encrypted_file will stay unusable until correct path to the keyring directory gets provided

  `ER_KEYRING_ENCRYPTED_FILE_FAILED_TO_CREATE_KEYRING_DIR` was added in 8.0.11.

- Error number: `MY-011410`; Symbol: `ER_KEYRING_ENCRYPTED_FILE_PASSWORD_IS_INVALID`; SQLSTATE: `HY000`

  Message: The keyring_encrypted_file_password must be set to a valid value.

  `ER_KEYRING_ENCRYPTED_FILE_PASSWORD_IS_INVALID` was added in 8.0.11.

- Error number: `MY-011411`; Symbol: `ER_KEYRING_ENCRYPTED_FILE_PASSWORD_IS_TOO_LONG`; SQLSTATE: `HY000`

  Message: Too long keyring_encrypted_file_password value.

  `ER_KEYRING_ENCRYPTED_FILE_PASSWORD_IS_TOO_LONG` was added in 8.0.11.

- Error number: `MY-011412`; Symbol: `ER_KEYRING_ENCRYPTED_FILE_INIT_FAILURE`; SQLSTATE: `HY000`

  Message: keyring_encrypted_file initialization failure. Please check if the keyring_encrypted_file_data points to readable keyring file or keyring file can be created in the specified location or password to decrypt keyring file is correct.

  `ER_KEYRING_ENCRYPTED_FILE_INIT_FAILURE` was added in 8.0.11.

- Error number: `MY-011413`; Symbol: `ER_KEYRING_ENCRYPTED_FILE_INIT_FAILED_DUE_TO_INTERNAL_ERROR`; SQLSTATE: `HY000`

  Message: keyring_encrypted_file initialization failure due to internal exception inside the plugin

  `ER_KEYRING_ENCRYPTED_FILE_INIT_FAILED_DUE_TO_INTERNAL_ERROR` was added in 8.0.11.

- Error number: `MY-011414`; Symbol: `ER_KEYRING_ENCRYPTED_FILE_GEN_KEY_FAILED_DUE_TO_INTERNAL_ERROR`; SQLSTATE: `HY000`

  Message: Failed to generate a key due to internal exception inside keyring_encrypted_file plugin

  `ER_KEYRING_ENCRYPTED_FILE_GEN_KEY_FAILED_DUE_TO_INTERNAL_ERROR` was added in 8.0.11.

- Error number: `MY-011415`; Symbol: `ER_KEYRING_AWS_FAILED_TO_SET_CMK_ID`; SQLSTATE: `HY000`

  Message: keyring_aws_cmk_id cannot be set to the new value as AWS KMS seems to not understand the id provided. Please check that CMK id provided is correct.

ER_KEYRING_AWS_FAILED_TO_SET_CMK_ID was added in 8.0.11.

- Error number: MY-011416; Symbol: ER_KEYRING_AWS_FAILED_TO_SET_REGION; SQLSTATE: HY000

  Message: keyring_aws_region cannot be set to the new value as AWS KMS seems to not understand the region provided. Please check that region provided is correct.

  ER_KEYRING_AWS_FAILED_TO_SET_REGION was added in 8.0.11.

- Error number: MY-011417; Symbol: ER_KEYRING_AWS_FAILED_TO_OPEN_CONF_FILE; SQLSTATE: HY000

  Message: Could not open keyring_aws configuration file: %s. OS returned this error: %s

  ER_KEYRING_AWS_FAILED_TO_OPEN_CONF_FILE was added in 8.0.11.

- Error number: MY-011418; Symbol: ER_KEYRING_AWS_FAILED_TO_ACCESS_KEY_ID_FROM_CONF_FILE; SQLSTATE: HY000

  Message: Could not read AWS access key id from keyring_aws configuration file: %s. OS returned this error: %s

  ER_KEYRING_AWS_FAILED_TO_ACCESS_KEY_ID_FROM_CONF_FILE was added in 8.0.11.

- Error number: MY-011419; Symbol: ER_KEYRING_AWS_FAILED_TO_ACCESS_KEY_FROM_CONF_FILE; SQLSTATE: HY000

  Message: Could not read AWS access key from keyring_aws configuration file: %s. OS returned this error: %s

  ER_KEYRING_AWS_FAILED_TO_ACCESS_KEY_FROM_CONF_FILE was added in 8.0.11.

- Error number: MY-011420; Symbol: ER_KEYRING_AWS_INVALID_CONF_FILE_PATH; SQLSTATE: HY000

  Message: Path to keyring aws configuration file cannot be empty

  ER_KEYRING_AWS_INVALID_CONF_FILE_PATH was added in 8.0.11.

- Error number: MY-011421; Symbol: ER_KEYRING_AWS_INVALID_DATA_FILE_PATH; SQLSTATE: HY000

  Message: Path to keyring_aws storage file cannot be empty.

  ER_KEYRING_AWS_INVALID_DATA_FILE_PATH was added in 8.0.11.

- Error number: MY-011422; Symbol: ER_KEYRING_AWS_FAILED_TO_ACCESS_OR_CREATE_KEYRING_DIR; SQLSTATE: HY000

  Message: Unable to create/access keyring directory.

  ER_KEYRING_AWS_FAILED_TO_ACCESS_OR_CREATE_KEYRING_DIR was added in 8.0.11.

- Error number: MY-011423; Symbol: ER_KEYRING_AWS_FAILED_TO_ACCESS_OR_CREATE_KEYRING_DATA_FILE; SQLSTATE: HY000

  Message: Unable to create/access keyring_aws storage file. Please check if keyring_aws_data_file points to location where keyring file can be created/accessed. Please also make sure that MySQL server's user has high enough privileges to access this location.

  ER_KEYRING_AWS_FAILED_TO_ACCESS_OR_CREATE_KEYRING_DATA_FILE was added in 8.0.11.

- Error number: MY-011424; Symbol: ER_KEYRING_AWS_FAILED_TO_INIT_DUE_TO_INTERNAL_ERROR; SQLSTATE: HY000

  Message: keyring_aws initialization failed due to internal error when initializing synchronization primitive - %s. OS returned this error: %s:

  ER_KEYRING_AWS_FAILED_TO_INIT_DUE_TO_INTERNAL_ERROR was added in 8.0.11.

- Error number: MY-011425; Symbol: ER_KEYRING_AWS_FAILED_TO_ACCESS_DATA_FILE; SQLSTATE: HY000

  Message: Could not access keyring_aws storage file in the path provided. Please check if the keyring_aws directory can be accessed by MySQL Server

  ER_KEYRING_AWS_FAILED_TO_ACCESS_DATA_FILE was added in 8.0.11.

- Error number: MY-011426; Symbol: ER_KEYRING_AWS_CMK_ID_NOT_SET; SQLSTATE: HY000

  Message: keyring_aws_cmk_id has to be set

  ER_KEYRING_AWS_CMK_ID_NOT_SET was added in 8.0.11.

- Error number: MY-011427; Symbol: ER_KEYRING_AWS_FAILED_TO_GET_KMS_CREDENTIAL_FROM_CONF_FILE; SQLSTATE: HY000

  Message: Could not get AWS KMS credentials from the configuration file

  ER_KEYRING_AWS_FAILED_TO_GET_KMS_CREDENTIAL_FROM_CONF_FILE was added in 8.0.11.

- Error number: MY-011428; Symbol: ER_KEYRING_AWS_INIT_FAILURE; SQLSTATE: HY000

  Message: keyring_aws initialization failure.

  ER_KEYRING_AWS_INIT_FAILURE was added in 8.0.11.

- Error number: MY-011429; Symbol: ER_KEYRING_AWS_FAILED_TO_INIT_DUE_TO_PLUGIN_INTERNAL_ERROR; SQLSTATE: HY000

  Message: keyring_aws initialization failure due to internal exception inside the plugin

  ER_KEYRING_AWS_FAILED_TO_INIT_DUE_TO_PLUGIN_INTERNAL_ERROR was added in 8.0.11.

- Error number: MY-011430; Symbol: ER_KEYRING_AWS_INVALID_KEY_LENGTH_FOR_CIPHER; SQLSTATE: HY000

  Message: Invalid key length for given block cipher

  ER_KEYRING_AWS_INVALID_KEY_LENGTH_FOR_CIPHER was added in 8.0.11.

- Error number: MY-011431; Symbol: ER_KEYRING_AWS_FAILED_TO_GENERATE_KEY_DUE_TO_INTERNAL_ERROR; SQLSTATE: HY000

  Message: Failed to generate a key due to internal exception inside keyring_file plugin

  ER_KEYRING_AWS_FAILED_TO_GENERATE_KEY_DUE_TO_INTERNAL_ERROR was added in 8.0.11.

- Error number: MY-011432; Symbol: ER_KEYRING_AWS_INCORRECT_FILE; SQLSTATE: HY000

  Message: Incorrect Keyring file

  ER_KEYRING_AWS_INCORRECT_FILE was added in 8.0.11.

- Error number: MY-011433; Symbol: ER_KEYRING_AWS_FOUND_MALFORMED_BACKUP_FILE; SQLSTATE: HY000

  Message: Found malformed keyring backup file - removing it

  ER_KEYRING_AWS_FOUND_MALFORMED_BACKUP_FILE was added in 8.0.11.

- Error number: MY-011434; Symbol: ER_KEYRING_AWS_FAILED_TO_RESTORE_FROM_BACKUP_FILE; SQLSTATE: HY000

  Message: Error while restoring keyring from backup file cannot overwrite keyring with backup

  ER_KEYRING_AWS_FAILED_TO_RESTORE_FROM_BACKUP_FILE was added in 8.0.11.

- Error number: MY-011435; Symbol: ER_KEYRING_AWS_FAILED_TO_FLUSH_KEYRING_TO_FILE; SQLSTATE: HY000

  Message: Error while flushing in-memory keyring into keyring file

  ER_KEYRING_AWS_FAILED_TO_FLUSH_KEYRING_TO_FILE was added in 8.0.11.

- Error number: MY-011436; Symbol: ER_KEYRING_AWS_INCORRECT_REGION; SQLSTATE: HY000

  Message: Wrong region

  ER_KEYRING_AWS_INCORRECT_REGION was added in 8.0.11.

- Error number: MY-011437; Symbol: ER_KEYRING_AWS_FAILED_TO_CONNECT_KMS; SQLSTATE: HY000

  Message: Could not connect to AWS KMS with the credentials provided. Please make sure they are correct. AWS KMS returned this error: %s

  ER_KEYRING_AWS_FAILED_TO_CONNECT_KMS was added in 8.0.11.

- Error number: MY-011438; Symbol: ER_KEYRING_AWS_FAILED_TO_GENERATE_NEW_KEY; SQLSTATE: HY000

  Message: Could not generate a new key. AWS KMS returned this error: %s

  ER_KEYRING_AWS_FAILED_TO_GENERATE_NEW_KEY was added in 8.0.11.

- Error number: MY-011439; Symbol: ER_KEYRING_AWS_FAILED_TO_ENCRYPT_KEY; SQLSTATE: HY000

  Message: Could not encrypt key. AWS KMS returned this error: %s

ER_KEYRING_AWS_FAILED_TO_ENCRYPT_KEY was added in 8.0.11.

- Error number: MY-011440; Symbol: ER_KEYRING_AWS_FAILED_TO_RE_ENCRYPT_KEY; SQLSTATE: HY000

  Message: Could not re-encrypt key. AWS KMS returned this error: %s

  ER_KEYRING_AWS_FAILED_TO_RE_ENCRYPT_KEY was added in 8.0.11.

- Error number: MY-011441; Symbol: ER_KEYRING_AWS_FAILED_TO_DECRYPT_KEY; SQLSTATE: HY000

  Message: Could not decrypt key. AWS KMS returned this error: %s

  ER_KEYRING_AWS_FAILED_TO_DECRYPT_KEY was added in 8.0.11.

- Error number: MY-011442; Symbol: ER_KEYRING_AWS_FAILED_TO_ROTATE_CMK; SQLSTATE: HY000

  Message: Could not rotate the CMK. AWS KMS returned this error: %s

  ER_KEYRING_AWS_FAILED_TO_ROTATE_CMK was added in 8.0.11.

- Error number: MY-011443; Symbol: ER_GRP_RPL_GTID_ALREADY_USED; SQLSTATE: HY000

  Message: The requested GTID '%s:%lld' was already used, the transaction will rollback.

  ER_GRP_RPL_GTID_ALREADY_USED was added in 8.0.11.

- Error number: MY-011444; Symbol: ER_GRP_RPL_APPLIER_THD_KILLED; SQLSTATE: HY000

  Message: The group replication applier thread was killed.

  ER_GRP_RPL_APPLIER_THD_KILLED was added in 8.0.11.

- Error number: MY-011445; Symbol: ER_GRP_RPL_EVENT_HANDLING_ERROR; SQLSTATE: HY000

  Message: Error at event handling! Got error: %d.

  ER_GRP_RPL_EVENT_HANDLING_ERROR was added in 8.0.11.

- Error number: MY-011446; Symbol: ER_GRP_RPL_ERROR_GTID_EXECUTION_INFO; SQLSTATE: HY000

  Message: Error when extracting group GTID execution information, some recovery operations may face future issues.

  ER_GRP_RPL_ERROR_GTID_EXECUTION_INFO was added in 8.0.11.

- Error number: MY-011447; Symbol: ER_GRP_RPL_CERTIFICATE_SIZE_ERROR; SQLSTATE: HY000

  Message: An error occurred when trying to reduce the Certification information size for transmission.

  ER_GRP_RPL_CERTIFICATE_SIZE_ERROR was added in 8.0.11.

- Error number: MY-011448; Symbol: ER_GRP_RPL_CREATE_APPLIER_CACHE_ERROR; SQLSTATE: HY000

  Message: Failed to create group replication pipeline applier cache!

ER_GRP_RPL_CREATE_APPLIER_CACHE_ERROR was added in 8.0.11.

- Error number: MY-011449; Symbol: ER_GRP_RPL_UNBLOCK_WAITING_THD; SQLSTATE: HY000

  Message: Unblocking the group replication thread waiting for applier to start, as the start group replication was killed.

  ER_GRP_RPL_UNBLOCK_WAITING_THD was added in 8.0.11.

- Error number: MY-011450; Symbol: ER_GRP_RPL_APPLIER_PIPELINE_NOT_DISPOSED; SQLSTATE: HY000

  Message: The group replication applier pipeline was not properly disposed. Check the error log for further info.

  ER_GRP_RPL_APPLIER_PIPELINE_NOT_DISPOSED was added in 8.0.11.

- Error number: MY-011451; Symbol: ER_GRP_RPL_APPLIER_THD_EXECUTION_ABORTED; SQLSTATE: HY000

  Message: The applier thread execution was aborted. Unable to process more transactions, this member will now leave the group.

  ER_GRP_RPL_APPLIER_THD_EXECUTION_ABORTED was added in 8.0.11.

- Error number: MY-011452; Symbol: ER_GRP_RPL_APPLIER_EXECUTION_FATAL_ERROR; SQLSTATE: HY000

  Message: Fatal error during execution on the Applier process of Group Replication. The server will now leave the group.

  ER_GRP_RPL_APPLIER_EXECUTION_FATAL_ERROR was added in 8.0.11.

- Error number: MY-011453; Symbol: ER_GRP_RPL_ERROR_STOPPING_CHANNELS; SQLSTATE: HY000

  Message: Error stopping all replication channels while server was leaving the group. %s

  ER_GRP_RPL_ERROR_STOPPING_CHANNELS was added in 8.0.11.

- Error number: MY-011454; Symbol: ER_GRP_RPL_ERROR_SENDING_SINGLE_PRIMARY_MSSG; SQLSTATE: HY000

  Message: Error sending single primary message informing that primary did apply relay logs.

  ER_GRP_RPL_ERROR_SENDING_SINGLE_PRIMARY_MSSG was added in 8.0.11.

- Error number: MY-011455; Symbol: ER_GRP_RPL_UPDATE_TRANS_SNAPSHOT_VER_ERROR; SQLSTATE: HY000

  Message: Error updating transaction snapshot version after transaction being positively certified.

  ER_GRP_RPL_UPDATE_TRANS_SNAPSHOT_VER_ERROR was added in 8.0.11.

- Error number: MY-011456; Symbol: ER_GRP_RPL_SIDNO_FETCH_ERROR; SQLSTATE: HY000

  Message: Error fetching transaction sidno after transaction being positively certified.

  ER_GRP_RPL_SIDNO_FETCH_ERROR was added in 8.0.11.

- Error number: MY-011457; Symbol: ER_GRP_RPL_BROADCAST_COMMIT_TRANS_MSSG_FAILED; SQLSTATE: HY000

  Message: Broadcast of committed transactions message failed.

  ER_GRP_RPL_BROADCAST_COMMIT_TRANS_MSSG_FAILED was added in 8.0.11.

- Error number: MY-011458; Symbol: ER_GRP_RPL_GROUP_NAME_PARSE_ERROR; SQLSTATE: HY000

  Message: Unable to parse the group_replication_group_name during the Certification module initialization.

  ER_GRP_RPL_GROUP_NAME_PARSE_ERROR was added in 8.0.11.

- Error number: MY-011459; Symbol: ER_GRP_RPL_ADD_GRPSID_TO_GRPGTIDSID_MAP_ERROR; SQLSTATE: HY000

  Message: Unable to add the group_sid in the group_gtid_sid_map during the Certification module initialization.

  ER_GRP_RPL_ADD_GRPSID_TO_GRPGTIDSID_MAP_ERROR was added in 8.0.11.

- Error number: MY-011460; Symbol: ER_GRP_RPL_UPDATE_GRPGTID_EXECUTED_ERROR; SQLSTATE: HY000

  Message: Error updating group_gtid_executed GITD set during the Certification module initialization.

  ER_GRP_RPL_UPDATE_GRPGTID_EXECUTED_ERROR was added in 8.0.11.

- Error number: MY-011461; Symbol: ER_GRP_RPL_DONOR_TRANS_INFO_ERROR; SQLSTATE: HY000

  Message: Unable to handle the donor's transaction information when initializing the conflict detection component. Possible out of memory error.

  ER_GRP_RPL_DONOR_TRANS_INFO_ERROR was added in 8.0.11.

- Error number: MY-011462; Symbol: ER_GRP_RPL_SERVER_CONN_ERROR; SQLSTATE: HY000

  Message: Error when establishing a server connection during the Certification module initialization.

  ER_GRP_RPL_SERVER_CONN_ERROR was added in 8.0.11.

- Error number: MY-011463; Symbol: ER_GRP_RPL_ERROR_FETCHING_GTID_EXECUTED_SET; SQLSTATE: HY000

  Message: Error when extracting this member GTID executed set. Certification module can't be properly initialized.

  ER_GRP_RPL_ERROR_FETCHING_GTID_EXECUTED_SET was added in 8.0.11.

- Error number: MY-011464; Symbol: ER_GRP_RPL_ADD_GTID_TO_GRPGTID_EXECUTED_ERROR; SQLSTATE: HY000

  Message: Error while adding the server GTID EXECUTED set to the group_gtid_execute during the Certification module initialization.

  ER_GRP_RPL_ADD_GTID_TO_GRPGTID_EXECUTED_ERROR was added in 8.0.11.

- Error number: MY-011465; Symbol: ER_GRP_RPL_ERROR_FETCHING_GTID_SET; SQLSTATE: HY000

Message: Error when extracting this member retrieved set for its applier. Certification module can't be properly initialized.

`ER_GRP_RPL_ERROR_FETCHING_GTID_SET` was added in 8.0.11.

- Error number: `MY-011466`; Symbol: `ER_GRP_RPL_ADD_RETRIEVED_SET_TO_GRP_GTID_EXECUTED_ERROR`; SQLSTATE: `HY000`

  Message: Error while adding the member retrieved set to the group_gtid_executed during the Certification module initialization.

  `ER_GRP_RPL_ADD_RETRIEVED_SET_TO_GRP_GTID_EXECUTED_ERROR` was added in 8.0.11.

- Error number: `MY-011467`; Symbol: `ER_GRP_RPL_CERTIFICATION_INITIALIZATION_FAILURE`; SQLSTATE: `HY000`

  Message: Error during Certification module initialization.

  `ER_GRP_RPL_CERTIFICATION_INITIALIZATION_FAILURE` was added in 8.0.11.

- Error number: `MY-011468`; Symbol: `ER_GRP_RPL_UPDATE_LAST_CONFLICT_FREE_TRANS_ERROR`; SQLSTATE: `HY000`

  Message: Unable to update last conflict free transaction, this transaction will not be tracked on performance_schema.replication_group_member_stats.last_conflict_free_transaction.

  `ER_GRP_RPL_UPDATE_LAST_CONFLICT_FREE_TRANS_ERROR` was added in 8.0.11.

- Error number: `MY-011469`; Symbol: `ER_GRP_RPL_UPDATE_TRANS_SNAPSHOT_REF_VER_ERROR`; SQLSTATE: `HY000`

  Message: Error updating transaction snapshot version reference for internal storage.

  `ER_GRP_RPL_UPDATE_TRANS_SNAPSHOT_REF_VER_ERROR` was added in 8.0.11.

- Error number: `MY-011470`; Symbol: `ER_GRP_RPL_FETCH_TRANS_SIDNO_ERROR`; SQLSTATE: `HY000`

  Message: Error fetching transaction sidno while adding to the group_gtid_executed set.

  `ER_GRP_RPL_FETCH_TRANS_SIDNO_ERROR` was added in 8.0.11.

- Error number: `MY-011471`; Symbol: `ER_GRP_RPL_ERROR_VERIFYING_SIDNO`; SQLSTATE: `HY000`

  Message: Error while ensuring the sidno be present in the group_gtid_executed.

  `ER_GRP_RPL_ERROR_VERIFYING_SIDNO` was added in 8.0.11.

- Error number: `MY-011472`; Symbol: `ER_GRP_RPL_CANT_GENERATE_GTID`; SQLSTATE: `HY000`

  Message: Impossible to generate Global Transaction Identifier: the integer component reached the maximal value. Restart the group with a new group_replication_group_name.

  `ER_GRP_RPL_CANT_GENERATE_GTID` was added in 8.0.11.

- Error number: MY-011473; Symbol: ER_GRP_RPL_INVALID_GTID_SET; SQLSTATE: HY000

  Message: Invalid stable transactions set.

  ER_GRP_RPL_INVALID_GTID_SET was added in 8.0.11.

- Error number: MY-011474; Symbol: ER_GRP_RPL_UPDATE_GTID_SET_ERROR; SQLSTATE: HY000

  Message: Error updating stable transactions set.

  ER_GRP_RPL_UPDATE_GTID_SET_ERROR was added in 8.0.11.

- Error number: MY-011475; Symbol: ER_GRP_RPL_RECEIVED_SET_MISSING_GTIDS; SQLSTATE: HY000

  Message: There was an error when filling the missing GTIDs on the applier channel received set. Despite not critical, on the long run this may cause performance issues.

  ER_GRP_RPL_RECEIVED_SET_MISSING_GTIDS was added in 8.0.11.

- Error number: MY-011476; Symbol: ER_GRP_RPL_SKIP_COMPUTATION_TRANS_COMMITTED; SQLSTATE: HY000

  Message: Skipping the computation of the Transactions_committed_all_members field as an older instance of this computation is still ongoing.

  ER_GRP_RPL_SKIP_COMPUTATION_TRANS_COMMITTED was added in 8.0.11, removed after 8.0.26.

- Error number: MY-011477; Symbol: ER_GRP_RPL_NULL_PACKET; SQLSTATE: HY000

  Message: Null packet on certifier's queue.

  ER_GRP_RPL_NULL_PACKET was added in 8.0.11.

- Error number: MY-011478; Symbol: ER_GRP_RPL_CANT_READ_GTID; SQLSTATE: HY000

  Message: Error reading GTIDs from the message.

  ER_GRP_RPL_CANT_READ_GTID was added in 8.0.11.

- Error number: MY-011479; Symbol: ER_GRP_RPL_PROCESS_GTID_SET_ERROR; SQLSTATE: HY000

  Message: Error processing stable transactions set.

  ER_GRP_RPL_PROCESS_GTID_SET_ERROR was added in 8.0.11.

- Error number: MY-011480; Symbol: ER_GRP_RPL_PROCESS_INTERSECTION_GTID_SET_ERROR; SQLSTATE: HY000

  Message: Error processing intersection of stable transactions set.

  ER_GRP_RPL_PROCESS_INTERSECTION_GTID_SET_ERROR was added in 8.0.11.

- Error number: MY-011481; Symbol: ER_GRP_RPL_SET_STABLE_TRANS_ERROR; SQLSTATE: HY000

  Message: Error setting stable transactions set.

  ER_GRP_RPL_SET_STABLE_TRANS_ERROR was added in 8.0.11.

- Error number: MY-011482; Symbol: ER_GRP_RPL_CANT_READ_GRP_GTID_EXTRACTED; SQLSTATE: HY000

  Message: Error reading group_gtid_extracted from the View_change_log_event.

  ER_GRP_RPL_CANT_READ_GRP_GTID_EXTRACTED was added in 8.0.11.

- Error number: MY-011483; Symbol: ER_GRP_RPL_CANT_READ_WRITE_SET_ITEM; SQLSTATE: HY000

  Message: Error reading the write set item '%s' from the View_change_log_event.

  ER_GRP_RPL_CANT_READ_WRITE_SET_ITEM was added in 8.0.11.

- Error number: MY-011484; Symbol: ER_GRP_RPL_INIT_CERTIFICATION_INFO_FAILURE; SQLSTATE: HY000

  Message: Error during certification_info initialization.

  ER_GRP_RPL_INIT_CERTIFICATION_INFO_FAILURE was added in 8.0.11.

- Error number: MY-011485; Symbol: ER_GRP_RPL_CONFLICT_DETECTION_DISABLED; SQLSTATE: HY000

  Message: Primary had applied all relay logs, disabled conflict detection.

  ER_GRP_RPL_CONFLICT_DETECTION_DISABLED was added in 8.0.11.

- Error number: MY-011486; Symbol: ER_GRP_RPL_MSG_DISCARDED; SQLSTATE: HY000

  Message: Message received while the plugin is not ready, message discarded.

  ER_GRP_RPL_MSG_DISCARDED was added in 8.0.11.

- Error number: MY-011487; Symbol: ER_GRP_RPL_MISSING_GRP_RPL_APPLIER; SQLSTATE: HY000

  Message: Message received without a proper group replication applier.

  ER_GRP_RPL_MISSING_GRP_RPL_APPLIER was added in 8.0.11.

- Error number: MY-011488; Symbol: ER_GRP_RPL_CERTIFIER_MSSG_PROCESS_ERROR; SQLSTATE: HY000

  Message: Error processing message in Certifier.

  ER_GRP_RPL_CERTIFIER_MSSG_PROCESS_ERROR was added in 8.0.11.

- Error number: MY-011489; Symbol: ER_GRP_RPL_SRV_NOT_ONLINE; SQLSTATE: HY000

  Message: This server was not declared online since it is on status %s.

  ER_GRP_RPL_SRV_NOT_ONLINE was added in 8.0.11.

- Error number: MY-011490; Symbol: ER_GRP_RPL_SRV_ONLINE; SQLSTATE: HY000

  Message: This server was declared online within the replication group.

  ER_GRP_RPL_SRV_ONLINE was added in 8.0.11.

- Error number: MY-011491; Symbol: ER_GRP_RPL_DISABLE_SRV_READ_MODE_RESTRICTED; SQLSTATE: HY000

  Message: When declaring the plugin online it was not possible to disable the server read mode settings. Try to disable it manually.

  ER_GRP_RPL_DISABLE_SRV_READ_MODE_RESTRICTED was added in 8.0.11.

- Error number: MY-011492; Symbol: ER_GRP_RPL_MEM_ONLINE; SQLSTATE: HY000

  Message: The member with address %s:%u was declared online within the replication group.

  ER_GRP_RPL_MEM_ONLINE was added in 8.0.11.

- Error number: MY-011493; Symbol: ER_GRP_RPL_MEM_UNREACHABLE; SQLSTATE: HY000

  Message: Member with address %s:%u has become unreachable.

  ER_GRP_RPL_MEM_UNREACHABLE was added in 8.0.11.

- Error number: MY-011494; Symbol: ER_GRP_RPL_MEM_REACHABLE; SQLSTATE: HY000

  Message: Member with address %s:%u is reachable again.

  ER_GRP_RPL_MEM_REACHABLE was added in 8.0.11.

- Error number: MY-011495; Symbol: ER_GRP_RPL_SRV_BLOCKED; SQLSTATE: HY000

  Message: This server is not able to reach a majority of members in the group. This server will now block all updates. The server will remain blocked until contact with the majority is restored. It is possible to use group_replication_force_members to force a new group membership.

  ER_GRP_RPL_SRV_BLOCKED was added in 8.0.11.

- Error number: MY-011496; Symbol: ER_GRP_RPL_SRV_BLOCKED_FOR_SECS; SQLSTATE: HY000

  Message: This server is not able to reach a majority of members in the group. This server will now block all updates. The server will remain blocked for the next %lu seconds. Unless contact with the majority is restored, after this time the member will error out and leave the group. It is possible to use group_replication_force_members to force a new group membership.

  ER_GRP_RPL_SRV_BLOCKED_FOR_SECS was added in 8.0.11.

- Error number: MY-011497; Symbol: ER_GRP_RPL_CHANGE_GRP_MEM_NOT_PROCESSED; SQLSTATE: HY000

  Message: A group membership change was received but the plugin is already leaving due to the configured timeout on group_replication_unreachable_majority_timeout option.

  ER_GRP_RPL_CHANGE_GRP_MEM_NOT_PROCESSED was added in 8.0.11.

- Error number: MY-011498; Symbol: ER_GRP_RPL_MEMBER_CONTACT_RESTORED; SQLSTATE: HY000

  Message: The member has resumed contact with a majority of the members in the group. Regular operation is restored and transactions are unblocked.

  ER_GRP_RPL_MEMBER_CONTACT_RESTORED was added in 8.0.11.

- Error number: MY-011499; Symbol: ER_GRP_RPL_MEMBER_REMOVED; SQLSTATE: HY000

Message: Members removed from the group: %s

ER_GRP_RPL_MEMBER_REMOVED was added in 8.0.11.

- Error number: MY-011500; Symbol: ER_GRP_RPL_PRIMARY_MEMBER_LEFT_GRP; SQLSTATE: HY000

  Message: Primary server with address %s left the group. Electing new Primary.

  ER_GRP_RPL_PRIMARY_MEMBER_LEFT_GRP was added in 8.0.11.

- Error number: MY-011501; Symbol: ER_GRP_RPL_MEMBER_ADDED; SQLSTATE: HY000

  Message: Members joined the group: %s

  ER_GRP_RPL_MEMBER_ADDED was added in 8.0.11.

- Error number: MY-011502; Symbol: ER_GRP_RPL_MEMBER_EXIT_PLUGIN_ERROR; SQLSTATE: HY000

  Message: There was a previous plugin error while the member joined the group. The member will now exit the group.

  ER_GRP_RPL_MEMBER_EXIT_PLUGIN_ERROR was added in 8.0.11.

- Error number: MY-011503; Symbol: ER_GRP_RPL_MEMBER_CHANGE; SQLSTATE: HY000

  Message: Group membership changed to %s on view %s.

  ER_GRP_RPL_MEMBER_CHANGE was added in 8.0.11.

- Error number: MY-011504; Symbol: ER_GRP_RPL_MEMBER_LEFT_GRP; SQLSTATE: HY000

  Message: Group membership changed: This member has left the group.

  ER_GRP_RPL_MEMBER_LEFT_GRP was added in 8.0.11.

- Error number: MY-011505; Symbol: ER_GRP_RPL_MEMBER_EXPELLED; SQLSTATE: HY000

  Message: Member was expelled from the group due to network failures, changing member status to ERROR.

  ER_GRP_RPL_MEMBER_EXPELLED was added in 8.0.11.

- Error number: MY-011506; Symbol: ER_GRP_RPL_SESSION_OPEN_FAILED; SQLSTATE: HY000

  Message: Unable to open session to (re)set read only mode. Skipping.

  ER_GRP_RPL_SESSION_OPEN_FAILED was added in 8.0.11.

- Error number: MY-011507; Symbol: ER_GRP_RPL_NEW_PRIMARY_ELECTED; SQLSTATE: HY000

  Message: A new primary with address %s:%u was elected. %s

  ER_GRP_RPL_NEW_PRIMARY_ELECTED was added in 8.0.11.

- Error number: MY-011508; Symbol: ER_GRP_RPL_DISABLE_READ_ONLY_FAILED; SQLSTATE: HY000

  Message: Unable to disable super read only flag. Try to disable it manually

ER_GRP_RPL_DISABLE_READ_ONLY_FAILED was added in 8.0.11.

- Error number: MY-011509; Symbol: ER_GRP_RPL_ENABLE_READ_ONLY_FAILED; SQLSTATE: HY000

  Message: Unable to set super read only flag. Try to set it manually.

  ER_GRP_RPL_ENABLE_READ_ONLY_FAILED was added in 8.0.11.

- Error number: MY-011510; Symbol: ER_GRP_RPL_SRV_PRIMARY_MEM; SQLSTATE: HY000

  Message: This server is working as primary member.

  ER_GRP_RPL_SRV_PRIMARY_MEM was added in 8.0.11.

- Error number: MY-011511; Symbol: ER_GRP_RPL_SRV_SECONDARY_MEM; SQLSTATE: HY000

  Message: This server is working as secondary member with primary member address %s:%u.

  ER_GRP_RPL_SRV_SECONDARY_MEM was added in 8.0.11.

- Error number: MY-011512; Symbol: ER_GRP_RPL_NO_SUITABLE_PRIMARY_MEM; SQLSTATE: HY000

  Message: Unable to set any member as primary. No suitable candidate.

  ER_GRP_RPL_NO_SUITABLE_PRIMARY_MEM was added in 8.0.11.

- Error number: MY-011513; Symbol: ER_GRP_RPL_SUPER_READ_ONLY_ACTIVATE_ERROR; SQLSTATE: HY000

  Message: Error when activating super_read_only mode on start. The member will now exit the group.

  ER_GRP_RPL_SUPER_READ_ONLY_ACTIVATE_ERROR was added in 8.0.11.

- Error number: MY-011514; Symbol: ER_GRP_RPL_EXCEEDS_AUTO_INC_VALUE; SQLSTATE: HY000

  Message: Group contains %lu members which is greater than group_replication_auto_increment_increment value of %lu. This can lead to a higher transactional abort rate.

  ER_GRP_RPL_EXCEEDS_AUTO_INC_VALUE was added in 8.0.11.

- Error number: MY-011515; Symbol: ER_GRP_RPL_DATA_NOT_PROVIDED_BY_MEM; SQLSTATE: HY000

  Message: Member with address '%s:%u' didn't provide any data during the last group change. Group information can be outdated and lead to errors on recovery.

  ER_GRP_RPL_DATA_NOT_PROVIDED_BY_MEM was added in 8.0.11.

- Error number: MY-011516; Symbol: ER_GRP_RPL_MEMBER_ALREADY_EXISTS; SQLSTATE: HY000

  Message: There is already a member with server_uuid %s. The member will now exit the group.

  ER_GRP_RPL_MEMBER_ALREADY_EXISTS was added in 8.0.11.

- Error number: MY-011517; Symbol: ER_GRP_RPL_GRP_CHANGE_INFO_EXTRACT_ERROR; SQLSTATE: HY000

  Message: Error when extracting information for group change. Operations and checks made to group joiners may be incomplete.

  ER_GRP_RPL_GRP_CHANGE_INFO_EXTRACT_ERROR was added in 8.0.11, removed after 8.0.26.

- Error number: MY-011518; Symbol: ER_GRP_RPL_GTID_EXECUTED_EXTRACT_ERROR; SQLSTATE: HY000

  Message: Error when extracting this member GTID executed set. Operations and checks made to group joiners may be incomplete.

  ER_GRP_RPL_GTID_EXECUTED_EXTRACT_ERROR was added in 8.0.11.

- Error number: MY-011519; Symbol: ER_GRP_RPL_GTID_SET_EXTRACT_ERROR; SQLSTATE: HY000

  Message: Error when extracting this member retrieved set for its applier. Operations and checks made to group joiners may be incomplete.

  ER_GRP_RPL_GTID_SET_EXTRACT_ERROR was added in 8.0.11.

- Error number: MY-011520; Symbol: ER_GRP_RPL_START_FAILED; SQLSTATE: HY000

  Message: The START GROUP_REPLICATION command failed since the group already has 9 members.

  ER_GRP_RPL_START_FAILED was added in 8.0.11.

- Error number: MY-011521; Symbol: ER_GRP_RPL_MEMBER_VER_INCOMPATIBLE; SQLSTATE: HY000

  Message: Member version is incompatible with the group.

  ER_GRP_RPL_MEMBER_VER_INCOMPATIBLE was added in 8.0.11.

- Error number: MY-011522; Symbol: ER_GRP_RPL_TRANS_NOT_PRESENT_IN_GRP; SQLSTATE: HY000

  Message: The member contains transactions not present in the group. The member will now exit the group.

  ER_GRP_RPL_TRANS_NOT_PRESENT_IN_GRP was added in 8.0.11.

- Error number: MY-011523; Symbol: ER_GRP_RPL_TRANS_GREATER_THAN_GRP; SQLSTATE: HY000

  Message: It was not possible to assess if the member has more transactions than the group. The member will now exit the group.

  ER_GRP_RPL_TRANS_GREATER_THAN_GRP was added in 8.0.11.

- Error number: MY-011524; Symbol: ER_GRP_RPL_MEMBER_VERSION_LOWER_THAN_GRP; SQLSTATE: HY000

  Message: Member version is lower than some group member, but since option 'group_replication_allow_local_lower_version_join is enabled, member will be allowed to join.

  ER_GRP_RPL_MEMBER_VERSION_LOWER_THAN_GRP was added in 8.0.11.

- Error number: MY-011525; Symbol: ER_GRP_RPL_LOCAL_GTID_SETS_PROCESS_ERROR; SQLSTATE: HY000

  Message: Error processing local GTID sets when comparing this member transactions against the group.

  ER_GRP_RPL_LOCAL_GTID_SETS_PROCESS_ERROR was added in 8.0.11.

- Error number: MY-011526; Symbol: ER_GRP_RPL_MEMBER_TRANS_GREATER_THAN_GRP; SQLSTATE: HY000

  Message: This member has more executed transactions than those present in the group. Local transactions: %s > Group transactions: %s

  ER_GRP_RPL_MEMBER_TRANS_GREATER_THAN_GRP was added in 8.0.11.

- Error number: MY-011527; Symbol: ER_GRP_RPL_BLOCK_SIZE_DIFF_FROM_GRP; SQLSTATE: HY000

  Message: The member is configured with a group_replication_gtid_assignment_block_size option value '%llu' different from the group '%llu'. The member will now exit the group.

  ER_GRP_RPL_BLOCK_SIZE_DIFF_FROM_GRP was added in 8.0.11.

- Error number: MY-011528; Symbol: ER_GRP_RPL_TRANS_WRITE_SET_EXTRACT_DIFF_FROM_GRP; SQLSTATE: HY000

  Message: The member is configured with a transaction-write-set-extraction option value '%s' different from the group '%s'. The member will now exit the group.

  ER_GRP_RPL_TRANS_WRITE_SET_EXTRACT_DIFF_FROM_GRP was added in 8.0.11.

- Error number: MY-011529; Symbol: ER_GRP_RPL_MEMBER_CFG_INCOMPATIBLE_WITH_GRP_CFG; SQLSTATE: HY000

  Message: The member configuration is not compatible with the group configuration. Variables such as group_replication_single_primary_mode or group_replication_enforce_update_everywhere_checks must have the same value on every server in the group. (member configuration option: [%s], group configuration option: [%s]).

  ER_GRP_RPL_MEMBER_CFG_INCOMPATIBLE_WITH_GRP_CFG was added in 8.0.11.

- Error number: MY-011530; Symbol: ER_GRP_RPL_MEMBER_STOP_RPL_CHANNELS_ERROR; SQLSTATE: HY000

  Message: Error stopping all replication channels while server was leaving the group. %s

  ER_GRP_RPL_MEMBER_STOP_RPL_CHANNELS_ERROR was added in 8.0.11.

- Error number: MY-011531; Symbol: ER_GRP_RPL_PURGE_APPLIER_LOGS; SQLSTATE: HY000

  Message: Detected previous RESET SOURCE invocation or an issue exists in the group replication applier relay log. Purging existing applier logs.

  ER_GRP_RPL_PURGE_APPLIER_LOGS was added in 8.0.11.

- Error number: MY-011532; Symbol: ER_GRP_RPL_RESET_APPLIER_MODULE_LOGS_ERROR; SQLSTATE: HY000

Message: Unknown error occurred while resetting applier's module logs.

ER_GRP_RPL_RESET_APPLIER_MODULE_LOGS_ERROR was added in 8.0.11.

- Error number: MY-011533; Symbol: ER_GRP_RPL_APPLIER_THD_SETUP_ERROR; SQLSTATE: HY000

  Message: Failed to setup the group replication applier thread.

  ER_GRP_RPL_APPLIER_THD_SETUP_ERROR was added in 8.0.11.

- Error number: MY-011534; Symbol: ER_GRP_RPL_APPLIER_THD_START_ERROR; SQLSTATE: HY000

  Message: Error while starting the group replication applier thread

  ER_GRP_RPL_APPLIER_THD_START_ERROR was added in 8.0.11.

- Error number: MY-011535; Symbol: ER_GRP_RPL_APPLIER_THD_STOP_ERROR; SQLSTATE: HY000

  Message: Failed to stop the group replication applier thread.

  ER_GRP_RPL_APPLIER_THD_STOP_ERROR was added in 8.0.11.

- Error number: MY-011536; Symbol: ER_GRP_RPL_FETCH_TRANS_DATA_FAILED; SQLSTATE: HY000

  Message: Failed to fetch transaction data containing required transaction info for applier

  ER_GRP_RPL_FETCH_TRANS_DATA_FAILED was added in 8.0.11.

- Error number: MY-011537; Symbol: ER_GRP_RPL_SLAVE_IO_THD_PRIMARY_UNKNOWN; SQLSTATE: HY000

  Message: Can't start slave IO THREAD of channel '%s' when group replication is running with single-primary mode and the primary member is not known.

  ER_GRP_RPL_SLAVE_IO_THD_PRIMARY_UNKNOWN was added in 8.0.11, removed after 8.0.32.

- Error number: MY-011537; Symbol: ER_GRP_RPL_REPLICA_IO_THD_PRIMARY_UNKNOWN; SQLSTATE: HY000

  Message: Can't start replica IO THREAD of channel '%s' when group replication is running with single-primary mode and the primary member is not known.

  ER_GRP_RPL_REPLICA_IO_THD_PRIMARY_UNKNOWN was added in 8.0.33.

- Error number: MY-011538; Symbol: ER_GRP_RPL_SALVE_IO_THD_ON_SECONDARY_MEMBER; SQLSTATE: HY000

  Message: Can't start replica IO THREAD of channel '%s' when group replication is running with single-primary mode on a secondary member.

  ER_GRP_RPL_SALVE_IO_THD_ON_SECONDARY_MEMBER was added in 8.0.11.

- Error number: MY-011539; Symbol: ER_GRP_RPL_SLAVE_SQL_THD_PRIMARY_UNKNOWN; SQLSTATE: HY000

  Message: Can't start slave SQL THREAD of channel '%s' when group replication is running with single-primary mode and the primary member is not known.

  ER_GRP_RPL_SLAVE_SQL_THD_PRIMARY_UNKNOWN was added in 8.0.11, removed after 8.0.32.

- Error number: MY-011539; Symbol: ER_GRP_RPL_REPLICA_SQL_THD_PRIMARY_UNKNOWN; SQLSTATE: HY000

  Message: Can't start replica SQL THREAD of channel '%s' when group replication is running with single-primary mode and the primary member is not known.

  ER_GRP_RPL_REPLICA_SQL_THD_PRIMARY_UNKNOWN was added in 8.0.33.

- Error number: MY-011540; Symbol: ER_GRP_RPL_SLAVE_SQL_THD_ON_SECONDARY_MEMBER; SQLSTATE: HY000

  Message: Can't start slave SQL THREAD of channel '%s' when group replication is running with single-primary mode on a secondary member.

  ER_GRP_RPL_SLAVE_SQL_THD_ON_SECONDARY_MEMBER was added in 8.0.11, removed after 8.0.32.

- Error number: MY-011540; Symbol: ER_GRP_RPL_REPLICA_SQL_THD_ON_SECONDARY_MEMBER; SQLSTATE: HY000

  Message: Can't start replica SQL THREAD of channel '%s' when group replication is running with single-primary mode on a secondary member.

  ER_GRP_RPL_REPLICA_SQL_THD_ON_SECONDARY_MEMBER was added in 8.0.33.

- Error number: MY-011541; Symbol: ER_GRP_RPL_NEEDS_INNODB_TABLE; SQLSTATE: HY000

  Message: Table %s does not use the InnoDB storage engine. This is not compatible with Group Replication.

  ER_GRP_RPL_NEEDS_INNODB_TABLE was added in 8.0.11.

- Error number: MY-011542; Symbol: ER_GRP_RPL_PRIMARY_KEY_NOT_DEFINED; SQLSTATE: HY000

  Message: Table %s does not have any PRIMARY KEY. This is not compatible with Group Replication.

  ER_GRP_RPL_PRIMARY_KEY_NOT_DEFINED was added in 8.0.11.

- Error number: MY-011543; Symbol: ER_GRP_RPL_FK_WITH_CASCADE_UNSUPPORTED; SQLSTATE: HY000

  Message: Table %s has a foreign key with 'CASCADE', 'SET NULL' or 'SET DEFAULT' clause. This is not compatible with Group Replication.

  ER_GRP_RPL_FK_WITH_CASCADE_UNSUPPORTED was added in 8.0.11.

- Error number: MY-011544; Symbol: ER_GRP_RPL_AUTO_INC_RESET; SQLSTATE: HY000

  Message: group_replication_auto_increment_increment is reset to %lu

  ER_GRP_RPL_AUTO_INC_RESET was added in 8.0.11.

- Error number: MY-011545; Symbol: ER_GRP_RPL_AUTO_INC_OFFSET_RESET; SQLSTATE: HY000

  Message: auto_increment_offset is reset to %lu

  ER_GRP_RPL_AUTO_INC_OFFSET_RESET was added in 8.0.11.

- Error number: MY-011546; Symbol: ER_GRP_RPL_AUTO_INC_SET; SQLSTATE: HY000

  Message: group_replication_auto_increment_increment is set to %lu

  ER_GRP_RPL_AUTO_INC_SET was added in 8.0.11.

- Error number: MY-011547; Symbol: ER_GRP_RPL_AUTO_INC_OFFSET_SET; SQLSTATE: HY000

  Message: auto_increment_offset is set to %lu

  ER_GRP_RPL_AUTO_INC_OFFSET_SET was added in 8.0.11.

- Error number: MY-011548; Symbol: ER_GRP_RPL_FETCH_TRANS_CONTEXT_FAILED; SQLSTATE: HY000

  Message: Failed to fetch transaction context containing required transaction info for certification

  ER_GRP_RPL_FETCH_TRANS_CONTEXT_FAILED was added in 8.0.11.

- Error number: MY-011549; Symbol: ER_GRP_RPL_FETCH_FORMAT_DESC_LOG_EVENT_FAILED; SQLSTATE: HY000

  Message: Failed to fetch Format_description_log_event containing required server info for applier

  ER_GRP_RPL_FETCH_FORMAT_DESC_LOG_EVENT_FAILED was added in 8.0.11.

- Error number: MY-011550; Symbol: ER_GRP_RPL_FETCH_TRANS_CONTEXT_LOG_EVENT_FAILED; SQLSTATE: HY000

  Message: Failed to fetch Transaction_context_log_event containing required transaction info for certification

  ER_GRP_RPL_FETCH_TRANS_CONTEXT_LOG_EVENT_FAILED was added in 8.0.11.

- Error number: MY-011551; Symbol: ER_GRP_RPL_FETCH_SNAPSHOT_VERSION_FAILED; SQLSTATE: HY000

  Message: Failed to read snapshot version from transaction context event required for certification

  ER_GRP_RPL_FETCH_SNAPSHOT_VERSION_FAILED was added in 8.0.11.

- Error number: MY-011552; Symbol: ER_GRP_RPL_FETCH_GTID_LOG_EVENT_FAILED; SQLSTATE: HY000

  Message: Failed to fetch Gtid_log_event containing required transaction info for certification

  ER_GRP_RPL_FETCH_GTID_LOG_EVENT_FAILED was added in 8.0.11.

- Error number: MY-011553; Symbol: ER_GRP_RPL_UPDATE_SERV_CERTIFICATE_FAILED; SQLSTATE: HY000

  Message: Unable to update certification result on server side, thread_id: %lu

  ER_GRP_RPL_UPDATE_SERV_CERTIFICATE_FAILED was added in 8.0.11.

- Error number: MY-011554; Symbol: ER_GRP_RPL_ADD_GTID_INFO_WITH_LOCAL_GTID_FAILED; SQLSTATE: HY000

  Message: Unable to add gtid information to the group_gtid_executed set when gtid was provided for local transactions

  ER_GRP_RPL_ADD_GTID_INFO_WITH_LOCAL_GTID_FAILED was added in 8.0.11.

- Error number: MY-011555; Symbol: ER_GRP_RPL_ADD_GTID_INFO_WITHOUT_LOCAL_GTID_FAILED; SQLSTATE: HY000

  Message: Unable to add gtid information to the group_gtid_executed set when no gtid was provided for local transactions

  ER_GRP_RPL_ADD_GTID_INFO_WITHOUT_LOCAL_GTID_FAILED was added in 8.0.11.

- Error number: MY-011556; Symbol: ER_GRP_RPL_NOTIFY_CERTIFICATION_OUTCOME_FAILED; SQLSTATE: HY000

  Message: Failed to notify certification outcome

  ER_GRP_RPL_NOTIFY_CERTIFICATION_OUTCOME_FAILED was added in 8.0.11.

- Error number: MY-011557; Symbol: ER_GRP_RPL_ADD_GTID_INFO_WITH_REMOTE_GTID_FAILED; SQLSTATE: HY000

  Message: Unable to add gtid information to the group_gtid_executed set when gtid was provided for remote transactions

  ER_GRP_RPL_ADD_GTID_INFO_WITH_REMOTE_GTID_FAILED was added in 8.0.11.

- Error number: MY-011558; Symbol: ER_GRP_RPL_ADD_GTID_INFO_WITHOUT_REMOTE_GTID_FAILED; SQLSTATE: HY000

  Message: Unable to add gtid information to the group_gtid_executed set when gtid was not provided for remote transactions

  ER_GRP_RPL_ADD_GTID_INFO_WITHOUT_REMOTE_GTID_FAILED was added in 8.0.11.

- Error number: MY-011559; Symbol: ER_GRP_RPL_FETCH_VIEW_CHANGE_LOG_EVENT_FAILED; SQLSTATE: HY000

  Message: Failed to fetch View_change_log_event containing required info for certification

  ER_GRP_RPL_FETCH_VIEW_CHANGE_LOG_EVENT_FAILED was added in 8.0.11.

- Error number: MY-011560; Symbol: ER_GRP_RPL_CONTACT_WITH_SRV_FAILED; SQLSTATE: HY000

  Message: Error when contacting the server to ensure the proper logging of a group change in the binlog

  ER_GRP_RPL_CONTACT_WITH_SRV_FAILED was added in 8.0.11, removed after 8.0.31.

- Error number: MY-011561; Symbol: ER_GRP_RPL_SRV_WAIT_TIME_OUT; SQLSTATE: HY000

  Message: Timeout when waiting for the server to execute local transactions in order assure the group change proper logging

  ER_GRP_RPL_SRV_WAIT_TIME_OUT was added in 8.0.11, removed after 8.0.31.

- Error number: MY-011562; Symbol: ER_GRP_RPL_FETCH_LOG_EVENT_FAILED; SQLSTATE: HY000

  Message: Failed to fetch Log_event containing required server info for applier

  ER_GRP_RPL_FETCH_LOG_EVENT_FAILED was added in 8.0.11.

- Error number: MY-011563; Symbol: ER_GRP_RPL_START_GRP_RPL_FAILED; SQLSTATE: HY000

  Message: Unable to start Group Replication. Replication applier infrastructure is not initialized since the server was started with --initialize, --initialize-insecure or --upgrade=MINIMAL on a server upgrade.

  ER_GRP_RPL_START_GRP_RPL_FAILED was added in 8.0.11.

- Error number: MY-011564; Symbol: ER_GRP_RPL_CONN_INTERNAL_PLUGIN_FAIL; SQLSTATE: HY000

  Message: Failed to establish an internal server connection to execute plugin operations

  ER_GRP_RPL_CONN_INTERNAL_PLUGIN_FAIL was added in 8.0.11.

- Error number: MY-011565; Symbol: ER_GRP_RPL_SUPER_READ_ON; SQLSTATE: HY000

  Message: Setting super_read_only=ON.

  ER_GRP_RPL_SUPER_READ_ON was added in 8.0.11.

- Error number: MY-011566; Symbol: ER_GRP_RPL_SUPER_READ_OFF; SQLSTATE: HY000

  Message: Setting super_read_only=OFF.

  ER_GRP_RPL_SUPER_READ_OFF was added in 8.0.11.

- Error number: MY-011567; Symbol: ER_GRP_RPL_KILLED_SESSION_ID; SQLSTATE: HY000

  Message: killed session id: %d status: %d

  ER_GRP_RPL_KILLED_SESSION_ID was added in 8.0.11.

- Error number: MY-011568; Symbol: ER_GRP_RPL_KILLED_FAILED_ID; SQLSTATE: HY000

  Message: killed failed id: %d failed: %d

  ER_GRP_RPL_KILLED_FAILED_ID was added in 8.0.11.

- Error number: MY-011569; Symbol: ER_GRP_RPL_INTERNAL_QUERY; SQLSTATE: HY000

  Message: Internal query: %s result in error. Error number: %ld

  ER_GRP_RPL_INTERNAL_QUERY was added in 8.0.11.

- Error number: MY-011570; Symbol: ER_GRP_RPL_COPY_FROM_EMPTY_STRING; SQLSTATE: HY000

  Message: Error copying from empty string

ER_GRP_RPL_COPY_FROM_EMPTY_STRING was added in 8.0.11.

- Error number: MY-011571; Symbol: ER_GRP_RPL_QUERY_FAIL; SQLSTATE: HY000

  Message: Query execution resulted in failure. errno: %d

  ER_GRP_RPL_QUERY_FAIL was added in 8.0.11.

- Error number: MY-011572; Symbol: ER_GRP_RPL_CREATE_SESSION_UNABLE; SQLSTATE: HY000

  Message: Unable to create a session for executing the queries on the server

  ER_GRP_RPL_CREATE_SESSION_UNABLE was added in 8.0.11.

- Error number: MY-011573; Symbol: ER_GRP_RPL_MEMBER_NOT_FOUND; SQLSTATE: HY000

  Message: The member with address %s:%u has unexpectedly disappeared, killing the current group replication recovery connection

  ER_GRP_RPL_MEMBER_NOT_FOUND was added in 8.0.11.

- Error number: MY-011574; Symbol: ER_GRP_RPL_MAXIMUM_CONNECTION_RETRIES_REACHED; SQLSTATE: HY000

  Message: Maximum number of retries when trying to connect to a donor reached. Aborting group replication incremental recovery.

  ER_GRP_RPL_MAXIMUM_CONNECTION_RETRIES_REACHED was added in 8.0.11.

- Error number: MY-011575; Symbol: ER_GRP_RPL_ALL_DONORS_LEFT_ABORT_RECOVERY; SQLSTATE: HY000

  Message: All donors left. Aborting group replication incremental recovery.

  ER_GRP_RPL_ALL_DONORS_LEFT_ABORT_RECOVERY was added in 8.0.11.

- Error number: MY-011576; Symbol: ER_GRP_RPL_ESTABLISH_RECOVERY_WITH_DONOR; SQLSTATE: HY000

  Message: Establishing group recovery connection with a possible donor. Attempt %d/%d

  ER_GRP_RPL_ESTABLISH_RECOVERY_WITH_DONOR was added in 8.0.11.

- Error number: MY-011577; Symbol: ER_GRP_RPL_ESTABLISH_RECOVERY_WITH_ANOTHER_DONOR; SQLSTATE: HY000

  Message: Retrying group recovery connection with another donor. Attempt %d/%d

  ER_GRP_RPL_ESTABLISH_RECOVERY_WITH_ANOTHER_DONOR was added in 8.0.11.

- Error number: MY-011578; Symbol: ER_GRP_RPL_NO_VALID_DONOR; SQLSTATE: HY000

  Message: No valid donors exist in the group, retrying

  ER_GRP_RPL_NO_VALID_DONOR was added in 8.0.11.

- Error number: MY-011579; Symbol: ER_GRP_RPL_CONFIG_RECOVERY; SQLSTATE: HY000

  Message: Error when configuring the asynchronous recovery channel connection to the donor.

ER_GRP_RPL_CONFIG_RECOVERY was added in 8.0.11.

- Error number: MY-011580; Symbol: ER_GRP_RPL_ESTABLISHING_CONN_GRP_REC_DONOR; SQLSTATE: HY000

  Message: Establishing connection to a group replication recovery donor %s at %s port: %d.

  ER_GRP_RPL_ESTABLISHING_CONN_GRP_REC_DONOR was added in 8.0.11.

- Error number: MY-011581; Symbol: ER_GRP_RPL_CREATE_GRP_RPL_REC_CHANNEL; SQLSTATE: HY000

  Message: Error while creating the group replication recovery channel with donor %s at %s port: %d.

  ER_GRP_RPL_CREATE_GRP_RPL_REC_CHANNEL was added in 8.0.11.

- Error number: MY-011582; Symbol: ER_GRP_RPL_DONOR_SERVER_CONN; SQLSTATE: HY000

  Message: There was an error when connecting to the donor server. Please check that group_replication_recovery channel credentials and all MEMBER_HOST column values of performance_schema.replication_group_members table are correct and DNS resolvable.

  ER_GRP_RPL_DONOR_SERVER_CONN was added in 8.0.11.

- Error number: MY-011583; Symbol: ER_GRP_RPL_CHECK_STATUS_TABLE; SQLSTATE: HY000

  Message: For details please check performance_schema.replication_connection_status table and error log messages of Replica I/O for channel group_replication_recovery.

  ER_GRP_RPL_CHECK_STATUS_TABLE was added in 8.0.11.

- Error number: MY-011584; Symbol: ER_GRP_RPL_STARTING_GRP_REC; SQLSTATE: HY000

  Message: Error while starting the group replication incremental recovery receiver/applier threads

  ER_GRP_RPL_STARTING_GRP_REC was added in 8.0.11.

- Error number: MY-011585; Symbol: ER_GRP_RPL_DONOR_CONN_TERMINATION; SQLSTATE: HY000

  Message: Terminating existing group replication donor connection and purging the corresponding logs.

  ER_GRP_RPL_DONOR_CONN_TERMINATION was added in 8.0.11.

- Error number: MY-011586; Symbol: ER_GRP_RPL_STOPPING_GRP_REC; SQLSTATE: HY000

  Message: Error when stopping the group replication incremental recovery's donor connection

  ER_GRP_RPL_STOPPING_GRP_REC was added in 8.0.11.

- Error number: MY-011587; Symbol: ER_GRP_RPL_PURGE_REC; SQLSTATE: HY000

  Message: Error when purging the group replication recovery's relay logs

  ER_GRP_RPL_PURGE_REC was added in 8.0.11.

- Error number: MY-011588; Symbol: ER_GRP_RPL_UNABLE_TO_KILL_CONN_REC_DONOR_APPLIER; SQLSTATE: HY000

  Message: Unable to kill the current group replication recovery donor connection after an applier error. Incremental recovery will shutdown.

  ER_GRP_RPL_UNABLE_TO_KILL_CONN_REC_DONOR_APPLIER was added in 8.0.11.

- Error number: MY-011589; Symbol: ER_GRP_RPL_UNABLE_TO_KILL_CONN_REC_DONOR_FAILOVER; SQLSTATE: HY000

  Message: Unable to kill the current group replication recovery donor connection during failover. Incremental recovery will shutdown.

  ER_GRP_RPL_UNABLE_TO_KILL_CONN_REC_DONOR_FAILOVER was added in 8.0.11.

- Error number: MY-011590; Symbol: ER_GRP_RPL_FAILED_TO_NOTIFY_GRP_MEMBERSHIP_EVENT; SQLSTATE: HY000

  Message: Unexpected error when notifying an internal component named %s regarding a group membership event.

  ER_GRP_RPL_FAILED_TO_NOTIFY_GRP_MEMBERSHIP_EVENT was added in 8.0.11.

- Error number: MY-011591; Symbol: ER_GRP_RPL_FAILED_TO_BROADCAST_GRP_MEMBERSHIP_NOTIFICATION; SQLSTATE: HY000

  Message: An undefined error was found while broadcasting an internal group membership notification! This is likely to happen if your components or plugins are not properly loaded or are malfunctioning!

  ER_GRP_RPL_FAILED_TO_BROADCAST_GRP_MEMBERSHIP_NOTIFICATION was added in 8.0.11.

- Error number: MY-011592; Symbol: ER_GRP_RPL_FAILED_TO_BROADCAST_MEMBER_STATUS_NOTIFICATION; SQLSTATE: HY000

  Message: An undefined error was found while broadcasting an internal group member status notification! This is likely to happen if your components or plugins are not properly loaded or are malfunctioning!

  ER_GRP_RPL_FAILED_TO_BROADCAST_MEMBER_STATUS_NOTIFICATION was added in 8.0.11.

- Error number: MY-011593; Symbol: ER_GRP_RPL_OOM_FAILED_TO_GENERATE_IDENTIFICATION_HASH; SQLSTATE: HY000

  Message: No memory to generate write identification hash

  ER_GRP_RPL_OOM_FAILED_TO_GENERATE_IDENTIFICATION_HASH was added in 8.0.11.

- Error number: MY-011594; Symbol: ER_GRP_RPL_WRITE_IDENT_HASH_BASE64_ENCODING_FAILED; SQLSTATE: HY000

  Message: Base 64 encoding of the write identification hash failed

  ER_GRP_RPL_WRITE_IDENT_HASH_BASE64_ENCODING_FAILED was added in 8.0.11.

- Error number: MY-011595; Symbol: ER_GRP_RPL_INVALID_BINLOG_FORMAT; SQLSTATE: HY000

  Message: Binlog format should be ROW for Group Replication

  ER_GRP_RPL_INVALID_BINLOG_FORMAT was added in 8.0.11.

- Error number: MY-011596; Symbol: ER_GRP_RPL_BINLOG_CHECKSUM_SET; SQLSTATE: HY000

  Message: binlog_checksum should be NONE for Group Replication

  ER_GRP_RPL_BINLOG_CHECKSUM_SET was added in 8.0.11, removed after 8.0.20.

- Error number: MY-011597; Symbol: ER_GRP_RPL_TRANS_WRITE_SET_EXTRACTION_NOT_SET; SQLSTATE: HY000

  Message: A transaction_write_set_extraction algorithm should be selected when running Group Replication

  ER_GRP_RPL_TRANS_WRITE_SET_EXTRACTION_NOT_SET was added in 8.0.11.

- Error number: MY-011598; Symbol: ER_GRP_RPL_UNSUPPORTED_TRANS_ISOLATION; SQLSTATE: HY000

  Message: Transaction isolation level (tx_isolation) is set to SERIALIZABLE, which is not compatible with Group Replication

  ER_GRP_RPL_UNSUPPORTED_TRANS_ISOLATION was added in 8.0.11.

- Error number: MY-011599; Symbol: ER_GRP_RPL_CANNOT_EXECUTE_TRANS_WHILE_STOPPING; SQLSTATE: HY000

  Message: Transaction cannot be executed while Group Replication is stopping.

  ER_GRP_RPL_CANNOT_EXECUTE_TRANS_WHILE_STOPPING was added in 8.0.11.

- Error number: MY-011600; Symbol: ER_GRP_RPL_CANNOT_EXECUTE_TRANS_WHILE_RECOVERING; SQLSTATE: HY000

  Message: Transaction cannot be executed while Group Replication is recovering. Try again when the server is ONLINE.

  ER_GRP_RPL_CANNOT_EXECUTE_TRANS_WHILE_RECOVERING was added in 8.0.11.

- Error number: MY-011601; Symbol: ER_GRP_RPL_CANNOT_EXECUTE_TRANS_IN_ERROR_STATE; SQLSTATE: HY000

  Message: Transaction cannot be executed while Group Replication is on ERROR state. Check for errors and restart the plugin

  ER_GRP_RPL_CANNOT_EXECUTE_TRANS_IN_ERROR_STATE was added in 8.0.11.

- Error number: MY-011602; Symbol: ER_GRP_RPL_CANNOT_EXECUTE_TRANS_IN_OFFLINE_MODE; SQLSTATE: HY000

  Message: Transaction cannot be executed while Group Replication is OFFLINE. Check for errors and restart the plugin

  ER_GRP_RPL_CANNOT_EXECUTE_TRANS_IN_OFFLINE_MODE was added in 8.0.11.

- Error number: MY-011603; Symbol: ER_GRP_RPL_MULTIPLE_CACHE_TYPE_NOT_SUPPORTED_FOR_SESSION; SQLSTATE: HY000

  Message: We can only use one cache type at a time on session %u

  ER_GRP_RPL_MULTIPLE_CACHE_TYPE_NOT_SUPPORTED_FOR_SESSION was added in 8.0.11.

- Error number: MY-011604; Symbol: ER_GRP_RPL_FAILED_TO_REINIT_BINLOG_CACHE_FOR_READ; SQLSTATE: HY000

  Message: Failed to reinit binlog cache log for read on session %u

  ER_GRP_RPL_FAILED_TO_REINIT_BINLOG_CACHE_FOR_READ was added in 8.0.11.

- Error number: MY-011605; Symbol: ER_GRP_RPL_FAILED_TO_CREATE_TRANS_CONTEXT; SQLSTATE: HY000

  Message: Failed to create the context of the current transaction on session %u

  ER_GRP_RPL_FAILED_TO_CREATE_TRANS_CONTEXT was added in 8.0.11.

- Error number: MY-011606; Symbol: ER_GRP_RPL_FAILED_TO_EXTRACT_TRANS_WRITE_SET; SQLSTATE: HY000

  Message: Failed to extract the set of items written during the execution of the current transaction on session %u

  ER_GRP_RPL_FAILED_TO_EXTRACT_TRANS_WRITE_SET was added in 8.0.11.

- Error number: MY-011607; Symbol: ER_GRP_RPL_FAILED_TO_GATHER_TRANS_WRITE_SET; SQLSTATE: HY000

  Message: Failed to gather the set of items written during the execution of the current transaction on session %u

  ER_GRP_RPL_FAILED_TO_GATHER_TRANS_WRITE_SET was added in 8.0.11.

- Error number: MY-011608; Symbol: ER_GRP_RPL_TRANS_SIZE_EXCEEDS_LIMIT; SQLSTATE: HY000

  Message: Error on session %u. Transaction of size %llu exceeds specified limit %lu. To increase the limit please adjust group_replication_transaction_size_limit option.

  ER_GRP_RPL_TRANS_SIZE_EXCEEDS_LIMIT was added in 8.0.11.

- Error number: MY-011609; Symbol: ER_GRP_RPL_REINIT_OF_INTERNAL_CACHE_FOR_READ_FAILED; SQLSTATE: HY000

  Message: Error while re-initializing an internal cache, for read operations, on session %u

  ER_GRP_RPL_REINIT_OF_INTERNAL_CACHE_FOR_READ_FAILED was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011610; Symbol: ER_GRP_RPL_APPENDING_DATA_TO_INTERNAL_CACHE_FAILED; SQLSTATE: HY000

  Message: Error while appending data to an internal cache on session %u

  ER_GRP_RPL_APPENDING_DATA_TO_INTERNAL_CACHE_FAILED was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011611; Symbol: ER_GRP_RPL_WRITE_TO_BINLOG_CACHE_FAILED; SQLSTATE: HY000

  Message: Error while writing binary log cache on session %u

ER_GRP_RPL_WRITE_TO_BINLOG_CACHE_FAILED was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011611; Symbol: ER_GRP_RPL_WRITE_TO_TRANSACTION_MESSAGE_FAILED; SQLSTATE: HY000

  Message: Error while writing to transaction message on session %u

  ER_GRP_RPL_WRITE_TO_TRANSACTION_MESSAGE_FAILED was added in 8.0.13.

- Error number: MY-011612; Symbol: ER_GRP_RPL_FAILED_TO_REGISTER_TRANS_OUTCOME_NOTIFICTION; SQLSTATE: HY000

  Message: Unable to register for getting notifications regarding the outcome of the transaction on session %u

  ER_GRP_RPL_FAILED_TO_REGISTER_TRANS_OUTCOME_NOTIFICTION was added in 8.0.11.

- Error number: MY-011613; Symbol: ER_GRP_RPL_MSG_TOO_LONG_BROADCASTING_TRANS_FAILED; SQLSTATE: HY000

  Message: Error broadcasting transaction to the group on session %u. Message is too big.

  ER_GRP_RPL_MSG_TOO_LONG_BROADCASTING_TRANS_FAILED was added in 8.0.11.

- Error number: MY-011614; Symbol: ER_GRP_RPL_BROADCASTING_TRANS_TO_GRP_FAILED; SQLSTATE: HY000

  Message: Error while broadcasting the transaction to the group on session %u

  ER_GRP_RPL_BROADCASTING_TRANS_TO_GRP_FAILED was added in 8.0.11.

- Error number: MY-011615; Symbol: ER_GRP_RPL_ERROR_WHILE_WAITING_FOR_CONFLICT_DETECTION; SQLSTATE: HY000

  Message: Error while waiting for conflict detection procedure to finish on session %u

  ER_GRP_RPL_ERROR_WHILE_WAITING_FOR_CONFLICT_DETECTION was added in 8.0.11.

- Error number: MY-011616; Symbol: ER_GRP_RPL_REINIT_OF_INTERNAL_CACHE_FOR_WRITE_FAILED; SQLSTATE: HY000

  Message: Error while re-initializing an internal cache, for write operations, on session %u

  ER_GRP_RPL_REINIT_OF_INTERNAL_CACHE_FOR_WRITE_FAILED was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011617; Symbol: ER_GRP_RPL_FAILED_TO_CREATE_COMMIT_CACHE; SQLSTATE: HY000

  Message: Failed to create group replication commit cache on session %u

  ER_GRP_RPL_FAILED_TO_CREATE_COMMIT_CACHE was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011618; Symbol: ER_GRP_RPL_REINIT_OF_COMMIT_CACHE_FOR_WRITE_FAILED; SQLSTATE: HY000

  Message: Failed to reinit group replication commit cache for write on session %u

ER_GRP_RPL_REINIT_OF_COMMIT_CACHE_FOR_WRITE_FAILED was added in 8.0.11, removed after 8.0.12.

- Error number: MY-011619; Symbol: ER_GRP_RPL_PREV_REC_SESSION_RUNNING; SQLSTATE: HY000

  Message: A previous recovery session is still running. Please stop the group replication plugin and wait for it to stop

  ER_GRP_RPL_PREV_REC_SESSION_RUNNING was added in 8.0.11, removed after 8.0.22.

- Error number: MY-011620; Symbol: ER_GRP_RPL_FATAL_REC_PROCESS; SQLSTATE: HY000

  Message: Fatal error during the incremental recovery process of Group Replication. The server will leave the group.

  ER_GRP_RPL_FATAL_REC_PROCESS was added in 8.0.11.

- Error number: MY-011621; Symbol: ER_GRP_RPL_WHILE_STOPPING_REP_CHANNEL; SQLSTATE: HY000

  Message: Error stopping all replication channels while server was leaving the group. %s

  ER_GRP_RPL_WHILE_STOPPING_REP_CHANNEL was added in 8.0.11, removed after 8.0.17.

- Error number: MY-011622; Symbol: ER_GRP_RPL_UNABLE_TO_EVALUATE_APPLIER_STATUS; SQLSTATE: HY000

  Message: Unable to evaluate the group replication applier execution status. Group replication recovery will shutdown to avoid data corruption.

  ER_GRP_RPL_UNABLE_TO_EVALUATE_APPLIER_STATUS was added in 8.0.11.

- Error number: MY-011623; Symbol: ER_GRP_RPL_ONLY_ONE_SERVER_ALIVE; SQLSTATE: HY000

  Message: Only one server alive. Declaring this server as online within the replication group

  ER_GRP_RPL_ONLY_ONE_SERVER_ALIVE was added in 8.0.11.

- Error number: MY-011624; Symbol: ER_GRP_RPL_CERTIFICATION_REC_PROCESS; SQLSTATE: HY000

  Message: Error when processing certification information in the incremental recovery process

  ER_GRP_RPL_CERTIFICATION_REC_PROCESS was added in 8.0.11.

- Error number: MY-011625; Symbol: ER_GRP_RPL_UNABLE_TO_ENSURE_EXECUTION_REC; SQLSTATE: HY000

  Message: Unable to ensure the execution of group transactions received during recovery.

  ER_GRP_RPL_UNABLE_TO_ENSURE_EXECUTION_REC was added in 8.0.11.

- Error number: MY-011626; Symbol: ER_GRP_RPL_WHILE_SENDING_MSG_REC; SQLSTATE: HY000

  Message: Error while sending message in the group replication incremental recovery process.

  ER_GRP_RPL_WHILE_SENDING_MSG_REC was added in 8.0.11.

- Error number: MY-011627; Symbol: ER_GRP_RPL_READ_UNABLE_FOR_SUPER_READ_ONLY; SQLSTATE: HY000

  Message: Unable to read the server value for the super_read_only variable.

  ER_GRP_RPL_READ_UNABLE_FOR_SUPER_READ_ONLY was added in 8.0.11, removed after 8.0.31.

- Error number: MY-011628; Symbol: ER_GRP_RPL_READ_UNABLE_FOR_READ_ONLY_SUPER_READ_ONLY; SQLSTATE: HY000

  Message: Unable to read the server values for the read_only and super_read_only variables.

  ER_GRP_RPL_READ_UNABLE_FOR_READ_ONLY_SUPER_READ_ONLY was added in 8.0.11.

- Error number: MY-011629; Symbol: ER_GRP_RPL_UNABLE_TO_RESET_SERVER_READ_MODE; SQLSTATE: HY000

  Message: Unable to reset the server read mode settings. Try to reset them manually.

  ER_GRP_RPL_UNABLE_TO_RESET_SERVER_READ_MODE was added in 8.0.11.

- Error number: MY-011630; Symbol: ER_GRP_RPL_UNABLE_TO_CERTIFY_PLUGIN_TRANS; SQLSTATE: HY000

  Message: Due to a plugin error, some transactions were unable to be certified and will now rollback.

  ER_GRP_RPL_UNABLE_TO_CERTIFY_PLUGIN_TRANS was added in 8.0.11.

- Error number: MY-011631; Symbol: ER_GRP_RPL_UNBLOCK_CERTIFIED_TRANS; SQLSTATE: HY000

  Message: Error when trying to unblock non certified or consistent transactions. Check for consistency errors when restarting the service

  ER_GRP_RPL_UNBLOCK_CERTIFIED_TRANS was added in 8.0.11.

- Error number: MY-011632; Symbol: ER_GRP_RPL_SERVER_WORKING_AS_SECONDARY; SQLSTATE: HY000

  Message: This server is working as secondary member with primary member address %s:%u.

  ER_GRP_RPL_SERVER_WORKING_AS_SECONDARY was added in 8.0.11, removed after 8.0.20.

- Error number: MY-011633; Symbol: ER_GRP_RPL_FAILED_TO_START_WITH_INVALID_SERVER_ID; SQLSTATE: HY000

  Message: Unable to start Group Replication. Replication applier infrastructure is not initialized since the server was started with server_id=0. Please, restart the server with server_id larger than 0.

  ER_GRP_RPL_FAILED_TO_START_WITH_INVALID_SERVER_ID was added in 8.0.11.

- Error number: MY-011634; Symbol: ER_GRP_RPL_FORCE_MEMBERS_MUST_BE_EMPTY; SQLSTATE: HY000

  Message: group_replication_force_members must be empty on group start. Current value: '%s'

  ER_GRP_RPL_FORCE_MEMBERS_MUST_BE_EMPTY was added in 8.0.11.

- Error number: MY-011635; Symbol: ER_GRP_RPL_PLUGIN_STRUCT_INIT_NOT_POSSIBLE_ON_SERVER_START; SQLSTATE: HY000

Message: It was not possible to guarantee the initialization of plugin structures on server start

`ER_GRP_RPL_PLUGIN_STRUCT_INIT_NOT_POSSIBLE_ON_SERVER_START` was added in 8.0.11.

- Error number: `MY-011636`; Symbol: `ER_GRP_RPL_FAILED_TO_ENABLE_SUPER_READ_ONLY_MODE`; SQLSTATE: `HY000`

  Message: Could not enable the server read only mode and guarantee a safe recovery execution

  `ER_GRP_RPL_FAILED_TO_ENABLE_SUPER_READ_ONLY_MODE` was added in 8.0.11.

- Error number: `MY-011637`; Symbol: `ER_GRP_RPL_FAILED_TO_INIT_COMMUNICATION_ENGINE`; SQLSTATE: `HY000`

  Message: Error on group communication engine initialization

  `ER_GRP_RPL_FAILED_TO_INIT_COMMUNICATION_ENGINE` was added in 8.0.11.

- Error number: `MY-011638`; Symbol: `ER_GRP_RPL_FAILED_TO_START_ON_SECONDARY_WITH_ASYNC_CHANNELS`; SQLSTATE: `HY000`

  Message: Can't start group replication on secondary member with single-primary mode while asynchronous replication channels are running.

  `ER_GRP_RPL_FAILED_TO_START_ON_SECONDARY_WITH_ASYNC_CHANNELS` was added in 8.0.11.

- Error number: `MY-011639`; Symbol: `ER_GRP_RPL_FAILED_TO_START_COMMUNICATION_ENGINE`; SQLSTATE: `HY000`

  Message: Error on group communication engine start

  `ER_GRP_RPL_FAILED_TO_START_COMMUNICATION_ENGINE` was added in 8.0.11.

- Error number: `MY-011640`; Symbol: `ER_GRP_RPL_TIMEOUT_ON_VIEW_AFTER_JOINING_GRP`; SQLSTATE: `HY000`

  Message: Timeout on wait for view after joining group

  `ER_GRP_RPL_TIMEOUT_ON_VIEW_AFTER_JOINING_GRP` was added in 8.0.11.

- Error number: `MY-011641`; Symbol: `ER_GRP_RPL_FAILED_TO_CALL_GRP_COMMUNICATION_INTERFACE`; SQLSTATE: `HY000`

  Message: Error calling group communication interfaces

  `ER_GRP_RPL_FAILED_TO_CALL_GRP_COMMUNICATION_INTERFACE` was added in 8.0.11.

- Error number: `MY-011642`; Symbol: `ER_GRP_RPL_MEMBER_SERVER_UUID_IS_INCOMPATIBLE_WITH_GRP`; SQLSTATE: `HY000`

  Message: Member server_uuid is incompatible with the group. Server_uuid %s matches group_replication_group_name %s.

  `ER_GRP_RPL_MEMBER_SERVER_UUID_IS_INCOMPATIBLE_WITH_GRP` was added in 8.0.11.

- Error number: MY-011643; Symbol: ER_GRP_RPL_MEMBER_CONF_INFO; SQLSTATE: HY000

  Message: Member configuration: member_id: %lu; member_uuid: "%s"; single-primary mode: "%s"; group_replication_auto_increment_increment: %lu; group_replication_view_change_uuid: "%s";

  ER_GRP_RPL_MEMBER_CONF_INFO was added in 8.0.11.

- Error number: MY-011644; Symbol: ER_GRP_RPL_FAILED_TO_CONFIRM_IF_SERVER_LEFT_GRP; SQLSTATE: HY000

  Message: Unable to confirm whether the server has left the group or not. Check performance_schema.replication_group_members to check group membership information.

  ER_GRP_RPL_FAILED_TO_CONFIRM_IF_SERVER_LEFT_GRP was added in 8.0.11.

- Error number: MY-011645; Symbol: ER_GRP_RPL_SERVER_IS_ALREADY_LEAVING; SQLSTATE: HY000

  Message: Skipping leave operation: concurrent attempt to leave the group is on-going.

  ER_GRP_RPL_SERVER_IS_ALREADY_LEAVING was added in 8.0.11.

- Error number: MY-011646; Symbol: ER_GRP_RPL_SERVER_ALREADY_LEFT; SQLSTATE: HY000

  Message: Skipping leave operation: member already left the group.

  ER_GRP_RPL_SERVER_ALREADY_LEFT was added in 8.0.11.

- Error number: MY-011647; Symbol: ER_GRP_RPL_WAITING_FOR_VIEW_UPDATE; SQLSTATE: HY000

  Message: Going to wait for view modification

  ER_GRP_RPL_WAITING_FOR_VIEW_UPDATE was added in 8.0.11.

- Error number: MY-011648; Symbol: ER_GRP_RPL_TIMEOUT_RECEIVING_VIEW_CHANGE_ON_SHUTDOWN; SQLSTATE: HY000

  Message: While leaving the group due to a stop, shutdown or failure there was a timeout receiving a view change. This can lead to a possible inconsistent state. Check the log for more details

  ER_GRP_RPL_TIMEOUT_RECEIVING_VIEW_CHANGE_ON_SHUTDOWN was added in 8.0.11.

- Error number: MY-011649; Symbol: ER_GRP_RPL_REQUESTING_NON_MEMBER_SERVER_TO_LEAVE; SQLSTATE: HY000

  Message: Requesting to leave the group despite of not being a member

  ER_GRP_RPL_REQUESTING_NON_MEMBER_SERVER_TO_LEAVE was added in 8.0.11.

- Error number: MY-011650; Symbol: ER_GRP_RPL_IS_STOPPING; SQLSTATE: HY000

  Message: Plugin 'group_replication' is stopping.

  ER_GRP_RPL_IS_STOPPING was added in 8.0.11.

- Error number: MY-011651; Symbol: ER_GRP_RPL_IS_STOPPED; SQLSTATE: HY000

  Message: Plugin 'group_replication' has been stopped.

  ER_GRP_RPL_IS_STOPPED was added in 8.0.11.

- Error number: MY-011652; Symbol: ER_GRP_RPL_FAILED_TO_ENABLE_READ_ONLY_MODE_ON_SHUTDOWN; SQLSTATE: HY000

  Message: On plugin shutdown it was not possible to enable the server read only mode. Local transactions will be accepted and committed.

  ER_GRP_RPL_FAILED_TO_ENABLE_READ_ONLY_MODE_ON_SHUTDOWN was added in 8.0.11.

- Error number: MY-011653; Symbol: ER_GRP_RPL_RECOVERY_MODULE_TERMINATION_TIMED_OUT_ON_SHUTDOWN; SQLSTATE: HY000

  Message: On shutdown there was a timeout on the Group Replication recovery module termination. Check the log for more details

  ER_GRP_RPL_RECOVERY_MODULE_TERMINATION_TIMED_OUT_ON_SHUTDOWN was added in 8.0.11.

- Error number: MY-011654; Symbol: ER_GRP_RPL_APPLIER_TERMINATION_TIMED_OUT_ON_SHUTDOWN; SQLSTATE: HY000

  Message: On shutdown there was a timeout on the Group Replication applier termination.

  ER_GRP_RPL_APPLIER_TERMINATION_TIMED_OUT_ON_SHUTDOWN was added in 8.0.11.

- Error number: MY-011655; Symbol: ER_GRP_RPL_FAILED_TO_SHUTDOWN_REGISTRY_MODULE; SQLSTATE: HY000

  Message: Unexpected failure while shutting down registry module!

  ER_GRP_RPL_FAILED_TO_SHUTDOWN_REGISTRY_MODULE was added in 8.0.11.

- Error number: MY-011656; Symbol: ER_GRP_RPL_FAILED_TO_INIT_HANDLER; SQLSTATE: HY000

  Message: Failure during Group Replication handler initialization

  ER_GRP_RPL_FAILED_TO_INIT_HANDLER was added in 8.0.11.

- Error number: MY-011657; Symbol: ER_GRP_RPL_FAILED_TO_REGISTER_SERVER_STATE_OBSERVER; SQLSTATE: HY000

  Message: Failure when registering the server state observers

  ER_GRP_RPL_FAILED_TO_REGISTER_SERVER_STATE_OBSERVER was added in 8.0.11.

- Error number: MY-011658; Symbol: ER_GRP_RPL_FAILED_TO_REGISTER_TRANS_STATE_OBSERVER; SQLSTATE: HY000

  Message: Failure when registering the transactions state observers

  ER_GRP_RPL_FAILED_TO_REGISTER_TRANS_STATE_OBSERVER was added in 8.0.11.

- Error number: MY-011659; Symbol: ER_GRP_RPL_FAILED_TO_REGISTER_BINLOG_STATE_OBSERVER; SQLSTATE: HY000

Message: Failure when registering the binlog state observers

ER_GRP_RPL_FAILED_TO_REGISTER_BINLOG_STATE_OBSERVER was added in 8.0.11.

- Error number: MY-011660; Symbol: ER_GRP_RPL_FAILED_TO_START_ON_BOOT; SQLSTATE: HY000

  Message: Unable to start Group Replication on boot

  ER_GRP_RPL_FAILED_TO_START_ON_BOOT was added in 8.0.11.

- Error number: MY-011661; Symbol: ER_GRP_RPL_FAILED_TO_STOP_ON_PLUGIN_UNINSTALL; SQLSTATE: HY000

  Message: Failure when stopping Group Replication on plugin uninstall

  ER_GRP_RPL_FAILED_TO_STOP_ON_PLUGIN_UNINSTALL was added in 8.0.11.

- Error number: MY-011662; Symbol: ER_GRP_RPL_FAILED_TO_UNREGISTER_SERVER_STATE_OBSERVER; SQLSTATE: HY000

  Message: Failure when unregistering the server state observers

  ER_GRP_RPL_FAILED_TO_UNREGISTER_SERVER_STATE_OBSERVER was added in 8.0.11.

- Error number: MY-011663; Symbol: ER_GRP_RPL_FAILED_TO_UNREGISTER_TRANS_STATE_OBSERVER; SQLSTATE: HY000

  Message: Failure when unregistering the transactions state observers

  ER_GRP_RPL_FAILED_TO_UNREGISTER_TRANS_STATE_OBSERVER was added in 8.0.11.

- Error number: MY-011664; Symbol: ER_GRP_RPL_FAILED_TO_UNREGISTER_BINLOG_STATE_OBSERVER; SQLSTATE: HY000

  Message: Failure when unregistering the binlog state observers

  ER_GRP_RPL_FAILED_TO_UNREGISTER_BINLOG_STATE_OBSERVER was added in 8.0.11.

- Error number: MY-011665; Symbol: ER_GRP_RPL_ALL_OBSERVERS_UNREGISTERED; SQLSTATE: HY000

  Message: All Group Replication server observers have been successfully unregistered

  ER_GRP_RPL_ALL_OBSERVERS_UNREGISTERED was added in 8.0.11.

- Error number: MY-011666; Symbol: ER_GRP_RPL_FAILED_TO_PARSE_THE_GRP_NAME; SQLSTATE: HY000

  Message: Unable to parse the group_replication_group_name.

  ER_GRP_RPL_FAILED_TO_PARSE_THE_GRP_NAME was added in 8.0.11.

- Error number: MY-011667; Symbol: ER_GRP_RPL_FAILED_TO_GENERATE_SIDNO_FOR_GRP; SQLSTATE: HY000

  Message: Unable to parse the group_replication_group_name.

  ER_GRP_RPL_FAILED_TO_GENERATE_SIDNO_FOR_GRP was added in 8.0.11.

- Error number: MY-011668; Symbol: ER_GRP_RPL_APPLIER_NOT_STARTED_DUE_TO_RUNNING_PREV_SHUTDOWN; SQLSTATE: HY000

  Message: Cannot start the Group Replication applier as a previous shutdown is still running: The thread will stop once its task is complete.

  ER_GRP_RPL_APPLIER_NOT_STARTED_DUE_TO_RUNNING_PREV_SHUTDOWN was added in 8.0.11.

- Error number: MY-011669; Symbol: ER_GRP_RPL_FAILED_TO_INIT_APPLIER_MODULE; SQLSTATE: HY000

  Message: Unable to initialize the Group Replication applier module.

  ER_GRP_RPL_FAILED_TO_INIT_APPLIER_MODULE was added in 8.0.11.

- Error number: MY-011670; Symbol: ER_GRP_RPL_APPLIER_INITIALIZED; SQLSTATE: HY000

  Message: Group Replication applier module successfully initialized!

  ER_GRP_RPL_APPLIER_INITIALIZED was added in 8.0.11.

- Error number: MY-011671; Symbol: ER_GRP_RPL_COMMUNICATION_SSL_CONF_INFO; SQLSTATE: HY000

  Message: Group communication SSL configuration: group_replication_ssl_mode: "%s"; server_key_file: "%s"; server_cert_file: "%s"; client_key_file: "%s"; client_cert_file: "%s"; ca_file: "%s"; ca_path: "%s"; cipher: "%s"; tls_version: "%s"; tls_ciphersuites: "%s"; crl_file: "%s"; crl_path: "%s"; ssl_fips_mode: "%s"

  ER_GRP_RPL_COMMUNICATION_SSL_CONF_INFO was added in 8.0.11.

- Error number: MY-011672; Symbol: ER_GRP_RPL_ABORTS_AS_SSL_NOT_SUPPORTED_BY_MYSQLD; SQLSTATE: HY000

  Message: MySQL server does not have SSL support and group_replication_ssl_mode is "%s", START GROUP_REPLICATION will abort

  ER_GRP_RPL_ABORTS_AS_SSL_NOT_SUPPORTED_BY_MYSQLD was added in 8.0.11.

- Error number: MY-011673; Symbol: ER_GRP_RPL_SSL_DISABLED; SQLSTATE: HY000

  Message: Group communication SSL configuration: group_replication_ssl_mode: "%s"

  ER_GRP_RPL_SSL_DISABLED was added in 8.0.11.

- Error number: MY-011674; Symbol: ER_GRP_RPL_UNABLE_TO_INIT_COMMUNICATION_ENGINE; SQLSTATE: HY000

  Message: Unable to initialize the group communication engine

  ER_GRP_RPL_UNABLE_TO_INIT_COMMUNICATION_ENGINE was added in 8.0.11.

- Error number: MY-011675; Symbol: ER_GRP_RPL_BINLOG_DISABLED; SQLSTATE: HY000

  Message: Binlog must be enabled for Group Replication

  ER_GRP_RPL_BINLOG_DISABLED was added in 8.0.11.

- Error number: MY-011676; Symbol: ER_GRP_RPL_GTID_MODE_OFF; SQLSTATE: HY000

Message: Gtid mode should be ON for Group Replication

ER_GRP_RPL_GTID_MODE_OFF was added in 8.0.11.

- Error number: MY-011677; Symbol: ER_GRP_RPL_LOG_SLAVE_UPDATES_NOT_SET; SQLSTATE: HY000

  Message: LOG_SLAVE_UPDATES should be ON for Group Replication

  ER_GRP_RPL_LOG_SLAVE_UPDATES_NOT_SET was added in 8.0.11, removed after 8.0.25.

- Error number: MY-011677; Symbol: ER_GRP_RPL_LOG_REPLICA_UPDATES_NOT_SET; SQLSTATE: HY000

  Message: LOG_REPLICA_UPDATES should be ON for Group Replication

  ER_GRP_RPL_LOG_REPLICA_UPDATES_NOT_SET was added in 8.0.26.

- Error number: MY-011678; Symbol: ER_GRP_RPL_INVALID_TRANS_WRITE_SET_EXTRACTION_VALUE; SQLSTATE: HY000

  Message: Extraction of transaction write sets requires an hash algorithm configuration. Please, double check that the parameter transaction-write-set-extraction is set to a valid algorithm.

  ER_GRP_RPL_INVALID_TRANS_WRITE_SET_EXTRACTION_VALUE was added in 8.0.11.

- Error number: MY-011679; Symbol: ER_GRP_RPL_RELAY_LOG_INFO_REPO_MUST_BE_TABLE; SQLSTATE: HY000

  Message: Relay log info repository must be set to TABLE

  ER_GRP_RPL_RELAY_LOG_INFO_REPO_MUST_BE_TABLE was added in 8.0.11, removed after 8.0.32.

- Error number: MY-011679; Symbol: ER_GRP_RPL_APPLIER_METADATA_REPO_MUST_BE_TABLE; SQLSTATE: HY000

  Message: Applier metadata repository must be set to TABLE

  ER_GRP_RPL_APPLIER_METADATA_REPO_MUST_BE_TABLE was added in 8.0.33.

- Error number: MY-011680; Symbol: ER_GRP_RPL_MASTER_INFO_REPO_MUST_BE_TABLE; SQLSTATE: HY000

  Message: Master info repository must be set to TABLE.

  ER_GRP_RPL_MASTER_INFO_REPO_MUST_BE_TABLE was added in 8.0.11, removed after 8.0.32.

- Error number: MY-011680; Symbol: ER_GRP_RPL_CONNECTION_METADATA_REPO_MUST_BE_TABLE; SQLSTATE: HY000

  Message: Connection metadata repository must be set to TABLE.

  ER_GRP_RPL_CONNECTION_METADATA_REPO_MUST_BE_TABLE was added in 8.0.33.

- Error number: MY-011681; Symbol: ER_GRP_RPL_INCORRECT_TYPE_SET_FOR_PARALLEL_APPLIER; SQLSTATE: HY000

  Message: In order to use parallel applier on Group Replication, parameter replica-parallel-type must be set to 'LOGICAL_CLOCK'.

  ER_GRP_RPL_INCORRECT_TYPE_SET_FOR_PARALLEL_APPLIER was added in 8.0.11.

- Error number: MY-011682; Symbol: ER_GRP_RPL_SLAVE_PRESERVE_COMMIT_ORDER_NOT_SET; SQLSTATE: HY000

  Message: Group Replication requires slave-preserve-commit-order to be set to ON when using more than 1 applier threads.

  ER_GRP_RPL_SLAVE_PRESERVE_COMMIT_ORDER_NOT_SET was added in 8.0.11, removed after 8.0.25.

- Error number: MY-011682; Symbol: ER_GRP_RPL_REPLICA_PRESERVE_COMMIT_ORDER_NOT_SET; SQLSTATE: HY000

  Message: Group Replication requires replica-preserve-commit-order to be set to ON when using more than 1 applier threads.

  ER_GRP_RPL_REPLICA_PRESERVE_COMMIT_ORDER_NOT_SET was added in 8.0.26.

- Error number: MY-011683; Symbol: ER_GRP_RPL_SINGLE_PRIM_MODE_NOT_ALLOWED_WITH_UPDATE_EVERYWHERE; SQLSTATE: HY000

  Message: It is not allowed to run single primary mode with 'group_replication_enforce_update_everywhere_checks' enabled.

  ER_GRP_RPL_SINGLE_PRIM_MODE_NOT_ALLOWED_WITH_UPDATE_EVERYWHERE was added in 8.0.11.

- Error number: MY-011684; Symbol: ER_GRP_RPL_MODULE_TERMINATE_ERROR; SQLSTATE: HY000

  Message: error_message: %s

  ER_GRP_RPL_MODULE_TERMINATE_ERROR was added in 8.0.11.

- Error number: MY-011685; Symbol: ER_GRP_RPL_GRP_NAME_OPTION_MANDATORY; SQLSTATE: HY000

  Message: The group_replication_group_name option is mandatory

  ER_GRP_RPL_GRP_NAME_OPTION_MANDATORY was added in 8.0.11.

- Error number: MY-011686; Symbol: ER_GRP_RPL_GRP_NAME_IS_TOO_LONG; SQLSTATE: HY000

  Message: The group_replication_group_name '%s' is not a valid UUID, its length is too big

  ER_GRP_RPL_GRP_NAME_IS_TOO_LONG was added in 8.0.11.

- Error number: MY-011687; Symbol: ER_GRP_RPL_GRP_NAME_IS_NOT_VALID_UUID; SQLSTATE: HY000

  Message: The group_replication_group_name '%s' is not a valid UUID

ER_GRP_RPL_GRP_NAME_IS_NOT_VALID_UUID was added in 8.0.11.

- Error number: MY-011688; Symbol: ER_GRP_RPL_FLOW_CTRL_MIN_QUOTA_GREATER_THAN_MAX_QUOTA; SQLSTATE: HY000

  Message: group_replication_flow_control_min_quota cannot be larger than group_replication_flow_control_max_quota

  ER_GRP_RPL_FLOW_CTRL_MIN_QUOTA_GREATER_THAN_MAX_QUOTA was added in 8.0.11.

- Error number: MY-011689; Symbol: ER_GRP_RPL_FLOW_CTRL_MIN_RECOVERY_QUOTA_GREATER_THAN_MAX_QUOTA; SQLSTATE: HY000

  Message: group_replication_flow_control_min_recovery_quota cannot be larger than group_replication_flow_control_max_quota

  ER_GRP_RPL_FLOW_CTRL_MIN_RECOVERY_QUOTA_GREATER_THAN_MAX_QUOTA was added in 8.0.11.

- Error number: MY-011690; Symbol: ER_GRP_RPL_FLOW_CTRL_MAX_QUOTA_SMALLER_THAN_MIN_QUOTAS; SQLSTATE: HY000

  Message: group_replication_flow_control_max_quota cannot be smaller than group_replication_flow_control_min_quota or group_replication_flow_control_min_recovery_quota

  ER_GRP_RPL_FLOW_CTRL_MAX_QUOTA_SMALLER_THAN_MIN_QUOTAS was added in 8.0.11.

- Error number: MY-011691; Symbol: ER_GRP_RPL_INVALID_SSL_RECOVERY_STRING; SQLSTATE: HY000

  Message: The given value for recovery ssl option 'group_replication_%s' is invalid as its length is beyond the limit

  ER_GRP_RPL_INVALID_SSL_RECOVERY_STRING was added in 8.0.11.

- Error number: MY-011692; Symbol: ER_GRP_RPL_SUPPORTS_ONLY_ONE_FORCE_MEMBERS_SET; SQLSTATE: HY000

  Message: There is one group_replication_force_members operation already ongoing

  ER_GRP_RPL_SUPPORTS_ONLY_ONE_FORCE_MEMBERS_SET was added in 8.0.11, removed after 8.0.30.

- Error number: MY-011693; Symbol: ER_GRP_RPL_FORCE_MEMBERS_SET_UPDATE_NOT_ALLOWED; SQLSTATE: HY000

  Message: group_replication_force_members can only be updated when Group Replication is running and a majority of the members are unreachable

  ER_GRP_RPL_FORCE_MEMBERS_SET_UPDATE_NOT_ALLOWED was added in 8.0.11, removed after 8.0.30.

- Error number: MY-011694; Symbol: ER_GRP_RPL_GRP_COMMUNICATION_INIT_WITH_CONF; SQLSTATE: HY000

  Message: Initialized group communication with configuration: group_replication_group_name: '%s'; group_replication_local_address: '%s'; group_replication_group_seeds: '%s'; group_replication_bootstrap_group: '%s'; group_replication_poll_spin_loops: %lu; group_replication_compression_threshold: %lu; group_replication_ip_allowlist: '%s'; group_replication_communication_debug_options: '%s'; group_replication_member_expel_timeout: '%lu'; group_replication_communication_max_message_size: %lu; group_replication_message_cache_size: '%luu; group_replication_communication_stack: '%lu'

  ER_GRP_RPL_GRP_COMMUNICATION_INIT_WITH_CONF was added in 8.0.11.

- Error number: MY-011695; Symbol: ER_GRP_RPL_UNKNOWN_GRP_RPL_APPLIER_PIPELINE_REQUESTED; SQLSTATE: HY000

  Message: Unknown group replication applier pipeline requested

  ER_GRP_RPL_UNKNOWN_GRP_RPL_APPLIER_PIPELINE_REQUESTED was added in 8.0.11.

- Error number: MY-011696; Symbol: ER_GRP_RPL_FAILED_TO_BOOTSTRAP_EVENT_HANDLING_INFRASTRUCTURE; SQLSTATE: HY000

  Message: Unable to bootstrap group replication event handling infrastructure. Unknown handler type: %d

  ER_GRP_RPL_FAILED_TO_BOOTSTRAP_EVENT_HANDLING_INFRASTRUCTURE was added in 8.0.11.

- Error number: MY-011697; Symbol: ER_GRP_RPL_APPLIER_HANDLER_NOT_INITIALIZED; SQLSTATE: HY000

  Message: One of the group replication applier handlers is null due to an initialization error

  ER_GRP_RPL_APPLIER_HANDLER_NOT_INITIALIZED was added in 8.0.11.

- Error number: MY-011698; Symbol: ER_GRP_RPL_APPLIER_HANDLER_IS_IN_USE; SQLSTATE: HY000

  Message: A group replication applier handler, marked as unique, is already in use.

  ER_GRP_RPL_APPLIER_HANDLER_IS_IN_USE was added in 8.0.11.

- Error number: MY-011699; Symbol: ER_GRP_RPL_APPLIER_HANDLER_ROLE_IS_IN_USE; SQLSTATE: HY000

  Message: A group replication applier handler role, that was marked as unique, is already in use.

  ER_GRP_RPL_APPLIER_HANDLER_ROLE_IS_IN_USE was added in 8.0.11.

- Error number: MY-011700; Symbol: ER_GRP_RPL_FAILED_TO_INIT_APPLIER_HANDLER; SQLSTATE: HY000

  Message: Error on group replication applier handler initialization

  ER_GRP_RPL_FAILED_TO_INIT_APPLIER_HANDLER was added in 8.0.11.

- Error number: MY-011701; Symbol: ER_GRP_RPL_SQL_SERVICE_FAILED_TO_INIT_SESSION_THREAD; SQLSTATE: HY000

Message: Error when initializing a session thread for internal server connection.

`ER_GRP_RPL_SQL_SERVICE_FAILED_TO_INIT_SESSION_THREAD` was added in 8.0.11.

- Error number: `MY-011702`; Symbol: `ER_GRP_RPL_SQL_SERVICE_COMM_SESSION_NOT_INITIALIZED`; SQLSTATE: `HY000`

  Message: Error running internal SQL query: %s. The internal server communication session is not initialized

  `ER_GRP_RPL_SQL_SERVICE_COMM_SESSION_NOT_INITIALIZED` was added in 8.0.11.

- Error number: `MY-011703`; Symbol: `ER_GRP_RPL_SQL_SERVICE_SERVER_SESSION_KILLED`; SQLSTATE: `HY000`

  Message: Error running internal SQL query: %s. The internal server session was killed or server is shutting down.

  `ER_GRP_RPL_SQL_SERVICE_SERVER_SESSION_KILLED` was added in 8.0.11.

- Error number: `MY-011704`; Symbol: `ER_GRP_RPL_SQL_SERVICE_FAILED_TO_RUN_SQL_QUERY`; SQLSTATE: `HY000`

  Message: Error running internal SQL query: %s. Got internal SQL error: %s(%d)

  `ER_GRP_RPL_SQL_SERVICE_FAILED_TO_RUN_SQL_QUERY` was added in 8.0.11.

- Error number: `MY-011705`; Symbol: `ER_GRP_RPL_SQL_SERVICE_SERVER_INTERNAL_FAILURE`; SQLSTATE: `HY000`

  Message: Error running internal SQL query: %s. Internal failure.

  `ER_GRP_RPL_SQL_SERVICE_SERVER_INTERNAL_FAILURE` was added in 8.0.11.

- Error number: `MY-011706`; Symbol: `ER_GRP_RPL_SQL_SERVICE_RETRIES_EXCEEDED_ON_SESSION_STATE`; SQLSTATE: `HY000`

  Message: Error, maximum number of retries exceeded when waiting for the internal server session state to be operating

  `ER_GRP_RPL_SQL_SERVICE_RETRIES_EXCEEDED_ON_SESSION_STATE` was added in 8.0.11.

- Error number: `MY-011707`; Symbol: `ER_GRP_RPL_SQL_SERVICE_FAILED_TO_FETCH_SECURITY_CTX`; SQLSTATE: `HY000`

  Message: Error when trying to fetch security context when contacting the server for internal plugin requests.

  `ER_GRP_RPL_SQL_SERVICE_FAILED_TO_FETCH_SECURITY_CTX` was added in 8.0.11.

- Error number: `MY-011708`; Symbol: `ER_GRP_RPL_SQL_SERVICE_SERVER_ACCESS_DENIED_FOR_USER`; SQLSTATE: `HY000`

  Message: There was an error when trying to access the server with user: %s. Make sure the user is present in the server and that the MySQL upgrade procedure was run correctly.

  `ER_GRP_RPL_SQL_SERVICE_SERVER_ACCESS_DENIED_FOR_USER` was added in 8.0.11.

- Error number: MY-011709; Symbol: ER_GRP_RPL_SQL_SERVICE_MAX_CONN_ERROR_FROM_SERVER; SQLSTATE: HY000

  Message: Failed to establish an internal server connection to execute plugin operations since the server does not have available connections, please increase @@GLOBAL.MAX_CONNECTIONS. Server error: %i.

  ER_GRP_RPL_SQL_SERVICE_MAX_CONN_ERROR_FROM_SERVER was added in 8.0.11.

- Error number: MY-011710; Symbol: ER_GRP_RPL_SQL_SERVICE_SERVER_ERROR_ON_CONN; SQLSTATE: HY000

  Message: Failed to establish an internal server connection to execute plugin operations. Server error: %i. Server error message: %s

  ER_GRP_RPL_SQL_SERVICE_SERVER_ERROR_ON_CONN was added in 8.0.11.

- Error number: MY-011711; Symbol: ER_GRP_RPL_UNREACHABLE_MAJORITY_TIMEOUT_FOR_MEMBER; SQLSTATE: HY000

  Message: This member could not reach a majority of the members for more than %ld seconds. The member will now leave the group as instructed by the group_replication_unreachable_majority_timeout option.

  ER_GRP_RPL_UNREACHABLE_MAJORITY_TIMEOUT_FOR_MEMBER was added in 8.0.11.

- Error number: MY-011712; Symbol: ER_GRP_RPL_SERVER_SET_TO_READ_ONLY_DUE_TO_ERRORS; SQLSTATE: HY000

  Message: The server was automatically set into read only mode after an error was detected.

  ER_GRP_RPL_SERVER_SET_TO_READ_ONLY_DUE_TO_ERRORS was added in 8.0.11.

- Error number: MY-011713; Symbol: ER_GRP_RPL_GMS_LISTENER_FAILED_TO_LOG_NOTIFICATION; SQLSTATE: HY000

  Message: Unable to log notification to table (errno: %lu) (res: %d)! Message: %s

  ER_GRP_RPL_GMS_LISTENER_FAILED_TO_LOG_NOTIFICATION was added in 8.0.11.

- Error number: MY-011714; Symbol: ER_GRP_RPL_GRP_COMMUNICATION_ENG_INIT_FAILED; SQLSTATE: HY000

  Message: Failure in group communication engine '%s' initialization

  ER_GRP_RPL_GRP_COMMUNICATION_ENG_INIT_FAILED was added in 8.0.11.

- Error number: MY-011715; Symbol: ER_GRP_RPL_SET_GRP_COMMUNICATION_ENG_LOGGER_FAILED; SQLSTATE: HY000

  Message: Unable to set the group communication engine logger

  ER_GRP_RPL_SET_GRP_COMMUNICATION_ENG_LOGGER_FAILED was added in 8.0.11.

- Error number: MY-011716; Symbol: ER_GRP_RPL_DEBUG_OPTIONS; SQLSTATE: HY000

  Message: Current debug options are: '%s'.

  ER_GRP_RPL_DEBUG_OPTIONS was added in 8.0.11.

- Error number: MY-011717; Symbol: ER_GRP_RPL_INVALID_DEBUG_OPTIONS; SQLSTATE: HY000

  Message: Some debug options in '%s' are not valid.

  ER_GRP_RPL_INVALID_DEBUG_OPTIONS was added in 8.0.11.

- Error number: MY-011718; Symbol: ER_GRP_RPL_EXIT_GRP_GCS_ERROR; SQLSTATE: HY000

  Message: Error calling group communication interfaces while trying to leave the group

  ER_GRP_RPL_EXIT_GRP_GCS_ERROR was added in 8.0.11.

- Error number: MY-011719; Symbol: ER_GRP_RPL_GRP_MEMBER_OFFLINE; SQLSTATE: HY000

  Message: Member is not ONLINE, it is not possible to force a new group membership

  ER_GRP_RPL_GRP_MEMBER_OFFLINE was added in 8.0.11.

- Error number: MY-011720; Symbol: ER_GRP_RPL_GCS_INTERFACE_ERROR; SQLSTATE: HY000

  Message: Error calling group communication interfaces

  ER_GRP_RPL_GCS_INTERFACE_ERROR was added in 8.0.11.

- Error number: MY-011721; Symbol: ER_GRP_RPL_FORCE_MEMBER_VALUE_SET_ERROR; SQLSTATE: HY000

  Message: Error setting group_replication_force_members value '%s' on group communication interfaces

  ER_GRP_RPL_FORCE_MEMBER_VALUE_SET_ERROR was added in 8.0.11.

- Error number: MY-011722; Symbol: ER_GRP_RPL_FORCE_MEMBER_VALUE_SET; SQLSTATE: HY000

  Message: The group_replication_force_members value '%s' was set in the group communication interfaces

  ER_GRP_RPL_FORCE_MEMBER_VALUE_SET was added in 8.0.11.

- Error number: MY-011723; Symbol: ER_GRP_RPL_FORCE_MEMBER_VALUE_TIME_OUT; SQLSTATE: HY000

  Message: Timeout on wait for view after setting group_replication_force_members value '%s' into group communication interfaces

  ER_GRP_RPL_FORCE_MEMBER_VALUE_TIME_OUT was added in 8.0.11.

- Error number: MY-011724; Symbol: ER_GRP_RPL_BROADCAST_COMMIT_MSSG_TOO_BIG; SQLSTATE: HY000

  Message: Broadcast of committed transactions message failed. Message is too big.

  ER_GRP_RPL_BROADCAST_COMMIT_MSSG_TOO_BIG was added in 8.0.11.

- Error number: MY-011725; Symbol: ER_GRP_RPL_SEND_STATS_ERROR; SQLSTATE: HY000

  Message: Error while sending stats message

  ER_GRP_RPL_SEND_STATS_ERROR was added in 8.0.11.

- Error number: MY-011726; Symbol: ER_GRP_RPL_MEMBER_STATS_INFO; SQLSTATE: HY000

Message: Flow control - update member stats: %s stats certifier_queue %d, applier_queue %d certified %ld (%ld), applied %ld (%ld), local %ld (%ld), quota %ld (%ld) mode=%d

ER_GRP_RPL_MEMBER_STATS_INFO was added in 8.0.11.

- Error number: MY-011727; Symbol: ER_GRP_RPL_FLOW_CONTROL_STATS; SQLSTATE: HY000

  Message: Flow control: throttling to %ld commits per %ld sec, with %d writing and %d non-recovering members, min capacity %lld, lim throttle %lld

  ER_GRP_RPL_FLOW_CONTROL_STATS was added in 8.0.11.

- Error number: MY-011728; Symbol: ER_GRP_RPL_UNABLE_TO_CONVERT_PACKET_TO_EVENT; SQLSTATE: HY000

  Message: Unable to convert a packet into an event on the applier. Error: %s

  ER_GRP_RPL_UNABLE_TO_CONVERT_PACKET_TO_EVENT was added in 8.0.11.

- Error number: MY-011729; Symbol: ER_GRP_RPL_PIPELINE_CREATE_FAILED; SQLSTATE: HY000

  Message: Failed to create group replication pipeline cache.

  ER_GRP_RPL_PIPELINE_CREATE_FAILED was added in 8.0.11.

- Error number: MY-011730; Symbol: ER_GRP_RPL_PIPELINE_REINIT_FAILED_WRITE; SQLSTATE: HY000

  Message: Failed to reinit group replication pipeline cache for write.

  ER_GRP_RPL_PIPELINE_REINIT_FAILED_WRITE was added in 8.0.11.

- Error number: MY-011731; Symbol: ER_GRP_RPL_UNABLE_TO_CONVERT_EVENT_TO_PACKET; SQLSTATE: HY000

  Message: Unable to convert the event into a packet on the applier. Error: %s

  ER_GRP_RPL_UNABLE_TO_CONVERT_EVENT_TO_PACKET was added in 8.0.11.

- Error number: MY-011732; Symbol: ER_GRP_RPL_PIPELINE_FLUSH_FAIL; SQLSTATE: HY000

  Message: Failed to flush group replication pipeline cache.

  ER_GRP_RPL_PIPELINE_FLUSH_FAIL was added in 8.0.11.

- Error number: MY-011733; Symbol: ER_GRP_RPL_PIPELINE_REINIT_FAILED_READ; SQLSTATE: HY000

  Message: Failed to reinit group replication pipeline cache for read.

  ER_GRP_RPL_PIPELINE_REINIT_FAILED_READ was added in 8.0.11.

- Error number: MY-011734; Symbol: ER_GRP_RPL_STOP_REP_CHANNEL; SQLSTATE: HY000

  Message: Error stopping all replication channels while server was leaving the group. Got error: %d. Please check the error log for more details.

  ER_GRP_RPL_STOP_REP_CHANNEL was added in 8.0.11, removed after 8.0.17.

- Error number: MY-011735; Symbol: ER_GRP_RPL_GCS_GR_ERROR_MSG; SQLSTATE: HY000

  Message: %s

  ER_GRP_RPL_GCS_GR_ERROR_MSG was added in 8.0.11.

- Error number: MY-011736; Symbol: ER_GRP_RPL_SLAVE_IO_THREAD_UNBLOCKED; SQLSTATE: HY000

  Message: The slave IO thread of channel '%s' is unblocked as the member is declared ONLINE now.

  ER_GRP_RPL_SLAVE_IO_THREAD_UNBLOCKED was added in 8.0.11, removed after 8.0.32.

- Error number: MY-011736; Symbol: ER_GRP_RPL_REPLICA_IO_THREAD_UNBLOCKED; SQLSTATE: HY000

  Message: The replica IO thread of channel '%s' is unblocked as the member is declared ONLINE now.

  ER_GRP_RPL_REPLICA_IO_THREAD_UNBLOCKED was added in 8.0.33.

- Error number: MY-011737; Symbol: ER_GRP_RPL_SLAVE_IO_THREAD_ERROR_OUT; SQLSTATE: HY000

  Message: The slave IO thread of channel '%s' will error out as the member failed to come ONLINE.

  ER_GRP_RPL_SLAVE_IO_THREAD_ERROR_OUT was added in 8.0.11, removed after 8.0.32.

- Error number: MY-011737; Symbol: ER_GRP_RPL_REPLICA_IO_THREAD_ERROR_OUT; SQLSTATE: HY000

  Message: The replica IO thread of channel '%s' will error out as the member failed to come ONLINE.

  ER_GRP_RPL_REPLICA_IO_THREAD_ERROR_OUT was added in 8.0.33.

- Error number: MY-011738; Symbol: ER_GRP_RPL_SLAVE_APPLIER_THREAD_UNBLOCKED; SQLSTATE: HY000

  Message: The slave applier thread of channel '%s' is unblocked as the member is declared ONLINE now.

  ER_GRP_RPL_SLAVE_APPLIER_THREAD_UNBLOCKED was added in 8.0.11, removed after 8.0.32.

- Error number: MY-011738; Symbol: ER_GRP_RPL_REPLICA_APPLIER_THREAD_UNBLOCKED; SQLSTATE: HY000

  Message: The replica applier thread of channel '%s' is unblocked as the member is declared ONLINE now.

  ER_GRP_RPL_REPLICA_APPLIER_THREAD_UNBLOCKED was added in 8.0.33.

- Error number: MY-011739; Symbol: ER_GRP_RPL_SLAVE_APPLIER_THREAD_ERROR_OUT; SQLSTATE: HY000

  Message: The slave applier thread of channel '%s' will error out as the member failed to come ONLINE.

  ER_GRP_RPL_SLAVE_APPLIER_THREAD_ERROR_OUT was added in 8.0.11, removed after 8.0.32.

- Error number: MY-011739; Symbol: ER_GRP_RPL_REPLICA_APPLIER_THREAD_ERROR_OUT; SQLSTATE: HY000

Message: The replica applier thread of channel '%s' will error out as the member failed to come ONLINE.

`ER_GRP_RPL_REPLICA_APPLIER_THREAD_ERROR_OUT` was added in 8.0.33.

- Error number: `MY-011740`; Symbol: `ER_LDAP_AUTH_FAILED_TO_CREATE_OR_GET_CONNECTION`; SQLSTATE: `HY000`

  Message: LDAP authentication initialize: failed to create/ get connection from the pool.

  `ER_LDAP_AUTH_FAILED_TO_CREATE_OR_GET_CONNECTION` was added in 8.0.11.

- Error number: `MY-011741`; Symbol: `ER_LDAP_AUTH_DEINIT_FAILED`; SQLSTATE: `HY000`

  Message: LDAP authentication de_initialize Failed

  `ER_LDAP_AUTH_DEINIT_FAILED` was added in 8.0.11.

- Error number: `MY-011742`; Symbol: `ER_LDAP_AUTH_SKIPPING_USER_GROUP_SEARCH`; SQLSTATE: `HY000`

  Message: Skipping group search, No group attribute mentioned

  `ER_LDAP_AUTH_SKIPPING_USER_GROUP_SEARCH` was added in 8.0.11.

- Error number: `MY-011743`; Symbol: `ER_LDAP_AUTH_POOL_DISABLE_MAX_SIZE_ZERO`; SQLSTATE: `HY000`

  Message: Pool max size is 0, connection pool is disabled

  `ER_LDAP_AUTH_POOL_DISABLE_MAX_SIZE_ZERO` was added in 8.0.11.

- Error number: `MY-011744`; Symbol: `ER_LDAP_AUTH_FAILED_TO_CREATE_LDAP_OBJECT_CREATOR`; SQLSTATE: `HY000`

  Message: Connection pool initialization, failed to create LDAP object creator

  `ER_LDAP_AUTH_FAILED_TO_CREATE_LDAP_OBJECT_CREATOR` was added in 8.0.11.

- Error number: `MY-011745`; Symbol: `ER_LDAP_AUTH_FAILED_TO_CREATE_LDAP_OBJECT`; SQLSTATE: `HY000`

  Message: Connection pool initialization, failed to create LDAP object

  `ER_LDAP_AUTH_FAILED_TO_CREATE_LDAP_OBJECT` was added in 8.0.11.

- Error number: `MY-011746`; Symbol: `ER_LDAP_AUTH_TLS_CONF`; SQLSTATE: `HY000`

  Message: LDAP TLS configuration

  `ER_LDAP_AUTH_TLS_CONF` was added in 8.0.11.

- Error number: `MY-011747`; Symbol: `ER_LDAP_AUTH_TLS_CONNECTION`; SQLSTATE: `HY000`

  Message: LDAP TLS connection

  `ER_LDAP_AUTH_TLS_CONNECTION` was added in 8.0.11.

- Error number: `MY-011748`; Symbol: `ER_LDAP_AUTH_CONN_POOL_NOT_CREATED`; SQLSTATE: `HY000`

Message: LDAP pool is not created.

ER_LDAP_AUTH_CONN_POOL_NOT_CREATED was added in 8.0.11.

- Error number: MY-011749; Symbol: ER_LDAP_AUTH_CONN_POOL_INITIALIZING; SQLSTATE: HY000

  Message: LDAP pool is initializing

  ER_LDAP_AUTH_CONN_POOL_INITIALIZING was added in 8.0.11.

- Error number: MY-011750; Symbol: ER_LDAP_AUTH_CONN_POOL_DEINITIALIZING; SQLSTATE: HY000

  Message: LDAP pool is de-initializing

  ER_LDAP_AUTH_CONN_POOL_DEINITIALIZING was added in 8.0.11.

- Error number: MY-011751; Symbol: ER_LDAP_AUTH_ZERO_MAX_POOL_SIZE_UNCHANGED; SQLSTATE: HY000

  Message: Pool max size old and new values are 0

  ER_LDAP_AUTH_ZERO_MAX_POOL_SIZE_UNCHANGED was added in 8.0.11.

- Error number: MY-011752; Symbol: ER_LDAP_AUTH_POOL_REINITIALIZING; SQLSTATE: HY000

  Message: LDAP pool is re-initializing

  ER_LDAP_AUTH_POOL_REINITIALIZING was added in 8.0.11.

- Error number: MY-011753; Symbol: ER_LDAP_AUTH_FAILED_TO_WRITE_PACKET; SQLSTATE: HY000

  Message: Plug-in has failed to write the packet.

  ER_LDAP_AUTH_FAILED_TO_WRITE_PACKET was added in 8.0.11.

- Error number: MY-011754; Symbol: ER_LDAP_AUTH_SETTING_USERNAME; SQLSTATE: HY000

  Message: Setting LDAP user name as : %s

  ER_LDAP_AUTH_SETTING_USERNAME was added in 8.0.11.

- Error number: MY-011755; Symbol: ER_LDAP_AUTH_USER_AUTH_DATA; SQLSTATE: HY000

  Message: User authentication data: %s size: %lu

  ER_LDAP_AUTH_USER_AUTH_DATA was added in 8.0.11.

- Error number: MY-011756; Symbol: ER_LDAP_AUTH_INFO_FOR_USER; SQLSTATE: HY000

  Message: User is authenticated as: %s external user: %s

  ER_LDAP_AUTH_INFO_FOR_USER was added in 8.0.11.

- Error number: MY-011757; Symbol: ER_LDAP_AUTH_USER_GROUP_SEARCH_INFO; SQLSTATE: HY000

Message: Group search information base DN: %s scope: %d filter: %s attribute: %s

ER_LDAP_AUTH_USER_GROUP_SEARCH_INFO was added in 8.0.11.

- Error number: MY-011758; Symbol: ER_LDAP_AUTH_GRP_SEARCH_SPECIAL_HDL; SQLSTATE: HY000

  Message: Special handling for group search, {GA} found

  ER_LDAP_AUTH_GRP_SEARCH_SPECIAL_HDL was added in 8.0.11.

- Error number: MY-011759; Symbol: ER_LDAP_AUTH_GRP_IS_FULL_DN; SQLSTATE: HY000

  Message: Group search special handling, group full DN found.

  ER_LDAP_AUTH_GRP_IS_FULL_DN was added in 8.0.11.

- Error number: MY-011760; Symbol: ER_LDAP_AUTH_USER_NOT_FOUND_IN_ANY_GRP; SQLSTATE: HY000

  Message: User %s is not member of any group.

  ER_LDAP_AUTH_USER_NOT_FOUND_IN_ANY_GRP was added in 8.0.11.

- Error number: MY-011761; Symbol: ER_LDAP_AUTH_USER_FOUND_IN_MANY_GRPS; SQLSTATE: HY000

  Message: User %s is member of more than one group

  ER_LDAP_AUTH_USER_FOUND_IN_MANY_GRPS was added in 8.0.11.

- Error number: MY-011762; Symbol: ER_LDAP_AUTH_USER_HAS_MULTIPLE_GRP_NAMES; SQLSTATE: HY000

  Message: For user %s has multiple user group names. Please check if group attribute name is correct

  ER_LDAP_AUTH_USER_HAS_MULTIPLE_GRP_NAMES was added in 8.0.11.

- Error number: MY-011763; Symbol: ER_LDAP_AUTH_SEARCHED_USER_GRP_NAME; SQLSTATE: HY000

  Message: Searched group name: %s

  ER_LDAP_AUTH_SEARCHED_USER_GRP_NAME was added in 8.0.11.

- Error number: MY-011764; Symbol: ER_LDAP_AUTH_OBJECT_CREATE_TIMESTAMP; SQLSTATE: HY000

  Message: LDAP authentication object creation time_stamp: %s dn: %s

  ER_LDAP_AUTH_OBJECT_CREATE_TIMESTAMP was added in 8.0.11.

- Error number: MY-011765; Symbol: ER_LDAP_AUTH_CERTIFICATE_NAME; SQLSTATE: HY000

  Message: Certificate name: %s

  ER_LDAP_AUTH_CERTIFICATE_NAME was added in 8.0.11.

- Error number: MY-011766; Symbol: ER_LDAP_AUTH_FAILED_TO_POOL_DEINIT; SQLSTATE: HY000

Message: Failed to pool de-initialized: pool is already reconstructing

ER_LDAP_AUTH_FAILED_TO_POOL_DEINIT was added in 8.0.11.

- Error number: MY-011767; Symbol: ER_LDAP_AUTH_FAILED_TO_INITIALIZE_POOL_IN_RECONSTRUCTING; SQLSTATE: HY000

  Message: Pool initialization failed: pool is already initialized

  ER_LDAP_AUTH_FAILED_TO_INITIALIZE_POOL_IN_RECONSTRUCTING was added in 8.0.11.

- Error number: MY-011768; Symbol: ER_LDAP_AUTH_FAILED_TO_INITIALIZE_POOL_IN_INIT_STATE; SQLSTATE: HY000

  Message: Pool initialization failed: pool is initializing

  ER_LDAP_AUTH_FAILED_TO_INITIALIZE_POOL_IN_INIT_STATE was added in 8.0.11.

- Error number: MY-011769; Symbol: ER_LDAP_AUTH_FAILED_TO_INITIALIZE_POOL_IN_DEINIT_STATE; SQLSTATE: HY000

  Message: Pool initialization failed: pool is de-initializing

  ER_LDAP_AUTH_FAILED_TO_INITIALIZE_POOL_IN_DEINIT_STATE was added in 8.0.11.

- Error number: MY-011770; Symbol: ER_LDAP_AUTH_FAILED_TO_DEINITIALIZE_POOL_IN_RECONSTRUCT_STATE; SQLSTATE: HY000

  Message: Failed to pool deinitialized: pool is already reconstructing

  ER_LDAP_AUTH_FAILED_TO_DEINITIALIZE_POOL_IN_RECONSTRUCT_STATE was added in 8.0.11.

- Error number: MY-011771; Symbol: ER_LDAP_AUTH_FAILED_TO_DEINITIALIZE_NOT_READY_POOL; SQLSTATE: HY000

  Message: Failed to pool deinitialized : pool is not ready

  ER_LDAP_AUTH_FAILED_TO_DEINITIALIZE_NOT_READY_POOL was added in 8.0.11.

- Error number: MY-011772; Symbol: ER_LDAP_AUTH_FAILED_TO_GET_CONNECTION_AS_PLUGIN_NOT_READY; SQLSTATE: HY000

  Message: Ldap_connection_pool::get: Failed to return connection as plug-in is not ready/initializing/de-initializing

  ER_LDAP_AUTH_FAILED_TO_GET_CONNECTION_AS_PLUGIN_NOT_READY was added in 8.0.11.

- Error number: MY-011773; Symbol: ER_LDAP_AUTH_CONNECTION_POOL_INIT_FAILED; SQLSTATE: HY000

  Message: Connection pool has failed to initialized

  ER_LDAP_AUTH_CONNECTION_POOL_INIT_FAILED was added in 8.0.11.

- Error number: MY-011774; Symbol: ER_LDAP_AUTH_MAX_ALLOWED_CONNECTION_LIMIT_HIT; SQLSTATE: HY000

  Message: Ldap_connetion_pool::get LDAP maximum connection allowed size is reached. Increase the maximum limit.

  ER_LDAP_AUTH_MAX_ALLOWED_CONNECTION_LIMIT_HIT was added in 8.0.11.

- Error number: MY-011775; Symbol: ER_LDAP_AUTH_MAX_POOL_SIZE_SET_FAILED; SQLSTATE: HY000

  Message: Set max pool size failed.

  ER_LDAP_AUTH_MAX_POOL_SIZE_SET_FAILED was added in 8.0.11.

- Error number: MY-011776; Symbol: ER_LDAP_AUTH_PLUGIN_FAILED_TO_READ_PACKET; SQLSTATE: HY000

  Message: Plug-in has failed to read the packet from client

  ER_LDAP_AUTH_PLUGIN_FAILED_TO_READ_PACKET was added in 8.0.11.

- Error number: MY-011777; Symbol: ER_LDAP_AUTH_CREATING_LDAP_CONNECTION; SQLSTATE: HY000

  Message: Ldap_authentication::initialize: creating new LDAP connection.

  ER_LDAP_AUTH_CREATING_LDAP_CONNECTION was added in 8.0.11.

- Error number: MY-011778; Symbol: ER_LDAP_AUTH_GETTING_CONNECTION_FROM_POOL; SQLSTATE: HY000

  Message: Ldap_authentication::initialize: getting connection from pool.

  ER_LDAP_AUTH_GETTING_CONNECTION_FROM_POOL was added in 8.0.11.

- Error number: MY-011779; Symbol: ER_LDAP_AUTH_RETURNING_CONNECTION_TO_POOL; SQLSTATE: HY000

  Message: Ldap_authentication::de_initialize putting back connection in the pool

  ER_LDAP_AUTH_RETURNING_CONNECTION_TO_POOL was added in 8.0.11.

- Error number: MY-011780; Symbol: ER_LDAP_AUTH_SEARCH_USER_GROUP_ATTR_NOT_FOUND; SQLSTATE: HY000

  Message: Ldap_authentication::search_user_group no group attribute found

  ER_LDAP_AUTH_SEARCH_USER_GROUP_ATTR_NOT_FOUND was added in 8.0.11.

- Error number: MY-011781; Symbol: ER_LDAP_AUTH_LDAP_INFO_NULL; SQLSTATE: HY000

  Message: Ldap_connetion_pool::put ldap info null

  ER_LDAP_AUTH_LDAP_INFO_NULL was added in 8.0.11.

- Error number: MY-011782; Symbol: ER_LDAP_AUTH_FREEING_CONNECTION; SQLSTATE: HY000

  Message: Ldap_connection_pool::put connection is freeing.

ER_LDAP_AUTH_FREEING_CONNECTION was added in 8.0.11.

- Error number: MY-011783; Symbol: ER_LDAP_AUTH_CONNECTION_PUSHED_TO_POOL; SQLSTATE: HY000

  Message: Ldap_connection_pool::put connection in pushed in the pool

  ER_LDAP_AUTH_CONNECTION_PUSHED_TO_POOL was added in 8.0.11.

- Error number: MY-011784; Symbol: ER_LDAP_AUTH_CONNECTION_CREATOR_ENTER; SQLSTATE: HY000

  Message: Ldap_connection_creator::Ldap_connection_creator

  ER_LDAP_AUTH_CONNECTION_CREATOR_ENTER was added in 8.0.11.

- Error number: MY-011785; Symbol: ER_LDAP_AUTH_STARTING_TLS; SQLSTATE: HY000

  Message: starting TLS

  ER_LDAP_AUTH_STARTING_TLS was added in 8.0.11.

- Error number: MY-011786; Symbol: ER_LDAP_AUTH_CONNECTION_GET_LDAP_INFO_NULL; SQLSTATE: HY000

  Message: Ldap_connection_pool::get: (ldap_info == NULL)|| (*ldap_info)

  ER_LDAP_AUTH_CONNECTION_GET_LDAP_INFO_NULL was added in 8.0.11.

- Error number: MY-011787; Symbol: ER_LDAP_AUTH_DELETING_CONNECTION_KEY; SQLSTATE: HY000

  Message: Ldap_connection_pool::deinit: deleting connection key %s

  ER_LDAP_AUTH_DELETING_CONNECTION_KEY was added in 8.0.11.

- Error number: MY-011788; Symbol: ER_LDAP_AUTH_POOLED_CONNECTION_KEY; SQLSTATE: HY000

  Message: Ldap_connection_pool::get pooled connection key: %s

  ER_LDAP_AUTH_POOLED_CONNECTION_KEY was added in 8.0.11.

- Error number: MY-011789; Symbol: ER_LDAP_AUTH_CREATE_CONNECTION_KEY; SQLSTATE: HY000

  Message: Ldap_connection_pool::get create connection key: %s

  ER_LDAP_AUTH_CREATE_CONNECTION_KEY was added in 8.0.11.

- Error number: MY-011790; Symbol: ER_LDAP_AUTH_COMMUNICATION_HOST_INFO; SQLSTATE: HY000

  Message: LDAP communication host %s port %u

  ER_LDAP_AUTH_COMMUNICATION_HOST_INFO was added in 8.0.11.

- Error number: MY-011791; Symbol: ER_LDAP_AUTH_METHOD_TO_CLIENT; SQLSTATE: HY000

  Message: Sending authentication method to client : %s

ER_LDAP_AUTH_METHOD_TO_CLIENT was added in 8.0.11.

- Error number: MY-011792; Symbol: ER_LDAP_AUTH_SASL_REQUEST_FROM_CLIENT; SQLSTATE: HY000

  Message: SASL request received from mysql client: %s

  ER_LDAP_AUTH_SASL_REQUEST_FROM_CLIENT was added in 8.0.11.

- Error number: MY-011793; Symbol: ER_LDAP_AUTH_SASL_PROCESS_SASL; SQLSTATE: HY000

  Message: Ldap_sasl_authentication::process_sasl rc: %s

  ER_LDAP_AUTH_SASL_PROCESS_SASL was added in 8.0.11.

- Error number: MY-011794; Symbol: ER_LDAP_AUTH_SASL_BIND_SUCCESS_INFO; SQLSTATE: HY000

  Message: Ldap_sasl_authentication::process_sasl sasl bind succeed. dn: %s method: %s server credential: %s

  ER_LDAP_AUTH_SASL_BIND_SUCCESS_INFO was added in 8.0.11.

- Error number: MY-011795; Symbol: ER_LDAP_AUTH_STARTED_FOR_USER; SQLSTATE: HY000

  Message: LDAP authentication started for user name: %s

  ER_LDAP_AUTH_STARTED_FOR_USER was added in 8.0.11.

- Error number: MY-011796; Symbol: ER_LDAP_AUTH_DISTINGUISHED_NAME; SQLSTATE: HY000

  Message: %s

  ER_LDAP_AUTH_DISTINGUISHED_NAME was added in 8.0.11.

- Error number: MY-011797; Symbol: ER_LDAP_AUTH_INIT_FAILED; SQLSTATE: HY000

  Message: LDAP authentication initialize is failed with: %s

  ER_LDAP_AUTH_INIT_FAILED was added in 8.0.11.

- Error number: MY-011798; Symbol: ER_LDAP_AUTH_OR_GROUP_RETRIEVAL_FAILED; SQLSTATE: HY000

  Message: LDAP authentication failed or group retrieval failed: %s

  ER_LDAP_AUTH_OR_GROUP_RETRIEVAL_FAILED was added in 8.0.11.

- Error number: MY-011799; Symbol: ER_LDAP_AUTH_USER_GROUP_SEARCH_FAILED; SQLSTATE: HY000

  Message: Search user group has failed: %s

  ER_LDAP_AUTH_USER_GROUP_SEARCH_FAILED was added in 8.0.11.

- Error number: MY-011800; Symbol: ER_LDAP_AUTH_USER_BIND_FAILED; SQLSTATE: HY000

  Message: LDAP user bind has failed: %s

ER_LDAP_AUTH_USER_BIND_FAILED was added in 8.0.11.

- Error number: MY-011801; Symbol: ER_LDAP_AUTH_POOL_GET_FAILED_TO_CREATE_CONNECTION; SQLSTATE: HY000

  Message: Connection pool get: Failed to create LDAP connection. %s

  ER_LDAP_AUTH_POOL_GET_FAILED_TO_CREATE_CONNECTION was added in 8.0.11.

- Error number: MY-011802; Symbol: ER_LDAP_AUTH_FAILED_TO_CREATE_LDAP_CONNECTION; SQLSTATE: HY000

  Message: Failed to create new LDAP connection: %s

  ER_LDAP_AUTH_FAILED_TO_CREATE_LDAP_CONNECTION was added in 8.0.11.

- Error number: MY-011803; Symbol: ER_LDAP_AUTH_FAILED_TO_ESTABLISH_TLS_CONNECTION; SQLSTATE: HY000

  Message: Failed to establish TLS connection: %s

  ER_LDAP_AUTH_FAILED_TO_ESTABLISH_TLS_CONNECTION was added in 8.0.11.

- Error number: MY-011804; Symbol: ER_LDAP_AUTH_FAILED_TO_SEARCH_DN; SQLSTATE: HY000

  Message: Failed to search user full dn: %s

  ER_LDAP_AUTH_FAILED_TO_SEARCH_DN was added in 8.0.11.

- Error number: MY-011805; Symbol: ER_LDAP_AUTH_CONNECTION_POOL_REINIT_ENTER; SQLSTATE: HY000

  Message: Ldap_connection_pool::reinit

  ER_LDAP_AUTH_CONNECTION_POOL_REINIT_ENTER was added in 8.0.11.

- Error number: MY-011806; Symbol: ER_SYSTEMD_NOTIFY_PATH_TOO_LONG; SQLSTATE: HY000

  Message: The path '%s', from the NOTIFY_SOCKET environment variable, is too long. At %u bytes it exceeds the limit of %u bytes for an AF_UNIX socket.

  ER_SYSTEMD_NOTIFY_PATH_TOO_LONG was added in 8.0.11.

- Error number: MY-011807; Symbol: ER_SYSTEMD_NOTIFY_CONNECT_FAILED; SQLSTATE: HY000

  Message: Failed to connect to systemd notification socket named %s. Error: '%s'

  ER_SYSTEMD_NOTIFY_CONNECT_FAILED was added in 8.0.11.

- Error number: MY-011808; Symbol: ER_SYSTEMD_NOTIFY_WRITE_FAILED; SQLSTATE: HY000

  Message: Failed to write '%s' to systemd notification. Error: '%s'

  ER_SYSTEMD_NOTIFY_WRITE_FAILED was added in 8.0.11.

- Error number: MY-011809; Symbol: ER_FOUND_MISSING_GTIDS; SQLSTATE: HY000

  Message: Cannot replicate to server with server_uuid='%s' because the present server has purged required binary logs. The connecting server needs to replicate the missing transactions from elsewhere,

or be replaced by a new server created from a more recent backup. To prevent this error in the future, consider increasing the binary log expiration period on the present server. %s.

`ER_FOUND_MISSING_GTIDS` was added in 8.0.11.

- Error number: `MY-011810`; Symbol: `ER_PID_FILE_PRIV_DIRECTORY_INSECURE`; SQLSTATE: `HY000`

  Message: Insecure configuration for --pid-file: Location '%s' in the path is accessible to all OS users. Consider choosing a different directory.

  `ER_PID_FILE_PRIV_DIRECTORY_INSECURE` was added in 8.0.11.

- Error number: `MY-011811`; Symbol: `ER_CANT_CHECK_PID_PATH`; SQLSTATE: `HY000`

  Message: Can't start server: can't check PID filepath: %s

  `ER_CANT_CHECK_PID_PATH` was added in 8.0.11.

- Error number: `MY-011812`; Symbol: `ER_VALIDATE_PWD_STATUS_VAR_REGISTRATION_FAILED`; SQLSTATE: `HY000`

  Message: validate_password status variables registration failed.

  `ER_VALIDATE_PWD_STATUS_VAR_REGISTRATION_FAILED` was added in 8.0.11.

- Error number: `MY-011813`; Symbol: `ER_VALIDATE_PWD_STATUS_VAR_UNREGISTRATION_FAILED`; SQLSTATE: `HY000`

  Message: validate_password status variables unregistration failed.

  `ER_VALIDATE_PWD_STATUS_VAR_UNREGISTRATION_FAILED` was added in 8.0.11.

- Error number: `MY-011814`; Symbol: `ER_VALIDATE_PWD_DICT_FILE_OPEN_FAILED`; SQLSTATE: `HY000`

  Message: Dictionary file open failed

  `ER_VALIDATE_PWD_DICT_FILE_OPEN_FAILED` was added in 8.0.11.

- Error number: `MY-011815`; Symbol: `ER_VALIDATE_PWD_COULD_BE_NULL`; SQLSTATE: `HY000`

  Message: given password string could be null

  `ER_VALIDATE_PWD_COULD_BE_NULL` was added in 8.0.11.

- Error number: `MY-011816`; Symbol: `ER_VALIDATE_PWD_STRING_CONV_TO_LOWERCASE_FAILED`; SQLSTATE: `HY000`

  Message: failed to convert the password string to lower case

  `ER_VALIDATE_PWD_STRING_CONV_TO_LOWERCASE_FAILED` was added in 8.0.11.

- Error number: `MY-011817`; Symbol: `ER_VALIDATE_PWD_STRING_CONV_TO_BUFFER_FAILED`; SQLSTATE: `HY000`

  Message: failed to convert the password string into a buffer

  `ER_VALIDATE_PWD_STRING_CONV_TO_BUFFER_FAILED` was added in 8.0.11.

- Error number: MY-011818; Symbol: ER_VALIDATE_PWD_STRING_HANDLER_MEM_ALLOCATION_FAILED; SQLSTATE: HY000

  Message: memory allocation failed for string handler

  ER_VALIDATE_PWD_STRING_HANDLER_MEM_ALLOCATION_FAILED was added in 8.0.11.

- Error number: MY-011819; Symbol: ER_VALIDATE_PWD_STRONG_POLICY_DICT_FILE_UNSPECIFIED; SQLSTATE: HY000

  Message: Since the validate_password_policy is mentioned as Strong, dictionary file must be specified

  ER_VALIDATE_PWD_STRONG_POLICY_DICT_FILE_UNSPECIFIED was added in 8.0.11.

- Error number: MY-011820; Symbol: ER_VALIDATE_PWD_CONVERT_TO_BUFFER_FAILED; SQLSTATE: HY000

  Message: convert_to_buffer service failed

  ER_VALIDATE_PWD_CONVERT_TO_BUFFER_FAILED was added in 8.0.11.

- Error number: MY-011821; Symbol: ER_VALIDATE_PWD_VARIABLE_REGISTRATION_FAILED; SQLSTATE: HY000

  Message: %s variable registration failed.

  ER_VALIDATE_PWD_VARIABLE_REGISTRATION_FAILED was added in 8.0.11.

- Error number: MY-011822; Symbol: ER_VALIDATE_PWD_VARIABLE_UNREGISTRATION_FAILED; SQLSTATE: HY000

  Message: %s variable unregistration failed.

  ER_VALIDATE_PWD_VARIABLE_UNREGISTRATION_FAILED was added in 8.0.11.

- Error number: MY-011823; Symbol: ER_KEYRING_MIGRATION_EXTRA_OPTIONS; SQLSTATE: HY000

  Message: Please specify options specific to keyring migration. Any additional options can be ignored. NOTE: Although some options are valid, migration tool can still report error example: plugin variables for which plugin is not loaded yet.

  ER_KEYRING_MIGRATION_EXTRA_OPTIONS was added in 8.0.11.

- Error number: MY-011825; Symbol: ER_IB_MSG_0; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_0 was added in 8.0.11.

- Error number: MY-011826; Symbol: ER_IB_MSG_1; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1 was added in 8.0.11.

- Error number: MY-011827; Symbol: ER_IB_MSG_2; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_2 was added in 8.0.11.
- Error number: MY-011828; Symbol: ER_IB_MSG_3; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_3 was added in 8.0.11.
- Error number: MY-011829; Symbol: ER_IB_MSG_4; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_4 was added in 8.0.11.
- Error number: MY-011830; Symbol: ER_IB_MSG_5; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_5 was added in 8.0.11.
- Error number: MY-011831; Symbol: ER_IB_MSG_6; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_6 was added in 8.0.11.
- Error number: MY-011832; Symbol: ER_IB_MSG_7; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_7 was added in 8.0.11.
- Error number: MY-011833; Symbol: ER_IB_MSG_8; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_8 was added in 8.0.11.
- Error number: MY-011834; Symbol: ER_IB_MSG_9; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_9 was added in 8.0.11.
- Error number: MY-011835; Symbol: ER_IB_MSG_10; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_10 was added in 8.0.11.
- Error number: MY-011836; Symbol: ER_IB_MSG_11; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_11 was added in 8.0.11.

- Error number: MY-011837; Symbol: ER_IB_MSG_12; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_12 was added in 8.0.11.
- Error number: MY-011838; Symbol: ER_IB_MSG_13; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_13 was added in 8.0.11.
- Error number: MY-011839; Symbol: ER_IB_MSG_14; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_14 was added in 8.0.11.
- Error number: MY-011840; Symbol: ER_IB_MSG_15; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_15 was added in 8.0.11.
- Error number: MY-011841; Symbol: ER_IB_MSG_16; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_16 was added in 8.0.11.
- Error number: MY-011842; Symbol: ER_IB_MSG_17; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_17 was added in 8.0.11.
- Error number: MY-011843; Symbol: ER_IB_MSG_18; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_18 was added in 8.0.11.
- Error number: MY-011844; Symbol: ER_IB_MSG_19; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_19 was added in 8.0.11.
- Error number: MY-011845; Symbol: ER_IB_MSG_20; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_20 was added in 8.0.11.
- Error number: MY-011846; Symbol: ER_IB_MSG_21; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_21 was added in 8.0.11.

- Error number: MY-011847; Symbol: ER_IB_MSG_22; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_22 was added in 8.0.11.
- Error number: MY-011848; Symbol: ER_IB_MSG_23; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_23 was added in 8.0.11.
- Error number: MY-011849; Symbol: ER_IB_MSG_24; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_24 was added in 8.0.11.
- Error number: MY-011850; Symbol: ER_IB_MSG_25; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_25 was added in 8.0.11.
- Error number: MY-011851; Symbol: ER_IB_MSG_26; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_26 was added in 8.0.11.
- Error number: MY-011852; Symbol: ER_IB_MSG_27; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_27 was added in 8.0.11.
- Error number: MY-011853; Symbol: ER_IB_MSG_28; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_28 was added in 8.0.11.
- Error number: MY-011854; Symbol: ER_IB_MSG_29; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_29 was added in 8.0.11.
- Error number: MY-011855; Symbol: ER_IB_MSG_30; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_30 was added in 8.0.11.
- Error number: MY-011856; Symbol: ER_IB_MSG_31; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_31 was added in 8.0.11.

- Error number: MY-011857; Symbol: ER_IB_MSG_32; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_32 was added in 8.0.11.
- Error number: MY-011858; Symbol: ER_IB_MSG_33; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_33 was added in 8.0.11.
- Error number: MY-011859; Symbol: ER_IB_MSG_34; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_34 was added in 8.0.11.
- Error number: MY-011860; Symbol: ER_IB_MSG_35; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_35 was added in 8.0.11.
- Error number: MY-011861; Symbol: ER_IB_MSG_36; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_36 was added in 8.0.11.
- Error number: MY-011862; Symbol: ER_IB_MSG_37; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_37 was added in 8.0.11.
- Error number: MY-011863; Symbol: ER_IB_MSG_38; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_38 was added in 8.0.11.
- Error number: MY-011864; Symbol: ER_IB_MSG_39; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_39 was added in 8.0.11.
- Error number: MY-011865; Symbol: ER_IB_MSG_40; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_40 was added in 8.0.11.
- Error number: MY-011866; Symbol: ER_IB_MSG_41; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_41 was added in 8.0.11.

- Error number: MY-011867; Symbol: ER_IB_MSG_42; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_42 was added in 8.0.11.
- Error number: MY-011868; Symbol: ER_IB_MSG_43; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_43 was added in 8.0.11.
- Error number: MY-011869; Symbol: ER_IB_MSG_44; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_44 was added in 8.0.11.
- Error number: MY-011870; Symbol: ER_IB_MSG_45; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_45 was added in 8.0.11.
- Error number: MY-011871; Symbol: ER_IB_MSG_46; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_46 was added in 8.0.11.
- Error number: MY-011872; Symbol: ER_IB_MSG_47; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_47 was added in 8.0.11.
- Error number: MY-011873; Symbol: ER_IB_MSG_48; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_48 was added in 8.0.11.
- Error number: MY-011874; Symbol: ER_IB_MSG_49; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_49 was added in 8.0.11.
- Error number: MY-011875; Symbol: ER_IB_MSG_50; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_50 was added in 8.0.11.
- Error number: MY-011876; Symbol: ER_IB_MSG_51; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_51 was added in 8.0.11.

- Error number: MY-011877; Symbol: ER_IB_MSG_52; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_52 was added in 8.0.11.

- Error number: MY-011878; Symbol: ER_IB_MSG_53; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_53 was added in 8.0.11.

- Error number: MY-011879; Symbol: ER_IB_MSG_54; SQLSTATE: HY000

  Message: Failed to set NUMA memory policy of buffer pool page frames with mbind(%p,%zu,%s,...,... %s) failed with %s

  ER_IB_MSG_54 was added in 8.0.11.

- Error number: MY-011880; Symbol: ER_IB_MSG_55; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_55 was added in 8.0.11.

- Error number: MY-011881; Symbol: ER_IB_MSG_56; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_56 was added in 8.0.11.

- Error number: MY-011882; Symbol: ER_IB_MSG_57; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_57 was added in 8.0.11.

- Error number: MY-011883; Symbol: ER_IB_MSG_58; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_58 was added in 8.0.11.

- Error number: MY-011884; Symbol: ER_IB_MSG_59; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_59 was added in 8.0.11.

- Error number: MY-011885; Symbol: ER_IB_MSG_60; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_60 was added in 8.0.11.

- Error number: MY-011886; Symbol: ER_IB_MSG_61; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_61 was added in 8.0.11.

- Error number: MY-011887; Symbol: ER_IB_MSG_62; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_62 was added in 8.0.11.
- Error number: MY-011888; Symbol: ER_IB_MSG_63; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_63 was added in 8.0.11.
- Error number: MY-011889; Symbol: ER_IB_MSG_64; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_64 was added in 8.0.11.
- Error number: MY-011890; Symbol: ER_IB_MSG_65; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_65 was added in 8.0.11.
- Error number: MY-011891; Symbol: ER_IB_MSG_66; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_66 was added in 8.0.11.
- Error number: MY-011892; Symbol: ER_IB_MSG_67; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_67 was added in 8.0.11.
- Error number: MY-011893; Symbol: ER_IB_MSG_68; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_68 was added in 8.0.11.
- Error number: MY-011894; Symbol: ER_IB_MSG_69; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_69 was added in 8.0.11.
- Error number: MY-011895; Symbol: ER_IB_MSG_70; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_70 was added in 8.0.11.
- Error number: MY-011896; Symbol: ER_IB_MSG_71; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_71 was added in 8.0.11.

- Error number: MY-011897; Symbol: ER_IB_MSG_72; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_72 was added in 8.0.11.
- Error number: MY-011898; Symbol: ER_IB_MSG_73; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_73 was added in 8.0.11.
- Error number: MY-011899; Symbol: ER_IB_MSG_74; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_74 was added in 8.0.11.
- Error number: MY-011900; Symbol: ER_IB_MSG_75; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_75 was added in 8.0.11.
- Error number: MY-011901; Symbol: ER_IB_MSG_76; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_76 was added in 8.0.11.
- Error number: MY-011902; Symbol: ER_IB_MSG_77; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_77 was added in 8.0.11.
- Error number: MY-011903; Symbol: ER_IB_MSG_78; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_78 was added in 8.0.11.
- Error number: MY-011904; Symbol: ER_IB_MSG_79; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_79 was added in 8.0.11.
- Error number: MY-011905; Symbol: ER_IB_MSG_80; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_80 was added in 8.0.11.
- Error number: MY-011906; Symbol: ER_IB_MSG_81; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_81 was added in 8.0.11.

- Error number: MY-011907; Symbol: ER_IB_MSG_82; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_82 was added in 8.0.11.
- Error number: MY-011908; Symbol: ER_IB_MSG_83; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_83 was added in 8.0.11, removed after 8.0.41.
- Error number: MY-011908; Symbol: ER_IB_ERR_PAGE_DIRTY_AT_SHUTDOWN; SQLSTATE: HY000

  Message: Page still fixed or dirty at shutdown. %s

  ER_IB_ERR_PAGE_DIRTY_AT_SHUTDOWN was added in 8.0.42.
- Error number: MY-011909; Symbol: ER_IB_MSG_84; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_84 was added in 8.0.11.
- Error number: MY-011910; Symbol: ER_IB_MSG_85; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_85 was added in 8.0.11.
- Error number: MY-011911; Symbol: ER_IB_MSG_86; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_86 was added in 8.0.11.
- Error number: MY-011912; Symbol: ER_IB_MSG_87; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_87 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-011913; Symbol: ER_IB_MSG_88; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_88 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-011914; Symbol: ER_IB_MSG_89; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_89 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-011915; Symbol: ER_IB_MSG_90; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_90 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-011916; Symbol: ER_IB_MSG_91; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_91 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-011917; Symbol: ER_IB_MSG_92; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_92 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-011918; Symbol: ER_IB_MSG_93; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_93 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-011919; Symbol: ER_IB_MSG_94; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_94 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-011920; Symbol: ER_IB_MSG_95; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_95 was added in 8.0.11.
- Error number: MY-011921; Symbol: ER_IB_MSG_96; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_96 was added in 8.0.11.
- Error number: MY-011922; Symbol: ER_IB_MSG_97; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_97 was added in 8.0.11.
- Error number: MY-011923; Symbol: ER_IB_MSG_98; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_98 was added in 8.0.11.
- Error number: MY-011924; Symbol: ER_IB_MSG_99; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_99 was added in 8.0.11.
- Error number: MY-011925; Symbol: ER_IB_MSG_100; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_100 was added in 8.0.11.

- Error number: MY-011926; Symbol: ER_IB_MSG_101; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_101 was added in 8.0.11.
- Error number: MY-011927; Symbol: ER_IB_MSG_102; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_102 was added in 8.0.11.
- Error number: MY-011928; Symbol: ER_IB_MSG_103; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_103 was added in 8.0.11.
- Error number: MY-011929; Symbol: ER_IB_MSG_104; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_104 was added in 8.0.11.
- Error number: MY-011930; Symbol: ER_IB_MSG_105; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_105 was added in 8.0.11.
- Error number: MY-011931; Symbol: ER_IB_MSG_106; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_106 was added in 8.0.11.
- Error number: MY-011932; Symbol: ER_IB_MSG_107; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_107 was added in 8.0.11.
- Error number: MY-011933; Symbol: ER_IB_MSG_108; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_108 was added in 8.0.11.
- Error number: MY-011934; Symbol: ER_IB_MSG_109; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_109 was added in 8.0.11.
- Error number: MY-011935; Symbol: ER_IB_MSG_110; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_110 was added in 8.0.11.

- Error number: MY-011936; Symbol: ER_IB_MSG_111; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_111 was added in 8.0.11.
- Error number: MY-011937; Symbol: ER_IB_MSG_112; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_112 was added in 8.0.11.
- Error number: MY-011938; Symbol: ER_IB_MSG_113; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_113 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-011939; Symbol: ER_IB_MSG_114; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_114 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-011940; Symbol: ER_IB_MSG_115; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_115 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-011941; Symbol: ER_IB_MSG_116; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_116 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-011942; Symbol: ER_IB_MSG_117; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_117 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-011943; Symbol: ER_IB_MSG_118; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_118 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-011944; Symbol: ER_IB_MSG_119; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_119 was added in 8.0.11.
- Error number: MY-011945; Symbol: ER_IB_MSG_120; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_120 was added in 8.0.11.

- Error number: MY-011946; Symbol: ER_IB_MSG_121; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_121 was added in 8.0.11.
- Error number: MY-011947; Symbol: ER_IB_MSG_122; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_122 was added in 8.0.11.
- Error number: MY-011948; Symbol: ER_IB_MSG_123; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_123 was added in 8.0.11.
- Error number: MY-011949; Symbol: ER_IB_MSG_124; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_124 was added in 8.0.11.
- Error number: MY-011950; Symbol: ER_IB_MSG_125; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_125 was added in 8.0.11.
- Error number: MY-011951; Symbol: ER_IB_MSG_126; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_126 was added in 8.0.11.
- Error number: MY-011952; Symbol: ER_IB_MSG_127; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_127 was added in 8.0.11.
- Error number: MY-011953; Symbol: ER_IB_MSG_128; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_128 was added in 8.0.11.
- Error number: MY-011954; Symbol: ER_IB_MSG_129; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_129 was added in 8.0.11.
- Error number: MY-011955; Symbol: ER_IB_MSG_130; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_130 was added in 8.0.11.

- Error number: MY-011956; Symbol: ER_IB_MSG_131; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_131 was added in 8.0.11.
- Error number: MY-011957; Symbol: ER_IB_MSG_132; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_132 was added in 8.0.11.
- Error number: MY-011958; Symbol: ER_IB_MSG_133; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_133 was added in 8.0.11.
- Error number: MY-011959; Symbol: ER_IB_MSG_134; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_134 was added in 8.0.11.
- Error number: MY-011960; Symbol: ER_IB_MSG_135; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_135 was added in 8.0.11.
- Error number: MY-011961; Symbol: ER_IB_MSG_136; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_136 was added in 8.0.11.
- Error number: MY-011962; Symbol: ER_IB_MSG_137; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_137 was added in 8.0.11.
- Error number: MY-011963; Symbol: ER_IB_MSG_138; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_138 was added in 8.0.11.
- Error number: MY-011964; Symbol: ER_IB_MSG_139; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_139 was added in 8.0.11.
- Error number: MY-011965; Symbol: ER_IB_MSG_140; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_140 was added in 8.0.11.

- Error number: MY-011966; Symbol: ER_IB_MSG_141; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_141 was added in 8.0.11.
- Error number: MY-011967; Symbol: ER_IB_MSG_142; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_142 was added in 8.0.11.
- Error number: MY-011968; Symbol: ER_IB_MSG_143; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_143 was added in 8.0.11.
- Error number: MY-011969; Symbol: ER_IB_MSG_144; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_144 was added in 8.0.11.
- Error number: MY-011970; Symbol: ER_IB_MSG_145; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_145 was added in 8.0.11.
- Error number: MY-011971; Symbol: ER_IB_MSG_146; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_146 was added in 8.0.11.
- Error number: MY-011972; Symbol: ER_IB_MSG_147; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_147 was added in 8.0.11.
- Error number: MY-011973; Symbol: ER_IB_MSG_148; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_148 was added in 8.0.11.
- Error number: MY-011974; Symbol: ER_IB_MSG_149; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_149 was added in 8.0.11, removed after 8.0.16.
- Error number: MY-011974; Symbol: ER_IB_CLONE_INTERNAL; SQLSTATE: HY000

  Message: %s

  ER_IB_CLONE_INTERNAL was added in 8.0.17.

- Error number: MY-011975; Symbol: ER_IB_MSG_150; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_150 was added in 8.0.11, removed after 8.0.16.
- Error number: MY-011975; Symbol: ER_IB_CLONE_TIMEOUT; SQLSTATE: HY000

  Message: %s

  ER_IB_CLONE_TIMEOUT was added in 8.0.17.
- Error number: MY-011976; Symbol: ER_IB_MSG_151; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_151 was added in 8.0.11, removed after 8.0.16.
- Error number: MY-011976; Symbol: ER_IB_CLONE_STATUS_FILE; SQLSTATE: HY000

  Message: %s

  ER_IB_CLONE_STATUS_FILE was added in 8.0.17.
- Error number: MY-011977; Symbol: ER_IB_MSG_152; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_152 was added in 8.0.11, removed after 8.0.16.
- Error number: MY-011977; Symbol: ER_IB_CLONE_SQL; SQLSTATE: HY000

  Message: %s

  ER_IB_CLONE_SQL was added in 8.0.17.
- Error number: MY-011978; Symbol: ER_IB_MSG_153; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_153 was added in 8.0.11, removed after 8.0.16.
- Error number: MY-011978; Symbol: ER_IB_CLONE_VALIDATE; SQLSTATE: HY000

  Message: %s

  ER_IB_CLONE_VALIDATE was added in 8.0.17.
- Error number: MY-011979; Symbol: ER_IB_MSG_154; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_154 was added in 8.0.11, removed after 8.0.16.
- Error number: MY-011979; Symbol: ER_IB_CLONE_PUNCH_HOLE; SQLSTATE: HY000

  Message: %s

  ER_IB_CLONE_PUNCH_HOLE was added in 8.0.17.

- Error number: MY-011980; Symbol: ER_IB_MSG_155; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_155 was added in 8.0.11, removed after 8.0.16.
- Error number: MY-011980; Symbol: ER_IB_CLONE_GTID_PERSIST; SQLSTATE: HY000

  Message: %s

  ER_IB_CLONE_GTID_PERSIST was added in 8.0.17.
- Error number: MY-011981; Symbol: ER_IB_MSG_156; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_156 was added in 8.0.11.
- Error number: MY-011982; Symbol: ER_IB_MSG_157; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_157 was added in 8.0.11.
- Error number: MY-011983; Symbol: ER_IB_MSG_158; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_158 was added in 8.0.11.
- Error number: MY-011984; Symbol: ER_IB_MSG_159; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_159 was added in 8.0.11.
- Error number: MY-011985; Symbol: ER_IB_MSG_160; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_160 was added in 8.0.11.
- Error number: MY-011986; Symbol: ER_IB_MSG_161; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_161 was added in 8.0.11.
- Error number: MY-011987; Symbol: ER_IB_MSG_162; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_162 was added in 8.0.11.
- Error number: MY-011988; Symbol: ER_IB_MSG_163; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_163 was added in 8.0.11.

- Error number: MY-011989; Symbol: ER_IB_MSG_164; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_164 was added in 8.0.11.
- Error number: MY-011990; Symbol: ER_IB_MSG_165; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_165 was added in 8.0.11.
- Error number: MY-011991; Symbol: ER_IB_MSG_166; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_166 was added in 8.0.11.
- Error number: MY-011992; Symbol: ER_IB_MSG_167; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_167 was added in 8.0.11.
- Error number: MY-011993; Symbol: ER_IB_MSG_168; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_168 was added in 8.0.11.
- Error number: MY-011994; Symbol: ER_IB_MSG_169; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_169 was added in 8.0.11.
- Error number: MY-011995; Symbol: ER_IB_MSG_170; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_170 was added in 8.0.11.
- Error number: MY-011996; Symbol: ER_IB_MSG_171; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_171 was added in 8.0.11.
- Error number: MY-011997; Symbol: ER_IB_MSG_172; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_172 was added in 8.0.11.
- Error number: MY-011998; Symbol: ER_IB_MSG_173; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_173 was added in 8.0.11.

- Error number: MY-011999; Symbol: ER_IB_MSG_174; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_174 was added in 8.0.11.
- Error number: MY-012000; Symbol: ER_IB_MSG_175; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_175 was added in 8.0.11.
- Error number: MY-012001; Symbol: ER_IB_MSG_176; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_176 was added in 8.0.11.
- Error number: MY-012002; Symbol: ER_IB_MSG_177; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_177 was added in 8.0.11.
- Error number: MY-012003; Symbol: ER_IB_MSG_178; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_178 was added in 8.0.11.
- Error number: MY-012004; Symbol: ER_IB_MSG_179; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_179 was added in 8.0.11.
- Error number: MY-012005; Symbol: ER_IB_MSG_180; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_180 was added in 8.0.11.
- Error number: MY-012006; Symbol: ER_IB_MSG_181; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_181 was added in 8.0.11, removed after 8.0.31.
- Error number: MY-012006; Symbol: ER_IB_LONG_AHI_DISABLE_WAIT; SQLSTATE: HY000

  Message: Waited for %u secs for hash index ref_count (%zu) to drop to 0. index: "%s" table: "%s"

  ER_IB_LONG_AHI_DISABLE_WAIT was added in 8.0.32.
- Error number: MY-012007; Symbol: ER_IB_MSG_182; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_182 was added in 8.0.11.

- Error number: MY-012008; Symbol: ER_IB_MSG_183; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_183 was added in 8.0.11.
- Error number: MY-012009; Symbol: ER_IB_MSG_184; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_184 was added in 8.0.11.
- Error number: MY-012010; Symbol: ER_IB_MSG_185; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_185 was added in 8.0.11.
- Error number: MY-012011; Symbol: ER_IB_MSG_186; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_186 was added in 8.0.11.
- Error number: MY-012012; Symbol: ER_IB_MSG_187; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_187 was added in 8.0.11.
- Error number: MY-012013; Symbol: ER_IB_MSG_188; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_188 was added in 8.0.11.
- Error number: MY-012014; Symbol: ER_IB_MSG_189; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_189 was added in 8.0.11.
- Error number: MY-012015; Symbol: ER_IB_MSG_190; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_190 was added in 8.0.11.
- Error number: MY-012016; Symbol: ER_IB_MSG_191; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_191 was added in 8.0.11.
- Error number: MY-012017; Symbol: ER_IB_MSG_192; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_192 was added in 8.0.11.

- Error number: MY-012018; Symbol: ER_IB_MSG_193; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_193 was added in 8.0.11.
- Error number: MY-012019; Symbol: ER_IB_MSG_194; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_194 was added in 8.0.11.
- Error number: MY-012020; Symbol: ER_IB_MSG_195; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_195 was added in 8.0.11.
- Error number: MY-012021; Symbol: ER_IB_MSG_196; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_196 was added in 8.0.11.
- Error number: MY-012022; Symbol: ER_IB_MSG_197; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_197 was added in 8.0.11.
- Error number: MY-012023; Symbol: ER_IB_MSG_198; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_198 was added in 8.0.11.
- Error number: MY-012024; Symbol: ER_IB_MSG_199; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_199 was added in 8.0.11.
- Error number: MY-012025; Symbol: ER_IB_MSG_200; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_200 was added in 8.0.11.
- Error number: MY-012026; Symbol: ER_IB_MSG_201; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_201 was added in 8.0.11.
- Error number: MY-012027; Symbol: ER_IB_MSG_202; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_202 was added in 8.0.11.

- Error number: MY-012028; Symbol: ER_IB_MSG_203; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_203 was added in 8.0.11.
- Error number: MY-012029; Symbol: ER_IB_MSG_204; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_204 was added in 8.0.11.
- Error number: MY-012030; Symbol: ER_IB_MSG_205; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_205 was added in 8.0.11.
- Error number: MY-012031; Symbol: ER_IB_MSG_206; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_206 was added in 8.0.11.
- Error number: MY-012032; Symbol: ER_IB_MSG_207; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_207 was added in 8.0.11.
- Error number: MY-012033; Symbol: ER_IB_MSG_208; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_208 was added in 8.0.11.
- Error number: MY-012034; Symbol: ER_IB_MSG_209; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_209 was added in 8.0.11.
- Error number: MY-012035; Symbol: ER_IB_MSG_210; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_210 was added in 8.0.11.
- Error number: MY-012036; Symbol: ER_IB_MSG_211; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_211 was added in 8.0.11.
- Error number: MY-012037; Symbol: ER_IB_MSG_212; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_212 was added in 8.0.11.

- Error number: MY-012038; Symbol: ER_IB_MSG_213; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_213 was added in 8.0.11.
- Error number: MY-012039; Symbol: ER_IB_MSG_214; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_214 was added in 8.0.11.
- Error number: MY-012040; Symbol: ER_IB_MSG_215; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_215 was added in 8.0.11.
- Error number: MY-012041; Symbol: ER_IB_MSG_216; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_216 was added in 8.0.11.
- Error number: MY-012042; Symbol: ER_IB_MSG_217; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_217 was added in 8.0.11.
- Error number: MY-012043; Symbol: ER_IB_MSG_218; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_218 was added in 8.0.11.
- Error number: MY-012044; Symbol: ER_IB_MSG_219; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_219 was added in 8.0.11.
- Error number: MY-012045; Symbol: ER_IB_MSG_220; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_220 was added in 8.0.11.
- Error number: MY-012046; Symbol: ER_IB_MSG_221; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_221 was added in 8.0.11.
- Error number: MY-012047; Symbol: ER_IB_MSG_222; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_222 was added in 8.0.11.

- Error number: MY-012048; Symbol: ER_IB_MSG_223; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_223 was added in 8.0.11.
- Error number: MY-012049; Symbol: ER_IB_MSG_224; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_224 was added in 8.0.11.
- Error number: MY-012050; Symbol: ER_IB_MSG_225; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_225 was added in 8.0.11.
- Error number: MY-012051; Symbol: ER_IB_MSG_226; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_226 was added in 8.0.11.
- Error number: MY-012052; Symbol: ER_IB_MSG_227; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_227 was added in 8.0.11.
- Error number: MY-012053; Symbol: ER_IB_MSG_228; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_228 was added in 8.0.11.
- Error number: MY-012054; Symbol: ER_IB_MSG_229; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_229 was added in 8.0.11.
- Error number: MY-012055; Symbol: ER_IB_MSG_230; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_230 was added in 8.0.11.
- Error number: MY-012056; Symbol: ER_IB_MSG_231; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_231 was added in 8.0.11.
- Error number: MY-012057; Symbol: ER_IB_MSG_232; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_232 was added in 8.0.11.

- Error number: MY-012058; Symbol: ER_IB_MSG_233; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_233 was added in 8.0.11.
- Error number: MY-012059; Symbol: ER_IB_MSG_234; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_234 was added in 8.0.11.
- Error number: MY-012060; Symbol: ER_IB_MSG_235; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_235 was added in 8.0.11.
- Error number: MY-012061; Symbol: ER_IB_MSG_236; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_236 was added in 8.0.11.
- Error number: MY-012062; Symbol: ER_IB_MSG_237; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_237 was added in 8.0.11.
- Error number: MY-012063; Symbol: ER_IB_MSG_238; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_238 was added in 8.0.11.
- Error number: MY-012064; Symbol: ER_IB_MSG_239; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_239 was added in 8.0.11.
- Error number: MY-012065; Symbol: ER_IB_MSG_240; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_240 was added in 8.0.11.
- Error number: MY-012066; Symbol: ER_IB_MSG_241; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_241 was added in 8.0.11.
- Error number: MY-012067; Symbol: ER_IB_MSG_242; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_242 was added in 8.0.11.

- Error number: MY-012068; Symbol: ER_IB_MSG_243; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_243 was added in 8.0.11.
- Error number: MY-012069; Symbol: ER_IB_MSG_244; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_244 was added in 8.0.11.
- Error number: MY-012070; Symbol: ER_IB_MSG_245; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_245 was added in 8.0.11.
- Error number: MY-012071; Symbol: ER_IB_MSG_246; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_246 was added in 8.0.11.
- Error number: MY-012072; Symbol: ER_IB_MSG_247; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_247 was added in 8.0.11.
- Error number: MY-012073; Symbol: ER_IB_MSG_248; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_248 was added in 8.0.11.
- Error number: MY-012074; Symbol: ER_IB_MSG_249; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_249 was added in 8.0.11.
- Error number: MY-012075; Symbol: ER_IB_MSG_250; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_250 was added in 8.0.11.
- Error number: MY-012076; Symbol: ER_IB_MSG_251; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_251 was added in 8.0.11.
- Error number: MY-012077; Symbol: ER_IB_MSG_252; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_252 was added in 8.0.11.

- Error number: MY-012078; Symbol: ER_IB_MSG_253; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_253 was added in 8.0.11.
- Error number: MY-012079; Symbol: ER_IB_MSG_254; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_254 was added in 8.0.11.
- Error number: MY-012080; Symbol: ER_IB_MSG_255; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_255 was added in 8.0.11.
- Error number: MY-012081; Symbol: ER_IB_MSG_256; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_256 was added in 8.0.11.
- Error number: MY-012082; Symbol: ER_IB_MSG_257; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_257 was added in 8.0.11.
- Error number: MY-012083; Symbol: ER_IB_MSG_258; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_258 was added in 8.0.11.
- Error number: MY-012084; Symbol: ER_IB_MSG_259; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_259 was added in 8.0.11.
- Error number: MY-012085; Symbol: ER_IB_MSG_260; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_260 was added in 8.0.11.
- Error number: MY-012086; Symbol: ER_IB_MSG_261; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_261 was added in 8.0.11.
- Error number: MY-012087; Symbol: ER_IB_MSG_262; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_262 was added in 8.0.11.

- Error number: MY-012088; Symbol: ER_IB_MSG_263; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_263 was added in 8.0.11.
- Error number: MY-012089; Symbol: ER_IB_MSG_264; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_264 was added in 8.0.11.
- Error number: MY-012090; Symbol: ER_IB_MSG_265; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_265 was added in 8.0.11.
- Error number: MY-012091; Symbol: ER_IB_MSG_266; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_266 was added in 8.0.11.
- Error number: MY-012092; Symbol: ER_IB_MSG_267; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_267 was added in 8.0.11.
- Error number: MY-012093; Symbol: ER_IB_MSG_268; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_268 was added in 8.0.11.
- Error number: MY-012094; Symbol: ER_IB_MSG_269; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_269 was added in 8.0.11.
- Error number: MY-012095; Symbol: ER_IB_MSG_270; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_270 was added in 8.0.11.
- Error number: MY-012096; Symbol: ER_IB_MSG_271; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_271 was added in 8.0.11.
- Error number: MY-012097; Symbol: ER_IB_MSG_272; SQLSTATE: HY000

  Message: Table flags are 0x%lx in the data dictionary but the flags in file %s are 0x%llx!

  ER_IB_MSG_272 was added in 8.0.11.

- Error number: MY-012098; Symbol: ER_IB_MSG_273; SQLSTATE: HY000

  Message: Can't read encryption key from file %s!

  ER_IB_MSG_273 was added in 8.0.11.
- Error number: MY-012099; Symbol: ER_IB_MSG_274; SQLSTATE: HY000

  Message: Cannot close file %s, because n_pending_flushes %zu

  ER_IB_MSG_274 was added in 8.0.11, removed after 8.0.27.
- Error number: MY-012100; Symbol: ER_IB_MSG_275; SQLSTATE: HY000

  Message: Cannot close file %s, because modification count %lld != flush count %lld

  ER_IB_MSG_275 was added in 8.0.11, removed after 8.0.27.
- Error number: MY-012101; Symbol: ER_IB_MSG_276; SQLSTATE: HY000

  Message: Cannot close file %s, because it is in use

  ER_IB_MSG_276 was added in 8.0.11, removed after 8.0.27.
- Error number: MY-012102; Symbol: ER_IB_MSG_277; SQLSTATE: HY000

  Message: Open file list len in shard %zu is %llu

  ER_IB_MSG_277 was added in 8.0.11, removed after 8.0.27.
- Error number: MY-012103; Symbol: ER_IB_MSG_278; SQLSTATE: HY000

  Message: Tablespace %s, waiting for IO to stop for %lld seconds

  ER_IB_MSG_278 was added in 8.0.11.
- Error number: MY-012104; Symbol: ER_IB_MSG_279; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_279 was added in 8.0.11, removed after 8.0.27.
- Error number: MY-012105; Symbol: ER_IB_MSG_280; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_280 was added in 8.0.11.
- Error number: MY-012106; Symbol: ER_IB_MSG_281; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_281 was added in 8.0.11.
- Error number: MY-012107; Symbol: ER_IB_MSG_282; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_282 was added in 8.0.11.

- Error number: MY-012108; Symbol: ER_IB_MSG_283; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_283 was added in 8.0.11.

- Error number: MY-012109; Symbol: ER_IB_MSG_284; SQLSTATE: HY000

  Message: You must raise the value of innodb_open_files in my.cnf! Remember that InnoDB keeps all redo log files and all system tablespace files open for the whole time mysqld is running, and needs to open also some .ibd files if the file-per-table storage model is used. Current open files %zu, max allowed open files %zu.

  ER_IB_MSG_284 was added in 8.0.11.

- Error number: MY-012110; Symbol: ER_IB_MSG_285; SQLSTATE: HY000

  Message: Max tablespace id is too high, %lu

  ER_IB_MSG_285 was added in 8.0.11.

- Error number: MY-012111; Symbol: ER_IB_MSG_286; SQLSTATE: HY000

  Message: Trying to access missing tablespace %lu

  ER_IB_MSG_286 was added in 8.0.11, removed after 8.0.27.

- Error number: MY-012111; Symbol: ER_IB_WARN_ACCESSING_NONEXISTINC_SPACE; SQLSTATE: HY000

  Message: Trying to access missing tablespace %lu

  ER_IB_WARN_ACCESSING_NONEXISTINC_SPACE was added in 8.0.28.

- Error number: MY-012112; Symbol: ER_IB_MSG_287; SQLSTATE: HY000

  Message: Trying to close/delete tablespace '%s' but there are %lu pending operations on it.

  ER_IB_MSG_287 was added in 8.0.11.

- Error number: MY-012113; Symbol: ER_IB_MSG_288; SQLSTATE: HY000

  Message: Trying to delete/close tablespace '%s' but there are %lu flushes and %zu pending I/O's on it.

  ER_IB_MSG_288 was added in 8.0.11.

- Error number: MY-012114; Symbol: ER_IB_MSG_289; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_289 was added in 8.0.11.

- Error number: MY-012115; Symbol: ER_IB_MSG_290; SQLSTATE: HY000

  Message: Cannot delete tablespace %lu because it is not found in the tablespace memory cache.

  ER_IB_MSG_290 was added in 8.0.11, removed after 8.0.17.

- Error number: MY-012116; Symbol: ER_IB_MSG_291; SQLSTATE: HY000

Message: While deleting tablespace %lu in DISCARD TABLESPACE. File rename/delete failed: %s

ER_IB_MSG_291 was added in 8.0.11.

- Error number: MY-012117; Symbol: ER_IB_MSG_292; SQLSTATE: HY000

  Message: Cannot delete tablespace %lu in DISCARD TABLESPACE: %s

  ER_IB_MSG_292 was added in 8.0.11.

- Error number: MY-012118; Symbol: ER_IB_MSG_293; SQLSTATE: HY000

  Message: Cannot rename '%s' to '%s' for space ID %lu because the source file does not exist.

  ER_IB_MSG_293 was added in 8.0.11.

- Error number: MY-012119; Symbol: ER_IB_MSG_294; SQLSTATE: HY000

  Message: Cannot rename '%s' to '%s' for space ID %lu because the target file exists. Remove the target file and try again.

  ER_IB_MSG_294 was added in 8.0.11.

- Error number: MY-012120; Symbol: ER_IB_MSG_295; SQLSTATE: HY000

  Message: Cannot rename file '%s' (space id %lu) retried %llu times. There are either pending IOs or flushes or the file is being extended.

  ER_IB_MSG_295 was added in 8.0.11.

- Error number: MY-012121; Symbol: ER_IB_MSG_296; SQLSTATE: HY000

  Message: Cannot find space id %lu in the tablespace memory cache, though the file '%s' in a rename operation should have that ID.

  ER_IB_MSG_296 was added in 8.0.11.

- Error number: MY-012122; Symbol: ER_IB_MSG_297; SQLSTATE: HY000

  Message: Rename waiting for IO to resume

  ER_IB_MSG_297 was added in 8.0.11.

- Error number: MY-012123; Symbol: ER_IB_MSG_298; SQLSTATE: HY000

  Message: Cannot find tablespace for '%s' in the tablespace memory cache

  ER_IB_MSG_298 was added in 8.0.11.

- Error number: MY-012124; Symbol: ER_IB_MSG_299; SQLSTATE: HY000

  Message: Cannot find tablespace for '%s' in the tablespace memory cache

  ER_IB_MSG_299 was added in 8.0.11.

- Error number: MY-012125; Symbol: ER_IB_MSG_300; SQLSTATE: HY000

  Message: Tablespace '%s' is already in the tablespace memory cache

ER_IB_MSG_300 was added in 8.0.11.

- Error number: MY-012126; Symbol: ER_IB_MSG_301; SQLSTATE: HY000

  Message: Cannot create file '%s'

  ER_IB_MSG_301 was added in 8.0.11.

- Error number: MY-012127; Symbol: ER_IB_MSG_302; SQLSTATE: HY000

  Message: The file '%s' already exists though the corresponding table did not exist. Have you moved InnoDB .ibd files around without using the SQL commands DISCARD TABLESPACE and IMPORT TABLESPACE, or did mysqld crash in the middle of CREATE TABLE? You can resolve the problem by removing the file '%s' under the 'datadir' of MySQL.

  ER_IB_MSG_302 was added in 8.0.11, removed after 8.0.16.

- Error number: MY-012127; Symbol: ER_IB_MSG_UNEXPECTED_FILE_EXISTS; SQLSTATE: HY000

  Message: The file '%s' already exists though the corresponding table did not exist. Have you moved InnoDB .ibd files around without using the SQL commands DISCARD TABLESPACE and IMPORT TABLESPACE, or did mysqld crash in the middle of CREATE TABLE? You can resolve the problem by removing the file '%s' under the 'datadir' of MySQL.

  ER_IB_MSG_UNEXPECTED_FILE_EXISTS was added in 8.0.17.

- Error number: MY-012128; Symbol: ER_IB_MSG_303; SQLSTATE: HY000

  Message: posix_fallocate(): Failed to preallocate data for file %s, desired size %llu Operating system error number %d - %s. Check that the disk is not full or a disk quota exceeded. Make sure the file system supports this function. Refer to your operating system documentation for operating system error code information.

  ER_IB_MSG_303 was added in 8.0.11.

- Error number: MY-012129; Symbol: ER_IB_MSG_304; SQLSTATE: HY000

  Message: Could not write the first page to tablespace '%s'

  ER_IB_MSG_304 was added in 8.0.11.

- Error number: MY-012130; Symbol: ER_IB_MSG_305; SQLSTATE: HY000

  Message: File flush of tablespace '%s' failed

  ER_IB_MSG_305 was added in 8.0.11.

- Error number: MY-012131; Symbol: ER_IB_MSG_306; SQLSTATE: HY000

  Message: Could not find a valid tablespace file for `%s`. %s

  ER_IB_MSG_306 was added in 8.0.11.

- Error number: MY-012132; Symbol: ER_IB_MSG_307; SQLSTATE: HY000

  Message: Ignoring data file '%s' with space ID %lu. Another data file called '%s' exists with the same space ID

ER_IB_MSG_307 was added in 8.0.11.

- Error number: MY-012133; Symbol: ER_IB_MSG_308; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_308 was added in 8.0.11.

- Error number: MY-012134; Symbol: ER_IB_MSG_309; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_309 was added in 8.0.11.

- Error number: MY-012135; Symbol: ER_IB_MSG_310; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_310 was added in 8.0.11.

- Error number: MY-012136; Symbol: ER_IB_MSG_311; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_311 was added in 8.0.11.

- Error number: MY-012137; Symbol: ER_IB_MSG_312; SQLSTATE: HY000

  Message: Can't set encryption information for tablespace %s!

  ER_IB_MSG_312 was added in 8.0.11.

- Error number: MY-012138; Symbol: ER_IB_MSG_313; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_313 was added in 8.0.11.

- Error number: MY-012139; Symbol: ER_IB_MSG_314; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_314 was added in 8.0.11.

- Error number: MY-012140; Symbol: ER_IB_MSG_315; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_315 was added in 8.0.11.

- Error number: MY-012141; Symbol: ER_IB_MSG_316; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_316 was added in 8.0.11.

- Error number: MY-012142; Symbol: ER_IB_MSG_317; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_317 was added in 8.0.11.

- Error number: MY-012143; Symbol: ER_IB_MSG_318; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_318 was added in 8.0.11.

- Error number: MY-012144; Symbol: ER_IB_MSG_319; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_319 was added in 8.0.11.

- Error number: MY-012145; Symbol: ER_IB_MSG_320; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_320 was added in 8.0.11.

- Error number: MY-012146; Symbol: ER_IB_MSG_321; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_321 was added in 8.0.11.

- Error number: MY-012147; Symbol: ER_IB_MSG_322; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_322 was added in 8.0.11.

- Error number: MY-012148; Symbol: ER_IB_MSG_323; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_323 was added in 8.0.11.

- Error number: MY-012149; Symbol: ER_IB_MSG_324; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_324 was added in 8.0.11.

- Error number: MY-012150; Symbol: ER_IB_MSG_325; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_325 was added in 8.0.11.

- Error number: MY-012151; Symbol: ER_IB_MSG_326; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_326 was added in 8.0.11.

- Error number: MY-012152; Symbol: ER_IB_MSG_327; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_327 was added in 8.0.11, removed after 8.0.27.

- Error number: MY-012153; Symbol: ER_IB_MSG_328; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_328 was added in 8.0.11.

- Error number: MY-012154; Symbol: ER_IB_MSG_329; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_329 was added in 8.0.11.

- Error number: MY-012155; Symbol: ER_IB_MSG_330; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_330 was added in 8.0.11.

- Error number: MY-012156; Symbol: ER_IB_MSG_331; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_331 was added in 8.0.11.

- Error number: MY-012157; Symbol: ER_IB_MSG_332; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_332 was added in 8.0.11.

- Error number: MY-012158; Symbol: ER_IB_MSG_333; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_333 was added in 8.0.11.

- Error number: MY-012159; Symbol: ER_IB_MSG_334; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_334 was added in 8.0.11.

- Error number: MY-012160; Symbol: ER_IB_MSG_335; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_335 was added in 8.0.11.

- Error number: MY-012161; Symbol: ER_IB_MSG_336; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_336 was added in 8.0.11.

- Error number: MY-012162; Symbol: ER_IB_MSG_337; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_337 was added in 8.0.11.

- Error number: MY-012163; Symbol: ER_IB_MSG_338; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_338 was added in 8.0.11.

- Error number: MY-012164; Symbol: ER_IB_MSG_339; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_339 was added in 8.0.11.

- Error number: MY-012165; Symbol: ER_IB_MSG_340; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_340 was added in 8.0.11.

- Error number: MY-012166; Symbol: ER_IB_MSG_341; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_341 was added in 8.0.11.

- Error number: MY-012167; Symbol: ER_IB_MSG_342; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_342 was added in 8.0.11.

- Error number: MY-012168; Symbol: ER_IB_MSG_343; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_343 was added in 8.0.11.

- Error number: MY-012169; Symbol: ER_IB_MSG_344; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_344 was added in 8.0.11.

- Error number: MY-012170; Symbol: ER_IB_MSG_345; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_345 was added in 8.0.11.

- Error number: MY-012171; Symbol: ER_IB_MSG_346; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_346 was added in 8.0.11.

- Error number: MY-012172; Symbol: ER_IB_MSG_347; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_347 was added in 8.0.11.

- Error number: MY-012173; Symbol: ER_IB_MSG_348; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_348 was added in 8.0.11.

- Error number: MY-012174; Symbol: ER_IB_MSG_349; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_349 was added in 8.0.11.

- Error number: MY-012175; Symbol: ER_IB_MSG_350; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_350 was added in 8.0.11.

- Error number: MY-012176; Symbol: ER_IB_MSG_351; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_351 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012177; Symbol: ER_IB_MSG_352; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_352 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012177; Symbol: ER_IB_MSG_UNPROTECTED_LOCATION_ALLOWED; SQLSTATE: HY000

  Message: The datafile '%s' for tablespace %s is in an unprotected location. This file cannot be recovered after a crash until this location is added to innodb_directories.

  ER_IB_MSG_UNPROTECTED_LOCATION_ALLOWED was added in 8.0.21.

- Error number: MY-012178; Symbol: ER_IB_MSG_353; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_353 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012179; Symbol: ER_IB_MSG_354; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_354 was added in 8.0.11.

- Error number: MY-012180; Symbol: ER_IB_MSG_355; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_355 was added in 8.0.11.

- Error number: MY-012181; Symbol: ER_IB_MSG_356; SQLSTATE: HY000

Message: %s

ER_IB_MSG_356 was added in 8.0.11.

- Error number: MY-012182; Symbol: ER_IB_MSG_357; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_357 was added in 8.0.11.

- Error number: MY-012183; Symbol: ER_IB_MSG_358; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_358 was added in 8.0.11.

- Error number: MY-012184; Symbol: ER_IB_MSG_359; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_359 was added in 8.0.11.

- Error number: MY-012185; Symbol: ER_IB_MSG_360; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_360 was added in 8.0.11.

- Error number: MY-012186; Symbol: ER_IB_MSG_361; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_361 was added in 8.0.11.

- Error number: MY-012187; Symbol: ER_IB_MSG_362; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_362 was added in 8.0.11.

- Error number: MY-012188; Symbol: ER_IB_MSG_363; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_363 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012189; Symbol: ER_IB_MSG_364; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_364 was added in 8.0.11.

- Error number: MY-012190; Symbol: ER_IB_MSG_365; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_365 was added in 8.0.11.

- Error number: MY-012191; Symbol: ER_IB_MSG_366; SQLSTATE: HY000

Message: %s

ER_IB_MSG_366 was added in 8.0.11, removed after 8.0.18.

- Error number: MY-012191; Symbol: ER_IB_MSG_IGNORE_SCAN_PATH; SQLSTATE: HY000

  Message: Scan path '%s' is ignored because %s

  ER_IB_MSG_IGNORE_SCAN_PATH was added in 8.0.19.

- Error number: MY-012192; Symbol: ER_IB_MSG_367; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_367 was added in 8.0.11.

- Error number: MY-012193; Symbol: ER_IB_MSG_368; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_368 was added in 8.0.11.

- Error number: MY-012194; Symbol: ER_IB_MSG_369; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_369 was added in 8.0.11.

- Error number: MY-012195; Symbol: ER_IB_MSG_370; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_370 was added in 8.0.11.

- Error number: MY-012196; Symbol: ER_IB_MSG_371; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_371 was added in 8.0.11.

- Error number: MY-012197; Symbol: ER_IB_MSG_372; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_372 was added in 8.0.11.

- Error number: MY-012198; Symbol: ER_IB_MSG_373; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_373 was added in 8.0.11.

- Error number: MY-012199; Symbol: ER_IB_MSG_374; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_374 was added in 8.0.11.

- Error number: MY-012200; Symbol: ER_IB_MSG_375; SQLSTATE: HY000

Message: %s

`ER_IB_MSG_375` was added in 8.0.11.

- Error number: `MY-012201`; Symbol: `ER_IB_MSG_376`; SQLSTATE: `HY000`

  Message: %s

  `ER_IB_MSG_376` was added in 8.0.11.

- Error number: `MY-012202`; Symbol: `ER_IB_MSG_377`; SQLSTATE: `HY000`

  Message: %s

  `ER_IB_MSG_377` was added in 8.0.11.

- Error number: `MY-012203`; Symbol: `ER_IB_MSG_378`; SQLSTATE: `HY000`

  Message: %s

  `ER_IB_MSG_378` was added in 8.0.11.

- Error number: `MY-012204`; Symbol: `ER_IB_MSG_379`; SQLSTATE: `HY000`

  Message: %s

  `ER_IB_MSG_379` was added in 8.0.11.

- Error number: `MY-012205`; Symbol: `ER_IB_MSG_380`; SQLSTATE: `HY000`

  Message: %s

  `ER_IB_MSG_380` was added in 8.0.11.

- Error number: `MY-012206`; Symbol: `ER_IB_MSG_381`; SQLSTATE: `HY000`

  Message: %s

  `ER_IB_MSG_381` was added in 8.0.11.

- Error number: `MY-012207`; Symbol: `ER_IB_MSG_382`; SQLSTATE: `HY000`

  Message: %s

  `ER_IB_MSG_382` was added in 8.0.11.

- Error number: `MY-012208`; Symbol: `ER_IB_MSG_383`; SQLSTATE: `HY000`

  Message: %s

  `ER_IB_MSG_383` was added in 8.0.11.

- Error number: `MY-012209`; Symbol: `ER_IB_MSG_384`; SQLSTATE: `HY000`

  Message: %s

  `ER_IB_MSG_384` was added in 8.0.11.

- Error number: `MY-012210`; Symbol: `ER_IB_MSG_385`; SQLSTATE: `HY000`

Message: %s

ER_IB_MSG_385 was added in 8.0.11.

- Error number: MY-012211; Symbol: ER_IB_MSG_386; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_386 was added in 8.0.11.

- Error number: MY-012212; Symbol: ER_IB_MSG_387; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_387 was added in 8.0.11.

- Error number: MY-012213; Symbol: ER_IB_MSG_388; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_388 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012213; Symbol: ER_IB_MSG_GENERAL_TABLESPACE_UNDER_DATADIR; SQLSTATE: HY000

  Message: A general tablespace cannot be located under the datadir. Cannot open file '%s'.

  ER_IB_MSG_GENERAL_TABLESPACE_UNDER_DATADIR was added in 8.0.21.

- Error number: MY-012214; Symbol: ER_IB_MSG_389; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_389 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012214; Symbol: ER_IB_MSG_IMPLICIT_TABLESPACE_IN_DATADIR; SQLSTATE: HY000

  Message: A file-per-table tablespace cannot be located in the datadir. Cannot open file '%s'.

  ER_IB_MSG_IMPLICIT_TABLESPACE_IN_DATADIR was added in 8.0.21.

- Error number: MY-012215; Symbol: ER_IB_MSG_390; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_390 was added in 8.0.11.

- Error number: MY-012216; Symbol: ER_IB_MSG_391; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_391 was added in 8.0.11.

- Error number: MY-012217; Symbol: ER_IB_MSG_392; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_392 was added in 8.0.11.

- Error number: MY-012218; Symbol: ER_IB_MSG_393; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_393 was added in 8.0.11.
- Error number: MY-012219; Symbol: ER_IB_MSG_394; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_394 was added in 8.0.11.
- Error number: MY-012220; Symbol: ER_IB_MSG_395; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_395 was added in 8.0.11.
- Error number: MY-012221; Symbol: ER_IB_MSG_396; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_396 was added in 8.0.11.
- Error number: MY-012222; Symbol: ER_IB_MSG_397; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_397 was added in 8.0.11.
- Error number: MY-012223; Symbol: ER_IB_MSG_398; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_398 was added in 8.0.11.
- Error number: MY-012224; Symbol: ER_IB_MSG_399; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_399 was added in 8.0.11.
- Error number: MY-012225; Symbol: ER_IB_MSG_400; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_400 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-012226; Symbol: ER_IB_MSG_401; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_401 was added in 8.0.11.
- Error number: MY-012227; Symbol: ER_IB_MSG_402; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_402 was added in 8.0.11.

- Error number: MY-012228; Symbol: ER_IB_MSG_403; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_403 was added in 8.0.11.
- Error number: MY-012229; Symbol: ER_IB_MSG_404; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_404 was added in 8.0.11.
- Error number: MY-012230; Symbol: ER_IB_MSG_405; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_405 was added in 8.0.11.
- Error number: MY-012231; Symbol: ER_IB_MSG_406; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_406 was added in 8.0.11.
- Error number: MY-012232; Symbol: ER_IB_MSG_407; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_407 was added in 8.0.11.
- Error number: MY-012233; Symbol: ER_IB_MSG_408; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_408 was added in 8.0.11.
- Error number: MY-012234; Symbol: ER_IB_MSG_409; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_409 was added in 8.0.11.
- Error number: MY-012235; Symbol: ER_IB_MSG_410; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_410 was added in 8.0.11.
- Error number: MY-012236; Symbol: ER_IB_MSG_411; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_411 was added in 8.0.11.
- Error number: MY-012237; Symbol: ER_IB_MSG_412; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_412 was added in 8.0.11.

- Error number: MY-012238; Symbol: ER_IB_MSG_413; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_413 was added in 8.0.11.
- Error number: MY-012239; Symbol: ER_IB_MSG_414; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_414 was added in 8.0.11.
- Error number: MY-012240; Symbol: ER_IB_MSG_415; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_415 was added in 8.0.11.
- Error number: MY-012241; Symbol: ER_IB_MSG_416; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_416 was added in 8.0.11.
- Error number: MY-012242; Symbol: ER_IB_MSG_417; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_417 was added in 8.0.11.
- Error number: MY-012243; Symbol: ER_IB_MSG_418; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_418 was added in 8.0.11.
- Error number: MY-012244; Symbol: ER_IB_MSG_419; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_419 was added in 8.0.11.
- Error number: MY-012245; Symbol: ER_IB_MSG_420; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_420 was added in 8.0.11.
- Error number: MY-012246; Symbol: ER_IB_MSG_421; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_421 was added in 8.0.11.
- Error number: MY-012247; Symbol: ER_IB_MSG_422; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_422 was added in 8.0.11.

- Error number: MY-012248; Symbol: ER_IB_MSG_423; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_423 was added in 8.0.11.
- Error number: MY-012249; Symbol: ER_IB_MSG_424; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_424 was added in 8.0.11.
- Error number: MY-012250; Symbol: ER_IB_MSG_425; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_425 was added in 8.0.11.
- Error number: MY-012251; Symbol: ER_IB_MSG_426; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_426 was added in 8.0.11.
- Error number: MY-012252; Symbol: ER_IB_MSG_427; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_427 was added in 8.0.11.
- Error number: MY-012253; Symbol: ER_IB_MSG_428; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_428 was added in 8.0.11.
- Error number: MY-012254; Symbol: ER_IB_MSG_429; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_429 was added in 8.0.11.
- Error number: MY-012255; Symbol: ER_IB_MSG_430; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_430 was added in 8.0.11.
- Error number: MY-012256; Symbol: ER_IB_MSG_431; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_431 was added in 8.0.11.
- Error number: MY-012257; Symbol: ER_IB_MSG_432; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_432 was added in 8.0.11.

- Error number: MY-012258; Symbol: ER_IB_MSG_433; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_433 was added in 8.0.11.
- Error number: MY-012259; Symbol: ER_IB_MSG_434; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_434 was added in 8.0.11.
- Error number: MY-012260; Symbol: ER_IB_MSG_435; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_435 was added in 8.0.11.
- Error number: MY-012261; Symbol: ER_IB_MSG_436; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_436 was added in 8.0.11.
- Error number: MY-012262; Symbol: ER_IB_MSG_437; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_437 was added in 8.0.11.
- Error number: MY-012263; Symbol: ER_IB_MSG_438; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_438 was added in 8.0.11.
- Error number: MY-012264; Symbol: ER_IB_MSG_439; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_439 was added in 8.0.11.
- Error number: MY-012265; Symbol: ER_IB_MSG_440; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_440 was added in 8.0.11.
- Error number: MY-012266; Symbol: ER_IB_MSG_441; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_441 was added in 8.0.11.
- Error number: MY-012267; Symbol: ER_IB_MSG_442; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_442 was added in 8.0.11.

- Error number: MY-012268; Symbol: ER_IB_MSG_443; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_443 was added in 8.0.11.
- Error number: MY-012269; Symbol: ER_IB_MSG_444; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_444 was added in 8.0.11, removed after 8.0.36.
- Error number: MY-012270; Symbol: ER_IB_MSG_445; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_445 was added in 8.0.11.
- Error number: MY-012271; Symbol: ER_IB_MSG_446; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_446 was added in 8.0.11.
- Error number: MY-012272; Symbol: ER_IB_MSG_447; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_447 was added in 8.0.11.
- Error number: MY-012273; Symbol: ER_IB_MSG_448; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_448 was added in 8.0.11.
- Error number: MY-012274; Symbol: ER_IB_MSG_449; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_449 was added in 8.0.11.
- Error number: MY-012275; Symbol: ER_IB_MSG_450; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_450 was added in 8.0.11.
- Error number: MY-012276; Symbol: ER_IB_MSG_451; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_451 was added in 8.0.11.
- Error number: MY-012277; Symbol: ER_IB_MSG_452; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_452 was added in 8.0.11.

- Error number: MY-012278; Symbol: ER_IB_MSG_453; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_453 was added in 8.0.11.
- Error number: MY-012279; Symbol: ER_IB_MSG_454; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_454 was added in 8.0.11.
- Error number: MY-012280; Symbol: ER_IB_MSG_455; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_455 was added in 8.0.11.
- Error number: MY-012281; Symbol: ER_IB_MSG_456; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_456 was added in 8.0.11.
- Error number: MY-012282; Symbol: ER_IB_MSG_457; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_457 was added in 8.0.11.
- Error number: MY-012283; Symbol: ER_IB_MSG_458; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_458 was added in 8.0.11.
- Error number: MY-012284; Symbol: ER_IB_MSG_459; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_459 was added in 8.0.11.
- Error number: MY-012285; Symbol: ER_IB_MSG_460; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_460 was added in 8.0.11.
- Error number: MY-012286; Symbol: ER_IB_MSG_461; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_461 was added in 8.0.11.
- Error number: MY-012287; Symbol: ER_IB_MSG_462; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_462 was added in 8.0.11.

- Error number: MY-012288; Symbol: ER_IB_MSG_463; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_463 was added in 8.0.11.
- Error number: MY-012289; Symbol: ER_IB_MSG_464; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_464 was added in 8.0.11.
- Error number: MY-012290; Symbol: ER_IB_MSG_465; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_465 was added in 8.0.11.
- Error number: MY-012291; Symbol: ER_IB_MSG_466; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_466 was added in 8.0.11.
- Error number: MY-012292; Symbol: ER_IB_MSG_467; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_467 was added in 8.0.11.
- Error number: MY-012293; Symbol: ER_IB_MSG_468; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_468 was added in 8.0.11.
- Error number: MY-012294; Symbol: ER_IB_MSG_469; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_469 was added in 8.0.11.
- Error number: MY-012295; Symbol: ER_IB_MSG_470; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_470 was added in 8.0.11.
- Error number: MY-012296; Symbol: ER_IB_MSG_471; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_471 was added in 8.0.11.
- Error number: MY-012297; Symbol: ER_IB_MSG_472; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_472 was added in 8.0.11.

- Error number: MY-012298; Symbol: ER_IB_MSG_473; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_473 was added in 8.0.11.
- Error number: MY-012299; Symbol: ER_IB_MSG_474; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_474 was added in 8.0.11.
- Error number: MY-012300; Symbol: ER_IB_MSG_475; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_475 was added in 8.0.11.
- Error number: MY-012301; Symbol: ER_IB_MSG_476; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_476 was added in 8.0.11.
- Error number: MY-012302; Symbol: ER_IB_MSG_477; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_477 was added in 8.0.11.
- Error number: MY-012303; Symbol: ER_IB_MSG_478; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_478 was added in 8.0.11.
- Error number: MY-012304; Symbol: ER_IB_MSG_479; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_479 was added in 8.0.11.
- Error number: MY-012305; Symbol: ER_IB_MSG_480; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_480 was added in 8.0.11.
- Error number: MY-012306; Symbol: ER_IB_MSG_481; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_481 was added in 8.0.11.
- Error number: MY-012307; Symbol: ER_IB_MSG_482; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_482 was added in 8.0.11.

- Error number: MY-012308; Symbol: ER_IB_MSG_483; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_483 was added in 8.0.11.
- Error number: MY-012309; Symbol: ER_IB_MSG_484; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_484 was added in 8.0.11.
- Error number: MY-012310; Symbol: ER_IB_MSG_485; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_485 was added in 8.0.11.
- Error number: MY-012311; Symbol: ER_IB_MSG_486; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_486 was added in 8.0.11.
- Error number: MY-012312; Symbol: ER_IB_MSG_487; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_487 was added in 8.0.11.
- Error number: MY-012313; Symbol: ER_IB_MSG_488; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_488 was added in 8.0.11.
- Error number: MY-012314; Symbol: ER_IB_MSG_489; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_489 was added in 8.0.11.
- Error number: MY-012315; Symbol: ER_IB_MSG_490; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_490 was added in 8.0.11.
- Error number: MY-012316; Symbol: ER_IB_MSG_491; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_491 was added in 8.0.11.
- Error number: MY-012317; Symbol: ER_IB_MSG_492; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_492 was added in 8.0.11.

- Error number: MY-012318; Symbol: ER_IB_MSG_493; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_493 was added in 8.0.11.
- Error number: MY-012319; Symbol: ER_IB_MSG_494; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_494 was added in 8.0.11.
- Error number: MY-012320; Symbol: ER_IB_MSG_495; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_495 was added in 8.0.11.
- Error number: MY-012321; Symbol: ER_IB_MSG_496; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_496 was added in 8.0.11.
- Error number: MY-012322; Symbol: ER_IB_MSG_497; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_497 was added in 8.0.11.
- Error number: MY-012323; Symbol: ER_IB_MSG_498; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_498 was added in 8.0.11.
- Error number: MY-012324; Symbol: ER_IB_MSG_499; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_499 was added in 8.0.11.
- Error number: MY-012325; Symbol: ER_IB_MSG_500; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_500 was added in 8.0.11.
- Error number: MY-012326; Symbol: ER_IB_MSG_501; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_501 was added in 8.0.11.
- Error number: MY-012327; Symbol: ER_IB_MSG_502; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_502 was added in 8.0.11.

- Error number: MY-012328; Symbol: ER_IB_MSG_503; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_503 was added in 8.0.11.
- Error number: MY-012329; Symbol: ER_IB_MSG_504; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_504 was added in 8.0.11.
- Error number: MY-012330; Symbol: ER_IB_MSG_505; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_505 was added in 8.0.11.
- Error number: MY-012331; Symbol: ER_IB_MSG_506; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_506 was added in 8.0.11.
- Error number: MY-012332; Symbol: ER_IB_MSG_507; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_507 was added in 8.0.11.
- Error number: MY-012333; Symbol: ER_IB_MSG_508; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_508 was added in 8.0.11.
- Error number: MY-012334; Symbol: ER_IB_MSG_509; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_509 was added in 8.0.11.
- Error number: MY-012335; Symbol: ER_IB_MSG_510; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_510 was added in 8.0.11.
- Error number: MY-012336; Symbol: ER_IB_MSG_511; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_511 was added in 8.0.11.
- Error number: MY-012337; Symbol: ER_IB_MSG_512; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_512 was added in 8.0.11.

- Error number: MY-012338; Symbol: ER_IB_MSG_513; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_513 was added in 8.0.11.
- Error number: MY-012339; Symbol: ER_IB_MSG_514; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_514 was added in 8.0.11.
- Error number: MY-012340; Symbol: ER_IB_MSG_515; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_515 was added in 8.0.11.
- Error number: MY-012341; Symbol: ER_IB_MSG_516; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_516 was added in 8.0.11.
- Error number: MY-012342; Symbol: ER_IB_MSG_517; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_517 was added in 8.0.11.
- Error number: MY-012343; Symbol: ER_IB_MSG_518; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_518 was added in 8.0.11.
- Error number: MY-012344; Symbol: ER_IB_MSG_519; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_519 was added in 8.0.11.
- Error number: MY-012345; Symbol: ER_IB_MSG_520; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_520 was added in 8.0.11.
- Error number: MY-012346; Symbol: ER_IB_MSG_521; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_521 was added in 8.0.11.
- Error number: MY-012347; Symbol: ER_IB_MSG_522; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_522 was added in 8.0.11.

- Error number: MY-012348; Symbol: ER_IB_MSG_523; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_523 was added in 8.0.11.
- Error number: MY-012349; Symbol: ER_IB_MSG_524; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_524 was added in 8.0.11.
- Error number: MY-012350; Symbol: ER_IB_MSG_525; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_525 was added in 8.0.11.
- Error number: MY-012351; Symbol: ER_IB_MSG_526; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_526 was added in 8.0.11.
- Error number: MY-012352; Symbol: ER_IB_MSG_527; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_527 was added in 8.0.11.
- Error number: MY-012353; Symbol: ER_IB_MSG_528; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_528 was added in 8.0.11, removed after 8.0.18.
- Error number: MY-012354; Symbol: ER_IB_MSG_529; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_529 was added in 8.0.11, removed after 8.0.18.
- Error number: MY-012355; Symbol: ER_IB_MSG_530; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_530 was added in 8.0.11.
- Error number: MY-012356; Symbol: ER_IB_MSG_531; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_531 was added in 8.0.11.
- Error number: MY-012357; Symbol: ER_IB_MSG_532; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_532 was added in 8.0.11.

- Error number: MY-012358; Symbol: ER_IB_MSG_533; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_533 was added in 8.0.11.
- Error number: MY-012359; Symbol: ER_IB_MSG_534; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_534 was added in 8.0.11.
- Error number: MY-012360; Symbol: ER_IB_MSG_535; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_535 was added in 8.0.11, removed after 8.0.29.
- Error number: MY-012361; Symbol: ER_IB_MSG_536; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_536 was added in 8.0.11, removed after 8.0.29.
- Error number: MY-012362; Symbol: ER_IB_MSG_537; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_537 was added in 8.0.11.
- Error number: MY-012363; Symbol: ER_IB_MSG_538; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_538 was added in 8.0.11.
- Error number: MY-012364; Symbol: ER_IB_MSG_539; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_539 was added in 8.0.11.
- Error number: MY-012365; Symbol: ER_IB_MSG_540; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_540 was added in 8.0.11.
- Error number: MY-012366; Symbol: ER_IB_MSG_541; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_541 was added in 8.0.11.
- Error number: MY-012367; Symbol: ER_IB_MSG_542; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_542 was added in 8.0.11.

- Error number: MY-012368; Symbol: ER_IB_MSG_543; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_543 was added in 8.0.11.
- Error number: MY-012369; Symbol: ER_IB_MSG_544; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_544 was added in 8.0.11.
- Error number: MY-012370; Symbol: ER_IB_MSG_545; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_545 was added in 8.0.11.
- Error number: MY-012371; Symbol: ER_IB_MSG_546; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_546 was added in 8.0.11.
- Error number: MY-012372; Symbol: ER_IB_MSG_547; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_547 was added in 8.0.11.
- Error number: MY-012373; Symbol: ER_IB_MSG_548; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_548 was added in 8.0.11.
- Error number: MY-012374; Symbol: ER_IB_MSG_549; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_549 was added in 8.0.11.
- Error number: MY-012375; Symbol: ER_IB_MSG_550; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_550 was added in 8.0.11.
- Error number: MY-012376; Symbol: ER_IB_MSG_551; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_551 was added in 8.0.11.
- Error number: MY-012377; Symbol: ER_IB_MSG_552; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_552 was added in 8.0.11.

- Error number: MY-012378; Symbol: ER_IB_MSG_553; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_553 was added in 8.0.11.
- Error number: MY-012379; Symbol: ER_IB_MSG_554; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_554 was added in 8.0.11.
- Error number: MY-012380; Symbol: ER_IB_MSG_555; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_555 was added in 8.0.11.
- Error number: MY-012381; Symbol: ER_IB_MSG_556; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_556 was added in 8.0.11.
- Error number: MY-012382; Symbol: ER_IB_MSG_557; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_557 was added in 8.0.11.
- Error number: MY-012383; Symbol: ER_IB_MSG_558; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_558 was added in 8.0.11.
- Error number: MY-012384; Symbol: ER_IB_MSG_559; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_559 was added in 8.0.11.
- Error number: MY-012385; Symbol: ER_IB_MSG_560; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_560 was added in 8.0.11.
- Error number: MY-012386; Symbol: ER_IB_MSG_561; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_561 was added in 8.0.11.
- Error number: MY-012387; Symbol: ER_IB_MSG_562; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_562 was added in 8.0.11.

- Error number: MY-012388; Symbol: ER_IB_MSG_563; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_563 was added in 8.0.11.

- Error number: MY-012389; Symbol: ER_IB_MSG_564; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_564 was added in 8.0.11.

- Error number: MY-012390; Symbol: ER_IB_MSG_565; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_565 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012390; Symbol: ER_IB_MSG_INVALID_LOCATION_FOR_TABLE; SQLSTATE: HY000

  Message: Cannot create a tablespace for table %s because the directory is not a valid location. %s

  ER_IB_MSG_INVALID_LOCATION_FOR_TABLE was added in 8.0.21.

- Error number: MY-012391; Symbol: ER_IB_MSG_566; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_566 was added in 8.0.11.

- Error number: MY-012392; Symbol: ER_IB_MSG_567; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_567 was added in 8.0.11.

- Error number: MY-012393; Symbol: ER_IB_MSG_568; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_568 was added in 8.0.11.

- Error number: MY-012394; Symbol: ER_IB_MSG_569; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_569 was added in 8.0.11.

- Error number: MY-012395; Symbol: ER_IB_MSG_570; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_570 was added in 8.0.11.

- Error number: MY-012396; Symbol: ER_IB_MSG_571; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_571 was added in 8.0.11.

- Error number: MY-012397; Symbol: ER_IB_MSG_572; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_572 was added in 8.0.11, removed after 8.0.18.
- Error number: MY-012398; Symbol: ER_IB_MSG_573; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_573 was added in 8.0.11.
- Error number: MY-012399; Symbol: ER_IB_MSG_574; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_574 was added in 8.0.11.
- Error number: MY-012400; Symbol: ER_IB_MSG_575; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_575 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-012401; Symbol: ER_IB_MSG_576; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_576 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-012402; Symbol: ER_IB_MSG_577; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_577 was added in 8.0.11, removed after 8.0.13.
- Error number: MY-012403; Symbol: ER_IB_MSG_578; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_578 was added in 8.0.11.
- Error number: MY-012404; Symbol: ER_IB_MSG_579; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_579 was added in 8.0.11.
- Error number: MY-012405; Symbol: ER_IB_MSG_580; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_580 was added in 8.0.11.
- Error number: MY-012406; Symbol: ER_IB_MSG_581; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_581 was added in 8.0.11.

- Error number: MY-012407; Symbol: ER_IB_MSG_582; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_582 was added in 8.0.11.
- Error number: MY-012408; Symbol: ER_IB_MSG_583; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_583 was added in 8.0.11.
- Error number: MY-012409; Symbol: ER_IB_MSG_584; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_584 was added in 8.0.11.
- Error number: MY-012410; Symbol: ER_IB_MSG_585; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_585 was added in 8.0.11.
- Error number: MY-012411; Symbol: ER_IB_MSG_586; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_586 was added in 8.0.11.
- Error number: MY-012412; Symbol: ER_IB_MSG_587; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_587 was added in 8.0.11.
- Error number: MY-012413; Symbol: ER_IB_MSG_588; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_588 was added in 8.0.11.
- Error number: MY-012414; Symbol: ER_IB_MSG_589; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_589 was added in 8.0.11.
- Error number: MY-012415; Symbol: ER_IB_MSG_590; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_590 was added in 8.0.11.
- Error number: MY-012416; Symbol: ER_IB_MSG_591; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_591 was added in 8.0.11.

- Error number: MY-012417; Symbol: ER_IB_MSG_592; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_592 was added in 8.0.11.
- Error number: MY-012418; Symbol: ER_IB_MSG_593; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_593 was added in 8.0.11.
- Error number: MY-012419; Symbol: ER_IB_MSG_594; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_594 was added in 8.0.11.
- Error number: MY-012420; Symbol: ER_IB_MSG_595; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_595 was added in 8.0.11.
- Error number: MY-012421; Symbol: ER_IB_MSG_596; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_596 was added in 8.0.11.
- Error number: MY-012422; Symbol: ER_IB_MSG_597; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_597 was added in 8.0.11.
- Error number: MY-012423; Symbol: ER_IB_MSG_598; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_598 was added in 8.0.11.
- Error number: MY-012424; Symbol: ER_IB_MSG_599; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_599 was added in 8.0.11.
- Error number: MY-012425; Symbol: ER_IB_MSG_600; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_600 was added in 8.0.11.
- Error number: MY-012426; Symbol: ER_IB_MSG_601; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_601 was added in 8.0.11.

- Error number: MY-012427; Symbol: ER_IB_MSG_602; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_602 was added in 8.0.11.
- Error number: MY-012428; Symbol: ER_IB_MSG_603; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_603 was added in 8.0.11.
- Error number: MY-012429; Symbol: ER_IB_MSG_604; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_604 was added in 8.0.11.
- Error number: MY-012430; Symbol: ER_IB_MSG_605; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_605 was added in 8.0.11.
- Error number: MY-012431; Symbol: ER_IB_MSG_606; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_606 was added in 8.0.11.
- Error number: MY-012432; Symbol: ER_IB_MSG_607; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_607 was added in 8.0.11.
- Error number: MY-012433; Symbol: ER_IB_MSG_608; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_608 was added in 8.0.11.
- Error number: MY-012434; Symbol: ER_IB_MSG_609; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_609 was added in 8.0.11.
- Error number: MY-012435; Symbol: ER_IB_MSG_610; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_610 was added in 8.0.11.
- Error number: MY-012436; Symbol: ER_IB_MSG_611; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_611 was added in 8.0.11.

- Error number: MY-012437; Symbol: ER_IB_MSG_612; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_612 was added in 8.0.11.
- Error number: MY-012438; Symbol: ER_IB_MSG_613; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_613 was added in 8.0.11.
- Error number: MY-012439; Symbol: ER_IB_MSG_614; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_614 was added in 8.0.11.
- Error number: MY-012440; Symbol: ER_IB_MSG_615; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_615 was added in 8.0.11.
- Error number: MY-012441; Symbol: ER_IB_MSG_616; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_616 was added in 8.0.11.
- Error number: MY-012442; Symbol: ER_IB_MSG_617; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_617 was added in 8.0.11.
- Error number: MY-012443; Symbol: ER_IB_MSG_618; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_618 was added in 8.0.11.
- Error number: MY-012444; Symbol: ER_IB_MSG_619; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_619 was added in 8.0.11.
- Error number: MY-012445; Symbol: ER_IB_MSG_620; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_620 was added in 8.0.11.
- Error number: MY-012446; Symbol: ER_IB_MSG_621; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_621 was added in 8.0.11.

- Error number: MY-012447; Symbol: ER_IB_MSG_622; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_622 was added in 8.0.11.
- Error number: MY-012448; Symbol: ER_IB_MSG_623; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_623 was added in 8.0.11.
- Error number: MY-012449; Symbol: ER_IB_MSG_624; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_624 was added in 8.0.11.
- Error number: MY-012450; Symbol: ER_IB_MSG_625; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_625 was added in 8.0.11.
- Error number: MY-012451; Symbol: ER_IB_MSG_626; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_626 was added in 8.0.11.
- Error number: MY-012452; Symbol: ER_IB_MSG_627; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_627 was added in 8.0.11.
- Error number: MY-012453; Symbol: ER_IB_MSG_628; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_628 was added in 8.0.11.
- Error number: MY-012454; Symbol: ER_IB_MSG_629; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_629 was added in 8.0.11.
- Error number: MY-012455; Symbol: ER_IB_MSG_630; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_630 was added in 8.0.11.
- Error number: MY-012456; Symbol: ER_IB_MSG_631; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_631 was added in 8.0.11.

- Error number: MY-012457; Symbol: ER_IB_MSG_632; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_632 was added in 8.0.11.

- Error number: MY-012458; Symbol: ER_IB_MSG_633; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_633 was added in 8.0.11.

- Error number: MY-012459; Symbol: ER_IB_MSG_634; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_634 was added in 8.0.11.

- Error number: MY-012460; Symbol: ER_IB_MSG_635; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_635 was added in 8.0.11.

- Error number: MY-012461; Symbol: ER_IB_MSG_636; SQLSTATE: HY000

  Message: Blocked High Priority Transaction (ID %llu, Thread ID %s) forces rollback of the blocking transaction (ID %llu - %s).

  ER_IB_MSG_636 was added in 8.0.11.

- Error number: MY-012462; Symbol: ER_IB_MSG_637; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_637 was added in 8.0.11.

- Error number: MY-012463; Symbol: ER_IB_MSG_638; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_638 was added in 8.0.11.

- Error number: MY-012464; Symbol: ER_IB_MSG_639; SQLSTATE: HY000

  Message: Blocked High Priority Transaction (Thread ID %s) waking up the blocking transaction (ID %llu) by pretending it's a deadlock victim.

  ER_IB_MSG_639 was added in 8.0.11.

- Error number: MY-012465; Symbol: ER_IB_MSG_640; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_640 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012466; Symbol: ER_IB_MSG_641; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_641 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012467; Symbol: ER_IB_MSG_642; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_642 was added in 8.0.11.

- Error number: MY-012468; Symbol: ER_IB_MSG_643; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_643 was added in 8.0.11.

- Error number: MY-012469; Symbol: ER_IB_MSG_644; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_644 was added in 8.0.11.

- Error number: MY-012470; Symbol: ER_IB_MSG_645; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_645 was added in 8.0.11.

- Error number: MY-012471; Symbol: ER_IB_MSG_646; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_646 was added in 8.0.11.

- Error number: MY-012472; Symbol: ER_IB_MSG_647; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_647 was added in 8.0.11.

- Error number: MY-012473; Symbol: ER_IB_MSG_648; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_648 was added in 8.0.11.

- Error number: MY-012474; Symbol: ER_IB_MSG_649; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_649 was added in 8.0.11.

- Error number: MY-012475; Symbol: ER_IB_MSG_650; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_650 was added in 8.0.11.

- Error number: MY-012476; Symbol: ER_IB_MSG_651; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_651 was added in 8.0.11.

- Error number: MY-012477; Symbol: ER_IB_MSG_652; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_652 was added in 8.0.11.

- Error number: MY-012478; Symbol: ER_IB_MSG_653; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_653 was added in 8.0.11, removed after 8.0.15.

- Error number: MY-012478; Symbol: ER_IB_MSG_DDL_LOG_DELETE_BY_ID_OK; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DDL_LOG_DELETE_BY_ID_OK was added in 8.0.16.

- Error number: MY-012479; Symbol: ER_IB_MSG_654; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_654 was added in 8.0.11.

- Error number: MY-012480; Symbol: ER_IB_MSG_655; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_655 was added in 8.0.11.

- Error number: MY-012481; Symbol: ER_IB_MSG_656; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_656 was added in 8.0.11.

- Error number: MY-012482; Symbol: ER_IB_MSG_657; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_657 was added in 8.0.11.

- Error number: MY-012483; Symbol: ER_IB_MSG_658; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_658 was added in 8.0.11.

- Error number: MY-012484; Symbol: ER_IB_MSG_659; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_659 was added in 8.0.11.

- Error number: MY-012485; Symbol: ER_IB_MSG_660; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_660 was added in 8.0.11.

- Error number: MY-012486; Symbol: ER_IB_MSG_661; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_661 was added in 8.0.11.

- Error number: MY-012487; Symbol: ER_IB_MSG_662; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_662 was added in 8.0.11.

- Error number: MY-012488; Symbol: ER_IB_MSG_663; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_663 was added in 8.0.11.

- Error number: MY-012489; Symbol: ER_IB_MSG_664; SQLSTATE: HY000

  Message: The transaction log size is too large for innodb_log_buffer_size (%lu >= %lu / 2). Trying to extend it.

  ER_IB_MSG_664 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012490; Symbol: ER_IB_MSG_665; SQLSTATE: HY000

  Message: innodb_log_buffer_size was extended to %lu bytes.

  ER_IB_MSG_665 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012491; Symbol: ER_IB_MSG_666; SQLSTATE: HY000

  Message: The transaction log files are too small for the single transaction log (size=%lu). So, the last checkpoint age might exceed the log group capacity %llu.

  ER_IB_MSG_666 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012492; Symbol: ER_IB_MSG_667; SQLSTATE: HY000

  Message: The age of the last checkpoint is %llu, which exceeds the log group capacity %llu.

  ER_IB_MSG_667 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012493; Symbol: ER_IB_MSG_668; SQLSTATE: HY000

  Message: Cannot continue operation. ib_logfiles are too small for innodb_thread_concurrency %lu. The combined size of ib_logfiles should be bigger than 200 kB * innodb_thread_concurrency. To get mysqld to start up, set innodb_thread_concurrency in my.cnf to a lower value, for example, to 8. After an ERROR-FREE shutdown of mysqld you can adjust the size of ib_logfiles. %s

  ER_IB_MSG_668 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012494; Symbol: ER_IB_MSG_669; SQLSTATE: HY000

  Message: Redo log was encrypted, but keyring plugin is not loaded.

ER_IB_MSG_669 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012495; Symbol: ER_IB_MSG_670; SQLSTATE: HY000

  Message: Read redo log encryption metadata successful.

  ER_IB_MSG_670 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012496; Symbol: ER_IB_MSG_671; SQLSTATE: HY000

  Message: Can't set redo log tablespace encryption metadata.

  ER_IB_MSG_671 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012497; Symbol: ER_IB_MSG_672; SQLSTATE: HY000

  Message: Cannot read the encryption information in log file header, please check if keyring plugin loaded and the key file exists.

  ER_IB_MSG_672 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012498; Symbol: ER_IB_MSG_673; SQLSTATE: HY000

  Message: Can't set redo log tablespace to be encrypted in read-only mode.

  ER_IB_MSG_673 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012499; Symbol: ER_IB_MSG_674; SQLSTATE: HY000

  Message: Can't set redo log tablespace to be encrypted.

  ER_IB_MSG_674 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012500; Symbol: ER_IB_MSG_675; SQLSTATE: HY000

  Message: Can't set redo log tablespace to be encrypted.

  ER_IB_MSG_675 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012501; Symbol: ER_IB_MSG_676; SQLSTATE: HY000

  Message: Redo log encryption is enabled.

  ER_IB_MSG_676 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012502; Symbol: ER_IB_MSG_677; SQLSTATE: HY000

  Message: Flush Waiting for archiver to to catch up lag LSN: %llu

  ER_IB_MSG_677 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012503; Symbol: ER_IB_MSG_678; SQLSTATE: HY000

  Message: Flush overwriting data to archive - wait too long (1 minute) lag LSN: %llu

  ER_IB_MSG_678 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012504; Symbol: ER_IB_MSG_679; SQLSTATE: HY000

Message: %s

ER_IB_MSG_679 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012505; Symbol: ER_IB_MSG_680; SQLSTATE: HY000

  Message: Starting shutdown...

  ER_IB_MSG_680 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012506; Symbol: ER_IB_MSG_681; SQLSTATE: HY000

  Message: Waiting for %s to exit

  ER_IB_MSG_681 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012507; Symbol: ER_IB_MSG_682; SQLSTATE: HY000

  Message: Waiting for %lu active transactions to finish

  ER_IB_MSG_682 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012508; Symbol: ER_IB_MSG_683; SQLSTATE: HY000

  Message: Waiting for master thread to be suspended

  ER_IB_MSG_683 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012509; Symbol: ER_IB_MSG_684; SQLSTATE: HY000

  Message: Waiting for page_cleaner to finish flushing of buffer pool

  ER_IB_MSG_684 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012510; Symbol: ER_IB_MSG_685; SQLSTATE: HY000

  Message: Pending checkpoint_writes: %lu. Pending log flush writes: %lu.

  ER_IB_MSG_685 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012511; Symbol: ER_IB_MSG_686; SQLSTATE: HY000

  Message: Waiting for %lu buffer page I/Os to complete

  ER_IB_MSG_686 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012512; Symbol: ER_IB_MSG_687; SQLSTATE: HY000

  Message: MySQL has requested a very fast shutdown without flushing the InnoDB buffer pool to data files. At the next mysqld startup InnoDB will do a crash recovery!

  ER_IB_MSG_687 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012513; Symbol: ER_IB_MSG_688; SQLSTATE: HY000

  Message: Background thread %s woke up during shutdown

  ER_IB_MSG_688 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012514; Symbol: ER_IB_MSG_689; SQLSTATE: HY000

  Message: Waiting for archiver to finish archiving page and log

  ER_IB_MSG_689 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012515; Symbol: ER_IB_MSG_690; SQLSTATE: HY000

  Message: Background thread %s woke up during shutdown

  ER_IB_MSG_690 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012516; Symbol: ER_IB_MSG_691; SQLSTATE: HY000

  Message: Waiting for dirty buffer pages to be flushed

  ER_IB_MSG_691 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012517; Symbol: ER_IB_MSG_692; SQLSTATE: HY000

  Message: Log sequence number at shutdown %llu is lower than at startup %llu!

  ER_IB_MSG_692 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012518; Symbol: ER_IB_MSG_693; SQLSTATE: HY000

  Message: Waiting for archiver to finish archiving page and log

  ER_IB_MSG_693 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012519; Symbol: ER_IB_MSG_694; SQLSTATE: HY000

  Message: ################ CORRUPT LOG RECORD FOUND ################

  ER_IB_MSG_694 was added in 8.0.11.

- Error number: MY-012520; Symbol: ER_IB_MSG_695; SQLSTATE: HY000

  Message: Log record type %d, page %lu:%lu. Log parsing proceeded successfully up to %llu. Previous log record type %d, is multi %llu Recv offset %zd, prev %llu

  ER_IB_MSG_695 was added in 8.0.11.

- Error number: MY-012521; Symbol: ER_IB_MSG_696; SQLSTATE: HY000

  Message: Hex dump starting %llu bytes before and ending %llu bytes after the corrupted record:

  ER_IB_MSG_696 was added in 8.0.11.

- Error number: MY-012522; Symbol: ER_IB_MSG_697; SQLSTATE: HY000

  Message: Set innodb_force_recovery to ignore this error.

  ER_IB_MSG_697 was added in 8.0.11.

- Error number: MY-012523; Symbol: ER_IB_MSG_698; SQLSTATE: HY000

  Message: The log file may have been corrupt and it is possible that the log scan did not proceed far enough in recovery! Please run CHECK TABLE on your InnoDB tables to check that they are ok! If mysqld crashes after this recovery; %s

ER_IB_MSG_698 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012523; Symbol: ER_IB_MSG_LOG_CORRUPT; SQLSTATE: HY000

  Message: The redo log file may have been corrupt and it is possible that the log scan did not proceed far enough in recovery! Please run CHECK TABLE on your InnoDB tables to check that they are ok! If mysqld crashes after this recovery; %s

  ER_IB_MSG_LOG_CORRUPT was added in 8.0.30.

- Error number: MY-012524; Symbol: ER_IB_MSG_699; SQLSTATE: HY000

  Message: %llu pages with log records were left unprocessed!

  ER_IB_MSG_699 was added in 8.0.11.

- Error number: MY-012525; Symbol: ER_IB_MSG_700; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_700 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012525; Symbol: ER_IB_MSG_LOG_FORMAT_OLD_AND_LOG_CORRUPTED; SQLSTATE: HY000

  Message: Upgrade after a crash is not supported. This redo log was created with %s, and it appears corrupted. Please follow the instructions at %s

  ER_IB_MSG_LOG_FORMAT_OLD_AND_LOG_CORRUPTED was added in 8.0.30.

- Error number: MY-012526; Symbol: ER_IB_MSG_701; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_701 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012526; Symbol: ER_IB_MSG_LOG_FORMAT_OLD_AND_NO_CLEAN_SHUTDOWN; SQLSTATE: HY000

  Message: Upgrade is not supported after a crash or shutdown with innodb_fast_shutdown = 2. This redo log was created with %s, and it appears logically non empty. Please follow the instructions at %s

  ER_IB_MSG_LOG_FORMAT_OLD_AND_NO_CLEAN_SHUTDOWN was added in 8.0.30.

- Error number: MY-012527; Symbol: ER_IB_MSG_702; SQLSTATE: HY000

  Message: Invalid redo log header checksum.

  ER_IB_MSG_702 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012528; Symbol: ER_IB_MSG_703; SQLSTATE: HY000

  Message: Unsupported redo log format (%lu). The redo log was created before MySQL 5.7.9

  ER_IB_MSG_703 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-012529; Symbol: ER_IB_MSG_704; SQLSTATE: HY000

  Message: Redo log format is v%lu. The redo log was created before MySQL 8.0.3.

ER_IB_MSG_704 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012529; Symbol: ER_IB_MSG_LOG_FORMAT_BEFORE_8_0_30; SQLSTATE: HY000

  Message: Redo log format is v%lu. The redo log was created before MySQL 8.0.30.

  ER_IB_MSG_LOG_FORMAT_BEFORE_8_0_30 was added in 8.0.30.

- Error number: MY-012530; Symbol: ER_IB_MSG_705; SQLSTATE: HY000

  Message: Unknown redo log format (%lu). Please follow the instructions at %s upgrading-downgrading.html.

  ER_IB_MSG_705 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012530; Symbol: ER_IB_MSG_LOG_FILE_FORMAT_UNKNOWN; SQLSTATE: HY000

  Message: Unknown redo log format (v%lu) in file %s. Please follow the instructions at %s

  ER_IB_MSG_LOG_FILE_FORMAT_UNKNOWN was added in 8.0.30.

- Error number: MY-012531; Symbol: ER_IB_MSG_706; SQLSTATE: HY000

  Message: No valid checkpoint found (corrupted redo log). You can try --innodb-force-recovery=6 as a last resort.

  ER_IB_MSG_706 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012531; Symbol: ER_IB_MSG_RECOVERY_CHECKPOINT_NOT_FOUND; SQLSTATE: HY000

  Message: No valid checkpoint found (corrupted redo log). You can try --innodb-force-recovery=6 as a last resort.

  ER_IB_MSG_RECOVERY_CHECKPOINT_NOT_FOUND was added in 8.0.30.

- Error number: MY-012532; Symbol: ER_IB_MSG_707; SQLSTATE: HY000

  Message: Applying a batch of %llu redo log records ...

  ER_IB_MSG_707 was added in 8.0.11.

- Error number: MY-012533; Symbol: ER_IB_MSG_708; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_708 was added in 8.0.11.

- Error number: MY-012534; Symbol: ER_IB_MSG_709; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_709 was added in 8.0.11.

- Error number: MY-012535; Symbol: ER_IB_MSG_710; SQLSTATE: HY000

  Message: Apply batch completed!

  ER_IB_MSG_710 was added in 8.0.11.

- Error number: MY-012536; Symbol: ER_IB_MSG_711; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_711 was added in 8.0.11.

- Error number: MY-012537; Symbol: ER_IB_MSG_712; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_712 was added in 8.0.11.

- Error number: MY-012538; Symbol: ER_IB_MSG_713; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_713 was added in 8.0.11.

- Error number: MY-012539; Symbol: ER_IB_MSG_714; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_714 was added in 8.0.11.

- Error number: MY-012540; Symbol: ER_IB_MSG_715; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_715 was added in 8.0.11.

- Error number: MY-012541; Symbol: ER_IB_MSG_716; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_716 was added in 8.0.11.

- Error number: MY-012542; Symbol: ER_IB_MSG_717; SQLSTATE: HY000

  Message: An optimized(without redo logging) DDL operation has been performed. All modified pages may not have been flushed to the disk yet. This offline backup may not be consistent

  ER_IB_MSG_717 was added in 8.0.11.

- Error number: MY-012543; Symbol: ER_IB_MSG_718; SQLSTATE: HY000

  Message: Extending tablespace : %lu space name: %s to new size: %lu pages during recovery.

  ER_IB_MSG_718 was added in 8.0.11.

- Error number: MY-012544; Symbol: ER_IB_MSG_719; SQLSTATE: HY000

  Message: Could not extend tablespace: %lu space name: %s to new size: %lu pages during recovery.

  ER_IB_MSG_719 was added in 8.0.11.

- Error number: MY-012545; Symbol: ER_IB_MSG_720; SQLSTATE: HY000

  Message: Log block %lu at lsn %llu has valid header, but checksum field contains %lu, should be %lu.

  ER_IB_MSG_720 was added in 8.0.11.

- Error number: MY-012546; Symbol: ER_IB_MSG_721; SQLSTATE: HY000

  Message: Recovery skipped, --innodb-read-only set!

  ER_IB_MSG_721 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012546; Symbol: ER_IB_MSG_RECOVERY_SKIPPED_IN_READ_ONLY_MODE; SQLSTATE: HY000

  Message: Recovery skipped, --innodb-read-only set!

  ER_IB_MSG_RECOVERY_SKIPPED_IN_READ_ONLY_MODE was added in 8.0.30.

- Error number: MY-012547; Symbol: ER_IB_MSG_722; SQLSTATE: HY000

  Message: Log scan progressed past the checkpoint LSN %llu.

  ER_IB_MSG_722 was added in 8.0.11.

- Error number: MY-012548; Symbol: ER_IB_MSG_723; SQLSTATE: HY000

  Message: Log parsing buffer overflow. Recovery may have failed! Please set log_buffer_size to a value higher than %lu.

  ER_IB_MSG_723 was added in 8.0.11.

- Error number: MY-012549; Symbol: ER_IB_MSG_724; SQLSTATE: HY000

  Message: Set innodb_force_recovery to ignore this error.

  ER_IB_MSG_724 was added in 8.0.11.

- Error number: MY-012550; Symbol: ER_IB_MSG_725; SQLSTATE: HY000

  Message: Doing recovery: scanned up to log sequence number %llu

  ER_IB_MSG_725 was added in 8.0.11.

- Error number: MY-012551; Symbol: ER_IB_MSG_726; SQLSTATE: HY000

  Message: Database was not shutdown normally!

  ER_IB_MSG_726 was added in 8.0.11.

- Error number: MY-012552; Symbol: ER_IB_MSG_727; SQLSTATE: HY000

  Message: Starting crash recovery.

  ER_IB_MSG_727 was added in 8.0.11.

- Error number: MY-012553; Symbol: ER_IB_MSG_728; SQLSTATE: HY000

  Message: The user has set SRV_FORCE_NO_LOG_REDO on, skipping log redo

  ER_IB_MSG_728 was added in 8.0.11.

- Error number: MY-012554; Symbol: ER_IB_MSG_729; SQLSTATE: HY000

  Message: Cannot restore from mysqlbackup, InnoDB running in read-only mode!

ER_IB_MSG_729 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012554; Symbol: ER_IB_MSG_LOG_FILES_CREATED_BY_MEB_AND_READ_ONLY_MODE; SQLSTATE: HY000

  Message: Cannot restore from mysqlbackup, InnoDB running in read-only mode!

  ER_IB_MSG_LOG_FILES_CREATED_BY_MEB_AND_READ_ONLY_MODE was added in 8.0.30.

- Error number: MY-012555; Symbol: ER_IB_MSG_730; SQLSTATE: HY000

  Message: The log file was created by mysqlbackup --apply-log at %s. The following crash recovery is part of a normal restore.

  ER_IB_MSG_730 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012555; Symbol: ER_IB_MSG_LOG_FILES_CREATED_BY_MEB; SQLSTATE: HY000

  Message: The redo log file was created by mysqlbackup --apply-log at %s. The following crash recovery is part of a normal restore.

  ER_IB_MSG_LOG_FILES_CREATED_BY_MEB was added in 8.0.30.

- Error number: MY-012556; Symbol: ER_IB_MSG_731; SQLSTATE: HY000

  Message: Opening cloned database

  ER_IB_MSG_731 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012556; Symbol: ER_IB_MSG_LOG_FILES_CREATED_BY_CLONE; SQLSTATE: HY000

  Message: Opening cloned database

  ER_IB_MSG_LOG_FILES_CREATED_BY_CLONE was added in 8.0.30.

- Error number: MY-012557; Symbol: ER_IB_MSG_732; SQLSTATE: HY000

  Message: Redo log is from an earlier version, v%lu.

  ER_IB_MSG_732 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012557; Symbol: ER_IB_MSG_LOG_FORMAT_OLD; SQLSTATE: HY000

  Message: Redo log is from an earlier version, v%lu.

  ER_IB_MSG_LOG_FORMAT_OLD was added in 8.0.30.

- Error number: MY-012558; Symbol: ER_IB_MSG_733; SQLSTATE: HY000

  Message: Redo log format v%lu not supported. Current supported format is v%lu.

  ER_IB_MSG_733 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012558; Symbol: ER_IB_MSG_LOG_FORMAT_NOT_SUPPORTED; SQLSTATE: HY000

  Message: Redo log format v%lu not supported. Current supported format is v%lu.

  ER_IB_MSG_LOG_FORMAT_NOT_SUPPORTED was added in 8.0.30, removed after 8.0.32.

- Error number: MY-012559; Symbol: ER_IB_MSG_734; SQLSTATE: HY000

  Message: Are you sure you are using the right ib_logfiles to start up the database? Log sequence number in the ib_logfiles is %llu, less than the log sequence number in the first system tablespace file header, %llu.

  ER_IB_MSG_734 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012559; Symbol: ER_IB_MSG_RECOVERY_CHECKPOINT_FROM_BEFORE_CLEAN_SHUTDOWN; SQLSTATE: HY000

  Message: Are you sure you are using the right redo log files to start up the database? Log sequence number in the redo log files is %llu, less than the log sequence number in the first system tablespace file header, %llu.

  ER_IB_MSG_RECOVERY_CHECKPOINT_FROM_BEFORE_CLEAN_SHUTDOWN was added in 8.0.30.

- Error number: MY-012560; Symbol: ER_IB_MSG_735; SQLSTATE: HY000

  Message: The log sequence number %llu in the system tablespace does not match the log sequence number %llu in the ib_logfiles!

  ER_IB_MSG_735 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012560; Symbol: ER_IB_MSG_RECOVERY_IS_NEEDED; SQLSTATE: HY000

  Message: The log sequence number %llu in the system tablespace does not match the log sequence number %llu in the redo log files!

  ER_IB_MSG_RECOVERY_IS_NEEDED was added in 8.0.30.

- Error number: MY-012561; Symbol: ER_IB_MSG_736; SQLSTATE: HY000

  Message: Can't initiate database recovery, running in read-only-mode.

  ER_IB_MSG_736 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012561; Symbol: ER_IB_MSG_RECOVERY_IN_READ_ONLY; SQLSTATE: HY000

  Message: Can't initiate database recovery, running in read-only-mode.

  ER_IB_MSG_RECOVERY_IN_READ_ONLY was added in 8.0.30.

- Error number: MY-012562; Symbol: ER_IB_MSG_737; SQLSTATE: HY000

  Message: We scanned the log up to %llu. A checkpoint was at %llu and the maximum LSN on a database page was %llu. It is possible that the database is now corrupt!

  ER_IB_MSG_737 was added in 8.0.11.

- Error number: MY-012563; Symbol: ER_IB_MSG_738; SQLSTATE: HY000

  Message: Waiting for recv_writer to finish flushing of buffer pool

  ER_IB_MSG_738 was added in 8.0.11.

- Error number: MY-012564; Symbol: ER_IB_MSG_739; SQLSTATE: HY000

  Message: Recovery parsing buffer extended to %zu.

ER_IB_MSG_739 was added in 8.0.11.

- Error number: MY-012565; Symbol: ER_IB_MSG_740; SQLSTATE: HY000

  Message: Out of memory while resizing recovery parsing buffer.

  ER_IB_MSG_740 was added in 8.0.11.

- Error number: MY-012566; Symbol: ER_IB_MSG_741; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_741 was added in 8.0.11.

- Error number: MY-012567; Symbol: ER_IB_MSG_742; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_742 was added in 8.0.11.

- Error number: MY-012568; Symbol: ER_IB_MSG_743; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_743 was added in 8.0.11.

- Error number: MY-012569; Symbol: ER_IB_MSG_744; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_744 was added in 8.0.11.

- Error number: MY-012570; Symbol: ER_IB_MSG_745; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_745 was added in 8.0.11.

- Error number: MY-012571; Symbol: ER_IB_MSG_746; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_746 was added in 8.0.11.

- Error number: MY-012572; Symbol: ER_IB_MSG_747; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_747 was added in 8.0.11.

- Error number: MY-012573; Symbol: ER_IB_MSG_748; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_748 was added in 8.0.11.

- Error number: MY-012574; Symbol: ER_IB_MSG_749; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_749 was added in 8.0.11.

- Error number: MY-012575; Symbol: ER_IB_MSG_750; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_750 was added in 8.0.11.

- Error number: MY-012576; Symbol: ER_IB_MSG_751; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_751 was added in 8.0.11.

- Error number: MY-012577; Symbol: ER_IB_MSG_752; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_752 was added in 8.0.11.

- Error number: MY-012578; Symbol: ER_IB_MSG_753; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_753 was added in 8.0.11.

- Error number: MY-012579; Symbol: ER_IB_MSG_754; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_754 was added in 8.0.11.

- Error number: MY-012580; Symbol: ER_IB_MSG_755; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_755 was added in 8.0.11.

- Error number: MY-012581; Symbol: ER_IB_MSG_756; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_756 was added in 8.0.11.

- Error number: MY-012582; Symbol: ER_IB_MSG_757; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_757 was added in 8.0.11.

- Error number: MY-012583; Symbol: ER_IB_MSG_758; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_758 was added in 8.0.11.

- Error number: MY-012584; Symbol: ER_IB_MSG_759; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_759 was added in 8.0.11.

- Error number: MY-012585; Symbol: ER_IB_MSG_760; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_760 was added in 8.0.11.

- Error number: MY-012586; Symbol: ER_IB_MSG_761; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_761 was added in 8.0.11.

- Error number: MY-012587; Symbol: ER_IB_MSG_762; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_762 was added in 8.0.11.

- Error number: MY-012588; Symbol: ER_IB_MSG_763; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_763 was added in 8.0.11.

- Error number: MY-012589; Symbol: ER_IB_MSG_764; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_764 was added in 8.0.11.

- Error number: MY-012590; Symbol: ER_IB_MSG_765; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_765 was added in 8.0.11.

- Error number: MY-012591; Symbol: ER_IB_MSG_766; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_766 was added in 8.0.11.

- Error number: MY-012592; Symbol: ER_IB_MSG_767; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_767 was added in 8.0.11.

- Error number: MY-012593; Symbol: ER_IB_MSG_768; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_768 was added in 8.0.11.

- Error number: MY-012594; Symbol: ER_IB_MSG_769; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_769 was added in 8.0.11.

- Error number: MY-012595; Symbol: ER_IB_MSG_770; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_770 was added in 8.0.11.

- Error number: MY-012596; Symbol: ER_IB_MSG_771; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_771 was added in 8.0.11.

- Error number: MY-012597; Symbol: ER_IB_MSG_772; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_772 was added in 8.0.11.

- Error number: MY-012598; Symbol: ER_IB_MSG_773; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_773 was added in 8.0.11.

- Error number: MY-012599; Symbol: ER_IB_MSG_774; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_774 was added in 8.0.11.

- Error number: MY-012600; Symbol: ER_IB_MSG_775; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_775 was added in 8.0.11.

- Error number: MY-012601; Symbol: ER_IB_MSG_776; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_776 was added in 8.0.11.

- Error number: MY-012602; Symbol: ER_IB_MSG_777; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_777 was added in 8.0.11.

- Error number: MY-012603; Symbol: ER_IB_MSG_778; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_778 was added in 8.0.11.

- Error number: MY-012604; Symbol: ER_IB_MSG_779; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_779 was added in 8.0.11.

- Error number: MY-012605; Symbol: ER_IB_MSG_780; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_780 was added in 8.0.11.
- Error number: MY-012606; Symbol: ER_IB_MSG_781; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_781 was added in 8.0.11.
- Error number: MY-012607; Symbol: ER_IB_MSG_782; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_782 was added in 8.0.11.
- Error number: MY-012608; Symbol: ER_IB_MSG_783; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_783 was added in 8.0.11.
- Error number: MY-012609; Symbol: ER_IB_MSG_784; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_784 was added in 8.0.11.
- Error number: MY-012610; Symbol: ER_IB_MSG_785; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_785 was added in 8.0.11.
- Error number: MY-012611; Symbol: ER_IB_MSG_786; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_786 was added in 8.0.11.
- Error number: MY-012612; Symbol: ER_IB_MSG_787; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_787 was added in 8.0.11.
- Error number: MY-012613; Symbol: ER_IB_MSG_788; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_788 was added in 8.0.11.
- Error number: MY-012614; Symbol: ER_IB_MSG_789; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_789 was added in 8.0.11.

- Error number: MY-012615; Symbol: ER_IB_MSG_790; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_790 was added in 8.0.11.

- Error number: MY-012616; Symbol: ER_IB_MSG_791; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_791 was added in 8.0.11.

- Error number: MY-012617; Symbol: ER_IB_MSG_792; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_792 was added in 8.0.11.

- Error number: MY-012618; Symbol: ER_IB_MSG_793; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_793 was added in 8.0.11.

- Error number: MY-012619; Symbol: ER_IB_MSG_794; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_794 was added in 8.0.11.

- Error number: MY-012620; Symbol: ER_IB_MSG_795; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_795 was added in 8.0.11.

- Error number: MY-012621; Symbol: ER_IB_MSG_796; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_796 was added in 8.0.11.

- Error number: MY-012622; Symbol: ER_IB_MSG_797; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_797 was added in 8.0.11.

- Error number: MY-012623; Symbol: ER_IB_MSG_798; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_798 was added in 8.0.11.

- Error number: MY-012624; Symbol: ER_IB_MSG_799; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_799 was added in 8.0.11.

- Error number: MY-012625; Symbol: ER_IB_MSG_800; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_800 was added in 8.0.11, removed after 8.0.39.

- Error number: MY-012626; Symbol: ER_IB_MSG_801; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_801 was added in 8.0.11.

- Error number: MY-012627; Symbol: ER_IB_MSG_802; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_802 was added in 8.0.11.

- Error number: MY-012628; Symbol: ER_IB_MSG_803; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_803 was added in 8.0.11.

- Error number: MY-012629; Symbol: ER_IB_MSG_804; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_804 was added in 8.0.11.

- Error number: MY-012630; Symbol: ER_IB_MSG_805; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_805 was added in 8.0.11.

- Error number: MY-012631; Symbol: ER_IB_MSG_806; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_806 was added in 8.0.11.

- Error number: MY-012632; Symbol: ER_IB_MSG_807; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_807 was added in 8.0.11.

- Error number: MY-012633; Symbol: ER_IB_MSG_808; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_808 was added in 8.0.11.

- Error number: MY-012634; Symbol: ER_IB_MSG_809; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_809 was added in 8.0.11.

- Error number: MY-012635; Symbol: ER_IB_MSG_810; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_810 was added in 8.0.11.

- Error number: MY-012636; Symbol: ER_IB_MSG_811; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_811 was added in 8.0.11.

- Error number: MY-012637; Symbol: ER_IB_MSG_812; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_812 was added in 8.0.11.

- Error number: MY-012638; Symbol: ER_IB_MSG_813; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_813 was added in 8.0.11.

- Error number: MY-012639; Symbol: ER_IB_MSG_814; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_814 was added in 8.0.11.

- Error number: MY-012640; Symbol: ER_IB_MSG_815; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_815 was added in 8.0.11.

- Error number: MY-012641; Symbol: ER_IB_MSG_816; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_816 was added in 8.0.11.

- Error number: MY-012642; Symbol: ER_IB_MSG_817; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_817 was added in 8.0.11.

- Error number: MY-012643; Symbol: ER_IB_MSG_818; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_818 was added in 8.0.11.

- Error number: MY-012644; Symbol: ER_IB_MSG_819; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_819 was added in 8.0.11.

- Error number: MY-012645; Symbol: ER_IB_MSG_820; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_820 was added in 8.0.11.

- Error number: MY-012646; Symbol: ER_IB_MSG_821; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_821 was added in 8.0.11.

- Error number: MY-012647; Symbol: ER_IB_MSG_822; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_822 was added in 8.0.11.

- Error number: MY-012648; Symbol: ER_IB_MSG_823; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_823 was added in 8.0.11.

- Error number: MY-012649; Symbol: ER_IB_MSG_824; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_824 was added in 8.0.11.

- Error number: MY-012650; Symbol: ER_IB_MSG_825; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_825 was added in 8.0.11.

- Error number: MY-012651; Symbol: ER_IB_MSG_826; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_826 was added in 8.0.11.

- Error number: MY-012652; Symbol: ER_IB_MSG_827; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_827 was added in 8.0.11.

- Error number: MY-012653; Symbol: ER_IB_MSG_828; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_828 was added in 8.0.11.

- Error number: MY-012654; Symbol: ER_IB_MSG_829; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_829 was added in 8.0.11.

- Error number: MY-012655; Symbol: ER_IB_MSG_830; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_830 was added in 8.0.11.

- Error number: MY-012656; Symbol: ER_IB_MSG_831; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_831 was added in 8.0.11.

- Error number: MY-012657; Symbol: ER_IB_MSG_832; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_832 was added in 8.0.11.

- Error number: MY-012658; Symbol: ER_IB_MSG_833; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_833 was added in 8.0.11.

- Error number: MY-012659; Symbol: ER_IB_MSG_834; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_834 was added in 8.0.11.

- Error number: MY-012660; Symbol: ER_IB_MSG_835; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_835 was added in 8.0.11.

- Error number: MY-012661; Symbol: ER_IB_MSG_836; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_836 was added in 8.0.11.

- Error number: MY-012662; Symbol: ER_IB_MSG_837; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_837 was added in 8.0.11.

- Error number: MY-012663; Symbol: ER_IB_MSG_838; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_838 was added in 8.0.11.

- Error number: MY-012664; Symbol: ER_IB_MSG_839; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_839 was added in 8.0.11.

- Error number: MY-012665; Symbol: ER_IB_MSG_840; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_840 was added in 8.0.11.

- Error number: MY-012666; Symbol: ER_IB_MSG_841; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_841 was added in 8.0.11.

- Error number: MY-012667; Symbol: ER_IB_MSG_842; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_842 was added in 8.0.11.

- Error number: MY-012668; Symbol: ER_IB_MSG_843; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_843 was added in 8.0.11, removed after 8.0.32.

- Error number: MY-012668; Symbol: ER_IB_MSG_CANT_ENCRYPT_REDO_LOG_DATA; SQLSTATE: HY000

  Message: Can't encrypt data of redo log

  ER_IB_MSG_CANT_ENCRYPT_REDO_LOG_DATA was added in 8.0.33.

- Error number: MY-012669; Symbol: ER_IB_MSG_844; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_844 was added in 8.0.11.

- Error number: MY-012670; Symbol: ER_IB_MSG_845; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_845 was added in 8.0.11.

- Error number: MY-012671; Symbol: ER_IB_MSG_846; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_846 was added in 8.0.11, removed after 8.0.36.

- Error number: MY-012671; Symbol: ER_IB_MSG_CANT_DECRYPT_REDO_LOG; SQLSTATE: HY000

  Message: Decryption of redo log block at offset %llu in file %s failed because there's no keyring configured

  ER_IB_MSG_CANT_DECRYPT_REDO_LOG was added in 8.0.37.

- Error number: MY-012672; Symbol: ER_IB_MSG_847; SQLSTATE: HY000

Message: %s

ER_IB_MSG_847 was added in 8.0.11.

- Error number: MY-012673; Symbol: ER_IB_MSG_848; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_848 was added in 8.0.11.

- Error number: MY-012674; Symbol: ER_IB_MSG_849; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_849 was added in 8.0.11.

- Error number: MY-012675; Symbol: ER_IB_MSG_850; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_850 was added in 8.0.11.

- Error number: MY-012676; Symbol: ER_IB_MSG_851; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_851 was added in 8.0.11.

- Error number: MY-012677; Symbol: ER_IB_MSG_852; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_852 was added in 8.0.11.

- Error number: MY-012678; Symbol: ER_IB_MSG_853; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_853 was added in 8.0.11.

- Error number: MY-012679; Symbol: ER_IB_MSG_854; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_854 was added in 8.0.11.

- Error number: MY-012680; Symbol: ER_IB_MSG_855; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_855 was added in 8.0.11.

- Error number: MY-012681; Symbol: ER_IB_MSG_856; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_856 was added in 8.0.11.

- Error number: MY-012682; Symbol: ER_IB_MSG_857; SQLSTATE: HY000

Message: %s

ER_IB_MSG_857 was added in 8.0.11.

- Error number: MY-012683; Symbol: ER_IB_MSG_858; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_858 was added in 8.0.11.

- Error number: MY-012684; Symbol: ER_IB_MSG_859; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_859 was added in 8.0.11.

- Error number: MY-012685; Symbol: ER_IB_MSG_860; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_860 was added in 8.0.11.

- Error number: MY-012686; Symbol: ER_IB_MSG_861; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_861 was added in 8.0.11.

- Error number: MY-012687; Symbol: ER_IB_MSG_862; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_862 was added in 8.0.11.

- Error number: MY-012688; Symbol: ER_IB_MSG_863; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_863 was added in 8.0.11.

- Error number: MY-012689; Symbol: ER_IB_MSG_864; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_864 was added in 8.0.11.

- Error number: MY-012690; Symbol: ER_IB_MSG_865; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_865 was added in 8.0.11.

- Error number: MY-012691; Symbol: ER_IB_MSG_866; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_866 was added in 8.0.11.

- Error number: MY-012692; Symbol: ER_IB_MSG_867; SQLSTATE: HY000

Message: %s

ER_IB_MSG_867 was added in 8.0.11.

- Error number: MY-012693; Symbol: ER_IB_MSG_868; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_868 was added in 8.0.11.

- Error number: MY-012694; Symbol: ER_IB_MSG_869; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_869 was added in 8.0.11.

- Error number: MY-012695; Symbol: ER_IB_MSG_870; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_870 was added in 8.0.11.

- Error number: MY-012696; Symbol: ER_IB_MSG_871; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_871 was added in 8.0.11.

- Error number: MY-012697; Symbol: ER_IB_MSG_872; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_872 was added in 8.0.11.

- Error number: MY-012698; Symbol: ER_IB_MSG_873; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_873 was added in 8.0.11.

- Error number: MY-012699; Symbol: ER_IB_MSG_874; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_874 was added in 8.0.11.

- Error number: MY-012700; Symbol: ER_IB_MSG_875; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_875 was added in 8.0.11.

- Error number: MY-012701; Symbol: ER_IB_MSG_876; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_876 was added in 8.0.11.

- Error number: MY-012702; Symbol: ER_IB_MSG_877; SQLSTATE: HY000

Message: %s

ER_IB_MSG_877 was added in 8.0.11.

- Error number: MY-012703; Symbol: ER_IB_MSG_878; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_878 was added in 8.0.11.

- Error number: MY-012704; Symbol: ER_IB_MSG_879; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_879 was added in 8.0.11.

- Error number: MY-012705; Symbol: ER_IB_MSG_880; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_880 was added in 8.0.11.

- Error number: MY-012706; Symbol: ER_IB_MSG_881; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_881 was added in 8.0.11.

- Error number: MY-012707; Symbol: ER_IB_MSG_882; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_882 was added in 8.0.11.

- Error number: MY-012708; Symbol: ER_IB_MSG_883; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_883 was added in 8.0.11.

- Error number: MY-012709; Symbol: ER_IB_MSG_884; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_884 was added in 8.0.11.

- Error number: MY-012710; Symbol: ER_IB_MSG_885; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_885 was added in 8.0.11.

- Error number: MY-012711; Symbol: ER_IB_MSG_886; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_886 was added in 8.0.11.

- Error number: MY-012712; Symbol: ER_IB_MSG_887; SQLSTATE: HY000

Message: %s

ER_IB_MSG_887 was added in 8.0.11.

- Error number: MY-012713; Symbol: ER_IB_MSG_888; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_888 was added in 8.0.11.

- Error number: MY-012714; Symbol: ER_IB_MSG_889; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_889 was added in 8.0.11.

- Error number: MY-012715; Symbol: ER_IB_MSG_890; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_890 was added in 8.0.11.

- Error number: MY-012716; Symbol: ER_IB_MSG_891; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_891 was added in 8.0.11.

- Error number: MY-012717; Symbol: ER_IB_MSG_892; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_892 was added in 8.0.11.

- Error number: MY-012718; Symbol: ER_IB_MSG_893; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_893 was added in 8.0.11.

- Error number: MY-012719; Symbol: ER_IB_MSG_894; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_894 was added in 8.0.11.

- Error number: MY-012720; Symbol: ER_IB_MSG_895; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_895 was added in 8.0.11.

- Error number: MY-012721; Symbol: ER_IB_MSG_896; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_896 was added in 8.0.11.

- Error number: MY-012722; Symbol: ER_IB_MSG_897; SQLSTATE: HY000

Message: %s

ER_IB_MSG_897 was added in 8.0.11.

- Error number: MY-012723; Symbol: ER_IB_MSG_898; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_898 was added in 8.0.11.

- Error number: MY-012724; Symbol: ER_IB_MSG_899; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_899 was added in 8.0.11.

- Error number: MY-012725; Symbol: ER_IB_MSG_900; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_900 was added in 8.0.11.

- Error number: MY-012726; Symbol: ER_IB_MSG_901; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_901 was added in 8.0.11.

- Error number: MY-012727; Symbol: ER_IB_MSG_902; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_902 was added in 8.0.11.

- Error number: MY-012728; Symbol: ER_IB_MSG_903; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_903 was added in 8.0.11.

- Error number: MY-012729; Symbol: ER_IB_MSG_904; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_904 was added in 8.0.11.

- Error number: MY-012730; Symbol: ER_IB_MSG_905; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_905 was added in 8.0.11.

- Error number: MY-012731; Symbol: ER_IB_MSG_906; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_906 was added in 8.0.11.

- Error number: MY-012732; Symbol: ER_IB_MSG_907; SQLSTATE: HY000

Message: %s

ER_IB_MSG_907 was added in 8.0.11.

- Error number: MY-012733; Symbol: ER_IB_MSG_908; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_908 was added in 8.0.11.

- Error number: MY-012734; Symbol: ER_IB_MSG_909; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_909 was added in 8.0.11.

- Error number: MY-012735; Symbol: ER_IB_MSG_910; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_910 was added in 8.0.11.

- Error number: MY-012736; Symbol: ER_IB_MSG_911; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_911 was added in 8.0.11.

- Error number: MY-012737; Symbol: ER_IB_MSG_912; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_912 was added in 8.0.11.

- Error number: MY-012738; Symbol: ER_IB_MSG_913; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_913 was added in 8.0.11.

- Error number: MY-012739; Symbol: ER_IB_MSG_914; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_914 was added in 8.0.11.

- Error number: MY-012740; Symbol: ER_IB_MSG_915; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_915 was added in 8.0.11.

- Error number: MY-012741; Symbol: ER_IB_MSG_916; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_916 was added in 8.0.11.

- Error number: MY-012742; Symbol: ER_IB_MSG_917; SQLSTATE: HY000

Message: %s

ER_IB_MSG_917 was added in 8.0.11.

- Error number: MY-012743; Symbol: ER_IB_MSG_918; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_918 was added in 8.0.11.

- Error number: MY-012744; Symbol: ER_IB_MSG_919; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_919 was added in 8.0.11.

- Error number: MY-012745; Symbol: ER_IB_MSG_920; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_920 was added in 8.0.11.

- Error number: MY-012746; Symbol: ER_IB_MSG_921; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_921 was added in 8.0.11.

- Error number: MY-012747; Symbol: ER_IB_MSG_922; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_922 was added in 8.0.11.

- Error number: MY-012748; Symbol: ER_IB_MSG_923; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_923 was added in 8.0.11.

- Error number: MY-012749; Symbol: ER_IB_MSG_924; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_924 was added in 8.0.11.

- Error number: MY-012750; Symbol: ER_IB_MSG_925; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_925 was added in 8.0.11.

- Error number: MY-012751; Symbol: ER_IB_MSG_926; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_926 was added in 8.0.11.

- Error number: MY-012752; Symbol: ER_IB_MSG_927; SQLSTATE: HY000

Message: %s

ER_IB_MSG_927 was added in 8.0.11.

- Error number: MY-012753; Symbol: ER_IB_MSG_928; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_928 was added in 8.0.11.

- Error number: MY-012754; Symbol: ER_IB_MSG_929; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_929 was added in 8.0.11.

- Error number: MY-012755; Symbol: ER_IB_MSG_930; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_930 was added in 8.0.11.

- Error number: MY-012756; Symbol: ER_IB_MSG_931; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_931 was added in 8.0.11.

- Error number: MY-012757; Symbol: ER_IB_MSG_932; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_932 was added in 8.0.11.

- Error number: MY-012758; Symbol: ER_IB_MSG_933; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_933 was added in 8.0.11.

- Error number: MY-012759; Symbol: ER_IB_MSG_934; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_934 was added in 8.0.11.

- Error number: MY-012760; Symbol: ER_IB_MSG_935; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_935 was added in 8.0.11.

- Error number: MY-012761; Symbol: ER_IB_MSG_936; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_936 was added in 8.0.11.

- Error number: MY-012762; Symbol: ER_IB_MSG_937; SQLSTATE: HY000

Message: %s

ER_IB_MSG_937 was added in 8.0.11.

- Error number: MY-012763; Symbol: ER_IB_MSG_938; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_938 was added in 8.0.11.

- Error number: MY-012764; Symbol: ER_IB_MSG_939; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_939 was added in 8.0.11.

- Error number: MY-012765; Symbol: ER_IB_MSG_940; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_940 was added in 8.0.11.

- Error number: MY-012766; Symbol: ER_IB_MSG_941; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_941 was added in 8.0.11.

- Error number: MY-012767; Symbol: ER_IB_MSG_942; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_942 was added in 8.0.11.

- Error number: MY-012768; Symbol: ER_IB_MSG_943; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_943 was added in 8.0.11.

- Error number: MY-012769; Symbol: ER_IB_MSG_944; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_944 was added in 8.0.11.

- Error number: MY-012770; Symbol: ER_IB_MSG_945; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_945 was added in 8.0.11.

- Error number: MY-012771; Symbol: ER_IB_MSG_946; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_946 was added in 8.0.11.

- Error number: MY-012772; Symbol: ER_IB_MSG_947; SQLSTATE: HY000

Message: %s

ER_IB_MSG_947 was added in 8.0.11.

- Error number: MY-012773; Symbol: ER_IB_MSG_948; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_948 was added in 8.0.11.

- Error number: MY-012774; Symbol: ER_IB_MSG_949; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_949 was added in 8.0.11.

- Error number: MY-012775; Symbol: ER_IB_MSG_950; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_950 was added in 8.0.11.

- Error number: MY-012776; Symbol: ER_IB_MSG_951; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_951 was added in 8.0.11.

- Error number: MY-012777; Symbol: ER_IB_MSG_952; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_952 was added in 8.0.11.

- Error number: MY-012778; Symbol: ER_IB_MSG_953; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_953 was added in 8.0.11.

- Error number: MY-012779; Symbol: ER_IB_MSG_954; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_954 was added in 8.0.11.

- Error number: MY-012780; Symbol: ER_IB_MSG_955; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_955 was added in 8.0.11.

- Error number: MY-012781; Symbol: ER_IB_MSG_956; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_956 was added in 8.0.11.

- Error number: MY-012782; Symbol: ER_IB_MSG_957; SQLSTATE: HY000

Message: %s

ER_IB_MSG_957 was added in 8.0.11.

- Error number: MY-012783; Symbol: ER_IB_MSG_958; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_958 was added in 8.0.11.

- Error number: MY-012784; Symbol: ER_IB_MSG_959; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_959 was added in 8.0.11.

- Error number: MY-012785; Symbol: ER_IB_MSG_960; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_960 was added in 8.0.11.

- Error number: MY-012786; Symbol: ER_IB_MSG_961; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_961 was added in 8.0.11.

- Error number: MY-012787; Symbol: ER_IB_MSG_962; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_962 was added in 8.0.11.

- Error number: MY-012788; Symbol: ER_IB_MSG_963; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_963 was added in 8.0.11.

- Error number: MY-012789; Symbol: ER_IB_MSG_964; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_964 was added in 8.0.11.

- Error number: MY-012790; Symbol: ER_IB_MSG_965; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_965 was added in 8.0.11.

- Error number: MY-012791; Symbol: ER_IB_MSG_966; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_966 was added in 8.0.11.

- Error number: MY-012792; Symbol: ER_IB_MSG_967; SQLSTATE: HY000

Message: %s

ER_IB_MSG_967 was added in 8.0.11.

- Error number: MY-012793; Symbol: ER_IB_MSG_968; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_968 was added in 8.0.11.

- Error number: MY-012794; Symbol: ER_IB_MSG_969; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_969 was added in 8.0.11.

- Error number: MY-012795; Symbol: ER_IB_MSG_970; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_970 was added in 8.0.11.

- Error number: MY-012796; Symbol: ER_IB_MSG_971; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_971 was added in 8.0.11.

- Error number: MY-012797; Symbol: ER_IB_MSG_972; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_972 was added in 8.0.11.

- Error number: MY-012798; Symbol: ER_IB_MSG_973; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_973 was added in 8.0.11.

- Error number: MY-012799; Symbol: ER_IB_MSG_974; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_974 was added in 8.0.11.

- Error number: MY-012800; Symbol: ER_IB_MSG_975; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_975 was added in 8.0.11.

- Error number: MY-012801; Symbol: ER_IB_MSG_976; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_976 was added in 8.0.11.

- Error number: MY-012802; Symbol: ER_IB_MSG_977; SQLSTATE: HY000

Message: %s

ER_IB_MSG_977 was added in 8.0.11.

- Error number: MY-012803; Symbol: ER_IB_MSG_978; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_978 was added in 8.0.11.

- Error number: MY-012804; Symbol: ER_IB_MSG_979; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_979 was added in 8.0.11.

- Error number: MY-012805; Symbol: ER_IB_MSG_980; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_980 was added in 8.0.11.

- Error number: MY-012806; Symbol: ER_IB_MSG_981; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_981 was added in 8.0.11.

- Error number: MY-012807; Symbol: ER_IB_MSG_982; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_982 was added in 8.0.11.

- Error number: MY-012808; Symbol: ER_IB_MSG_983; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_983 was added in 8.0.11.

- Error number: MY-012809; Symbol: ER_IB_MSG_984; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_984 was added in 8.0.11.

- Error number: MY-012810; Symbol: ER_IB_MSG_985; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_985 was added in 8.0.11.

- Error number: MY-012811; Symbol: ER_IB_MSG_986; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_986 was added in 8.0.11.

- Error number: MY-012812; Symbol: ER_IB_MSG_987; SQLSTATE: HY000

Message: %s

ER_IB_MSG_987 was added in 8.0.11.

- Error number: MY-012813; Symbol: ER_IB_MSG_988; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_988 was added in 8.0.11.

- Error number: MY-012814; Symbol: ER_IB_MSG_989; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_989 was added in 8.0.11.

- Error number: MY-012815; Symbol: ER_IB_MSG_990; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_990 was added in 8.0.11.

- Error number: MY-012816; Symbol: ER_IB_MSG_991; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_991 was added in 8.0.11.

- Error number: MY-012817; Symbol: ER_IB_MSG_992; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_992 was added in 8.0.11.

- Error number: MY-012818; Symbol: ER_IB_MSG_993; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_993 was added in 8.0.11.

- Error number: MY-012819; Symbol: ER_IB_MSG_994; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_994 was added in 8.0.11.

- Error number: MY-012820; Symbol: ER_IB_MSG_995; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_995 was added in 8.0.11.

- Error number: MY-012821; Symbol: ER_IB_MSG_996; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_996 was added in 8.0.11.

- Error number: MY-012822; Symbol: ER_IB_MSG_997; SQLSTATE: HY000

Message: %s

ER_IB_MSG_997 was added in 8.0.11.

- Error number: MY-012823; Symbol: ER_IB_MSG_998; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_998 was added in 8.0.11.

- Error number: MY-012824; Symbol: ER_IB_MSG_999; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_999 was added in 8.0.11.

- Error number: MY-012825; Symbol: ER_IB_MSG_1000; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1000 was added in 8.0.11.

- Error number: MY-012826; Symbol: ER_IB_MSG_1001; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1001 was added in 8.0.11.

- Error number: MY-012827; Symbol: ER_IB_MSG_1002; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1002 was added in 8.0.11.

- Error number: MY-012828; Symbol: ER_IB_MSG_1003; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1003 was added in 8.0.11.

- Error number: MY-012829; Symbol: ER_IB_MSG_1004; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1004 was added in 8.0.11.

- Error number: MY-012830; Symbol: ER_IB_MSG_1005; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1005 was added in 8.0.11.

- Error number: MY-012831; Symbol: ER_IB_MSG_1006; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1006 was added in 8.0.11.

- Error number: MY-012832; Symbol: ER_IB_MSG_1007; SQLSTATE: HY000

Message: %s

ER_IB_MSG_1007 was added in 8.0.11.

- Error number: MY-012833; Symbol: ER_IB_MSG_1008; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1008 was added in 8.0.11.

- Error number: MY-012834; Symbol: ER_IB_MSG_1009; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1009 was added in 8.0.11.

- Error number: MY-012835; Symbol: ER_IB_MSG_1010; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1010 was added in 8.0.11.

- Error number: MY-012836; Symbol: ER_IB_MSG_1011; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1011 was added in 8.0.11.

- Error number: MY-012837; Symbol: ER_IB_MSG_1012; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1012 was added in 8.0.11.

- Error number: MY-012838; Symbol: ER_IB_MSG_1013; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1013 was added in 8.0.11.

- Error number: MY-012839; Symbol: ER_IB_MSG_1014; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1014 was added in 8.0.11.

- Error number: MY-012840; Symbol: ER_IB_MSG_1015; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1015 was added in 8.0.11.

- Error number: MY-012841; Symbol: ER_IB_MSG_1016; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1016 was added in 8.0.11.

- Error number: MY-012842; Symbol: ER_IB_MSG_1017; SQLSTATE: HY000

Message: %s

ER_IB_MSG_1017 was added in 8.0.11.

- Error number: MY-012843; Symbol: ER_IB_MSG_1018; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1018 was added in 8.0.11.

- Error number: MY-012844; Symbol: ER_IB_MSG_1019; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1019 was added in 8.0.11.

- Error number: MY-012845; Symbol: ER_IB_MSG_1020; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1020 was added in 8.0.11.

- Error number: MY-012846; Symbol: ER_IB_MSG_1021; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1021 was added in 8.0.11.

- Error number: MY-012847; Symbol: ER_IB_MSG_1022; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1022 was added in 8.0.11.

- Error number: MY-012848; Symbol: ER_IB_MSG_1023; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1023 was added in 8.0.11.

- Error number: MY-012849; Symbol: ER_IB_MSG_1024; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1024 was added in 8.0.11.

- Error number: MY-012850; Symbol: ER_IB_MSG_1025; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1025 was added in 8.0.11.

- Error number: MY-012851; Symbol: ER_IB_MSG_1026; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1026 was added in 8.0.11.

- Error number: MY-012852; Symbol: ER_IB_MSG_1027; SQLSTATE: HY000

Message: %s

ER_IB_MSG_1027 was added in 8.0.11.

- Error number: MY-012853; Symbol: ER_IB_MSG_1028; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1028 was added in 8.0.11.

- Error number: MY-012854; Symbol: ER_IB_MSG_1029; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1029 was added in 8.0.11.

- Error number: MY-012855; Symbol: ER_IB_MSG_1030; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1030 was added in 8.0.11.

- Error number: MY-012856; Symbol: ER_IB_MSG_1031; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1031 was added in 8.0.11.

- Error number: MY-012857; Symbol: ER_IB_MSG_1032; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1032 was added in 8.0.11.

- Error number: MY-012858; Symbol: ER_IB_MSG_1033; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1033 was added in 8.0.11.

- Error number: MY-012859; Symbol: ER_IB_MSG_1034; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1034 was added in 8.0.11.

- Error number: MY-012860; Symbol: ER_IB_MSG_1035; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1035 was added in 8.0.11.

- Error number: MY-012861; Symbol: ER_IB_MSG_1036; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1036 was added in 8.0.11.

- Error number: MY-012862; Symbol: ER_IB_MSG_1037; SQLSTATE: HY000

Message: %s

ER_IB_MSG_1037 was added in 8.0.11.

- Error number: MY-012863; Symbol: ER_IB_MSG_1038; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1038 was added in 8.0.11.

- Error number: MY-012864; Symbol: ER_IB_MSG_1039; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1039 was added in 8.0.11.

- Error number: MY-012865; Symbol: ER_IB_MSG_1040; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1040 was added in 8.0.11.

- Error number: MY-012866; Symbol: ER_IB_MSG_1041; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1041 was added in 8.0.11.

- Error number: MY-012867; Symbol: ER_IB_MSG_1042; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1042 was added in 8.0.11.

- Error number: MY-012868; Symbol: ER_IB_MSG_1043; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1043 was added in 8.0.11.

- Error number: MY-012869; Symbol: ER_IB_MSG_1044; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1044 was added in 8.0.11.

- Error number: MY-012870; Symbol: ER_IB_MSG_1045; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1045 was added in 8.0.11.

- Error number: MY-012871; Symbol: ER_IB_MSG_1046; SQLSTATE: HY000

  Message: Old log sequence number %llu was greater than the new log sequence number %llu. Please submit a bug report to http://bugs.mysql.com

  ER_IB_MSG_1046 was added in 8.0.11.

- Error number: MY-012872; Symbol: ER_IB_MSG_1047; SQLSTATE: HY000

  Message: Semaphore wait has lasted > %llu seconds. We intentionally crash the server because it appears to be hung.

  ER_IB_MSG_1047 was added in 8.0.11.

- Error number: MY-012873; Symbol: ER_IB_MSG_1048; SQLSTATE: HY000

  Message: Waiting for %llu table(s) to be dropped

  ER_IB_MSG_1048 was added in 8.0.11.

- Error number: MY-012874; Symbol: ER_IB_MSG_1049; SQLSTATE: HY000

  Message: Waiting for change buffer merge to complete number of bytes of change buffer just merged: %llu

  ER_IB_MSG_1049 was added in 8.0.11.

- Error number: MY-012875; Symbol: ER_IB_MSG_1050; SQLSTATE: HY000

  Message: Can't set undo tablespace(s) to be encrypted since --innodb_undo_tablespaces=0.

  ER_IB_MSG_1050 was added in 8.0.11, removed after 8.0.15.

- Error number: MY-012876; Symbol: ER_IB_MSG_1051; SQLSTATE: HY000

  Message: Can't set undo tablespace(s) to be encrypted in read-only-mode.

  ER_IB_MSG_1051 was added in 8.0.11.

- Error number: MY-012877; Symbol: ER_IB_MSG_1052; SQLSTATE: HY000

  Message: Can't set undo tablespace '%s' to be encrypted.

  ER_IB_MSG_1052 was added in 8.0.11.

- Error number: MY-012878; Symbol: ER_IB_MSG_1053; SQLSTATE: HY000

  Message: Can't set undo tablespace '%s' to be encrypted. Failed to write header page.

  ER_IB_MSG_1053 was added in 8.0.11.

- Error number: MY-012879; Symbol: ER_IB_MSG_1054; SQLSTATE: HY000

  Message: Can't set undo tablespace '%s' to be encrypted. Error %d - %s

  ER_IB_MSG_1054 was added in 8.0.11.

- Error number: MY-012880; Symbol: ER_IB_MSG_1055; SQLSTATE: HY000

  Message: Encryption is enabled for undo tablespace '%s'.

  ER_IB_MSG_1055 was added in 8.0.11.

- Error number: MY-012881; Symbol: ER_IB_MSG_1056; SQLSTATE: HY000

  Message: Can't rotate encryption on undo tablespace '%s'.

ER_IB_MSG_1056 was added in 8.0.11.

- Error number: MY-012882; Symbol: ER_IB_MSG_1057; SQLSTATE: HY000

  Message: Encryption is enabled for undo tablespace '%s'.

  ER_IB_MSG_1057 was added in 8.0.11.

- Error number: MY-012883; Symbol: ER_IB_MSG_1058; SQLSTATE: HY000

  Message: os_file_get_status() failed on '%s'. Can't determine file permissions.

  ER_IB_MSG_1058 was added in 8.0.11.

- Error number: MY-012884; Symbol: ER_IB_MSG_1059; SQLSTATE: HY000

  Message: %s can't be opened in %s mode.

  ER_IB_MSG_1059 was added in 8.0.11.

- Error number: MY-012885; Symbol: ER_IB_MSG_1060; SQLSTATE: HY000

  Message: '%s' not a regular file.

  ER_IB_MSG_1060 was added in 8.0.11.

- Error number: MY-012886; Symbol: ER_IB_MSG_1061; SQLSTATE: HY000

  Message: Cannot create %s

  ER_IB_MSG_1061 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012886; Symbol: ER_IB_MSG_LOG_FILE_OS_CREATE_FAILED; SQLSTATE: HY000

  Message: Cannot create %s

  ER_IB_MSG_LOG_FILE_OS_CREATE_FAILED was added in 8.0.30.

- Error number: MY-012887; Symbol: ER_IB_MSG_1062; SQLSTATE: HY000

  Message: Setting log file %s size to %llu MB. Progress : %u%%

  ER_IB_MSG_1062 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012887; Symbol: ER_IB_MSG_FILE_RESIZE; SQLSTATE: HY000

  Message: Setting file %s size to %llu MB. Progress : %u%%

  ER_IB_MSG_FILE_RESIZE was added in 8.0.30.

- Error number: MY-012888; Symbol: ER_IB_MSG_1063; SQLSTATE: HY000

  Message: Cannot set log file %s to size %llu MB

  ER_IB_MSG_1063 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012888; Symbol: ER_IB_MSG_LOG_FILE_RESIZE_FAILED; SQLSTATE: HY000

Message: Cannot resize redo log file %s to %llu MB (%s)

ER_IB_MSG_LOG_FILE_RESIZE_FAILED was added in 8.0.30.

- Error number: MY-012889; Symbol: ER_IB_MSG_1064; SQLSTATE: HY000

  Message: Cannot create log files in read-only mode

  ER_IB_MSG_1064 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012889; Symbol: ER_IB_MSG_LOG_FILES_CREATE_AND_READ_ONLY_MODE; SQLSTATE: HY000

  Message: Cannot create redo log files in read-only mode (--innodb-read-only).

  ER_IB_MSG_LOG_FILES_CREATE_AND_READ_ONLY_MODE was added in 8.0.30.

- Error number: MY-012890; Symbol: ER_IB_MSG_1065; SQLSTATE: HY000

  Message: Redo log encryption is enabled, but the keyring is not loaded.

  ER_IB_MSG_1065 was added in 8.0.11.

- Error number: MY-012891; Symbol: ER_IB_MSG_1066; SQLSTATE: HY000

  Message: Cannot create file for log file %s.

  ER_IB_MSG_1066 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012891; Symbol: ER_IB_MSG_LOG_FILE_PREPARE_ON_CREATE_FAILED; SQLSTATE: HY000

  Message: Failed to create redo log file %s (error: %d) for start LSN %llu

  ER_IB_MSG_LOG_FILE_PREPARE_ON_CREATE_FAILED was added in 8.0.30.

- Error number: MY-012892; Symbol: ER_IB_MSG_1067; SQLSTATE: HY000

  Message: Renaming log file %s to %s

  ER_IB_MSG_1067 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012893; Symbol: ER_IB_MSG_1068; SQLSTATE: HY000

  Message: New log files created, LSN=%llu

  ER_IB_MSG_1068 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012893; Symbol: ER_IB_MSG_LOG_FILES_INITIALIZED; SQLSTATE: HY000

  Message: New redo log files created, LSN=%llu

  ER_IB_MSG_LOG_FILES_INITIALIZED was added in 8.0.30.

- Error number: MY-012894; Symbol: ER_IB_MSG_1069; SQLSTATE: HY000

  Message: Unable to open '%s'.

  ER_IB_MSG_1069 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012894; Symbol: ER_IB_MSG_LOG_FILE_OPEN_FAILED; SQLSTATE: HY000

  Message: Unable to open '%s' (error: %d).

  ER_IB_MSG_LOG_FILE_OPEN_FAILED was added in 8.0.30.
- Error number: MY-012895; Symbol: ER_IB_MSG_1070; SQLSTATE: HY000

  Message: Cannot create construction log file '%s' for undo tablespace '%s'.

  ER_IB_MSG_1070 was added in 8.0.11.
- Error number: MY-012896; Symbol: ER_IB_MSG_1071; SQLSTATE: HY000

  Message: Creating UNDO Tablespace %s

  ER_IB_MSG_1071 was added in 8.0.11.
- Error number: MY-012897; Symbol: ER_IB_MSG_1072; SQLSTATE: HY000

  Message: Setting file %s size to %llu MB

  ER_IB_MSG_1072 was added in 8.0.11.
- Error number: MY-012898; Symbol: ER_IB_MSG_1073; SQLSTATE: HY000

  Message: Physically writing the file full

  ER_IB_MSG_1073 was added in 8.0.11.
- Error number: MY-012899; Symbol: ER_IB_MSG_1074; SQLSTATE: HY000

  Message: Error in creating %s: probably out of disk space

  ER_IB_MSG_1074 was added in 8.0.11.
- Error number: MY-012900; Symbol: ER_IB_MSG_1075; SQLSTATE: HY000

  Message: Can't set encryption metadata for space %s

  ER_IB_MSG_1075 was added in 8.0.11.
- Error number: MY-012901; Symbol: ER_IB_MSG_1076; SQLSTATE: HY000

  Message: Cannot read first page of '%s' - %s

  ER_IB_MSG_1076 was added in 8.0.11.
- Error number: MY-012902; Symbol: ER_IB_MSG_1077; SQLSTATE: HY000

  Message: Undo tablespace number %lu was being truncated when mysqld quit.

  ER_IB_MSG_1077 was added in 8.0.11.
- Error number: MY-012903; Symbol: ER_IB_MSG_1078; SQLSTATE: HY000

  Message: Cannot recover a truncated undo tablespace in read-only mode

  ER_IB_MSG_1078 was added in 8.0.11.

- Error number: MY-012904; Symbol: ER_IB_MSG_1079; SQLSTATE: HY000

  Message: Reconstructing undo tablespace number %lu.

  ER_IB_MSG_1079 was added in 8.0.11.

- Error number: MY-012905; Symbol: ER_IB_MSG_1080; SQLSTATE: HY000

  Message: Cannot create %s because %s already uses Space ID=%lu! Did you change innodb_undo_directory?

  ER_IB_MSG_1080 was added in 8.0.11.

- Error number: MY-012906; Symbol: ER_IB_MSG_1081; SQLSTATE: HY000

  Message: UNDO tablespace %s must be %s

  ER_IB_MSG_1081 was added in 8.0.11.

- Error number: MY-012907; Symbol: ER_IB_MSG_1082; SQLSTATE: HY000

  Message: Error creating file for %s

  ER_IB_MSG_1082 was added in 8.0.11.

- Error number: MY-012908; Symbol: ER_IB_MSG_1083; SQLSTATE: HY000

  Message: Error reading encryption for %s

  ER_IB_MSG_1083 was added in 8.0.11.

- Error number: MY-012909; Symbol: ER_IB_MSG_1084; SQLSTATE: HY000

  Message: Unable to open undo tablespace number %lu

  ER_IB_MSG_1084 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012909; Symbol: ER_IB_MSG_CANNOT_OPEN_57_UNDO; SQLSTATE: HY000

  Message: Unable to open undo tablespace number %lu

  ER_IB_MSG_CANNOT_OPEN_57_UNDO was added in 8.0.21.

- Error number: MY-012910; Symbol: ER_IB_MSG_1085; SQLSTATE: HY000

  Message: Opened %llu existing undo tablespaces.

  ER_IB_MSG_1085 was added in 8.0.11.

- Error number: MY-012911; Symbol: ER_IB_MSG_1086; SQLSTATE: HY000

  Message: Cannot create undo tablespaces since innodb_%s has been set. Using %llu existing undo tablespaces.

  ER_IB_MSG_1086 was added in 8.0.11.

- Error number: MY-012912; Symbol: ER_IB_MSG_1087; SQLSTATE: HY000

  Message: Cannot continue InnoDB startup in %s mode because there are no existing undo tablespaces found.

ER_IB_MSG_1087 was added in 8.0.11.

- Error number: MY-012913; Symbol: ER_IB_MSG_1088; SQLSTATE: HY000

  Message: Could not create undo tablespace '%s'.

  ER_IB_MSG_1088 was added in 8.0.11.

- Error number: MY-012914; Symbol: ER_IB_MSG_1089; SQLSTATE: HY000

  Message: Error %d - %s - opening newly created undo tablespace '%s'.

  ER_IB_MSG_1089 was added in 8.0.11.

- Error number: MY-012915; Symbol: ER_IB_MSG_1090; SQLSTATE: HY000

  Message: Created %llu undo tablespaces.

  ER_IB_MSG_1090 was added in 8.0.11.

- Error number: MY-012916; Symbol: ER_IB_MSG_1091; SQLSTATE: HY000

  Message: Unable to create encrypted undo tablespace number %lu. please check if the keyring is initialized correctly

  ER_IB_MSG_1091 was added in 8.0.11.

- Error number: MY-012917; Symbol: ER_IB_MSG_1092; SQLSTATE: HY000

  Message: Encryption is enabled for undo tablespace number %lu.

  ER_IB_MSG_1092 was added in 8.0.11.

- Error number: MY-012918; Symbol: ER_IB_MSG_1093; SQLSTATE: HY000

  Message: Unable to initialize the header page in undo tablespace number %lu.

  ER_IB_MSG_1093 was added in 8.0.11.

- Error number: MY-012919; Symbol: ER_IB_MSG_1094; SQLSTATE: HY000

  Message: Cannot delete old undo tablespaces because they contain undo logs for XA PREPARED transactions.

  ER_IB_MSG_1094 was added in 8.0.11.

- Error number: MY-012920; Symbol: ER_IB_MSG_1095; SQLSTATE: HY000

  Message: Upgrading %zu existing undo tablespaces that were tracked in the system tablespace to %lu new independent undo tablespaces.

  ER_IB_MSG_1095 was added in 8.0.11.

- Error number: MY-012921; Symbol: ER_IB_MSG_1096; SQLSTATE: HY000

  Message: Deleting %llu new independent undo tablespaces that we just created.

  ER_IB_MSG_1096 was added in 8.0.11.

- Error number: MY-012922; Symbol: ER_IB_MSG_1097; SQLSTATE: HY000

  Message: Waiting for purge to start

  ER_IB_MSG_1097 was added in 8.0.11.

- Error number: MY-012923; Symbol: ER_IB_MSG_1098; SQLSTATE: HY000

  Message: Creating shared tablespace for temporary tables

  ER_IB_MSG_1098 was added in 8.0.11.

- Error number: MY-012924; Symbol: ER_IB_MSG_1099; SQLSTATE: HY000

  Message: The %s data file must be writable!

  ER_IB_MSG_1099 was added in 8.0.11.

- Error number: MY-012925; Symbol: ER_IB_MSG_1100; SQLSTATE: HY000

  Message: Could not create the shared %s.

  ER_IB_MSG_1100 was added in 8.0.11.

- Error number: MY-012926; Symbol: ER_IB_MSG_1101; SQLSTATE: HY000

  Message: Unable to create the shared %s.

  ER_IB_MSG_1101 was added in 8.0.11.

- Error number: MY-012927; Symbol: ER_IB_MSG_1102; SQLSTATE: HY000

  Message: The %s data file cannot be re-opened after check_file_spec() succeeded!

  ER_IB_MSG_1102 was added in 8.0.11.

- Error number: MY-012928; Symbol: ER_IB_MSG_1103; SQLSTATE: HY000

  Message: %d threads created by InnoDB had not exited at shutdown!

  ER_IB_MSG_1103 was added in 8.0.11.

- Error number: MY-012929; Symbol: ER_IB_MSG_1104; SQLSTATE: HY000

  Message: InnoDB Database creation was aborted %swith error %s. You may need to delete the ibdata1 file before trying to start up again.

  ER_IB_MSG_1104 was added in 8.0.11.

- Error number: MY-012930; Symbol: ER_IB_MSG_1105; SQLSTATE: HY000

  Message: Plugin initialization aborted %swith error %s.

  ER_IB_MSG_1105 was added in 8.0.11.

- Error number: MY-012931; Symbol: ER_IB_MSG_1106; SQLSTATE: HY000

  Message: Waiting for %llu buffer page I/Os to complete

  ER_IB_MSG_1106 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012931; Symbol: ER_IB_MSG_BUF_PENDING_IO; SQLSTATE: HY000

  Message: Waiting for %zu buffer page I/Os to complete.

  ER_IB_MSG_BUF_PENDING_IO was added in 8.0.30.

- Error number: MY-012932; Symbol: ER_IB_MSG_1107; SQLSTATE: HY000

  Message: PUNCH HOLE support available

  ER_IB_MSG_1107 was added in 8.0.11.

- Error number: MY-012933; Symbol: ER_IB_MSG_1108; SQLSTATE: HY000

  Message: PUNCH HOLE support not available

  ER_IB_MSG_1108 was added in 8.0.11.

- Error number: MY-012934; Symbol: ER_IB_MSG_1109; SQLSTATE: HY000

  Message: Size of InnoDB's ulint is %zu but size of void* is %zu. The sizes should be the same so that on a 64-bit platforms you can allocate more than 4 GB of memory.

  ER_IB_MSG_1109 was added in 8.0.11.

- Error number: MY-012935; Symbol: ER_IB_MSG_1110; SQLSTATE: HY000

  Message: Database upgrade cannot be accomplished in read-only mode.

  ER_IB_MSG_1110 was added in 8.0.11.

- Error number: MY-012936; Symbol: ER_IB_MSG_1111; SQLSTATE: HY000

  Message: Database upgrade cannot be accomplished with innodb_force_recovery > 0

  ER_IB_MSG_1111 was added in 8.0.11.

- Error number: MY-012937; Symbol: ER_IB_MSG_1112; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1112 was added in 8.0.11.

- Error number: MY-012938; Symbol: ER_IB_MSG_1113; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1113 was added in 8.0.11.

- Error number: MY-012939; Symbol: ER_IB_MSG_1114; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1114 was added in 8.0.11.

- Error number: MY-012940; Symbol: ER_IB_MSG_1115; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1115 was added in 8.0.11.

- Error number: MY-012941; Symbol: ER_IB_MSG_1116; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1116 was added in 8.0.11.

- Error number: MY-012942; Symbol: ER_IB_MSG_1117; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1117 was added in 8.0.11.

- Error number: MY-012943; Symbol: ER_IB_MSG_1118; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1118 was added in 8.0.11, removed after 8.0.22.

- Error number: MY-012944; Symbol: ER_IB_MSG_1119; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1119 was added in 8.0.11.

- Error number: MY-012945; Symbol: ER_IB_MSG_1120; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1120 was added in 8.0.11.

- Error number: MY-012946; Symbol: ER_IB_MSG_1121; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1121 was added in 8.0.11.

- Error number: MY-012947; Symbol: ER_IB_MSG_1122; SQLSTATE: HY000

  Message: MySQL was built without a memory barrier capability on this architecture, which might allow a mutex/rw_lock violation under high thread concurrency. This may cause a hang.

  ER_IB_MSG_1122 was added in 8.0.11.

- Error number: MY-012948; Symbol: ER_IB_MSG_1123; SQLSTATE: HY000

  Message: Compressed tables use zlib %s

  ER_IB_MSG_1123 was added in 8.0.11.

- Error number: MY-012949; Symbol: ER_IB_MSG_1124; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1124 was added in 8.0.11.

- Error number: MY-012950; Symbol: ER_IB_MSG_1125; SQLSTATE: HY000

  Message: Startup called second time during the process lifetime. In the MySQL Embedded Server Library you cannot call server_init() more than once during the process lifetime.

ER_IB_MSG_1125 was added in 8.0.11.

- Error number: MY-012951; Symbol: ER_IB_MSG_1126; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1126 was added in 8.0.11.

- Error number: MY-012952; Symbol: ER_IB_MSG_1127; SQLSTATE: HY000

  Message: Unable to create monitor file %s: %s

  ER_IB_MSG_1127 was added in 8.0.11.

- Error number: MY-012953; Symbol: ER_IB_MSG_1128; SQLSTATE: HY000

  Message: Disabling background ibuf IO read threads.

  ER_IB_MSG_1128 was added in 8.0.11.

- Error number: MY-012954; Symbol: ER_IB_MSG_1129; SQLSTATE: HY000

  Message: Cannot initialize AIO sub-system

  ER_IB_MSG_1129 was added in 8.0.11.

- Error number: MY-012955; Symbol: ER_IB_MSG_1130; SQLSTATE: HY000

  Message: Initializing buffer pool, total size = %lf%c, instances = %lu, chunk size =%lf%c

  ER_IB_MSG_1130 was added in 8.0.11.

- Error number: MY-012956; Symbol: ER_IB_MSG_1131; SQLSTATE: HY000

  Message: Cannot allocate memory for the buffer pool

  ER_IB_MSG_1131 was added in 8.0.11.

- Error number: MY-012957; Symbol: ER_IB_MSG_1132; SQLSTATE: HY000

  Message: Completed initialization of buffer pool

  ER_IB_MSG_1132 was added in 8.0.11.

- Error number: MY-012958; Symbol: ER_IB_MSG_1133; SQLSTATE: HY000

  Message: Small buffer pool size (%lluM), the flst_validate() debug function can cause a deadlock if the buffer pool fills up.

  ER_IB_MSG_1133 was added in 8.0.11.

- Error number: MY-012959; Symbol: ER_IB_MSG_1134; SQLSTATE: HY000

  Message: Could not open or create the system tablespace. If you tried to add new data files to the system tablespace, and it failed here, you should now edit innodb_data_file_path in my.cnf back to what it was, and remove the new ibdata files InnoDB created in this failed attempt. InnoDB only wrote those files full of zeros, but did not yet use them in any way. But be careful: do not remove old data files which contain your precious data!

ER_IB_MSG_1134 was added in 8.0.11.

- Error number: MY-012960; Symbol: ER_IB_MSG_1135; SQLSTATE: HY000

  Message: Cannot create log files because data files are corrupt or the database was not shut down cleanly after creating the data files.

  ER_IB_MSG_1135 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012960; Symbol: ER_IB_MSG_DATA_DIRECTORY_NOT_INITIALIZED_OR_CORRUPTED; SQLSTATE: HY000

  Message: Cannot create redo log files because data files are corrupt or the database was not shut down cleanly after creating the data files.

  ER_IB_MSG_DATA_DIRECTORY_NOT_INITIALIZED_OR_CORRUPTED was added in 8.0.30.

- Error number: MY-012961; Symbol: ER_IB_MSG_1136; SQLSTATE: HY000

  Message: Only one log file found

  ER_IB_MSG_1136 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012961; Symbol: ER_IB_MSG_LOG_FILES_INVALID_SET; SQLSTATE: HY000

  Message: Only one redo log file found

  ER_IB_MSG_LOG_FILES_INVALID_SET was added in 8.0.30.

- Error number: MY-012962; Symbol: ER_IB_MSG_1137; SQLSTATE: HY000

  Message: Log file %s size %llu is not a multiple of innodb_page_size

  ER_IB_MSG_1137 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012962; Symbol: ER_IB_MSG_LOG_FILE_SIZE_INVALID; SQLSTATE: HY000

  Message: The redo log file %s size %llu is not a multiple of innodb_page_size

  ER_IB_MSG_LOG_FILE_SIZE_INVALID was added in 8.0.30.

- Error number: MY-012963; Symbol: ER_IB_MSG_1138; SQLSTATE: HY000

  Message: Log file %s is of different size %llu bytes than other log files %llu bytes!

  ER_IB_MSG_1138 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012963; Symbol: ER_IB_MSG_LOG_FILES_DIFFERENT_SIZES; SQLSTATE: HY000

  Message: The redo log file %s is of different size %llu bytes than other log files %llu bytes!

  ER_IB_MSG_LOG_FILES_DIFFERENT_SIZES was added in 8.0.30.

- Error number: MY-012964; Symbol: ER_IB_MSG_1139; SQLSTATE: HY000

  Message: Use --innodb-directories to find the tablespace files. If that fails then use --innodb-force-recovery=1 to ignore this and to permanently lose all changes to the missing tablespace(s)

ER_IB_MSG_1139 was added in 8.0.11.

- Error number: MY-012965; Symbol: ER_IB_MSG_1140; SQLSTATE: HY000

  Message: The log file may have been corrupt and it is possible that the log scan or parsing did not proceed far enough in recovery. Please run CHECK TABLE on your InnoDB tables to check that they are ok! It may be safest to recover your InnoDB database from a backup!

  ER_IB_MSG_1140 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012965; Symbol: ER_IB_MSG_RECOVERY_CORRUPT; SQLSTATE: HY000

  Message: The redo log file may have been corrupt and it is possible that the log scan or parsing did not proceed far enough in recovery. Please run CHECK TABLE on your InnoDB tables to check that they are ok! It may be safest to recover your InnoDB database from a backup!

  ER_IB_MSG_RECOVERY_CORRUPT was added in 8.0.30.

- Error number: MY-012966; Symbol: ER_IB_MSG_1141; SQLSTATE: HY000

  Message: Cannot resize log files in read-only mode.

  ER_IB_MSG_1141 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012966; Symbol: ER_IB_MSG_LOG_FILES_RESIZE_ON_START_IN_READ_ONLY_MODE; SQLSTATE: HY000

  Message: Cannot resize redo log files in read-only mode. Provide --innodb_redo_log_capacity >= %lluMB or start without --innodb-read-only.

  ER_IB_MSG_LOG_FILES_RESIZE_ON_START_IN_READ_ONLY_MODE was added in 8.0.30, removed after 8.0.32.

- Error number: MY-012967; Symbol: ER_IB_MSG_1142; SQLSTATE: HY000

  Message: Cannot open DD tablespace.

  ER_IB_MSG_1142 was added in 8.0.11.

- Error number: MY-012968; Symbol: ER_IB_MSG_1143; SQLSTATE: HY000

  Message: Starting to delete and rewrite log files.

  ER_IB_MSG_1143 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-012968; Symbol: ER_IB_MSG_LOG_FILES_REWRITING; SQLSTATE: HY000

  Message: Starting to delete and rewrite redo log files.

  ER_IB_MSG_LOG_FILES_REWRITING was added in 8.0.30.

- Error number: MY-012969; Symbol: ER_IB_MSG_1144; SQLSTATE: HY000

  Message: Undo from 5.7 found. It will be purged

  ER_IB_MSG_1144 was added in 8.0.11.

- Error number: MY-012970; Symbol: ER_IB_MSG_1145; SQLSTATE: HY000

Message: %s

ER_IB_MSG_1145 was added in 8.0.11.

- Error number: MY-012971; Symbol: ER_IB_MSG_1146; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1146 was added in 8.0.11.

- Error number: MY-012972; Symbol: ER_IB_MSG_1147; SQLSTATE: HY000

  Message: Tablespace size stored in header is %lu pages, but the sum of data file sizes is %lu pages

  ER_IB_MSG_1147 was added in 8.0.11.

- Error number: MY-012973; Symbol: ER_IB_MSG_1148; SQLSTATE: HY000

  Message: Cannot start InnoDB. The tail of the system tablespace is missing. Have you edited innodb_data_file_path in my.cnf in an inappropriate way, removing ibdata files from there? You can set innodb_force_recovery=1 in my.cnf to force a startup if you are trying to recover a badly corrupt database.

  ER_IB_MSG_1148 was added in 8.0.11.

- Error number: MY-012974; Symbol: ER_IB_MSG_1149; SQLSTATE: HY000

  Message: Tablespace size stored in header is %lu pages, but the sum of data file sizes is only %lu pages

  ER_IB_MSG_1149 was added in 8.0.11.

- Error number: MY-012975; Symbol: ER_IB_MSG_1150; SQLSTATE: HY000

  Message: Cannot start InnoDB. The tail of the system tablespace is missing. Have you edited innodb_data_file_path in my.cnf in an InnoDB: inappropriate way, removing ibdata files from there? You can set innodb_force_recovery=1 in my.cnf to force InnoDB: a startup if you are trying to recover a badly corrupt database.

  ER_IB_MSG_1150 was added in 8.0.11.

- Error number: MY-012976; Symbol: ER_IB_MSG_1151; SQLSTATE: HY000

  Message: %s started; log sequence number %llu

  ER_IB_MSG_1151 was added in 8.0.11.

- Error number: MY-012977; Symbol: ER_IB_MSG_1152; SQLSTATE: HY000

  Message: Waiting for purge to complete

  ER_IB_MSG_1152 was added in 8.0.11.

- Error number: MY-012978; Symbol: ER_IB_MSG_1153; SQLSTATE: HY000

  Message: Waiting for dict_stats_thread to exit

  ER_IB_MSG_1153 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012979; Symbol: ER_IB_MSG_1154; SQLSTATE: HY000

  Message: Query counter shows %lld queries still inside InnoDB at shutdown

  ER_IB_MSG_1154 was added in 8.0.11.
- Error number: MY-012980; Symbol: ER_IB_MSG_1155; SQLSTATE: HY000

  Message: Shutdown completed; log sequence number %llu

  ER_IB_MSG_1155 was added in 8.0.11.
- Error number: MY-012981; Symbol: ER_IB_MSG_1156; SQLSTATE: HY000

  Message: Cannot continue operation.

  ER_IB_MSG_1156 was added in 8.0.11.
- Error number: MY-012982; Symbol: ER_IB_MSG_1157; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1157 was added in 8.0.11.
- Error number: MY-012983; Symbol: ER_IB_MSG_1158; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1158 was added in 8.0.11.
- Error number: MY-012984; Symbol: ER_IB_MSG_1159; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1159 was added in 8.0.11.
- Error number: MY-012985; Symbol: ER_IB_MSG_1160; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1160 was added in 8.0.11.
- Error number: MY-012986; Symbol: ER_IB_MSG_1161; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1161 was added in 8.0.11.
- Error number: MY-012987; Symbol: ER_IB_MSG_1162; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1162 was added in 8.0.11.
- Error number: MY-012988; Symbol: ER_IB_MSG_1163; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1163 was added in 8.0.11.

- Error number: MY-012989; Symbol: ER_IB_MSG_1164; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1164 was added in 8.0.11.

- Error number: MY-012990; Symbol: ER_IB_MSG_1165; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1165 was added in 8.0.11.

- Error number: MY-012991; Symbol: ER_IB_MSG_1166; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1166 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012991; Symbol: ER_IB_MSG_UNDO_TRUNCATE_FAIL_TO_READ_LOG_FILE; SQLSTATE: HY000

  Message: Unable to read the existing undo truncate log file '%s'. The error is %s

  ER_IB_MSG_UNDO_TRUNCATE_FAIL_TO_READ_LOG_FILE was added in 8.0.21.

- Error number: MY-012992; Symbol: ER_IB_MSG_1167; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1167 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012992; Symbol: ER_IB_MSG_UNDO_MARKED_FOR_TRUNCATE; SQLSTATE: HY000

  Message: Undo tablespace %s is marked for truncate

  ER_IB_MSG_UNDO_MARKED_FOR_TRUNCATE was added in 8.0.21.

- Error number: MY-012993; Symbol: ER_IB_MSG_1168; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1168 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012994; Symbol: ER_IB_MSG_1169; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1169 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012994; Symbol: ER_IB_MSG_UNDO_TRUNCATE_START; SQLSTATE: HY000

  Message: Truncating UNDO tablespace %s

  ER_IB_MSG_UNDO_TRUNCATE_START was added in 8.0.21.

- Error number: MY-012995; Symbol: ER_IB_MSG_1170; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1170 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012996; Symbol: ER_IB_MSG_1171; SQLSTATE: HY000

  Message: Cannot create truncate log for undo tablespace '%s'.

  ER_IB_MSG_1171 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012996; Symbol: ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_LOG_CREATE; SQLSTATE: HY000

  Message: Cannot create truncate log for undo tablespace '%s'.

  ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_LOG_CREATE was added in 8.0.21.

- Error number: MY-012997; Symbol: ER_IB_MSG_1172; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1172 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012998; Symbol: ER_IB_MSG_1173; SQLSTATE: HY000

  Message: Failed to truncate undo tablespace '%s'.

  ER_IB_MSG_1173 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-012998; Symbol: ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_FAILURE; SQLSTATE: HY000

  Message: Failed to truncate undo tablespace '%s'.

  ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_FAILURE was added in 8.0.21.

- Error number: MY-012999; Symbol: ER_IB_MSG_1174; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1174 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-013000; Symbol: ER_IB_MSG_1175; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1175 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-013000; Symbol: ER_IB_MSG_UNDO_TRUNCATE_COMPLETE; SQLSTATE: HY000

  Message: Completed truncate of undo tablespace %s.

  ER_IB_MSG_UNDO_TRUNCATE_COMPLETE was added in 8.0.21.

- Error number: MY-013001; Symbol: ER_IB_MSG_1176; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1176 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-013002; Symbol: ER_IB_MSG_1177; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_1177 was added in 8.0.11.

- Error number: MY-013003; Symbol: ER_IB_MSG_1178; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1178 was added in 8.0.11.
- Error number: MY-013004; Symbol: ER_IB_MSG_1179; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1179 was added in 8.0.11.
- Error number: MY-013005; Symbol: ER_IB_MSG_1180; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1180 was added in 8.0.11.
- Error number: MY-013006; Symbol: ER_IB_MSG_1181; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1181 was added in 8.0.11.
- Error number: MY-013007; Symbol: ER_IB_MSG_1182; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1182 was added in 8.0.11.
- Error number: MY-013008; Symbol: ER_IB_MSG_1183; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1183 was added in 8.0.11.
- Error number: MY-013009; Symbol: ER_IB_MSG_1184; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1184 was added in 8.0.11.
- Error number: MY-013010; Symbol: ER_IB_MSG_1185; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1185 was added in 8.0.11.
- Error number: MY-013011; Symbol: ER_IB_MSG_1186; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1186 was added in 8.0.11.
- Error number: MY-013012; Symbol: ER_IB_MSG_1187; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_1187 was added in 8.0.11.

- Error number: MY-013013; Symbol: ER_IB_MSG_1188; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1188 was added in 8.0.11.

- Error number: MY-013014; Symbol: ER_IB_MSG_1189; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1189 was added in 8.0.11.

- Error number: MY-013015; Symbol: ER_IB_MSG_1190; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1190 was added in 8.0.11, removed after 8.0.20.

- Error number: MY-013015; Symbol: ER_IB_MSG_TRX_RECOVERY_ROLLBACK_COMPLETED; SQLSTATE: HY000

  Message: Rollback of non-prepared transactions completed

  ER_IB_MSG_TRX_RECOVERY_ROLLBACK_COMPLETED was added in 8.0.21.

- Error number: MY-013016; Symbol: ER_IB_MSG_1191; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1191 was added in 8.0.11.

- Error number: MY-013017; Symbol: ER_IB_MSG_1192; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1192 was added in 8.0.11.

- Error number: MY-013018; Symbol: ER_IB_MSG_1193; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1193 was added in 8.0.11.

- Error number: MY-013019; Symbol: ER_IB_MSG_1194; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1194 was added in 8.0.11.

- Error number: MY-013020; Symbol: ER_IB_MSG_1195; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1195 was added in 8.0.11.

- Error number: MY-013021; Symbol: ER_IB_MSG_1196; SQLSTATE: HY000

Message: %s

ER_IB_MSG_1196 was added in 8.0.11.

- Error number: MY-013022; Symbol: ER_IB_MSG_1197; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1197 was added in 8.0.11.

- Error number: MY-013023; Symbol: ER_IB_MSG_1198; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1198 was added in 8.0.11.

- Error number: MY-013024; Symbol: ER_IB_MSG_1199; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1199 was added in 8.0.11.

- Error number: MY-013025; Symbol: ER_IB_MSG_1200; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1200 was added in 8.0.11.

- Error number: MY-013026; Symbol: ER_IB_MSG_1201; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1201 was added in 8.0.11.

- Error number: MY-013027; Symbol: ER_IB_MSG_1202; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1202 was added in 8.0.11.

- Error number: MY-013028; Symbol: ER_IB_MSG_1203; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1203 was added in 8.0.11.

- Error number: MY-013029; Symbol: ER_IB_MSG_1204; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1204 was added in 8.0.11.

- Error number: MY-013030; Symbol: ER_IB_MSG_1205; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1205 was added in 8.0.11.

- Error number: MY-013031; Symbol: ER_IB_MSG_1206; SQLSTATE: HY000

Message: %s

ER_IB_MSG_1206 was added in 8.0.11.

- Error number: MY-013032; Symbol: ER_IB_MSG_1207; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1207 was added in 8.0.11.

- Error number: MY-013033; Symbol: ER_IB_MSG_1208; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1208 was added in 8.0.11.

- Error number: MY-013034; Symbol: ER_IB_MSG_1209; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1209 was added in 8.0.11.

- Error number: MY-013035; Symbol: ER_IB_MSG_1210; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1210 was added in 8.0.11.

- Error number: MY-013036; Symbol: ER_IB_MSG_1211; SQLSTATE: HY000

  Message: Blocked High Priority Transaction (ID %llu, Thread ID %s) killed the blocking transaction (ID %llu - %s) by rolling it back.

  ER_IB_MSG_1211 was added in 8.0.11.

- Error number: MY-013037; Symbol: ER_IB_MSG_1212; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1212 was added in 8.0.11.

- Error number: MY-013038; Symbol: ER_IB_MSG_1213; SQLSTATE: HY000

  Message: gettimeofday() failed: %s

  ER_IB_MSG_1213 was added in 8.0.11.

- Error number: MY-013039; Symbol: ER_IB_MSG_1214; SQLSTATE: HY000

  Message: Can't create UNDO tablespace %s %s

  ER_IB_MSG_1214 was added in 8.0.11.

- Error number: MY-013040; Symbol: ER_IB_MSG_1215; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1215 was added in 8.0.11.

- Error number: MY-013041; Symbol: ER_IB_MSG_1216; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1216 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-013041; Symbol: ER_IB_MSG_LOG_FILES_RESIZE_ON_START; SQLSTATE: HY000

  Message: Resizing redo log from %lluM to %lluM (LSN=%llu) synchronously. If this takes too long, consider starting the server with large --innodb_redo_log_capacity, and resizing the redo log online using SET.

  ER_IB_MSG_LOG_FILES_RESIZE_ON_START was added in 8.0.30.

- Error number: MY-013042; Symbol: ER_IB_MSG_1217; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1217 was added in 8.0.11.

- Error number: MY-013043; Symbol: ER_IB_MSG_1218; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1218 was added in 8.0.11.

- Error number: MY-013044; Symbol: ER_IB_MSG_1219; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1219 was added in 8.0.11.

- Error number: MY-013045; Symbol: ER_IB_MSG_1220; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1220 was added in 8.0.11.

- Error number: MY-013046; Symbol: ER_IB_MSG_1221; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1221 was added in 8.0.11.

- Error number: MY-013047; Symbol: ER_IB_MSG_1222; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1222 was added in 8.0.11.

- Error number: MY-013048; Symbol: ER_IB_MSG_1223; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1223 was added in 8.0.11.

- Error number: MY-013049; Symbol: ER_IB_MSG_1224; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_1224 was added in 8.0.11.

- Error number: MY-013050; Symbol: ER_IB_MSG_1225; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1225 was added in 8.0.11.

- Error number: MY-013051; Symbol: ER_IB_MSG_1226; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1226 was added in 8.0.11.

- Error number: MY-013052; Symbol: ER_IB_MSG_1227; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1227 was added in 8.0.11.

- Error number: MY-013053; Symbol: ER_IB_MSG_1228; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1228 was added in 8.0.11.

- Error number: MY-013054; Symbol: ER_IB_MSG_1229; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1229 was added in 8.0.11.

- Error number: MY-013055; Symbol: ER_IB_MSG_1230; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1230 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-013056; Symbol: ER_IB_MSG_1231; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1231 was added in 8.0.11.

- Error number: MY-013057; Symbol: ER_IB_MSG_1232; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1232 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-013058; Symbol: ER_IB_MSG_1233; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1233 was added in 8.0.11.

- Error number: MY-013059; Symbol: ER_IB_MSG_1234; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_1234 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-013059; Symbol: ER_IB_MSG_LOG_WRITER_OUT_OF_SPACE; SQLSTATE: HY000

  Message: Out of space in the redo log. Checkpoint LSN: %llu. Consider increasing innodb_redo_log_capacity.

  ER_IB_MSG_LOG_WRITER_OUT_OF_SPACE was added in 8.0.30.

- Error number: MY-013060; Symbol: ER_IB_MSG_1235; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1235 was added in 8.0.11.

- Error number: MY-013061; Symbol: ER_IB_MSG_1236; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1236 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-013061; Symbol: ER_IB_MSG_LOG_WRITER_ABORTS_LOG_ARCHIVER; SQLSTATE: HY000

  Message: Log writer waited too long for redo-archiver to advance (1 second). There are unarchived: %llu bytes. Archiver LSN: %llu. Aborted the redo-archiver. Consider increasing innodb_redo_log_capacity.

  ER_IB_MSG_LOG_WRITER_ABORTS_LOG_ARCHIVER was added in 8.0.30.

- Error number: MY-013062; Symbol: ER_IB_MSG_1237; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1237 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-013062; Symbol: ER_IB_MSG_LOG_WRITER_WAITING_FOR_ARCHIVER; SQLSTATE: HY000

  Message: Log writer is waiting for redo-archiver to catch up unarchived: %llu bytes. Archiver LSN: %llu. Consider increasing innodb_redo_log_capacity.

  ER_IB_MSG_LOG_WRITER_WAITING_FOR_ARCHIVER was added in 8.0.30.

- Error number: MY-013063; Symbol: ER_IB_MSG_1238; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1238 was added in 8.0.11.

- Error number: MY-013064; Symbol: ER_IB_MSG_1239; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1239 was added in 8.0.11.

- Error number: MY-013065; Symbol: ER_IB_MSG_1240; SQLSTATE: HY000

  Message: %s

ER_IB_MSG_1240 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-013066; Symbol: ER_IB_MSG_1241; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1241 was added in 8.0.11.

- Error number: MY-013067; Symbol: ER_IB_MSG_1242; SQLSTATE: HY000

  Message: Can't set redo log tablespace to be encrypted in read-only mode.

  ER_IB_MSG_1242 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-013067; Symbol: ER_IB_MSG_LOG_FILES_CANNOT_ENCRYPT_IN_READ_ONLY; SQLSTATE: HY000

  Message: Can't set redo log files to be encrypted in read-only mode.

  ER_IB_MSG_LOG_FILES_CANNOT_ENCRYPT_IN_READ_ONLY was added in 8.0.30.

- Error number: MY-013068; Symbol: ER_IB_MSG_1243; SQLSTATE: HY000

  Message: Can't set redo log tablespace to be encrypted.

  ER_IB_MSG_1243 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-013068; Symbol: ER_IB_MSG_LOG_FILES_ENCRYPTION_INIT_FAILED; SQLSTATE: HY000

  Message: Can't set redo log files to be encrypted.

  ER_IB_MSG_LOG_FILES_ENCRYPTION_INIT_FAILED was added in 8.0.30.

- Error number: MY-013069; Symbol: ER_IB_MSG_1244; SQLSTATE: HY000

  Message: Can't set redo log tablespace to be encrypted.

  ER_IB_MSG_1244 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-013070; Symbol: ER_IB_MSG_1245; SQLSTATE: HY000

  Message: Redo log encryption is enabled.

  ER_IB_MSG_1245 was added in 8.0.11.

- Error number: MY-013071; Symbol: ER_IB_MSG_1246; SQLSTATE: HY000

  Message: Waiting for archiver to finish archiving page and log

  ER_IB_MSG_1246 was added in 8.0.11.

- Error number: MY-013072; Symbol: ER_IB_MSG_1247; SQLSTATE: HY000

  Message: Starting shutdown...

  ER_IB_MSG_1247 was added in 8.0.11.

- Error number: MY-013073; Symbol: ER_IB_MSG_1248; SQLSTATE: HY000

Message: Waiting for %s to exit.

ER_IB_MSG_1248 was added in 8.0.11.

- Error number: MY-013074; Symbol: ER_IB_MSG_1249; SQLSTATE: HY000

  Message: Waiting for rollback of %zu recovered transactions, before shutdown.

  ER_IB_MSG_1249 was added in 8.0.11.

- Error number: MY-013075; Symbol: ER_IB_MSG_1250; SQLSTATE: HY000

  Message: Waiting for master thread to be suspended.

  ER_IB_MSG_1250 was added in 8.0.11.

- Error number: MY-013076; Symbol: ER_IB_MSG_1251; SQLSTATE: HY000

  Message: Waiting for page_cleaner to finish flushing of buffer pool.

  ER_IB_MSG_1251 was added in 8.0.11.

- Error number: MY-013077; Symbol: ER_IB_MSG_1252; SQLSTATE: HY000

  Message: Waiting for %lu buffer page I/Os to complete.

  ER_IB_MSG_1252 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-013077; Symbol: ER_IB_MSG_BUF_PENDING_IO_ON_SHUTDOWN; SQLSTATE: HY000

  Message: Shutdown is waiting for %zu buffer page I/Os to complete.

  ER_IB_MSG_BUF_PENDING_IO_ON_SHUTDOWN was added in 8.0.30.

- Error number: MY-013078; Symbol: ER_IB_MSG_1253; SQLSTATE: HY000

  Message: MySQL has requested a very fast shutdown without flushing the InnoDB buffer pool to data files. At the next mysqld startup InnoDB will do a crash recovery!

  ER_IB_MSG_1253 was added in 8.0.11.

- Error number: MY-013079; Symbol: ER_IB_MSG_1254; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1254 was added in 8.0.11, removed after 8.0.13.

- Error number: MY-013080; Symbol: ER_IB_MSG_1255; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1255 was added in 8.0.11.

- Error number: MY-013081; Symbol: ER_IB_MSG_1256; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1256 was added in 8.0.11.

- Error number: MY-013082; Symbol: ER_IB_MSG_1257; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1257 was added in 8.0.11.

- Error number: MY-013083; Symbol: ER_IB_MSG_1258; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1258 was added in 8.0.11.

- Error number: MY-013084; Symbol: ER_IB_MSG_1259; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1259 was added in 8.0.11.

- Error number: MY-013085; Symbol: ER_IB_MSG_1260; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1260 was added in 8.0.11.

- Error number: MY-013086; Symbol: ER_IB_MSG_1261; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1261 was added in 8.0.11.

- Error number: MY-013087; Symbol: ER_IB_MSG_1262; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1262 was added in 8.0.11.

- Error number: MY-013088; Symbol: ER_IB_MSG_1263; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1263 was added in 8.0.11.

- Error number: MY-013089; Symbol: ER_IB_MSG_1264; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1264 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-013089; Symbol: ER_IB_MSG_LOG_FILE_HEADER_INVALID_CHECKSUM; SQLSTATE: HY000

  Message: Invalid redo log header checksum.

  ER_IB_MSG_LOG_FILE_HEADER_INVALID_CHECKSUM was added in 8.0.30.

- Error number: MY-013090; Symbol: ER_IB_MSG_1265; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1265 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-013090; Symbol: ER_IB_MSG_LOG_FORMAT_BEFORE_5_7_9; SQLSTATE: HY000

  Message: Unsupported redo log format (v%lu). The redo log was created before MySQL 5.7.9

  ER_IB_MSG_LOG_FORMAT_BEFORE_5_7_9 was added in 8.0.30.

- Error number: MY-013091; Symbol: ER_IB_MSG_1266; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1266 was added in 8.0.11.

- Error number: MY-013092; Symbol: ER_IB_MSG_1267; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1267 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-013092; Symbol: ER_IB_MSG_LOG_PARAMS_CONCURRENCY_MARGIN_UNSAFE; SQLSTATE: HY000

  Message: Cannot continue operation. The innodb_redo_log_capacity=%lluM is too small for the innodb_thread_concurrency=%lu. The capacity of redo should be >= %lluM. To get mysqld running, set innodb_thread_concurrency to a smaller value or increase innodb_redo_log_capacity. %s

  ER_IB_MSG_LOG_PARAMS_CONCURRENCY_MARGIN_UNSAFE was added in 8.0.30.

- Error number: MY-013093; Symbol: ER_IB_MSG_1268; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1268 was added in 8.0.11.

- Error number: MY-013094; Symbol: ER_IB_MSG_1269; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1269 was added in 8.0.11.

- Error number: MY-013095; Symbol: ER_IB_MSG_1270; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1270 was added in 8.0.11, removed after 8.0.29.

- Error number: MY-013095; Symbol: ER_IB_MSG_THREAD_CONCURRENCY_CHANGED; SQLSTATE: HY000

  Message: User has set innodb_thread_concurrency to %lu.

  ER_IB_MSG_THREAD_CONCURRENCY_CHANGED was added in 8.0.30.

- Error number: MY-013096; Symbol: ER_RPL_SLAVE_SQL_THREAD_STOP_CMD_EXEC_TIMEOUT; SQLSTATE: HY000

  Message: STOP SLAVE command execution is incomplete: Slave SQL thread got the stop signal, thread is busy, SQL thread will stop once the current task is complete.

  ER_RPL_SLAVE_SQL_THREAD_STOP_CMD_EXEC_TIMEOUT was added in 8.0.11, removed after 8.0.32.

- Error number: MY-013096; Symbol: ER_RPL_REPLICA_SQL_THREAD_STOP_CMD_EXEC_TIMEOUT; SQLSTATE: HY000

  Message: STOP REPLICA command execution is incomplete: Replica SQL thread got the stop signal, thread is busy, SQL thread will stop once the current task is complete.

  ER_RPL_REPLICA_SQL_THREAD_STOP_CMD_EXEC_TIMEOUT was added in 8.0.33.

- Error number: MY-013097; Symbol: ER_RPL_SLAVE_IO_THREAD_STOP_CMD_EXEC_TIMEOUT; SQLSTATE: HY000

  Message: STOP SLAVE command execution is incomplete: Slave IO thread got the stop signal, thread is busy, IO thread will stop once the current task is complete.

  ER_RPL_SLAVE_IO_THREAD_STOP_CMD_EXEC_TIMEOUT was added in 8.0.11, removed after 8.0.32.

- Error number: MY-013097; Symbol: ER_RPL_REPLICA_IO_THREAD_STOP_CMD_EXEC_TIMEOUT; SQLSTATE: HY000

  Message: STOP REPLICA command execution is incomplete: Replica IO thread got the stop signal, thread is busy, IO thread will stop once the current task is complete.

  ER_RPL_REPLICA_IO_THREAD_STOP_CMD_EXEC_TIMEOUT was added in 8.0.33.

- Error number: MY-013098; Symbol: ER_RPL_GTID_UNSAFE_STMT_ON_NON_TRANS_TABLE; SQLSTATE: HY000

  Message: Statement violates GTID consistency: Updates to non-transactional tables can only be done in either autocommitted statements or single-statement transactions, and never in the same statement as updates to transactional tables.

  ER_RPL_GTID_UNSAFE_STMT_ON_NON_TRANS_TABLE was added in 8.0.11.

- Error number: MY-013099; Symbol: ER_RPL_GTID_UNSAFE_STMT_CREATE_SELECT; SQLSTATE: HY000

  Message: Statement violates GTID consistency: CREATE TABLE ... SELECT.

  ER_RPL_GTID_UNSAFE_STMT_CREATE_SELECT was added in 8.0.11.

- Error number: MY-013100; Symbol: ER_RPL_GTID_UNSAFE_STMT_ON_TEMPORARY_TABLE; SQLSTATE: HY000

  Message: Statement violates GTID consistency: CREATE TEMPORARY TABLE and DROP TEMPORARY TABLE can only be executed outside transactional context. These statements are also not allowed in a function or trigger because functions and triggers are also considered to be multi-statement transactions.

  ER_RPL_GTID_UNSAFE_STMT_ON_TEMPORARY_TABLE was added in 8.0.11, removed after 8.0.12.

- Error number: MY-013101; Symbol: ER_BINLOG_ROW_VALUE_OPTION_IGNORED; SQLSTATE: HY000

  Message: When %s, the option binlog_row_value_options=%s will be ignored and updates will be written in full format to binary log.

  ER_BINLOG_ROW_VALUE_OPTION_IGNORED was added in 8.0.11.

- Error number: MY-013102; Symbol: ER_BINLOG_USE_V1_ROW_EVENTS_IGNORED; SQLSTATE: HY000

  Message: When %s, the option log_bin_use_v1_row_events=1 will be ignored and row events will be written in new format to binary log.

  ER_BINLOG_USE_V1_ROW_EVENTS_IGNORED was added in 8.0.11.

- Error number: MY-013103; Symbol: ER_BINLOG_ROW_VALUE_OPTION_USED_ONLY_FOR_AFTER_IMAGES; SQLSTATE: HY000

  Message: When %s, the option binlog_row_value_options=%s will be used only for the after-image. Full values will be written in the before-image, so the saving in disk space due to binlog_row_value_options is limited to less than 50%%.

  ER_BINLOG_ROW_VALUE_OPTION_USED_ONLY_FOR_AFTER_IMAGES was added in 8.0.11.

- Error number: MY-013104; Symbol: ER_CONNECTION_ABORTED; SQLSTATE: HY000

  Message: Aborted connection %u to db: '%s' user: '%s' host: '%s' (%s).

  ER_CONNECTION_ABORTED was added in 8.0.11.

- Error number: MY-013105; Symbol: ER_NORMAL_SERVER_SHUTDOWN; SQLSTATE: HY000

  Message: %s: Normal shutdown.

  ER_NORMAL_SERVER_SHUTDOWN was added in 8.0.11.

- Error number: MY-013106; Symbol: ER_KEYRING_MIGRATE_FAILED; SQLSTATE: HY000

  Message: Can not perform keyring migration : %s.

  ER_KEYRING_MIGRATE_FAILED was added in 8.0.11.

- Error number: MY-013107; Symbol: ER_GRP_RPL_LOWER_CASE_TABLE_NAMES_DIFF_FROM_GRP; SQLSTATE: HY000

  Message: The member is configured with a lower_case_table_names option value '%u' different from the group '%u'. The member will now exit the group. If there is existing data on member, it may be incompatible with group if it was created with a lower_case_table_names value different from the group.

  ER_GRP_RPL_LOWER_CASE_TABLE_NAMES_DIFF_FROM_GRP was added in 8.0.11.

- Error number: MY-013108; Symbol: ER_OOM_SAVE_GTIDS; SQLSTATE: HY000

  Message: An out-of-memory error occurred while saving the set of GTIDs from the last binary log into the mysql.gtid_executed table

  ER_OOM_SAVE_GTIDS was added in 8.0.11.

- Error number: MY-013109; Symbol: ER_LCTN_NOT_FOUND; SQLSTATE: HY000

  Message: The lower_case_table_names setting for the data dictionary was not found. Starting the server using lower_case_table_names = '%u'.

  ER_LCTN_NOT_FOUND was added in 8.0.11.

- Error number: MY-013111; Symbol: ER_COMPONENT_FILTER_WRONG_VALUE; SQLSTATE: HY000

Message: Variable '%s' can't be set to the value of '%s'

ER_COMPONENT_FILTER_WRONG_VALUE was added in 8.0.11.

- Error number: MY-013112; Symbol: ER_XPLUGIN_FAILED_TO_STOP_SERVICES; SQLSTATE: HY000

  Message: Stopping services failed with error "%s"

  ER_XPLUGIN_FAILED_TO_STOP_SERVICES was added in 8.0.11.

- Error number: MY-013113; Symbol: ER_INCONSISTENT_ERROR; SQLSTATE: HY000

  Message: Query caused different errors on source and replica. Error on source: message (format)='%s' error code=%d; Error on replica:actual message='%s', error code=%d. Default database:'%s'. Query:'%s'

- Error number: MY-013114; Symbol: ER_SERVER_MASTER_FATAL_ERROR_READING_BINLOG; SQLSTATE: HY000

  Message: Got fatal error %d from master when reading data from binary log: '%s'

  ER_SERVER_MASTER_FATAL_ERROR_READING_BINLOG was added in 8.0.11, removed after 8.0.32.

- Error number: MY-013114; Symbol: ER_SERVER_SOURCE_FATAL_ERROR_READING_BINLOG; SQLSTATE: HY000

  Message: Got fatal error %d from source when reading data from binary log: '%s'

  ER_SERVER_SOURCE_FATAL_ERROR_READING_BINLOG was added in 8.0.33.

- Error number: MY-013115; Symbol: ER_NETWORK_READ_EVENT_CHECKSUM_FAILURE; SQLSTATE: HY000

  Message: Replication event checksum verification failed while reading from network.

- Error number: MY-013116; Symbol: ER_SLAVE_CREATE_EVENT_FAILURE; SQLSTATE: HY000

  Message: Failed to create %s

  ER_SLAVE_CREATE_EVENT_FAILURE was removed after 8.0.32.

- Error number: MY-013116; Symbol: ER_REPLICA_CREATE_EVENT_FAILURE; SQLSTATE: HY000

  Message: Failed to create %s

  ER_REPLICA_CREATE_EVENT_FAILURE was added in 8.0.33.

- Error number: MY-013117; Symbol: ER_SLAVE_FATAL_ERROR; SQLSTATE: HY000

  Message: Fatal error: %s

  ER_SLAVE_FATAL_ERROR was removed after 8.0.32.

- Error number: MY-013117; Symbol: ER_REPLICA_FATAL_ERROR; SQLSTATE: HY000

  Message: Fatal error: %s

  ER_REPLICA_FATAL_ERROR was added in 8.0.33.

- Error number: MY-013118; Symbol: ER_SLAVE_HEARTBEAT_FAILURE; SQLSTATE: HY000

Message: Unexpected master's heartbeat data: %s

ER_SLAVE_HEARTBEAT_FAILURE was removed after 8.0.32.

- Error number: MY-013118; Symbol: ER_REPLICA_HEARTBEAT_FAILURE; SQLSTATE: HY000

  Message: Unexpected source's heartbeat data: %s

  ER_REPLICA_HEARTBEAT_FAILURE was added in 8.0.33.

- Error number: MY-013119; Symbol: ER_SLAVE_INCIDENT; SQLSTATE: HY000

  Message: The incident %s occurred on the master. Message: %s

  ER_SLAVE_INCIDENT was removed after 8.0.32.

- Error number: MY-013119; Symbol: ER_REPLICA_INCIDENT; SQLSTATE: HY000

  Message: The incident %s occurred on the source. Message: %s

  ER_REPLICA_INCIDENT was added in 8.0.33.

- Error number: MY-013120; Symbol: ER_SLAVE_MASTER_COM_FAILURE; SQLSTATE: HY000

  Message: Master command %s failed: %s

  ER_SLAVE_MASTER_COM_FAILURE was removed after 8.0.32.

- Error number: MY-013120; Symbol: ER_REPLICA_SOURCE_COM_FAILURE; SQLSTATE: HY000

  Message: Source command %s failed: %s

  ER_REPLICA_SOURCE_COM_FAILURE was added in 8.0.33.

- Error number: MY-013121; Symbol: ER_SLAVE_RELAY_LOG_READ_FAILURE; SQLSTATE: HY000

  Message: Relay log read failure: %s

  ER_SLAVE_RELAY_LOG_READ_FAILURE was removed after 8.0.32.

- Error number: MY-013121; Symbol: ER_REPLICA_RELAY_LOG_READ_FAILURE; SQLSTATE: HY000

  Message: Relay log read failure: %s

  ER_REPLICA_RELAY_LOG_READ_FAILURE was added in 8.0.33.

- Error number: MY-013122; Symbol: ER_SLAVE_RELAY_LOG_WRITE_FAILURE; SQLSTATE: HY000

  Message: Relay log write failure: %s

  ER_SLAVE_RELAY_LOG_WRITE_FAILURE was removed after 8.0.32.

- Error number: MY-013122; Symbol: ER_REPLICA_RELAY_LOG_WRITE_FAILURE; SQLSTATE: HY000

  Message: Relay log write failure: %s

  ER_REPLICA_RELAY_LOG_WRITE_FAILURE was added in 8.0.33.

- Error number: MY-013123; Symbol: ER_SERVER_SLAVE_MI_INIT_REPOSITORY; SQLSTATE: HY000

Message: Slave failed to initialize master info structure from the repository

ER_SERVER_SLAVE_MI_INIT_REPOSITORY was added in 8.0.11, removed after 8.0.32.

- Error number: MY-013123; Symbol: ER_SERVER_REPLICA_CM_INIT_REPOSITORY; SQLSTATE: HY000

  Message: Replica failed to initialize connection metadata structure from the repository

  ER_SERVER_REPLICA_CM_INIT_REPOSITORY was added in 8.0.33.

- Error number: MY-013124; Symbol: ER_SERVER_SLAVE_RLI_INIT_REPOSITORY; SQLSTATE: HY000

  Message: Slave failed to initialize relay log info structure from the repository

  ER_SERVER_SLAVE_RLI_INIT_REPOSITORY was added in 8.0.11, removed after 8.0.32.

- Error number: MY-013124; Symbol: ER_SERVER_REPLICA_AM_INIT_REPOSITORY; SQLSTATE: HY000

  Message: Replica failed to initialize applier metadata structure from the repository

  ER_SERVER_REPLICA_AM_INIT_REPOSITORY was added in 8.0.33.

- Error number: MY-013125; Symbol: ER_SERVER_NET_PACKET_TOO_LARGE; SQLSTATE: HY000

  Message: Got a packet bigger than 'max_allowed_packet' bytes

  ER_SERVER_NET_PACKET_TOO_LARGE was added in 8.0.11.

- Error number: MY-013126; Symbol: ER_SERVER_NO_SYSTEM_TABLE_ACCESS; SQLSTATE: HY000

  Message: Access to %s '%s.%s' is rejected.

  ER_SERVER_NO_SYSTEM_TABLE_ACCESS was added in 8.0.11.

- Error number: MY-013127; Symbol: ER_SERVER_UNKNOWN_ERROR; SQLSTATE: HY000

  Message: Unknown error

  ER_SERVER_UNKNOWN_ERROR was added in 8.0.11, removed after 8.0.32.

- Error number: MY-013128; Symbol: ER_SERVER_UNKNOWN_SYSTEM_VARIABLE; SQLSTATE: HY000

  Message: Unknown system variable '%s'

  ER_SERVER_UNKNOWN_SYSTEM_VARIABLE was added in 8.0.11.

- Error number: MY-013129; Symbol: ER_SERVER_NO_SESSION_TO_SEND_TO; SQLSTATE: HY000

  Message: A message intended for a client cannot be sent there as no client-session is attached. Therefore, we're sending the information to the error-log instead: MY-%06d - %s

  ER_SERVER_NO_SESSION_TO_SEND_TO was added in 8.0.11.

- Error number: MY-013130; Symbol: ER_SERVER_NEW_ABORTING_CONNECTION; SQLSTATE: 08S01

  Message: Aborted connection %u to db: '%s' user: '%s' host: '%s' (%s; diagnostics area: MY-%06d - %s)

ER_SERVER_NEW_ABORTING_CONNECTION was added in 8.0.11.

- Error number: MY-013131; Symbol: ER_SERVER_OUT_OF_SORTMEMORY; SQLSTATE: HY000

  Message: Out of sort memory, consider increasing server sort buffer size!

  ER_SERVER_OUT_OF_SORTMEMORY was added in 8.0.11.

- Error number: MY-013132; Symbol: ER_SERVER_RECORD_FILE_FULL; SQLSTATE: HY000

  Message: The table '%s' is full!

  ER_SERVER_RECORD_FILE_FULL was added in 8.0.11.

- Error number: MY-013133; Symbol: ER_SERVER_DISK_FULL_NOWAIT; SQLSTATE: HY000

  Message: Create table/tablespace '%s' failed, as disk is full.

  ER_SERVER_DISK_FULL_NOWAIT was added in 8.0.11.

- Error number: MY-013134; Symbol: ER_SERVER_HANDLER_ERROR; SQLSTATE: HY000

  Message: Handler reported error %d - %s

  ER_SERVER_HANDLER_ERROR was added in 8.0.11.

- Error number: MY-013135; Symbol: ER_SERVER_NOT_FORM_FILE; SQLSTATE: HY000

  Message: Incorrect information in file: '%s'

  ER_SERVER_NOT_FORM_FILE was added in 8.0.11.

- Error number: MY-013136; Symbol: ER_SERVER_CANT_OPEN_FILE; SQLSTATE: HY000

  Message: Can't open file: '%s' (OS errno: %d - %s)

  ER_SERVER_CANT_OPEN_FILE was added in 8.0.11.

- Error number: MY-013137; Symbol: ER_SERVER_FILE_NOT_FOUND; SQLSTATE: HY000

  Message: Can't find file: '%s' (OS errno: %d - %s)

  ER_SERVER_FILE_NOT_FOUND was added in 8.0.11.

- Error number: MY-013138; Symbol: ER_SERVER_FILE_USED; SQLSTATE: HY000

  Message: '%s' is locked against change (OS errno: %d - %s)

  ER_SERVER_FILE_USED was added in 8.0.11.

- Error number: MY-013139; Symbol: ER_SERVER_CANNOT_LOAD_FROM_TABLE_V2; SQLSTATE: HY000

  Message: Cannot load from %s.%s. The table is probably corrupted!

  ER_SERVER_CANNOT_LOAD_FROM_TABLE_V2 was added in 8.0.11.

- Error number: MY-013140; Symbol: ER_ERROR_INFO_FROM_DA; SQLSTATE: HY000

Message: Error in diagnostics area: MY-%06d - %s

ER_ERROR_INFO_FROM_DA was added in 8.0.11.

- Error number: MY-013141; Symbol: ER_SERVER_TABLE_CHECK_FAILED; SQLSTATE: HY000

  Message: Incorrect definition of table %s.%s: expected column '%s' at position %d, found '%s'.

  ER_SERVER_TABLE_CHECK_FAILED was added in 8.0.11.

- Error number: MY-013142; Symbol: ER_SERVER_COL_COUNT_DOESNT_MATCH_PLEASE_UPDATE_V2; SQLSTATE: HY000

  Message: The column count of %s.%s is wrong. Expected %d, found %d. Created with MySQL %d, now running %d. Please perform the MySQL upgrade procedure.

  ER_SERVER_COL_COUNT_DOESNT_MATCH_PLEASE_UPDATE_V2 was added in 8.0.11.

- Error number: MY-013143; Symbol: ER_SERVER_COL_COUNT_DOESNT_MATCH_CORRUPTED_V2; SQLSTATE: HY000

  Message: Column count of %s.%s is wrong. Expected %d, found %d. The table is probably corrupted

  ER_SERVER_COL_COUNT_DOESNT_MATCH_CORRUPTED_V2 was added in 8.0.11.

- Error number: MY-013144; Symbol: ER_SERVER_ACL_TABLE_ERROR; SQLSTATE: HY000

  Message:

  ER_SERVER_ACL_TABLE_ERROR was added in 8.0.11.

- Error number: MY-013145; Symbol: ER_SERVER_SLAVE_INIT_QUERY_FAILED; SQLSTATE: HY000

  Message: Slave SQL thread aborted. Can't execute init_replica query, MY-%06d - '%s'

  ER_SERVER_SLAVE_INIT_QUERY_FAILED was added in 8.0.11, removed after 8.0.32.

- Error number: MY-013145; Symbol: ER_SERVER_REPLICA_INIT_QUERY_FAILED; SQLSTATE: HY000

  Message: Replica SQL thread aborted. Can't execute init_replica query, MY-%06d - '%s'

  ER_SERVER_REPLICA_INIT_QUERY_FAILED was added in 8.0.33.

- Error number: MY-013146; Symbol: ER_SERVER_SLAVE_CONVERSION_FAILED; SQLSTATE: HY000

  Message: Column %d of table '%s.%s' cannot be converted from type '%s' to type '%s'

  ER_SERVER_SLAVE_CONVERSION_FAILED was added in 8.0.11, removed after 8.0.32.

- Error number: MY-013146; Symbol: ER_SERVER_REPLICA_CONVERSION_FAILED; SQLSTATE: HY000

  Message: Column %d of table '%s.%s' cannot be converted from type '%s' to type '%s'

  ER_SERVER_REPLICA_CONVERSION_FAILED was added in 8.0.33.

- Error number: MY-013147; Symbol: ER_SERVER_SLAVE_IGNORED_TABLE; SQLSTATE: HY000

Message: Slave SQL thread ignored the query because of replicate-*-table rules

ER_SERVER_SLAVE_IGNORED_TABLE was added in 8.0.11, removed after 8.0.32.

- Error number: MY-013147; Symbol: ER_SERVER_REPLICA_IGNORED_TABLE; SQLSTATE: HY000

  Message: Replica SQL thread ignored the query because of replicate-*-table rules

  ER_SERVER_REPLICA_IGNORED_TABLE was added in 8.0.33.

- Error number: MY-013148; Symbol: ER_CANT_REPLICATE_ANONYMOUS_WITH_AUTO_POSITION; SQLSTATE: HY000

  Message: Cannot replicate anonymous transaction when AUTO_POSITION = 1, at file %s, position %lld.

- Error number: MY-013149; Symbol: ER_CANT_REPLICATE_ANONYMOUS_WITH_GTID_MODE_ON; SQLSTATE: HY000

  Message: Cannot replicate anonymous transaction when @@GLOBAL.GTID_MODE = ON, at file %s, position %lld.

- Error number: MY-013150; Symbol: ER_CANT_REPLICATE_GTID_WITH_GTID_MODE_OFF; SQLSTATE: HY000

  Message: Cannot replicate GTID-transaction when @@GLOBAL.GTID_MODE = OFF, at file %s, position %lld.

- Error number: MY-013151; Symbol: ER_SERVER_TEST_MESSAGE; SQLSTATE: HY000

  Message: Simulated error

  ER_SERVER_TEST_MESSAGE was added in 8.0.11.

- Error number: MY-013152; Symbol: ER_AUDIT_LOG_JSON_FILTER_PARSING_ERROR; SQLSTATE: HY000

  Message: %s

  ER_AUDIT_LOG_JSON_FILTER_PARSING_ERROR was added in 8.0.11.

- Error number: MY-013153; Symbol: ER_AUDIT_LOG_JSON_FILTERING_NOT_ENABLED; SQLSTATE: HY000

  Message: Audit Log filtering has not been installed.

  ER_AUDIT_LOG_JSON_FILTERING_NOT_ENABLED was added in 8.0.11.

- Error number: MY-013154; Symbol: ER_PLUGIN_FAILED_TO_OPEN_TABLES; SQLSTATE: HY000

  Message: Failed to open the %s filter tables.

  ER_PLUGIN_FAILED_TO_OPEN_TABLES was added in 8.0.11.

- Error number: MY-013155; Symbol: ER_PLUGIN_FAILED_TO_OPEN_TABLE; SQLSTATE: HY000

  Message: Failed to open '%s.%s' %s table.

  ER_PLUGIN_FAILED_TO_OPEN_TABLE was added in 8.0.11.

- Error number: MY-013156; Symbol: ER_AUDIT_LOG_JSON_FILTER_NAME_CANNOT_BE_EMPTY; SQLSTATE: HY000

  Message: Filter name cannot be empty.

  ER_AUDIT_LOG_JSON_FILTER_NAME_CANNOT_BE_EMPTY was added in 8.0.11.

- Error number: MY-013157; Symbol: ER_AUDIT_LOG_USER_NAME_INVALID_CHARACTER; SQLSTATE: HY000

  Message: Invalid character in the user name.

  ER_AUDIT_LOG_USER_NAME_INVALID_CHARACTER was added in 8.0.11.

- Error number: MY-013158; Symbol: ER_AUDIT_LOG_UDF_INSUFFICIENT_PRIVILEGE; SQLSTATE: HY000

  Message: Request ignored for '%s'@'%s'. SUPER or AUDIT_ADMIN needed to perform operation

  ER_AUDIT_LOG_UDF_INSUFFICIENT_PRIVILEGE was added in 8.0.11.

- Error number: MY-013159; Symbol: ER_AUDIT_LOG_NO_KEYRING_PLUGIN_INSTALLED; SQLSTATE: HY000

  Message: No keyring installed.

  ER_AUDIT_LOG_NO_KEYRING_PLUGIN_INSTALLED was added in 8.0.11.

- Error number: MY-013160; Symbol: ER_AUDIT_LOG_HOST_NAME_INVALID_CHARACTER; SQLSTATE: HY000

  Message: Invalid character in the host name.

  ER_AUDIT_LOG_HOST_NAME_INVALID_CHARACTER was added in 8.0.11.

- Error number: MY-013161; Symbol: ER_AUDIT_LOG_ENCRYPTION_PASSWORD_HAS_NOT_BEEN_SET; SQLSTATE: HY000

  Message: Audit log encryption password has not been set; it will be generated automatically. Use audit_log_encryption_password_get to obtain the password or audit_log_encryption_password_set to set a new one.

  ER_AUDIT_LOG_ENCRYPTION_PASSWORD_HAS_NOT_BEEN_SET was added in 8.0.11.

- Error number: MY-013162; Symbol: ER_AUDIT_LOG_COULD_NOT_CREATE_AES_KEY; SQLSTATE: HY000

  Message: Could not create AES key. OpenSSL's EVP_BytesToKey function failed.

  ER_AUDIT_LOG_COULD_NOT_CREATE_AES_KEY was added in 8.0.11.

- Error number: MY-013163; Symbol: ER_AUDIT_LOG_ENCRYPTION_PASSWORD_CANNOT_BE_FETCHED; SQLSTATE: HY000

  Message: Audit log encryption password cannot be fetched from the keyring. Password used so far is used for encryption.

  ER_AUDIT_LOG_ENCRYPTION_PASSWORD_CANNOT_BE_FETCHED was added in 8.0.11.

- Error number: MY-013164; Symbol: ER_COULD_NOT_REINITIALIZE_AUDIT_LOG_FILTERS; SQLSTATE: HY000

  Message: Could not reinitialize audit log filters.

  ER_COULD_NOT_REINITIALIZE_AUDIT_LOG_FILTERS was added in 8.0.11.

- Error number: MY-013165; Symbol: ER_AUDIT_LOG_JSON_USER_NAME_CANNOT_BE_EMPTY; SQLSTATE: HY000

  Message: User cannot be empty.

  ER_AUDIT_LOG_JSON_USER_NAME_CANNOT_BE_EMPTY was added in 8.0.11.

- Error number: MY-013166; Symbol: ER_AUDIT_LOG_USER_FIRST_CHARACTER_MUST_BE_ALPHANUMERIC; SQLSTATE: HY000

  Message: First character of the user name must be alphanumeric.

  ER_AUDIT_LOG_USER_FIRST_CHARACTER_MUST_BE_ALPHANUMERIC was added in 8.0.11.

- Error number: MY-013167; Symbol: ER_AUDIT_LOG_JSON_FILTER_DOES_NOT_EXIST; SQLSTATE: HY000

  Message: Specified filter has not been found.

  ER_AUDIT_LOG_JSON_FILTER_DOES_NOT_EXIST was added in 8.0.11.

- Error number: MY-013168; Symbol: ER_IB_MSG_1271; SQLSTATE: HY000

  Message: Cannot upgrade server earlier than 5.7 to 8.0

  ER_IB_MSG_1271 was added in 8.0.11.

- Error number: MY-013169; Symbol: ER_STARTING_INIT; SQLSTATE: HY000

  Message: %s (mysqld %s) initializing of server in progress as process %lu

  ER_STARTING_INIT was added in 8.0.11.

- Error number: MY-013170; Symbol: ER_ENDING_INIT; SQLSTATE: HY000

  Message: %s (mysqld %s) initializing of server has completed

  ER_ENDING_INIT was added in 8.0.11.

- Error number: MY-013171; Symbol: ER_IB_MSG_1272; SQLSTATE: HY000

  Message: Cannot boot server version %lu on data directory built by version %llu. Downgrade is not supported

  ER_IB_MSG_1272 was added in 8.0.11.

- Error number: MY-013172; Symbol: ER_SERVER_SHUTDOWN_INFO; SQLSTATE: HY000

  Message: Received SHUTDOWN from user %s. Shutting down mysqld (Version: %s).

  ER_SERVER_SHUTDOWN_INFO was added in 8.0.12.

- Error number: MY-013173; Symbol: ER_GRP_RPL_PLUGIN_ABORT; SQLSTATE: HY000

Message: The plugin encountered a critical error and will abort: %s

ER_GRP_RPL_PLUGIN_ABORT was added in 8.0.12.

- Error number: MY-013177; Symbol: ER_AUDIT_LOG_TABLE_DEFINITION_NOT_UPDATED; SQLSTATE: HY000

  Message: '%s.%s' table definition has not been upgraded; Please perform the MySQL upgrade procedure.

  ER_AUDIT_LOG_TABLE_DEFINITION_NOT_UPDATED was added in 8.0.12.

- Error number: MY-013178; Symbol: ER_DD_INITIALIZE_SQL_ERROR; SQLSTATE: HY000

  Message: Execution of server-side SQL statement '%s' failed with error code = %d, error message = '%s'.

  ER_DD_INITIALIZE_SQL_ERROR was added in 8.0.12.

- Error number: MY-013179; Symbol: ER_NO_PATH_FOR_SHARED_LIBRARY; SQLSTATE: HY000

  Message: No paths allowed for shared library.

  ER_NO_PATH_FOR_SHARED_LIBRARY was added in 8.0.13.

- Error number: MY-013180; Symbol: ER_UDF_ALREADY_EXISTS; SQLSTATE: HY000

  Message: Function '%s' already exists.

  ER_UDF_ALREADY_EXISTS was added in 8.0.13.

- Error number: MY-013181; Symbol: ER_SET_EVENT_FAILED; SQLSTATE: HY000

  Message: Got Error: %ld from SetEvent.

  ER_SET_EVENT_FAILED was added in 8.0.13.

- Error number: MY-013182; Symbol: ER_FAILED_TO_ALLOCATE_SSL_BIO; SQLSTATE: HY000

  Message: Error allocating SSL BIO.

  ER_FAILED_TO_ALLOCATE_SSL_BIO was added in 8.0.13.

- Error number: MY-013183; Symbol: ER_IB_MSG_1273; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1273 was added in 8.0.13.

- Error number: MY-013184; Symbol: ER_PID_FILEPATH_LOCATIONS_INACCESSIBLE; SQLSTATE: HY000

  Message: One or several locations were inaccessible while checking PID filepath.

  ER_PID_FILEPATH_LOCATIONS_INACCESSIBLE was added in 8.0.13.

- Error number: MY-013185; Symbol: ER_UNKNOWN_VARIABLE_IN_PERSISTED_CONFIG_FILE; SQLSTATE: HY000

Message: Currently unknown variable '%s' was read from the persisted config file.

ER_UNKNOWN_VARIABLE_IN_PERSISTED_CONFIG_FILE was added in 8.0.13.

- Error number: MY-013186; Symbol: ER_FAILED_TO_HANDLE_DEFAULTS_FILE; SQLSTATE: HY000

  Message: Fatal error in defaults handling. Program aborted!

  ER_FAILED_TO_HANDLE_DEFAULTS_FILE was added in 8.0.13.
- Error number: MY-013187; Symbol: ER_DUPLICATE_SYS_VAR; SQLSTATE: HY000

  Message: Duplicate variable name '%s'.

  ER_DUPLICATE_SYS_VAR was added in 8.0.13.
- Error number: MY-013188; Symbol: ER_FAILED_TO_INIT_SYS_VAR; SQLSTATE: HY000

  Message: Failed to initialize system variables.

  ER_FAILED_TO_INIT_SYS_VAR was added in 8.0.13.
- Error number: MY-013189; Symbol: ER_SYS_VAR_NOT_FOUND; SQLSTATE: HY000

  Message: Variable name '%s' not found.

  ER_SYS_VAR_NOT_FOUND was added in 8.0.13.
- Error number: MY-013190; Symbol: ER_IB_MSG_1274; SQLSTATE: HY000

  Message: Some (%d) threads are still active

  ER_IB_MSG_1274 was added in 8.0.13.
- Error number: MY-013191; Symbol: ER_IB_MSG_1275; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1275 was added in 8.0.13.
- Error number: MY-013192; Symbol: ER_TARGET_TS_UNENCRYPTED; SQLSTATE: HY000

  Message: Source tablespace is encrypted but target tablespace is not.

  ER_TARGET_TS_UNENCRYPTED was added in 8.0.13, removed after 8.0.15.
- Error number: MY-013193; Symbol: ER_IB_MSG_1276; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1276 was added in 8.0.13, removed after 8.0.13.
- Error number: MY-013193; Symbol: ER_IB_MSG_WAIT_FOR_ENCRYPT_THREAD; SQLSTATE: HY000

  Message: Waiting for tablespace_alter_encrypt_thread to exit

  ER_IB_MSG_WAIT_FOR_ENCRYPT_THREAD was added in 8.0.14.
- Error number: MY-013194; Symbol: ER_IB_MSG_1277; SQLSTATE: HY000

Message: %s

ER_IB_MSG_1277 was added in 8.0.13.

- Error number: MY-013195; Symbol: ER_IB_MSG_1278; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1278 was added in 8.0.13, removed after 8.0.13.

- Error number: MY-013195; Symbol: ER_IB_MSG_NO_ENCRYPT_PROGRESS_FOUND; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_NO_ENCRYPT_PROGRESS_FOUND was added in 8.0.14.

- Error number: MY-013196; Symbol: ER_IB_MSG_1279; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1279 was added in 8.0.13, removed after 8.0.13.

- Error number: MY-013196; Symbol: ER_IB_MSG_RESUME_OP_FOR_SPACE; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_RESUME_OP_FOR_SPACE was added in 8.0.14.

- Error number: MY-013197; Symbol: ER_IB_MSG_1280; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1280 was added in 8.0.13.

- Error number: MY-013198; Symbol: ER_IB_MSG_1281; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1281 was added in 8.0.13.

- Error number: MY-013199; Symbol: ER_IB_MSG_1282; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1282 was added in 8.0.13.

- Error number: MY-013200; Symbol: ER_IB_MSG_1283; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1283 was added in 8.0.13.

- Error number: MY-013201; Symbol: ER_IB_MSG_1284; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1284 was added in 8.0.13.

- Error number: MY-013202; Symbol: ER_CANT_SET_ERROR_SUPPRESSION_LIST_FROM_COMMAND_LINE; SQLSTATE: HY000

  Message: %s: Could not add suppression rule for code "%s". Rule-set may be full, or code may not correspond to an error-log message.

  ER_CANT_SET_ERROR_SUPPRESSION_LIST_FROM_COMMAND_LINE was added in 8.0.13.

- Error number: MY-013203; Symbol: ER_INVALID_VALUE_OF_BIND_ADDRESSES; SQLSTATE: HY000

  Message: Invalid value for command line option bind-addresses: '%s'

  ER_INVALID_VALUE_OF_BIND_ADDRESSES was added in 8.0.13.

- Error number: MY-013204; Symbol: ER_RELAY_LOG_SPACE_LIMIT_DISABLED; SQLSTATE: HY000

  Message: Ignoring the @@global.relay_log_space_limit option because @@global.relay_log_purge is disabled.

  ER_RELAY_LOG_SPACE_LIMIT_DISABLED was added in 8.0.13.

- Error number: MY-013205; Symbol: ER_GRP_RPL_ERROR_GTID_SET_EXTRACTION; SQLSTATE: HY000

  Message: Error when extracting GTID execution information: %s

  ER_GRP_RPL_ERROR_GTID_SET_EXTRACTION was added in 8.0.13.

- Error number: MY-013206; Symbol: ER_GRP_RPL_MISSING_GRP_RPL_ACTION_COORDINATOR; SQLSTATE: HY000

  Message: Message received without a proper group coordinator module.

  ER_GRP_RPL_MISSING_GRP_RPL_ACTION_COORDINATOR was added in 8.0.13.

- Error number: MY-013207; Symbol: ER_GRP_RPL_JOIN_WHEN_GROUP_ACTION_RUNNING; SQLSTATE: HY000

  Message: A member cannot join the group while a group configuration operation '%s' is running initiated by '%s'.

  ER_GRP_RPL_JOIN_WHEN_GROUP_ACTION_RUNNING was added in 8.0.13.

- Error number: MY-013208; Symbol: ER_GRP_RPL_JOINER_EXIT_WHEN_GROUP_ACTION_RUNNING; SQLSTATE: HY000

  Message: A member is joining the group while a group configuration operation '%s' is running initiated by '%s'. The member will now leave the group.

  ER_GRP_RPL_JOINER_EXIT_WHEN_GROUP_ACTION_RUNNING was added in 8.0.13.

- Error number: MY-013209; Symbol: ER_GRP_RPL_CHANNEL_THREAD_WHEN_GROUP_ACTION_RUNNING; SQLSTATE: HY000

  Message: Can't start %s for channel '%s' when group replication is running a group configuration operation '%s' initiated by '%s'.

  ER_GRP_RPL_CHANNEL_THREAD_WHEN_GROUP_ACTION_RUNNING was added in 8.0.13.

- Error number: MY-013210; Symbol: ER_GRP_RPL_APPOINTED_PRIMARY_NOT_PRESENT; SQLSTATE: HY000

  Message: A primary election was invoked but the requested primary member is not in the group. Request ignored.

  ER_GRP_RPL_APPOINTED_PRIMARY_NOT_PRESENT was added in 8.0.13.

- Error number: MY-013211; Symbol: ER_GRP_RPL_ERROR_ON_MESSAGE_SENDING; SQLSTATE: HY000

  Message: Error while sending message. Context: %s

  ER_GRP_RPL_ERROR_ON_MESSAGE_SENDING was added in 8.0.13.

- Error number: MY-013212; Symbol: ER_GRP_RPL_CONFIGURATION_ACTION_ERROR; SQLSTATE: HY000

  Message: Error while executing a group configuration operation: %s

  ER_GRP_RPL_CONFIGURATION_ACTION_ERROR was added in 8.0.13.

- Error number: MY-013213; Symbol: ER_GRP_RPL_CONFIGURATION_ACTION_LOCAL_TERMINATION; SQLSTATE: HY000

  Message: Configuration operation '%s' terminated. %s

  ER_GRP_RPL_CONFIGURATION_ACTION_LOCAL_TERMINATION was added in 8.0.13.

- Error number: MY-013214; Symbol: ER_GRP_RPL_CONFIGURATION_ACTION_START; SQLSTATE: HY000

  Message: Starting group operation local execution: %s

  ER_GRP_RPL_CONFIGURATION_ACTION_START was added in 8.0.13.

- Error number: MY-013215; Symbol: ER_GRP_RPL_CONFIGURATION_ACTION_END; SQLSTATE: HY000

  Message: Termination of group operation local execution: %s

  ER_GRP_RPL_CONFIGURATION_ACTION_END was added in 8.0.13.

- Error number: MY-013216; Symbol: ER_GRP_RPL_CONFIGURATION_ACTION_KILLED_ERROR; SQLSTATE: HY000

  Message: A configuration change was killed in this member. The member will now leave the group as its configuration may have diverged.

  ER_GRP_RPL_CONFIGURATION_ACTION_KILLED_ERROR was added in 8.0.13.

- Error number: MY-013217; Symbol: ER_GRP_RPL_PRIMARY_ELECTION_PROCESS_ERROR; SQLSTATE: HY000

  Message: There was an issue on the primary election process: %s The member will now leave the group.

  ER_GRP_RPL_PRIMARY_ELECTION_PROCESS_ERROR was added in 8.0.13.

- Error number: MY-013218; Symbol: ER_GRP_RPL_PRIMARY_ELECTION_STOP_ERROR; SQLSTATE: HY000

  Message: There was an issue when stopping a previous election process: %s

  ER_GRP_RPL_PRIMARY_ELECTION_STOP_ERROR was added in 8.0.13.

- Error number: MY-013219; Symbol: ER_GRP_RPL_NO_STAGE_SERVICE; SQLSTATE: HY000

  Message: It was not possible to initialize stage logging for this task. The operation will still run without stage tracking.

  ER_GRP_RPL_NO_STAGE_SERVICE was added in 8.0.13.

- Error number: MY-013220; Symbol: ER_GRP_RPL_UDF_REGISTER_ERROR; SQLSTATE: HY000

  Message: Could not execute the installation of Group Replication UDF function: %s. Check if the function is already present, if so, try to remove it

  ER_GRP_RPL_UDF_REGISTER_ERROR was added in 8.0.13.

- Error number: MY-013221; Symbol: ER_GRP_RPL_UDF_UNREGISTER_ERROR; SQLSTATE: HY000

  Message: Could not uninstall Group Replication UDF functions. Try to remove them manually if present.

  ER_GRP_RPL_UDF_UNREGISTER_ERROR was added in 8.0.13.

- Error number: MY-013222; Symbol: ER_GRP_RPL_UDF_REGISTER_SERVICE_ERROR; SQLSTATE: HY000

  Message: Could not execute the installation of Group Replication UDF functions. Check for other errors in the log and try to reinstall the plugin

  ER_GRP_RPL_UDF_REGISTER_SERVICE_ERROR was added in 8.0.13.

- Error number: MY-013223; Symbol: ER_GRP_RPL_SERVER_UDF_ERROR; SQLSTATE: HY000

  Message: The function '%s' failed. %s

  ER_GRP_RPL_SERVER_UDF_ERROR was added in 8.0.17.

- Error number: MY-013227; Symbol: ER_SERVER_WRONG_VALUE_FOR_VAR; SQLSTATE: HY000

  Message: Variable '%s' can't be set to the value of '%s'

  ER_SERVER_WRONG_VALUE_FOR_VAR was added in 8.0.13.

- Error number: MY-013228; Symbol: ER_COULD_NOT_CREATE_WINDOWS_REGISTRY_KEY; SQLSTATE: HY000

  Message: %s was unable to create a new Windows registry key %s for %s; continuing to use the previous ident.

  ER_COULD_NOT_CREATE_WINDOWS_REGISTRY_KEY was added in 8.0.13.

- Error number: MY-013229; Symbol: ER_SERVER_GTID_UNSAFE_CREATE_DROP_TEMP_TABLE_IN_TRX_IN_SBR; SQLSTATE: HY000

  Message: Statement violates GTID consistency: CREATE TEMPORARY TABLE and DROP TEMPORARY TABLE are not allowed inside a transaction or inside a procedure in a transactional context when @@session.binlog_format=STATEMENT.

  ER_SERVER_GTID_UNSAFE_CREATE_DROP_TEMP_TABLE_IN_TRX_IN_SBR was added in 8.0.13.

- Error number: MY-013233; Symbol: ER_XPLUGIN_FAILED_TO_SWITCH_SECURITY_CTX; SQLSTATE: HY000

  Message: Unable to switch security context to user: %s

  ER_XPLUGIN_FAILED_TO_SWITCH_SECURITY_CTX was added in 8.0.13.

- Error number: MY-013234; Symbol: ER_RPL_GTID_UNSAFE_ALTER_ADD_COL_WITH_DEFAULT_EXPRESSION; SQLSTATE: HY000

  Message: Statement violates GTID consistency: ALTER TABLE ... ADD COLUMN .. with expression as DEFAULT.

  ER_RPL_GTID_UNSAFE_ALTER_ADD_COL_WITH_DEFAULT_EXPRESSION was added in 8.0.13.

- Error number: MY-013235; Symbol: ER_UPGRADE_PARSE_ERROR; SQLSTATE: HY000

  Message: Error in parsing %s '%s'.'%s' during upgrade. %s

  ER_UPGRADE_PARSE_ERROR was added in 8.0.13.

- Error number: MY-013236; Symbol: ER_DATA_DIRECTORY_UNUSABLE; SQLSTATE: HY000

  Message: The designated data directory %s is unusable. You can remove all files that the server added to it.

  ER_DATA_DIRECTORY_UNUSABLE was added in 8.0.13.

- Error number: MY-013237; Symbol: ER_LDAP_AUTH_USER_GROUP_SEARCH_ROOT_BIND; SQLSTATE: HY000

  Message: Group search rebinding via root DN: %s

  ER_LDAP_AUTH_USER_GROUP_SEARCH_ROOT_BIND was added in 8.0.13.

- Error number: MY-013238; Symbol: ER_PLUGIN_INSTALL_ERROR; SQLSTATE: HY000

  Message: Error installing plugin '%s': %s

  ER_PLUGIN_INSTALL_ERROR was added in 8.0.13.

- Error number: MY-013239; Symbol: ER_PLUGIN_UNINSTALL_ERROR; SQLSTATE: HY000

  Message: Error uninstalling plugin '%s': %s

  ER_PLUGIN_UNINSTALL_ERROR was added in 8.0.13.

- Error number: MY-013240; Symbol: ER_SHARED_TABLESPACE_USED_BY_PARTITIONED_TABLE; SQLSTATE: HY000

Message: Partitioned table '%s' is not allowed to use shared tablespace '%s'. Please move all partitions to file-per-table tablespaces before upgrade.

`ER_SHARED_TABLESPACE_USED_BY_PARTITIONED_TABLE` was added in 8.0.13.

- Error number: `MY-013241`; Symbol: `ER_UNKNOWN_TABLESPACE_TYPE`; SQLSTATE: `HY000`

  Message: Cannot determine the type of the tablespace named '%s'.

  `ER_UNKNOWN_TABLESPACE_TYPE` was added in 8.0.13.

- Error number: `MY-013242`; Symbol: `ER_WARN_DEPRECATED_UTF8_ALIAS_OPTION`; SQLSTATE: `HY000`

  Message: %s: 'utf8' is currently an alias for the character set UTF8MB3, but will be an alias for UTF8MB4 in a future release. Please consider using UTF8MB4 in order to be unambiguous.

  `ER_WARN_DEPRECATED_UTF8_ALIAS_OPTION` was added in 8.0.13.

- Error number: `MY-013243`; Symbol: `ER_WARN_DEPRECATED_UTF8MB3_CHARSET_OPTION`; SQLSTATE: `HY000`

  Message: %s: The character set UTF8MB3 is deprecated and will be removed in a future release. Please consider using UTF8MB4 instead.

  `ER_WARN_DEPRECATED_UTF8MB3_CHARSET_OPTION` was added in 8.0.13.

- Error number: `MY-013244`; Symbol: `ER_WARN_DEPRECATED_UTF8MB3_COLLATION_OPTION`; SQLSTATE: `HY000`

  Message: %s: '%s' is a collation of the deprecated character set UTF8MB3. Please consider using UTF8MB4 with an appropriate collation instead.

  `ER_WARN_DEPRECATED_UTF8MB3_COLLATION_OPTION` was added in 8.0.13.

- Error number: `MY-013245`; Symbol: `ER_SSL_MEMORY_INSTRUMENTATION_INIT_FAILED`; SQLSTATE: `HY000`

  Message: The SSL library function %s failed. This is typically caused by the SSL library already being used. As a result the SSL memory allocation will not be instrumented.

  `ER_SSL_MEMORY_INSTRUMENTATION_INIT_FAILED` was added in 8.0.13.

- Error number: `MY-013246`; Symbol: `ER_IB_MSG_MADV_DONTDUMP_UNSUPPORTED`; SQLSTATE: `HY000`

  Message: Disabling @@core_file because @@innodb_buffer_pool_in_core_file is disabled, yet MADV_DONTDUMP is not supported on this platform

  `ER_IB_MSG_MADV_DONTDUMP_UNSUPPORTED` was added in 8.0.14.

- Error number: `MY-013247`; Symbol: `ER_IB_MSG_MADVISE_FAILED`; SQLSTATE: `HY000`

  Message: Disabling @@core_file because @@innodb_buffer_pool_in_core_file is disabled, yet madvise(%p,%zu,%s) failed with %s

  `ER_IB_MSG_MADVISE_FAILED` was added in 8.0.14.

- Error number: MY-013249; Symbol: ER_WARN_REMOVED_SQL_MODE; SQLSTATE: HY000

  Message: sql_mode=0x%08x has been removed and will be ignored

  ER_WARN_REMOVED_SQL_MODE was added in 8.0.14.

- Error number: MY-013250; Symbol: ER_IB_MSG_FAILED_TO_ALLOCATE_WAIT; SQLSTATE: HY000

  Message: Failed to allocate memory for a pool of size %zu bytes. Will wait for %zu seconds for a thread to free a resource.

  ER_IB_MSG_FAILED_TO_ALLOCATE_WAIT was added in 8.0.14.

- Error number: MY-013251; Symbol: ER_IB_MSG_NUM_POOLS; SQLSTATE: HY000

  Message: Number of pools: %zu

  ER_IB_MSG_NUM_POOLS was added in 8.0.14, removed after 8.0.30.

- Error number: MY-013252; Symbol: ER_IB_MSG_USING_UNDO_SPACE; SQLSTATE: HY000

  Message: Using undo tablespace '%s'.

  ER_IB_MSG_USING_UNDO_SPACE was added in 8.0.14.

- Error number: MY-013253; Symbol: ER_IB_MSG_FAIL_TO_SAVE_SPACE_STATE; SQLSTATE: HY000

  Message: %s Unable to save the current state of tablespace '%s' to the data dictionary

  ER_IB_MSG_FAIL_TO_SAVE_SPACE_STATE was added in 8.0.14.

- Error number: MY-013254; Symbol: ER_IB_MSG_MAX_UNDO_SPACES_REACHED; SQLSTATE: HY000

  Message: Cannot create undo tablespace %s at %s because %d undo tablespaces already exist.

  ER_IB_MSG_MAX_UNDO_SPACES_REACHED was added in 8.0.14.

- Error number: MY-013255; Symbol: ER_IB_MSG_ERROR_OPENING_NEW_UNDO_SPACE; SQLSTATE: HY000

  Message: Error %d opening newly created undo tablespace %s.

  ER_IB_MSG_ERROR_OPENING_NEW_UNDO_SPACE was added in 8.0.14.

- Error number: MY-013256; Symbol: ER_IB_MSG_FAILED_SDI_Z_BUF_ERROR; SQLSTATE: HY000

  Message: SDI Compression failed, Z_BUF_ERROR

  ER_IB_MSG_FAILED_SDI_Z_BUF_ERROR was added in 8.0.14.

- Error number: MY-013257; Symbol: ER_IB_MSG_FAILED_SDI_Z_MEM_ERROR; SQLSTATE: HY000

  Message: SDI Compression failed, Z_MEM_ERROR

  ER_IB_MSG_FAILED_SDI_Z_MEM_ERROR was added in 8.0.14.

- Error number: MY-013258; Symbol: ER_IB_MSG_SDI_Z_STREAM_ERROR; SQLSTATE: HY000

  Message: SDI Compression failed, Z_STREAM_ERROR

ER_IB_MSG_SDI_Z_STREAM_ERROR was added in 8.0.14.

- Error number: MY-013259; Symbol: ER_IB_MSG_SDI_Z_UNKNOWN_ERROR; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_SDI_Z_UNKNOWN_ERROR was added in 8.0.14.

- Error number: MY-013260; Symbol: ER_IB_MSG_FOUND_WRONG_UNDO_SPACE; SQLSTATE: HY000

  Message: Expected to find undo tablespace '%s' for Space ID=%lu, but found '%s' instead! Did you change innodb_undo_directory?

  ER_IB_MSG_FOUND_WRONG_UNDO_SPACE was added in 8.0.14.

- Error number: MY-013261; Symbol: ER_IB_MSG_NOT_END_WITH_IBU; SQLSTATE: HY000

  Message: Cannot use %s as an undo tablespace because it does not end with '.ibu'.

  ER_IB_MSG_NOT_END_WITH_IBU was added in 8.0.14.

- Error number: MY-013262; Symbol: ER_IB_MSG_UNDO_TRUNC_EMPTY_FILE; SQLSTATE: HY000

  Message: ib_undo_trunc_empty_file

  ER_IB_MSG_UNDO_TRUNC_EMPTY_FILE was added in 8.0.14, removed after 8.0.20.

- Error number: MY-013263; Symbol: ER_IB_MSG_UNDO_TRUNC_BEFOR_DD_UPDATE; SQLSTATE: HY000

  Message: ib_undo_trunc_before_dd_update

  ER_IB_MSG_UNDO_TRUNC_BEFOR_DD_UPDATE was added in 8.0.14, removed after 8.0.20.

- Error number: MY-013264; Symbol: ER_IB_MSG_UNDO_TRUNC_BEFORE_UNDO_LOGGING; SQLSTATE: HY000

  Message: ib_undo_trunc_before_done_logging

  ER_IB_MSG_UNDO_TRUNC_BEFORE_UNDO_LOGGING was added in 8.0.14, removed after 8.0.20.

- Error number: MY-013265; Symbol: ER_IB_MSG_UNDO_TRUNK_BEFORE_RSEG; SQLSTATE: HY000

  Message: ib_undo_trunc_before_rsegs

  ER_IB_MSG_UNDO_TRUNK_BEFORE_RSEG was added in 8.0.14, removed after 8.0.20.

- Error number: MY-013266; Symbol: ER_IB_MSG_FAILED_TO_FINISH_TRUNCATE; SQLSTATE: HY000

  Message: %s Failed to finish truncating Undo Tablespace '%s'

  ER_IB_MSG_FAILED_TO_FINISH_TRUNCATE was added in 8.0.14.

- Error number: MY-013267; Symbol: ER_IB_MSG_DEPRECATED_INNODB_UNDO_TABLESPACES; SQLSTATE: HY000

  Message: The setting INNODB_UNDO_TABLESPACES is deprecated and is no longer used. InnoDB always creates 2 undo tablespaces to start with. If you need more, please use CREATE UNDO TABLESPACE.

  ER_IB_MSG_DEPRECATED_INNODB_UNDO_TABLESPACES was added in 8.0.14.

- Error number: MY-013268; Symbol: ER_IB_MSG_DIR_DOES_NOT_EXIST; SQLSTATE: HY000

  Message: The directory '%s' does not exist.

  ER_IB_MSG_DIR_DOES_NOT_EXIST was added in 8.0.14, removed after 8.0.20.

- Error number: MY-013268; Symbol: ER_IB_MSG_WRONG_TABLESPACE_DIR; SQLSTATE: HY000

  Message: The directory for tablespace %s does not exist or is incorrect.

  ER_IB_MSG_WRONG_TABLESPACE_DIR was added in 8.0.21.

- Error number: MY-013269; Symbol: ER_IB_MSG_LOCK_FREE_HASH_USAGE_STATS; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_LOCK_FREE_HASH_USAGE_STATS was added in 8.0.14.

- Error number: MY-013270; Symbol: ER_CLONE_REMOTE_ERROR; SQLSTATE: HY000

  Message: Clone Remote Error: %s.

  ER_CLONE_REMOTE_ERROR was added in 8.0.14, removed after 8.0.16.

- Error number: MY-013270; Symbol: ER_CLONE_DONOR_TRACE; SQLSTATE: HY000

  Message: Clone donor reported : %s.

  ER_CLONE_DONOR_TRACE was added in 8.0.17.

- Error number: MY-013271; Symbol: ER_CLONE_PROTOCOL_ERROR; SQLSTATE: HY000

  Message: Clone Protocol Error: %s.

  ER_CLONE_PROTOCOL_ERROR was added in 8.0.14, removed after 8.0.16.

- Error number: MY-013271; Symbol: ER_CLONE_PROTOCOL_TRACE; SQLSTATE: HY000

  Message: Clone received unexpected response from donor : %s.

  ER_CLONE_PROTOCOL_TRACE was added in 8.0.17.

- Error number: MY-013272; Symbol: ER_CLONE_INFO_CLIENT; SQLSTATE: HY000

  Message: Client: %s.

  ER_CLONE_INFO_CLIENT was added in 8.0.14, removed after 8.0.16.

- Error number: MY-013272; Symbol: ER_CLONE_CLIENT_TRACE; SQLSTATE: HY000

Message: Client: %s.

ER_CLONE_CLIENT_TRACE was added in 8.0.17.

- Error number: MY-013273; Symbol: ER_CLONE_INFO_SERVER; SQLSTATE: HY000

  Message: Server: %s.

  ER_CLONE_INFO_SERVER was added in 8.0.14, removed after 8.0.16.

- Error number: MY-013273; Symbol: ER_CLONE_SERVER_TRACE; SQLSTATE: HY000

  Message: Server: %s.

  ER_CLONE_SERVER_TRACE was added in 8.0.17.

- Error number: MY-013274; Symbol: ER_THREAD_POOL_PFS_TABLES_INIT_FAILED; SQLSTATE: HY000

  Message: Failed to initialize the performance schema tables service.

  ER_THREAD_POOL_PFS_TABLES_INIT_FAILED was added in 8.0.14.

- Error number: MY-013275; Symbol: ER_THREAD_POOL_PFS_TABLES_ADD_FAILED; SQLSTATE: HY000

  Message: Failed to add thread pool performance schema tables.

  ER_THREAD_POOL_PFS_TABLES_ADD_FAILED was added in 8.0.14.

- Error number: MY-013276; Symbol: ER_CANT_SET_DATA_DIR; SQLSTATE: HY000

  Message: Failed to set datadir to \'%s\' (OS errno: %d - %s)

  ER_CANT_SET_DATA_DIR was added in 8.0.14.

- Error number: MY-013277; Symbol: ER_INNODB_INVALID_INNODB_UNDO_DIRECTORY_LOCATION; SQLSTATE: HY000

  Message: The innodb_undo_directory is not allowed to be an ancestor of the datadir.

  ER_INNODB_INVALID_INNODB_UNDO_DIRECTORY_LOCATION was added in 8.0.14.

- Error number: MY-013278; Symbol: ER_SERVER_RPL_ENCRYPTION_FAILED_TO_FETCH_KEY; SQLSTATE: HY000

  Message: Failed to fetch key from keyring, please check if keyring is loaded.

  ER_SERVER_RPL_ENCRYPTION_FAILED_TO_FETCH_KEY was added in 8.0.14.

- Error number: MY-013279; Symbol: ER_SERVER_RPL_ENCRYPTION_KEY_NOT_FOUND; SQLSTATE: HY000

  Message: Can't find key from keyring, please check in the server log if a keyring is loaded and initialized successfully.

  ER_SERVER_RPL_ENCRYPTION_KEY_NOT_FOUND was added in 8.0.14.

- Error number: MY-013280; Symbol: ER_SERVER_RPL_ENCRYPTION_KEYRING_INVALID_KEY; SQLSTATE: HY000

  Message: Fetched an invalid key from keyring.

  ER_SERVER_RPL_ENCRYPTION_KEYRING_INVALID_KEY was added in 8.0.14.

- Error number: MY-013281; Symbol: ER_SERVER_RPL_ENCRYPTION_HEADER_ERROR; SQLSTATE: HY000

  Message: Error reading a replication log encryption header: %s.

  ER_SERVER_RPL_ENCRYPTION_HEADER_ERROR was added in 8.0.14.

- Error number: MY-013282; Symbol: ER_SERVER_RPL_ENCRYPTION_FAILED_TO_ROTATE_LOGS; SQLSTATE: HY000

  Message: Failed to rotate some logs after changing binlog encryption settings. Please fix the problem and rotate the logs manually.

  ER_SERVER_RPL_ENCRYPTION_FAILED_TO_ROTATE_LOGS was added in 8.0.14.

- Error number: MY-013283; Symbol: ER_SERVER_RPL_ENCRYPTION_KEY_EXISTS_UNEXPECTED; SQLSTATE: HY000

  Message: Key %s exists unexpected.

  ER_SERVER_RPL_ENCRYPTION_KEY_EXISTS_UNEXPECTED was added in 8.0.14.

- Error number: MY-013284; Symbol: ER_SERVER_RPL_ENCRYPTION_FAILED_TO_GENERATE_KEY; SQLSTATE: HY000

  Message: Failed to generate key, please check if keyring is loaded.

  ER_SERVER_RPL_ENCRYPTION_FAILED_TO_GENERATE_KEY was added in 8.0.14.

- Error number: MY-013285; Symbol: ER_SERVER_RPL_ENCRYPTION_FAILED_TO_STORE_KEY; SQLSTATE: HY000

  Message: Failed to store key, please check if keyring is loaded.

  ER_SERVER_RPL_ENCRYPTION_FAILED_TO_STORE_KEY was added in 8.0.14.

- Error number: MY-013286; Symbol: ER_SERVER_RPL_ENCRYPTION_FAILED_TO_REMOVE_KEY; SQLSTATE: HY000

  Message: Failed to remove key, please check if keyring is loaded.

  ER_SERVER_RPL_ENCRYPTION_FAILED_TO_REMOVE_KEY was added in 8.0.14.

- Error number: MY-013287; Symbol: ER_SERVER_RPL_ENCRYPTION_MASTER_KEY_RECOVERY_FAILED; SQLSTATE: HY000

  Message: Unable to recover binlog encryption master key, please check if keyring is loaded.

  ER_SERVER_RPL_ENCRYPTION_MASTER_KEY_RECOVERY_FAILED was added in 8.0.14.

- Error number: MY-013288; Symbol: ER_SERVER_RPL_ENCRYPTION_UNABLE_TO_INITIALIZE; SQLSTATE: HY000

Message: Failed to initialize binlog encryption, please check if keyring is loaded.

ER_SERVER_RPL_ENCRYPTION_UNABLE_TO_INITIALIZE was added in 8.0.14.

- Error number: MY-013289; Symbol: ER_SERVER_RPL_ENCRYPTION_UNABLE_TO_ROTATE_MASTER_KEY_AT_STARTUP; SQLSTATE: HY000

  Message: Failed to rotate binlog encryption master key at startup, please check if keyring is loaded.

  ER_SERVER_RPL_ENCRYPTION_UNABLE_TO_ROTATE_MASTER_KEY_AT_STARTUP was added in 8.0.14.

- Error number: MY-013290; Symbol: ER_SERVER_RPL_ENCRYPTION_IGNORE_ROTATE_MASTER_KEY_AT_STARTUP; SQLSTATE: HY000

  Message: Ignoring binlog_rotate_encryption_master_key_at_startup because binlog_encryption option is disabled.

  ER_SERVER_RPL_ENCRYPTION_IGNORE_ROTATE_MASTER_KEY_AT_STARTUP was added in 8.0.14.

- Error number: MY-013291; Symbol: ER_INVALID_ADMIN_ADDRESS; SQLSTATE: HY000

  Message: Invalid value for command line option admin-address: '%s'

  ER_INVALID_ADMIN_ADDRESS was added in 8.0.14.

- Error number: MY-013292; Symbol: ER_SERVER_STARTUP_ADMIN_INTERFACE; SQLSTATE: HY000

  Message: Admin interface ready for connections, address: '%s' port: %d

  ER_SERVER_STARTUP_ADMIN_INTERFACE was added in 8.0.14.

- Error number: MY-013293; Symbol: ER_CANT_CREATE_ADMIN_THREAD; SQLSTATE: HY000

  Message: Can't create thread to handle admin connections (errno= %d)

  ER_CANT_CREATE_ADMIN_THREAD was added in 8.0.14.

- Error number: MY-013294; Symbol: ER_WARNING_RETAIN_CURRENT_PASSWORD_CLAUSE_VOID; SQLSTATE: HY000

  Message: RETAIN CURRENT PASSWORD ignored for user '%s'@'%s' as its authentication plugin %s does not support multiple passwords.

  ER_WARNING_RETAIN_CURRENT_PASSWORD_CLAUSE_VOID was added in 8.0.14.

- Error number: MY-013295; Symbol: ER_WARNING_DISCARD_OLD_PASSWORD_CLAUSE_VOID; SQLSTATE: HY000

  Message: DISCARD OLD PASSWORD ignored for user '%s'@'%s' as its authentication plugin %s does not support multiple passwords.

  ER_WARNING_DISCARD_OLD_PASSWORD_CLAUSE_VOID was added in 8.0.14.

- Error number: MY-013299; Symbol: ER_WARNING_AUTHCACHE_INVALID_USER_ATTRIBUTES; SQLSTATE: HY000

Message: Can not read and process value of User_attributes column from mysql.user table for user: '%s@%s'; Ignoring user.

ER_WARNING_AUTHCACHE_INVALID_USER_ATTRIBUTES was added in 8.0.14.

- Error number: MY-013300; Symbol: ER_MYSQL_NATIVE_PASSWORD_SECOND_PASSWORD_USED_INFORMATION; SQLSTATE: HY000

  Message: Second password was used for login by user: '%s'@'%s'.

  ER_MYSQL_NATIVE_PASSWORD_SECOND_PASSWORD_USED_INFORMATION was added in 8.0.14.

- Error number: MY-013301; Symbol: ER_SHA256_PASSWORD_SECOND_PASSWORD_USED_INFORMATION; SQLSTATE: HY000

  Message: Second password was used for login by user: '%s'@'%s'.

  ER_SHA256_PASSWORD_SECOND_PASSWORD_USED_INFORMATION was added in 8.0.14.

- Error number: MY-013302; Symbol: ER_CACHING_SHA2_PASSWORD_SECOND_PASSWORD_USED_INFORMATION; SQLSTATE: HY000

  Message: Second password was used for login by user: '%s'@'%s'.

  ER_CACHING_SHA2_PASSWORD_SECOND_PASSWORD_USED_INFORMATION was added in 8.0.14.

- Error number: MY-013303; Symbol: ER_GRP_RPL_SEND_TRX_PREPARED_MESSAGE_FAILED; SQLSTATE: HY000

  Message: Error sending transaction '%d:%lld' prepared message from session '%u'.

  ER_GRP_RPL_SEND_TRX_PREPARED_MESSAGE_FAILED was added in 8.0.14.

- Error number: MY-013304; Symbol: ER_GRP_RPL_RELEASE_COMMIT_AFTER_GROUP_PREPARE_FAILED; SQLSTATE: HY000

  Message: Error releasing transaction '%d:%lld' for commit on session '%u' after being prepared on all group members.

  ER_GRP_RPL_RELEASE_COMMIT_AFTER_GROUP_PREPARE_FAILED was added in 8.0.14.

- Error number: MY-013305; Symbol: ER_GRP_RPL_TRX_ALREADY_EXISTS_ON_TCM_ON_AFTER_CERTIFICATION; SQLSTATE: HY000

  Message: Transaction '%d:%lld' already exists on Group Replication consistency manager while being registered after conflict detection.

  ER_GRP_RPL_TRX_ALREADY_EXISTS_ON_TCM_ON_AFTER_CERTIFICATION was added in 8.0.14.

- Error number: MY-013306; Symbol: ER_GRP_RPL_FAILED_TO_INSERT_TRX_ON_TCM_ON_AFTER_CERTIFICATION; SQLSTATE: HY000

  Message: Error registering transaction '%d:%lld' on Group Replication consistency manager after conflict detection.

  ER_GRP_RPL_FAILED_TO_INSERT_TRX_ON_TCM_ON_AFTER_CERTIFICATION was added in 8.0.14.

- Error number: MY-013307; Symbol: ER_GRP_RPL_REGISTER_TRX_TO_WAIT_FOR_GROUP_PREPARE_FAILED; SQLSTATE: HY000

  Message: Error registering transaction '%d:%lld' from session '%u' to wait for being prepared on all group members.

  ER_GRP_RPL_REGISTER_TRX_TO_WAIT_FOR_GROUP_PREPARE_FAILED was added in 8.0.14.

- Error number: MY-013308; Symbol: ER_GRP_RPL_TRX_WAIT_FOR_GROUP_PREPARE_FAILED; SQLSTATE: HY000

  Message: Error on transaction '%d:%lld' from session '%u' while waiting for being prepared on all group members.

  ER_GRP_RPL_TRX_WAIT_FOR_GROUP_PREPARE_FAILED was added in 8.0.14.

- Error number: MY-013309; Symbol: ER_GRP_RPL_TRX_DOES_NOT_EXIST_ON_TCM_ON_HANDLE_REMOTE_PREPARE; SQLSTATE: HY000

  Message: Transaction '%d:%lld' does not exist on Group Replication consistency manager while receiving remote transaction prepare.

  ER_GRP_RPL_TRX_DOES_NOT_EXIST_ON_TCM_ON_HANDLE_REMOTE_PREPARE was added in 8.0.14.

- Error number: MY-013310; Symbol: ER_GRP_RPL_RELEASE_BEGIN_TRX_AFTER_DEPENDENCIES_COMMIT_FAILED; SQLSTATE: HY000

  Message: Error releasing transaction '%d:%lld' for execution on session '%u' after its dependencies did complete commit.

  ER_GRP_RPL_RELEASE_BEGIN_TRX_AFTER_DEPENDENCIES_COMMIT_FAILED was added in 8.0.14.

- Error number: MY-013311; Symbol: ER_GRP_RPL_REGISTER_TRX_TO_WAIT_FOR_DEPENDENCIES_FAILED; SQLSTATE: HY000

  Message: Error registering transaction from session '%u' to wait for its dependencies to complete commit.

  ER_GRP_RPL_REGISTER_TRX_TO_WAIT_FOR_DEPENDENCIES_FAILED was added in 8.0.14.

- Error number: MY-013312; Symbol: ER_GRP_RPL_WAIT_FOR_DEPENDENCIES_FAILED; SQLSTATE: HY000

  Message: Error on session '%u' while waiting for its dependencies to complete commit.

  ER_GRP_RPL_WAIT_FOR_DEPENDENCIES_FAILED was added in 8.0.14.

- Error number: MY-013313; Symbol: ER_GRP_RPL_REGISTER_TRX_TO_WAIT_FOR_SYNC_BEFORE_EXECUTION_FAILED; SQLSTATE: HY000

  Message: Error registering transaction from session '%u' to wait for sync before execution.

  ER_GRP_RPL_REGISTER_TRX_TO_WAIT_FOR_SYNC_BEFORE_EXECUTION_FAILED was added in 8.0.14.

- Error number: MY-013314; Symbol: ER_GRP_RPL_SEND_TRX_SYNC_BEFORE_EXECUTION_FAILED; SQLSTATE: HY000

Message: Error sending sync before execution message from session '%u'.

ER_GRP_RPL_SEND_TRX_SYNC_BEFORE_EXECUTION_FAILED was added in 8.0.14.

- Error number: MY-013315; Symbol: ER_GRP_RPL_TRX_WAIT_FOR_SYNC_BEFORE_EXECUTION_FAILED; SQLSTATE: HY000

  Message: Error on transaction from session '%u' while waiting for sync before execution.

  ER_GRP_RPL_TRX_WAIT_FOR_SYNC_BEFORE_EXECUTION_FAILED was added in 8.0.14.

- Error number: MY-013316; Symbol: ER_GRP_RPL_RELEASE_BEGIN_TRX_AFTER_WAIT_FOR_SYNC_BEFORE_EXEC; SQLSTATE: HY000

  Message: Error releasing transaction for execution on session '%u' after wait for sync before execution.

  ER_GRP_RPL_RELEASE_BEGIN_TRX_AFTER_WAIT_FOR_SYNC_BEFORE_EXEC was added in 8.0.14.

- Error number: MY-013317; Symbol: ER_GRP_RPL_TRX_WAIT_FOR_GROUP_GTID_EXECUTED; SQLSTATE: HY000

  Message: Error waiting for group executed transactions commit on session '%u'.

  ER_GRP_RPL_TRX_WAIT_FOR_GROUP_GTID_EXECUTED was added in 8.0.14.

- Error number: MY-013320; Symbol: ER_WARN_PROPERTY_STRING_PARSE_FAILED; SQLSTATE: HY000

  Message: Could not parse key-value pairs in property string '%s'

  ER_WARN_PROPERTY_STRING_PARSE_FAILED was added in 8.0.14.

- Error number: MY-013321; Symbol: ER_INVALID_PROPERTY_KEY; SQLSTATE: HY000

  Message: Property key '%s' is invalid.

  ER_INVALID_PROPERTY_KEY was added in 8.0.14.

- Error number: MY-013322; Symbol: ER_GRP_RPL_GTID_SET_EXTRACT_ERROR_DURING_RECOVERY; SQLSTATE: HY000

  Message: Error when extracting the group_replication_applier channel received transactions set. Unable to ensure the execution of group transactions received during recovery.

  ER_GRP_RPL_GTID_SET_EXTRACT_ERROR_DURING_RECOVERY was added in 8.0.14.

- Error number: MY-013323; Symbol: ER_SERVER_RPL_ENCRYPTION_FAILED_TO_ENCRYPT; SQLSTATE: HY000

  Message: Failed to encrypt content to write into binlog file: %s.

  ER_SERVER_RPL_ENCRYPTION_FAILED_TO_ENCRYPT was added in 8.0.14.

- Error number: MY-013324; Symbol: ER_CANNOT_GET_SERVER_VERSION_FROM_TABLESPACE_HEADER; SQLSTATE: HY000

  Message: Cannot get the server version number from the dictionary tablespace header.

  ER_CANNOT_GET_SERVER_VERSION_FROM_TABLESPACE_HEADER was added in 8.0.14.

- Error number: MY-013325; Symbol: ER_CANNOT_SET_SERVER_VERSION_IN_TABLESPACE_HEADER; SQLSTATE: HY000

  Message: Cannot set the server version number in the dictionary tablespace header.

  ER_CANNOT_SET_SERVER_VERSION_IN_TABLESPACE_HEADER was added in 8.0.14.

- Error number: MY-013326; Symbol: ER_SERVER_UPGRADE_VERSION_NOT_SUPPORTED; SQLSTATE: HY000

  Message: Upgrading the server from server version '%u' is not supported.

  ER_SERVER_UPGRADE_VERSION_NOT_SUPPORTED was added in 8.0.14.

- Error number: MY-013327; Symbol: ER_SERVER_UPGRADE_FROM_VERSION; SQLSTATE: HY000

  Message: MySQL server upgrading from version '%u' to '%u'.

  ER_SERVER_UPGRADE_FROM_VERSION was added in 8.0.14.

- Error number: MY-013328; Symbol: ER_GRP_RPL_ERROR_ON_CERT_DB_INSTALL; SQLSTATE: HY000

  Message: The certification information could not be set in this server: '%s'

  ER_GRP_RPL_ERROR_ON_CERT_DB_INSTALL was added in 8.0.14.

- Error number: MY-013329; Symbol: ER_GRP_RPL_FORCE_MEMBERS_WHEN_LEAVING; SQLSTATE: HY000

  Message: A request to force a new group membership was issued when the member is leaving the group.

  ER_GRP_RPL_FORCE_MEMBERS_WHEN_LEAVING was added in 8.0.14.

- Error number: MY-013330; Symbol: ER_TRG_WRONG_ORDER; SQLSTATE: HY000

  Message: Trigger %s.%s for table %s.%s is listed in wrong order. Please drop and recreate all triggers for the table.

  ER_TRG_WRONG_ORDER was added in 8.0.14.

- Error number: MY-013332; Symbol: ER_LDAP_AUTH_GRP_SEARCH_NOT_SPECIAL_HDL; SQLSTATE: HY000

  Message: Special handling for group search, {GA} not found

  ER_LDAP_AUTH_GRP_SEARCH_NOT_SPECIAL_HDL was added in 8.0.14.

- Error number: MY-013333; Symbol: ER_LDAP_AUTH_GRP_USER_OBJECT_HAS_GROUP_INFO; SQLSTATE: HY000

Message: User group retrieval: User object has group information

ER_LDAP_AUTH_GRP_USER_OBJECT_HAS_GROUP_INFO was added in 8.0.14.

- Error number: MY-013334; Symbol: ER_LDAP_AUTH_GRP_INFO_FOUND_IN_MANY_OBJECTS; SQLSTATE: HY000

  Message: Group information found in multiple user objects. Search filter configuration is incorrect.

  ER_LDAP_AUTH_GRP_INFO_FOUND_IN_MANY_OBJECTS was added in 8.0.14.

- Error number: MY-013335; Symbol: ER_LDAP_AUTH_GRP_INCORRECT_ATTRIBUTE; SQLSTATE: HY000

  Message: User group retrieval: no group attribute found. Incorrect group search attribute.

  ER_LDAP_AUTH_GRP_INCORRECT_ATTRIBUTE was added in 8.0.14.

- Error number: MY-013336; Symbol: ER_LDAP_AUTH_GRP_NULL_ATTRIBUTE_VALUE; SQLSTATE: HY000

  Message: User group retrieval: Group attribute values is NULL.

  ER_LDAP_AUTH_GRP_NULL_ATTRIBUTE_VALUE was added in 8.0.14.

- Error number: MY-013337; Symbol: ER_LDAP_AUTH_GRP_DN_PARSING_FAILED; SQLSTATE: HY000

  Message: User group retrieval: parsing DN failed.

  ER_LDAP_AUTH_GRP_DN_PARSING_FAILED was added in 8.0.14.

- Error number: MY-013338; Symbol: ER_LDAP_AUTH_GRP_OBJECT_HAS_USER_INFO; SQLSTATE: HY000

  Message: User group retrieval: Group object has user information

  ER_LDAP_AUTH_GRP_OBJECT_HAS_USER_INFO was added in 8.0.14.

- Error number: MY-013339; Symbol: ER_LDAP_AUTH_LDAPS; SQLSTATE: HY000

  Message: Reserved port for ldaps using ldaps

  ER_LDAP_AUTH_LDAPS was added in 8.0.14.

- Error number: MY-013340; Symbol: ER_LDAP_MAPPING_GET_USER_PROXY; SQLSTATE: HY000

  Message: Get user proxy

  ER_LDAP_MAPPING_GET_USER_PROXY was added in 8.0.14.

- Error number: MY-013341; Symbol: ER_LDAP_MAPPING_USER_DONT_BELONG_GROUP; SQLSTATE: HY000

  Message: Get user proxy: User doesn't belongs to any group, user name will be treated as authenticated user.

  ER_LDAP_MAPPING_USER_DONT_BELONG_GROUP was added in 8.0.14.

- Error number: MY-013342; Symbol: ER_LDAP_MAPPING_INFO; SQLSTATE: HY000

Message: Get user proxy: configured mapping info: %s

`ER_LDAP_MAPPING_INFO` was added in 8.0.14.

- Error number: `MY-013343`; Symbol: `ER_LDAP_MAPPING_EMPTY_MAPPING`; SQLSTATE: `HY000`

  Message: Get user proxy: User doesn't have group mapping information, First LDAP group will be treated as authenticated user.

  `ER_LDAP_MAPPING_EMPTY_MAPPING` was added in 8.0.14.

- Error number: `MY-013344`; Symbol: `ER_LDAP_MAPPING_PROCESS_MAPPING`; SQLSTATE: `HY000`

  Message: Process group proxy mapping

  `ER_LDAP_MAPPING_PROCESS_MAPPING` was added in 8.0.14.

- Error number: `MY-013345`; Symbol: `ER_LDAP_MAPPING_CHECK_DELIMI_QUOTE`; SQLSTATE: `HY000`

  Message: Check delimiter after quote

  `ER_LDAP_MAPPING_CHECK_DELIMI_QUOTE` was added in 8.0.14.

- Error number: `MY-013346`; Symbol: `ER_LDAP_MAPPING_PROCESS_DELIMITER`; SQLSTATE: `HY000`

  Message: Processing delimiter

  `ER_LDAP_MAPPING_PROCESS_DELIMITER` was added in 8.0.14.

- Error number: `MY-013347`; Symbol: `ER_LDAP_MAPPING_PROCESS_DELIMITER_EQUAL_NOT_FOUND`; SQLSTATE: `HY000`

  Message: Processing delimiter, separator = not found, resetting position

  `ER_LDAP_MAPPING_PROCESS_DELIMITER_EQUAL_NOT_FOUND` was added in 8.0.14.

- Error number: `MY-013348`; Symbol: `ER_LDAP_MAPPING_PROCESS_DELIMITER_TRY_COMMA`; SQLSTATE: `HY000`

  Message: "Processing delimiter, failed to get data for = separator try for separator ,."

  `ER_LDAP_MAPPING_PROCESS_DELIMITER_TRY_COMMA` was added in 8.0.14.

- Error number: `MY-013349`; Symbol: `ER_LDAP_MAPPING_PROCESS_DELIMITER_COMMA_NOT_FOUND`; SQLSTATE: `HY000`

  Message: Processing delimiter, separator , not found, resetting position

  `ER_LDAP_MAPPING_PROCESS_DELIMITER_COMMA_NOT_FOUND` was added in 8.0.14.

- Error number: `MY-013350`; Symbol: `ER_LDAP_MAPPING_NO_SEPEARATOR_END_OF_GROUP`; SQLSTATE: `HY000`

  Message: Processing delimiter: No mapping separator is found, end of group information

  `ER_LDAP_MAPPING_NO_SEPEARATOR_END_OF_GROUP` was added in 8.0.14.

- Error number: `MY-013351`; Symbol: `ER_LDAP_MAPPING_GETTING_NEXT_MAPPING`; SQLSTATE: `HY000`

Message: Getting next mapping information

ER_LDAP_MAPPING_GETTING_NEXT_MAPPING was added in 8.0.14.

- Error number: MY-013352; Symbol: ER_LDAP_MAPPING_PARSING_CURRENT_STATE; SQLSTATE: HY000

  Message: Parsing mapping, current state: %d delimiter char: %c

  ER_LDAP_MAPPING_PARSING_CURRENT_STATE was added in 8.0.14.

- Error number: MY-013353; Symbol: ER_LDAP_MAPPING_PARSING_MAPPING_INFO; SQLSTATE: HY000

  Message: Parsing mapping info, LDAP group: %s MySQL proxy: %s

  ER_LDAP_MAPPING_PARSING_MAPPING_INFO was added in 8.0.14.

- Error number: MY-013354; Symbol: ER_LDAP_MAPPING_PARSING_ERROR; SQLSTATE: HY000

  Message: Mapping parsing error

  ER_LDAP_MAPPING_PARSING_ERROR was added in 8.0.14.

- Error number: MY-013355; Symbol: ER_LDAP_MAPPING_TRIMMING_SPACES; SQLSTATE: HY000

  Message: Trimming left spaces

  ER_LDAP_MAPPING_TRIMMING_SPACES was added in 8.0.14.

- Error number: MY-013356; Symbol: ER_LDAP_MAPPING_IS_QUOTE; SQLSTATE: HY000

  Message: Checking if current characters is quote

  ER_LDAP_MAPPING_IS_QUOTE was added in 8.0.14.

- Error number: MY-013357; Symbol: ER_LDAP_MAPPING_NON_DESIRED_STATE; SQLSTATE: HY000

  Message: Not desired state or un-defined states.

  ER_LDAP_MAPPING_NON_DESIRED_STATE was added in 8.0.14.

- Error number: MY-013358; Symbol: ER_INVALID_NAMED_PIPE_FULL_ACCESS_GROUP; SQLSTATE: HY000

  Message: Invalid value for named_pipe_full_access_group.

  ER_INVALID_NAMED_PIPE_FULL_ACCESS_GROUP was added in 8.0.14.

- Error number: MY-013359; Symbol: ER_PREPARE_FOR_SECONDARY_ENGINE; SQLSTATE: HY000

  Message: Retry the statement using a secondary storage engine.

  ER_PREPARE_FOR_SECONDARY_ENGINE was added in 8.0.16.

- Error number: MY-013360; Symbol: ER_SERVER_WARN_DEPRECATED; SQLSTATE: HY000

  Message: '%s' is deprecated and will be removed in a future release. Please use %s instead

ER_SERVER_WARN_DEPRECATED was added in 8.0.16.

- Error number: MY-013361; Symbol: ER_AUTH_ID_WITH_SYSTEM_USER_PRIV_IN_MANDATORY_ROLES; SQLSTATE: HY000

  Message: Cannot set mandatory_roles: AuthId `%s`@`%s` has '%s' privilege.

  ER_AUTH_ID_WITH_SYSTEM_USER_PRIV_IN_MANDATORY_ROLES was added in 8.0.16.

- Error number: MY-013362; Symbol: ER_SERVER_BINLOG_MASTER_KEY_RECOVERY_OUT_OF_COMBINATION; SQLSTATE: HY000

  Message: Unable to recover binary log master key, the combination of new_master_key_seqno=%u, master_key_seqno=%u and old_master_key_seqno=%u are wrong.

  ER_SERVER_BINLOG_MASTER_KEY_RECOVERY_OUT_OF_COMBINATION was added in 8.0.16.

- Error number: MY-013363; Symbol: ER_SERVER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_CLEANUP_AUX_KEY; SQLSTATE: HY000

  Message: Failed to remove auxiliary binary log encryption key from keyring, please check if keyring is loaded. The cleanup of the binary log master key rotation process did not finish as expected and the cleanup will take place upon server restart or next 'ALTER INSTANCE ROTATE BINLOG MASTER KEY' execution.

  ER_SERVER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_CLEANUP_AUX_KEY was added in 8.0.16.

- Error number: MY-013368; Symbol: ER_TURNING_ON_PARTIAL_REVOKES; SQLSTATE: HY000

  Message: At least one partial revoke exists on a database. Turning ON the system variable '@@partial_revokes'.

  ER_TURNING_ON_PARTIAL_REVOKES was added in 8.0.16.

- Error number: MY-013369; Symbol: ER_WARN_PARTIAL_REVOKE_AND_DB_GRANT; SQLSTATE: HY000

  Message: For user '%s'@'%s', one or more privileges granted through mysql.db for database '%s', conflict with partial revoke. It could mean 'mysql' schema is corrupted.

  ER_WARN_PARTIAL_REVOKE_AND_DB_GRANT was added in 8.0.16.

- Error number: MY-013370; Symbol: ER_WARN_INCORRECT_PRIVILEGE_FOR_DB_RESTRICTIONS; SQLSTATE: HY000

  Message: For user %s, ignored restrictions for privilege(s) '%s' for database '%s' as these are not valid database privileges.

  ER_WARN_INCORRECT_PRIVILEGE_FOR_DB_RESTRICTIONS was added in 8.0.16.

- Error number: MY-013371; Symbol: ER_WARN_INVALID_DB_RESTRICTIONS; SQLSTATE: HY000

  Message: For user %s, ignored restrictions for privilege(s) '%s' for database '%s' as corresponding global privilege(s) are not granted.

  ER_WARN_INVALID_DB_RESTRICTIONS was added in 8.0.16.

- Error number: MY-013372; Symbol: ER_GRP_RPL_INVALID_COMMUNICATION_PROTOCOL; SQLSTATE: HY000

  Message: '%s' is an invalid value for group_replication_communication_protocol_join, please use a MySQL version between 5.7.14 and this server's version

  ER_GRP_RPL_INVALID_COMMUNICATION_PROTOCOL was added in 8.0.16.

- Error number: MY-013373; Symbol: ER_GRP_RPL_STARTED_AUTO_REJOIN; SQLSTATE: HY000

  Message: Started auto-rejoin procedure attempt %lu of %lu

  ER_GRP_RPL_STARTED_AUTO_REJOIN was added in 8.0.16.

- Error number: MY-013374; Symbol: ER_GRP_RPL_TIMEOUT_RECEIVED_VC_ON_REJOIN; SQLSTATE: HY000

  Message: Timeout while waiting for a view change event during the auto-rejoin procedure

  ER_GRP_RPL_TIMEOUT_RECEIVED_VC_ON_REJOIN was added in 8.0.16.

- Error number: MY-013375; Symbol: ER_GRP_RPL_FINISHED_AUTO_REJOIN; SQLSTATE: HY000

  Message: Auto-rejoin procedure attempt %lu of %lu finished. Member was%s able to join the group.

  ER_GRP_RPL_FINISHED_AUTO_REJOIN was added in 8.0.16.

- Error number: MY-013376; Symbol: ER_GRP_RPL_DEFAULT_TABLE_ENCRYPTION_DIFF_FROM_GRP; SQLSTATE: HY000

  Message: The member is configured with a default_table_encryption option value '%d' different from the group '%d'. The member will now exit the group.

  ER_GRP_RPL_DEFAULT_TABLE_ENCRYPTION_DIFF_FROM_GRP was added in 8.0.16.

- Error number: MY-013377; Symbol: ER_SERVER_UPGRADE_OFF; SQLSTATE: HY000

  Message: Server shutting down because upgrade is required, yet prohibited by the command line option '--upgrade=NONE'.

  ER_SERVER_UPGRADE_OFF was added in 8.0.16.

- Error number: MY-013378; Symbol: ER_SERVER_UPGRADE_SKIP; SQLSTATE: HY000

  Message: Server upgrade is required, but skipped by command line option '--upgrade=MINIMAL'.

  ER_SERVER_UPGRADE_SKIP was added in 8.0.16.

- Error number: MY-013379; Symbol: ER_SERVER_UPGRADE_PENDING; SQLSTATE: HY000

  Message: Server upgrade started with version %d, but server upgrade of version %d is still pending.

  ER_SERVER_UPGRADE_PENDING was added in 8.0.16.

- Error number: MY-013380; Symbol: ER_SERVER_UPGRADE_FAILED; SQLSTATE: HY000

  Message: Failed to upgrade server.

  ER_SERVER_UPGRADE_FAILED was added in 8.0.16.

- Error number: MY-013381; Symbol: ER_SERVER_UPGRADE_STATUS; SQLSTATE: HY000

  Message: Server upgrade from '%d' to '%d' %s.

  ER_SERVER_UPGRADE_STATUS was added in 8.0.16.

- Error number: MY-013382; Symbol: ER_SERVER_UPGRADE_REPAIR_REQUIRED; SQLSTATE: HY000

  Message: Table '%s' requires repair.

  ER_SERVER_UPGRADE_REPAIR_REQUIRED was added in 8.0.16.

- Error number: MY-013383; Symbol: ER_SERVER_UPGRADE_REPAIR_STATUS; SQLSTATE: HY000

  Message: Table '%s' repair %s.

  ER_SERVER_UPGRADE_REPAIR_STATUS was added in 8.0.16.

- Error number: MY-013384; Symbol: ER_SERVER_UPGRADE_INFO_FILE; SQLSTATE: HY000

  Message: Could not open server upgrade info file '%s' for writing. Please make sure the file is writable.

  ER_SERVER_UPGRADE_INFO_FILE was added in 8.0.16.

- Error number: MY-013385; Symbol: ER_SERVER_UPGRADE_SYS_SCHEMA; SQLSTATE: HY000

  Message: Upgrading the sys schema.

  ER_SERVER_UPGRADE_SYS_SCHEMA was added in 8.0.16.

- Error number: MY-013386; Symbol: ER_SERVER_UPGRADE_MYSQL_TABLES; SQLSTATE: HY000

  Message: Running queries to upgrade MySQL server.

  ER_SERVER_UPGRADE_MYSQL_TABLES was added in 8.0.16.

- Error number: MY-013387; Symbol: ER_SERVER_UPGRADE_SYSTEM_TABLES; SQLSTATE: HY000

  Message: Upgrading system table data.

  ER_SERVER_UPGRADE_SYSTEM_TABLES was added in 8.0.16.

- Error number: MY-013388; Symbol: ER_SERVER_UPGRADE_EMPTY_SYS; SQLSTATE: HY000

  Message: Found empty sys database. Installing the sys schema.

  ER_SERVER_UPGRADE_EMPTY_SYS was added in 8.0.16.

- Error number: MY-013389; Symbol: ER_SERVER_UPGRADE_NO_SYS_VERSION; SQLSTATE: HY000

  Message: A sys schema exists with no sys.version view. If you have a user created sys schema, this must be renamed for the upgrade to succeed.

  ER_SERVER_UPGRADE_NO_SYS_VERSION was added in 8.0.16.

- Error number: MY-013390; Symbol: ER_SERVER_UPGRADE_SYS_VERSION_EMPTY; SQLSTATE: HY000

  Message: A sys schema exists with a sys.version view, but it returns no results.

ER_SERVER_UPGRADE_SYS_VERSION_EMPTY was added in 8.0.16.

- Error number: MY-013391; Symbol: ER_SERVER_UPGRADE_SYS_SCHEMA_OUTDATED; SQLSTATE: HY000

  Message: Found outdated sys schema version %s.

  ER_SERVER_UPGRADE_SYS_SCHEMA_OUTDATED was added in 8.0.16.

- Error number: MY-013392; Symbol: ER_SERVER_UPGRADE_SYS_SCHEMA_UP_TO_DATE; SQLSTATE: HY000

  Message: The sys schema is already up to date (version %s).

  ER_SERVER_UPGRADE_SYS_SCHEMA_UP_TO_DATE was added in 8.0.16.

- Error number: MY-013393; Symbol: ER_SERVER_UPGRADE_SYS_SCHEMA_OBJECT_COUNT; SQLSTATE: HY000

  Message: Found %d sys %s, but expected %d. Re-installing the sys schema.

  ER_SERVER_UPGRADE_SYS_SCHEMA_OBJECT_COUNT was added in 8.0.16.

- Error number: MY-013394; Symbol: ER_SERVER_UPGRADE_CHECKING_DB; SQLSTATE: HY000

  Message: Checking '%s' schema.

  ER_SERVER_UPGRADE_CHECKING_DB was added in 8.0.16.

- Error number: MY-013395; Symbol: ER_IB_MSG_DDL_LOG_DELETE_BY_ID_TMCT; SQLSTATE: HY000

  Message: Too many concurrent transactions while clearing the DDL Log. Please increase the number of Rollback Segments.

  ER_IB_MSG_DDL_LOG_DELETE_BY_ID_TMCT was added in 8.0.16.

- Error number: MY-013396; Symbol: ER_IB_MSG_POST_RECOVER_DDL_LOG_RECOVER; SQLSTATE: HY000

  Message: Error in DDL Log recovery during Post-Recovery processing.

  ER_IB_MSG_POST_RECOVER_DDL_LOG_RECOVER was added in 8.0.16.

- Error number: MY-013397; Symbol: ER_IB_MSG_POST_RECOVER_POST_TS_ENCRYPT; SQLSTATE: HY000

  Message: Error in Post-Tablespace-Encryption during Post-Recovery processing.

  ER_IB_MSG_POST_RECOVER_POST_TS_ENCRYPT was added in 8.0.16.

- Error number: MY-013398; Symbol: ER_IB_MSG_DDL_LOG_FAIL_POST_DDL; SQLSTATE: HY000

  Message: Error in DLL Log cleanup during Post-DDL processing.

  ER_IB_MSG_DDL_LOG_FAIL_POST_DDL was added in 8.0.16.

- Error number: MY-013399; Symbol: ER_SERVER_BINLOG_UNSAFE_SYSTEM_FUNCTION; SQLSTATE: HY000

  Message: '%s' statement is unsafe because it uses a system function that may return a different value on the replica.

  ER_SERVER_BINLOG_UNSAFE_SYSTEM_FUNCTION was added in 8.0.16.

- Error number: MY-013400; Symbol: ER_SERVER_UPGRADE_HELP_TABLE_STATUS; SQLSTATE: HY000

  Message: Upgrade of help tables %s.

  ER_SERVER_UPGRADE_HELP_TABLE_STATUS was added in 8.0.16.

- Error number: MY-013401; Symbol: ER_GRP_RPL_SRV_GTID_WAIT_ERROR; SQLSTATE: HY000

  Message: Error when waiting for the server to execute local transactions in order assure the group change proper logging

  ER_GRP_RPL_SRV_GTID_WAIT_ERROR was added in 8.0.16, removed after 8.0.31.

- Error number: MY-013402; Symbol: ER_GRP_DELAYED_VCLE_LOGGING; SQLSTATE: HY000

  Message: Unable to log the group change View log event in its exaction position in the log. This will not however affect the group replication recovery process or the overall plugin process.

  ER_GRP_DELAYED_VCLE_LOGGING was added in 8.0.16, removed after 8.0.31.

- Error number: MY-013404; Symbol: ER_BINLOG_UNABLE_TO_ROTATE_GTID_TABLE_READONLY; SQLSTATE: HY000

  Message: Unable to create a new binlog file: Table `mysql.gtid_executed` couldn't be opened. %s

  ER_BINLOG_UNABLE_TO_ROTATE_GTID_TABLE_READONLY was added in 8.0.16.

- Error number: MY-013405; Symbol: ER_NETWORK_NAMESPACES_NOT_SUPPORTED; SQLSTATE: HY000

  Message: Network Namespaces is not supported on this platform

  ER_NETWORK_NAMESPACES_NOT_SUPPORTED was added in 8.0.16.

- Error number: MY-013406; Symbol: ER_UNKNOWN_NETWORK_NAMESPACE; SQLSTATE: HY000

  Message: Unknown network namespace '%s'

  ER_UNKNOWN_NETWORK_NAMESPACE was added in 8.0.16.

- Error number: MY-013407; Symbol: ER_NETWORK_NAMESPACE_NOT_ALLOWED_FOR_WILDCARD_ADDRESS; SQLSTATE: HY000

  Message: Network namespace not allowed for wildcard interface address

  ER_NETWORK_NAMESPACE_NOT_ALLOWED_FOR_WILDCARD_ADDRESS was added in 8.0.16.

- Error number: MY-013408; Symbol: ER_SETNS_FAILED; SQLSTATE: HY000

  Message: setns() failed with error '%s'

ER_SETNS_FAILED was added in 8.0.16.

- Error number: MY-013409; Symbol: ER_WILDCARD_NOT_ALLOWED_FOR_MULTIADDRESS_BIND; SQLSTATE: HY000

  Message: Wildcard address value not allowed for multivalued bind address

  ER_WILDCARD_NOT_ALLOWED_FOR_MULTIADDRESS_BIND was added in 8.0.16.

- Error number: MY-013410; Symbol: ER_NETWORK_NAMESPACE_FILE_PATH_TOO_LONG; SQLSTATE: HY000

  Message: The path to a special network namespace file is too long. (got %u > max %u)

  ER_NETWORK_NAMESPACE_FILE_PATH_TOO_LONG was added in 8.0.16.

- Error number: MY-013411; Symbol: ER_IB_MSG_TOO_LONG_PATH; SQLSTATE: HY000

  Message: Cannot create tablespace '%s'. The filepath is too long for this OS.

  ER_IB_MSG_TOO_LONG_PATH was added in 8.0.16.

- Error number: MY-013412; Symbol: ER_IB_RECV_FIRST_REC_GROUP_INVALID; SQLSTATE: HY000

  Message: The last block of redo had corrupted first_rec_group and became fixed (%u -> %u).

  ER_IB_RECV_FIRST_REC_GROUP_INVALID was added in 8.0.16.

- Error number: MY-013413; Symbol: ER_DD_UPGRADE_COMPLETED; SQLSTATE: HY000

  Message: Data dictionary upgrade from version '%u' to '%u' completed.

  ER_DD_UPGRADE_COMPLETED was added in 8.0.16.

- Error number: MY-013414; Symbol: ER_SSL_SERVER_CERT_VERIFY_FAILED; SQLSTATE: HY000

  Message: Server SSL certificate doesn't verify: %s

  ER_SSL_SERVER_CERT_VERIFY_FAILED was added in 8.0.16.

- Error number: MY-013415; Symbol: ER_PERSIST_OPTION_USER_TRUNCATED; SQLSTATE: HY000

  Message: Truncated a user name for %s that was too long while reading the persisted variables file

  ER_PERSIST_OPTION_USER_TRUNCATED was added in 8.0.16.

- Error number: MY-013416; Symbol: ER_PERSIST_OPTION_HOST_TRUNCATED; SQLSTATE: HY000

  Message: Truncated a host name for %s that was too long while reading the persisted variables file

  ER_PERSIST_OPTION_HOST_TRUNCATED was added in 8.0.16.

- Error number: MY-013417; Symbol: ER_NET_WAIT_ERROR; SQLSTATE: HY000

  Message: The wait_timeout period was exceeded, the idle time since last command was too long.

  ER_NET_WAIT_ERROR was added in 8.0.16.

- Error number: MY-013418; Symbol: ER_IB_MSG_1285; SQLSTATE: HY000

Message: '%s' found not encrypted while '%s' is ON. Trying to encrypt it now.

`ER_IB_MSG_1285` was added in 8.0.16.

- Error number: `MY-013419`; Symbol: `ER_IB_MSG_CLOCK_MONOTONIC_UNSUPPORTED`; SQLSTATE: `HY000`

  Message: CLOCK_MONOTONIC is unsupported, so do not change the system time when MySQL is running !

  `ER_IB_MSG_CLOCK_MONOTONIC_UNSUPPORTED` was added in 8.0.16.

- Error number: `MY-013420`; Symbol: `ER_IB_MSG_CLOCK_GETTIME_FAILED`; SQLSTATE: `HY000`

  Message: clock_gettime() failed: %s

  `ER_IB_MSG_CLOCK_GETTIME_FAILED` was added in 8.0.16.

- Error number: `MY-013421`; Symbol: `ER_PLUGIN_NOT_EARLY_DUP`; SQLSTATE: `HY000`

  Message: Plugin '%s' is not to be used as an "early" plugin. Don't add it to --early-plugin-load, keyring migration etc.

  `ER_PLUGIN_NOT_EARLY_DUP` was added in 8.0.16.

- Error number: `MY-013422`; Symbol: `ER_PLUGIN_NO_INSTALL_DUP`; SQLSTATE: `HY000`

  Message: Plugin '%s' is marked as not dynamically installable. You have to stop the server to install it.

  `ER_PLUGIN_NO_INSTALL_DUP` was added in 8.0.16.

- Error number: `MY-013425`; Symbol: `ER_BINLOG_UNSAFE_DEFAULT_EXPRESSION_IN_SUBSTATEMENT`; SQLSTATE: `HY000`

  Message: The statement is unsafe because it invokes a trigger or a stored function that modifies a table that has a column with a DEFAULT expression that may return a different value on the replica.

  `ER_BINLOG_UNSAFE_DEFAULT_EXPRESSION_IN_SUBSTATEMENT` was added in 8.0.16.

- Error number: `MY-013426`; Symbol: `ER_GRP_RPL_MEMBER_VER_READ_COMPATIBLE`; SQLSTATE: `HY000`

  Message: Member version is read compatible with the group.

  `ER_GRP_RPL_MEMBER_VER_READ_COMPATIBLE` was added in 8.0.16.

- Error number: `MY-013427`; Symbol: `ER_LOCK_ORDER_INIT_FAILED`; SQLSTATE: `HY000`

  Message: Lock order disabled (reason: init failed).

  `ER_LOCK_ORDER_INIT_FAILED` was added in 8.0.16.

- Error number: `MY-013428`; Symbol: `ER_AUDIT_LOG_KEYRING_ID_TIMESTAMP_VALUE_IS_INVALID`; SQLSTATE: `HY000`

  Message: Keyring ID timestamp value is invalid: '%s'

  `ER_AUDIT_LOG_KEYRING_ID_TIMESTAMP_VALUE_IS_INVALID` was added in 8.0.16.

- Error number: MY-013429; Symbol: ER_AUDIT_LOG_FILE_NAME_TIMESTAMP_VALUE_IS_MISSING_OR_INVALID; SQLSTATE: HY000

  Message: Cannot process audit log file. File name timestamp value is missing or invalid: '%s'

  ER_AUDIT_LOG_FILE_NAME_TIMESTAMP_VALUE_IS_MISSING_OR_INVALID was added in 8.0.16.

- Error number: MY-013430; Symbol: ER_AUDIT_LOG_FILE_NAME_DOES_NOT_HAVE_REQUIRED_FORMAT; SQLSTATE: HY000

  Message: Cannot process audit log file. File name does not have required format: '%s'

  ER_AUDIT_LOG_FILE_NAME_DOES_NOT_HAVE_REQUIRED_FORMAT was added in 8.0.16.

- Error number: MY-013431; Symbol: ER_AUDIT_LOG_FILE_NAME_KEYRING_ID_VALUE_IS_MISSING; SQLSTATE: HY000

  Message: Cannot process audit log file. File name keyring ID value is missing: '%s'

  ER_AUDIT_LOG_FILE_NAME_KEYRING_ID_VALUE_IS_MISSING was added in 8.0.16.

- Error number: MY-013432; Symbol: ER_AUDIT_LOG_FILE_HAS_BEEN_SUCCESSFULLY_PROCESSED; SQLSTATE: HY000

  Message: Audit log file has been successfully processed: '%s'

  ER_AUDIT_LOG_FILE_HAS_BEEN_SUCCESSFULLY_PROCESSED was added in 8.0.16.

- Error number: MY-013433; Symbol: ER_AUDIT_LOG_COULD_NOT_OPEN_FILE_FOR_READING; SQLSTATE: HY000

  Message: Could not open audit log file for reading: '%s'

  ER_AUDIT_LOG_COULD_NOT_OPEN_FILE_FOR_READING was added in 8.0.16.

- Error number: MY-013434; Symbol: ER_AUDIT_LOG_INVALID_FILE_CONTENT; SQLSTATE: HY000

  Message: Invalid audit log file content: '%s'

  ER_AUDIT_LOG_INVALID_FILE_CONTENT was added in 8.0.16.

- Error number: MY-013435; Symbol: ER_AUDIT_LOG_CANNOT_READ_PASSWORD; SQLSTATE: HY000

  Message: Cannot read password: '%s'.

  ER_AUDIT_LOG_CANNOT_READ_PASSWORD was added in 8.0.16.

- Error number: MY-013436; Symbol: ER_AUDIT_LOG_CANNOT_STORE_PASSWORD; SQLSTATE: HY000

  Message: Cannot store password: '%s'.

  ER_AUDIT_LOG_CANNOT_STORE_PASSWORD was added in 8.0.16.

- Error number: MY-013437; Symbol: ER_AUDIT_LOG_CANNOT_REMOVE_PASSWORD; SQLSTATE: HY000

  Message: Cannot remove password: '%s'.

  ER_AUDIT_LOG_CANNOT_REMOVE_PASSWORD was added in 8.0.16.

- Error number: MY-013438; Symbol: ER_AUDIT_LOG_PASSWORD_HAS_BEEN_COPIED; SQLSTATE: HY000

  Message: 'audit_log' password has been copied into '%s' and will be removed with first purged password.

  ER_AUDIT_LOG_PASSWORD_HAS_BEEN_COPIED was added in 8.0.16.

- Error number: MY-013447; Symbol: ER_LDAP_EMPTY_USERDN_PASSWORD; SQLSTATE: HY000

  Message: Empty user dn or password is not allowed, not attempting LDAP bind.

  ER_LDAP_EMPTY_USERDN_PASSWORD was added in 8.0.16.

- Error number: MY-013449; Symbol: ER_ACL_WRONG_OR_MISSING_ACL_TABLES_LOG; SQLSTATE: HY000

  Message: The current layout of the ACL tables does not conform to the server's expected layout. They're either altered, missing or not upgraded from a previous version. However a best effort attempt to read data from these tables will still be made.

  ER_ACL_WRONG_OR_MISSING_ACL_TABLES_LOG was added in 8.0.17.

- Error number: MY-013450; Symbol: ER_LOCK_ORDER_FAILED_WRITE_FILE; SQLSTATE: HY000

  Message: LOCK_ORDER: Failed to write to file <%s>.

  ER_LOCK_ORDER_FAILED_WRITE_FILE was added in 8.0.17.

- Error number: MY-013451; Symbol: ER_LOCK_ORDER_FAILED_READ_FILE; SQLSTATE: HY000

  Message: LOCK_ORDER: Failed to read from file <%s>.

  ER_LOCK_ORDER_FAILED_READ_FILE was added in 8.0.17.

- Error number: MY-013452; Symbol: ER_LOCK_ORDER_MESSAGE; SQLSTATE: HY000

  Message: LOCK_ORDER message: %s

  ER_LOCK_ORDER_MESSAGE was added in 8.0.17.

- Error number: MY-013453; Symbol: ER_LOCK_ORDER_DEPENDENCIES_SYNTAX; SQLSTATE: HY000

  Message: Lock order dependencies file <%s> (%d:%d) - (%d:%d) : %s

  ER_LOCK_ORDER_DEPENDENCIES_SYNTAX was added in 8.0.17.

- Error number: MY-013454; Symbol: ER_LOCK_ORDER_SCANNER_SYNTAX; SQLSTATE: HY000

  Message: Lock order scanner: (%d:%d) - (%d:%d) : %s

  ER_LOCK_ORDER_SCANNER_SYNTAX was added in 8.0.17.

- Error number: MY-013455; Symbol: ER_DATA_DIRECTORY_UNUSABLE_DELETABLE; SQLSTATE: HY000

  Message: The newly created data directory %s by --initialize is unusable. You can remove it.

  ER_DATA_DIRECTORY_UNUSABLE_DELETABLE was added in 8.0.17.

- Error number: MY-013456; Symbol: ER_IB_MSG_BTREE_LEVEL_LIMIT_EXCEEDED; SQLSTATE: HY000

  Message: No. of B-tree level created for index %s has crossed the permissible limit. If debug option innodb_limit_optimistic_insert_debug is being used try tweaking it to include more records in a page.

  ER_IB_MSG_BTREE_LEVEL_LIMIT_EXCEEDED was added in 8.0.17.

- Error number: MY-013457; Symbol: ER_IB_CLONE_START_STOP; SQLSTATE: HY000

  Message: %s

  ER_IB_CLONE_START_STOP was added in 8.0.17.

- Error number: MY-013458; Symbol: ER_IB_CLONE_OPERATION; SQLSTATE: HY000

  Message: %s

  ER_IB_CLONE_OPERATION was added in 8.0.17.

- Error number: MY-013459; Symbol: ER_IB_CLONE_RESTART; SQLSTATE: HY000

  Message: %s

  ER_IB_CLONE_RESTART was added in 8.0.17.

- Error number: MY-013460; Symbol: ER_IB_CLONE_USER_DATA; SQLSTATE: HY000

  Message: Clone removing all user data for provisioning: %s

  ER_IB_CLONE_USER_DATA was added in 8.0.17.

- Error number: MY-013461; Symbol: ER_IB_CLONE_NON_INNODB_TABLE; SQLSTATE: HY000

  Message: Non innodb table: %s.%s is not cloned and is empty.

  ER_IB_CLONE_NON_INNODB_TABLE was added in 8.0.17.

- Error number: MY-013462; Symbol: ER_CLONE_SHUTDOWN_TRACE; SQLSTATE: HY000

  Message: Clone shutting down server as RESTART failed. Please start server to complete clone operation.

  ER_CLONE_SHUTDOWN_TRACE was added in 8.0.17.

- Error number: MY-013463; Symbol: ER_GRP_RPL_GTID_PURGED_EXTRACT_ERROR; SQLSTATE: HY000

  Message: Error when extracting this member GTID purged set. Operations and checks made to group joiners may be incomplete.

  ER_GRP_RPL_GTID_PURGED_EXTRACT_ERROR was added in 8.0.17.

- Error number: MY-013464; Symbol: ER_GRP_RPL_CLONE_PROCESS_PREPARE_ERROR; SQLSTATE: HY000

  Message: There was an issue when configuring the remote cloning process: %s

  ER_GRP_RPL_CLONE_PROCESS_PREPARE_ERROR was added in 8.0.17.

- Error number: MY-013465; Symbol: ER_GRP_RPL_CLONE_PROCESS_EXEC_ERROR; SQLSTATE: HY000

  Message: There was an issue when cloning from another server: %s

  ER_GRP_RPL_CLONE_PROCESS_EXEC_ERROR was added in 8.0.17.

- Error number: MY-013466; Symbol: ER_GRP_RPL_RECOVERY_EVAL_ERROR; SQLSTATE: HY000

  Message: There was an issue when trying to evaluate the best distributed recovery strategy while joining.%s

  ER_GRP_RPL_RECOVERY_EVAL_ERROR was added in 8.0.17.

- Error number: MY-013467; Symbol: ER_GRP_RPL_NO_POSSIBLE_RECOVERY; SQLSTATE: HY000

  Message: No valid or ONLINE members exist to get the missing data from the group. For cloning check if donors of the same version and with clone plugin installed exist. For incremental recovery check if you have donors where the required data was not purged from the binary logs.

  ER_GRP_RPL_NO_POSSIBLE_RECOVERY was added in 8.0.17.

- Error number: MY-013468; Symbol: ER_GRP_RPL_CANT_KILL_THREAD; SQLSTATE: HY000

  Message: The group replication plugin could not kill the plugin routine for %s. %s

  ER_GRP_RPL_CANT_KILL_THREAD was added in 8.0.17.

- Error number: MY-013469; Symbol: ER_GRP_RPL_RECOVERY_STRAT_CLONE_THRESHOLD; SQLSTATE: HY000

  Message: This member will start distributed recovery using clone. It is due to the number of missing transactions being higher than the configured threshold of %llu.

  ER_GRP_RPL_RECOVERY_STRAT_CLONE_THRESHOLD was added in 8.0.17.

- Error number: MY-013470; Symbol: ER_GRP_RPL_RECOVERY_STRAT_CLONE_PURGED; SQLSTATE: HY000

  Message: This member will start distributed recovery using clone. It is due to no ONLINE member has the missing data for recovering in its binary logs.

  ER_GRP_RPL_RECOVERY_STRAT_CLONE_PURGED was added in 8.0.17.

- Error number: MY-013471; Symbol: ER_GRP_RPL_RECOVERY_STRAT_CHOICE; SQLSTATE: HY000

  Message: Distributed recovery will transfer data using: %s

  ER_GRP_RPL_RECOVERY_STRAT_CHOICE was added in 8.0.17.

- Error number: MY-013472; Symbol: ER_GRP_RPL_RECOVERY_STRAT_FALLBACK; SQLSTATE: HY000

  Message: Due to some issue on the previous step distributed recovery is now executing: %s

  ER_GRP_RPL_RECOVERY_STRAT_FALLBACK was added in 8.0.17.

- Error number: MY-013473; Symbol: ER_GRP_RPL_RECOVERY_STRAT_NO_FALLBACK; SQLSTATE: HY000

Message: Due to a critical cloning error or lack of donors, distributed recovery cannot be executed. The member will now leave the group.

`ER_GRP_RPL_RECOVERY_STRAT_NO_FALLBACK` was added in 8.0.17.

- Error number: `MY-013474`; Symbol: `ER_GRP_RPL_SLAVE_THREAD_ERROR_ON_CLONE`; SQLSTATE: `HY000`

  Message: The '%s' thread of channel '%s' will error out as the server will attempt to clone another server

  `ER_GRP_RPL_SLAVE_THREAD_ERROR_ON_CLONE` was added in 8.0.17, removed after 8.0.32.

- Error number: `MY-013474`; Symbol: `ER_GRP_RPL_REPLICA_THREAD_ERROR_ON_CLONE`; SQLSTATE: `HY000`

  Message: The '%s' thread of channel '%s' will error out as the server will attempt to clone another server

  `ER_GRP_RPL_REPLICA_THREAD_ERROR_ON_CLONE` was added in 8.0.33.

- Error number: `MY-013475`; Symbol: `ER_UNKNOWN_TABLE_IN_UPGRADE`; SQLSTATE: `HY000`

  Message: Unknown table '%s'

  `ER_UNKNOWN_TABLE_IN_UPGRADE` was added in 8.0.17.

- Error number: `MY-013476`; Symbol: `ER_IDENT_CAUSES_TOO_LONG_PATH_IN_UPGRADE`; SQLSTATE: `HY000`

  Message: Long database name and identifier for object resulted in path length exceeding %d characters. Path: '%s'.

  `ER_IDENT_CAUSES_TOO_LONG_PATH_IN_UPGRADE` was added in 8.0.17.

- Error number: `MY-013477`; Symbol: `ER_XA_CANT_CREATE_MDL_BACKUP`; SQLSTATE: `HY000`

  Message: XA: Failed to take MDL Lock backup of PREPARED XA transaction during client disconnect.

  `ER_XA_CANT_CREATE_MDL_BACKUP` was added in 8.0.13.

- Error number: `MY-013478`; Symbol: `ER_AUDIT_LOG_SUPER_PRIVILEGE_REQUIRED`; SQLSTATE: `HY000`

  Message: SUPER privilege or AUDIT_ADMIN role required for '%s'@'%s' user.

  `ER_AUDIT_LOG_SUPER_PRIVILEGE_REQUIRED` was added in 8.0.11.

- Error number: `MY-013479`; Symbol: `ER_AUDIT_LOG_UDF_INVALID_ARGUMENT_TYPE`; SQLSTATE: `HY000`

  Message: Invalid argument type

  `ER_AUDIT_LOG_UDF_INVALID_ARGUMENT_TYPE` was added in 8.0.11.

- Error number: MY-013480; Symbol: ER_AUDIT_LOG_UDF_INVALID_ARGUMENT_COUNT; SQLSTATE: HY000

  Message: Invalid argument count

  ER_AUDIT_LOG_UDF_INVALID_ARGUMENT_COUNT was added in 8.0.11.

- Error number: MY-013481; Symbol: ER_AUDIT_LOG_HAS_NOT_BEEN_INSTALLED; SQLSTATE: HY000

  Message: audit_log plugin has not been installed using INSTALL PLUGIN syntax.

  ER_AUDIT_LOG_HAS_NOT_BEEN_INSTALLED was added in 8.0.11.

- Error number: MY-013482; Symbol: ER_AUDIT_LOG_UDF_READ_INVALID_MAX_ARRAY_LENGTH_ARG_TYPE; SQLSTATE: HY000

  Message: Invalid "max_array_length" argument type.

  ER_AUDIT_LOG_UDF_READ_INVALID_MAX_ARRAY_LENGTH_ARG_TYPE was added in 8.0.11.

- Error number: MY-013483; Symbol: ER_LOG_CANNOT_WRITE_EXTENDED; SQLSTATE: HY000

  Message: Failed to write to %s: %s (%s)

  ER_LOG_CANNOT_WRITE_EXTENDED was added in 8.0.17.

- Error number: MY-013484; Symbol: ER_UPGRADE_WITH_PARTITIONED_TABLES_REJECTED; SQLSTATE: HY000

  Message: Upgrading from server version %d with partitioned tables and lower_case_table_names == 1 on a case sensitive file system may cause issues, and is therefore prohibited. To upgrade anyway, restart the new server version with the command line option 'upgrade=FORCE'. When upgrade is completed, please execute 'RENAME TABLE <part_table_name> TO <new_table_name>; RENAME TABLE <new_table_name> TO <part_table_name>;' for each of the partitioned tables. Please see the documentation for further information.

  ER_UPGRADE_WITH_PARTITIONED_TABLES_REJECTED was added in 8.0.17, removed after 8.0.18.

- Error number: MY-013485; Symbol: ER_KEYRING_AWS_INCORRECT_PROXY; SQLSTATE: HY000

  Message: Incorrect environment variable %s, invalid port: %s

  ER_KEYRING_AWS_INCORRECT_PROXY was added in 8.0.18.

- Error number: MY-013486; Symbol: ER_GRP_RPL_SERVER_SET_TO_OFFLINE_MODE_DUE_TO_ERRORS; SQLSTATE: HY000

  Message: The server was automatically set into offline mode after an error was detected.

  ER_GRP_RPL_SERVER_SET_TO_OFFLINE_MODE_DUE_TO_ERRORS was added in 8.0.18.

- Error number: MY-013487; Symbol: ER_GRP_RPL_MESSAGE_SERVICE_FATAL_ERROR; SQLSTATE: HY000

  Message: A message sent through the Group Replication message deliver service was not delivered successfully. The server will now leave the group. Try to add the server back to the group and check if the problem persists, or check previous messages in the log for hints of what could be the problem.

ER_GRP_RPL_MESSAGE_SERVICE_FATAL_ERROR was added in 8.0.18.

- Error number: MY-013488; Symbol: ER_WARN_WRONG_COMPRESSION_ALGORITHM_LOG; SQLSTATE: HY000

  Message: Invalid SOURCE_COMPRESSION_ALGORITHMS '%s' found in repository for channel '%s'. Resetting to 'uncompressed' (no compression).

  ER_WARN_WRONG_COMPRESSION_ALGORITHM_LOG was added in 8.0.18.

- Error number: MY-013489; Symbol: ER_WARN_WRONG_COMPRESSION_LEVEL_LOG; SQLSTATE: HY000

  Message: Invalid SOURCE_ZSTD_COMPRESSION_LEVEL found in repository for channel '%s'. Resetting to %u.

  ER_WARN_WRONG_COMPRESSION_LEVEL_LOG was added in 8.0.18.

- Error number: MY-013490; Symbol: ER_PROTOCOL_COMPRESSION_RESET_LOG; SQLSTATE: HY000

  Message: Option --protocol-compression-algorithms is reset to default value.

  ER_PROTOCOL_COMPRESSION_RESET_LOG was added in 8.0.18.

- Error number: MY-013491; Symbol: ER_XPLUGIN_COMPRESSION_ERROR; SQLSTATE: HY000

  Message: Fatal error while compressing outgoing data - %s

  ER_XPLUGIN_COMPRESSION_ERROR was added in 8.0.18.

- Error number: MY-013492; Symbol: ER_MYSQLBACKUP_MSG; SQLSTATE: HY000

  Message: %s

  ER_MYSQLBACKUP_MSG was added in 8.0.18.

- Error number: MY-013493; Symbol: ER_WARN_UNKNOWN_KEYRING_AWS_REGION; SQLSTATE: HY000

  Message: Unknown keyring_aws_region '%s'. Connection to AWS KMS may fail.

  ER_WARN_UNKNOWN_KEYRING_AWS_REGION was added in 8.0.18.

- Error number: MY-013494; Symbol: ER_WARN_LOG_PRIVILEGE_CHECKS_USER_DOES_NOT_EXIST; SQLSTATE: HY000

  Message: PRIVILEGE_CHECKS_USER for replication channel '%s' was set to `%s`@`%s`, but this is not an existing user. Correct this before starting replication threads.

  ER_WARN_LOG_PRIVILEGE_CHECKS_USER_DOES_NOT_EXIST was added in 8.0.18.

- Error number: MY-013495; Symbol: ER_WARN_LOG_PRIVILEGE_CHECKS_USER_CORRUPT; SQLSTATE: HY000

  Message: Invalid, corrupted PRIVILEGE_CHECKS_USER was found in the replication configuration repository for channel '%s'. Use CHANGE REPLICATION SOURCE TO PRIVILEGE_CHECKS_USER to correct the configuration.

  ER_WARN_LOG_PRIVILEGE_CHECKS_USER_CORRUPT was added in 8.0.18.

- Error number: MY-013496; Symbol: ER_WARN_LOG_PRIVILEGE_CHECKS_USER_NEEDS_RPL_APPLIER_PRIV; SQLSTATE: HY000

  Message: PRIVILEGE_CHECKS_USER for replication channel '%s' was set to `%s`@`%s`, but this user does not have REPLICATION_APPLIER privilege. Correct this before starting the replication threads.

  ER_WARN_LOG_PRIVILEGE_CHECKS_USER_NEEDS_RPL_APPLIER_PRIV was added in 8.0.18.

- Error number: MY-013497; Symbol: ER_FILE_PRIVILEGE_FOR_REPLICATION_CHECKS; SQLSTATE: HY000

  Message: The PRIVILEGE_CHECKS_USER for channel '%s' would need FILE privilege to execute a LOAD DATA INFILE statement replicated in statement format. Consider using binlog_format=ROW on master. If the replicated events are trusted, recover from the failure by temporarily granting FILE to the PRIVILEGE_CHECKS_USER.

  ER_FILE_PRIVILEGE_FOR_REPLICATION_CHECKS was added in 8.0.18, removed after 8.0.30.

- Error number: MY-013497; Symbol: ER_OBSOLETE_FILE_PRIVILEGE_FOR_REPLICATION_CHECKS; SQLSTATE: HY000

  Message: The PRIVILEGE_CHECKS_USER for channel '%s' would need FILE privilege to execute a LOAD DATA INFILE statement replicated in statement format. Consider using binlog_format=ROW on source. If the replicated events are trusted, recover from the failure by temporarily granting FILE to the PRIVILEGE_CHECKS_USER.

  ER_OBSOLETE_FILE_PRIVILEGE_FOR_REPLICATION_CHECKS was added in 8.0.31.

- Error number: MY-013498; Symbol: ER_RPL_SLAVE_SQL_THREAD_STARTING_WITH_PRIVILEGE_CHECKS; SQLSTATE: HY000

  Message: Slave SQL thread%s initialized, starting replication in log '%s' at position %s, relay log '%s' position: %s, user: '%s'@'%s', roles: %s

  ER_RPL_SLAVE_SQL_THREAD_STARTING_WITH_PRIVILEGE_CHECKS was added in 8.0.18, removed after 8.0.32.

- Error number: MY-013498; Symbol: ER_RPL_REPLICA_SQL_THREAD_STARTING_WITH_PRIVILEGE_CHECKS; SQLSTATE: HY000

  Message: Replica SQL thread%s initialized, starting replication in log '%s' at position %s, relay log '%s' position: %s, user: '%s'@'%s', roles: %s

  ER_RPL_REPLICA_SQL_THREAD_STARTING_WITH_PRIVILEGE_CHECKS was added in 8.0.33.

- Error number: MY-013499; Symbol: ER_AUDIT_LOG_CANNOT_GENERATE_PASSWORD; SQLSTATE: HY000

  Message: Cannot generate password: '%s'

  ER_AUDIT_LOG_CANNOT_GENERATE_PASSWORD was added in 8.0.18.

- Error number: MY-013500; Symbol: ER_INIT_FAILED_TO_GENERATE_ROOT_PASSWORD; SQLSTATE: HY000

  Message: Failed to generate a random password for root. Probabably not enough enthropy.

  ER_INIT_FAILED_TO_GENERATE_ROOT_PASSWORD was added in 8.0.18.

- Error number: MY-013501; Symbol: ER_PLUGIN_LOAD_OPTIONS_IGNORED; SQLSTATE: HY000

  Message: Ignoring --plugin-load[_add] list as the server is running with --initialize(-insecure).

  ER_PLUGIN_LOAD_OPTIONS_IGNORED was added in 8.0.18.

- Error number: MY-013502; Symbol: ER_WARN_AUTH_ID_WITH_SYSTEM_USER_PRIV_IN_MANDATORY_ROLES; SQLSTATE: HY000

  Message: Cannot set mandatory_roles: AuthId `%s`@`%s` has '%s' privilege. AuthId(s) set in the mandatory_roles are ignored.

  ER_WARN_AUTH_ID_WITH_SYSTEM_USER_PRIV_IN_MANDATORY_ROLES was added in 8.0.18.

- Error number: MY-013503; Symbol: ER_IB_MSG_SKIP_HIDDEN_DIR; SQLSTATE: HY000

  Message: Directory '%s' will not be scanned because it is a hidden directory.

  ER_IB_MSG_SKIP_HIDDEN_DIR was added in 8.0.18.

- Error number: MY-013504; Symbol: ER_WARN_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_MASTER_EOF; SQLSTATE: HY000

  Message: Server was not able to find a rotate event from master server to initialize relay log recovery for channel '%s'. Skipping relay log recovery for the channel.

  ER_WARN_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_MASTER_EOF was added in 8.0.19, removed after 8.0.32.

- Error number: MY-013504; Symbol: ER_WARN_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_SOURCE_EOF; SQLSTATE: HY000

  Message: Server was not able to find a rotate event from source server to initialize relay log recovery for channel '%s'. Skipping relay log recovery for the channel.

  ER_WARN_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_SOURCE_EOF was added in 8.0.33.

- Error number: MY-013505; Symbol: ER_IB_LOB_ROLLBACK_INDEX_LEN; SQLSTATE: HY000

  Message: Rolling back LOB for transaction %llu undo number %llu : current index length %llu. (iteration %llu)

  ER_IB_LOB_ROLLBACK_INDEX_LEN was added in 8.0.19.

- Error number: MY-013506; Symbol: ER_CANT_PROCESS_EXPRESSION_FOR_GENERATED_COLUMN_TO_DD; SQLSTATE: HY000

  Message: Error in processing (possibly deprecated) expression or function '%s' for generated column %s.%s.%s

  ER_CANT_PROCESS_EXPRESSION_FOR_GENERATED_COLUMN_TO_DD was added in 8.0.19.

- Error number: MY-013507; Symbol: ER_RPL_SLAVE_QUEUE_EVENT_FAILED_INVALID_NON_ROW_FORMAT; SQLSTATE: HY000

  Message: The queue event failed for channel '%s' as an invalid event according to REQUIRE_ROW_FORMAT was found.

  ER_RPL_SLAVE_QUEUE_EVENT_FAILED_INVALID_NON_ROW_FORMAT was added in 8.0.19, removed after 8.0.32.

- Error number: MY-013507; Symbol: ER_RPL_REPLICA_QUEUE_EVENT_FAILED_INVALID_NON_ROW_FORMAT; SQLSTATE: HY000

  Message: The queue event failed for channel '%s' as an invalid event according to REQUIRE_ROW_FORMAT was found.

  ER_RPL_REPLICA_QUEUE_EVENT_FAILED_INVALID_NON_ROW_FORMAT was added in 8.0.33.

- Error number: MY-013508; Symbol: ER_RPL_SLAVE_APPLY_LOG_EVENT_FAILED_INVALID_NON_ROW_FORMAT; SQLSTATE: HY000

  Message: The application of relay events failed for channel '%s' as an invalid event according to REQUIRE_ROW_FORMAT was found.

  ER_RPL_SLAVE_APPLY_LOG_EVENT_FAILED_INVALID_NON_ROW_FORMAT was added in 8.0.19, removed after 8.0.30.

- Error number: MY-013508; Symbol: ER_OBSOLETE_REQUIRE_ROW_FORMAT_VIOLATION; SQLSTATE: HY000

  Message: The application of relay events failed for channel '%s' as an invalid event according to REQUIRE_ROW_FORMAT was found.

  ER_OBSOLETE_REQUIRE_ROW_FORMAT_VIOLATION was added in 8.0.31.

- Error number: MY-013509; Symbol: ER_LOG_PRIV_CHECKS_REQUIRE_ROW_FORMAT_NOT_SET; SQLSTATE: HY000

  Message: PRIVILEGE_CHECKS_USER for replication channel '%s' can't be set to `%s`@`%s` unless REQUIRE_ROW_FORMAT is also set to %d.

  ER_LOG_PRIV_CHECKS_REQUIRE_ROW_FORMAT_NOT_SET was added in 8.0.19.

- Error number: MY-013510; Symbol: ER_RPL_SLAVE_SQL_THREAD_DETECTED_UNEXPECTED_EVENT_SEQUENCE; SQLSTATE: HY000

  Message: An unexpected event sequence was detected by the SQL thread while applying an event.

  ER_RPL_SLAVE_SQL_THREAD_DETECTED_UNEXPECTED_EVENT_SEQUENCE was added in 8.0.19, removed after 8.0.32.

- Error number: MY-013510; Symbol: ER_RPL_REPLICA_SQL_THREAD_DETECTED_UNEXPECTED_EVENT_SEQUENCE; SQLSTATE: HY000

  Message: An unexpected event sequence was detected by the SQL thread while applying an event.

  ER_RPL_REPLICA_SQL_THREAD_DETECTED_UNEXPECTED_EVENT_SEQUENCE was added in 8.0.33.

- Error number: MY-013511; Symbol: ER_IB_MSG_UPGRADE_PARTITION_FILE; SQLSTATE: HY000

Message: Updating partition file name '%s' to '%s' and all other partition files during upgrade

ER_IB_MSG_UPGRADE_PARTITION_FILE was added in 8.0.19.

- Error number: MY-013512; Symbol: ER_IB_MSG_DOWNGRADE_PARTITION_FILE; SQLSTATE: HY000

  Message: Updating partition file name '%s' to '%s' and all other partition files during downgrade

  ER_IB_MSG_DOWNGRADE_PARTITION_FILE was added in 8.0.19.

- Error number: MY-013513; Symbol: ER_IB_MSG_UPGRADE_PARTITION_FILE_IMPORT; SQLSTATE: HY000

  Message: Updating partition file name '%s' to '%s' for import

  ER_IB_MSG_UPGRADE_PARTITION_FILE_IMPORT was added in 8.0.19.

- Error number: MY-013514; Symbol: ER_IB_WARN_OPEN_PARTITION_FILE; SQLSTATE: HY000

  Message: Unable to open partition file with new name '%s'. Please check if innodb_directories is set to include all external file paths

  ER_IB_WARN_OPEN_PARTITION_FILE was added in 8.0.19.

- Error number: MY-013515; Symbol: ER_IB_MSG_FIL_STATE_MOVED_CORRECTED; SQLSTATE: HY000

  Message: %s DD ID: %llu - Partition tablespace %u, name '%s' is corrected to '%s'

  ER_IB_MSG_FIL_STATE_MOVED_CORRECTED was added in 8.0.19.

- Error number: MY-013516; Symbol: ER_IB_MSG_FIL_STATE_MOVED_CHANGED_PATH; SQLSTATE: HY000

  Message: %s DD ID: %llu - Tablespace %u, name '%s', '%s' is moved to '%s'

  ER_IB_MSG_FIL_STATE_MOVED_CHANGED_PATH was added in 8.0.19.

- Error number: MY-013517; Symbol: ER_IB_MSG_FIL_STATE_MOVED_CHANGED_NAME; SQLSTATE: HY000

  Message: %s DD ID: %llu - Partition tablespace %u, name '%s', '%s' is updated to '%s'

  ER_IB_MSG_FIL_STATE_MOVED_CHANGED_NAME was added in 8.0.19.

- Error number: MY-013518; Symbol: ER_IB_MSG_FIL_STATE_MOVED_TOO_MANY; SQLSTATE: HY000

  Message: %s Too many files have been moved, disabling logging of detailed messages

  ER_IB_MSG_FIL_STATE_MOVED_TOO_MANY was added in 8.0.19.

- Error number: MY-013519; Symbol: ER_GR_ELECTED_PRIMARY_GTID_INFORMATION; SQLSTATE: HY000

  Message: Elected primary member %s: %s

  ER_GR_ELECTED_PRIMARY_GTID_INFORMATION was added in 8.0.19.

- Error number: MY-013520; Symbol: ER_SCHEMA_NAME_IN_UPPER_CASE_NOT_ALLOWED; SQLSTATE: HY000

  Message: Schema name '%s' containing upper case characters is not allowed with lower_case_table_names = 1.

  ER_SCHEMA_NAME_IN_UPPER_CASE_NOT_ALLOWED was added in 8.0.19.

- Error number: MY-013521; Symbol: ER_TABLE_NAME_IN_UPPER_CASE_NOT_ALLOWED; SQLSTATE: HY000

  Message: Table name '%s.%s' containing upper case characters is not allowed with lower_case_table_names = 1.

  ER_TABLE_NAME_IN_UPPER_CASE_NOT_ALLOWED was added in 8.0.19.

- Error number: MY-013522; Symbol: ER_SCHEMA_NAME_IN_UPPER_CASE_NOT_ALLOWED_FOR_FK; SQLSTATE: HY000

  Message: Schema name '%s' containing upper case characters, used by foreign key '%s' in table '%s.%s', is not allowed with lower_case_table_names = 1.

  ER_SCHEMA_NAME_IN_UPPER_CASE_NOT_ALLOWED_FOR_FK was added in 8.0.19.

- Error number: MY-013523; Symbol: ER_TABLE_NAME_IN_UPPER_CASE_NOT_ALLOWED_FOR_FK; SQLSTATE: HY000

  Message: Table name '%s.%s' containing upper case characters, used by foreign key '%s' in table '%s.%s', is not allowed with lower_case_table_names = 1.

  ER_TABLE_NAME_IN_UPPER_CASE_NOT_ALLOWED_FOR_FK was added in 8.0.19.

- Error number: MY-013524; Symbol: ER_IB_MSG_DICT_PARTITION_NOT_FOUND; SQLSTATE: HY000

  Message: Table Partition: %s is not found in InnoDB dictionary

  ER_IB_MSG_DICT_PARTITION_NOT_FOUND was added in 8.0.19.

- Error number: MY-013525; Symbol: ER_ACCESS_DENIED_FOR_USER_ACCOUNT_BLOCKED_BY_PASSWORD_LOCK; SQLSTATE: HY000

  Message: Access denied for user '%s'@'%s'. Account is blocked for %s day(s) (%s day(s) remaining) due to %u consecutive failed logins. Use FLUSH PRIVILEGES or ALTER USER to reset.

  ER_ACCESS_DENIED_FOR_USER_ACCOUNT_BLOCKED_BY_PASSWORD_LOCK was added in 8.0.19.

- Error number: MY-013526; Symbol: ER_INNODB_OUT_OF_RESOURCES; SQLSTATE: HY000

  Message: %s

  ER_INNODB_OUT_OF_RESOURCES was added in 8.0.19.

- Error number: MY-013527; Symbol: ER_DD_UPGRADE_FOUND_PREPARED_XA_TRANSACTION; SQLSTATE: HY000

  Message: Upgrade cannot proceed due to an existing prepared XA transaction.

  ER_DD_UPGRADE_FOUND_PREPARED_XA_TRANSACTION was added in 8.0.19.

- Error number: MY-013528; Symbol: ER_MIGRATE_TABLE_TO_DD_OOM; SQLSTATE: HY000

  Message: Could not allocate memory for key_info when migrating table %s.%s

  ER_MIGRATE_TABLE_TO_DD_OOM was added in 8.0.19.

- Error number: MY-013529; Symbol: ER_RPL_RELAY_LOG_RECOVERY_INFO_AFTER_CLONE; SQLSTATE: HY000

  Message: Applier metadata information for channel '%s' was found after a clone operation. Relay log recovery will be executed to adjust positions and file information for this new server. Should that automatic procedure fail please adjust the positions through 'CHANGE REPLICATION SOURCE TO'

  ER_RPL_RELAY_LOG_RECOVERY_INFO_AFTER_CLONE was added in 8.0.19.

- Error number: MY-013530; Symbol: ER_IB_MSG_57_UNDO_SPACE_DELETE_FAIL; SQLSTATE: HY000

  Message: Failed to delete 5.7 undo tablespace: %s during upgrade

  ER_IB_MSG_57_UNDO_SPACE_DELETE_FAIL was added in 8.0.19.

- Error number: MY-013531; Symbol: ER_IB_MSG_DBLWR_1285; SQLSTATE: HY000

  Message: Empty doublewrite file: %s

  ER_IB_MSG_DBLWR_1285 was added in 8.0.20.

- Error number: MY-013532; Symbol: ER_IB_MSG_DBLWR_1286; SQLSTATE: HY000

  Message: Using '%s' for doublewrite

  ER_IB_MSG_DBLWR_1286 was added in 8.0.20.

- Error number: MY-013533; Symbol: ER_IB_MSG_DBLWR_1287; SQLSTATE: HY000

  Message: Error reading doublewrite buffer from the system tablespace

  ER_IB_MSG_DBLWR_1287 was added in 8.0.20.

- Error number: MY-013534; Symbol: ER_IB_MSG_DBLWR_1288; SQLSTATE: HY000

  Message: Cannot create doublewrite buffer: you must increase your buffer pool size. Cannot continue operation.

  ER_IB_MSG_DBLWR_1288 was added in 8.0.20.

- Error number: MY-013535; Symbol: ER_IB_MSG_DBLWR_1290; SQLSTATE: HY000

  Message: The page in the doublewrite file is corrupt. Cannot continue operation. You can try to recover the database with innodb_force_recovery=6

  ER_IB_MSG_DBLWR_1290 was added in 8.0.20.

- Error number: MY-013536; Symbol: ER_IB_MSG_DBLWR_1291; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1291 was added in 8.0.20, removed after 8.0.20.

- Error number: MY-013536; Symbol: ER_IB_MSG_BAD_DBLWR_FILE_NAME; SQLSTATE: HY000

  Message: The doublewrite filename '%s' is incorrect.

  ER_IB_MSG_BAD_DBLWR_FILE_NAME was added in 8.0.21.
- Error number: MY-013537; Symbol: ER_IB_MSG_DBLWR_1292; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1292 was added in 8.0.20, removed after 8.0.20.
- Error number: MY-013538; Symbol: ER_IB_MSG_DBLWR_1293; SQLSTATE: HY000

  Message: Doublewrite file create failed: %s

  ER_IB_MSG_DBLWR_1293 was added in 8.0.20.
- Error number: MY-013539; Symbol: ER_IB_MSG_DBLWR_1294; SQLSTATE: HY000

  Message: DBLWRThread: pthread_setaffinity() failed!

  ER_IB_MSG_DBLWR_1294 was added in 8.0.20.
- Error number: MY-013540; Symbol: ER_IB_MSG_DBLWR_1295; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1295 was added in 8.0.20.
- Error number: MY-013541; Symbol: ER_IB_MSG_DBLWR_1296; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1296 was added in 8.0.20.
- Error number: MY-013542; Symbol: ER_IB_MSG_DBLWR_1297; SQLSTATE: HY000

  Message: Doublewrite file read failed: %s

  ER_IB_MSG_DBLWR_1297 was added in 8.0.20.
- Error number: MY-013543; Symbol: ER_IB_MSG_DBLWR_1298; SQLSTATE: HY000

  Message: Dump of the data file page:

  ER_IB_MSG_DBLWR_1298 was added in 8.0.20.
- Error number: MY-013544; Symbol: ER_IB_MSG_DBLWR_1300; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1300 was added in 8.0.20.
- Error number: MY-013545; Symbol: ER_IB_MSG_DBLWR_1301; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1301 was added in 8.0.20.

- Error number: MY-013546; Symbol: ER_IB_MSG_DBLWR_1304; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1304 was added in 8.0.20.
- Error number: MY-013547; Symbol: ER_IB_MSG_DBLWR_1305; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1305 was added in 8.0.20.
- Error number: MY-013548; Symbol: ER_IB_MSG_DBLWR_1306; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1306 was added in 8.0.20.
- Error number: MY-013549; Symbol: ER_IB_MSG_DBLWR_1307; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1307 was added in 8.0.20.
- Error number: MY-013550; Symbol: ER_IB_MSG_DBLWR_1308; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1308 was added in 8.0.20.
- Error number: MY-013551; Symbol: ER_IB_MSG_DBLWR_1309; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1309 was added in 8.0.20.
- Error number: MY-013552; Symbol: ER_IB_MSG_DBLWR_1310; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1310 was added in 8.0.20.
- Error number: MY-013553; Symbol: ER_IB_MSG_DBLWR_1311; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1311 was added in 8.0.20.
- Error number: MY-013554; Symbol: ER_IB_MSG_DBLWR_1312; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1312 was added in 8.0.20.
- Error number: MY-013555; Symbol: ER_IB_MSG_DBLWR_1313; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1313 was added in 8.0.20.

- Error number: MY-013556; Symbol: ER_IB_MSG_DBLWR_1314; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1314 was added in 8.0.20.
- Error number: MY-013557; Symbol: ER_IB_MSG_DBLWR_1315; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1315 was added in 8.0.20.
- Error number: MY-013558; Symbol: ER_IB_MSG_DBLWR_1316; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1316 was added in 8.0.20.
- Error number: MY-013559; Symbol: ER_IB_MSG_DBLWR_1317; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1317 was added in 8.0.20.
- Error number: MY-013560; Symbol: ER_IB_MSG_DBLWR_1318; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1318 was added in 8.0.20.
- Error number: MY-013561; Symbol: ER_IB_MSG_DBLWR_1319; SQLSTATE: HY000

  Message: Doublewrite load file %s size %lu is not a multiple of the configured page size %lu"

  ER_IB_MSG_DBLWR_1319 was added in 8.0.20.
- Error number: MY-013562; Symbol: ER_IB_MSG_DBLWR_1320; SQLSTATE: HY000

  Message: Doublewrite file %s truncate failed

  ER_IB_MSG_DBLWR_1320 was added in 8.0.20.
- Error number: MY-013563; Symbol: ER_IB_MSG_DBLWR_1321; SQLSTATE: HY000

  Message: Doublewrite file %s failed to writ zeros

  ER_IB_MSG_DBLWR_1321 was added in 8.0.20.
- Error number: MY-013564; Symbol: ER_IB_MSG_DBLWR_1322; SQLSTATE: HY000

  Message: Doublewrite create file %s size %lu is not a multiple of the configured page size %lu"

  ER_IB_MSG_DBLWR_1322 was added in 8.0.20.
- Error number: MY-013565; Symbol: ER_IB_MSG_DBLWR_1323; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1323 was added in 8.0.20.

- Error number: MY-013566; Symbol: ER_IB_MSG_DBLWR_1324; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1324 was added in 8.0.20.

- Error number: MY-013567; Symbol: ER_IB_MSG_DBLWR_1325; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1325 was added in 8.0.20.

- Error number: MY-013568; Symbol: ER_IB_MSG_DBLWR_1326; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1326 was added in 8.0.20.

- Error number: MY-013569; Symbol: ER_IB_MSG_DBLWR_1327; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_DBLWR_1327 was added in 8.0.20.

- Error number: MY-013570; Symbol: ER_IB_MSG_GTID_FLUSH_AT_SHUTDOWN; SQLSTATE: HY000

  Message: Could not flush all GTIDs during slow shutdown. Will recover GTIDs when server restarts.

  ER_IB_MSG_GTID_FLUSH_AT_SHUTDOWN was added in 8.0.20.

- Error number: MY-013571; Symbol: ER_IB_MSG_57_STAT_SPACE_DELETE_FAIL; SQLSTATE: HY000

  Message: Failed to delete 5.7 stat tablespace: %s during upgrade

  ER_IB_MSG_57_STAT_SPACE_DELETE_FAIL was added in 8.0.20.

- Error number: MY-013572; Symbol: ER_NDBINFO_UPGRADING_SCHEMA; SQLSTATE: HY000

  Message: Installing ndbinfo schema version %s

  ER_NDBINFO_UPGRADING_SCHEMA was added in 8.0.20.

- Error number: MY-013573; Symbol: ER_NDBINFO_NOT_UPGRADING_SCHEMA; SQLSTATE: HY000

  Message: Installed ndbinfo schema is current. Not upgrading.

  ER_NDBINFO_NOT_UPGRADING_SCHEMA was added in 8.0.20.

- Error number: MY-013574; Symbol: ER_NDBINFO_UPGRADING_SCHEMA_FAIL; SQLSTATE: HY000

  Message: Failed to upgrade ndbinfo schema.

  ER_NDBINFO_UPGRADING_SCHEMA_FAIL was added in 8.0.20.

- Error number: MY-013575; Symbol: ER_IB_MSG_CREATE_LOG_FILE; SQLSTATE: HY000

  Message: Creating log file %s

  ER_IB_MSG_CREATE_LOG_FILE was added in 8.0.20, removed after 8.0.29.

- Error number: MY-013576; Symbol: ER_IB_MSG_INNODB_START_INITIALIZE; SQLSTATE: HY000

  Message: InnoDB initialization has started.

  ER_IB_MSG_INNODB_START_INITIALIZE was added in 8.0.20.

- Error number: MY-013577; Symbol: ER_IB_MSG_INNODB_END_INITIALIZE; SQLSTATE: HY000

  Message: InnoDB initialization has ended.

  ER_IB_MSG_INNODB_END_INITIALIZE was added in 8.0.20.

- Error number: MY-013578; Symbol: ER_IB_MSG_PAGE_ARCH_NO_RESET_POINTS; SQLSTATE: HY000

  Message: Could not find appropriate reset points.

  ER_IB_MSG_PAGE_ARCH_NO_RESET_POINTS was added in 8.0.20.

- Error number: MY-013579; Symbol: ER_IB_WRN_PAGE_ARCH_FLUSH_DATA; SQLSTATE: HY000

  Message: Unable to flush. Page archiving data may be corrupt in case of a crash.

  ER_IB_WRN_PAGE_ARCH_FLUSH_DATA was added in 8.0.20.

- Error number: MY-013580; Symbol: ER_IB_ERR_PAGE_ARCH_INVALID_DOUBLE_WRITE_BUF; SQLSTATE: HY000

  Message: Page archiver's doublewrite buffer for %ld is not valid.

  ER_IB_ERR_PAGE_ARCH_INVALID_DOUBLE_WRITE_BUF was added in 8.0.20.

- Error number: MY-013581; Symbol: ER_IB_ERR_PAGE_ARCH_RECOVERY_FAILED; SQLSTATE: HY000

  Message: Page archiver system's recovery failed.

  ER_IB_ERR_PAGE_ARCH_RECOVERY_FAILED was added in 8.0.20.

- Error number: MY-013582; Symbol: ER_IB_ERR_PAGE_ARCH_INVALID_FORMAT; SQLSTATE: HY000

  Message: Invalid archived file name format. The archived file is supposed to have the format %s + [0-9]*.

  ER_IB_ERR_PAGE_ARCH_INVALID_FORMAT was added in 8.0.20.

- Error number: MY-013583; Symbol: ER_INVALID_XPLUGIN_SOCKET_SAME_AS_SERVER; SQLSTATE: HY000

  Message: X Plugins UNIX socket must use different file than MySQL server. X Plugin won't be accessible through UNIX socket

  ER_INVALID_XPLUGIN_SOCKET_SAME_AS_SERVER was added in 8.0.20.

- Error number: MY-013584; Symbol: ER_INNODB_UNABLE_TO_ACQUIRE_DD_OBJECT; SQLSTATE: HY000

  Message: %s

  ER_INNODB_UNABLE_TO_ACQUIRE_DD_OBJECT was added in 8.0.20.

- Error number: MY-013585; Symbol: ER_WARN_LOG_DEPRECATED_PARTITION_PREFIX_KEY; SQLSTATE: HY000

  Message: Column '%s.%s.%s' having prefix key part '%s(%u)' is ignored by the partitioning function. Use of prefixed columns in the PARTITION BY KEY() clause is deprecated and will be removed in a future release.

  ER_WARN_LOG_DEPRECATED_PARTITION_PREFIX_KEY was added in 8.0.21.

- Error number: MY-013586; Symbol: ER_IB_MSG_UNDO_TRUNCATE_TOO_OFTEN; SQLSTATE: HY000

  Message: Undo Truncation is occurring too often. Consider increasing --innodb-max-undo-log-size.

  ER_IB_MSG_UNDO_TRUNCATE_TOO_OFTEN was added in 8.0.21.

- Error number: MY-013587; Symbol: ER_GRP_RPL_IS_STARTING; SQLSTATE: HY000

  Message: Plugin 'group_replication' is starting.

  ER_GRP_RPL_IS_STARTING was added in 8.0.21.

- Error number: MY-013588; Symbol: ER_IB_MSG_INVALID_LOCATION_FOR_TABLESPACE; SQLSTATE: HY000

  Message: Cannot create tablespace %s because the directory is not a valid location. %s

  ER_IB_MSG_INVALID_LOCATION_FOR_TABLESPACE was added in 8.0.21.

- Error number: MY-013589; Symbol: ER_IB_MSG_INVALID_LOCATION_WRONG_DB; SQLSTATE: HY000

  Message: Scanned file '%s' for tablespace %s cannot be opened because it is not in a sub-directory named for the schema.

  ER_IB_MSG_INVALID_LOCATION_WRONG_DB was added in 8.0.21.

- Error number: MY-013590; Symbol: ER_IB_MSG_CANNOT_FIND_DD_UNDO_SPACE; SQLSTATE: HY000

  Message: Cannot find undo tablespace %s with filename '%s' as indicated by the Data Dictionary. Did you move or delete this tablespace? Any undo logs in it cannot be used.

  ER_IB_MSG_CANNOT_FIND_DD_UNDO_SPACE was added in 8.0.21.

- Error number: MY-013591; Symbol: ER_GRP_RPL_RECOVERY_ENDPOINT_FORMAT; SQLSTATE: HY000

  Message: Invalid input value for recovery socket endpoints '%s'. Please, provide a valid, comma separated, list of endpoints (IP:port)

  ER_GRP_RPL_RECOVERY_ENDPOINT_FORMAT was added in 8.0.21.

- Error number: MY-013592; Symbol: ER_GRP_RPL_RECOVERY_ENDPOINT_INVALID; SQLSTATE: HY000

  Message: The server is not listening on endpoint '%s'. Only endpoints that the server is listening on are valid recovery endpoints.

  ER_GRP_RPL_RECOVERY_ENDPOINT_INVALID was added in 8.0.21.

- Error number: MY-013593; Symbol: ER_GRP_RPL_RECOVERY_ENDPOINT_INVALID_DONOR_ENDPOINT; SQLSTATE: HY000

  Message: Received invalid recovery endpoints configuration from donor. This member is not a valid donor for recovery, so it will be skipped.

  ER_GRP_RPL_RECOVERY_ENDPOINT_INVALID_DONOR_ENDPOINT was added in 8.0.21.

- Error number: MY-013594; Symbol: ER_GRP_RPL_RECOVERY_ENDPOINT_INTERFACES_IPS; SQLSTATE: HY000

  Message: Failed to retrieve IP addresses from enabled host network interfaces.

  ER_GRP_RPL_RECOVERY_ENDPOINT_INTERFACES_IPS was added in 8.0.21.

- Error number: MY-013595; Symbol: ER_WARN_TLS_CHANNEL_INITIALIZATION_ERROR; SQLSTATE: HY000

  Message: Failed to initialize TLS for channel: %s. See below for the description of exact issue.

  ER_WARN_TLS_CHANNEL_INITIALIZATION_ERROR was added in 8.0.21.

- Error number: MY-013596; Symbol: ER_XPLUGIN_FAILED_TO_VALIDATE_ADDRESS; SQLSTATE: HY000

  Message: Validation of value '%s' set to `Mysqlx_bind_address` failed: %s. Skipping this value.

  ER_XPLUGIN_FAILED_TO_VALIDATE_ADDRESS was added in 8.0.21.

- Error number: MY-013597; Symbol: ER_XPLUGIN_FAILED_TO_BIND_INTERFACE_ADDRESS; SQLSTATE: HY000

  Message: Value '%s' set to `Mysqlx_bind_address`, X Plugin can't bind to it. Skipping this value.

  ER_XPLUGIN_FAILED_TO_BIND_INTERFACE_ADDRESS was added in 8.0.21.

- Error number: MY-013598; Symbol: ER_IB_ERR_RECOVERY_REDO_DISABLED; SQLSTATE: HY000

  Message: Server was killed when InnoDB redo logging was disabled. Data files could be corrupt. You can try to restart the database with innodb_force_recovery=6

  ER_IB_ERR_RECOVERY_REDO_DISABLED was added in 8.0.21.

- Error number: MY-013599; Symbol: ER_IB_WRN_FAST_SHUTDOWN_REDO_DISABLED; SQLSTATE: HY000

  Message: InnoDB cannot do cold shutdown 'innodb_fast_shutdown = 2' and is forcing 'innodb_fast_shutdown = 1' as redo logging is disabled. InnoDB would flush all dirty pages to ensure physical data consistency.

  ER_IB_WRN_FAST_SHUTDOWN_REDO_DISABLED was added in 8.0.21.

- Error number: MY-013600; Symbol: ER_IB_WRN_REDO_DISABLED; SQLSTATE: HY000

  Message: InnoDB redo logging is disabled. All data could be lost in case of a server crash.

  ER_IB_WRN_REDO_DISABLED was added in 8.0.21.

- Error number: MY-013601; Symbol: ER_IB_WRN_REDO_ENABLED; SQLSTATE: HY000

Message: InnoDB redo logging is enabled. Data is now safe and can be recovered in case of a server crash.

`ER_IB_WRN_REDO_ENABLED` was added in 8.0.21.

- Error number: `MY-013602`; Symbol: `ER_TLS_CONFIGURED_FOR_CHANNEL`; SQLSTATE: `HY000`

  Message: Channel %s configured to support TLS. Encrypted connections are now supported for this channel.

  `ER_TLS_CONFIGURED_FOR_CHANNEL` was added in 8.0.21.

- Error number: `MY-013603`; Symbol: `ER_TLS_CONFIGURATION_REUSED`; SQLSTATE: `HY000`

  Message: No TLS configuration was given for channel %s; re-using TLS configuration of channel %s.

  `ER_TLS_CONFIGURATION_REUSED` was added in 8.0.21.

- Error number: `MY-013604`; Symbol: `ER_IB_TABLESPACE_PATH_VALIDATION_SKIPPED`; SQLSTATE: `HY000`

  Message: Skipping InnoDB tablespace path validation. Manually moved tablespace files will not be detected!

  `ER_IB_TABLESPACE_PATH_VALIDATION_SKIPPED` was added in 8.0.21.

- Error number: `MY-013605`; Symbol: `ER_IB_CANNOT_UPGRADE_WITH_DISCARDED_TABLESPACES`; SQLSTATE: `HY000`

  Message: Upgrade failed because database contains discarded tablespaces.

  `ER_IB_CANNOT_UPGRADE_WITH_DISCARDED_TABLESPACES` was added in 8.0.21.

- Error number: `MY-013606`; Symbol: `ER_USERNAME_TRUNKATED`; SQLSTATE: `HY000`

  Message: The user name '%s' exceeds the maximum number of allowed characters %d and is trunkated.

  `ER_USERNAME_TRUNKATED` was added in 8.0.21.

- Error number: `MY-013607`; Symbol: `ER_HOSTNAME_TRUNKATED`; SQLSTATE: `HY000`

  Message: The host name '%s' exceeds the maximum number of allowed characters %d and is trunkated.

  `ER_HOSTNAME_TRUNKATED` was added in 8.0.21.

- Error number: `MY-013608`; Symbol: `ER_IB_MSG_TRX_RECOVERY_ROLLBACK_NOT_COMPLETED`; SQLSTATE: `HY000`

  Message: Rollback of non-prepared transactions not completed, due to fast shutdown

  `ER_IB_MSG_TRX_RECOVERY_ROLLBACK_NOT_COMPLETED` was added in 8.0.21.

- Error number: `MY-013609`; Symbol: `ER_AUTHCACHE_ROLE_EDGES_IGNORED_EMPTY_NAME`; SQLSTATE: `HY000`

  Message: Found an entry in the 'role_edges' table with empty authorization ID; Skipped

ER_AUTHCACHE_ROLE_EDGES_IGNORED_EMPTY_NAME was added in 8.0.21.

- Error number: MY-013610; Symbol: ER_AUTHCACHE_ROLE_EDGES_UNKNOWN_AUTHORIZATION_ID; SQLSTATE: HY000

  Message: Found an entry in the 'role_edges' table with unknown authorization ID '%s'; Skipped

  ER_AUTHCACHE_ROLE_EDGES_UNKNOWN_AUTHORIZATION_ID was added in 8.0.21.

- Error number: MY-013611; Symbol: ER_AUTHCACHE_DEFAULT_ROLES_IGNORED_EMPTY_NAME; SQLSTATE: HY000

  Message: Found an entry in the 'default_roles' table with empty authorization ID; Skipped

  ER_AUTHCACHE_DEFAULT_ROLES_IGNORED_EMPTY_NAME was added in 8.0.21.

- Error number: MY-013612; Symbol: ER_AUTHCACHE_DEFAULT_ROLES_UNKNOWN_AUTHORIZATION_ID; SQLSTATE: HY000

  Message: Found an entry in the 'default_roles' table with unknown authorization ID '%s'; Skipped

  ER_AUTHCACHE_DEFAULT_ROLES_UNKNOWN_AUTHORIZATION_ID was added in 8.0.21.

- Error number: MY-013613; Symbol: ER_IB_ERR_DDL_LOG_INSERT_FAILURE; SQLSTATE: HY000

  Message: Couldn't insert entry in ddl log for ddl.

  ER_IB_ERR_DDL_LOG_INSERT_FAILURE was added in 8.0.21.

- Error number: MY-013614; Symbol: ER_IB_LOCK_VALIDATE_LATCH_ORDER_VIOLATION; SQLSTATE: HY000

  Message: %s

  ER_IB_LOCK_VALIDATE_LATCH_ORDER_VIOLATION was added in 8.0.21.

- Error number: MY-013615; Symbol: ER_IB_RELOCK_LATCH_ORDER_VIOLATION; SQLSTATE: HY000

  Message: %s

  ER_IB_RELOCK_LATCH_ORDER_VIOLATION was added in 8.0.21.

- Error number: MY-013621; Symbol: ER_IB_MSG_1357; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1357 was added in 8.0.21.

- Error number: MY-013622; Symbol: ER_IB_MSG_1358; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1358 was added in 8.0.21.

- Error number: MY-013623; Symbol: ER_IB_MSG_1359; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1359 was added in 8.0.21.

- Error number: MY-013624; Symbol: ER_IB_FAILED_TO_DELETE_TABLESPACE_FILE; SQLSTATE: HY000

  Message: %s

  ER_IB_FAILED_TO_DELETE_TABLESPACE_FILE was added in 8.0.21.

- Error number: MY-013625; Symbol: ER_IB_UNABLE_TO_EXPAND_TEMPORARY_TABLESPACE_POOL; SQLSTATE: HY000

  Message: %s

  ER_IB_UNABLE_TO_EXPAND_TEMPORARY_TABLESPACE_POOL was added in 8.0.21.

- Error number: MY-013626; Symbol: ER_IB_TMP_TABLESPACE_CANNOT_CREATE_DIRECTORY; SQLSTATE: HY000

  Message: %s

  ER_IB_TMP_TABLESPACE_CANNOT_CREATE_DIRECTORY was added in 8.0.21.

- Error number: MY-013627; Symbol: ER_IB_MSG_SCANNING_TEMP_TABLESPACE_DIR; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_SCANNING_TEMP_TABLESPACE_DIR was added in 8.0.21.

- Error number: MY-013628; Symbol: ER_IB_ERR_TEMP_TABLESPACE_DIR_DOESNT_EXIST; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_TEMP_TABLESPACE_DIR_DOESNT_EXIST was added in 8.0.21.

- Error number: MY-013629; Symbol: ER_IB_ERR_TEMP_TABLESPACE_DIR_EMPTY; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_TEMP_TABLESPACE_DIR_EMPTY was added in 8.0.21.

- Error number: MY-013630; Symbol: ER_IB_ERR_TEMP_TABLESPACE_DIR_CONTAINS_SEMICOLON; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_TEMP_TABLESPACE_DIR_CONTAINS_SEMICOLON was added in 8.0.21.

- Error number: MY-013631; Symbol: ER_IB_ERR_TEMP_TABLESPACE_DIR_SUBDIR_OF_DATADIR; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_TEMP_TABLESPACE_DIR_SUBDIR_OF_DATADIR was added in 8.0.21.

- Error number: MY-013632; Symbol: ER_IB_ERR_SCHED_SETAFFNINITY_FAILED; SQLSTATE: HY000

Message: %s

ER_IB_ERR_SCHED_SETAFFNINITY_FAILED was added in 8.0.21.

- Error number: MY-013633; Symbol: ER_IB_ERR_UNKNOWN_PAGE_FETCH_MODE; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_UNKNOWN_PAGE_FETCH_MODE was added in 8.0.21.

- Error number: MY-013634; Symbol: ER_IB_ERR_LOG_PARSING_BUFFER_OVERFLOW; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_LOG_PARSING_BUFFER_OVERFLOW was added in 8.0.21.

- Error number: MY-013635; Symbol: ER_IB_ERR_NOT_ENOUGH_MEMORY_FOR_PARSE_BUFFER; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_NOT_ENOUGH_MEMORY_FOR_PARSE_BUFFER was added in 8.0.21.

- Error number: MY-013636; Symbol: ER_IB_MSG_1372; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1372 was added in 8.0.21.

- Error number: MY-013637; Symbol: ER_IB_MSG_1373; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1373 was added in 8.0.21.

- Error number: MY-013638; Symbol: ER_IB_MSG_1374; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1374 was added in 8.0.21.

- Error number: MY-013639; Symbol: ER_IB_MSG_1375; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1375 was added in 8.0.21.

- Error number: MY-013640; Symbol: ER_IB_ERR_ZLIB_UNCOMPRESS_FAILED; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_ZLIB_UNCOMPRESS_FAILED was added in 8.0.21.

- Error number: MY-013641; Symbol: ER_IB_ERR_ZLIB_BUF_ERROR; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_ZLIB_BUF_ERROR was added in 8.0.21.

- Error number: MY-013642; Symbol: ER_IB_ERR_ZLIB_MEM_ERROR; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_ZLIB_MEM_ERROR was added in 8.0.21.

- Error number: MY-013643; Symbol: ER_IB_ERR_ZLIB_DATA_ERROR; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_ZLIB_DATA_ERROR was added in 8.0.21.

- Error number: MY-013644; Symbol: ER_IB_ERR_ZLIB_UNKNOWN_ERROR; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_ZLIB_UNKNOWN_ERROR was added in 8.0.21.

- Error number: MY-013645; Symbol: ER_IB_MSG_1381; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_1381 was added in 8.0.21.

- Error number: MY-013646; Symbol: ER_IB_ERR_INDEX_RECORDS_WRONG_ORDER; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_INDEX_RECORDS_WRONG_ORDER was added in 8.0.21.

- Error number: MY-013647; Symbol: ER_IB_ERR_INDEX_DUPLICATE_KEY; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_INDEX_DUPLICATE_KEY was added in 8.0.21.

- Error number: MY-013648; Symbol: ER_IB_ERR_FOUND_N_DUPLICATE_KEYS; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_FOUND_N_DUPLICATE_KEYS was added in 8.0.21.

- Error number: MY-013649; Symbol: ER_IB_ERR_FOUND_N_RECORDS_WRONG_ORDER; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_FOUND_N_RECORDS_WRONG_ORDER was added in 8.0.21.

- Error number: MY-013650; Symbol: ER_IB_ERR_PARALLEL_READ_OOM; SQLSTATE: HY000

  Message: %s

  ER_IB_ERR_PARALLEL_READ_OOM was added in 8.0.21.

- Error number: MY-013651; Symbol: ER_IB_MSG_UNDO_MARKED_ACTIVE; SQLSTATE: HY000

  Message: The state of undo tablespace %s is set to active implicitly.

ER_IB_MSG_UNDO_MARKED_ACTIVE was added in 8.0.21.

- Error number: MY-013652; Symbol: ER_IB_MSG_UNDO_ALTERED_ACTIVE; SQLSTATE: HY000

  Message: The state of undo tablespace %s is set to 'active' by ALTER TABLESPACE.

  ER_IB_MSG_UNDO_ALTERED_ACTIVE was added in 8.0.21.

- Error number: MY-013653; Symbol: ER_IB_MSG_UNDO_ALTERED_INACTIVE; SQLSTATE: HY000

  Message: The state of undo tablespace %s is set to 'inactive' by ALTER TABLESPACE.

  ER_IB_MSG_UNDO_ALTERED_INACTIVE was added in 8.0.21.

- Error number: MY-013654; Symbol: ER_IB_MSG_UNDO_MARKED_EMPTY; SQLSTATE: HY000

  Message: The state of undo tablespace %s is set to 'empty'.

  ER_IB_MSG_UNDO_MARKED_EMPTY was added in 8.0.21.

- Error number: MY-013655; Symbol: ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_CLONE; SQLSTATE: HY000

  Message: Delaying truncate of undo tablespace %s due to clone activity.

  ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_CLONE was added in 8.0.21.

- Error number: MY-013656; Symbol: ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_MDL; SQLSTATE: HY000

  Message: Delaying truncate of undo tablespace %s due to a metadata lock.

  ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_MDL was added in 8.0.21.

- Error number: MY-013657; Symbol: ER_IB_MSG_UNDO_INJECT_CRASH; SQLSTATE: HY000

  Message: Injected debug crash point: %s

  ER_IB_MSG_UNDO_INJECT_CRASH was added in 8.0.21, removed after 8.0.21.

- Error number: MY-013657; Symbol: ER_IB_MSG_INJECT_CRASH; SQLSTATE: HY000

  Message: Injected debug crash point: %s

  ER_IB_MSG_INJECT_CRASH was added in 8.0.22.

- Error number: MY-013658; Symbol: ER_IB_MSG_UNDO_INJECT_FAILURE; SQLSTATE: HY000

  Message: Injected debug failure point: %s

  ER_IB_MSG_UNDO_INJECT_FAILURE was added in 8.0.21, removed after 8.0.21.

- Error number: MY-013658; Symbol: ER_IB_MSG_INJECT_FAILURE; SQLSTATE: HY000

  Message: Injected debug failure point: %s

  ER_IB_MSG_INJECT_FAILURE was added in 8.0.22.

- Error number: MY-013659; Symbol: ER_GRP_RPL_TIMEOUT_RECEIVED_VC_LEAVE_ON_REJOIN; SQLSTATE: HY000

  Message: Timeout while waiting for a view change event during the leave step before a auto-rejoin attempt.

  ER_GRP_RPL_TIMEOUT_RECEIVED_VC_LEAVE_ON_REJOIN was added in 8.0.22.

- Error number: MY-013660; Symbol: ER_RPL_ASYNC_RECONNECT_FAIL_NO_SOURCE; SQLSTATE: HY000

  Message: Failed to automatically re-connect to a different source, for channel '%s', because %s. To fix this %s.

  ER_RPL_ASYNC_RECONNECT_FAIL_NO_SOURCE was added in 8.0.22.

- Error number: MY-013661; Symbol: ER_UDF_REGISTER_SERVICE_ERROR; SQLSTATE: HY000

  Message: Could not execute the installation of UDF functions. Check for other errors in the log

  ER_UDF_REGISTER_SERVICE_ERROR was added in 8.0.22.

- Error number: MY-013662; Symbol: ER_UDF_REGISTER_ERROR; SQLSTATE: HY000

  Message: Could not execute the installation of UDF function: %s. Check if the function is already present, if so, try to remove it.

  ER_UDF_REGISTER_ERROR was added in 8.0.22.

- Error number: MY-013663; Symbol: ER_UDF_UNREGISTER_ERROR; SQLSTATE: HY000

  Message: Could not uninstall UDF functions. Try to remove them manually if present.

  ER_UDF_UNREGISTER_ERROR was added in 8.0.22.

- Error number: MY-013664; Symbol: ER_EMPTY_PRIVILEGE_NAME_IGNORED; SQLSTATE: HY000

  Message: An empty or illegal privilege identifier was ignored when global privileges were read from disk.

  ER_EMPTY_PRIVILEGE_NAME_IGNORED was added in 8.0.22.

- Error number: MY-013665; Symbol: ER_IB_MSG_INCORRECT_SIZE; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_INCORRECT_SIZE was added in 8.0.22.

- Error number: MY-013666; Symbol: ER_TMPDIR_PATH_TOO_LONG; SQLSTATE: HY000

  Message: A tmpdir temporary path "%s" is too long (> %zu) for this OS. This would not leave enough space for a temporary filename of length %zu within it.

  ER_TMPDIR_PATH_TOO_LONG was added in 8.0.22.

- Error number: MY-013667; Symbol: ER_ERROR_LOG_DESTINATION_NOT_A_FILE; SQLSTATE: HY000

  Message: Error-log destination "%s" is not a file. Can not restore error log messages from previous run.

  ER_ERROR_LOG_DESTINATION_NOT_A_FILE was added in 8.0.22.

- Error number: MY-013668; Symbol: ER_NO_ERROR_LOG_PARSER_CONFIGURED; SQLSTATE: HY000

  Message: None of the log-sinks selected with --log-error-services=... provides a log-parser. The server will not be able to make the previous runs' error-logs available in performance_schema.error_log.

  ER_NO_ERROR_LOG_PARSER_CONFIGURED was added in 8.0.22.

- Error number: MY-013669; Symbol: ER_UPGRADE_NONEXISTENT_SCHEMA; SQLSTATE: HY000

  Message: The schema "%s" referenced by %s "%s" does not exist. Please clean up any orphan %s before upgrading.

  ER_UPGRADE_NONEXISTENT_SCHEMA was added in 8.0.22.

- Error number: MY-013670; Symbol: ER_IB_MSG_CREATED_UNDO_SPACE; SQLSTATE: HY000

  Message: Created undo tablespace '%s'.

  ER_IB_MSG_CREATED_UNDO_SPACE was added in 8.0.22.

- Error number: MY-013671; Symbol: ER_IB_MSG_DROPPED_UNDO_SPACE; SQLSTATE: HY000

  Message: Dropped undo tablespace '%s'.

  ER_IB_MSG_DROPPED_UNDO_SPACE was added in 8.0.22.

- Error number: MY-013672; Symbol: ER_IB_MSG_MASTER_KEY_ROTATED; SQLSTATE: HY000

  Message: The InnoDB Encryption Master Key has been rotated in %d tablespaces.

  ER_IB_MSG_MASTER_KEY_ROTATED was added in 8.0.22.

- Error number: MY-013673; Symbol: ER_IB_DBLWR_DECOMPRESS_FAILED; SQLSTATE: HY000

  Message: Failed to decompress a DBLWR page (err=%d). The original size is %d. Reporting the dblwr page as corrupted.

  ER_IB_DBLWR_DECOMPRESS_FAILED was added in 8.0.23.

- Error number: MY-013674; Symbol: ER_IB_DBLWR_DECRYPT_FAILED; SQLSTATE: HY000

  Message: Decrypting a page in doublewrite file failed: %s.

  ER_IB_DBLWR_DECRYPT_FAILED was added in 8.0.23.

- Error number: MY-013675; Symbol: ER_IB_DBLWR_KEY_MISSING; SQLSTATE: HY000

  Message: Encryption key missing: %s.

  ER_IB_DBLWR_KEY_MISSING was added in 8.0.23.

- Error number: MY-013676; Symbol: ER_INNODB_IO_WRITE_ERROR_RETRYING; SQLSTATE: HY000

Message: I/O error while writing to file: %s. Retrying ...

ER_INNODB_IO_WRITE_ERROR_RETRYING was added in 8.0.23.

- Error number: MY-013677; Symbol: ER_INNODB_IO_WRITE_FAILED; SQLSTATE: HY000

  Message: Failed to write data to file: %s

  ER_INNODB_IO_WRITE_FAILED was added in 8.0.23.

- Error number: MY-013678; Symbol: ER_LOG_COMPONENT_CANNOT_INIT; SQLSTATE: HY000

  Message: Log component %s failed to initialize.

  ER_LOG_COMPONENT_CANNOT_INIT was added in 8.0.23.

- Error number: MY-013679; Symbol: ER_RPL_ASYNC_CHANNEL_CANT_CONNECT; SQLSTATE: HY000

  Message: The Monitor IO thread failed to connect to the source (host:%s port:%u network_namespace: %s) for channel '%s', thence it will try to connect to another source.

  ER_RPL_ASYNC_CHANNEL_CANT_CONNECT was added in 8.0.23.

- Error number: MY-013680; Symbol: ER_RPL_ASYNC_SENDER_ADDED; SQLSTATE: HY000

  Message: The source (host:%s port:%u network_namespace:%s) for channel '%s' has joined the group (group_name: %s), and so added its entry into replication_asynchronous_connection_failover table.

  ER_RPL_ASYNC_SENDER_ADDED was added in 8.0.23.

- Error number: MY-013681; Symbol: ER_RPL_ASYNC_SENDER_REMOVED; SQLSTATE: HY000

  Message: The source (host:%s port:%u network_namespace:%s) for channel '%s' has left the group (group_name: %s), and so removed its entry from replication_asynchronous_connection_failover table.

  ER_RPL_ASYNC_SENDER_REMOVED was added in 8.0.23.

- Error number: MY-013682; Symbol: ER_RPL_ASYNC_CHANNEL_STOPPED_QUORUM_LOST; SQLSTATE: HY000

  Message: The Monitor IO thread detected that the source (host:%s port:%u network_namespace:%s) does not belong to the group majority, thence the channel '%s' will try to connect to another source.

  ER_RPL_ASYNC_CHANNEL_STOPPED_QUORUM_LOST was added in 8.0.23.

- Error number: MY-013683; Symbol: ER_RPL_ASYNC_CHANNEL_CANT_CONNECT_NO_QUORUM; SQLSTATE: HY000

  Message: The IO thread detected that the source (host:%s port:%u network_namespace:%s) does not belong to the group majority, thence the channel '%s' will try to connect to another source.

  ER_RPL_ASYNC_CHANNEL_CANT_CONNECT_NO_QUORUM was added in 8.0.23.

- Error number: MY-013684; Symbol: ER_RPL_ASYNC_EXECUTING_QUERY; SQLSTATE: HY000

  Message: %s on the source (host:%s port:%u network_namespace:%s) for channel '%s'.

  ER_RPL_ASYNC_EXECUTING_QUERY was added in 8.0.23.

- Error number: MY-013685; Symbol: ER_RPL_REPLICA_MONITOR_IO_THREAD_EXITING; SQLSTATE: HY000

  Message: Replica Monitor IO thread exiting.

  ER_RPL_REPLICA_MONITOR_IO_THREAD_EXITING was added in 8.0.23.

- Error number: MY-013686; Symbol: ER_RPL_ASYNC_MANAGED_NAME_REMOVED; SQLSTATE: HY000

  Message: The group (group_name: %s) for the channel '%s' has been removed, and so removed its entry from replication_asynchronous_connection_failover_managed and all the group members from replication_asynchronous_connection_failover table.

  ER_RPL_ASYNC_MANAGED_NAME_REMOVED was added in 8.0.23.

- Error number: MY-013687; Symbol: ER_RPL_ASYNC_MANAGED_NAME_ADDED; SQLSTATE: HY000

  Message: The group (group_name: %s) for the channel '%s' has been added, and so added its entry in replication_asynchronous_connection_failover_managed and source to replication_asynchronous_connection_failover table.

  ER_RPL_ASYNC_MANAGED_NAME_ADDED was added in 8.0.23.

- Error number: MY-013688; Symbol: ER_RPL_ASYNC_READ_FAILOVER_TABLE; SQLSTATE: HY000

  Message: Error reading failover sources for channel '%s' from replication_asynchronous_connection_failover table.

  ER_RPL_ASYNC_READ_FAILOVER_TABLE was added in 8.0.23.

- Error number: MY-013689; Symbol: ER_RPL_REPLICA_MONITOR_IO_THREAD_RECONNECT_CHANNEL; SQLSTATE: HY000

  Message: Error %s the channel '%s', the operation will be automatically retried.

  ER_RPL_REPLICA_MONITOR_IO_THREAD_RECONNECT_CHANNEL was added in 8.0.23.

- Error number: MY-013690; Symbol: ER_SLAVE_ANONYMOUS_TO_GTID_IS_LOCAL_OR_UUID_AND_GTID_MODE_NOT_ON; SQLSTATE: HY000

  Message: Replication channel '%s' is configured with ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS='%s', which is invalid when GTID_MODE <> ON. If you intend to use GTID_MODE = ON everywhere, change to ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS = OFF and use the procedure for enabling GTIDs online (see the documentation). If you intend to use GTIDs on this replica and cannot enable GTIDs on the source, enable GTID_MODE = ON and leave ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS = LOCAL| <UUID>. If you intend to not use GTIDs at all in the replication topology, change to ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS=OFF and leave GTID_MODE = '%s'.

  ER_SLAVE_ANONYMOUS_TO_GTID_IS_LOCAL_OR_UUID_AND_GTID_MODE_NOT_ON was added in 8.0.23, removed after 8.0.32.

- Error number: MY-013690; Symbol: ER_REPLICA_ANON_TO_GTID_IS_LOCAL_OR_UUID_AND_GTID_MODE_NOT_ON; SQLSTATE: HY000

  Message: Replication channel '%s' is configured with ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS='%s', which is invalid when GTID_MODE <> ON. If you intend to use GTID_MODE = ON everywhere, change to ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS = OFF and use the procedure for enabling GTIDs online (see the documentation). If you intend to use GTIDs on this replica and cannot enable GTIDs on the source, enable GTID_MODE = ON and leave ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS = LOCAL|<UUID>. If you intend to not use GTIDs at all in the replication topology, change to ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS=OFF and leave GTID_MODE = '%s'.

  ER_REPLICA_ANON_TO_GTID_IS_LOCAL_OR_UUID_AND_GTID_MODE_NOT_ON was added in 8.0.33.

- Error number: MY-013691; Symbol: ER_REPLICA_ANONYMOUS_TO_GTID_UUID_SAME_AS_GROUP_NAME; SQLSTATE: HY000

  Message: Replication channel '%s' is configured with ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS='%s' which is equal to group_replication_group_name. To fix this issue, either change the group_replication_group_name or use a different value for ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS.

  ER_REPLICA_ANONYMOUS_TO_GTID_UUID_SAME_AS_GROUP_NAME was added in 8.0.23.

- Error number: MY-013692; Symbol: ER_GRP_RPL_GRP_NAME_IS_SAME_AS_ANONYMOUS_TO_GTID_UUID; SQLSTATE: HY000

  Message: The group_replication_group_name '%s' is the same as the UUID value for ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS in a server channel

  ER_GRP_RPL_GRP_NAME_IS_SAME_AS_ANONYMOUS_TO_GTID_UUID was added in 8.0.23.

- Error number: MY-013693; Symbol: ER_WARN_GTID_THRESHOLD_BREACH; SQLSTATE: HY000

  Message: The integer component of the GTID number is high. Suggest restarting the server with a new server_uuid to prevent it from reaching the maximum number 2^63-1, which will make it impossible to write the binary log and invoke the behavior specified by binlog_error_action.

  ER_WARN_GTID_THRESHOLD_BREACH was added in 8.0.23.

- Error number: MY-013694; Symbol: ER_HEALTH_INFO; SQLSTATE: HY000

  Message: %s

  ER_HEALTH_INFO was added in 8.0.23.

- Error number: MY-013695; Symbol: ER_HEALTH_WARNING; SQLSTATE: HY000

  Message: %s

  ER_HEALTH_WARNING was added in 8.0.23.

- Error number: MY-013696; Symbol: ER_HEALTH_ERROR; SQLSTATE: HY000

  Message: %s

  ER_HEALTH_ERROR was added in 8.0.23.

- Error number: MY-013697; Symbol: ER_HEALTH_WARNING_DISK_USAGE_LEVEL_1; SQLSTATE: HY000

  Message: %s: Warning Level 1 (%llu MiB): mount point = '%s', available = %llu MiB, total = %llu MiB, used = %.2f%%, low limit = %llu MiB, critical level = %llu MiB

  ER_HEALTH_WARNING_DISK_USAGE_LEVEL_1 was added in 8.0.23.

- Error number: MY-013698; Symbol: ER_HEALTH_WARNING_DISK_USAGE_LEVEL_2; SQLSTATE: HY000

  Message: %s: Warning Level 2 (%llu MiB): mount point = '%s', available = %llu MiB, total = %llu MiB, used = %.2f%%, low limit = %llu MiB, critical level = %llu MiB

  ER_HEALTH_WARNING_DISK_USAGE_LEVEL_2 was added in 8.0.23.

- Error number: MY-013699; Symbol: ER_HEALTH_WARNING_DISK_USAGE_LEVEL_3; SQLSTATE: HY000

  Message: %s: Warning Level 3 (%llu MiB): mount point = '%s', available = %llu MiB, total = %llu MiB, used = %.2f%%, low limit = %llu MiB, critical level = %llu MiB

  ER_HEALTH_WARNING_DISK_USAGE_LEVEL_3 was added in 8.0.23.

- Error number: MY-013700; Symbol: ER_IB_INNODB_TBSP_OUT_OF_SPACE; SQLSTATE: HY000

  Message: InnoDB: Size of tablespace %s is more than the maximum size allowed.

  ER_IB_INNODB_TBSP_OUT_OF_SPACE was added in 8.0.23.

- Error number: MY-013701; Symbol: ER_GRP_RPL_APPLIER_CHANNEL_STILL_RUNNING; SQLSTATE: HY000

  Message: The group_replication_applier channel is still running, most likely it is waiting for a database/table lock, which is preventing the channel from stopping. Please check database/table locks, including the ones created by backup tools.

  ER_GRP_RPL_APPLIER_CHANNEL_STILL_RUNNING was added in 8.0.23.

- Error number: MY-013702; Symbol: ER_RPL_ASYNC_RECONNECT_GTID_MODE_OFF_CHANNEL; SQLSTATE: HY000

  Message: Detected misconfiguration: replication channel \'%s\' was configured with SOURCE_CONNECTION_AUTO_FAILOVER = 1, but the server was started with a value other then --gtid-mode = ON. Either reconfigure replication using CHANGE REPLICATION SOURCE TO SOURCE_CONNECTION_AUTO_FAILOVER = 0 FOR CHANNEL \'%s\', or change GTID_MODE to value ON, before starting the replica receiver thread.

  ER_RPL_ASYNC_RECONNECT_GTID_MODE_OFF_CHANNEL was added in 8.0.23.

- Error number: MY-013703; Symbol: ER_FIREWALL_SERVICES_NOT_ACQUIRED; SQLSTATE: HY000

  Message: Could not acquire required component services.

  ER_FIREWALL_SERVICES_NOT_ACQUIRED was added in 8.0.23.

- Error number: MY-013704; Symbol: ER_FIREWALL_UDF_REGISTER_FAILED; SQLSTATE: HY000

  Message: Automatic registration of function(s) failed.

  ER_FIREWALL_UDF_REGISTER_FAILED was added in 8.0.23.

- Error number: MY-013705; Symbol: ER_FIREWALL_PFS_TABLE_REGISTER_FAILED; SQLSTATE: HY000

  Message: Automatic registration of Performance schema table(s) failed.

  ER_FIREWALL_PFS_TABLE_REGISTER_FAILED was added in 8.0.23.

- Error number: MY-013706; Symbol: ER_IB_MSG_STATS_SAMPLING_TOO_LARGE; SQLSTATE: HY000

  Message: %s

  ER_IB_MSG_STATS_SAMPLING_TOO_LARGE was added in 8.0.23.

- Error number: MY-013707; Symbol: ER_AUDIT_LOG_FILE_PRUNE_FAILED; SQLSTATE: HY000

  Message: Failed to auto-prune file '%s', Error (%d): %s

  ER_AUDIT_LOG_FILE_PRUNE_FAILED was added in 8.0.24.

- Error number: MY-013708; Symbol: ER_AUDIT_LOG_FILE_AUTO_PRUNED; SQLSTATE: HY000

  Message: File '%s' auto-pruned

  ER_AUDIT_LOG_FILE_AUTO_PRUNED was added in 8.0.24.

- Error number: MY-013709; Symbol: ER_COMPONENTS_INFRASTRUCTURE_MANIFEST_INIT; SQLSTATE: HY000

  Message: Received an error while processing components from manifest file: %s

  ER_COMPONENTS_INFRASTRUCTURE_MANIFEST_INIT was added in 8.0.24.

- Error number: MY-013710; Symbol: ER_COMPONENTS_INFRASTRUCTURE_MANIFEST_DEINIT; SQLSTATE: HY000

  Message: Received an error while unloading components read from manifest file: %s

  ER_COMPONENTS_INFRASTRUCTURE_MANIFEST_DEINIT was added in 8.0.24.

- Error number: MY-013711; Symbol: ER_WARN_COMPONENTS_INFRASTRUCTURE_MANIFEST_NOT_RO; SQLSTATE: HY000

  Message: Manifest file '%s' is not read-only. For better security, please make sure that the file is read-only.

  ER_WARN_COMPONENTS_INFRASTRUCTURE_MANIFEST_NOT_RO was added in 8.0.24.

- Error number: MY-013712; Symbol: ER_WARN_NO_KEYRING_COMPONENT_SERVICE_FOUND; SQLSTATE: HY000

  Message: No suitable '%s' service implementation found to fulfill the request.

  ER_WARN_NO_KEYRING_COMPONENT_SERVICE_FOUND was added in 8.0.24.

- Error number: MY-013713; Symbol: ER_NOTE_KEYRING_COMPONENT_INITIALIZED; SQLSTATE: HY000

  Message: Keyring component initialized successfully.

  ER_NOTE_KEYRING_COMPONENT_INITIALIZED was added in 8.0.24.

- Error number: MY-013714; Symbol: ER_KEYRING_COMPONENT_NOT_INITIALIZED; SQLSTATE: HY000

  Message: The component is not initialized properly. Make sure that configuration is proper and use ALTER INSTANCE RELOAD KEYRING to reinitialize the component.

  ER_KEYRING_COMPONENT_NOT_INITIALIZED was added in 8.0.24.

- Error number: MY-013715; Symbol: ER_KEYRING_COMPONENT_EXCEPTION; SQLSTATE: HY000

  Message: Keyring component encountered an exception while executing : '%s' API of service: '%s'

  ER_KEYRING_COMPONENT_EXCEPTION was added in 8.0.24.

- Error number: MY-013716; Symbol: ER_KEYRING_COMPONENT_MEMORY_ALLOCATION_ERROR; SQLSTATE: HY000

  Message: Failed to allocated memory for '%s' while executing: '%s' API of service: '%s'

  ER_KEYRING_COMPONENT_MEMORY_ALLOCATION_ERROR was added in 8.0.24.

- Error number: MY-013717; Symbol: ER_NOTE_KEYRING_COMPONENT_AES_INVALID_MODE_BLOCK_SIZE; SQLSTATE: HY000

  Message: Empty or 0 values for AES encryption mode and/or block size are not permitted.

  ER_NOTE_KEYRING_COMPONENT_AES_INVALID_MODE_BLOCK_SIZE was added in 8.0.24.

- Error number: MY-013718; Symbol: ER_NOTE_KEYRING_COMPONENT_AES_DATA_IDENTIFIER_EMPTY; SQLSTATE: HY000

  Message: A valid data identifier is required in order to fetch the key required for the AES operation.

  ER_NOTE_KEYRING_COMPONENT_AES_DATA_IDENTIFIER_EMPTY was added in 8.0.24.

- Error number: MY-013719; Symbol: ER_NOTE_KEYRING_COMPONENT_AES_INVALID_KEY; SQLSTATE: HY000

  Message: Key identified by Data ID: '%s' and Auth ID: '%s' is not of type AES.

  ER_NOTE_KEYRING_COMPONENT_AES_INVALID_KEY was added in 8.0.24.

- Error number: MY-013720; Symbol: ER_NOTE_KEYRING_COMPONENT_AES_OPERATION_ERROR; SQLSTATE: HY000

  Message: Encountered error: '%s' while executing '%s' API of keyring_aes service. Key details are Data ID: '%s' and Auth ID: '%s'.

  ER_NOTE_KEYRING_COMPONENT_AES_OPERATION_ERROR was added in 8.0.24.

- Error number: MY-013721; Symbol: ER_NOTE_KEYRING_COMPONENT_READ_DATA_NOT_FOUND; SQLSTATE: HY000

Message: Could not find the data corresponding to Data ID: '%s', Auth ID: '%s'.

ER_NOTE_KEYRING_COMPONENT_READ_DATA_NOT_FOUND was added in 8.0.24.

- Error number: MY-013722; Symbol: ER_NOTE_KEYRING_COMPONENT_WRITE_MAXIMUM_DATA_LENGTH; SQLSTATE: HY000

  Message: Maximum permissible size of data is '%zu' bits

  ER_NOTE_KEYRING_COMPONENT_WRITE_MAXIMUM_DATA_LENGTH was added in 8.0.24.

- Error number: MY-013723; Symbol: ER_NOTE_KEYRING_COMPONENT_STORE_FAILED; SQLSTATE: HY000

  Message: Error writing data for Data ID: '%s', Auth ID: '%s'. Either data already exists with same identifier or keyring backend encountered an error.

  ER_NOTE_KEYRING_COMPONENT_STORE_FAILED was added in 8.0.24.

- Error number: MY-013724; Symbol: ER_NOTE_KEYRING_COMPONENT_REMOVE_FAILED; SQLSTATE: HY000

  Message: Error removing data for Data ID: '%s', Auth ID: '%s'. Either data does not exists with same identifier or keyring backend encountered an error.

  ER_NOTE_KEYRING_COMPONENT_REMOVE_FAILED was added in 8.0.24.

- Error number: MY-013725; Symbol: ER_NOTE_KEYRING_COMPONENT_GENERATE_FAILED; SQLSTATE: HY000

  Message: Error generating data for Data ID: '%s', Auth ID: '%s'. Either data already exists with same identifier or keyring backend encountered an error.

  ER_NOTE_KEYRING_COMPONENT_GENERATE_FAILED was added in 8.0.24.

- Error number: MY-013726; Symbol: ER_NOTE_KEYRING_COMPONENT_KEYS_METADATA_ITERATOR_FETCH_FAILED; SQLSTATE: HY000

  Message: Failed to get metadata from current keys metadata iterator position.

  ER_NOTE_KEYRING_COMPONENT_KEYS_METADATA_ITERATOR_FETCH_FAILED was added in 8.0.24.

- Error number: MY-013727; Symbol: ER_NOTE_KEYRING_COMPONENT_METADATA_ITERATOR_INVALID_OUT_PARAM; SQLSTATE: HY000

  Message: Key and value length parameters must not be null.

  ER_NOTE_KEYRING_COMPONENT_METADATA_ITERATOR_INVALID_OUT_PARAM was added in 8.0.24.

- Error number: MY-013728; Symbol: ER_IB_WRN_FAILED_TO_ACQUIRE_SERVICE; SQLSTATE: HY000

  Message: Innodb could not acquire service : %s

  ER_IB_WRN_FAILED_TO_ACQUIRE_SERVICE was added in 8.0.24.

- Error number: MY-013729; Symbol: ER_IB_WRN_OLD_GEOMETRY_TYPE; SQLSTATE: HY000

Message: Column %s of type GEOMETRY is in old (5.6) format which could be deprecated in the future. To change the format to latest, please consider rebuilding the table after the upgrade.

`ER_IB_WRN_OLD_GEOMETRY_TYPE` was added in 8.0.24.

- Error number: `MY-013730`; Symbol: `ER_NET_WAIT_ERROR2`; SQLSTATE: `HY000`

  Message: 'wait_timeout' period of %s seconds was exceeded for %s. The idle time since last command was too long.

  `ER_NET_WAIT_ERROR2` was added in 8.0.26.

- Error number: `MY-013731`; Symbol: `ER_GRP_RPL_MEMBER_ACTION_TRIGGERED`; SQLSTATE: `HY000`

  Message: The member action "%s" for event "%s" with priority "%u" will be run.

  `ER_GRP_RPL_MEMBER_ACTION_TRIGGERED` was added in 8.0.26.

- Error number: `MY-013732`; Symbol: `ER_GRP_RPL_MEMBER_ACTION_FAILURE_IGNORE`; SQLSTATE: `HY000`

  Message: The member action "%s" for event "%s" with priority "%u" failed, this error is ignored as instructed. Please check previous messages in the error log for hints about what could have caused this failure.

  `ER_GRP_RPL_MEMBER_ACTION_FAILURE_IGNORE` was added in 8.0.26.

- Error number: `MY-013733`; Symbol: `ER_GRP_RPL_MEMBER_ACTION_FAILURE`; SQLSTATE: `HY000`

  Message: The member action "%s" for event "%s" with priority "%u" failed. Please check previous messages in the error log for hints about what could have caused this failure.

  `ER_GRP_RPL_MEMBER_ACTION_FAILURE` was added in 8.0.26.

- Error number: `MY-013734`; Symbol: `ER_GRP_RPL_MEMBER_ACTION_PARSE_ON_RECEIVE`; SQLSTATE: `HY000`

  Message: Unable to parse the member actions configuration sent by the primary.

  `ER_GRP_RPL_MEMBER_ACTION_PARSE_ON_RECEIVE` was added in 8.0.26.

- Error number: `MY-013735`; Symbol: `ER_GRP_RPL_MEMBER_ACTION_UPDATE_ACTIONS`; SQLSTATE: `HY000`

  Message: Unable to update the member actions configuration with the one sent by the primary. Please check the tables 'mysql.replication_group_member_actions' and 'mysql.replication_group_configuration_version'.

  `ER_GRP_RPL_MEMBER_ACTION_UPDATE_ACTIONS` was added in 8.0.26.

- Error number: `MY-013736`; Symbol: `ER_GRP_RPL_MEMBER_ACTION_GET_EXCHANGEABLE_DATA`; SQLSTATE: `HY000`

  Message: Unable to read the member actions configuration during group membership change. Please check the tables 'mysql.replication_group_member_actions' and 'mysql.replication_group_configuration_version'.

  `ER_GRP_RPL_MEMBER_ACTION_GET_EXCHANGEABLE_DATA` was added in 8.0.26.

- Error number: MY-013737; Symbol: ER_GRP_RPL_MEMBER_ACTION_DEFAULT_CONFIGURATION; SQLSTATE: HY000

  Message: This member joined a group on which all members do not support member actions, as such it did reset its member configuration to the default one.

  ER_GRP_RPL_MEMBER_ACTION_DEFAULT_CONFIGURATION was added in 8.0.26.

- Error number: MY-013738; Symbol: ER_GRP_RPL_MEMBER_ACTION_UNABLE_TO_SET_DEFAULT_CONFIGURATION; SQLSTATE: HY000

  Message: Unable to reset to member actions default configuration on member join. Please check the tables 'mysql.replication_group_member_actions' and 'mysql.replication_group_configuration_version'.

  ER_GRP_RPL_MEMBER_ACTION_UNABLE_TO_SET_DEFAULT_CONFIGURATION was added in 8.0.26.

- Error number: MY-013739; Symbol: ER_GRP_RPL_MEMBER_ACTION_PARSE_ON_MEMBER_JOIN; SQLSTATE: HY000

  Message: Unable to parse the member actions configuration sent by the group on member join.

  ER_GRP_RPL_MEMBER_ACTION_PARSE_ON_MEMBER_JOIN was added in 8.0.26.

- Error number: MY-013740; Symbol: ER_GRP_RPL_MEMBER_ACTION_UPDATE_ACTIONS_ON_MEMBER_JOIN; SQLSTATE: HY000

  Message: Unable to update the member actions configuration on member join. Please check the tables 'mysql.replication_group_member_actions' and 'mysql.replication_group_configuration_version'.

  ER_GRP_RPL_MEMBER_ACTION_UPDATE_ACTIONS_ON_MEMBER_JOIN was added in 8.0.26.

- Error number: MY-013741; Symbol: ER_GRP_RPL_MEMBER_ACTION_INVALID_ACTIONS_ON_MEMBER_JOIN; SQLSTATE: HY000

  Message: The group members were unable to send their member actions configuration. Please check the tables 'mysql.replication_group_member_actions' and 'mysql.replication_group_configuration_version' on all members.

  ER_GRP_RPL_MEMBER_ACTION_INVALID_ACTIONS_ON_MEMBER_JOIN was added in 8.0.26.

- Error number: MY-013742; Symbol: ER_GRP_RPL_MEMBER_ACTION_ENABLED; SQLSTATE: HY000

  Message: Member action enabled: "%s", type: "%s", event: "%s", priority: "%u", error_handling: "%s".

  ER_GRP_RPL_MEMBER_ACTION_ENABLED was added in 8.0.26.

- Error number: MY-013743; Symbol: ER_GRP_RPL_MEMBER_ACTION_DISABLED; SQLSTATE: HY000

  Message: Member action disabled: "%s", type: "%s", event: "%s", priority: "%u", error_handling: "%s".

  ER_GRP_RPL_MEMBER_ACTION_DISABLED was added in 8.0.26.

- Error number: MY-013744; Symbol: ER_GRP_RPL_MEMBER_ACTIONS_RESET; SQLSTATE: HY000

  Message: Member actions configuration was reset.

  ER_GRP_RPL_MEMBER_ACTIONS_RESET was added in 8.0.26.

- Error number: MY-013745; Symbol: ER_DEPRECATED_TLS_VERSION_SESSION; SQLSTATE: HY000

Message: Accepted a connection with deprecated protocol '%s' for account `%s`@`%s` from host `%s`. Client supplied username `%s`

ER_DEPRECATED_TLS_VERSION_SESSION was added in 8.0.26, removed after 8.0.27.

- Error number: MY-013746; Symbol: ER_WARN_DEPRECATED_TLS_VERSION_FOR_CHANNEL; SQLSTATE: HY000

  Message: A deprecated TLS version %s is enabled for channel %s

  ER_WARN_DEPRECATED_TLS_VERSION_FOR_CHANNEL was added in 8.0.26, removed after 8.0.27.

- Error number: MY-013747; Symbol: ER_FIREWALL_DEPRECATED_USER_PROFILE; SQLSTATE: HY000

  Message: User profile \'%s\' loaded. Firewall user profiles are deprecated, consider migrating to group profiles.

  ER_FIREWALL_DEPRECATED_USER_PROFILE was added in 8.0.26.

- Error number: MY-013748; Symbol: ER_GRP_RPL_VIEW_CHANGE_UUID_INVALID; SQLSTATE: HY000

  Message: Invalid input value for group_replication_view_change_uuid '%s'. Please, provide a valid UUID.

  ER_GRP_RPL_VIEW_CHANGE_UUID_INVALID was added in 8.0.26.

- Error number: MY-013749; Symbol: ER_GRP_RPL_VIEW_CHANGE_UUID_SAME_AS_GROUP_NAME; SQLSTATE: HY000

  Message: Variable 'group_replication_view_change_uuid' cannot be set to the value of '%s'. If you want to use the UUID of 'group_replication_group_name' for the UUID of View_change_log_events, please set 'group_replication_view_change_uuid' to AUTOMATIC.

  ER_GRP_RPL_VIEW_CHANGE_UUID_SAME_AS_GROUP_NAME was added in 8.0.26.

- Error number: MY-013750; Symbol: ER_GRP_RPL_GROUP_NAME_SAME_AS_VIEW_CHANGE_UUID; SQLSTATE: HY000

  Message: group_replication_group_name '%s', which is the same as group_replication_view_change_uuid. Please change group_replication_view_change_uuid to AUTOMATIC

  ER_GRP_RPL_GROUP_NAME_SAME_AS_VIEW_CHANGE_UUID was added in 8.0.26.

- Error number: MY-013751; Symbol: ER_GRP_RPL_VIEW_CHANGE_UUID_IS_SAME_AS_ANONYMOUS_TO_GTID_UUID; SQLSTATE: HY000

  Message: The group_replication_view_change_uuid '%s' is the same as the UUID value for ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS in a server channel

  ER_GRP_RPL_VIEW_CHANGE_UUID_IS_SAME_AS_ANONYMOUS_TO_GTID_UUID was added in 8.0.26.

- Error number: MY-013752; Symbol: ER_GRP_RPL_GRP_VIEW_CHANGE_UUID_IS_INCOMPATIBLE_WITH_SERVER_UUID; SQLSTATE: HY000

Message: group_replication_view_change_uuid is incompatible with group. group_replication_view_change_uuid %s matches server_uuid %s.

ER_GRP_RPL_GRP_VIEW_CHANGE_UUID_IS_INCOMPATIBLE_WITH_SERVER_UUID was added in 8.0.26.

- Error number: MY-013753; Symbol: ER_GRP_RPL_VIEW_CHANGE_UUID_DIFF_FROM_GRP; SQLSTATE: HY000

  Message: The member is configured with a group_replication_view_change_uuid option value '%s' different from the group '%s'. The member will now exit the group.

  ER_GRP_RPL_VIEW_CHANGE_UUID_DIFF_FROM_GRP was added in 8.0.26.

- Error number: MY-013754; Symbol: ER_WARN_REPLICA_ANONYMOUS_TO_GTID_UUID_SAME_AS_VIEW_CHANGE_UUID; SQLSTATE: HY000

  Message: Replication channel '%s' is configured with ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS='%s' which is equal to group_replication_view_change_uuid. To fix this issue, either change the group_replication_view_change_uuid or use a different value for ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS.

  ER_WARN_REPLICA_ANONYMOUS_TO_GTID_UUID_SAME_AS_VIEW_CHANGE_UUID was added in 8.0.26.

- Error number: MY-013755; Symbol: ER_GRP_RPL_FAILED_TO_PARSE_THE_VIEW_CHANGE_UUID; SQLSTATE: HY000

  Message: Unable to parse the group_replication_view_change_uuid.

  ER_GRP_RPL_FAILED_TO_PARSE_THE_VIEW_CHANGE_UUID was added in 8.0.26.

- Error number: MY-013756; Symbol: ER_GRP_RPL_FAILED_TO_GENERATE_SIDNO_FOR_VIEW_CHANGE_UUID; SQLSTATE: HY000

  Message: Unable to generate sidno for group_replication_view_change_uuid.

  ER_GRP_RPL_FAILED_TO_GENERATE_SIDNO_FOR_VIEW_CHANGE_UUID was added in 8.0.26.

- Error number: MY-013757; Symbol: ER_GRP_RPL_VIEW_CHANGE_UUID_PARSE_ERROR; SQLSTATE: HY000

  Message: Unable to parse the group_replication_view_change_uuid during the Certification module initialization.

  ER_GRP_RPL_VIEW_CHANGE_UUID_PARSE_ERROR was added in 8.0.26.

- Error number: MY-013758; Symbol: ER_GRP_RPL_UPDATE_GRPGTID_VIEW_CHANGE_UUID_EXECUTED_ERROR; SQLSTATE: HY000

  Message: Error updating group_gtid_executed GTID set with view change uuid during the Certification module initialization.

  ER_GRP_RPL_UPDATE_GRPGTID_VIEW_CHANGE_UUID_EXECUTED_ERROR was added in 8.0.26.

- Error number: MY-013759; Symbol: ER_GRP_RPL_ADD_VIEW_CHANGE_UUID_TO_GRP_SID_MAP_ERROR; SQLSTATE: HY000

  Message: Unable to add the group_replication_view_change_uuid sidno in the group_gtid_sid_map during the Certification module initialization.

  ER_GRP_RPL_ADD_VIEW_CHANGE_UUID_TO_GRP_SID_MAP_ERROR was added in 8.0.26.

- Error number: MY-013760; Symbol: ER_GRP_RPL_DONOR_VIEW_CHANGE_UUID_TRANS_INFO_ERROR; SQLSTATE: HY000

  Message: Unable to handle the donor's view change uuid transaction information when initializing the conflict detection component. Possible out of memory error.

  ER_GRP_RPL_DONOR_VIEW_CHANGE_UUID_TRANS_INFO_ERROR was added in 8.0.26.

- Error number: MY-013761; Symbol: ER_WARN_GRP_RPL_VIEW_CHANGE_UUID_FAIL_GET_VARIABLE; SQLSTATE: HY000

  Message: Unable to retrieve group_replication_view_change_uuid during server checks on replication operations.

  ER_WARN_GRP_RPL_VIEW_CHANGE_UUID_FAIL_GET_VARIABLE was added in 8.0.26.

- Error number: MY-013762; Symbol: ER_WARN_ADUIT_LOG_MAX_SIZE_AND_PRUNE_SECONDS_LOG; SQLSTATE: HY000

  Message: Both audit_log_max_size and audit_log_prune_seconds are set to non-zero. audit_log_max_size takes precedence and audit_log_prune_seconds is ignored

  ER_WARN_ADUIT_LOG_MAX_SIZE_AND_PRUNE_SECONDS_LOG was added in 8.0.26.

- Error number: MY-013763; Symbol: ER_WARN_ADUIT_LOG_MAX_SIZE_CLOSE_TO_ROTATE_ON_SIZE_LOG; SQLSTATE: HY000

  Message: audit_log_rotate_on_size is not granular enough for the value of audit_log_max_size supplied. Should be at least %d times smaller.

  ER_WARN_ADUIT_LOG_MAX_SIZE_CLOSE_TO_ROTATE_ON_SIZE_LOG was added in 8.0.26.

- Error number: MY-013764; Symbol: ER_PLUGIN_INVALID_TABLE_DEFINITION; SQLSTATE: HY000

  Message: Invalid table definition for '%s.%s'.

  ER_PLUGIN_INVALID_TABLE_DEFINITION was added in 8.0.26.

- Error number: MY-013765; Symbol: ER_AUTH_KERBEROS_LOGGER_GENERIC_MSG; SQLSTATE: HY000

  Message: %s

  ER_AUTH_KERBEROS_LOGGER_GENERIC_MSG was added in 8.0.26.

- Error number: MY-013766; Symbol: ER_INSTALL_PLUGIN_CONFLICT_LOG; SQLSTATE: HY000

  Message: Cannot install the %s plugin when the %s plugin is installed.

  ER_INSTALL_PLUGIN_CONFLICT_LOG was added in 8.0.26.

- Error number: MY-013767; Symbol: ER_DEPRECATED_PERSISTED_VARIABLE_WITH_ALIAS; SQLSTATE: HY000

  Message: The variable %s has been renamed to %s, and the old name deprecated. Only the old name was found in the persisted variable file. Next time the file is saved, both names will be stored. Issue any SET PERSIST command to save the file, get rid of this warning, and prepare the persisted configuration for when the variable is removed in a future version.

  ER_DEPRECATED_PERSISTED_VARIABLE_WITH_ALIAS was added in 8.0.26.

- Error number: MY-013768; Symbol: ER_LOG_COMPONENT_FLUSH_FAILED; SQLSTATE: HY000

  Message: %d error logging component(s) failed to flush. For file-based logs this can happen when the path or permissions of the log-file have changed. Failure to flush filed-based logs may affect log-rotation.

  ER_LOG_COMPONENT_FLUSH_FAILED was added in 8.0.26.

- Error number: MY-013769; Symbol: ER_IB_MSG_REENCRYPTED_TABLESPACE_KEY; SQLSTATE: HY000

  Message: Tablespace key for %s has been re-encrypted using the latest InnoDB master key. However, we recommend that you rebuild the table for better security.

  ER_IB_MSG_REENCRYPTED_TABLESPACE_KEY was added in 8.0.26.

- Error number: MY-013770; Symbol: ER_IB_MSG_REENCRYPTED_GENERAL_TABLESPACE_KEY; SQLSTATE: HY000

  Message: Tablespace key for %s has been re-encrypted using the latest InnoDB master key. However, we recommend that you reencrypt the tablespace for better security.

  ER_IB_MSG_REENCRYPTED_GENERAL_TABLESPACE_KEY was added in 8.0.26.

- Error number: MY-013771; Symbol: ER_IB_ERR_PAGE_ARCH_DBLWR_INIT_FAILED; SQLSTATE: HY000

  Message: Page Archiver's doublewrite buffer initialisation failed. Page tracking is at risk of losing tracked information.

  ER_IB_ERR_PAGE_ARCH_DBLWR_INIT_FAILED was added in 8.0.26.

- Error number: MY-013772; Symbol: ER_IB_MSG_RECOVERY_NO_SPACE_IN_REDO_LOG__SKIP_IBUF_MERGES; SQLSTATE: HY000

  Message: There is not enough free space in the redo log during recovery to perform pending ibuf merges. Please retry starting MySQL with --innodb-force-recovery=4.

  ER_IB_MSG_RECOVERY_NO_SPACE_IN_REDO_LOG__SKIP_IBUF_MERGES was added in 8.0.26.

- Error number: MY-013773; Symbol: ER_IB_MSG_RECOVERY_NO_SPACE_IN_REDO_LOG__UNEXPECTED; SQLSTATE: HY000

  Message: There is not enough free space in the redo log during recovery, restore from backup (or retry with --innodb-force-recovery=6).

  ER_IB_MSG_RECOVERY_NO_SPACE_IN_REDO_LOG__UNEXPECTED was added in 8.0.26.

- Error number: MY-013774; Symbol: ER_WARN_AUDIT_LOG_FORMAT_UNIX_TIMESTAMP_ONLY_WHEN_JSON_LOG; SQLSTATE: HY000

  Message: audit_log_format_unix_timestamp is applicable only when audit_log_format = JSON.

  ER_WARN_AUDIT_LOG_FORMAT_UNIX_TIMESTAMP_ONLY_WHEN_JSON_LOG was added in 8.0.26.

- Error number: MY-013775; Symbol: ER_PREPARE_FOR_PRIMARY_ENGINE; SQLSTATE: HY000

  Message: Retry the statement using the primary storage engine.

  ER_PREPARE_FOR_PRIMARY_ENGINE was added in 8.0.26.

- Error number: MY-013776; Symbol: ER_IB_MSG_PAR_RSEG_INIT_COMPLETE_MSG; SQLSTATE: HY000

  Message: Parallel initialization of rseg complete

  ER_IB_MSG_PAR_RSEG_INIT_COMPLETE_MSG was added in 8.0.27.

- Error number: MY-013777; Symbol: ER_IB_MSG_PAR_RSEG_INIT_TIME_MSG; SQLSTATE: HY000

  Message: Time taken to initialize rseg using %u thread: %u ms.

  ER_IB_MSG_PAR_RSEG_INIT_TIME_MSG was added in 8.0.27.

- Error number: MY-013778; Symbol: ER_DDL_MSG_1; SQLSTATE: HY000

  Message: DDL failed to create a thread to load an index, fall back to single thread

  ER_DDL_MSG_1 was added in 8.0.27.

- Error number: MY-013779; Symbol: ER_MTR_MSG_1; SQLSTATE: HY000

  Message: Debug_check_no_latching failed, slot->type=%d

  ER_MTR_MSG_1 was added in 8.0.27.

- Error number: MY-013780; Symbol: ER_GRP_RPL_MYSQL_NETWORK_PROVIDER_CLIENT_ERROR_CONN_ERR; SQLSTATE: HY000

  Message: Failed to establish MySQL client connection in Group Replication. Error establishing connection. Please refer to the manual to make sure that you configured Group Replication properly to work with MySQL Protocol connections.

  ER_GRP_RPL_MYSQL_NETWORK_PROVIDER_CLIENT_ERROR_CONN_ERR was added in 8.0.27.

- Error number: MY-013781; Symbol: ER_GRP_RPL_MYSQL_NETWORK_PROVIDER_CLIENT_ERROR_COMMAND_ERR; SQLSTATE: HY000

  Message: Failed to establish MySQL client connection in Group Replication. Error sending connection delegation command. Please refer to the manual to make sure that you configured Group Replication properly to work with MySQL Protocol connections.

  ER_GRP_RPL_MYSQL_NETWORK_PROVIDER_CLIENT_ERROR_COMMAND_ERR was added in 8.0.27.

- Error number: MY-013782; Symbol: ER_GRP_RPL_FAILOVER_CONF_GET_EXCHANGEABLE_DATA; SQLSTATE: HY000

Message: Unable to read the replication failover channels configuration during group membership change. Please check the tables 'mysql.replication_asynchronous_connection_failover', 'mysql.replication_asynchronous_connection_failover_managed' and 'mysql.replication_group_configuration_version'.

`ER_GRP_RPL_FAILOVER_CONF_GET_EXCHANGEABLE_DATA` was added in 8.0.27.

- Error number: `MY-013783`; Symbol: `ER_GRP_RPL_FAILOVER_CONF_DEFAULT_CONFIGURATION`; SQLSTATE: `HY000`

  Message: This member joined a group on which all members do not support replication failover channels integration on Group Replication, as such it did reset its replication failover channels configuration to the default one.

  `ER_GRP_RPL_FAILOVER_CONF_DEFAULT_CONFIGURATION` was added in 8.0.27.

- Error number: `MY-013784`; Symbol: `ER_GRP_RPL_FAILOVER_CONF_UNABLE_TO_SET_DEFAULT_CONFIGURATION`; SQLSTATE: `HY000`

  Message: Unable to reset to replication failover channels default configuration on member join. Please check the tables 'mysql.replication_asynchronous_connection_failover', 'mysql.replication_asynchronous_connection_failover_managed' and 'mysql.replication_group_configuration_version'.

  `ER_GRP_RPL_FAILOVER_CONF_UNABLE_TO_SET_DEFAULT_CONFIGURATION` was added in 8.0.27.

- Error number: `MY-013785`; Symbol: `ER_GRP_RPL_FAILOVER_CONF_PARSE_ON_MEMBER_JOIN`; SQLSTATE: `HY000`

  Message: Unable to parse the replication failover channels configuration sent by the group on member join.

  `ER_GRP_RPL_FAILOVER_CONF_PARSE_ON_MEMBER_JOIN` was added in 8.0.27.

- Error number: `MY-013786`; Symbol: `ER_GRP_RPL_FAILOVER_CONF_CHANNEL_DOES_NOT_EXIST`; SQLSTATE: `HY000`

  Message: Unable to set SOURCE_CONNECTION_AUTO_FAILOVER on a non-existent or misconfigured replication channel '%s', please create the channel and rejoin the server to the group.

  `ER_GRP_RPL_FAILOVER_CONF_CHANNEL_DOES_NOT_EXIST` was added in 8.0.27.

- Error number: `MY-013787`; Symbol: `ER_GRP_RPL_FAILOVER_REGISTER_MESSAGE_LISTENER_SERVICE`; SQLSTATE: `HY000`

  Message: Unable to register the listener 'replication_asynchronous_connection_failover_configuration' to the service 'group_replication_message_service_recv'.

  `ER_GRP_RPL_FAILOVER_REGISTER_MESSAGE_LISTENER_SERVICE` was added in 8.0.27.

- Error number: `MY-013788`; Symbol: `ER_GRP_RPL_FAILOVER_PRIMARY_WITHOUT_MAJORITY`; SQLSTATE: `HY000`

  Message: This server is not able to reach a majority of members in the group. This server will skip the replication failover channels handling until this server is back to the group majority.

  `ER_GRP_RPL_FAILOVER_PRIMARY_WITHOUT_MAJORITY` was added in 8.0.27.

- Error number: MY-013789; Symbol: ER_GRP_RPL_FAILOVER_PRIMARY_BACK_TO_MAJORITY; SQLSTATE: HY000

  Message: This server is back to the group majority. Replication failover channels handling is resumed.

  ER_GRP_RPL_FAILOVER_PRIMARY_BACK_TO_MAJORITY was added in 8.0.27.

- Error number: MY-013790; Symbol: ER_RPL_INCREMENTING_MEMBER_ACTION_VERSION; SQLSTATE: HY000

  Message: Error incrementing member action configuration version for %s.%s table.

  ER_RPL_INCREMENTING_MEMBER_ACTION_VERSION was added in 8.0.27.

- Error number: MY-013791; Symbol: ER_GRP_RPL_SLAVE_THREAD_ERROR_ON_SECONDARY_MEMBER; SQLSTATE: HY000

  Message: The '%s' thread of channel '%s' will error out as this server is a group secondary.

  ER_GRP_RPL_SLAVE_THREAD_ERROR_ON_SECONDARY_MEMBER was added in 8.0.27, removed after 8.0.32.

- Error number: MY-013791; Symbol: ER_GRP_RPL_REPLICA_THREAD_ERROR_ON_SECONDARY_MEMBER; SQLSTATE: HY000

  Message: The '%s' thread of channel '%s' will error out as this server is a group secondary.

  ER_GRP_RPL_REPLICA_THREAD_ERROR_ON_SECONDARY_MEMBER was added in 8.0.33.

- Error number: MY-013792; Symbol: ER_IB_MSG_CLONE_DDL_NTFN; SQLSTATE: HY000

  Message: Clone DDL Notification: %s

  ER_IB_MSG_CLONE_DDL_NTFN was added in 8.0.27.

- Error number: MY-013793; Symbol: ER_IB_MSG_CLONE_DDL_APPLY; SQLSTATE: HY000

  Message: Clone DDL APPLY: %s

  ER_IB_MSG_CLONE_DDL_APPLY was added in 8.0.27.

- Error number: MY-013794; Symbol: ER_IB_MSG_CLONE_DDL_INVALIDATE; SQLSTATE: HY000

  Message: Clone DDL Invalidate : %s

  ER_IB_MSG_CLONE_DDL_INVALIDATE was added in 8.0.27.

- Error number: MY-013795; Symbol: ER_IB_MSG_UNDO_ENCRYPTION_INFO_LOADED; SQLSTATE: HY000

  Message: Encryption key is loaded for undo tablespace '%s'.

  ER_IB_MSG_UNDO_ENCRYPTION_INFO_LOADED was added in 8.0.27.

- Error number: MY-013796; Symbol: ER_IB_WRN_ENCRYPTION_INFO_SIZE_MISMATCH; SQLSTATE: HY000

  Message: Ignoring encryption INFO size in redo log: %zu, expected: %zu

  ER_IB_WRN_ENCRYPTION_INFO_SIZE_MISMATCH was added in 8.0.27.

- Error number: MY-013797; Symbol: ER_INVALID_AUTHENTICATION_POLICY; SQLSTATE: HY000

  Message: Option --authentication-policy is set to an invalid value. Please check if the specified authentication plugins are valid.

  ER_INVALID_AUTHENTICATION_POLICY was added in 8.0.27.

- Error number: MY-013798; Symbol: ER_AUTHENTICATION_PLUGIN_REGISTRATION_FAILED; SQLSTATE: HY000

  Message: Signature verification failed during registration.

  ER_AUTHENTICATION_PLUGIN_REGISTRATION_FAILED was added in 8.0.27.

- Error number: MY-013799; Symbol: ER_AUTHENTICATION_PLUGIN_REGISTRATION_INSUFFICIENT_BUFFER; SQLSTATE: HY000

  Message: Buffer too small to hold registration challenge response.

  ER_AUTHENTICATION_PLUGIN_REGISTRATION_INSUFFICIENT_BUFFER was added in 8.0.27.

- Error number: MY-013800; Symbol: ER_AUTHENTICATION_PLUGIN_AUTH_DATA_CORRUPT; SQLSTATE: HY000

  Message: FIDO device authenticator data corrupt.

  ER_AUTHENTICATION_PLUGIN_AUTH_DATA_CORRUPT was added in 8.0.27.

- Error number: MY-013801; Symbol: ER_AUTHENTICATION_PLUGIN_SIGNATURE_CORRUPT; SQLSTATE: HY000

  Message: FIDO device signature corrupt.

  ER_AUTHENTICATION_PLUGIN_SIGNATURE_CORRUPT was added in 8.0.27.

- Error number: MY-013802; Symbol: ER_AUTHENTICATION_PLUGIN_VERIFY_SIGNATURE_FAILED; SQLSTATE: HY000

  Message: Signature verification failed during authentication.

  ER_AUTHENTICATION_PLUGIN_VERIFY_SIGNATURE_FAILED was added in 8.0.27.

- Error number: MY-013803; Symbol: ER_AUTHENTICATION_PLUGIN_OOM; SQLSTATE: HY000

  Message: Out of memory.

  ER_AUTHENTICATION_PLUGIN_OOM was added in 8.0.27.

- Error number: MY-013804; Symbol: ER_AUTHENTICATION_PLUGIN_LOG; SQLSTATE: HY000

  Message: Can't initialize logging service

  ER_AUTHENTICATION_PLUGIN_LOG was added in 8.0.27.

- Error number: MY-013805; Symbol: ER_WARN_REPLICA_GTID_ONLY_AND_GTID_MODE_NOT_ON; SQLSTATE: HY000

  Message: Replication channel '%s' is configured with GTID_ONLY=1, which is invalid when GTID_MODE <> ON. If you intend to disable GTIDs in the replication topology, change GTID_ONLY to 0.

  ER_WARN_REPLICA_GTID_ONLY_AND_GTID_MODE_NOT_ON was added in 8.0.27.

- Error number: MY-013806; Symbol: ER_WARN_L_DISABLE_GTID_ONLY_WITH_SOURCE_AUTO_POS_INVALID_POS; SQLSTATE: HY000

  Message: The replication positions relative to the source may be out-of-date on channel '%s', due to the use of GTID_ONLY=1. The out-of-date positions can still be used in some cases so, in order to update them, we suggest that you start the replication to receive and apply at least one transaction, which will set the positions to valid values.

  ER_WARN_L_DISABLE_GTID_ONLY_WITH_SOURCE_AUTO_POS_INVALID_POS was added in 8.0.27.

- Error number: MY-013807; Symbol: ER_RPL_CANNOT_OPEN_RELAY_LOG; SQLSTATE: HY000

  Message: Could not open relay log: %s

  ER_RPL_CANNOT_OPEN_RELAY_LOG was added in 8.0.27.

- Error number: MY-013808; Symbol: ER_AUTHENTICATION_OCI_PLUGIN_NOT_INITIALIZED; SQLSTATE: HY000

  Message: Authentication plugin not initialized.

  ER_AUTHENTICATION_OCI_PLUGIN_NOT_INITIALIZED was added in 8.0.27.

- Error number: MY-013809; Symbol: ER_AUTHENTICATION_OCI_PRIVATE_KEY_ERROR; SQLSTATE: HY000

  Message: Cannot use the generated private key file.

  ER_AUTHENTICATION_OCI_PRIVATE_KEY_ERROR was added in 8.0.27.

- Error number: MY-013810; Symbol: ER_AUTHENTICATION_OCI_DOWNLOAD_PUBLIC_KEY; SQLSTATE: HY000

  Message: Unavailable public key with fingerprint %s for user %s in tenancy %s .

  ER_AUTHENTICATION_OCI_DOWNLOAD_PUBLIC_KEY was added in 8.0.27.

- Error number: MY-013811; Symbol: ER_AUTHENTICATION_OCI_IMDS; SQLSTATE: HY000

  Message: Cannot obtain the OCI configuration from the IMDS service.

  ER_AUTHENTICATION_OCI_IMDS was added in 8.0.27.

- Error number: MY-013812; Symbol: ER_AUTHENTICATION_OCI_IAM; SQLSTATE: HY000

Message: Cannot initialize the IAM service.

ER_AUTHENTICATION_OCI_IAM was added in 8.0.27.

- Error number: MY-013813; Symbol: ER_AUTHENTICATION_OCI_INVALID_AUTHENTICATION_STRING; SQLSTATE: HY000

  Message: Invalid authentication string details for user: `%s`@`%s`.

  ER_AUTHENTICATION_OCI_INVALID_AUTHENTICATION_STRING was added in 8.0.27.

- Error number: MY-013814; Symbol: ER_AUTHENTICATION_OCI_NO_MATCHING_GROUPS; SQLSTATE: HY000

  Message: None of the groups returned by IAM matches any of the entries from authentication string.

  ER_AUTHENTICATION_OCI_NO_MATCHING_GROUPS was added in 8.0.27.

- Error number: MY-013815; Symbol: ER_AUTHENTICATION_OCI_NO_GROUPS_FOUND; SQLSTATE: HY000

  Message: User is not part of any groups. However, account is configured to use group mapping.

  ER_AUTHENTICATION_OCI_NO_GROUPS_FOUND was added in 8.0.27.

- Error number: MY-013816; Symbol: ER_AUTHENTICATION_OCI_NONCE; SQLSTATE: HY000

  Message: Received OpenSSL error: %s while authenticating user %s with fingerprint %s in tenancy %s .

  ER_AUTHENTICATION_OCI_NONCE was added in 8.0.27.

- Error number: MY-013817; Symbol: ER_HEALTH_WARNING_MEMORY_USAGE_LEVEL_1; SQLSTATE: HY000

  Message: %s: Warning Level 1 (%llu MiB): available=%llu MiB, total=%llu MiB, used=%.2f%%, mysqld=%llu MiB

  ER_HEALTH_WARNING_MEMORY_USAGE_LEVEL_1 was added in 8.0.27.

- Error number: MY-013818; Symbol: ER_HEALTH_WARNING_MEMORY_USAGE_LEVEL_2; SQLSTATE: HY000

  Message: %s: Warning Level 2 (%llu MiB): available=%llu MiB, total=%llu MiB, used=%.2f%%, mysqld=%llu MiB

  ER_HEALTH_WARNING_MEMORY_USAGE_LEVEL_2 was added in 8.0.27.

- Error number: MY-013819; Symbol: ER_HEALTH_WARNING_MEMORY_USAGE_LEVEL_3; SQLSTATE: HY000

  Message: %s: Warning Level 3 (%llu MiB): available=%llu MiB, total=%llu MiB, used=%.2f%%, mysqld=%llu MiB

  ER_HEALTH_WARNING_MEMORY_USAGE_LEVEL_3 was added in 8.0.27.

- Error number: MY-013820; Symbol: ER_GRP_RPL_SET_SINGLE_CONSENSUS_LEADER; SQLSTATE: HY000

Message: The member %s:%u, with UUID: %s, was set as the single preferred consensus leader.

ER_GRP_RPL_SET_SINGLE_CONSENSUS_LEADER was added in 8.0.27.

- Error number: MY-013821; Symbol: ER_GRP_RPL_ERROR_SET_SINGLE_CONSENSUS_LEADER; SQLSTATE: HY000

  Message: Something went wrong trying to set the member %s:%u, with UUID: %s, as the single preferred consensus leader. Please query the performance_schema.replication_group_communication_information table to see whether the operation took effect, i.e. whether the preferred consensus leader matches the current primary. If not, consider electing a different primary to try again. Please check the error log and GCS_DEBUG_TRACE for more information that may help understanding what went wrong.

  ER_GRP_RPL_ERROR_SET_SINGLE_CONSENSUS_LEADER was added in 8.0.27.

- Error number: MY-013822; Symbol: ER_GRP_RPL_SET_MULTI_CONSENSUS_LEADER; SQLSTATE: HY000

  Message: All members were set as consensus leaders.

  ER_GRP_RPL_SET_MULTI_CONSENSUS_LEADER was added in 8.0.27.

- Error number: MY-013823; Symbol: ER_GRP_RPL_ERROR_SET_MULTI_CONSENSUS_LEADER; SQLSTATE: HY000

  Message: Something went wrong trying to set all members as consensus leaders. Please query the performance_schema.replication_group_communication_information table to see whether the operation took effect, i.e. whether the consensus leaders match all members. If not, consider resetting the group communication protocol to a version < 8.0.22, or switch to single-primary mode and back again to multi-primary mode, to try again. Please check the error log and GCS_DEBUG_TRACE for more information that may help understanding what went wrong.

  ER_GRP_RPL_ERROR_SET_MULTI_CONSENSUS_LEADER was added in 8.0.27.

- Error number: MY-013824; Symbol: ER_GRP_RPL_PAXOS_SINGLE_LEADER_DIFF_FROM_GRP; SQLSTATE: HY000

  Message: This member is configured with a group_replication_paxos_single_leader option value of '%d' that is different from the group's value ('%d'). This member will now exit the group.

  ER_GRP_RPL_PAXOS_SINGLE_LEADER_DIFF_FROM_GRP was added in 8.0.27.

- Error number: MY-013825; Symbol: ER_MFA_USER_ATTRIBUTES_CORRUPT; SQLSTATE: HY000

  Message: Invalid and/or corrupted multi factor authentication methods in User_attributes column in mysql.user table. "%s".

  ER_MFA_USER_ATTRIBUTES_CORRUPT was added in 8.0.27.

- Error number: MY-013826; Symbol: ER_MFA_PLUGIN_NOT_LOADED; SQLSTATE: HY000

  Message: Plugin \'%s\' is not loaded; Ignoring user

  ER_MFA_PLUGIN_NOT_LOADED was added in 8.0.27.

- Error number: MY-013827; Symbol: ER_WARN_DEPRECATED_CHARSET_OPTION; SQLSTATE: HY000

Message: %s: The character set %s is deprecated and will be removed in a future release. Please consider using %s instead.

ER_WARN_DEPRECATED_CHARSET_OPTION was added in 8.0.28.

- Error number: MY-013828; Symbol: ER_WARN_DEPRECATED_COLLATION_OPTION; SQLSTATE: HY000

  Message: %s: '%s' is a collation of the deprecated character set %s. Please consider using %s with an appropriate collation instead.

  ER_WARN_DEPRECATED_COLLATION_OPTION was added in 8.0.28.

- Error number: MY-013829; Symbol: ER_REGEXP_MISSING_ICU_DATADIR; SQLSTATE: HY000

  Message: Missing data directory for ICU regular expressions: %s.

  ER_REGEXP_MISSING_ICU_DATADIR was added in 8.0.28.

- Error number: MY-013830; Symbol: ER_IB_WARN_MANY_NON_LRU_FILES_OPENED; SQLSTATE: HY000

  Message: More than 90%% of files opened out of the innodb_open_files limit are files that are not easy to close. The performance of system may degrade. Consider increasing value of the innodb_open_files system variable. There are %zu such files opened out of the total limit for all files opened of %zu.

  ER_IB_WARN_MANY_NON_LRU_FILES_OPENED was added in 8.0.28.

- Error number: MY-013831; Symbol: ER_IB_MSG_TRYING_TO_OPEN_FILE_FOR_LONG_TIME; SQLSTATE: HY000

  Message: Trying to open a file for %lld seconds. Configuration only allows for %zu open files. Consider setting innobase_open_files higher.

  ER_IB_MSG_TRYING_TO_OPEN_FILE_FOR_LONG_TIME was added in 8.0.28.

- Error number: MY-013832; Symbol: ER_GLOBAL_CONN_LIMIT; SQLSTATE: HY000

  Message: Connection closed. Global connection memory limit %llu bytes exceeded. Consumed %llu bytes.

  ER_GLOBAL_CONN_LIMIT was added in 8.0.28.

- Error number: MY-013833; Symbol: ER_CONN_LIMIT; SQLSTATE: HY000

  Message: Connection closed. Connection memory limit %llu bytes exceeded. Consumed %llu bytes.

  ER_CONN_LIMIT was added in 8.0.28.

- Error number: MY-013834; Symbol: ER_WARN_AUDIT_LOG_DISABLED; SQLSTATE: HY000

  Message: Audit Log is disabled. Enable it with audit_log_disable = false.

  ER_WARN_AUDIT_LOG_DISABLED was added in 8.0.28.

- Error number: MY-013835; Symbol: ER_INVALID_TLS_VERSION; SQLSTATE: HY000

  Message: Option --tls-version or --admin-tls-version is set to an invalid value %s.

ER_INVALID_TLS_VERSION was added in 8.0.28.

- Error number: MY-013836; Symbol: ER_RPL_RELAY_LOG_RECOVERY_GTID_ONLY; SQLSTATE: HY000

  Message: Relay log recovery on channel with GTID_ONLY=1. The channel will switch to a new relay log and the GTID protocol will be used to replicate unapplied transactions.

  ER_RPL_RELAY_LOG_RECOVERY_GTID_ONLY was added in 8.0.28.

- Error number: MY-013837; Symbol: ER_KEYRING_OKV_STANDBY_SERVER_COUNT_EXCEEDED; SQLSTATE: HY000

  Message: Number of STANDBY_SERVER values exceeded maximum limit of 64.

  ER_KEYRING_OKV_STANDBY_SERVER_COUNT_EXCEEDED was added in 8.0.29.

- Error number: MY-013838; Symbol: ER_WARN_MIGRATION_EMPTY_SOURCE_KEYRING; SQLSTATE: HY000

  Message: Source keyring does not have any keys to migrate.

  ER_WARN_MIGRATION_EMPTY_SOURCE_KEYRING was added in 8.0.29.

- Error number: MY-013839; Symbol: ER_WARN_CANNOT_PERSIST_SENSITIVE_VARIABLES; SQLSTATE: HY000

  Message: Cannot persist SENSITIVE system variables because keyring component support is unavailable and persist_sensitive_variables_in_plaintext is set to OFF. Please make sure that keyring services are active and required keys are available.

  ER_WARN_CANNOT_PERSIST_SENSITIVE_VARIABLES was added in 8.0.29.

- Error number: MY-013840; Symbol: ER_CANNOT_INTERPRET_PERSISTED_SENSITIVE_VARIABLES; SQLSTATE: HY000

  Message: Cannot interpret persisted SENSITIVE system variables. Please make sure that keyring services are active and required keys are available.

  ER_CANNOT_INTERPRET_PERSISTED_SENSITIVE_VARIABLES was added in 8.0.29.

- Error number: MY-013841; Symbol: ER_PERSISTED_VARIABLES_KEYRING_SUPPORT_REQUIRED; SQLSTATE: HY000

  Message: Keyring has to be loaded through manifest file in order to support secure storage for persisted variables

  ER_PERSISTED_VARIABLES_KEYRING_SUPPORT_REQUIRED was added in 8.0.29.

- Error number: MY-013842; Symbol: ER_PERSISTED_VARIABLES_MASTER_KEY_NOT_FOUND; SQLSTATE: HY000

  Message: Could not find master key %s in keyring

  ER_PERSISTED_VARIABLES_MASTER_KEY_NOT_FOUND was added in 8.0.29.

- Error number: MY-013843; Symbol: ER_PERSISTED_VARIABLES_MASTER_KEY_CANNOT_BE_GENERATED; SQLSTATE: HY000

Message: A new master key %s could not be generated

ER_PERSISTED_VARIABLES_MASTER_KEY_CANNOT_BE_GENERATED was added in 8.0.29.

- Error number: MY-013844; Symbol: ER_PERSISTED_VARIABLES_ENCRYPTION_FAILED; SQLSTATE: HY000

  Message: Failed to encrypt %s using %s

  ER_PERSISTED_VARIABLES_ENCRYPTION_FAILED was added in 8.0.29.

- Error number: MY-013845; Symbol: ER_PERSISTED_VARIABLES_DECRYPTION_FAILED; SQLSTATE: HY000

  Message: Failed to decrypt %s using %s

  ER_PERSISTED_VARIABLES_DECRYPTION_FAILED was added in 8.0.29.

- Error number: MY-013846; Symbol: ER_PERSISTED_VARIABLES_LACK_KEYRING_SUPPORT; SQLSTATE: HY000

  Message: Persisting SENSITIVE variables in encrypted form requires keyring component loaded through manifest file.

  ER_PERSISTED_VARIABLES_LACK_KEYRING_SUPPORT was added in 8.0.29.

- Error number: MY-013847; Symbol: ER_MY_MALLOC_USING_JEMALLOC; SQLSTATE: HY000

  Message: Using jemalloc.dll for my_malloc and ut::malloc etc.

  ER_MY_MALLOC_USING_JEMALLOC was added in 8.0.29.

- Error number: MY-013848; Symbol: ER_MY_MALLOC_USING_STD_MALLOC; SQLSTATE: HY000

  Message: %s.

  ER_MY_MALLOC_USING_STD_MALLOC was added in 8.0.29.

- Error number: MY-013849; Symbol: ER_MY_MALLOC_LOADLIBRARY_FAILED; SQLSTATE: HY000

  Message: %s.

  ER_MY_MALLOC_LOADLIBRARY_FAILED was added in 8.0.29.

- Error number: MY-013850; Symbol: ER_MY_MALLOC_GETPROCADDRESS_FAILED; SQLSTATE: HY000

  Message: %s.

  ER_MY_MALLOC_GETPROCADDRESS_FAILED was added in 8.0.29.

- Error number: MY-013851; Symbol: ER_ACCOUNT_WITH_EXPIRED_PASSWORD; SQLSTATE: HY000

  Message: Password for the account '%s'@'%s' has expired. To log in, either change it using a client that supports expired passwords or send the change request to an administrator.

  ER_ACCOUNT_WITH_EXPIRED_PASSWORD was added in 8.0.29.

- Error number: MY-013852; Symbol: ER_THREAD_POOL_PLUGIN_STARTED; SQLSTATE: HY000

Message: Thread pool plugin started successfully with parameters: %s

`ER_THREAD_POOL_PLUGIN_STARTED` was added in 8.0.4.

- Error number: `MY-013853`; Symbol: `ER_THREAD_POOL_DEDICATED_LISTENERS_INVALID`; SQLSTATE: `HY000`

  Message: thread_pool_dedicated_listeners cannot be set unless thread_pool_max_transactions_limit > 0

  `ER_THREAD_POOL_DEDICATED_LISTENERS_INVALID` was added in 8.0.29.

- Error number: `MY-013854`; Symbol: `ER_IB_DBLWR_BYTES_INFO`; SQLSTATE: `HY000`

  Message: %s

  `ER_IB_DBLWR_BYTES_INFO` was added in 8.0.30.

- Error number: `MY-013855`; Symbol: `ER_IB_RDBLWR_BYTES_INFO`; SQLSTATE: `HY000`

  Message: %s

  `ER_IB_RDBLWR_BYTES_INFO` was added in 8.0.30.

- Error number: `MY-013856`; Symbol: `ER_IB_MSG_LOG_FILE_IS_EMPTY`; SQLSTATE: `HY000`

  Message: The redo log file %s is empty, which indicates it was not generated by InnoDB or become corrupted. Please restore the correct file or try recovering without the redo files, in read-only mode, by providing --innodb-force-recovery=6.

  `ER_IB_MSG_LOG_FILE_IS_EMPTY` was added in 8.0.30.

- Error number: `MY-013857`; Symbol: `ER_IB_MSG_LOG_FILE_TOO_SMALL`; SQLSTATE: `HY000`

  Message: The redo log file %s is smaller than %llu bytes, which indicates it was not generated by InnoDB or become corrupted. Please restore the correct file.

  `ER_IB_MSG_LOG_FILE_TOO_SMALL` was added in 8.0.30.

- Error number: `MY-013858`; Symbol: `ER_IB_MSG_LOG_FILE_TOO_BIG`; SQLSTATE: `HY000`

  Message: The redo log file %s is larger than %llu bytes, which indicates it was not generated by InnoDB or become corrupted. Please restore the correct file.

  `ER_IB_MSG_LOG_FILE_TOO_BIG` was added in 8.0.30.

- Error number: `MY-013859`; Symbol: `ER_IB_MSG_LOG_FILE_HEADER_READ_FAILED`; SQLSTATE: `HY000`

  Message: Failed to read header of the redo log file %s

  `ER_IB_MSG_LOG_FILE_HEADER_READ_FAILED` was added in 8.0.30.

- Error number: MY-013860; Symbol: ER_IB_MSG_LOG_INIT_DIR_NOT_EMPTY_WONT_INITIALIZE; SQLSTATE: HY000

  Message: --initialize specified but the redo log directory %s has redo log files inside. Aborting.

  ER_IB_MSG_LOG_INIT_DIR_NOT_EMPTY_WONT_INITIALIZE was added in 8.0.30.

- Error number: MY-013861; Symbol: ER_IB_MSG_LOG_INIT_DIR_LIST_FAILED; SQLSTATE: HY000

  Message: Failed to list redo log files in the redo log directory %s

  ER_IB_MSG_LOG_INIT_DIR_LIST_FAILED was added in 8.0.30.

- Error number: MY-013862; Symbol: ER_IB_MSG_LOG_INIT_DIR_MISSING_SUBDIR; SQLSTATE: HY000

  Message: Neither found %s subdirectory, nor %s* files in %s

  ER_IB_MSG_LOG_INIT_DIR_MISSING_SUBDIR was added in 8.0.30.

- Error number: MY-013863; Symbol: ER_IB_MSG_LOG_FILES_CREATED_BY_CLONE_AND_READ_ONLY_MODE; SQLSTATE: HY000

  Message: Cannot restore cloned data directory, InnoDB running in read-only mode!

  ER_IB_MSG_LOG_FILES_CREATED_BY_CLONE_AND_READ_ONLY_MODE was added in 8.0.30.

- Error number: MY-013864; Symbol: ER_IB_MSG_LOG_WRITER_WRITE_FAILED; SQLSTATE: HY000

  Message: Error %d encountered when writing to the redo log file: %s.

  ER_IB_MSG_LOG_WRITER_WRITE_FAILED was added in 8.0.30.

- Error number: MY-013865; Symbol: ER_IB_MSG_LOG_WRITER_WAIT_ON_NEW_LOG_FILE; SQLSTATE: HY000

  Message: Redo log writer is waiting for a new redo log file. Consider increasing innodb_redo_log_capacity.

  ER_IB_MSG_LOG_WRITER_WAIT_ON_NEW_LOG_FILE was added in 8.0.30.

- Error number: MY-013866; Symbol: ER_IB_MSG_RECOVERY_CHECKPOINT_OUTSIDE_LOG_FILE; SQLSTATE: HY000

  Message: Found checkpoint LSN %llu in a redo log file %s, but the file represents range of LSN values [%llu, %llu), so the file is corrupted.

  ER_IB_MSG_RECOVERY_CHECKPOINT_OUTSIDE_LOG_FILE was added in 8.0.30.

- Error number: MY-013867; Symbol: ER_IB_MSG_LOG_WRITER_ENTERED_EXTRA_MARGIN; SQLSTATE: HY000

  Message: Redo log is running out of free space, pausing user threads... Consider increasing innodb_redo_log_capacity.

  ER_IB_MSG_LOG_WRITER_ENTERED_EXTRA_MARGIN was added in 8.0.30.

- Error number: MY-013868; Symbol: ER_IB_MSG_LOG_WRITER_EXITED_EXTRA_MARGIN; SQLSTATE: HY000

Message: Redo log reclaimed some free space, resuming user threads.

ER_IB_MSG_LOG_WRITER_EXITED_EXTRA_MARGIN was added in 8.0.30.

- Error number: MY-013869; Symbol: ER_IB_MSG_LOG_PARAMS_FILE_SIZE_UNUSED; SQLSTATE: HY000

  Message: Ignored deprecated configuration parameter innodb_log_file_size. Used innodb_redo_log_capacity instead.

  ER_IB_MSG_LOG_PARAMS_FILE_SIZE_UNUSED was added in 8.0.30.

- Error number: MY-013870; Symbol: ER_IB_MSG_LOG_PARAMS_N_FILES_UNUSED; SQLSTATE: HY000

  Message: Ignored deprecated configuration parameter innodb_log_files_in_group. Used innodb_redo_log_capacity instead.

  ER_IB_MSG_LOG_PARAMS_N_FILES_UNUSED was added in 8.0.30.

- Error number: MY-013871; Symbol: ER_IB_MSG_LOG_UPGRADE_FORCED_RECV; SQLSTATE: HY000

  Message: Cannot upgrade format (v%lu) of redo log files when innodb-force-recovery > 0.

  ER_IB_MSG_LOG_UPGRADE_FORCED_RECV was added in 8.0.30.

- Error number: MY-013872; Symbol: ER_IB_MSG_LOG_UPGRADE_IN_READ_ONLY_MODE; SQLSTATE: HY000

  Message: Cannot upgrade format (v%lu) of redo log files in read-only mode (--innodb-read-only).

  ER_IB_MSG_LOG_UPGRADE_IN_READ_ONLY_MODE was added in 8.0.30.

- Error number: MY-013873; Symbol: ER_IB_MSG_LOG_UPGRADE_CLONED_DB; SQLSTATE: HY000

  Message: Cannot upgrade format (v%lu) of redo log files on cloned data directory. Please use an older version of MySQL - recover and shutdown (with innodb-fast-shutdown < 2).

  ER_IB_MSG_LOG_UPGRADE_CLONED_DB was added in 8.0.30.

- Error number: MY-013874; Symbol: ER_IB_MSG_LOG_UPGRADE_UNINITIALIZED_FILES; SQLSTATE: HY000

  Message: Cannot upgrade format (v%lu) of redo log files because they are marked as uninitialized. Please use an older version of MySQL - recover and shutdown (with innodb-fast-shutdown < 2).

  ER_IB_MSG_LOG_UPGRADE_UNINITIALIZED_FILES was added in 8.0.30.

- Error number: MY-013875; Symbol: ER_IB_MSG_LOG_UPGRADE_CORRUPTION__UNEXPECTED; SQLSTATE: HY000

  Message: Cannot upgrade format (v%lu) of redo log files when the redo log is corrupted. Please use an older version of MySQL - recover and shutdown (with innodb-fast-shutdown < 2).

  ER_IB_MSG_LOG_UPGRADE_CORRUPTION__UNEXPECTED was added in 8.0.30.

- Error number: MY-013876; Symbol: ER_IB_MSG_LOG_UPGRADE_NON_PERSISTED_DD_METADATA__UNEXPECTED; SQLSTATE: HY000

Message: Cannot upgrade format (v%lu) of redo log files when there is non-persisted DD metadata in redo. Please use an older version of MySQL - recover and shutdown (with innodb-fast-shutdown < 2).

`ER_IB_MSG_LOG_UPGRADE_NON_PERSISTED_DD_METADATA__UNEXPECTED` was added in 8.0.30, removed after 8.0.32.

- Error number: `MY-013877`; Symbol: `ER_IB_MSG_LOG_UPGRADE_FLUSH_FAILED__UNEXPECTED`; SQLSTATE: `HY000`

  Message: Cannot upgrade format (v%lu) of redo log files, because InnoDB failed to reach state in which redo log is logically empty. Please use an older version of MySQL - recover and shutdown (with innodb-fast-shutdown < 2).

  `ER_IB_MSG_LOG_UPGRADE_FLUSH_FAILED__UNEXPECTED` was added in 8.0.30, removed after 8.0.32.

- Error number: `MY-013878`; Symbol: `ER_IB_MSG_LOG_FILES_RESIZE_ON_START_FAILED__UNEXPECTED`; SQLSTATE: `HY000`

  Message: Failed to resize the redo log synchronously, because InnoDB failed to reach state in which redo log is logically empty. Please use an older version of MySQL - recover and shutdown (with innodb-fast-shutdown < 2).

  `ER_IB_MSG_LOG_FILES_RESIZE_ON_START_FAILED__UNEXPECTED` was added in 8.0.30, removed after 8.0.32.

- Error number: `MY-013879`; Symbol: `ER_IB_MSG_LOG_FILE_FOREIGN_UUID`; SQLSTATE: `HY000`

  Message: The redo log file %s comes from other data directory than redo log file %s.

  `ER_IB_MSG_LOG_FILE_FOREIGN_UUID` was added in 8.0.30.

- Error number: `MY-013880`; Symbol: `ER_IB_MSG_LOG_FILE_INVALID_START_LSN`; SQLSTATE: `HY000`

  Message: The redo log file %s has invalid start_lsn %llu.

  `ER_IB_MSG_LOG_FILE_INVALID_START_LSN` was added in 8.0.30.

- Error number: `MY-013881`; Symbol: `ER_IB_MSG_LOG_FILE_INVALID_LSN_RANGES`; SQLSTATE: `HY000`

  Message: The redo log file %s has start_lsn %llu but expected %llu (end_lsn of the previous redo log file).

  `ER_IB_MSG_LOG_FILE_INVALID_LSN_RANGES` was added in 8.0.30.

- Error number: `MY-013882`; Symbol: `ER_IB_MSG_LOG_FILE_MISSING_FOR_ID`; SQLSTATE: `HY000`

  Message: Missing redo log file %s (with start_lsn = %llu).

  `ER_IB_MSG_LOG_FILE_MISSING_FOR_ID` was added in 8.0.30.

- Error number: `MY-013883`; Symbol: `ER_IB_MSG_LOG_CHECKPOINT_FOUND`; SQLSTATE: `HY000`

  Message: The latest found checkpoint is at lsn = %llu in redo log file %s.

  `ER_IB_MSG_LOG_CHECKPOINT_FOUND` was added in 8.0.30.

- Error number: MY-013884; Symbol: ER_IB_MSG_LOG_FILES_CAPACITY_CHANGED; SQLSTATE: HY000

  Message: User has set innodb_redo_log_capacity to %lluM.

  ER_IB_MSG_LOG_FILES_CAPACITY_CHANGED was added in 8.0.30.

- Error number: MY-013885; Symbol: ER_IB_MSG_LOG_FILES_RESIZE_REQUESTED; SQLSTATE: HY000

  Message: Redo log has been requested to resize from %lluM to %lluM.

  ER_IB_MSG_LOG_FILES_RESIZE_REQUESTED was added in 8.0.30.

- Error number: MY-013886; Symbol: ER_IB_MSG_LOG_FILES_RESIZE_CANCELLED; SQLSTATE: HY000

  Message: Redo log resize has been cancelled.

  ER_IB_MSG_LOG_FILES_RESIZE_CANCELLED was added in 8.0.30.

- Error number: MY-013887; Symbol: ER_IB_MSG_LOG_FILES_RESIZE_FINISHED; SQLSTATE: HY000

  Message: Redo log has been resized to %lluM.

  ER_IB_MSG_LOG_FILES_RESIZE_FINISHED was added in 8.0.30.

- Error number: MY-013888; Symbol: ER_IB_MSG_LOG_FILES_UPGRADE; SQLSTATE: HY000

  Message: Upgrading redo log: %lluM, LSN=%llu.

  ER_IB_MSG_LOG_FILES_UPGRADE was added in 8.0.30.

- Error number: MY-013889; Symbol: ER_IB_MSG_LOG_FILE_MARK_CURRENT_AS_INCOMPLETE; SQLSTATE: HY000

  Message: Marked the current redo log file %s as incomplete.

  ER_IB_MSG_LOG_FILE_MARK_CURRENT_AS_INCOMPLETE was added in 8.0.30.

- Error number: MY-013890; Symbol: ER_IB_MSG_LOG_FILE_REMOVE_FAILED; SQLSTATE: HY000

  Message: Failed to remove redo log file %s.

  ER_IB_MSG_LOG_FILE_REMOVE_FAILED was added in 8.0.30.

- Error number: MY-013891; Symbol: ER_IB_MSG_LOG_FILE_RENAME_ON_CREATE_FAILED; SQLSTATE: HY000

  Message: Failed to rename %s when creating redo log file %s (error: %d)

  ER_IB_MSG_LOG_FILE_RENAME_ON_CREATE_FAILED was added in 8.0.30.

- Error number: MY-013892; Symbol: ER_IB_MSG_LOG_FILES_CREATED_BY_UNKNOWN_CREATOR; SQLSTATE: HY000

  Message: Redo log files created by unknown creator %s.

  ER_IB_MSG_LOG_FILES_CREATED_BY_UNKNOWN_CREATOR was added in 8.0.30.

- Error number: MY-013893; Symbol: ER_IB_MSG_LOG_FILES_FOUND_MISSING; SQLSTATE: HY000

  Message: Found existing redo log files, but at least one is missing. It is unknown if recovery could reach physically consistent state. Please consider restoring from backup or providing --innodb-force-recovery > 0.

  ER_IB_MSG_LOG_FILES_FOUND_MISSING was added in 8.0.30.

- Error number: MY-013894; Symbol: ER_IB_MSG_LOG_FILE_FORMAT_TOO_NEW; SQLSTATE: HY000

  Message: Found redo log file %s which has format (v%lu) and is stored outside #innodb_redo.

  ER_IB_MSG_LOG_FILE_FORMAT_TOO_NEW was added in 8.0.30.

- Error number: MY-013895; Symbol: ER_IB_MSG_LOG_FILE_FORMAT_TOO_OLD; SQLSTATE: HY000

  Message: Found redo log file %s which has format (v%lu) and is stored inside #innodb_redo.

  ER_IB_MSG_LOG_FILE_FORMAT_TOO_OLD was added in 8.0.30.

- Error number: MY-013896; Symbol: ER_IB_MSG_LOG_FILE_DIFFERENT_FORMATS; SQLSTATE: HY000

  Message: Found redo log files with different formats: %s has format v%lu, %s has format v%lu.

  ER_IB_MSG_LOG_FILE_DIFFERENT_FORMATS was added in 8.0.30.

- Error number: MY-013897; Symbol: ER_IB_MSG_LOG_PRE_8_0_30_MISSING_FILE0; SQLSTATE: HY000

  Message: Missing ib_logfile0 in the directory %s.

  ER_IB_MSG_LOG_PRE_8_0_30_MISSING_FILE0 was added in 8.0.30.

- Error number: MY-013898; Symbol: ER_IB_MSG_LOG_PFS_ACQUIRE_SERVICES_FAILED; SQLSTATE: HY000

  Message: Failed to initialize services required to handle redo log PFS tables.

  ER_IB_MSG_LOG_PFS_ACQUIRE_SERVICES_FAILED was added in 8.0.30.

- Error number: MY-013899; Symbol: ER_IB_MSG_LOG_PFS_CREATE_TABLES_FAILED; SQLSTATE: HY000

  Message: Failed to create redo log PFS tables.

  ER_IB_MSG_LOG_PFS_CREATE_TABLES_FAILED was added in 8.0.30.

- Error number: MY-013900; Symbol: ER_IB_MSG_LOG_FILE_TRUNCATE; SQLSTATE: HY000

  Message: Truncating redo log file %s...

  ER_IB_MSG_LOG_FILE_TRUNCATE was added in 8.0.30.

- Error number: MY-013901; Symbol: ER_IB_MSG_LOG_FILE_UNUSED_RESIZE_FAILED; SQLSTATE: HY000

  Message: Failed to resize unused redo log file %s to %llu MB (%s).

  ER_IB_MSG_LOG_FILE_UNUSED_RESIZE_FAILED was added in 8.0.30.

- Error number: MY-013902; Symbol: ER_IB_MSG_LOG_FILE_UNUSED_REMOVE_FAILED; SQLSTATE: HY000

  Message: Failed to remove unused redo log file %s.

  ER_IB_MSG_LOG_FILE_UNUSED_REMOVE_FAILED was added in 8.0.30.

- Error number: MY-013903; Symbol: ER_IB_MSG_LOG_FILE_UNUSED_RENAME_FAILED; SQLSTATE: HY000

  Message: Failed to rename unused redo log file %s to %s.

  ER_IB_MSG_LOG_FILE_UNUSED_RENAME_FAILED was added in 8.0.30.

- Error number: MY-013904; Symbol: ER_IB_MSG_LOG_FILE_UNUSED_MARK_AS_IN_USE_FAILED; SQLSTATE: HY000

  Message: Failed to mark unused redo log file %s as in use (by renaming to %s).

  ER_IB_MSG_LOG_FILE_UNUSED_MARK_AS_IN_USE_FAILED was added in 8.0.30.

- Error number: MY-013905; Symbol: ER_IB_MSG_LOG_FILE_MARK_AS_UNUSED_FAILED; SQLSTATE: HY000

  Message: Failed to mark redo log file %s as unused (by renaming to %s).

  ER_IB_MSG_LOG_FILE_MARK_AS_UNUSED_FAILED was added in 8.0.30.

- Error number: MY-013906; Symbol: ER_IB_MSG_LOG_PARAMS_DEDICATED_SERVER_IGNORED; SQLSTATE: HY000

  Message: Option innodb_dedicated_server is ignored for innodb_redo_log_capacity, because innodb_redo_log_capacity, innodb_log_file_size or innodb_log_files_in_group is specified explicitly. Redo log capacity: %lluM.

  ER_IB_MSG_LOG_PARAMS_DEDICATED_SERVER_IGNORED was added in 8.0.30.

- Error number: MY-013907; Symbol: ER_IB_MSG_LOG_PARAMS_LEGACY_USAGE; SQLSTATE: HY000

  Message: Deprecated configuration parameters innodb_log_file_size and/or innodb_log_files_in_group have been used to compute innodb_redo_log_capacity=%llu. Please use innodb_redo_log_capacity instead.

  ER_IB_MSG_LOG_PARAMS_LEGACY_USAGE was added in 8.0.30.

- Error number: MY-013908; Symbol: ER_GRP_RPL_FAILED_TO_LOG_VIEW_CHANGE; SQLSTATE: HY000

  Message: This member was unable to log the View_change_log_event into the binary log, hence it will leave the group. Please check that there is available disk space and add the member back to the group.

  ER_GRP_RPL_FAILED_TO_LOG_VIEW_CHANGE was added in 8.0.29.

- Error number: MY-013909; Symbol: ER_BINLOG_CRASH_RECOVERY_MALFORMED_LOG; SQLSTATE: HY000

  Message: Found invalid event sequence while recovering from binary log file '%s', between positions %llu and %llu: %s. The recovery process was stopped early and no transaction was recovered. Side effects may be transactions in an inconsistent state between the binary log and the storage engines, or transactions kept by storage engines in a prepared state (possibly holding locks). Either fix the issues with the binary log or, to release possibly acquired locks, disable the binary log during server recovery. Note that disabling the binary log may lead to loss of transactions that were already acknowledged as successful to client connections and may have been replicated to other servers in the topology.

  ER_BINLOG_CRASH_RECOVERY_MALFORMED_LOG was added in 8.0.30.

- Error number: MY-013910; Symbol: ER_BINLOG_CRASH_RECOVERY_ERROR_RETURNED_SE; SQLSTATE: HY000

  Message: Storage engines failed to recover one or more transactions. The recovery process was stopped early, check previous messages for the details on failed transactions. Side effects may be transactions in an inconsistent state between the binary log and the storage engines, or transactions kept by storage engines in a prepared state (possibly holding locks). Either fix the issues with the storage engine (out-of-memory, no disk space, etc) or, to release possibly acquired locks held by XA transactions, disable the binary log during server recovery and check consistency between storage engines and binary log files.

  ER_BINLOG_CRASH_RECOVERY_ERROR_RETURNED_SE was added in 8.0.30.

- Error number: MY-013911; Symbol: ER_BINLOG_CRASH_RECOVERY_ENGINE_RESULTS; SQLSTATE: HY000

  Message: Crash recovery finished in %s engine. %s

  ER_BINLOG_CRASH_RECOVERY_ENGINE_RESULTS was added in 8.0.30.

- Error number: MY-013912; Symbol: ER_BINLOG_CRASH_RECOVERY_COMMIT_FAILED; SQLSTATE: HY000

  Message: Failed to commit %s in %s, with failure code %s.

  ER_BINLOG_CRASH_RECOVERY_COMMIT_FAILED was added in 8.0.30.

- Error number: MY-013913; Symbol: ER_BINLOG_CRASH_RECOVERY_ROLLBACK_FAILED; SQLSTATE: HY000

  Message: Failed to rollback %s in %s, with failure code %s.

  ER_BINLOG_CRASH_RECOVERY_ROLLBACK_FAILED was added in 8.0.30.

- Error number: MY-013914; Symbol: ER_BINLOG_CRASH_RECOVERY_PREPARE_FAILED; SQLSTATE: HY000

Message: Failed to prepare %s in %s, with failure code %s.

ER_BINLOG_CRASH_RECOVERY_PREPARE_FAILED was added in 8.0.30.

- Error number: MY-013915; Symbol: ER_COMPONENT_EE_SYS_VAR_REGISTRATION_FAILURE; SQLSTATE: HY000

  Message: Cannot register variable '%s'. Please check if it is not already registered by another component.

  ER_COMPONENT_EE_SYS_VAR_REGISTRATION_FAILURE was added in 8.0.30.

- Error number: MY-013916; Symbol: ER_COMPONENT_EE_SYS_VAR_DEREGISTRATION_FAILURE; SQLSTATE: HY000

  Message: Cannot unregister variable '%s'. Please check if it was registered properly in the first place.

  ER_COMPONENT_EE_SYS_VAR_DEREGISTRATION_FAILURE was added in 8.0.30.

- Error number: MY-013917; Symbol: ER_COMPONENT_EE_FUNCTION_REGISTRATION_FAILURE; SQLSTATE: HY000

  Message: Cannot register function '%s'. Please check if it is not already registered.

  ER_COMPONENT_EE_FUNCTION_REGISTRATION_FAILURE was added in 8.0.30.

- Error number: MY-013918; Symbol: ER_COMPONENT_EE_FUNCTION_DEREGISTRATION_FAILURE; SQLSTATE: HY000

  Message: Cannot unregister function '%s'. Please check if it was registered properly in the first place.

  ER_COMPONENT_EE_FUNCTION_DEREGISTRATION_FAILURE was added in 8.0.30.

- Error number: MY-013919; Symbol: ER_COMPONENT_EE_FUNCTION_INVALID_ARGUMENTS; SQLSTATE: HY000

  Message: Invalid arguments to function '%s'. Expected values: %s.

  ER_COMPONENT_EE_FUNCTION_INVALID_ARGUMENTS was added in 8.0.30.

- Error number: MY-013920; Symbol: ER_COMPONENT_EE_FUNCTION_INVALID_ALGORITHM; SQLSTATE: HY000

  Message: Invalid algorithm value '%s' in function %s.

  ER_COMPONENT_EE_FUNCTION_INVALID_ALGORITHM was added in 8.0.30.

- Error number: MY-013921; Symbol: ER_COMPONENT_EE_FUNCTION_KEY_LENGTH_OUT_OF_RANGE; SQLSTATE: HY000

  Message: Invalid key length '%d' for function '%s' with algorithm '%s'. Please provide a value between [%d, %d].

  ER_COMPONENT_EE_FUNCTION_KEY_LENGTH_OUT_OF_RANGE was added in 8.0.30.

- Error number: MY-013922; Symbol: ER_COMPONENT_EE_FUNCTION_PRIVATE_KEY_GENERATION_FAILURE; SQLSTATE: HY000

Message: Failed to generate private key of length '%d' with algorithm '%s' in function '%s'. More details about the error would have been logged before this message.

`ER_COMPONENT_EE_FUNCTION_PRIVATE_KEY_GENERATION_FAILURE` was added in 8.0.30.

- Error number: `MY-013923`; Symbol: `ER_COMPONENT_EE_FUNCTION_PUBLIC_KEY_GENERATION_FAILURE`; SQLSTATE: `HY000`

  Message: Failed to generate public key with algorithm '%s' for given private key in function '%s'. More details about the error would have been logged before this message.

  `ER_COMPONENT_EE_FUNCTION_PUBLIC_KEY_GENERATION_FAILURE` was added in 8.0.30.

- Error number: `MY-013924`; Symbol: `ER_COMPONENT_EE_DATA_LENGTH_OUT_OF_RAGE`; SQLSTATE: `HY000`

  Message: Invalid data length '%d' (in bytes) for function '%s' with algorithm '%s'. The maximum support data length for given private key is %d (in bytes).

  `ER_COMPONENT_EE_DATA_LENGTH_OUT_OF_RAGE` was added in 8.0.30.

- Error number: `MY-013925`; Symbol: `ER_COMPONENT_EE_DATA_ENCRYPTION_ERROR`; SQLSTATE: `HY000`

  Message: Could not encrypt data in function '%s' using algorithm '%s'. Data length was '%d' bytes. More details about the error would have been logged before this message.

  `ER_COMPONENT_EE_DATA_ENCRYPTION_ERROR` was added in 8.0.30.

- Error number: `MY-013926`; Symbol: `ER_COMPONENT_EE_DATA_DECRYPTION_ERROR`; SQLSTATE: `HY000`

  Message: Could not decrypt data in function '%s' using algorithm '%s'. Data length was '%d' bytes. More details about the error would have been logged before this message.

  `ER_COMPONENT_EE_DATA_DECRYPTION_ERROR` was added in 8.0.30.

- Error number: `MY-013927`; Symbol: `ER_COMPONENT_EE_DATA_SIGN_ERROR`; SQLSTATE: `HY000`

  Message: Could not sign data in function '%s' using algorithm '%s' and digest type '%s'. More details about the error would have logged before this message.

  `ER_COMPONENT_EE_DATA_SIGN_ERROR` was added in 8.0.30.

- Error number: `MY-013928`; Symbol: `ER_COMPONENT_EE_OPENSSL_ERROR`; SQLSTATE: `HY000`

  Message: Received OpenSSL error in function '%s' for algorithm '%s': '%s'

  `ER_COMPONENT_EE_OPENSSL_ERROR` was added in 8.0.30.

- Error number: `MY-013929`; Symbol: `ER_COMPONENT_EE_INSUFFICIENT_LENGTH`; SQLSTATE: `HY000`

  Message: In function '%s' with algorithm '%s': insufficient output buffer length '%zu'. Required length '%zu'.

  `ER_COMPONENT_EE_INSUFFICIENT_LENGTH` was added in 8.0.30.

- Error number: MY-013930; Symbol: ER_SYSTEMD_NOTIFY_DEBUG; SQLSTATE: HY000

  Message: %s%s

  ER_SYSTEMD_NOTIFY_DEBUG was added in 8.0.30.

- Error number: MY-013931; Symbol: ER_TMP_SESSION_FOR_VAR; SQLSTATE: HY000

  Message: Setting session values for system variables only makes sense in a user session (failed to set '%s').

  ER_TMP_SESSION_FOR_VAR was added in 8.0.30.

- Error number: MY-013932; Symbol: ER_BUILD_ID; SQLSTATE: HY000

  Message: BuildID[sha1]=%s

  ER_BUILD_ID was added in 8.0.30.

- Error number: MY-013933; Symbol: ER_THREAD_POOL_CANNOT_REGISTER_DYNAMIC_PRIVILEGE; SQLSTATE: HY000

  Message: Failed to register dynamic privilege %s.

  ER_THREAD_POOL_CANNOT_REGISTER_DYNAMIC_PRIVILEGE was added in 8.0.30.

- Error number: MY-013934; Symbol: ER_IB_MSG_LOG_WRITER_WAIT_ON_CONSUMER; SQLSTATE: HY000

  Message: Redo log writer is waiting for %s redo log consumer which is currently reading LSN=%llu preventing reclamation of subsequent portion of the redo log. Consider increasing innodb_redo_log_capacity.

  ER_IB_MSG_LOG_WRITER_WAIT_ON_CONSUMER was added in 8.0.30.

- Error number: MY-013935; Symbol: ER_CONDITIONAL_DEBUG; SQLSTATE: HY000

  Message: %s

  ER_CONDITIONAL_DEBUG was added in 8.0.30.

- Error number: MY-013936; Symbol: ER_IB_MSG_PARSE_OLD_REDO_INDEX_VERSION; SQLSTATE: HY000

  Message: Recovery: Generating index information for INSTANT DDL Table in 8.0.29 format

  ER_IB_MSG_PARSE_OLD_REDO_INDEX_VERSION was added in 8.0.30.

- Error number: MY-013937; Symbol: ER_RES_GRP_FAILED_TO_SWITCH_RESOURCE_GROUP; SQLSTATE: HY000

  Message: Failed to switch resource group. %s

  ER_RES_GRP_FAILED_TO_SWITCH_RESOURCE_GROUP was added in 8.0.30, removed after 8.0.31.

- Error number: MY-013938; Symbol: ER_RES_GRP_SWITCH_FAILED_COULD_NOT_ACQUIRE_GLOBAL_LOCK; SQLSTATE: HY000

  Message: Failed to switch resource group. Could not acquire resource groups global lock.

ER_RES_GRP_SWITCH_FAILED_COULD_NOT_ACQUIRE_GLOBAL_LOCK was added in 8.0.30, removed after 8.0.31.

- Error number: MY-013939; Symbol: ER_RES_GRP_SWITCH_FAILED_COULD_NOT_ACQUIRE_LOCK; SQLSTATE: HY000

  Message: Failed to switch resource group. Could not acquire lock on resource group %s.

  ER_RES_GRP_SWITCH_FAILED_COULD_NOT_ACQUIRE_LOCK was added in 8.0.30, removed after 8.0.31.

- Error number: MY-013940; Symbol: ER_RES_GRP_SWITCH_FAILED_UNABLE_TO_APPLY_RES_GRP; SQLSTATE: HY000

  Message: Failed to switch resource group. Unable to apply resource group controller %s.

  ER_RES_GRP_SWITCH_FAILED_UNABLE_TO_APPLY_RES_GRP was added in 8.0.30, removed after 8.0.31.

- Error number: MY-013941; Symbol: ER_IB_MSG_CLEAR_INSTANT_DROP_COLUMN_METADATA; SQLSTATE: HY000

  Message: Failed to clear instant drop column metadata for table %s

  ER_IB_MSG_CLEAR_INSTANT_DROP_COLUMN_METADATA was added in 8.0.30.

- Error number: MY-013942; Symbol: ER_COMPONENT_KEYRING_OCI_OPEN_KEY_FILE; SQLSTATE: HY000

  Message: Cannot open signing key file %s.

  ER_COMPONENT_KEYRING_OCI_OPEN_KEY_FILE was added in 8.0.31.

- Error number: MY-013943; Symbol: ER_COMPONENT_KEYRING_OCI_CREATE_PRIVATE_KEY; SQLSTATE: HY000

  Message: Out of memory! Cannot create private key.

  ER_COMPONENT_KEYRING_OCI_CREATE_PRIVATE_KEY was added in 8.0.31.

- Error number: MY-013944; Symbol: ER_COMPONENT_KEYRING_OCI_READ_KEY_FILE; SQLSTATE: HY000

  Message: Cannot read signing key file %s.

  ER_COMPONENT_KEYRING_OCI_READ_KEY_FILE was added in 8.0.31.

- Error number: MY-013945; Symbol: ER_NOTE_COMPONENT_KEYRING_OCI_MISSING_NAME_OR_TYPE; SQLSTATE: HY000

  Message: Incomplete key: missing Name/Type for the Key: %s.

  ER_NOTE_COMPONENT_KEYRING_OCI_MISSING_NAME_OR_TYPE was added in 8.0.31.

- Error number: MY-013946; Symbol: ER_WARN_COMPONENT_KEYRING_OCI_DUPLICATE_KEY; SQLSTATE: HY000

  Message: Duplicate key found in keyring with Name: %s and Owner: %s.

ER_WARN_COMPONENT_KEYRING_OCI_DUPLICATE_KEY was added in 8.0.31.

- Error number: MY-013947; Symbol: ER_KEYRING_OCI_PARSE_JSON; SQLSTATE: HY000

  Message: Error parsing JSON response %s.

  ER_KEYRING_OCI_PARSE_JSON was added in 8.0.31.

- Error number: MY-013948; Symbol: ER_KEYRING_OCI_INVALID_JSON; SQLSTATE: HY000

  Message: Invalid JSON response!

  ER_KEYRING_OCI_INVALID_JSON was added in 8.0.31.

- Error number: MY-013949; Symbol: ER_KEYRING_OCI_HTTP_REQUEST; SQLSTATE: HY000

  Message: HTTP request failed with error: '%s'

  ER_KEYRING_OCI_HTTP_REQUEST was added in 8.0.31.

- Error number: MY-013950; Symbol: ER_THREAD_POOL_SYSVAR_CHANGE; SQLSTATE: HY000

  Message: Variable thread_pool.%s was updated: %s

  ER_THREAD_POOL_SYSVAR_CHANGE was added in 8.0.31.

- Error number: MY-013951; Symbol: ER_STACK_BACKTRACE; SQLSTATE: HY000

  Message: %s

  ER_STACK_BACKTRACE was added in 8.0.31.

- Error number: MY-013952; Symbol: ER_IB_MSG_BUF_POOL_RESIZE_COMPLETE_CUR_CODE; SQLSTATE: HY000

  Message: Status code %u: Completed

  ER_IB_MSG_BUF_POOL_RESIZE_COMPLETE_CUR_CODE was added in 8.0.31.

- Error number: MY-013953; Symbol: ER_IB_MSG_BUF_POOL_RESIZE_PROGRESS_UPDATE; SQLSTATE: HY000

  Message: Status code %u: %u%% complete

  ER_IB_MSG_BUF_POOL_RESIZE_PROGRESS_UPDATE was added in 8.0.31.

- Error number: MY-013954; Symbol: ER_IB_MSG_BUF_POOL_RESIZE_CODE_STATUS; SQLSTATE: HY000

  Message: Status code %u: %s

  ER_IB_MSG_BUF_POOL_RESIZE_CODE_STATUS was added in 8.0.31.

- Error number: MY-013955; Symbol: ER_THREAD_POOL_QUERY_THREADS_PER_GROUP_INVALID; SQLSTATE: HY000

  Message: Invalid value set to thread_pool_query_threads_per_group. Valid value range is %u - %u.

  ER_THREAD_POOL_QUERY_THREADS_PER_GROUP_INVALID was added in 8.0.31.

- Error number: MY-013956; Symbol: ER_THREAD_POOL_QUERY_THRS_PER_GRP_EXCEEDS_TXN_THR_LIMIT; SQLSTATE: HY000

  Message: Query threads count(%u) exceeds transaction threads limit(%u) per group. Please use query threads count per group smaller or equal to max transaction threads limit per group

  ER_THREAD_POOL_QUERY_THRS_PER_GRP_EXCEEDS_TXN_THR_LIMIT was added in 8.0.31.

- Error number: MY-013957; Symbol: ER_IB_MSG_INVALID_PAGE_TYPE; SQLSTATE: HY000

  Message: Found page type mismatch. Expected %u, found %u, in page: space_id=%lu page_no= %lu

  ER_IB_MSG_INVALID_PAGE_TYPE was added in 8.0.32.

- Error number: MY-013958; Symbol: ER_IB_PARALLEL_READER_WORKER_INFO; SQLSTATE: HY000

  Message: preader: space_id=%zu, table=%s, index=%s, scan_ctx=%zu, ctx=%zu, thread_id=%zu, n_threads=%zu

  ER_IB_PARALLEL_READER_WORKER_INFO was added in 8.0.32.

- Error number: MY-013959; Symbol: ER_IB_BULK_LOAD_SUBTREE_INFO; SQLSTATE: HY000

  Message: bulkload: space_id=%zu, table=%s, index=%s, height=%zu, n_extents=%zu, n_pages=%zu

  ER_IB_BULK_LOAD_SUBTREE_INFO was added in 8.0.32.

- Error number: MY-013960; Symbol: ER_IB_BULK_FLUSHER_INFO; SQLSTATE: HY000

  Message: bulkflusher: sleep_count=%zu, sleep_duration=%zu milliseconds, total_sleep=%zu milliseconds, pages_flushed=%zu

  ER_IB_BULK_FLUSHER_INFO was added in 8.0.32.

- Error number: MY-013961; Symbol: ER_IB_BUFFER_POOL_OVERUSE; SQLSTATE: HY000

  Message: %s: Over 67 percent of the buffer pool (curr_size=%zu MB) is occupied by lock heaps or the adaptive hash index or BUF_BLOCK_MEMORY pages. Check that your transactions do not set too many row locks. Maybe you should make the buffer pool bigger?. Starting the InnoDB Monitor to print diagnostics.

  ER_IB_BUFFER_POOL_OVERUSE was added in 8.0.32.

- Error number: MY-013962; Symbol: ER_IB_BUFFER_POOL_FULL; SQLSTATE: HY000

  Message: %s: Over 95 percent of the buffer pool (curr_size=%zu MB) is occupied by lock heaps or the adaptive hash index or BUF_BLOCK_MEMORY pages. Check that your transactions do not set too many row locks. Maybe you should make the buffer pool bigger?. We intentionally generate a seg fault to print a stack trace on Linux!

  ER_IB_BUFFER_POOL_FULL was added in 8.0.32.

- Error number: MY-013963; Symbol: ER_IB_DUPLICATE_KEY; SQLSTATE: HY000

  Message: %s: table=%s, index=%s, n_uniq=%zu, n_fields=%zu, lhs=(%s), rhs=(%s)

  ER_IB_DUPLICATE_KEY was added in 8.0.32.

- Error number: MY-013964; Symbol: ER_REPLICATION_INCOMPATIBLE_TABLE_WITH_GIPK; SQLSTATE: HY000

  Message: Failed to apply row event with %d columns, originating from a server of version %s on table '%s.%s', which has %d columns, one of which is a generated implicit primary key. Replication is unsupported when the source server is older than 8.0.30, the replica table has a generated implicit primary key, and there is a difference in column count, not counting the replica's generated implicit primary key. Align the table schemas on source and replica, and restart replication.

  ER_REPLICATION_INCOMPATIBLE_TABLE_WITH_GIPK was added in 8.0.32.

- Error number: MY-013965; Symbol: ER_BULK_EXECUTOR_INFO; SQLSTATE: HY000

  Message: Bulk executor: %s

  ER_BULK_EXECUTOR_INFO was added in 8.0.32.

- Error number: MY-013966; Symbol: ER_BULK_LOADER_INFO; SQLSTATE: HY000

  Message: Bulk loader: %s

  ER_BULK_LOADER_INFO was added in 8.0.32.

- Error number: MY-013967; Symbol: ER_BULK_LOADER_FILE_CONTAINS_LESS_LINES_THAN_IGNORE_CLAUSE_LOG; SQLSTATE: HY000

  Message: The first file being loaded contained less lines than the ignore clause

  ER_BULK_LOADER_FILE_CONTAINS_LESS_LINES_THAN_IGNORE_CLAUSE_LOG was added in 8.0.32.

- Error number: MY-013968; Symbol: ER_BULK_READER_INFO; SQLSTATE: HY000

  Message: Bulk reader: %s

  ER_BULK_READER_INFO was added in 8.0.32.

- Error number: MY-013969; Symbol: ER_BULK_READER_LIBCURL_INIT_FAILED_LOG; SQLSTATE: HY000

  Message: Bulk reader failed to initialize libcurl

  ER_BULK_READER_LIBCURL_INIT_FAILED_LOG was added in 8.0.32.

- Error number: MY-013970; Symbol: ER_BULK_READER_LIBCURL_ERROR_LOG; SQLSTATE: HY000

  Message: Bulk reader got libcurl error: %s

  ER_BULK_READER_LIBCURL_ERROR_LOG was added in 8.0.32.

- Error number: MY-013971; Symbol: ER_BULK_READER_SERVER_ERROR_LOG; SQLSTATE: HY000

  Message: Bulk reader got error response from server: %ld

  ER_BULK_READER_SERVER_ERROR_LOG was added in 8.0.32.

- Error number: MY-013972; Symbol: ER_BULK_READER_COMMUNICATION_ERROR_LOG; SQLSTATE: HY000

Message: Bulk reader got error in communication with source server, check the error log for additional details

`ER_BULK_READER_COMMUNICATION_ERROR_LOG` was added in 8.0.32.

- Error number: `MY-013973`; Symbol: `ER_BULK_PARSER_MISSING_ENCLOSED_BY_LOG`; SQLSTATE: `HY000`

  Message: Missing ENCLOSED BY character at row %ld in file %s. Add OPTIONALLY to the ENCLOSED BY clause to allow this input.

  `ER_BULK_PARSER_MISSING_ENCLOSED_BY_LOG` was added in 8.0.32.

- Error number: `MY-013974`; Symbol: `ER_BULK_PARSER_ROW_BUFFER_MAX_TOTAL_COLS_EXCEEDED_LOG`; SQLSTATE: `HY000`

  Message: The number of input columns that need to be buffered for parsing exceeded predefined buffer max size for file '%s'.

  `ER_BULK_PARSER_ROW_BUFFER_MAX_TOTAL_COLS_EXCEEDED_LOG` was added in 8.0.32.

- Error number: `MY-013975`; Symbol: `ER_BULK_PARSER_COPY_BUFFER_SIZE_EXCEEDED_LOG`; SQLSTATE: `HY000`

  Message: The column data that needed to be copied due to escaped characters exceeded the size of the internal copy buffer for file '%s'.

  `ER_BULK_PARSER_COPY_BUFFER_SIZE_EXCEEDED_LOG` was added in 8.0.32.

- Error number: `MY-013976`; Symbol: `ER_BULK_PARSER_UNEXPECTED_END_OF_INPUT_LOG`; SQLSTATE: `HY000`

  Message: Unexpected end of input found at row %ld in file '%s'. Data for some columns is missing.

  `ER_BULK_PARSER_UNEXPECTED_END_OF_INPUT_LOG` was added in 8.0.32.

- Error number: `MY-013977`; Symbol: `ER_BULK_PARSER_UNEXPECTED_ROW_TERMINATOR_LOG`; SQLSTATE: `HY000`

  Message: Unexpected row terminator found at row %ld in file '%s'. Data for some columns is missing.

  `ER_BULK_PARSER_UNEXPECTED_ROW_TERMINATOR_LOG` was added in 8.0.32.

- Error number: `MY-013978`; Symbol: `ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_ENDING_ENCLOSED_BY_LOG`; SQLSTATE: `HY000`

  Message: Unexpected characters after ending ENCLOSED BY character found at row %ld in file '%s'.

  `ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_ENDING_ENCLOSED_BY_LOG` was added in 8.0.32.

- Error number: `MY-013979`; Symbol: `ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_NULL_ESCAPE_LOG`; SQLSTATE: `HY000`

  Message: Unexpected characters after NULL escape (\N) found at row %ld in file '%s'.

  `ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_NULL_ESCAPE_LOG` was added in 8.0.32.

- Error number: MY-013980; Symbol: ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_COLUMN_TERMINATOR_LOG; SQLSTATE: HY000

  Message: Unexpected characters after column terminator found at row %ld in file '%s'.

  ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_COLUMN_TERMINATOR_LOG was added in 8.0.32.

- Error number: MY-013981; Symbol: ER_BULK_PARSER_INCOMPLETE_ESCAPE_SEQUENCE_LOG; SQLSTATE: HY000

  Message: Unexpected end of input found at row %ld in file '%s' resulting in incomplete escape sequence.

  ER_BULK_PARSER_INCOMPLETE_ESCAPE_SEQUENCE_LOG was added in 8.0.32.

- Error number: MY-013982; Symbol: ER_LOAD_BULK_DATA_WRONG_VALUE_FOR_FIELD_LOG; SQLSTATE: HY000

  Message: Incorrect %s value: '%s' for column '%s' at row %ld in file '%s'

  ER_LOAD_BULK_DATA_WRONG_VALUE_FOR_FIELD_LOG was added in 8.0.32.

- Error number: MY-013983; Symbol: ER_LOAD_BULK_DATA_WARN_NULL_TO_NOTNULL_LOG; SQLSTATE: HY000

  Message: NULL supplied to NOT NULL column '%s' at row %ld in file '%s'

  ER_LOAD_BULK_DATA_WARN_NULL_TO_NOTNULL_LOG was added in 8.0.32.

- Error number: MY-013984; Symbol: ER_IB_BULK_LOAD_THREAD_FAIL; SQLSTATE: HY000

  Message: %s: LOAD BULK DATA thread failure (err=%lu), table=%s, index=%s

  ER_IB_BULK_LOAD_THREAD_FAIL was added in 8.0.32.

- Error number: MY-013985; Symbol: ER_IB_BULK_LOAD_MERGE_FAIL; SQLSTATE: HY000

  Message: %s: Failed to merge sub-trees in LOAD BULK DATA, table=%s, index=%s, details=%s

  ER_IB_BULK_LOAD_MERGE_FAIL was added in 8.0.32.

- Error number: MY-013986; Symbol: ER_IB_LOAD_BULK_CONCURRENCY_REDUCED; SQLSTATE: HY000

  Message: LOAD BULK DATA: Buffer pool size is %zu. Reducing concurrency from %zu to %zu. table=%s.

  ER_IB_LOAD_BULK_CONCURRENCY_REDUCED was added in 8.0.32.

- Error number: MY-013987; Symbol: ER_PLUGIN_EXCEPTION_OPERATION_FAILED; SQLSTATE: HY000

  Message: C++ Exception caught while %s the %s plugin: [%s]

  ER_PLUGIN_EXCEPTION_OPERATION_FAILED was added in 8.0.32.

- Error number: MY-013988; Symbol: ER_REQUIRE_TABLE_PRIMARY_KEY_CHECK_GENERATE_WITH_GR_IN_REPO; SQLSTATE: HY000

Message: Replication configuration appears to be corrupted. On Group Replication channel '%s', setting REQUIRE_TABLE_PRIMARY_KEY_CHECK to 'GENERATE' is not allowed. Run RESET REPLICA ALL to reset it.

ER_REQUIRE_TABLE_PRIMARY_KEY_CHECK_GENERATE_WITH_GR_IN_REPO was added in 8.0.32.

- Error number: MY-013989; Symbol: ER_CHECK_TABLE_INSTANT_VERSION_BIT_SET; SQLSTATE: HY000

  Message: Record has both instant and version bit set.

  ER_CHECK_TABLE_INSTANT_VERSION_BIT_SET was added in 8.0.32.

- Error number: MY-013990; Symbol: ER_GRP_RPL_PAXOS_SINGLE_LEADER_DIFF_FROM_OLD_GRP; SQLSTATE: HY000

  Message: This member is configured with a group_replication_paxos_single_leader option value of 1 and it is trying to join a group with Communication Protocol Version below 8.0.27. In order to join this group, group_replication_paxos_single_leader value must be configured to the value 0. This member will now exit the group.

  ER_GRP_RPL_PAXOS_SINGLE_LEADER_DIFF_FROM_OLD_GRP was added in 8.0.32.

- Error number: MY-013991; Symbol: ER_IB_WRN_IGNORE_REDO_LOG_CAPACITY; SQLSTATE: HY000

  Message: Ignored the innodb-redo-log-capacity option in the Innodb read-only mode. Server is using active redo log files.

  ER_IB_WRN_IGNORE_REDO_LOG_CAPACITY was added in 8.0.32.

- Error number: MY-013992; Symbol: ER_IB_PRIMARY_KEY_IS_INSTANT; SQLSTATE: HY000

  Message: Unexpected INSTANTLY Added / Dropped column: '%s' at position %lu for Table '%s', Index '%s' while getting Primary Key for row logging

  ER_IB_PRIMARY_KEY_IS_INSTANT was added in 8.0.32.

- Error number: MY-013993; Symbol: ER_THREAD_POOL_IDLE_CONNECTION_CLOSED; SQLSTATE: HY000

  Message: %s

  ER_THREAD_POOL_IDLE_CONNECTION_CLOSED was added in 8.0.32.

- Error number: MY-013994; Symbol: ER_IB_HIDDEN_NAME_CONFLICT; SQLSTATE: HY000

  Message: Column name %s and internally generated INSTANT DROP column name %s is causing a conflict.

  ER_IB_HIDDEN_NAME_CONFLICT was added in 8.0.32.

- Error number: MY-013995; Symbol: ER_IB_DICT_INVALID_COLUMN_POSITION; SQLSTATE: HY000

  Message: Field number: %llu too large, Total fields in Record: %zu.

  ER_IB_DICT_INVALID_COLUMN_POSITION was added in 8.0.32.

- Error number: MY-013996; Symbol: ER_IB_DICT_LOG_TABLE_INFO; SQLSTATE: HY000

Message: %s

ER_IB_DICT_LOG_TABLE_INFO was added in 8.0.32.

- Error number: MY-013997; Symbol: ER_RPL_ASYNC_NEXT_FAILOVER_CHANNEL_SELECTED; SQLSTATE: HY000

  Message: The connection has timed out after %lu retries connecting to '%s@%s:%d'%s, and therefore the MySQL server is going to attempt an asynchronous replication connection failover, to '%s@%s:%d'

  ER_RPL_ASYNC_NEXT_FAILOVER_CHANNEL_SELECTED was added in 8.0.33.

- Error number: MY-013998; Symbol: ER_RPL_REPLICA_SOURCE_UUID_HAS_NOT_CHANGED; SQLSTATE: HY000

  Message: The Replica which was connected to source \'%s:%d\', is now connected to new source \'%s:%d\', but still has the same server_uuid %s.

  ER_RPL_REPLICA_SOURCE_UUID_HAS_NOT_CHANGED was added in 8.0.33.

- Error number: MY-013999; Symbol: ER_RPL_REPLICA_SOURCE_UUID_HAS_CHANGED_HOST_PORT_UNCHANGED; SQLSTATE: HY000

  Message: The server_uuid for source server \'%s:%d\' has changed from %s to %s. This should not happen unless you have changed it manually.

  ER_RPL_REPLICA_SOURCE_UUID_HAS_CHANGED_HOST_PORT_UNCHANGED was added in 8.0.33.

- Error number: MY-014000; Symbol: ER_RPL_REPLICA_SOURCE_UUID_HOST_PORT_HAS_CHANGED; SQLSTATE: HY000

  Message: The source server has changed from \'%s:%d\' with server_uuid %s, to \'%s:%d\' with server_uuid %s.

  ER_RPL_REPLICA_SOURCE_UUID_HOST_PORT_HAS_CHANGED was added in 8.0.33.

- Error number: MY-014001; Symbol: ER_RPL_REPLICA_CONNECTED_TO_SOURCE_RPL_STARTED_FILE_BASED; SQLSTATE: HY000

  Message: Replica receiver thread%s: connected to source \'%s@%s:%d\' with server_uuid=%s, server_id=%d. Starting replication from file '%s', position '%s'.

  ER_RPL_REPLICA_CONNECTED_TO_SOURCE_RPL_STARTED_FILE_BASED was added in 8.0.33.

- Error number: MY-014002; Symbol: ER_RPL_REPLICA_CONNECTED_TO_SOURCE_RPL_STARTED_GTID_BASED; SQLSTATE: HY000

  Message: Replica receiver thread%s: connected to source \'%s@%s:%d\' with server_uuid=%s, server_id=%d. Starting GTID-based replication.

  ER_RPL_REPLICA_CONNECTED_TO_SOURCE_RPL_STARTED_GTID_BASED was added in 8.0.33.

- Error number: MY-014003; Symbol: ER_IB_INDEX_LOADER_DONE; SQLSTATE: HY000

  Message: Loader::build_all(): Completed building %zu indexes for old_table=%s, new_table=%s, err=%zu.

  ER_IB_INDEX_LOADER_DONE was added in 8.0.32.

- Error number: MY-014004; Symbol: ER_IB_INDEX_BUILDER_DONE; SQLSTATE: HY000

  Message: Builder::finish(): Completed building index=%s of table=%s, err=%zu.

  ER_IB_INDEX_BUILDER_DONE was added in 8.0.32.

- Error number: MY-014005; Symbol: ER_WARN_DEPRECATED_USER_DEFINED_COLLATIONS_OPTION; SQLSTATE: HY000

  Message: %s: '%s' is a user defined collation. User defined collations are deprecated and will be removed in a future release. Consider using a compiled collation instead.

  ER_WARN_DEPRECATED_USER_DEFINED_COLLATIONS_OPTION was added in 8.0.33.

- Error number: MY-014006; Symbol: ER_IB_INDEX_BUILDER_INIT; SQLSTATE: HY000

  Message: Builder::init(): Initialize for building index=%s of table=%s, n_threads=%zu, sort buffer size=%zu bytes, i/o buffer size=%zu bytes.

  ER_IB_INDEX_BUILDER_INIT was added in 8.0.33.

- Error number: MY-014007; Symbol: ER_IB_SELECT_COUNT_STAR; SQLSTATE: HY000

  Message: SELECT COUNT(*) FROM table=%s, n_threads=%zu, n_partitions=%zu.

  ER_IB_SELECT_COUNT_STAR was added in 8.0.33.

- Error number: MY-014008; Symbol: ER_IB_INDEX_LOG_VERSION_MISMATCH; SQLSTATE: HY000

  Message: Index log version %u did not match. Max index version is %u. Recovery can't continue. Please make sure server is not starting up with the datadir generated in future version.

  ER_IB_INDEX_LOG_VERSION_MISMATCH was added in 8.0.33.

- Error number: MY-014009; Symbol: ER_WARN_COMPONENTS_INFRASTRUCTURE_MANIFEST_MULTIPLE_KEYRING; SQLSTATE: HY000

  Message: Multiple keyring component URNs '%s' found in manifest file '%s'. Only one keyring component can be loaded at a time.

  ER_WARN_COMPONENTS_INFRASTRUCTURE_MANIFEST_MULTIPLE_KEYRING was added in 8.0.33.

- Error number: MY-014010; Symbol: ER_GRP_RPL_HAS_STARTED; SQLSTATE: HY000

  Message: Plugin 'group_replication' has been started.

  ER_GRP_RPL_HAS_STARTED was added in 8.0.33.

- Error number: MY-014011; Symbol: ER_CHECK_TABLE_MIN_REC_FLAG_SET; SQLSTATE: HY000

  Message: Minimum record flag is wrongly set to rec on page '%lu' at level '%lu' for index '%s' of table '%s'.

  ER_CHECK_TABLE_MIN_REC_FLAG_SET was added in 8.0.33.

- Error number: MY-014012; Symbol: ER_CHECK_TABLE_MIN_REC_FLAG_NOT_SET; SQLSTATE: HY000

  Message: Minimum record flag is not set to first rec on page '%lu' at level '%lu' for index '%s' of table '%s'.

  ER_CHECK_TABLE_MIN_REC_FLAG_NOT_SET was added in 8.0.33.

- Error number: MY-014013; Symbol: ER_NOTE_COMPONENT_SLOT_REGISTRATION_SUCCESS; SQLSTATE: HY000

  Message: Successfully registered slot '%d' for component '%s'.

  ER_NOTE_COMPONENT_SLOT_REGISTRATION_SUCCESS was added in 8.0.33.

- Error number: MY-014014; Symbol: ER_NOTE_COMPONENT_SLOT_DEREGISTRATION_SUCCESS; SQLSTATE: HY000

  Message: Successfully de-registered slot '%d' from component '%s'.

  ER_NOTE_COMPONENT_SLOT_DEREGISTRATION_SUCCESS was added in 8.0.33.

- Error number: MY-014015; Symbol: ER_WARN_CANNOT_FREE_COMPONENT_DATA_DEALLOCATION_FAILED; SQLSTATE: HY000

  Message: Cannot free resources stored by component '%s' in thread with ID: '%d'. Component failed to free required resources.

  ER_WARN_CANNOT_FREE_COMPONENT_DATA_DEALLOCATION_FAILED was added in 8.0.33.

- Error number: MY-014016; Symbol: ER_IB_RESURRECT_TRX_INSERT; SQLSTATE: HY000

  Message: Transaction ID: %lu found for resurrecting inserts

  ER_IB_RESURRECT_TRX_INSERT was added in 8.0.33.

- Error number: MY-014017; Symbol: ER_IB_RESURRECT_TRX_UPDATE; SQLSTATE: HY000

  Message: Transaction ID: %lu found for resurrecting updates

  ER_IB_RESURRECT_TRX_UPDATE was added in 8.0.33.

- Error number: MY-014018; Symbol: ER_IB_RESURRECT_IDENTIFY_TABLE_TO_LOCK; SQLSTATE: HY000

  Message: Identified table ID: %lu to acquire lock

  ER_IB_RESURRECT_IDENTIFY_TABLE_TO_LOCK was added in 8.0.33.

- Error number: MY-014019; Symbol: ER_IB_RESURRECT_ACQUIRE_TABLE_LOCK; SQLSTATE: HY000

  Message: Acquired lock on table ID: %lu, name: %s

  ER_IB_RESURRECT_ACQUIRE_TABLE_LOCK was added in 8.0.33.

- Error number: MY-014020; Symbol: ER_IB_RESURRECT_RECORD_PROGRESS; SQLSTATE: HY000

  Message: Records read: %lu - Pages read: %lu

  ER_IB_RESURRECT_RECORD_PROGRESS was added in 8.0.33.

- Error number: MY-014021; Symbol: ER_IB_RESURRECT_RECORD_COMPLETE; SQLSTATE: HY000

  Message: Total records resurrected: %lu - Total pages read: %lu - Total tables acquired: %lu

  ER_IB_RESURRECT_RECORD_COMPLETE was added in 8.0.33.

- Error number: MY-014022; Symbol: ER_IB_RESURRECT_TRX_INSERT_COMPLETE; SQLSTATE: HY000

  Message: Resurrected %lu transactions doing inserts.

  ER_IB_RESURRECT_TRX_INSERT_COMPLETE was added in 8.0.33.

- Error number: MY-014023; Symbol: ER_IB_RESURRECT_TRX_UPDATE_COMPLETE; SQLSTATE: HY000

  Message: Resurrected %lu transactions doing updates.

  ER_IB_RESURRECT_TRX_UPDATE_COMPLETE was added in 8.0.33.

- Error number: MY-014024; Symbol: ER_AUTHENTICATION_OCI_INVALID_TOKEN; SQLSTATE: HY000

  Message: Invalid security token provided by '%s' for '%s'@'%s': %s.

  ER_AUTHENTICATION_OCI_INVALID_TOKEN was added in 8.0.33.

- Error number: MY-014025; Symbol: ER_AUTHENTICATION_OCI_TOKEN_DETAILS_MISMATCH; SQLSTATE: HY000

  Message: Unknown user/tenancy (user: %s tenancy: %s) found in security token provided by '%s' for '%s'@'%s'.

  ER_AUTHENTICATION_OCI_TOKEN_DETAILS_MISMATCH was added in 8.0.33.

- Error number: MY-014026; Symbol: ER_AUTHENTICATION_OCI_TOKEN_NOT_VERIFIED; SQLSTATE: HY000

  Message: Verification failed for security token provided by '%s' for '%s'@'%s' : %s.

  ER_AUTHENTICATION_OCI_TOKEN_NOT_VERIFIED was added in 8.0.33.

- Error number: MY-014027; Symbol: ER_AUTHENTICATION_OCI_DOWNLOAD_IDDP_PUBLIC_KEY; SQLSTATE: HY000

  Message: Could not download IDDP Public key. Please check if security token provided by '%s' for '%s'@'%s' is valid.

  ER_AUTHENTICATION_OCI_DOWNLOAD_IDDP_PUBLIC_KEY was added in 8.0.33.

- Error number: MY-014028; Symbol: ER_AUTHENTICATION_OCI_NO_MATCHING_GROUPS_IN_TOKEN; SQLSTATE: HY000

Message: None of the groups extracted from security token matches any of the entries from authentication string.

`ER_AUTHENTICATION_OCI_NO_MATCHING_GROUPS_IN_TOKEN` was added in 8.0.33, removed after 8.0.33.

- Error number: `MY-014029`; Symbol: `ER_SYS_VAR_REGISTRATION`; SQLSTATE: `HY000`

  Message: Cannot register variable '%s'. Please check if it is not already registered by another component.

  `ER_SYS_VAR_REGISTRATION` was added in 8.0.33.

- Error number: `MY-014030`; Symbol: `ER_SYS_VAR_DEREGISTRATION`; SQLSTATE: `HY000`

  Message: Cannot unregister variable '%s'. Please check if it was registered properly in the first place.

  `ER_SYS_VAR_DEREGISTRATION` was added in 8.0.33.

- Error number: `MY-014031`; Symbol: `ER_UDF_REGISTRATION`; SQLSTATE: `HY000`

  Message: Cannot register function '%s'. Please check if it is not already registered by another component.

  `ER_UDF_REGISTRATION` was added in 8.0.33.

- Error number: `MY-014032`; Symbol: `ER_UDF_DEREGISTRATION`; SQLSTATE: `HY000`

  Message: Cannot unregister function '%s'. Please check if it was registered properly in the first place.

  `ER_UDF_DEREGISTRATION` was added in 8.0.33.

- Error number: `MY-014033`; Symbol: `ER_PRIVILEGE_REGISTRATION`; SQLSTATE: `HY000`

  Message: Cannot register privilege '%s'. Please check if it is not already registered.

  `ER_PRIVILEGE_REGISTRATION` was added in 8.0.33.

- Error number: `MY-014034`; Symbol: `ER_PRIVILEGE_DEREGISTRATION`; SQLSTATE: `HY000`

  Message: Cannot unregister privilege '%s'. Please check if it was registered properly in the first place.

  `ER_PRIVILEGE_DEREGISTRATION` was added in 8.0.33.

- Error number: `MY-014035`; Symbol: `ER_UDF_EXEC_FAILURE`; SQLSTATE: `HY000`

  Message: Error while executing UDF %s.

  `ER_UDF_EXEC_FAILURE` was added in 8.0.33.

- Error number: `MY-014036`; Symbol: `ER_UDF_EXEC_FAILURE_REASON`; SQLSTATE: `HY000`

  Message: Error while executing UDF %s: %s.

  `ER_UDF_EXEC_FAILURE_REASON` was added in 8.0.33.

- Error number: `MY-014037`; Symbol: `ER_COMPONENT_SERVICE_CALL`; SQLSTATE: `HY000`

  Message: %s failed.

ER_COMPONENT_SERVICE_CALL was added in 8.0.33.

- Error number: MY-014038; Symbol: ER_COMPONENT_SERVICE_CALL_RESULT; SQLSTATE: HY000

  Message: %s failed with %u.

  ER_COMPONENT_SERVICE_CALL_RESULT was added in 8.0.33.

- Error number: MY-014039; Symbol: ER_COMPONENT_LOCK; SQLSTATE: HY000

  Message: Lock failed at %s : %u.

  ER_COMPONENT_LOCK was added in 8.0.33.

- Error number: MY-014040; Symbol: ER_COMPONENT_UNLOCK; SQLSTATE: HY000

  Message: Lock from %s : %u failed to unlock.

  ER_COMPONENT_UNLOCK was added in 8.0.33.

- Error number: MY-014041; Symbol: ER_COMPONENT_MASKING_OTHER_ERROR; SQLSTATE: HY000

  Message: Masking component error: '%s'.

  ER_COMPONENT_MASKING_OTHER_ERROR was added in 8.0.33.

- Error number: MY-014042; Symbol: ER_COMPONENT_MASKING_ABI; SQLSTATE: HY000

  Message: %s failed.

  ER_COMPONENT_MASKING_ABI was added in 8.0.33.

- Error number: MY-014043; Symbol: ER_COMPONENT_MASKING_ABI_REASON; SQLSTATE: HY000

  Message: %s failed because %s.

  ER_COMPONENT_MASKING_ABI_REASON was added in 8.0.33.

- Error number: MY-014044; Symbol: ER_COMPONENT_MASKING_RANDOM_CREATE; SQLSTATE: HY000

  Message: Creation of random context failed.

  ER_COMPONENT_MASKING_RANDOM_CREATE was added in 8.0.33.

- Error number: MY-014045; Symbol: ER_COMPONENT_MASKING_RANDOM_CREATE_REASON; SQLSTATE: HY000

  Message: Creation of random context failed because %s.

  ER_COMPONENT_MASKING_RANDOM_CREATE_REASON was added in 8.0.33.

- Error number: MY-014046; Symbol: ER_COMPONENT_MASKING_CANNOT_ACCESS_TABLE; SQLSTATE: HY000

  Message: Cannot access %s.%s table.

  ER_COMPONENT_MASKING_CANNOT_ACCESS_TABLE was added in 8.0.33.

- Error number: MY-014047; Symbol: ER_REDUCED_DBLWR_FILE_CORRUPTED; SQLSTATE: HY000

Message: Cannot recover from detect_only doublewrite buffer as page %u from batch doublewrite file is corrupted.

`ER_REDUCED_DBLWR_FILE_CORRUPTED` was added in 8.0.30.

- Error number: `MY-014048`; Symbol: `ER_REDUCED_DBLWR_PAGE_FOUND`; SQLSTATE: `HY000`

  Message: Database page corruption of tablespace %s space_id: %u page_num: %u. Cannot recover it from the doublewrite buffer because it was written in detect_only-doublewrite mode.

  `ER_REDUCED_DBLWR_PAGE_FOUND` was added in 8.0.30.

- Error number: `MY-014049`; Symbol: `ER_CONN_INIT_CONNECT_IGNORED_MFA`; SQLSTATE: `HY000`

  Message: init_connect variable is ignored for user: %s host: %s due to multi-factor registration required sandboxing

  `ER_CONN_INIT_CONNECT_IGNORED_MFA` was added in 8.0.33.

- Error number: `MY-014050`; Symbol: `ER_SECONDARY_ENGINE_DDL_FAILED`; SQLSTATE: `HY000`

  Message: Execution of alter table %s %s failed because %s.

  `ER_SECONDARY_ENGINE_DDL_FAILED` was added in 8.0.33.

- Error number: `MY-014051`; Symbol: `ER_THREAD_POOL_CONNECTION_REPORT`; SQLSTATE: `HY000`

  Message: TP conn (port: managed(delta), active, opened, closed, added, dropped): %s

  `ER_THREAD_POOL_CONNECTION_REPORT` was added in 8.0.33.

- Error number: `MY-014052`; Symbol: `ER_WARN_SCHEDULED_TASK_RUN_FAILED`; SQLSTATE: `HY000`

  Message: Scheduled run of task %s failed

  `ER_WARN_SCHEDULED_TASK_RUN_FAILED` was added in 8.0.34.

- Error number: `MY-014053`; Symbol: `ER_AUDIT_LOG_INVALID_FLUSH_INTERVAL_VALUE`; SQLSTATE: `HY000`

  Message: Invalid flush interval specified: %lu. Valid values are 0 (off) or greater than or equal to %d. Adjusting to %d

  `ER_AUDIT_LOG_INVALID_FLUSH_INTERVAL_VALUE` was added in 8.0.34.

- Error number: `MY-014054`; Symbol: `ER_LOG_CANNOT_PURGE_BINLOG_WITH_BACKUP_LOCK`; SQLSTATE: `HY000`

  Message: Could not purge binary logs since another session is executing LOCK INSTANCE FOR BACKUP. Wait for that session to release the lock.

  `ER_LOG_CANNOT_PURGE_BINLOG_WITH_BACKUP_LOCK` was added in 8.0.34.

- Error number: `MY-014055`; Symbol: `ER_CONVERT_MULTI_VALUE`; SQLSTATE: `HY000`

  Message: Multi-values cannot be converted to MySQL format: %s

  `ER_CONVERT_MULTI_VALUE` was added in 8.0.35.

- Error number: MY-014056; Symbol: ER_IB_DDL_CONVERT_HEAP_NOT_FOUND; SQLSTATE: HY000

  Message: Heap required to convert columns is not present.

  ER_IB_DDL_CONVERT_HEAP_NOT_FOUND was added in 8.0.35.

- Error number: MY-014057; Symbol: ER_SERVER_DOWNGRADE_FROM_VERSION; SQLSTATE: HY000

  Message: MySQL server downgrading from version '%u' to '%u'.

  ER_SERVER_DOWNGRADE_FROM_VERSION was added in 8.0.35.

- Error number: MY-014058; Symbol: ER_BEYOND_SERVER_DOWNGRADE_THRESHOLD; SQLSTATE: HY000

  Message: Invalid MySQL server downgrade: Cannot downgrade from %u to %u. Target MySQL server version is lower than the server downgrade threshold %u.

  ER_BEYOND_SERVER_DOWNGRADE_THRESHOLD was added in 8.0.35.

- Error number: MY-014059; Symbol: ER_BEYOND_SERVER_UPGRADE_THRESHOLD; SQLSTATE: HY000

  Message: Invalid MySQL server upgrade: Cannot upgrade from %u to %u. Target MySQL server version is lower than the server upgrade threshold %u.

  ER_BEYOND_SERVER_UPGRADE_THRESHOLD was added in 8.0.35.

- Error number: MY-014060; Symbol: ER_INVALID_SERVER_UPGRADE_NOT_LTS; SQLSTATE: HY000

  Message: Invalid MySQL server upgrade: Cannot upgrade from %u to %u. Upgrade to next major version is only allowed from the last LTS release, which version %u is not.

  ER_INVALID_SERVER_UPGRADE_NOT_LTS was added in 8.0.35.

- Error number: MY-014061; Symbol: ER_INVALID_SERVER_DOWNGRADE_NOT_PATCH; SQLSTATE: HY000

  Message: Invalid MySQL server downgrade: Cannot downgrade from %u to %u. Downgrade is only permitted between patch releases.

  ER_INVALID_SERVER_DOWNGRADE_NOT_PATCH was added in 8.0.35.

- Error number: MY-014062; Symbol: ER_FAILED_GET_DD_PROPERTY; SQLSTATE: HY000

  Message: Failed to get the data dictionary property %s.

  ER_FAILED_GET_DD_PROPERTY was added in 8.0.35.

- Error number: MY-014063; Symbol: ER_FAILED_SET_DD_PROPERTY; SQLSTATE: HY000

  Message: Failed to set the data dictionary property %s.

  ER_FAILED_SET_DD_PROPERTY was added in 8.0.35.

- Error number: MY-014064; Symbol: ER_SERVER_DOWNGRADE_STATUS; SQLSTATE: HY000

  Message: Server downgrade from '%d' to '%d' %s.

  ER_SERVER_DOWNGRADE_STATUS was added in 8.0.35.

- Error number: MY-014065; Symbol: ER_INFORMATION_SCHEMA_VERSION_CHANGE; SQLSTATE: HY000

  Message: %s information schema from version %u to %u.

  ER_INFORMATION_SCHEMA_VERSION_CHANGE was added in 8.0.35.

- Error number: MY-014066; Symbol: ER_PERFORMANCE_SCHEMA_VERSION_CHANGE; SQLSTATE: HY000

  Message: %s performance schema from version %u to %u.

  ER_PERFORMANCE_SCHEMA_VERSION_CHANGE was added in 8.0.35.

- Error number: MY-014067; Symbol: ER_WARN_DEPRECATED_OR_BLOCKED_CIPHER; SQLSTATE: HY000

  Message: Value for option '%s' contains cipher '%s' that is either blocked or deprecated (and will be removed in a future release). Please refer to the documentation for more details.

  ER_WARN_DEPRECATED_OR_BLOCKED_CIPHER was added in 8.0.35.

- Error number: MY-014068; Symbol: ER_IB_MSG_DDL_FAIL_NO_BUILDER; SQLSTATE: HY000

  Message: DDL failed as Builder is already freed. Builder: state=%u, error_state=%u. Index: id=%zu, name='%s', space_id=%u, page=%u. Table: old_name='%s', new_name='%s'.

  ER_IB_MSG_DDL_FAIL_NO_BUILDER was added in 8.0.36.

- Error number: MY-014069; Symbol: ER_GRP_RPL_MEMBER_INFO_DOES_NOT_EXIST; SQLSTATE: HY000

  Message: Member identified %s: '%s' does not exist on Group Replication membership during %s.

  ER_GRP_RPL_MEMBER_INFO_DOES_NOT_EXIST was added in 8.0.36.

- Error number: MY-014070; Symbol: ER_USAGE_DEPRECATION_COUNTER; SQLSTATE: HY000

  Message: Deprecated '%s' used %s times, last time used '%s'.

  ER_USAGE_DEPRECATION_COUNTER was added in 8.0.36.

- Error number: MY-014071; Symbol: ER_WAITING_FOR_NO_CONNECTIONS; SQLSTATE: HY000

  Message: Waiting for %u connections to be closed.

  ER_WAITING_FOR_NO_CONNECTIONS was added in 8.0.38.

- Error number: MY-014072; Symbol: ER_WAITING_FOR_NO_THDS; SQLSTATE: HY000

  Message: Waiting for THDs in partition %u to be closed, %u still left. %u THDs left in total for all partitions.

  ER_WAITING_FOR_NO_THDS was added in 8.0.38.

- Error number: MY-014073; Symbol: ER_IB_INDEX_PART_TOO_LONG; SQLSTATE: HY000

  Message: Index %s of %s.%s exceeds limit of %lu bytes per column.

  ER_IB_INDEX_PART_TOO_LONG was added in 8.0.38.

- Error number: MY-014074; Symbol: ER_DD_UPDATE_DATADIR_FLAG_FAIL; SQLSTATE: HY000

  Message: Failed to update data directory flag for dd table with tablespace id '%llu' when ibd file for '%s' is moved to new location '%s' during server shutdown

  ER_DD_UPDATE_DATADIR_FLAG_FAIL was added in 8.0.38.

- Error number: MY-014075; Symbol: ER_IB_MSG_FIL_STATE_MOVED_PREV; SQLSTATE: HY000

  Message: %s DD ID: %llu - Tablespace %u, name '%s', found at '%s' outside default data directory, but DD misses info about DATA DIRECTORY

  ER_IB_MSG_FIL_STATE_MOVED_PREV was added in 8.0.38.

- Error number: MY-014075; Symbol: ER_IB_MSG_FIL_STATE_MOVED_PREV_OR_HAS_DATADIR; SQLSTATE: HY000

  Message: %s DD ID: %llu - Tablespace %u, name '%s', found at '%s' outside default data directory. It is either moved or is created with 'DATA DIRECTORY'

  ER_IB_MSG_FIL_STATE_MOVED_PREV_OR_HAS_DATADIR was added in 8.0.39, removed after 8.0.40.

- Error number: MY-014076; Symbol: ER_RPL_KILL_OLD_DUMP_THREAD_ENCOUNTERED; SQLSTATE: HY000

  Message: Upon reconnection with the replica, while initializing the dump thread for %s <%s>, an existing dump thread with the same %s was detected. The source is terminating the previous dump thread (%u), which is normal and expected.

  ER_RPL_KILL_OLD_DUMP_THREAD_ENCOUNTERED was added in 8.0.41.

- Error number: MY-014077; Symbol: ER_RPL_MTA_ALLOW_COMMIT_OUT_OF_ORDER; SQLSTATE: HY000

  Message: The transaction '%s' will commit out of order with respect to its source to follow the group global order.

  ER_RPL_MTA_ALLOW_COMMIT_OUT_OF_ORDER was added in 8.0.41.

- Error number: MY-014078; Symbol: ER_CHECK_TABLE_FUNCTIONS; SQLSTATE: HY000

  Message: Can not open table `%s`.`%s`; functions in constraints, partitions, or virtual columns may have failed.

  ER_CHECK_TABLE_FUNCTIONS was added in 8.0.42.

- Error number: MY-014079; Symbol: ER_CHECK_TABLE_FUNCTIONS_DETAIL; SQLSTATE: HY000

  Message: %s

  ER_CHECK_TABLE_FUNCTIONS_DETAIL was added in 8.0.42.

- Error number: MY-014080; Symbol: ER_GRP_RPL_CERT_BROADCAST_THREAD_CREATE_FAILED; SQLSTATE: HY000

  Message: Failed to create the Group Replication certifier broadcast thread (THD_certifier_broadcast).

  ER_GRP_RPL_CERT_BROADCAST_THREAD_CREATE_FAILED was added in 8.0.42.

- Error number: MY-014081; Symbol: ER_GRP_RPL_CERT_BROADCAST_THREAD_STARTED; SQLSTATE: HY000

  Message: The Group Replication certifier broadcast thread (THD_certifier_broadcast) started.

  ER_GRP_RPL_CERT_BROADCAST_THREAD_STARTED was added in 8.0.42.

- Error number: MY-014082; Symbol: ER_GRP_RPL_CERT_BROADCAST_THREAD_STOPPED; SQLSTATE: HY000

  Message: The Group Replication certifier broadcast thread (THD_certifier_broadcast) stopped.

  ER_GRP_RPL_CERT_BROADCAST_THREAD_STOPPED was added in 8.0.42.

- Error number: MY-014083; Symbol: ER_GRP_RPL_APPLIER_THD_KILLED_BY_SQL_KILL; SQLSTATE: HY000

  Message: The group replication applier thread has received KILL request.

  ER_GRP_RPL_APPLIER_THD_KILLED_BY_SQL_KILL was added in 8.0.43.

- Error number: MY-014084; Symbol: ER_IB_MSG_WAITING_ON_LAGGING_REDO_LOG_CONSUMER; SQLSTATE: HY000

  Message: Threads are unable to reserve space in redo log which can't be reclaimed due to the '%s' consumer still lagging behind at LSN = %llu. Consider increasing innodb_redo_log_capacity.

  ER_IB_MSG_WAITING_ON_LAGGING_REDO_LOG_CONSUMER was added in 8.0.43.

- Error number: MY-014085; Symbol: ER_IB_MSG_ABORTING_LOG_ARCHIVER; SQLSTATE: HY000

  Message: The redo log archiver is aborted as it was lagging behind at LSN = %llu and unable to advance for more than 2 seconds. Consider increasing the innodb_redo_log_capacity.

  ER_IB_MSG_ABORTING_LOG_ARCHIVER was added in 8.0.43.

- Error number: MY-014086; Symbol: ER_IB_INSTANT_ADD_DROP_COLUMN_NOT_ALLOWED; SQLSTATE: HY000

  Message: Trying to add or drop column(s) in table '%s' for which the current record size is %zu which is more than the maximum allowed size (%zu) for a record. Therefore ADD or DROP column with ALGORITHM = INSTANT is not allowed.

  ER_IB_INSTANT_ADD_DROP_COLUMN_NOT_ALLOWED was added in 8.0.44.

- Error number: MY-014087; Symbol: ER_IB_INSTANT_ADD_NOT_POSSIBLE; SQLSTATE: HY000

  Message: Cannot add %zu field(s) in table '%s' because after adding it, the record size would be %zu which is more than the maximum allowed size (%zu) for a record.

  ER_IB_INSTANT_ADD_NOT_POSSIBLE was added in 8.0.44.

Chapter 3 Client Error Message Reference

Client error messages originate from within the MySQL client library. Here is an example client error message, as displayed by the `mysql` client:

```
$> mysql -h no-such-host
ERROR 2005 (HY000): Unknown MySQL server host 'no-such-host' (0)
```

Each client error message includes an error code, SQLSTATE value, and message string, as described in Error Message Sources and Elements. These elements are available as described in Error Information Interfaces. For client errors, the SQLSTATE value is always `'HY000'` (general error), so it is not meaningful for distinguishing one client error from another.

The client library also makes available to host client programs any errors that originate on the server side and are recieved by the client from the server. For a list of server-side errors, see Chapter 2, *Server Error Message Reference*.

In addition to the errors in the following list, the client library can also produce error messages that have error codes in the range from 1 to 999. See Chapter 4, *Global Error Message Reference*

- Error number: `2000`; Symbol: `CR_UNKNOWN_ERROR`;

  Message: Unknown MySQL error

- Error number: `2001`; Symbol: `CR_SOCKET_CREATE_ERROR`;

  Message: Can't create UNIX socket (%d)

- Error number: `2002`; Symbol: `CR_CONNECTION_ERROR`;

  Message: Can't connect to local MySQL server through socket '%s' (%d)

- Error number: `2003`; Symbol: `CR_CONN_HOST_ERROR`;

  Message: Can't connect to MySQL server on '%s:%u' (%d)

- Error number: `2004`; Symbol: `CR_IPSOCK_ERROR`;

  Message: Can't create TCP/IP socket (%d)

- Error number: `2005`; Symbol: `CR_UNKNOWN_HOST`;

  Message: Unknown MySQL server host '%s' (%d)

- Error number: `2006`; Symbol: `CR_SERVER_GONE_ERROR`;

  Message: MySQL server has gone away

- Error number: `2007`; Symbol: `CR_VERSION_ERROR`;

  Message: Protocol mismatch; server version = %d, client version = %d

- Error number: `2008`; Symbol: `CR_OUT_OF_MEMORY`;

  Message: MySQL client ran out of memory

- Error number: `2009`; Symbol: `CR_WRONG_HOST_INFO`;

  Message: Wrong host info

- Error number: 2010; Symbol: CR_LOCALHOST_CONNECTION;

  Message: Localhost via UNIX socket

- Error number: 2011; Symbol: CR_TCP_CONNECTION;

  Message: %s via TCP/IP

- Error number: 2012; Symbol: CR_SERVER_HANDSHAKE_ERR;

  Message: Error in server handshake

- Error number: 2013; Symbol: CR_SERVER_LOST;

  Message: Lost connection to MySQL server during query

- Error number: 2014; Symbol: CR_COMMANDS_OUT_OF_SYNC;

  Message: Commands out of sync; you can't run this command now

  Commands were executed in an improper order. This error occurs when a function is called that is not appropriate for the current state of the connection. For example, if mysql_stmt_fetch() is not called enough times to read an entire result set (that is, enough times to return MYSQL_NO_DATA), this error may occur for the following C API call.

- Error number: 2015; Symbol: CR_NAMEDPIPE_CONNECTION;

  Message: Named pipe: %s

- Error number: 2016; Symbol: CR_NAMEDPIPEWAIT_ERROR;

  Message: Can't wait for named pipe to host: %s pipe: %s (%lu)

- Error number: 2017; Symbol: CR_NAMEDPIPEOPEN_ERROR;

  Message: Can't open named pipe to host: %s pipe: %s (%lu)

- Error number: 2018; Symbol: CR_NAMEDPIPESETSTATE_ERROR;

  Message: Can't set state of named pipe to host: %s pipe: %s (%lu)

- Error number: 2019; Symbol: CR_CANT_READ_CHARSET;

  Message: Can't initialize character set %s (path: %s)

- Error number: 2020; Symbol: CR_NET_PACKET_TOO_LARGE;

  Message: Got packet bigger than 'max_allowed_packet' bytes

- Error number: 2021; Symbol: CR_EMBEDDED_CONNECTION;

  Message: Embedded server

- Error number: 2022; Symbol: CR_PROBE_SLAVE_STATUS;

  Message: Error on SHOW SLAVE STATUS:

  CR_PROBE_SLAVE_STATUS was removed after 8.0.32.

- Error number: 2022; Symbol: CR_PROBE_REPLICA_STATUS;

Message: Error on SHOW REPLICA STATUS:

`CR_PROBE_REPLICA_STATUS` was added in 8.0.33.

- Error number: `2023`; Symbol: `CR_PROBE_SLAVE_HOSTS`;

  Message: Error on SHOW SLAVE HOSTS:

  `CR_PROBE_SLAVE_HOSTS` was removed after 8.0.32.

- Error number: `2023`; Symbol: `CR_PROBE_REPLICA_HOSTS`;

  Message: Error on SHOW REPLICA HOSTS:

  `CR_PROBE_REPLICA_HOSTS` was added in 8.0.33.

- Error number: `2024`; Symbol: `CR_PROBE_SLAVE_CONNECT`;

  Message: Error connecting to slave:

  `CR_PROBE_SLAVE_CONNECT` was removed after 8.0.32.

- Error number: `2024`; Symbol: `CR_PROBE_REPLICA_CONNECT`;

  Message: Error connecting to replica:

  `CR_PROBE_REPLICA_CONNECT` was added in 8.0.33.

- Error number: `2025`; Symbol: `CR_PROBE_MASTER_CONNECT`;

  Message: Error connecting to master:

  `CR_PROBE_MASTER_CONNECT` was removed after 8.0.32.

- Error number: `2025`; Symbol: `CR_PROBE_SOURCE_CONNECT`;

  Message: Error connecting to source:

  `CR_PROBE_SOURCE_CONNECT` was added in 8.0.33.

- Error number: `2026`; Symbol: `CR_SSL_CONNECTION_ERROR`;

  Message: SSL connection error: %s

- Error number: `2027`; Symbol: `CR_MALFORMED_PACKET`;

  Message: Malformed packet

- Error number: `2028`; Symbol: `CR_WRONG_LICENSE`;

  Message: This client library is licensed only for use with MySQL servers having '%s' license

- Error number: `2029`; Symbol: `CR_NULL_POINTER`;

  Message: Invalid use of null pointer

- Error number: `2030`; Symbol: `CR_NO_PREPARE_STMT`;

  Message: Statement not prepared

- Error number: 2031; Symbol: CR_PARAMS_NOT_BOUND;

  Message: No data supplied for parameters in prepared statement

- Error number: 2032; Symbol: CR_DATA_TRUNCATED;

  Message: Data truncated

- Error number: 2033; Symbol: CR_NO_PARAMETERS_EXISTS;

  Message: No parameters exist in the statement

- Error number: 2034; Symbol: CR_INVALID_PARAMETER_NO;

  Message: Invalid parameter number

  The column number for mysql_stmt_fetch_column() was invalid.

  The parameter number for mysql_stmt_send_long_data() was invalid.

  A key name was empty or the amount of connection attribute data for mysql_options4() exceeds the 64KB limit.

- Error number: 2035; Symbol: CR_INVALID_BUFFER_USE;

  Message: Can't send long data for non-string/non-binary data types (parameter: %d)

- Error number: 2036; Symbol: CR_UNSUPPORTED_PARAM_TYPE;

  Message: Using unsupported buffer type: %d (parameter: %d)

- Error number: 2037; Symbol: CR_SHARED_MEMORY_CONNECTION;

  Message: Shared memory: %s

- Error number: 2038; Symbol: CR_SHARED_MEMORY_CONNECT_REQUEST_ERROR;

  Message: Can't open shared memory; client could not create request event (%lu)

- Error number: 2039; Symbol: CR_SHARED_MEMORY_CONNECT_ANSWER_ERROR;

  Message: Can't open shared memory; no answer event received from server (%lu)

- Error number: 2040; Symbol: CR_SHARED_MEMORY_CONNECT_FILE_MAP_ERROR;

  Message: Can't open shared memory; server could not allocate file mapping (%lu)

- Error number: 2041; Symbol: CR_SHARED_MEMORY_CONNECT_MAP_ERROR;

  Message: Can't open shared memory; server could not get pointer to file mapping (%lu)

- Error number: 2042; Symbol: CR_SHARED_MEMORY_FILE_MAP_ERROR;

  Message: Can't open shared memory; client could not allocate file mapping (%lu)

- Error number: 2043; Symbol: CR_SHARED_MEMORY_MAP_ERROR;

  Message: Can't open shared memory; client could not get pointer to file mapping (%lu)

- Error number: 2044; Symbol: CR_SHARED_MEMORY_EVENT_ERROR;

Message: Can't open shared memory; client could not create %s event (%lu)

- Error number: 2045; Symbol: CR_SHARED_MEMORY_CONNECT_ABANDONED_ERROR;

  Message: Can't open shared memory; no answer from server (%lu)

- Error number: 2046; Symbol: CR_SHARED_MEMORY_CONNECT_SET_ERROR;

  Message: Can't open shared memory; cannot send request event to server (%lu)

- Error number: 2047; Symbol: CR_CONN_UNKNOW_PROTOCOL;

  Message: Wrong or unknown protocol

- Error number: 2048; Symbol: CR_INVALID_CONN_HANDLE;

  Message: Invalid connection handle

- Error number: 2049; Symbol: CR_UNUSED_1;

  Message: Connection using old (pre-4.1.1) authentication protocol refused (client option 'secure_auth' enabled)

- Error number: 2050; Symbol: CR_FETCH_CANCELED;

  Message: Row retrieval was canceled by mysql_stmt_close() call

- Error number: 2051; Symbol: CR_NO_DATA;

  Message: Attempt to read column without prior row fetch

- Error number: 2052; Symbol: CR_NO_STMT_METADATA;

  Message: Prepared statement contains no metadata

- Error number: 2053; Symbol: CR_NO_RESULT_SET;

  Message: Attempt to read a row while there is no result set associated with the statement

- Error number: 2054; Symbol: CR_NOT_IMPLEMENTED;

  Message: This feature is not implemented yet

- Error number: 2055; Symbol: CR_SERVER_LOST_EXTENDED;

  Message: Lost connection to MySQL server at '%s', system error: %d

- Error number: 2056; Symbol: CR_STMT_CLOSED;

  Message: Statement closed indirectly because of a preceding %s() call

- Error number: 2057; Symbol: CR_NEW_STMT_METADATA;

  Message: The number of columns in the result set differs from the number of bound buffers. You must reset the statement, rebind the result set columns, and execute the statement again

- Error number: 2058; Symbol: CR_ALREADY_CONNECTED;

  Message: This handle is already connected. Use a separate handle for each connection.

- Error number: 2059; Symbol: CR_AUTH_PLUGIN_CANNOT_LOAD;

  Message: Authentication plugin '%s' cannot be loaded: %s

- Error number: 2060; Symbol: CR_DUPLICATE_CONNECTION_ATTR;

  Message: There is an attribute with the same name already

  A duplicate connection attribute name was specified for mysql_options4().

- Error number: 2061; Symbol: CR_AUTH_PLUGIN_ERR;

  Message: Authentication plugin '%s' reported error: %s

- Error number: 2062; Symbol: CR_INSECURE_API_ERR;

  Message: Insecure API function call: '%s' Use instead: '%s'

  An insecure function call was detected. Modify the application to use the suggested alternative function instead.

- Error number: 2063; Symbol: CR_FILE_NAME_TOO_LONG;

  Message: File name is too long

  CR_FILE_NAME_TOO_LONG was added in 8.0.1.

- Error number: 2064; Symbol: CR_SSL_FIPS_MODE_ERR;

  Message: Set FIPS mode ON/STRICT failed

  CR_SSL_FIPS_MODE_ERR was added in 8.0.11.

- Error number: 2065; Symbol: CR_COMPRESSION_NOT_SUPPORTED;

  Message: Compression protocol not supported with asynchronous protocol

  CR_COMPRESSION_NOT_SUPPORTED was added in 8.0.16, removed after 8.0.20.

- Error number: 2065; Symbol: CR_DEPRECATED_COMPRESSION_NOT_SUPPORTED;

  Message: Compression protocol not supported with asynchronous protocol

  CR_DEPRECATED_COMPRESSION_NOT_SUPPORTED was added in 8.0.21.

- Error number: 2066; Symbol: CR_COMPRESSION_WRONGLY_CONFIGURED;

  Message: Connection failed due to wrongly configured compression algorithm

  CR_COMPRESSION_WRONGLY_CONFIGURED was added in 8.0.18.

- Error number: 2067; Symbol: CR_KERBEROS_USER_NOT_FOUND;

  Message: SSO user not found, Please perform SSO authentication using kerberos.

  CR_KERBEROS_USER_NOT_FOUND was added in 8.0.20.

- Error number: 2068; Symbol: CR_LOAD_DATA_LOCAL_INFILE_REJECTED;

  Message: LOAD DATA LOCAL INFILE file request rejected due to restrictions on access.

CR_LOAD_DATA_LOCAL_INFILE_REJECTED was added in 8.0.21.

- Error number: 2069; Symbol: CR_LOAD_DATA_LOCAL_INFILE_REALPATH_FAIL;

  Message: Determining the real path for '%s' failed with error (%d): %s

  CR_LOAD_DATA_LOCAL_INFILE_REALPATH_FAIL was added in 8.0.21.

- Error number: 2070; Symbol: CR_DNS_SRV_LOOKUP_FAILED;

  Message: DNS SRV lookup failed with error : %d

  CR_DNS_SRV_LOOKUP_FAILED was added in 8.0.22.

- Error number: 2071; Symbol: CR_MANDATORY_TRACKER_NOT_FOUND;

  Message: Client does not recognise tracker type %d marked as mandatory by server.

  CR_MANDATORY_TRACKER_NOT_FOUND was added in 8.0.27.

- Error number: 2072; Symbol: CR_INVALID_FACTOR_NO;

  Message: Invalid first argument for MYSQL_OPT_USER_PASSWORD option. Valid value should be between 1 and 3 inclusive.

  CR_INVALID_FACTOR_NO was added in 8.0.27.

- Error number: 2073; Symbol: CR_CANT_GET_SESSION_DATA;

  Message: Can't get session data: %s

  CR_CANT_GET_SESSION_DATA was added in 8.0.29.

- Error number: 2074; Symbol: CR_INVALID_CLIENT_CHARSET;

  Message: '%s' character set is having more than 1 byte minimum character length, which cannot be used as a client character set. Please use any of the single byte minimum ones, e.g. utf8mb4, latin1 etc.

  CR_INVALID_CLIENT_CHARSET was added in 8.0.33.

Chapter 4 Global Error Message Reference

This document lists “global” error messages that are shared in the sense that they can be produced by the MySQL server or by MySQL client programs. These errors have error codes in the range from 1 to 999.

Each global error message includes an error code, SQLSTATE value, and message string, as described in Error Message Sources and Elements. These elements are available as described in Error Information Interfaces. For global errors, the SQLSTATE value is always `'HY000'` (general error), so it is not meaningful for distinguishing one client error from another.

If the server writes a message to the error log that has a global error code, it pads the error code with leading zeros to six digits and adds a prefix of `MY-` (example: `MY-000022`). The following list displays error codes in that format.

If a client returns a message with a global error code, it adds no zero-padding or prefix to the error code.

- Error number: `1`; Symbol: `EE_CANTCREATEFILE`;

  Message: Can't create/write to file '%s' (OS errno %d - %s)

- Error number: `2`; Symbol: `EE_READ`;

  Message: Error reading file '%s' (OS errno %d - %s)

- Error number: `3`; Symbol: `EE_WRITE`;

  Message: Error writing file '%s' (OS errno %d - %s)

- Error number: `4`; Symbol: `EE_BADCLOSE`;

  Message: Error on close of '%s' (OS errno %d - %s)

- Error number: `5`; Symbol: `EE_OUTOFMEMORY`;

  Message: Out of memory (Needed %u bytes)

- Error number: `6`; Symbol: `EE_DELETE`;

  Message: Error on delete of '%s' (OS errno %d - %s)

- Error number: `7`; Symbol: `EE_LINK`;

  Message: Error on rename of '%s' to '%s' (OS errno %d - %s)

- Error number: `9`; Symbol: `EE_EOFERR`;

  Message: Unexpected EOF found when reading file '%s' (OS errno %d - %s)

- Error number: `10`; Symbol: `EE_CANTLOCK`;

  Message: Can't lock file (OS errno %d - %s)

- Error number: `11`; Symbol: `EE_CANTUNLOCK`;

  Message: Can't unlock file (OS errno %d - %s)

- Error number: `12`; Symbol: `EE_DIR`;

Message: Can't read dir of '%s' (OS errno %d - %s)

- Error number: 13; Symbol: EE_STAT;

  Message: Can't get stat of '%s' (OS errno %d - %s)

- Error number: 14; Symbol: EE_CANT_CHSIZE;

  Message: Can't change size of file (OS errno %d - %s)

- Error number: 15; Symbol: EE_CANT_OPEN_STREAM;

  Message: Can't open stream from handle (OS errno %d - %s)

- Error number: 16; Symbol: EE_GETWD;

  Message: Can't get working directory (OS errno %d - %s)

- Error number: 17; Symbol: EE_SETWD;

  Message: Can't change dir to '%s' (OS errno %d - %s)

- Error number: 18; Symbol: EE_LINK_WARNING;

  Message: Warning: '%s' had %d links

- Error number: 19; Symbol: EE_OPEN_WARNING;

  Message: Warning: %d files and %d streams are left open

- Error number: 20; Symbol: EE_DISK_FULL;

  Message: Disk is full writing '%s' (OS errno %d - %s). Waiting for someone to free space...

- Error number: 21; Symbol: EE_CANT_MKDIR;

  Message: Can't create directory '%s' (OS errno %d - %s)

- Error number: 22; Symbol: EE_UNKNOWN_CHARSET;

  Message: Character set '%s' is not a compiled character set and is not specified in the '%s' file

- Error number: 23; Symbol: EE_OUT_OF_FILERESOURCES;

  Message: Out of resources when opening file '%s' (OS errno %d - %s)

- Error number: 24; Symbol: EE_CANT_READLINK;

  Message: Can't read value for symlink '%s' (Error %d - %s)

- Error number: 25; Symbol: EE_CANT_SYMLINK;

  Message: Can't create symlink '%s' pointing at '%s' (Error %d - %s)

- Error number: 26; Symbol: EE_REALPATH;

  Message: Error on realpath() on '%s' (Error %d - %s)

- Error number: 27; Symbol: EE_SYNC;

Message: Can't sync file '%s' to disk (OS errno %d - %s)

- Error number: 28; Symbol: EE_UNKNOWN_COLLATION;

  Message: Collation '%s' is not a compiled collation and is not specified in the '%s' file

- Error number: 29; Symbol: EE_FILENOTFOUND;

  Message: File '%s' not found (OS errno %d - %s)

- Error number: 30; Symbol: EE_FILE_NOT_CLOSED;

  Message: File '%s' (fileno: %d) was not closed

- Error number: 31; Symbol: EE_CHANGE_OWNERSHIP;

  Message: Cannot change ownership of the file '%s' (OS errno %d - %s)

- Error number: 32; Symbol: EE_CHANGE_PERMISSIONS;

  Message: Cannot change permissions of the file '%s' (OS errno %d - %s)

- Error number: 33; Symbol: EE_CANT_SEEK;

  Message: Cannot seek in file '%s' (OS errno %d - %s)

- Error number: 34; Symbol: EE_CAPACITY_EXCEEDED;

  Message: Memory capacity exceeded (capacity %llu bytes)

- Error number: 35; Symbol: EE_DISK_FULL_WITH_RETRY_MSG;

  Message: Disk is full writing '%s' (OS errno %d - %s). Waiting for someone to free space... Retry in %d secs. Message reprinted in %d secs.

  EE_DISK_FULL_WITH_RETRY_MSG was added in 8.0.13.

- Error number: 36; Symbol: EE_FAILED_TO_CREATE_TIMER;

  Message: Failed to create timer (OS errno %d).

  EE_FAILED_TO_CREATE_TIMER was added in 8.0.13.

- Error number: 37; Symbol: EE_FAILED_TO_DELETE_TIMER;

  Message: Failed to delete timer (OS errno %d).

  EE_FAILED_TO_DELETE_TIMER was added in 8.0.13.

- Error number: 38; Symbol: EE_FAILED_TO_CREATE_TIMER_QUEUE;

  Message: Failed to create timer queue (OS errno %d).

  EE_FAILED_TO_CREATE_TIMER_QUEUE was added in 8.0.13.

- Error number: 39; Symbol: EE_FAILED_TO_START_TIMER_NOTIFY_THREAD;

  Message: Failed to start timer notify thread.

EE_FAILED_TO_START_TIMER_NOTIFY_THREAD was added in 8.0.13.

- Error number: 40; Symbol: EE_FAILED_TO_CREATE_TIMER_NOTIFY_THREAD_INTERRUPT_EVENT;

  Message: Failed to create event to interrupt timer notifier thread (OS errno %d).

  EE_FAILED_TO_CREATE_TIMER_NOTIFY_THREAD_INTERRUPT_EVENT was added in 8.0.13.
- Error number: 41; Symbol: EE_EXITING_TIMER_NOTIFY_THREAD;

  Message: Failed to register timer event with queue (OS errno %d), exiting timer notifier thread.

  EE_EXITING_TIMER_NOTIFY_THREAD was added in 8.0.13.
- Error number: 42; Symbol: EE_WIN_LIBRARY_LOAD_FAILED;

  Message: LoadLibrary("kernel32.dll") failed: GetLastError returns %lu.

  EE_WIN_LIBRARY_LOAD_FAILED was added in 8.0.13.
- Error number: 43; Symbol: EE_WIN_RUN_TIME_ERROR_CHECK;

  Message: %s.

  EE_WIN_RUN_TIME_ERROR_CHECK was added in 8.0.13.
- Error number: 44; Symbol: EE_FAILED_TO_DETERMINE_LARGE_PAGE_SIZE;

  Message: Failed to determine large page size.

  EE_FAILED_TO_DETERMINE_LARGE_PAGE_SIZE was added in 8.0.13.
- Error number: 45; Symbol: EE_FAILED_TO_KILL_ALL_THREADS;

  Message: Error in my_thread_global_end(): %d thread(s) did not exit.

  EE_FAILED_TO_KILL_ALL_THREADS was added in 8.0.13.
- Error number: 46; Symbol: EE_FAILED_TO_CREATE_IO_COMPLETION_PORT;

  Message: Failed to create IO completion port (OS errno %d).

  EE_FAILED_TO_CREATE_IO_COMPLETION_PORT was added in 8.0.13.
- Error number: 47; Symbol: EE_FAILED_TO_OPEN_DEFAULTS_FILE;

  Message: Failed to open required defaults file: %s

  EE_FAILED_TO_OPEN_DEFAULTS_FILE was added in 8.0.13.
- Error number: 48; Symbol: EE_FAILED_TO_HANDLE_DEFAULTS_FILE;

  Message: Fatal error in defaults handling. Program aborted!

  EE_FAILED_TO_HANDLE_DEFAULTS_FILE was added in 8.0.13.
- Error number: 49; Symbol: EE_WRONG_DIRECTIVE_IN_CONFIG_FILE;

  Message: Wrong '!%s' directive in config file %s at line %d.

EE_WRONG_DIRECTIVE_IN_CONFIG_FILE was added in 8.0.13.

- Error number: 50; Symbol: EE_SKIPPING_DIRECTIVE_DUE_TO_MAX_INCLUDE_RECURSION;

  Message: Skipping '%s' directive as maximum include recursion level was reached in file %s at line %d.

  EE_SKIPPING_DIRECTIVE_DUE_TO_MAX_INCLUDE_RECURSION was added in 8.0.13.
- Error number: 51; Symbol: EE_INCORRECT_GRP_DEFINITION_IN_CONFIG_FILE;

  Message: Wrong group definition in config file %s at line %d.

  EE_INCORRECT_GRP_DEFINITION_IN_CONFIG_FILE was added in 8.0.13.
- Error number: 52; Symbol: EE_OPTION_WITHOUT_GRP_IN_CONFIG_FILE;

  Message: Found option without preceding group in config file %s at line %d.

  EE_OPTION_WITHOUT_GRP_IN_CONFIG_FILE was added in 8.0.13.
- Error number: 53; Symbol: EE_CONFIG_FILE_PERMISSION_ERROR;

  Message: %s should be readable/writable only by current user.

  EE_CONFIG_FILE_PERMISSION_ERROR was added in 8.0.13.
- Error number: 54; Symbol: EE_IGNORE_WORLD_WRITABLE_CONFIG_FILE;

  Message: World-writable config file '%s' is ignored.

  EE_IGNORE_WORLD_WRITABLE_CONFIG_FILE was added in 8.0.13.
- Error number: 55; Symbol: EE_USING_DISABLED_OPTION;

  Message: %s: Option '%s' was used, but is disabled.

  EE_USING_DISABLED_OPTION was added in 8.0.13.
- Error number: 56; Symbol: EE_USING_DISABLED_SHORT_OPTION;

  Message: %s: Option '-%c' was used, but is disabled.

  EE_USING_DISABLED_SHORT_OPTION was added in 8.0.13.
- Error number: 57; Symbol: EE_USING_PASSWORD_ON_CLI_IS_INSECURE;

  Message: Using a password on the command line interface can be insecure.

  EE_USING_PASSWORD_ON_CLI_IS_INSECURE was added in 8.0.13.
- Error number: 58; Symbol: EE_UNKNOWN_SUFFIX_FOR_VARIABLE;

  Message: Unknown suffix '%c' used for variable '%s' (value '%s').

  EE_UNKNOWN_SUFFIX_FOR_VARIABLE was added in 8.0.13.
- Error number: 59; Symbol: EE_SSL_ERROR_FROM_FILE;

  Message: SSL error: %s from '%s'.

EE_SSL_ERROR_FROM_FILE was added in 8.0.13.

- Error number: 60; Symbol: EE_SSL_ERROR;

  Message: SSL error: %s.

  EE_SSL_ERROR was added in 8.0.13.

- Error number: 61; Symbol: EE_NET_SEND_ERROR_IN_BOOTSTRAP;

  Message: %d %s.

  EE_NET_SEND_ERROR_IN_BOOTSTRAP was added in 8.0.13.

- Error number: 62; Symbol: EE_PACKETS_OUT_OF_ORDER;

  Message: Packets out of order (found %u, expected %u).

  EE_PACKETS_OUT_OF_ORDER was added in 8.0.13.

- Error number: 63; Symbol: EE_UNKNOWN_PROTOCOL_OPTION;

  Message: Unknown option to protocol: %s.

  EE_UNKNOWN_PROTOCOL_OPTION was added in 8.0.13.

- Error number: 64; Symbol: EE_FAILED_TO_LOCATE_SERVER_PUBLIC_KEY;

  Message: Failed to locate server public key '%s'.

  EE_FAILED_TO_LOCATE_SERVER_PUBLIC_KEY was added in 8.0.13.

- Error number: 65; Symbol: EE_PUBLIC_KEY_NOT_IN_PEM_FORMAT;

  Message: Public key is not in Privacy Enhanced Mail format: '%s'.

  EE_PUBLIC_KEY_NOT_IN_PEM_FORMAT was added in 8.0.13.

- Error number: 66; Symbol: EE_DEBUG_INFO;

  Message: %s.

  EE_DEBUG_INFO was added in 8.0.13.

- Error number: 67; Symbol: EE_UNKNOWN_VARIABLE;

  Message: unknown variable '%s'.

  EE_UNKNOWN_VARIABLE was added in 8.0.13.

- Error number: 68; Symbol: EE_UNKNOWN_OPTION;

  Message: unknown option '--%s'.

  EE_UNKNOWN_OPTION was added in 8.0.13.

- Error number: 69; Symbol: EE_UNKNOWN_SHORT_OPTION;

  Message: %s: unknown option '-%c'.

EE_UNKNOWN_SHORT_OPTION was added in 8.0.13.

- Error number: 70; Symbol: EE_OPTION_WITHOUT_ARGUMENT;

  Message: %s: option '--%s' cannot take an argument.

  EE_OPTION_WITHOUT_ARGUMENT was added in 8.0.13.

- Error number: 71; Symbol: EE_OPTION_REQUIRES_ARGUMENT;

  Message: %s: option '--%s' requires an argument.

  EE_OPTION_REQUIRES_ARGUMENT was added in 8.0.13.

- Error number: 72; Symbol: EE_SHORT_OPTION_REQUIRES_ARGUMENT;

  Message: %s: option '-%c' requires an argument.

  EE_SHORT_OPTION_REQUIRES_ARGUMENT was added in 8.0.13.

- Error number: 73; Symbol: EE_OPTION_IGNORED_DUE_TO_INVALID_VALUE;

  Message: %s: ignoring option '--%s' due to invalid value '%s'.

  EE_OPTION_IGNORED_DUE_TO_INVALID_VALUE was added in 8.0.13.

- Error number: 74; Symbol: EE_OPTION_WITH_EMPTY_VALUE;

  Message: %s: Empty value for '%s' specified.

  EE_OPTION_WITH_EMPTY_VALUE was added in 8.0.13.

- Error number: 75; Symbol: EE_FAILED_TO_ASSIGN_MAX_VALUE_TO_OPTION;

  Message: %s: Maximum value of '%s' cannot be set.

  EE_FAILED_TO_ASSIGN_MAX_VALUE_TO_OPTION was added in 8.0.13.

- Error number: 76; Symbol: EE_INCORRECT_BOOLEAN_VALUE_FOR_OPTION;

  Message: option '%s': boolean value '%s' was not recognized. Set to OFF.

  EE_INCORRECT_BOOLEAN_VALUE_FOR_OPTION was added in 8.0.13.

- Error number: 77; Symbol: EE_FAILED_TO_SET_OPTION_VALUE;

  Message: %s: Error while setting value '%s' to '%s'.

  EE_FAILED_TO_SET_OPTION_VALUE was added in 8.0.13.

- Error number: 78; Symbol: EE_INCORRECT_INT_VALUE_FOR_OPTION;

  Message: Incorrect integer value: '%s'.

  EE_INCORRECT_INT_VALUE_FOR_OPTION was added in 8.0.13.

- Error number: 79; Symbol: EE_INCORRECT_UINT_VALUE_FOR_OPTION;

  Message: Incorrect unsigned integer value: '%s'.

EE_INCORRECT_UINT_VALUE_FOR_OPTION was added in 8.0.13.

- Error number: 80; Symbol: EE_ADJUSTED_SIGNED_VALUE_FOR_OPTION;

  Message: option '%s': signed value %s adjusted to %s.

  EE_ADJUSTED_SIGNED_VALUE_FOR_OPTION was added in 8.0.13.
- Error number: 81; Symbol: EE_ADJUSTED_UNSIGNED_VALUE_FOR_OPTION;

  Message: option '%s': unsigned value %s adjusted to %s.

  EE_ADJUSTED_UNSIGNED_VALUE_FOR_OPTION was added in 8.0.13.
- Error number: 82; Symbol: EE_ADJUSTED_ULONGLONG_VALUE_FOR_OPTION;

  Message: option '%s': value %s adjusted to %s.

  EE_ADJUSTED_ULONGLONG_VALUE_FOR_OPTION was added in 8.0.13.
- Error number: 83; Symbol: EE_ADJUSTED_DOUBLE_VALUE_FOR_OPTION;

  Message: option '%s': value %g adjusted to %g.

  EE_ADJUSTED_DOUBLE_VALUE_FOR_OPTION was added in 8.0.13.
- Error number: 84; Symbol: EE_INVALID_DECIMAL_VALUE_FOR_OPTION;

  Message: Invalid decimal value for option '%s'.

  EE_INVALID_DECIMAL_VALUE_FOR_OPTION was added in 8.0.13.
- Error number: 85; Symbol: EE_COLLATION_PARSER_ERROR;

  Message: %s.

  EE_COLLATION_PARSER_ERROR was added in 8.0.13.
- Error number: 86; Symbol: EE_FAILED_TO_RESET_BEFORE_PRIMARY_IGNORABLE_CHAR;

  Message: Failed to reset before a primary ignorable character %s.

  EE_FAILED_TO_RESET_BEFORE_PRIMARY_IGNORABLE_CHAR was added in 8.0.13.
- Error number: 87; Symbol: EE_FAILED_TO_RESET_BEFORE_TERTIARY_IGNORABLE_CHAR;

  Message: Failed to reset before a tertiary ignorable character %s.

  EE_FAILED_TO_RESET_BEFORE_TERTIARY_IGNORABLE_CHAR was added in 8.0.13.
- Error number: 88; Symbol: EE_SHIFT_CHAR_OUT_OF_RANGE;

  Message: Shift character out of range: %s.

  EE_SHIFT_CHAR_OUT_OF_RANGE was added in 8.0.13.
- Error number: 89; Symbol: EE_RESET_CHAR_OUT_OF_RANGE;

  Message: Reset character out of range: %s.

EE_RESET_CHAR_OUT_OF_RANGE was added in 8.0.13.

- Error number: 90; Symbol: EE_UNKNOWN_LDML_TAG;

  Message: Unknown LDML tag: '%.*s'.

  EE_UNKNOWN_LDML_TAG was added in 8.0.13.

- Error number: 91; Symbol: EE_FAILED_TO_RESET_BEFORE_SECONDARY_IGNORABLE_CHAR;

  Message: Failed to reset before a secondary ignorable character %s.

  EE_FAILED_TO_RESET_BEFORE_SECONDARY_IGNORABLE_CHAR was added in 8.0.16.

- Error number: 92; Symbol: EE_FAILED_PROCESSING_DIRECTIVE;

  Message: Stopped processing the '%s' directive in file %s at line %d.

  EE_FAILED_PROCESSING_DIRECTIVE was added in 8.0.27.

- Error number: 93; Symbol: EE_PTHREAD_KILL_FAILED;

  Message: pthread_kill(thread_id:%lu, signal:%s) returned '%s'.

  EE_PTHREAD_KILL_FAILED was added in 8.0.31.

Index

C

CR_ALREADY_CONNECTED error code, 649
CR_AUTH_PLUGIN_CANNOT_LOAD error code, 650
CR_AUTH_PLUGIN_ERR error code, 650
CR_CANT_GET_SESSION_DATA error code, 651
CR_CANT_READ_CHARSET error code, 646
CR_COMMANDS_OUT_OF_SYNC error code, 646
CR_COMPRESSION_NOT_SUPPORTED error code, 650
CR_COMPRESSION_WRONGLY_CONFIGURED error code, 650
CR_CONNECTION_ERROR error code, 645
CR_CONN_HOST_ERROR error code, 645
CR_CONN_UNKNOW_PROTOCOL error code, 649
CR_DATA_TRUNCATED error code, 648
CR_DEPRECATED_COMPRESSION_NOT_SUPPORTED error code, 650
CR_DNS_SRV_LOOKUP_FAILED error code, 651
CR_DUPLICATE_CONNECTION_ATTR error code, 650
CR_EMBEDDED_CONNECTION error code, 646
CR_FETCH_CANCELED error code, 649
CR_FILE_NAME_TOO_LONG error code, 650
CR_INSECURE_API_ERR error code, 650
CR_INVALID_BUFFER_USE error code, 648
CR_INVALID_CLIENT_CHARSET error code, 651
CR_INVALID_CONN_HANDLE error code, 649
CR_INVALID_FACTOR_NO error code, 651
CR_INVALID_PARAMETER_NO error code, 648
CR_IPSOCK_ERROR error code, 645
CR_KERBEROS_USER_NOT_FOUND error code, 650
CR_LOAD_DATA_LOCAL_INFILE_REALPATH_FAIL error code, 651
CR_LOAD_DATA_LOCAL_INFILE_REJECTED error code, 651
CR_LOCALHOST_CONNECTION error code, 646
CR_MALFORMED_PACKET error code, 647
CR_MANDATORY_TRACKER_NOT_FOUND error code, 651
CR_NAMEDPIPEOPEN_ERROR error code, 646
CR_NAMEDPIPESETSTATE_ERROR error code, 646
CR_NAMEDPIPEWAIT_ERROR error code, 646
CR_NAMEDPIPE_CONNECTION error code, 646
CR_NET_PACKET_TOO_LARGE error code, 646
CR_NEW_STMT_METADATA error code, 649
CR_NOT_IMPLEMENTED error code, 649
CR_NO_DATA error code, 649
CR_NO_PARAMETERS_EXISTS error code, 648
CR_NO_PREPARE_STMT error code, 647
CR_NO_RESULT_SET error code, 649
CR_NO_STMT_METADATA error code, 649
CR_NULL_POINTER error code, 647
CR_OUT_OF_MEMORY error code, 645
CR_PARAMS_NOT_BOUND error code, 648
CR_PROBE_MASTER_CONNECT error code, 647
CR_PROBE_REPLICA_CONNECT error code, 647
CR_PROBE_REPLICA_HOSTS error code, 647
CR_PROBE_REPLICA_STATUS error code, 647
CR_PROBE_SLAVE_CONNECT error code, 647
CR_PROBE_SLAVE_HOSTS error code, 647
CR_PROBE_SLAVE_STATUS error code, 646
CR_PROBE_SOURCE_CONNECT error code, 647
CR_SERVER_GONE_ERROR error code, 645
CR_SERVER_HANDSHAKE_ERR error code, 646
CR_SERVER_LOST error code, 646
CR_SERVER_LOST_EXTENDED error code, 649
CR_SHARED_MEMORY_CONNECTION error code, 648
CR_SHARED_MEMORY_CONNECT_ABANDONED_ERROR error code, 649
CR_SHARED_MEMORY_CONNECT_ANSWER_ERROR error code, 648
CR_SHARED_MEMORY_CONNECT_FILE_MAP_ERROR error code, 648
CR_SHARED_MEMORY_CONNECT_MAP_ERROR error code, 648
CR_SHARED_MEMORY_CONNECT_REQUEST_ERROR error code, 648
CR_SHARED_MEMORY_CONNECT_SET_ERROR error code, 649
CR_SHARED_MEMORY_EVENT_ERROR error code, 649
CR_SHARED_MEMORY_FILE_MAP_ERROR error code, 648
CR_SHARED_MEMORY_MAP_ERROR error code, 648
CR_SOCKET_CREATE_ERROR error code, 645
CR_SSL_CONNECTION_ERROR error code, 647
CR_SSL_FIPS_MODE_ERR error code, 650
CR_STMT_CLOSED error code, 649
CR_TCP_CONNECTION error code, 646
CR_UNKNOWN_ERROR error code, 645
CR_UNKNOWN_HOST error code, 645
CR_UNSUPPORTED_PARAM_TYPE error code, 648
CR_UNUSED_1 error code, 649
CR_VERSION_ERROR error code, 645
CR_WRONG_HOST_INFO error code, 645
CR_WRONG_LICENSE error code, 647

E

EE_ADJUSTED_DOUBLE_VALUE_FOR_OPTION error code, 660
EE_ADJUSTED_SIGNED_VALUE_FOR_OPTION error code, 660
EE_ADJUSTED_ULONGLONG_VALUE_FOR_OPTION error code, 660

EE_ADJUSTED_UNSIGNED_VALUE_FOR_OPTION error code, 660
EE_BADCLOSE error code, 653
EE_CANTCREATEFILE error code, 653
EE_CANTLOCK error code, 653
EE_CANTUNLOCK error code, 653
EE_CANT_CHSIZE error code, 654
EE_CANT_MKDIR error code, 654
EE_CANT_OPEN_STREAM error code, 654
EE_CANT_READLINK error code, 654
EE_CANT_SEEK error code, 655
EE_CANT_SYMLINK error code, 654
EE_CAPACITY_EXCEEDED error code, 655
EE_CHANGE_OWNERSHIP error code, 655
EE_CHANGE_PERMISSIONS error code, 655
EE_COLLATION_PARSER_ERROR error code, 660
EE_CONFIG_FILE_PERMISSION_ERROR error code, 657
EE_DEBUG_INFO error code, 658
EE_DELETE error code, 653
EE_DIR error code, 654
EE_DISK_FULL error code, 654
EE_DISK_FULL_WITH_RETRY_MSG error code, 655
EE_EOFERR error code, 653
EE_EXITING_TIMER_NOTIFY_THREAD error code, 656
EE_FAILED_PROCESSING_DIRECTIVE error code, 661
EE_FAILED_TO_ASSIGN_MAX_VALUE_TO_OPTION error code, 659
EE_FAILED_TO_CREATE_IO_COMPLETION_PORT error code, 656
EE_FAILED_TO_CREATE_TIMER error code, 655
EE_FAILED_TO_CREATE_TIMER_NOTIFY_THREAD_INTERRUPT_EVENT error code, 656
EE_FAILED_TO_CREATE_TIMER_QUEUE error code, 655
EE_FAILED_TO_DELETE_TIMER error code, 655
EE_FAILED_TO_DETERMINE_LARGE_PAGE_SIZE error code, 656
EE_FAILED_TO_HANDLE_DEFAULTS_FILE error code, 656
EE_FAILED_TO_KILL_ALL_THREADS error code, 656
EE_FAILED_TO_LOCATE_SERVER_PUBLIC_KEY error code, 658
EE_FAILED_TO_OPEN_DEFAULTS_FILE error code, 656
EE_FAILED_TO_RESET_BEFORE_PRIMARY_IGNORABLE_CHAR error code, 660
EE_FAILED_TO_RESET_BEFORE_SECONDARY_IGNORABLE_CHAR error code, 661
EE_FAILED_TO_RESET_BEFORE_TERTIARY_IGNORABLE_CHAR error code, 660
EE_FAILED_TO_SET_OPTION_VALUE error code, 659
EE_FAILED_TO_START_TIMER_NOTIFY_THREAD error code, 656
EE_FILENOTFOUND error code, 655
EE_FILE_NOT_CLOSED error code, 655
EE_GETWD error code, 654
EE_IGNORE_WORLD_WRITABLE_CONFIG_FILE error code, 657
EE_INCORRECT_BOOLEAN_VALUE_FOR_OPTION error code, 659
EE_INCORRECT_GRP_DEFINITION_IN_CONFIG_FILE error code, 657
EE_INCORRECT_INT_VALUE_FOR_OPTION error code, 659
EE_INCORRECT_UINT_VALUE_FOR_OPTION error code, 660
EE_INVALID_DECIMAL_VALUE_FOR_OPTION error code, 660
EE_LINK error code, 653
EE_LINK_WARNING error code, 654
EE_NET_SEND_ERROR_IN_BOOTSTRAP error code, 658
EE_OPEN_WARNING error code, 654
EE_OPTION_IGNORED_DUE_TO_INVALID_VALUE error code, 659
EE_OPTION_REQUIRES_ARGUMENT error code, 659
EE_OPTION_WITHOUT_ARGUMENT error code, 659
EE_OPTION_WITHOUT_GRP_IN_CONFIG_FILE error code, 657
EE_OPTION_WITH_EMPTY_VALUE error code, 659
EE_OUTOFMEMORY error code, 653
EE_OUT_OF_FILERESOURCES error code, 654
EE_PACKETS_OUT_OF_ORDER error code, 658
EE_PTHREAD_KILL_FAILED error code, 661
EE_PUBLIC_KEY_NOT_IN_PEM_FORMAT error code, 658
EE_READ error code, 653
EE_REALPATH error code, 654
EE_RESET_CHAR_OUT_OF_RANGE error code, 661
EE_SETWD error code, 654
EE_SHIFT_CHAR_OUT_OF_RANGE error code, 660
EE_SHORT_OPTION_REQUIRES_ARGUMENT error code, 659
EE_SKIPPING_DIRECTIVE_DUE_TO_MAX_INCLUDE_RECURSION error code, 657
EE_SSL_ERROR error code, 658
EE_SSL_ERROR_FROM_FILE error code, 658
EE_STAT error code, 654
EE_SYNC error code, 655
EE_UNKNOWN_CHARSET error code, 654
EE_UNKNOWN_COLLATION error code, 655
EE_UNKNOWN_LDML_TAG error code, 661
EE_UNKNOWN_OPTION error code, 658
EE_UNKNOWN_PROTOCOL_OPTION error code, 658
EE_UNKNOWN_SHORT_OPTION error code, 659

EE_UNKNOWN_SUFFIX_FOR_VARIABLE error code, 657
EE_UNKNOWN_VARIABLE error code, 658
EE_USING_DISABLED_OPTION error code, 657
EE_USING_DISABLED_SHORT_OPTION error code, 657
EE_USING_PASSWORD_ON_CLI_IS_INSECURE error code, 657
EE_WIN_LIBRARY_LOAD_FAILED error code, 656
EE_WIN_RUN_TIME_ERROR_CHECK error code, 656
EE_WRITE error code, 653
EE_WRONG_DIRECTIVE_IN_CONFIG_FILE error code, 657
error code
CR_ALREADY_CONNECTED, 649
CR_AUTH_PLUGIN_CANNOT_LOAD, 650
CR_AUTH_PLUGIN_ERR, 650
CR_CANT_GET_SESSION_DATA, 651
CR_CANT_READ_CHARSET, 646
CR_COMMANDS_OUT_OF_SYNC, 646
CR_COMPRESSION_NOT_SUPPORTED, 650
CR_COMPRESSION_WRONGLY_CONFIGURED, 650
CR_CONNECTION_ERROR, 645
CR_CONN_HOST_ERROR, 645
CR_CONN_UNKNOW_PROTOCOL, 649
CR_DATA_TRUNCATED, 648
CR_DEPRECATED_COMPRESSION_NOT_SUPPORTED, 650
CR_DNS_SRV_LOOKUP_FAILED, 651
CR_DUPLICATE_CONNECTION_ATTR, 650
CR_EMBEDDED_CONNECTION, 646
CR_FETCH_CANCELED, 649
CR_FILE_NAME_TOO_LONG, 650
CR_INSECURE_API_ERR, 650
CR_INVALID_BUFFER_USE, 648
CR_INVALID_CLIENT_CHARSET, 651
CR_INVALID_CONN_HANDLE, 649
CR_INVALID_FACTOR_NO, 651
CR_INVALID_PARAMETER_NO, 648
CR_IPSOCK_ERROR, 645
CR_KERBEROS_USER_NOT_FOUND, 650
CR_LOAD_DATA_LOCAL_INFILE_REALPATH_FAIL, 651
CR_LOAD_DATA_LOCAL_INFILE_REJECTED, 651
CR_LOCALHOST_CONNECTION, 646
CR_MALFORMED_PACKET, 647
CR_MANDATORY_TRACKER_NOT_FOUND, 651
CR_NAMEDPIPEOPEN_ERROR, 646
CR_NAMEDPIPESETSTATE_ERROR, 646
CR_NAMEDPIPEWAIT_ERROR, 646
CR_NAMEDPIPE_CONNECTION, 646
CR_NET_PACKET_TOO_LARGE, 646
CR_NEW_STMT_METADATA, 649
CR_NOT_IMPLEMENTED, 649
CR_NO_DATA, 649
CR_NO_PARAMETERS_EXISTS, 648
CR_NO_PREPARE_STMT, 647
CR_NO_RESULT_SET, 649
CR_NO_STMT_METADATA, 649
CR_NULL_POINTER, 647
CR_OUT_OF_MEMORY, 645
CR_PARAMS_NOT_BOUND, 648
CR_PROBE_MASTER_CONNECT, 647
CR_PROBE_REPLICA_CONNECT, 647
CR_PROBE_REPLICA_HOSTS, 647
CR_PROBE_REPLICA_STATUS, 647
CR_PROBE_SLAVE_CONNECT, 647
CR_PROBE_SLAVE_HOSTS, 647
CR_PROBE_SLAVE_STATUS, 646
CR_PROBE_SOURCE_CONNECT, 647
CR_SERVER_GONE_ERROR, 645
CR_SERVER_HANDSHAKE_ERR, 646
CR_SERVER_LOST, 646
CR_SERVER_LOST_EXTENDED, 649
CR_SHARED_MEMORY_CONNECTION, 648
CR_SHARED_MEMORY_CONNECT_ABANDONED_ERROR, 649
CR_SHARED_MEMORY_CONNECT_ANSWER_ERROR, 648
CR_SHARED_MEMORY_CONNECT_FILE_MAP_ERROR, 648
CR_SHARED_MEMORY_CONNECT_MAP_ERROR, 648
CR_SHARED_MEMORY_CONNECT_REQUEST_ERROR, 648
CR_SHARED_MEMORY_CONNECT_SET_ERROR, 649
CR_SHARED_MEMORY_EVENT_ERROR, 649
CR_SHARED_MEMORY_FILE_MAP_ERROR, 648
CR_SHARED_MEMORY_MAP_ERROR, 648
CR_SOCKET_CREATE_ERROR, 645
CR_SSL_CONNECTION_ERROR, 647
CR_SSL_FIPS_MODE_ERR, 650
CR_STMT_CLOSED, 649
CR_TCP_CONNECTION, 646
CR_UNKNOWN_ERROR, 645
CR_UNKNOWN_HOST, 645
CR_UNSUPPORTED_PARAM_TYPE, 648
CR_UNUSED_1, 649
CR_VERSION_ERROR, 645
CR_WRONG_HOST_INFO, 645
CR_WRONG_LICENSE, 647
EE_ADJUSTED_DOUBLE_VALUE_FOR_OPTION, 660
EE_ADJUSTED_SIGNED_VALUE_FOR_OPTION, 660

EE_ADJUSTED_ULONGLONG_VALUE_FOR_OPTION, 660
EE_ADJUSTED_UNSIGNED_VALUE_FOR_OPTION, 660
EE_BADCLOSE, 653
EE_CANTCREATEFILE, 653
EE_CANTLOCK, 653
EE_CANTUNLOCK, 653
EE_CANT_CHSIZE, 654
EE_CANT_MKDIR, 654
EE_CANT_OPEN_STREAM, 654
EE_CANT_READLINK, 654
EE_CANT_SEEK, 655
EE_CANT_SYMLINK, 654
EE_CAPACITY_EXCEEDED, 655
EE_CHANGE_OWNERSHIP, 655
EE_CHANGE_PERMISSIONS, 655
EE_COLLATION_PARSER_ERROR, 660
EE_CONFIG_FILE_PERMISSION_ERROR, 657
EE_DEBUG_INFO, 658
EE_DELETE, 653
EE_DIR, 654
EE_DISK_FULL, 654
EE_DISK_FULL_WITH_RETRY_MSG, 655
EE_EOFERR, 653
EE_EXITING_TIMER_NOTIFY_THREAD, 656
EE_FAILED_PROCESSING_DIRECTIVE, 661
EE_FAILED_TO_ASSIGN_MAX_VALUE_TO_OPTION, 659
EE_FAILED_TO_CREATE_IO_COMPLETION_PORT, 656
EE_FAILED_TO_CREATE_TIMER, 655
EE_FAILED_TO_CREATE_TIMER_NOTIFY_THREAD_INTERRUPT_EVENT, 656
EE_FAILED_TO_CREATE_TIMER_QUEUE, 655
EE_FAILED_TO_DELETE_TIMER, 655
EE_FAILED_TO_DETERMINE_LARGE_PAGE_SIZE, 656
EE_FAILED_TO_HANDLE_DEFAULTS_FILE, 656
EE_FAILED_TO_KILL_ALL_THREADS, 656
EE_FAILED_TO_LOCATE_SERVER_PUBLIC_KEY, 658
EE_FAILED_TO_OPEN_DEFAULTS_FILE, 656
EE_FAILED_TO_RESET_BEFORE_PRIMARY_IGNORABLE_CHAR, 660
EE_FAILED_TO_RESET_BEFORE_SECONDARY_IGNORABLE_CHAR, 661
EE_FAILED_TO_RESET_BEFORE_TERTIARY_IGNORABLE_CHAR, 660
EE_FAILED_TO_SET_OPTION_VALUE, 659
EE_FAILED_TO_START_TIMER_NOTIFY_THREAD, 656
EE_FILENOTFOUND, 655
EE_FILE_NOT_CLOSED, 655
EE_GETWD, 654
EE_IGNORE_WORLD_WRITABLE_CONFIG_FILE, 657
EE_INCORRECT_BOOLEAN_VALUE_FOR_OPTION, 659
EE_INCORRECT_GRP_DEFINITION_IN_CONFIG_FILE, 657
EE_INCORRECT_INT_VALUE_FOR_OPTION, 659
EE_INCORRECT_UINT_VALUE_FOR_OPTION, 660
EE_INVALID_DECIMAL_VALUE_FOR_OPTION, 660
EE_LINK, 653
EE_LINK_WARNING, 654
EE_NET_SEND_ERROR_IN_BOOTSTRAP, 658
EE_OPEN_WARNING, 654
EE_OPTION_IGNORED_DUE_TO_INVALID_VALUE, 659
EE_OPTION_REQUIRES_ARGUMENT, 659
EE_OPTION_WITHOUT_ARGUMENT, 659
EE_OPTION_WITHOUT_GRP_IN_CONFIG_FILE, 657
EE_OPTION_WITH_EMPTY_VALUE, 659
EE_OUTOFMEMORY, 653
EE_OUT_OF_FILERESOURCES, 654
EE_PACKETS_OUT_OF_ORDER, 658
EE_PTHREAD_KILL_FAILED, 661
EE_PUBLIC_KEY_NOT_IN_PEM_FORMAT, 658
EE_READ, 653
EE_REALPATH, 654
EE_RESET_CHAR_OUT_OF_RANGE, 661
EE_SETWD, 654
EE_SHIFT_CHAR_OUT_OF_RANGE, 660
EE_SHORT_OPTION_REQUIRES_ARGUMENT, 659
EE_SKIPPING_DIRECTIVE_DUE_TO_MAX_INCLUDE_RECURSI
EE_STAT, 654
EE_SYNC, 655
EE_UNKNOWN_CHARSET, 654
EE_UNKNOWN_COLLATION, 655
EE_UNKNOWN_LDML_TAG, 661
EE_UNKNOWN_OPTION, 658
EE_UNKNOWN_PROTOCOL_OPTION, 658
EE_UNKNOWN_SHORT_OPTION, 659
EE_UNKNOWN_SUFFIX_FOR_VARIABLE, 657
EE_UNKNOWN_VARIABLE, 658
EE_USING_DISABLED_OPTION, 657
EE_USING_DISABLED_SHORT_OPTION, 657
EE_USING_PASSWORD_ON_CLI_IS_INSECURE, 657
EE_WIN_LIBRARY_LOAD_FAILED, 656
EE_WIN_RUN_TIME_ERROR_CHECK, 656
EE_WRITE, 653
EE_WRONG_DIRECTIVE_IN_CONFIG_FILE, 657

ER_ABORTING, 175
ER_ABORTING_CONNECTION, 14
ER_ABORTING_USER_CONNECTION, 278
ER_ACCESS_DENIED_CHANGE_USER_ERROR, 66
ER_ACCESS_DENIED_ERROR, 6
ER_ACCESS_DENIED_ERROR_WITHOUT_PASSWORD, 279
ER_ACCESS_DENIED_ERROR_WITH_PASSWORD, 280
ER_ACCESS_DENIED_FOR_USER_ACCOUNT_BLOCKED_BY_PASSWORD_LOCK, 575
ER_ACCESS_DENIED_FOR_USER_ACCOUNT_LOCKED, 280
ER_ACCESS_DENIED_NO_PASSWORD_ERROR, 50
ER_ACCOUNT_HAS_BEEN_LOCKED, 80
ER_ACCOUNT_WITH_EXPIRED_PASSWORD, 614
ER_ACL_OPERATION_FAILED, 87
ER_ACL_WRONG_OR_MISSING_ACL_TABLES_LOG, 565
ER_ADDRESSES_FOR_HOSTNAME_HEADER, 169
ER_ADDRESSES_FOR_HOSTNAME_LIST_ITEM, 169
ER_ADD_PARTITION_NO_NEW_PARTITION, 38
ER_ADD_PARTITION_SUBPART_ERROR, 38
ER_ADMIN_WRONG_MRG_TABLE, 36
ER_AES_INVALID_IV, 67
ER_AES_INVALID_KDF_ITERATIONS, 87
ER_AES_INVALID_KDF_NAME, 87
ER_AES_INVALID_KDF_OPTION_SIZE, 87
ER_AGGREGATE_IN_ORDER_NOT_SELECT, 74
ER_AGGREGATE_ORDER_FOR_UNION, 71
ER_AGGREGATE_ORDER_NON_AGG_QUERY, 71
ER_ALTER_CONSTRAINT_ENFORCEMENT_NOT_SUPPORTED, 134
ER_ALTER_FILEGROUP_FAILED, 39
ER_ALTER_INFO, 9
ER_ALTER_OPERATION_NOT_SUPPORTED, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_AUTOINC, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_CHANGE_FTS, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_COLUMN_TYPE, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_COPY, 153
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_FK_ADD, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_FK_CHECK, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_FK_RENAME, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_FTS, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_GIS, 74
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_HIDDEN_FTS, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_NOPK, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_NOT_NULL, 65
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_PARTITION, 64
ER_AMBIGUOUS_FIELD_TERM, 36
ER_ANONYMOUS_AUTH_ID_NOT_ALLOWED_IN_MANDATORY_ROLES, 285
ER_ANONYMOUS_TO_GTID_UUID_SAME_AS_GROUP_NAME, 145
ER_ANONYMOUS_TO_GTID_UUID_SAME_AS_VIEW_CHANGE_UUID, 147
ER_APPLIER_LOG_EVENT_VALIDATION_ERROR, 100
ER_ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS_REQUIRE_GTID_MODE_ON, 144
ER_ATTRIBUTE_IGNORED, 103
ER_AUDIT_API_ABORT, 84
ER_AUDIT_CANT_ABORT_COMMAND, 276
ER_AUDIT_CANT_ABORT_EVENT, 276
ER_AUDIT_LOG_CANNOT_GENERATE_PASSWORD, 571
ER_AUDIT_LOG_CANNOT_READ_PASSWORD, 564
ER_AUDIT_LOG_CANNOT_REMOVE_PASSWORD, 564
ER_AUDIT_LOG_CANNOT_SET_LOG_POLICY_WITH_OTHER, 314
ER_AUDIT_LOG_CANNOT_STORE_PASSWORD, 564
ER_AUDIT_LOG_COULD_NOT_CREATE_AES_KEY, 534
ER_AUDIT_LOG_COULD_NOT_OPEN_FILE_FOR_READING, 564
ER_AUDIT_LOG_EC_WRITER_FAILED_TO_CREATE_FILE, 315
ER_AUDIT_LOG_EC_WRITER_FAILED_TO_INIT_COMPRESS, 315
ER_AUDIT_LOG_EC_WRITER_FAILED_TO_INIT_ENCRYPT, 315
ER_AUDIT_LOG_ENCRYPTION_PASSWORD_CANNOT_BE_FETCHED, 534
ER_AUDIT_LOG_ENCRYPTION_PASSWORD_HAS_NOT_BEEN_SET, 534
ER_AUDIT_LOG_FILE_AUTO_PRUNED, 596

ER_AUDIT_LOG_FILE_HAS_BEEN_SUCCESSFULLY_PROCESSED, 564
ER_AUDIT_LOG_FILE_NAME_DOES_NOT_HAVE_REQUIRED_FORMAT, 564
ER_AUDIT_LOG_FILE_NAME_KEYRING_ID_VALUE_IS_MISSING, 564
ER_AUDIT_LOG_FILE_NAME_TIMESTAMP_VALUE_IS_MISSING, 564
ER_AUDIT_LOG_FILE_PRUNE_FAILED, 596
ER_AUDIT_LOG_FILTER_FAILED_TO_CLOSE_TABLE_AFTER_READING, 317
ER_AUDIT_LOG_FILTER_FAILED_TO_DELETE_FROM_TABLE, 317
ER_AUDIT_LOG_FILTER_FAILED_TO_INIT_TABLE_FOR_READING, 317
ER_AUDIT_LOG_FILTER_FAILED_TO_INSERT_INTO_TABLE, 317
ER_AUDIT_LOG_FILTER_FAILED_TO_READ_TABLE, 317
ER_AUDIT_LOG_FILTER_FAILED_TO_STORE_TABLE_FIELDS, 316
ER_AUDIT_LOG_FILTER_FAILED_TO_UPDATE_TABLE, 316
ER_AUDIT_LOG_FILTER_FLD_FILTERNAME_CANNOT_BE_EMPTY, 317
ER_AUDIT_LOG_FILTER_INVALID_COLUMN_COUNT, 316
ER_AUDIT_LOG_FILTER_INVALID_COLUMN_DEFINITION, 316
ER_AUDIT_LOG_FILTER_IS_NOT_INSTALLED, 314
ER_AUDIT_LOG_FILTER_RESULT_MSG, 315
ER_AUDIT_LOG_FILTER_USER_AND_HOST_CANNOT_BE_EMPTY, 317
ER_AUDIT_LOG_HAS_NOT_BEEN_INSTALLED, 569
ER_AUDIT_LOG_HOST_NAME_INVALID_CHARACTER, 534
ER_AUDIT_LOG_INDEX_MAP_CANNOT_ACCESS_DIR, 314
ER_AUDIT_LOG_INSUFFICIENT_PRIVILEGE, 131
ER_AUDIT_LOG_INVALID_FILE_CONTENT, 564
ER_AUDIT_LOG_INVALID_FLUSH_INTERVAL_VALUE, 639
ER_AUDIT_LOG_JSON_FILTERING_NOT_ENABLED, 533
ER_AUDIT_LOG_JSON_FILTER_DOES_NOT_EXIST, 535
ER_AUDIT_LOG_JSON_FILTER_NAME_CANNOT_BE_EMPTY, 534
ER_AUDIT_LOG_JSON_FILTER_PARSING_ERROR, 533
ER_AUDIT_LOG_JSON_READER_BUF_TOO_SMALL, 316
ER_AUDIT_LOG_JSON_READER_FAILED_TO_OPEN_FILE, 316
ER_AUDIT_LOG_JSON_READER_FAILED_TO_PARSE, 316
ER_AUDIT_LOG_JSON_READER_FILE_PARSING_ERROR, 316
ER_AUDIT_LOG_JSON_USER_NAME_CANNOT_BE_EMPTY, 535
ER_AUDIT_LOG_KEYRING_ID_TIMESTAMP_VALUE_IS_INVALID, 565
ER_AUDIT_LOG_NO_KEYRING_PLUGIN_INSTALLED, 314
ER_AUDIT_LOG_ONLY_INCLUDE_LIST_USED, 314
ER_AUDIT_LOG_PASSWORD_HAS_BEEN_COPIED, 565
ER_AUDIT_LOG_RENAME_LOG_FILE_BEFORE_FLUSH, 315
ER_AUDIT_LOG_SUPER_PRIVILEGE_REQUIRED, 568
ER_AUDIT_LOG_SWITCHING_TO_INCLUDE_LIST, 314
ER_AUDIT_LOG_TABLE_DEFINITION_NOT_UPDATED, 536
ER_AUDIT_LOG_UDF_INSUFFICIENT_PRIVILEGE, 534
ER_AUDIT_LOG_UDF_INVALID_ARGUMENT_COUNT, 569
ER_AUDIT_LOG_UDF_INVALID_ARGUMENT_TYPE, 568
ER_AUDIT_LOG_UDF_READ_INVALID_MAX_ARRAY_LENGTH_ARG_TYPE, 569
ER_AUDIT_LOG_UDF_READ_INVALID_MAX_ARRAY_LENGTH_ARG_VALUE, 87
ER_AUDIT_LOG_USER_FIRST_CHARACTER_MUST_BE_ALPHA, 535
ER_AUDIT_LOG_USER_NAME_INVALID_CHARACTER, 534
ER_AUDIT_LOG_WRITER_DEST_FILE_ALREADY_EXISTS, 315
ER_AUDIT_LOG_WRITER_FAILED_TO_WRITE_TO_FILE, 315
ER_AUDIT_LOG_WRITER_INCOMPLETE_FILE_RENAMED, 315
ER_AUDIT_LOG_WRITER_RENAME_FILE_FAILED, 314
ER_AUDIT_LOG_WRITER_RENAME_FILE_FAILED_REMOVE_FILE, 315
ER_AUDIT_PLUGIN_DOES_NOT_SUPPORT_AUDIT_AUTH_EVENT, 200
ER_AUDIT_PLUGIN_HAS_INVALID_DATA, 200
ER_AUDIT_WARNING, 276
ER_AUTHCACHE_CANT_INIT_GRANT_SUBSYSTEM, 197

ER_AUTHCACHE_CANT_OPEN_AND_LOCK_PRIVILEGE_TABLES, 197
ER_AUTHCACHE_DB_ENTRY_LOWERCASED_REVOKE_WILL_FAIL, 197
ER_AUTHCACHE_DB_IGNORED_EMPTY_NAME, 197
ER_AUTHCACHE_DB_SKIPPED_NEEDS_RESOLVE, 197
ER_AUTHCACHE_DEFAULT_ROLES_IGNORED_EMPTY_NAME, 585
ER_AUTHCACHE_DEFAULT_ROLES_UNKNOWN_AUTHORIZATION_ID, 585
ER_AUTHCACHE_EXPIRED_PASSWORD_UNSUPPORTED, 196
ER_AUTHCACHE_PLUGIN_CONFIG, 195
ER_AUTHCACHE_PLUGIN_MISSING, 195
ER_AUTHCACHE_PROCS_PRIV_ENTRY_IGNORED_BAD_ROUTINE_TYPE, 197
ER_AUTHCACHE_PROCS_PRIV_SKIPPED_NEEDS_RESOLVE, 197
ER_AUTHCACHE_PROXIES_PRIV_SKIPPED_NEEDS_RESOLVE, 195
ER_AUTHCACHE_ROLE_EDGES_IGNORED_EMPTY_NAME, 585
ER_AUTHCACHE_ROLE_EDGES_UNKNOWN_AUTHORIZATION_ID, 585
ER_AUTHCACHE_ROLE_TABLES_DODGY, 195
ER_AUTHCACHE_TABLES_PRIV_SKIPPED_NEEDS_RESOLVE, 198
ER_AUTHCACHE_TABLE_PROXIES_PRIV_MISSING, 197
ER_AUTHCACHE_USER_IGNORED_DEPRECATED_PASSWORD, 196
ER_AUTHCACHE_USER_IGNORED_INVALID_PASSWORD, 196
ER_AUTHCACHE_USER_IGNORED_NEEDS_PLUGIN, 196
ER_AUTHCACHE_USER_SKIPPED_NEEDS_RESOLVE, 196
ER_AUTHCACHE_USER_TABLE_DODGY, 196
ER_AUTHENTICATION_OCI_DOWNLOAD_IDDP_PUBLIC_KEY, 636
ER_AUTHENTICATION_OCI_DOWNLOAD_PUBLIC_KEY, 609
ER_AUTHENTICATION_OCI_IAM, 610
ER_AUTHENTICATION_OCI_IMDS, 609
ER_AUTHENTICATION_OCI_INVALID_AUTHENTICATION_STATUS, 610
ER_AUTHENTICATION_OCI_INVALID_TOKEN, 636
ER_AUTHENTICATION_OCI_NONCE, 610
ER_AUTHENTICATION_OCI_NO_GROUPS_FOUND, 610
ER_AUTHENTICATION_OCI_NO_MATCHING_GROUPS, 610
ER_AUTHENTICATION_OCI_NO_MATCHING_GROUPS_IN_, 637
ER_AUTHENTICATION_OCI_PLUGIN_NOT_INITIALIZED, 609
ER_AUTHENTICATION_OCI_PRIVATE_KEY_ERROR, 609
ER_AUTHENTICATION_OCI_TOKEN_DETAILS_MISMATCH, 636
ER_AUTHENTICATION_OCI_TOKEN_NOT_VERIFIED, 636
ER_AUTHENTICATION_PLUGIN_AUTH_DATA_CORRUPT, 608
ER_AUTHENTICATION_PLUGIN_LOG, 609
ER_AUTHENTICATION_PLUGIN_OOM, 608
ER_AUTHENTICATION_PLUGIN_REGISTRATION_FAILED, 608
ER_AUTHENTICATION_PLUGIN_REGISTRATION_INSUFFIC
ER_AUTHENTICATION_PLUGIN_SIGNATURE_CORRUPT, 608
ER_AUTHENTICATION_PLUGIN_VERIFY_SIGNATURE_FAIL 608
ER_AUTHENTICATION_POLICY_MISMATCH, 149
ER_AUTH_CANT_ACTIVATE_ROLE, 193
ER_AUTH_CANT_CREATE_RSA_PAIR, 194
ER_AUTH_CANT_SET_DEFAULT_PLUGIN, 181
ER_AUTH_CANT_WRITE_PRIVKEY, 194
ER_AUTH_CANT_WRITE_PUBKEY, 194
ER_AUTH_CERTS_SAVED_TO_DATADIR, 194
ER_AUTH_CERT_GENERATION_DISABLED, 194
ER_AUTH_ID_WITH_SYSTEM_USER_PRIV_IN_MANDATOR
ER_AUTH_KERBEROS_LOGGER_GENERIC_MSG, 603
ER_AUTH_KEYS_SAVED_TO_DATADIR, 195
ER_AUTH_KEY_GENERATION_DISABLED, 195
ER_AUTH_KEY_GENERATION_SKIPPED_PAIR_PRESENT, 195
ER_AUTH_LDAP_ERROR_LOGGER_ERROR_MSG, 320
ER_AUTH_RSA_CANT_FIND, 192
ER_AUTH_RSA_CANT_PARSE, 192
ER_AUTH_RSA_CANT_READ, 192
ER_AUTH_RSA_CONF_PREVENTS_KEY_GENERATION, 195
ER_AUTH_RSA_FILES_NOT_FOUND, 193
ER_AUTH_SSL_CONF_PREVENTS_CERT_GENERATION, 194
ER_AUTH_USING_EXISTING_CERTS, 194
ER_AUTOINC_READ_FAILED, 35
ER_AUTO_CONVERT, 21
ER_AUTO_INCREMENT_CONFLICT, 66
ER_AUTO_OPTIONS_FAILED, 182

ER_AUTO_POSITION_REQUIRES_GTID_MODE_NOT_OFF, 57
ER_BACK_IN_TIME, 174
ER_BAD_DB_ERROR, 6
ER_BAD_FIELD_ERROR, 7
ER_BAD_FT_COLUMN, 24
ER_BAD_HOST_ERROR, 6
ER_BAD_LOG_STATEMENT, 42
ER_BAD_NULL_ERROR, 6
ER_BAD_NULL_ERROR_NOT_IGNORED, 104
ER_BAD_REPLICA, 17
ER_BAD_REPLICA_AUTO_POSITION, 57
ER_BAD_REPLICA_UNTIL_COND, 23
ER_BAD_SLAVE, 17
ER_BAD_SLAVE_AUTO_POSITION, 57
ER_BAD_SLAVE_UNTIL_COND, 23
ER_BAD_TABLE_ERROR, 6
ER_BAD_TIMESTAMP_FORMAT, 157
ER_BASE64_DECODE_ERROR, 42
ER_BASEDIR_SET_TO, 282
ER_BEFORE_DML_VALIDATION_ERROR, 78
ER_BEG_INITFILE, 177
ER_BEYOND_SERVER_DOWNGRADE_THRESHOLD, 640
ER_BEYOND_SERVER_UPGRADE_THRESHOLD, 640
ER_BINLOG_ATTACHING_THREAD_MEMORY_FINALLY_AVAILABLE, 265
ER_BINLOG_CACHE_SIZE_GREATER_THAN_MAX, 54
ER_BINLOG_CACHE_SIZE_TOO_LARGE, 277
ER_BINLOG_CANT_APPEND_LOG_TO_TMP_INDEX, 268
ER_BINLOG_CANT_CLEAR_IN_USE_FLAG_FOR_CRASHED_BINLOG, 272
ER_BINLOG_CANT_CLOSE_TMP_INDEX, 269
ER_BINLOG_CANT_COPY_INDEX_TO_TMP, 269
ER_BINLOG_CANT_CREATE_CACHE_FOR_LOG, 266
ER_BINLOG_CANT_DELETE_FILE, 268
ER_BINLOG_CANT_DELETE_FILE_AND_READ_BINLOG_INDEX, 271
ER_BINLOG_CANT_DELETE_LOG_FILE_DOES_INDEX_MATCH_FILES, 271
ER_BINLOG_CANT_FIND_LOG_IN_INDEX, 271
ER_BINLOG_CANT_GENERATE_NEW_FILE_NAME, 267
ER_BINLOG_CANT_LOCATE_OLD_BINLOG_OR_RELAY_LOG_FILES, 268
ER_BINLOG_CANT_MOVE_TMP_TO_INDEX, 269
ER_BINLOG_CANT_OPEN_CRASHED_BINLOG, 271
ER_BINLOG_CANT_OPEN_FOR_LOGGING, 266
ER_BINLOG_CANT_OPEN_LOG, 266
ER_BINLOG_CANT_OPEN_TMP_INDEX, 269
ER_BINLOG_CANT_RESIZE_CACHE, 265
ER_BINLOG_CANT_SET_TMP_INDEX_NAME, 268
ER_BINLOG_CANT_TRIM_CRASHED_BINLOG, 272
ER_BINLOG_CANT_USE_FOR_LOGGING, 267
ER_BINLOG_CRASHED_BINLOG_TRIMMED, 272
ER_BINLOG_CRASH_RECOVERY_COMMIT_FAILED, 622
ER_BINLOG_CRASH_RECOVERY_ENGINE_RESULTS, 622
ER_BINLOG_CRASH_RECOVERY_ERROR_RETURNED_SE, 622
ER_BINLOG_CRASH_RECOVERY_FAILED, 272
ER_BINLOG_CRASH_RECOVERY_MALFORMED_LOG, 622
ER_BINLOG_CRASH_RECOVERY_PREPARE_FAILED, 623
ER_BINLOG_CRASH_RECOVERY_ROLLBACK_FAILED, 622
ER_BINLOG_CREATE_ROUTINE_NEED_SUPER, 32
ER_BINLOG_END, 175
ER_BINLOG_ERROR_GETTING_NEXT_LOG_FROM_INDEX, 269
ER_BINLOG_ERROR_READING_GTIDS_FROM_BINARY_LOG, 267
ER_BINLOG_ERROR_READING_GTIDS_FROM_RELAY_LOG, 267
ER_BINLOG_EVENTS_READ_FROM_APPLIER_METADATA, 267
ER_BINLOG_EVENTS_READ_FROM_BINLOG_INFO, 267
ER_BINLOG_EVENTS_READ_FROM_RELAY_LOG_INFO, 267
ER_BINLOG_EVENT_WRITE_TO_STMT_CACHE_FAILED, 283
ER_BINLOG_EXPIRAY_LOG_DAYS_AND_SECS_USED_TOGET 298
ER_BINLOG_EXPIRE_LOG_DAYS_AND_SECS_USED_TOGETH 105
ER_BINLOG_FAILED_TO_CLOSE_INDEX_FILE_WHILE_REBUIL 268
ER_BINLOG_FAILED_TO_DELETE_INDEX_FILE_WHILE_REBUI 268
ER_BINLOG_FAILED_TO_DELETE_LOG_FILE, 271
ER_BINLOG_FAILED_TO_OPEN_INDEX_FILE_AFTER_REBUILD 268
ER_BINLOG_FAILED_TO_OPEN_REGISTER_FILE, 270
ER_BINLOG_FAILED_TO_OPEN_TEMPORARY_INDEX_FILE, 269
ER_BINLOG_FAILED_TO_READ_REGISTER_FILE, 270

ER_BINLOG_FAILED_TO_REINIT_REGISTER_FILE, 270
ER_BINLOG_FAILED_TO_RENAME_INDEX_FILE_WHILE_REBUILDING, 268
ER_BINLOG_FAILED_TO_RUN_AFTER_FLUSH_HOOK, 272
ER_BINLOG_FAILED_TO_RUN_AFTER_SYNC_HOOK, 272
ER_BINLOG_FAILED_TO_SET_PURGE_INDEX_FILE_NAME, 270
ER_BINLOG_FAILED_TO_SYNC_INDEX_FILE, 266
ER_BINLOG_FAILED_TO_SYNC_INDEX_FILE_IN_OPEN, 267
ER_BINLOG_FAILED_TO_WRITE_DROP_FOR_TEMP_TABLES, 255
ER_BINLOG_FATAL_ERROR, 43
ER_BINLOG_FILE_BEING_READ_NOT_PURGED, 265
ER_BINLOG_FILE_EXTENSION_NUMBER_EXHAUSTED, 266
ER_BINLOG_FILE_EXTENSION_NUMBER_RUNNING_LOW, 266
ER_BINLOG_FILE_NAME_TOO_LONG, 266
ER_BINLOG_FILE_OPEN_FAILED, 283
ER_BINLOG_IO_ERROR_READING_HEADER, 266
ER_BINLOG_LOGGING_IMPOSSIBLE, 43
ER_BINLOG_LOGGING_INCIDENT_TO_STOP_REPLICAS, 271
ER_BINLOG_LOGGING_INCIDENT_TO_STOP_SLAVES, 271
ER_BINLOG_LOGGING_NOT_POSSIBLE, 297
ER_BINLOG_LOGICAL_CORRUPTION, 65
ER_BINLOG_MALFORMED_OR_OLD_RELAY_LOG, 299
ER_BINLOG_MASTER_KEY_RECOVERY_OUT_OF_COMBINATION, 119
ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_CLEANUP_AUX_KEY, 120
ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_CLEANUP_UNUSED_KEYS, 120
ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_OPERATE_KEY, 119
ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_REENCRYPT_LOG, 120
ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_ROTATE_LOGS, 119
ER_BINLOG_MULTIPLE_ENGINES_AND_SELF_LOGGING_ENGINE, 48
ER_BINLOG_NEEDS_SERVERID, 180
ER_BINLOG_OOM_WRITING_DELETE_WHILE_OPENING_HEAP_TABLE, 255
ER_BINLOG_PURGE_EMFILE, 42
ER_BINLOG_PURGE_FATAL_ERR, 30
ER_BINLOG_PURGE_LOGS_CALLED_WITH_FILE_NOT_IN_INDEX, 269
ER_BINLOG_PURGE_LOGS_CANT_COPY_TO_REGISTER_FILE, 269
ER_BINLOG_PURGE_LOGS_CANT_FLUSH_REGISTER_FILE, 270
ER_BINLOG_PURGE_LOGS_CANT_SYNC_INDEX_FILE, 269
ER_BINLOG_PURGE_LOGS_CANT_UPDATE_INDEX_FILE, 270
ER_BINLOG_PURGE_LOGS_FAILED_TO_PURGE_LOG, 270
ER_BINLOG_PURGE_PROHIBITED, 30
ER_BINLOG_RECOVERING_AFTER_CRASH_USING, 271
ER_BINLOG_ROW_ENGINE_AND_STMT_ENGINE, 47
ER_BINLOG_ROW_INJECTION_AND_STMT_ENGINE, 48
ER_BINLOG_ROW_INJECTION_AND_STMT_MODE, 48
ER_BINLOG_ROW_LOGGING_FAILED, 40
ER_BINLOG_ROW_MODE_AND_STMT_ENGINE, 47
ER_BINLOG_ROW_VALUE_OPTION_IGNORED, 526
ER_BINLOG_ROW_VALUE_OPTION_USED_ONLY_FOR_AFTER_IMAGE, 527
ER_BINLOG_STMT_CACHE_SIZE_GREATER_THAN_MAX, 54
ER_BINLOG_STMT_CACHE_SIZE_TOO_LARGE, 277
ER_BINLOG_STMT_MODE_AND_NO_REPL_TABLES, 63
ER_BINLOG_STMT_MODE_AND_ROW_ENGINE, 48
ER_BINLOG_UNABLE_TO_ROTATE_GTID_TABLE_READONLY, 561
ER_BINLOG_UNSAFE_ACL_TABLE_READ_IN_DML_DDL, 143
ER_BINLOG_UNSAFE_AND_STMT_ENGINE, 47
ER_BINLOG_UNSAFE_AUTOINC_COLUMNS, 48
ER_BINLOG_UNSAFE_AUTOINC_NOT_FIRST, 53
ER_BINLOG_UNSAFE_CREATE_IGNORE_SELECT, 62
ER_BINLOG_UNSAFE_CREATE_REPLACE_SELECT, 52
ER_BINLOG_UNSAFE_CREATE_SELECT_AUTOINC, 53
ER_BINLOG_UNSAFE_DEFAULT_EXPRESSION_IN_SUBSTATEMENT, 563
ER_BINLOG_UNSAFE_FULLTEXT_PLUGIN, 69
ER_BINLOG_UNSAFE_INSERT_IGNORE_SELECT, 52
ER_BINLOG_UNSAFE_INSERT_SELECT_UPDATE, 52

ER_BINLOG_UNSAFE_INSERT_TWO_KEYS, 53
ER_BINLOG_UNSAFE_LIMIT, 48
ER_BINLOG_UNSAFE_MESSAGE_AND_STATEMENT, 278
ER_BINLOG_UNSAFE_MIXED_STATEMENT, 50
ER_BINLOG_UNSAFE_MULTIPLE_ENGINES_AND_SELF_LOGGING_ENGINE, 50
ER_BINLOG_UNSAFE_NONTRANS_AFTER_TRANS, 48
ER_BINLOG_UNSAFE_NOWAIT, 93
ER_BINLOG_UNSAFE_REPLACE_SELECT, 52
ER_BINLOG_UNSAFE_ROUTINE, 32
ER_BINLOG_UNSAFE_SKIP_LOCKED, 93
ER_BINLOG_UNSAFE_STATEMENT, 43
ER_BINLOG_UNSAFE_SYSTEM_FUNCTION, 48
ER_BINLOG_UNSAFE_SYSTEM_TABLE, 48
ER_BINLOG_UNSAFE_SYSTEM_VARIABLE, 48
ER_BINLOG_UNSAFE_UDF, 48
ER_BINLOG_UNSAFE_UPDATE_IGNORE, 52
ER_BINLOG_UNSAFE_WRITE_AUTOINC_SELECT, 53
ER_BINLOG_UNSAFE_XA, 86
ER_BINLOG_USE_V1_ROW_EVENTS_IGNORED, 527
ER_BINLOG_WARNING_SUPPRESSED, 272
ER_BLOBS_AND_NO_TERMINATED, 9
ER_BLOB_CANT_HAVE_DEFAULT, 10
ER_BLOB_FIELD_IN_PART_FUNC_ERROR, 37
ER_BLOB_KEY_WITHOUT_LENGTH, 15
ER_BLOB_USED_AS_KEY, 8
ER_BOOST_GEOMETRY_CENTROID_EXCEPTION, 72
ER_BOOST_GEOMETRY_EMPTY_INPUT_EXCEPTION, 72
ER_BOOST_GEOMETRY_INCONSISTENT_TURNS_EXCEPTION, 80
ER_BOOST_GEOMETRY_OVERLAY_INVALID_INPUT_EXCEPTION, 72
ER_BOOST_GEOMETRY_SELF_INTERSECTION_POINT_EXCEPTION, 72
ER_BOOST_GEOMETRY_TURN_INFO_EXCEPTION, 72
ER_BOOST_GEOMETRY_UNKNOWN_EXCEPTION, 72
ER_BOOTSTRAP_CANT_THREAD, 162
ER_BUFPOOL_RESIZE_INPROGRESS, 84
ER_BUILD_ID, 625
ER_BULK_EXECUTOR_ERROR, 158
ER_BULK_EXECUTOR_INFO, 629
ER_BULK_LOADER_COLUMN_TOO_BIG_FOR_LEFTOVER_BUFFER, 159
ER_BULK_LOADER_COMPONENT_ERROR, 159
ER_BULK_LOADER_FILE_CONTAINS_LESS_LINES_THAN_IGNORE_CLAUSE, 159
ER_BULK_LOADER_FILE_CONTAINS_LESS_LINES_THAN_IGN 629
ER_BULK_LOADER_INFO, 629
ER_BULK_LOAD_DATA_FAILED, 159
ER_BULK_PARSER_COPY_BUFFER_SIZE_EXCEEDED, 160
ER_BULK_PARSER_COPY_BUFFER_SIZE_EXCEEDED_LOG, 630
ER_BULK_PARSER_INCOMPLETE_ESCAPE_SEQUENCE, 160
ER_BULK_PARSER_INCOMPLETE_ESCAPE_SEQUENCE_LOG 631
ER_BULK_PARSER_MISSING_ENCLOSED_BY, 159
ER_BULK_PARSER_MISSING_ENCLOSED_BY_LOG, 630
ER_BULK_PARSER_ROW_BUFFER_MAX_TOTAL_COLS_EXCE 159
ER_BULK_PARSER_ROW_BUFFER_MAX_TOTAL_COLS_EXCE 630
ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_COLUMN_T 160
ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_COLUMN_T 631
ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_ENDING_EI 160
ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_ENDING_EI 630
ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_NULL_ESCA 160
ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_NULL_ESCA 630
ER_BULK_PARSER_UNEXPECTED_END_OF_INPUT, 160
ER_BULK_PARSER_UNEXPECTED_END_OF_INPUT_LOG, 630
ER_BULK_PARSER_UNEXPECTED_ROW_TERMINATOR, 160
ER_BULK_PARSER_UNEXPECTED_ROW_TERMINATOR_LOG, 630
ER_BULK_READER_COMMUNICATION_ERROR, 159
ER_BULK_READER_COMMUNICATION_ERROR_LOG, 630
ER_BULK_READER_INFO, 629
ER_BULK_READER_LIBCURL_ERROR, 159
ER_BULK_READER_LIBCURL_ERROR_LOG, 629
ER_BULK_READER_LIBCURL_INIT_FAILED, 158
ER_BULK_READER_LIBCURL_INIT_FAILED_LOG, 629
ER_BULK_READER_SERVER_ERROR, 159
ER_BULK_READER_SERVER_ERROR_LOG, 629
ER_CACHING_SHA2_PASSWORD_SECOND_PASSWORD_USE 550
ER_CALL_ME_LOCALHOST, 175

ER_CANNOT_ADD_FOREIGN, 19
ER_CANNOT_ADD_FOREIGN_BASE_COL_STORED, 86
ER_CANNOT_ADD_FOREIGN_BASE_COL_VIRTUAL, 84
ER_CANNOT_ALTER_SRID_DUE_TO_INDEX, 101
ER_CANNOT_CHANGE_TO_ROOT_DIR, 282
ER_CANNOT_CONVERT_STRING, 125
ER_CANNOT_CREATE_VIRTUAL_INDEX_CONSTRAINT, 84
ER_CANNOT_DISCARD_TEMPORARY_TABLE, 69
ER_CANNOT_DROP_COLUMN_FUNCTIONAL_INDEX, 113
ER_CANNOT_FIND_KEY_IN_KEYRING, 85
ER_CANNOT_GET_SERVER_VERSION_FROM_TABLESPACE_HEADER, 553
ER_CANNOT_GRANT_ROLES_TO_ANONYMOUS_USER, 127
ER_CANNOT_GRANT_SYSTEM_PRIV_TO_MANDATORY_ROLE, 129
ER_CANNOT_INTERPRET_PERSISTED_SENSITIVE_VARIABLES, 613
ER_CANNOT_LOAD_FROM_TABLE_V2, 53
ER_CANNOT_LOCK_USER_MANAGEMENT_CACHES, 91
ER_CANNOT_LOG_PARTIAL_DROP_DATABASE_WITH_GTID, 77
ER_CANNOT_PERSIST_SENSITIVE_VARIABLES, 154
ER_CANNOT_PURGE_BINLOG_WITH_BACKUP_LOCK, 153
ER_CANNOT_SET_DATABASE_ENCRYPTION, 122
ER_CANNOT_SET_LOG_ERROR_SERVICES, 282
ER_CANNOT_SET_SERVER_VERSION_IN_TABLESPACE, 553
ER_CANNOT_SET_TABLESPACE_ENCRYPTION, 122
ER_CANNOT_SET_TABLE_ENCRYPTION, 122
ER_CANNOT_USER, 31
ER_CANNOT_USER_REFERENCED_AS_DEFINER, 142
ER_CANNOT_USE_AUTOEXTEND_SIZE_CLAUSE, 145
ER_CANNOT_USE_ENCRYPTION_CLAUSE, 122
ER_CANT_ACCESS_CAPATH, 181
ER_CANT_AGGREGATE_2COLLATIONS, 22
ER_CANT_AGGREGATE_3COLLATIONS, 22
ER_CANT_AGGREGATE_NCOLLATIONS, 23
ER_CANT_ALLOC_TABLE_OBJECT, 259
ER_CANT_CHANGE_SYS_VAR_IN_READ_ONLY_MODE, 161
ER_CANT_CHANGE_TX_CHARACTERISTICS, 41
ER_CANT_CHECK_PID_PATH, 388
ER_CANT_CHOWN_DATADIR, 181
ER_CANT_COMBINE_ANONYMOUS_TO_GTID_AND_AUTO 143
ER_CANT_CREATE_ADMIN_THREAD, 549
ER_CANT_CREATE_CACHE_FOR_DB_OPT, 260
ER_CANT_CREATE_DB, 3
ER_CANT_CREATE_FILE, 3
ER_CANT_CREATE_GEOMETRY_OBJECT, 32
ER_CANT_CREATE_HANDLER_FILE, 37
ER_CANT_CREATE_HANDLER_OBJECT_FOR_TABLE, 259
ER_CANT_CREATE_HANDLE_MGR_THREAD, 166
ER_CANT_CREATE_INTERRUPT_THREAD, 173
ER_CANT_CREATE_NAMED_PIPES_THREAD, 173
ER_CANT_CREATE_PID_FILE, 172
ER_CANT_CREATE_SCHEDULER_THREAD, 167
ER_CANT_CREATE_SHM_THREAD, 173
ER_CANT_CREATE_SHUTDOWN_THREAD, 172
ER_CANT_CREATE_TABLE, 3
ER_CANT_CREATE_TABLE_SHARE_FROM_FRM, 259
ER_CANT_CREATE_TCPIP_THREAD, 173
ER_CANT_CREATE_TEST_FILE, 172
ER_CANT_CREATE_THREAD, 13
ER_CANT_CREATE_USER_WITH_GRANT, 32
ER_CANT_CREATE_UUID, 170
ER_CANT_DETACH_SESSION_LEFT_BY_PLUGIN, 217
ER_CANT_DO_IMPLICIT_COMMIT_IN_TRX_WHEN_GTID_N 58
ER_CANT_DO_THIS_DURING_AN_TRANSACTION, 15
ER_CANT_DROP_FIELD_OR_KEY, 9
ER_CANT_ENFORCE_GTID_CONSISTENCY_WITH_ONGOI 79
ER_CANT_EXECUTE_COMMAND_WITH_ASSIGNED_GTID_ 153
ER_CANT_EXECUTE_IN_READ_ONLY_TRANSACTION, 59
ER_CANT_FIND_DL_ENTRY, 12
ER_CANT_FIND_SYSTEM_REC, 4
ER_CANT_FIND_UDF, 12
ER_CANT_GET_STAT, 4
ER_CANT_HASH_DO_AND_IGNORE_RULES, 181
ER_CANT_IDENTIFY_CHARSET_USING_DEFAULT, 261
ER_CANT_INCREASE_MAX_OPEN_FILES, 177
ER_CANT_INITIALIZE_BUILTIN_PLUGINS, 180
ER_CANT_INITIALIZE_DYNAMIC_PLUGINS, 180
ER_CANT_INITIALIZE_EARLY_PLUGINS, 180
ER_CANT_INITIALIZE_GTID, 180
ER_CANT_INITIALIZE_UDF, 12
ER_CANT_INIT_DBS, 178
ER_CANT_INIT_SCHEDULER_THREAD, 167
ER_CANT_INIT_TC_LOG, 167

ER_CANT_INIT_TIMER, 182
ER_CANT_JOIN_SHUTDOWN_THREAD, 181
ER_CANT_LOCK, 4
ER_CANT_LOCK_LOG_TABLE, 40
ER_CANT_LOCK_TABLE, 259
ER_CANT_LOCK_TABLESPACE, 260
ER_CANT_MODIFY_SRID_0, 108
ER_CANT_MODIFY_SRS_USED_BY_COLUMN, 109
ER_CANT_OPEN_AND_LOCK_PRIVILEGE_TABLES, 200
ER_CANT_OPEN_CA, 181
ER_CANT_OPEN_DATADIR_AFTER_UPGRADE_FAILURE, 262
ER_CANT_OPEN_DB_OPT_USING_DEFAULT_CHARSET, 260
ER_CANT_OPEN_DIR, 262
ER_CANT_OPEN_ERROR_LOG, 182
ER_CANT_OPEN_FILE, 4
ER_CANT_OPEN_FRM_FILE, 199
ER_CANT_OPEN_LIBRARY, 12
ER_CANT_OPEN_TABLE_MYSQL_PROC, 262
ER_CANT_PARSE_STORED_ROUTINE_BODY, 262
ER_CANT_PROCESS_EXPRESSION_FOR_GENERATED_COLUMN_TO_DD, 572
ER_CANT_READ_DIR, 4
ER_CANT_READ_ERRMSGS, 178
ER_CANT_READ_FRM_FILE, 200
ER_CANT_READ_TABLE_MYSQL_PROC, 262
ER_CANT_REMOVE_ALL_FIELDS, 9
ER_CANT_REMOVE_PID_FILE, 172
ER_CANT_RENAME_LOG_TABLE, 42
ER_CANT_REOPEN_TABLE, 13
ER_CANT_REPLICATE_ANONYMOUS_WITH_AUTO_POSITION, 533
ER_CANT_REPLICATE_ANONYMOUS_WITH_GTID_MODE_ON, 533
ER_CANT_REPLICATE_GTID_WITH_GTID_MODE_OFF, 533
ER_CANT_RESET_MASTER, 85
ER_CANT_RESET_SOURCE, 85
ER_CANT_RUN_COMMAND_SERVICES_RECURSIVELY, 162
ER_CANT_SAVE_GTIDS, 181
ER_CANT_SET_ANONYMOUS_TO_GTID_AND_WAIT_UNTIL_SQL_THD_AFTER_GTIDS, 144
ER_CANT_SET_DATADIR, 180
ER_CANT_SET_DATA_DIR, 547
ER_CANT_SET_ERROR_LOG_SERVICE, 107
ER_CANT_SET_ERROR_SUPPRESSION_LIST, 111
ER_CANT_SET_ERROR_SUPPRESSION_LIST_FROM_COMMAND_LINE, 539
ER_CANT_SET_GTID_MODE, 79
ER_CANT_SET_GTID_NEXT_LIST_TO_NON_NULL_WHEN_GTID_MODE_IS_OFF, 58
ER_CANT_SET_GTID_NEXT_TO_ANONYMOUS_WHEN_GTID_M 58
ER_CANT_SET_GTID_NEXT_TO_GTID_WHEN_GTID_MODE_IS 58
ER_CANT_SET_GTID_NEXT_WHEN_OWNING_GTID, 59
ER_CANT_SET_GTID_PURGED_DUE_SETS_CONSTRAINTS, 90
ER_CANT_SET_GTID_PURGED_WHEN_GTID_EXECUTED_IS_N 63
ER_CANT_SET_GTID_PURGED_WHEN_OWNED_GTIDS_IS_NO 63
ER_CANT_SET_HANDLER_REFERENCE_FOR_TABLE, 260
ER_CANT_SET_PATH_FOR, 262
ER_CANT_SET_PERSISTED, 161
ER_CANT_SET_SQL_AFTER_OR_BEFORE_GTIDS_WITH_ANO 144
ER_CANT_SET_UP_PERSISTED_VALUES, 181
ER_CANT_SET_VARIABLE_WHEN_OWNING_GTID, 81
ER_CANT_START_ERROR_LOG_SERVICE, 281
ER_CANT_STAT_DATADIR, 181
ER_CANT_STAT_FILE, 270
ER_CANT_UPDATE_TABLE_IN_CREATE_TABLE_SELECT, 54
ER_CANT_UPDATE_USED_TABLE_IN_SF_OR_TRG, 34
ER_CANT_UPDATE_WITH_READLOCK, 19
ER_CANT_UPGRADE_GENERATED_COLUMNS_TO_DD, 260
ER_CANT_USE_ANONYMOUS_TO_GTID_WITH_GTID_MODE_N 143
ER_CANT_USE_AUTO_POSITION_WITH_GTID_MODE_OFF, 79
ER_CANT_USE_GTID_ONLY_WITH_GTID_MODE_NOT_ON, 151
ER_CANT_USE_OPTION_HERE, 20
ER_CANT_USE_SAME_UUID_AS_GROUP_NAME, 145
ER_CANT_USE_SAME_UUID_AS_VIEW_CHANGE_UUID, 147
ER_CANT_WAIT_FOR_EXECUTED_GTID_SET_WHILE_OWNING 84
ER_CAPACITY_EXCEEDED, 84
ER_CAPACITY_EXCEEDED_IN_PARSER, 85
ER_CAPACITY_EXCEEDED_IN_RANGE_OPTIMIZER, 84
ER_CA_SELF_SIGNED, 169
ER_CHANGED_ENFORCE_GTID_CONSISTENCY, 166
ER_CHANGED_GTID_MODE, 166
ER_CHANGED_MAX_CONNECTIONS, 177
ER_CHANGED_MAX_OPEN_FILES, 177

ER_CHANGED_TABLE_OPEN_CACHE, 177
ER_CHANGE_MASTER_PASSWORD_LENGTH, 73
ER_CHANGE_MASTER_WRONG_COMPRESSION_ALGORITHM_CLIENT, 132
ER_CHANGE_MASTER_WRONG_COMPRESSION_ALGORITHM_LIST_CLIENT, 132
ER_CHANGE_MASTER_WRONG_COMPRESSION_LEVEL_CLIENT, 132
ER_CHANGE_REPLICATION_SOURCE_NO_OPTIONS_FOR_GTID_ONLY, 150
ER_CHANGE_REP_SOURCE_CANT_DISABLE_AUTO_POSITION_WITH_ASYNC_CONN, 151
ER_CHANGE_REP_SOURCE_CANT_DISABLE_AUTO_POSITION_WITHOUT_POSITIONS, 151
ER_CHANGE_REP_SOURCE_CANT_DISABLE_GTID_ONLY_WITHOUT_POSITIONS, 151
ER_CHANGE_REP_SOURCE_CANT_DISABLE_REQ_ROW_FORMAT_WITH_GTID_ONLY, 150
ER_CHANGE_REP_SOURCE_GR_CHANNEL_WITH_GTID_MODE_NOT_ON, 151
ER_CHANGE_RPL_INFO_REPOSITORY_FAILURE, 54
ER_CHANGE_RPL_SRC_WRONG_COMPRESSION_ALGORITHM_SIZE, 147
ER_CHANGE_SOURCE_PASSWORD_LENGTH, 73
ER_CHANGE_SOURCE_WRONG_COMPRESSION_ALGORITHM_CLIENT, 132
ER_CHANGE_SOURCE_WRONG_COMPRESSION_ALGORITHM_LIST_CLIENT, 132
ER_CHANGE_SOURCE_WRONG_COMPRESSION_LEVEL_CLIENT, 132
ER_CHARACTER_SET_MISMATCH, 141
ER_CHECKING_TABLE, 259
ER_CHECKREAD, 4
ER_CHECK_CONSTRAINT_CLAUSE_USING_FK_REFER_ACTION_COLUMN, 121
ER_CHECK_CONSTRAINT_DUP_NAME, 121
ER_CHECK_CONSTRAINT_FUNCTION_IS_NOT_ALLOWED, 120
ER_CHECK_CONSTRAINT_NAMED_FUNCTION_IS_NOT_ALLOWED, 120
ER_CHECK_CONSTRAINT_NOT_FOUND, 121
ER_CHECK_CONSTRAINT_REFERS_AUTO_INCREMENT_COLUMN, 121
ER_CHECK_CONSTRAINT_REFERS_UNKNOWN_COLUMN, 121
ER_CHECK_CONSTRAINT_ROW_VALUE, 121
ER_CHECK_CONSTRAINT_VARIABLES, 121
ER_CHECK_CONSTRAINT_VIOLATED, 121
ER_CHECK_NOT_IMPLEMENTED, 15
ER_CHECK_NO_SUCH_TABLE, 15
ER_CHECK_TABLE_FUNCTIONS, 642
ER_CHECK_TABLE_FUNCTIONS_DETAIL, 642
ER_CHECK_TABLE_INSTANT_VERSION_BIT_SET, 632
ER_CHECK_TABLE_MIN_REC_FLAG_NOT_SET, 635
ER_CHECK_TABLE_MIN_REC_FLAG_SET, 634
ER_CLIENT_DOES_NOT_SUPPORT, 101
ER_CLIENT_FILE_PRIVILEGE_FOR_REPLICATION_CHECK, 156
ER_CLIENT_GTID_UNSAFE_CREATE_DROP_TEMP_TABLE_IN_TRX, 112
ER_CLIENT_INTERACTION_TIMEOUT, 146
ER_CLIENT_KEYRING_UDF_KEY_INVALID, 133
ER_CLIENT_KEYRING_UDF_KEY_TOO_LONG, 133
ER_CLIENT_KEYRING_UDF_KEY_TYPE_INVALID, 133
ER_CLIENT_KEYRING_UDF_KEY_TYPE_TOO_LONG, 133
ER_CLIENT_LOCAL_FILES_DISABLED, 135
ER_CLIENT_PRIVILEGE_CHECKS_USER_CANNOT_BE_ANONYMOUS, 133
ER_CLIENT_PRIVILEGE_CHECKS_USER_CORRUPT, 133
ER_CLIENT_PRIVILEGE_CHECKS_USER_DOES_NOT_EXIST, 133
ER_CLIENT_PRIVILEGE_CHECKS_USER_NEEDS_RPL_APPLIER_PRIV, 133
ER_CLIENT_QUERY_FAILURE_INVALID_NON_ROW_FORMAT, 135
ER_CLONE_CHARSET, 126
ER_CLONE_CLIENT_TRACE, 547
ER_CLONE_CONFIG, 126
ER_CLONE_CREATE_HANDLER_FAIL_TRACE, 293
ER_CLONE_DDL_IN_PROGRESS, 100
ER_CLONE_DISALLOWED, 127
ER_CLONE_DISK_SPACE, 127
ER_CLONE_DONOR, 126
ER_CLONE_DONOR_TRACE, 546
ER_CLONE_DONOR_VERSION, 126
ER_CLONE_ENCRYPTION, 127
ER_CLONE_HANDLER_EXISTS, 293
ER_CLONE_HANDLER_EXIST_TRACE, 293
ER_CLONE_INFO_CLIENT, 546
ER_CLONE_INFO_SERVER, 547
ER_CLONE_IN_PROGRESS, 127
ER_CLONE_LOOPBACK, 127
ER_CLONE_NETWORK_PACKET, 136
ER_CLONE_OS, 126
ER_CLONE_PLATFORM, 126
ER_CLONE_PLUGIN_MATCH, 126
ER_CLONE_PLUGIN_NOT_LOADED, 293
ER_CLONE_PLUGIN_NOT_LOADED_TRACE, 293
ER_CLONE_PROTOCOL, 126
ER_CLONE_PROTOCOL_ERROR, 546
ER_CLONE_PROTOCOL_TRACE, 546

ER_CLONE_REMOTE_ERROR, 546
ER_CLONE_SERVER_TRACE, 547
ER_CLONE_SHUTDOWN_TRACE, 566
ER_CLONE_SYS_CONFIG, 126
ER_CLONE_TOO_MANY_CONCURRENT_CLONES, 100
ER_CMD_NEED_SUPER, 99
ER_COALESCE_ONLY_ON_HASH_PARTITION, 38
ER_COALESCE_PARTITION_NO_PARTITION, 38
ER_COLLATION_CHARSET_MISMATCH, 21
ER_COLUMNACCESS_DENIED_ERROR, 13
ER_COLUMN_CHANGE_SIZE, 128
ER_COLUMN_CHECK_CONSTRAINT_REFERENCES_OTHER_COLUMN, 120
ER_COL_COUNT_DOESNT_MATCH_CORRUPTED_V2, 61
ER_COL_COUNT_DOESNT_MATCH_PLEASE_UPDATE, 41
ER_COL_COUNT_DOESNT_MATCH_PLEASE_UPDATE_V2, 69
ER_COMMAND_BACKEND_FAILED_TO_FETCH_SECURITY_CTX, 156
ER_COMMAND_SERVICE_BACKEND_FAILED, 156
ER_COMMENT_CONTAINS_INVALID_STRING, 153
ER_COMMIT_NOT_ALLOWED_IN_SF_OR_TRG, 32
ER_COMPONENTS_CANT_ACQUIRE_SERVICE_IMPLEMENTATION, 90
ER_COMPONENTS_CANT_LOAD, 89
ER_COMPONENTS_CANT_RELEASE_SERVICE, 90
ER_COMPONENTS_CANT_SATISFY_DEPENDENCY, 90
ER_COMPONENTS_CANT_UNLOAD, 90
ER_COMPONENTS_FAILED_TO_ACQUIRE_SERVICE_IMPLEMENTATION, 298
ER_COMPONENTS_INFRASTRUCTURE_BOOTSTRAP, 169
ER_COMPONENTS_INFRASTRUCTURE_MANIFEST_DEINIT, 596
ER_COMPONENTS_INFRASTRUCTURE_MANIFEST_INIT, 596
ER_COMPONENTS_INFRASTRUCTURE_SHUTDOWN, 169
ER_COMPONENTS_LOAD_CANT_INITIALIZE, 90
ER_COMPONENTS_LOAD_CANT_REGISTER_SERVICE_IMPLEMENTATION, 90
ER_COMPONENTS_NO_SCHEME, 89
ER_COMPONENTS_NO_SCHEME_SERVICE, 89
ER_COMPONENTS_PERSIST_LOADER_BOOTSTRAP, 169
ER_COMPONENTS_UNLOAD_CANT_DEINITIALIZE, 90
ER_COMPONENTS_UNLOAD_CANT_UNREGISTER_SERVICE, 90
ER_COMPONENTS_UNLOAD_DUPLICATE_IN_GROUP, 90
ER_COMPONENTS_UNLOAD_NOT_LOADED, 90
ER_COMPONENT_EE_DATA_DECRYPTION_ERROR, 624
ER_COMPONENT_EE_DATA_ENCRYPTION_ERROR, 624
ER_COMPONENT_EE_DATA_LENGTH_OUT_OF_RAGE, 624
ER_COMPONENT_EE_DATA_SIGN_ERROR, 624
ER_COMPONENT_EE_FUNCTION_DEREGISTRATION_FAILURE, 623
ER_COMPONENT_EE_FUNCTION_INVALID_ALGORITHM, 623
ER_COMPONENT_EE_FUNCTION_INVALID_ARGUMENTS, 623
ER_COMPONENT_EE_FUNCTION_KEY_LENGTH_OUT_OF_RA, 623
ER_COMPONENT_EE_FUNCTION_PRIVATE_KEY_GENERATIO, 624
ER_COMPONENT_EE_FUNCTION_PUBLIC_KEY_GENERATION, 624
ER_COMPONENT_EE_FUNCTION_REGISTRATION_FAILURE, 623
ER_COMPONENT_EE_INSUFFICIENT_LENGTH, 624
ER_COMPONENT_EE_OPENSSL_ERROR, 624
ER_COMPONENT_EE_SYS_VAR_DEREGISTRATION_FAILURE, 623
ER_COMPONENT_EE_SYS_VAR_REGISTRATION_FAILURE, 623
ER_COMPONENT_FILTER_CONFUSED, 321
ER_COMPONENT_FILTER_DIAGNOSTICS, 107
ER_COMPONENT_FILTER_FLABBERGASTED, 98
ER_COMPONENT_FILTER_WRONG_VALUE, 528
ER_COMPONENT_KEYRING_OCI_CREATE_PRIVATE_KEY, 626
ER_COMPONENT_KEYRING_OCI_OPEN_KEY_FILE, 626
ER_COMPONENT_KEYRING_OCI_READ_KEY_FILE, 626
ER_COMPONENT_LOCK, 638
ER_COMPONENT_MANIPULATE_ROW_FAILED, 90
ER_COMPONENT_MASKING_ABI, 638
ER_COMPONENT_MASKING_ABI_REASON, 638
ER_COMPONENT_MASKING_CANNOT_ACCESS_TABLE, 638
ER_COMPONENT_MASKING_OTHER_ERROR, 638
ER_COMPONENT_MASKING_RANDOM_CREATE, 638
ER_COMPONENT_MASKING_RANDOM_CREATE_REASON, 638
ER_COMPONENT_SERVICE_CALL, 638
ER_COMPONENT_SERVICE_CALL_RESULT, 638

ER_COMPONENT_TABLE_INCORRECT, 90
ER_COMPONENT_UNLOCK, 638
ER_CONCURRENT_PROCEDURE_USAGE, 152
ER_CONDITIONAL_DEBUG, 625
ER_COND_ITEM_TOO_LONG, 46
ER_CONFIG_OPTION_WITHOUT_GROUP, 185
ER_CONFIRMING_THE_FUTURE, 174
ER_CONFLICTING_DECLARATIONS, 25
ER_CONFLICT_FN_PARSE_ERROR, 45
ER_CONNECTION_ABORTED, 527
ER_CONNECTION_HANDLING_OOM, 172
ER_CONNECTION_METADATA, 17
ER_CONNECT_TO_FOREIGN_DATA_SOURCE, 33
ER_CONNECT_TO_MASTER, 19
ER_CONNECT_TO_SOURCE, 19
ER_CONN_ATTR_TRUNCATED, 193
ER_CONN_CONTROL_DELAY_ACTION_INIT_FAILED, 323
ER_CONN_CONTROL_ERROR_MSG, 320
ER_CONN_CONTROL_EVENT_COORDINATOR_INIT_FAILED, 322
ER_CONN_CONTROL_FAILED_TO_SET_CONN_DELAY, 323
ER_CONN_CONTROL_FAILED_TO_UPDATE_CONN_DELAY_HASH, 323
ER_CONN_CONTROL_INVALID_CONN_DELAY_TYPE, 323
ER_CONN_CONTROL_STAT_CONN_DELAY_TRIGGERED_RESET, 323
ER_CONN_CONTROL_STAT_CONN_DELAY_TRIGGERED_UPDATE, 323
ER_CONN_INIT_CONNECT_IGNORED, 322
ER_CONN_INIT_CONNECT_IGNORED_MFA, 639
ER_CONN_LIMIT, 612
ER_CONN_PER_THREAD_NO_THREAD, 189
ER_CONN_PIP_CANT_CREATE_EVENT, 188
ER_CONN_PIP_CANT_CREATE_PIPE, 188
ER_CONN_SHM_CANT_CREATE_CONNECTION, 188
ER_CONN_SHM_CANT_CREATE_SERVICE, 188
ER_CONN_SHM_LISTENER, 188
ER_CONN_SOCKET_ACCEPT_FAILED, 192
ER_CONN_SOCKET_SELECT_FAILED, 192
ER_CONN_TCP_ADDRESS, 189
ER_CONN_TCP_BIND_FAIL, 190
ER_CONN_TCP_BIND_RETRY, 190
ER_CONN_TCP_CANT_RESET_V6ONLY, 190
ER_CONN_TCP_CANT_RESOLVE_HOSTNAME, 189
ER_CONN_TCP_CREATED, 189
ER_CONN_TCP_ERROR_WITH_STRERROR, 189
ER_CONN_TCP_IPV6_AVAILABLE, 189
ER_CONN_TCP_IPV6_UNAVAILABLE, 189
ER_CONN_TCP_IP_NOT_LOGGED, 190
ER_CONN_TCP_IS_THERE_ANOTHER_USING_PORT, 189
ER_CONN_TCP_LISTEN_FAIL, 190
ER_CONN_TCP_NO_SOCKET, 189
ER_CONN_TCP_RESOLVE_INFO, 190
ER_CONN_TCP_START_FAIL, 190
ER_CONN_TPC_BIND_FAIL, 190
ER_CONN_UNIX_IS_THERE_ANOTHER_USING_SOCKET, 190
ER_CONN_UNIX_LISTEN_FAILED, 191
ER_CONN_UNIX_LOCK_FILE_CANT_CLOSE, 192
ER_CONN_UNIX_LOCK_FILE_CANT_CREATE, 191
ER_CONN_UNIX_LOCK_FILE_CANT_DELETE, 192
ER_CONN_UNIX_LOCK_FILE_CANT_OPEN, 191
ER_CONN_UNIX_LOCK_FILE_CANT_READ, 191
ER_CONN_UNIX_LOCK_FILE_CANT_SYNC, 192
ER_CONN_UNIX_LOCK_FILE_CANT_WRITE, 192
ER_CONN_UNIX_LOCK_FILE_EMPTY, 191
ER_CONN_UNIX_LOCK_FILE_FAIL, 191
ER_CONN_UNIX_LOCK_FILE_GIVING_UP, 191
ER_CONN_UNIX_LOCK_FILE_PIDLESS, 192
ER_CONN_UNIX_NO_BIND_NO_START, 191
ER_CONN_UNIX_NO_FD, 191
ER_CONN_UNIX_PATH_TOO_LONG, 191
ER_CONN_UNIX_PID_CLAIMED_SOCKET_FILE, 190
ER_CONSECUTIVE_REORG_PARTITIONS, 39
ER_CONST_EXPR_IN_SHARDING_FUNC, 5
ER_CONTAINS_NON_DETERMINISTIC_DATA, 5
ER_CONTENT_TOO_LONG, 5
ER_CONTEXT_NOT_FOUND, 134
ER_CONVERT_MULTI_VALUE, 639
ER_CONVERT_TO_CHARACTER, 5
ER_CORE_VALUES, 174
ER_CORRUPTED_JSON_DIFF, 102
ER_CORRUPT_HELP_DB, 21
ER_COULD_NOT_APPLY_JSON_DIFF, 102
ER_COULD_NOT_CREATE_WINDOWS_REGISTRY_KEY, 541
ER_COULD_NOT_REINITIALIZE_AUDIT_LOG_FILTERS, 535
ER_CRASHED_ON_REPAIR, 17
ER_CRASHED_ON_USAGE, 16
ER_CREATED_SYSTEM_WITH_VERSION, 291
ER_CREATE_FILEGROUP_FAILED, 39
ER_CREATE_SELECT_WITH_GIPK_DISALLOWED_IN_SBR, 156
ER_CREATING_NEW_UUID, 170
ER_CREATING_NEW_UUID_FIRST_START, 281
ER_CREDENTIALLESS_AUTO_USER_BAD, 172
ER_CREDENTIALS_CONTRADICT_TO_HISTORY, 100
ER_CTE_MAX_RECURSION_DEPTH, 100
ER_CTE_RECURSIVE_FORBIDDEN_JOIN_ORDER, 93
ER_CTE_RECURSIVE_FORBIDS_AGGREGATION, 93

ER_CTE_RECURSIVE_NOT_UNION, 156
ER_CTE_RECURSIVE_REQUIRES_NONRECURSIVE_FIRST, 93
ER_CTE_RECURSIVE_REQUIRES_SINGLE_REFERENCE, 94
ER_CTE_RECURSIVE_REQUIRES_UNION, 93
ER_CURRENT_PASSWORD_CANNOT_BE_RETAINED, 129
ER_CURRENT_PASSWORD_NOT_REQUIRED, 129
ER_CUT_VALUE_GROUP_CONCAT, 22
ER_CYCLE_TIMER_IS_NOT_AVAILABLE, 294
ER_DATABASE_NAME, 45
ER_DATA_DIRECTORY_UNUSABLE, 542
ER_DATA_DIRECTORY_UNUSABLE_DELETABLE, 565
ER_DATA_OUT_OF_RANGE, 50
ER_DATA_TOO_LONG, 31
ER_DATETIME_FUNCTION_OVERFLOW, 34
ER_DA_AUTH_ID_WITH_SYSTEM_USER_PRIV_IN_MANDATORY_ROLES, 127
ER_DA_CANT_OPEN_ERROR_LOG, 142
ER_DA_CONN_LIMIT, 152
ER_DA_ERROR_LOG_COMPONENT_FLUSH_FAILED, 148
ER_DA_ERROR_LOG_MULTIPLE_FILTERS, 142
ER_DA_ERROR_LOG_TABLE_DISABLED, 142
ER_DA_EXPIRE_LOGS_DAYS_IGNORED, 156
ER_DA_GLOBAL_CONN_LIMIT, 152
ER_DA_GRP_RPL_RECOVERY_ENDPOINT_FORMAT, 138
ER_DA_GRP_RPL_RECOVERY_ENDPOINT_INVALID, 139
ER_DA_GRP_RPL_STARTED_AUTO_REJOIN, 131
ER_DA_INVALID_CONDITION_NUMBER, 56
ER_DA_NO_ERROR_LOG_PARSER_CONFIGURED, 142
ER_DA_OOM, 135
ER_DA_PLUGIN_INSTALL_ERROR, 128
ER_DA_RPL_GTID_TABLE_CANNOT_OPEN, 128
ER_DA_SSL_FIPS_MODE_ERROR, 151
ER_DA_SSL_LIBRARY_ERROR, 128
ER_DA_UDF_INVALID_ARGUMENT_TO_SET_CHARSET, 136
ER_DA_UDF_INVALID_CHARSET, 134
ER_DA_UDF_INVALID_CHARSET_SPECIFIED, 134
ER_DA_UDF_INVALID_COLLATION, 134
ER_DA_UDF_INVALID_EXTENSION_ARGUMENT_TYPE, 134
ER_DA_UDF_INVALID_RETURN_TYPE_TO_SET_CHARSET, 136
ER_DA_UNKNOWN_ERROR_NUMBER, 128
ER_DBACCESS_DENIED_ERROR, 6
ER_DBUG_CHECK_SHARES_DROPPED, 223
ER_DBUG_CHECK_SHARES_INFO, 222
ER_DBUG_CHECK_SHARES_OPEN, 222
ER_DB_ACCESS_DENIED, 127
ER_DB_CREATE_EXISTS, 4
ER_DB_DROP_EXISTS, 4
ER_DB_DROP_RMDIR, 4
ER_DB_DROP_RMDIR2, 97
ER_DB_OPT_NOT_FOUND_USING_DEFAULT_CHARSET, 261
ER_DDL_IN_PROGRESS, 100
ER_DDL_LOG_ERROR, 41
ER_DDL_MSG_1, 605
ER_DD_ABORTING_PARTIAL_UPGRADE, 198
ER_DD_CACHE_NOT_EMPTY_AT_SHUTDOWN, 165
ER_DD_CANT_CREATE_OBJECT_KEY, 165
ER_DD_CANT_CREATE_SP, 260
ER_DD_CANT_FETCH_TABLE_DATA, 260
ER_DD_CANT_FIX_SE_DATA, 260
ER_DD_CANT_GET_OBJECT_KEY, 165
ER_DD_CANT_RESOLVE_VIEW, 183
ER_DD_CREATED_FOR_UPGRADE, 198
ER_DD_ERROR_CREATING_ENTRY, 260
ER_DD_FAILSAFE, 163
ER_DD_FRM_EXISTS_FOR_TABLE, 198
ER_DD_INITIALIZE, 299
ER_DD_INITIALIZE_SQL_ERROR, 536
ER_DD_INIT_FAILED, 164
ER_DD_INIT_UPGRADE_FAILED, 164
ER_DD_METADATA_NOT_FOUND, 165
ER_DD_MINOR_DOWNGRADE, 300
ER_DD_MINOR_DOWNGRADE_VERSION_NOT_SUPPORTED, 300
ER_DD_NO_VERSION_FOUND, 300
ER_DD_NO_WRITES_NO_REPOPULATION, 163
ER_DD_OBJECT_RELEASER_REMAINS, 165
ER_DD_OBJECT_REMAINS, 165
ER_DD_OBJECT_REMAINS_IN_RELEASER, 165
ER_DD_POPULATING_TABLES_FAILED, 165
ER_DD_RESTART, 300
ER_DD_SCHEMA_NOT_FOUND, 198
ER_DD_SE_INIT_FAILED, 198
ER_DD_TABLESPACE_NOT_FOUND, 183
ER_DD_TABLE_NOT_FOUND, 198
ER_DD_TRG_CANT_ADD, 183
ER_DD_TRG_CONNECTION_COLLATION_MISSING, 183
ER_DD_TRG_DB_COLLATION_MISSING, 183
ER_DD_TRG_DEFINER_OOM, 183
ER_DD_TRG_FILE_UNREADABLE, 183
ER_DD_UPDATE_DATADIR_FLAG_FAIL, 642
ER_DD_UPDATING_PLUGIN_MD_FAILED, 165
ER_DD_UPGRADE, 300
ER_DD_UPGRADE_COMPLETED, 562
ER_DD_UPGRADE_DD_OPEN_FAILED, 288

ER_DD_UPGRADE_DD_POPULATED, 289
ER_DD_UPGRADE_FAILED_FIND_VALID_DATA_DIR, 290
ER_DD_UPGRADE_FAILED_INIT_DD_SE, 290
ER_DD_UPGRADE_FAILED_TO_ACQUIRE_TABLESPACE, 288
ER_DD_UPGRADE_FAILED_TO_CREATE_INDEX_STATS, 290
ER_DD_UPGRADE_FAILED_TO_CREATE_TABLE_STATS, 289
ER_DD_UPGRADE_FAILED_TO_FETCH_TABLES, 289
ER_DD_UPGRADE_FAILED_TO_FETCH_TABLESPACES, 288
ER_DD_UPGRADE_FAILED_TO_RESOLVE_TABLESPACE_ENGINE, 288
ER_DD_UPGRADE_FAILED_TO_UPDATE_VER_NO_IN_TABLESPACE, 299
ER_DD_UPGRADE_FOUND_PARTIALLY_UPGRADED_DD, 290
ER_DD_UPGRADE_FOUND_PARTIALLY_UPGRADED_DD_FINALIZE, 290
ER_DD_UPGRADE_FOUND_PREPARED_XA_TRANSACTION, 575
ER_DD_UPGRADE_INDEX_STATS_MIGRATE_COMPLETED, 290
ER_DD_UPGRADE_INFO_FILE_CLOSE_FAILED, 289
ER_DD_UPGRADE_INFO_FILE_OPEN_FAILED, 289
ER_DD_UPGRADE_OFF, 300
ER_DD_UPGRADE_RENAME_IDX_STATS_FILE_FAILED, 288
ER_DD_UPGRADE_SCHEMA_UNAVAILABLE, 300
ER_DD_UPGRADE_SDI_INFO_UPDATE_FAILED, 291
ER_DD_UPGRADE_SE_LOGS_FAILED, 290
ER_DD_UPGRADE_START, 290
ER_DD_UPGRADE_TABLESPACE_MIGRATION_FAILED, 289
ER_DD_UPGRADE_TABLE_INTACT_ERROR, 296
ER_DD_UPGRADE_TABLE_STATS_MIGRATE_COMPLETED, 290
ER_DD_UPGRADE_VERSION_NOT_SUPPORTED, 300
ER_DD_UPGRADE_VIEW_COLUMN_NAME_TOO_LONG, 299
ER_DD_VERSION_FOUND, 163
ER_DD_VERSION_INSTALLED, 163
ER_DD_VERSION_UNSUPPORTED, 163
ER_DD_VIEW_CANT_ALLOC_CHARSET, 164
ER_DD_VIEW_CANT_CREATE, 165
ER_DD_VIEW_WITHOUT_DEFINER, 183
ER_DEBUG_SYNC_EXECUTED, 166
ER_DEBUG_SYNC_HIT, 166
ER_DEBUG_SYNC_HIT_LIMIT, 46
ER_DEBUG_SYNC_OOM, 167
ER_DEBUG_SYNC_THREAD_MAX, 166
ER_DEBUG_SYNC_TIMEOUT, 46
ER_DEFAULT_AS_VAL_GENERATED, 115
ER_DEFAULT_SE_UNAVAILABLE, 182
ER_DEFAULT_VAL_GENERATED_FUNCTION_IS_NOT_ALL 115
ER_DEFAULT_VAL_GENERATED_NAMED_FUNCTION_IS_N 115
ER_DEFAULT_VAL_GENERATED_NON_PRIOR, 115
ER_DEFAULT_VAL_GENERATED_REF_AUTO_INC, 115
ER_DEFAULT_VAL_GENERATED_ROW_VALUE, 115
ER_DEFAULT_VAL_GENERATED_VARIABLES, 115
ER_DEFINITION_CONTAINS_INVALID_STRING, 158
ER_DEPART_WITH_GRACE, 169
ER_DEPENDENT_BY_CHECK_CONSTRAINT, 137
ER_DEPENDENT_BY_DEFAULT_GENERATED_VALUE, 105
ER_DEPENDENT_BY_FUNCTIONAL_INDEX, 123
ER_DEPENDENT_BY_GENERATED_COLUMN, 79
ER_DEPENDENT_BY_PARTITION_FUNC, 125
ER_DEPRECATED_NATIONAL, 109
ER_DEPRECATED_PERSISTED_VARIABLE_WITH_ALIAS, 604
ER_DEPRECATED_SYNTAX_NO_REPLACEMENT, 297
ER_DEPRECATED_SYNTAX_WITH_REPLACEMENT, 297
ER_DEPRECATED_TIMESTAMP_IMPLICIT_DEFAULTS, 171
ER_DEPRECATED_TLS_VERSION_SESSION, 601
ER_DEPRECATED_UTF8_ALIAS, 109
ER_DEPRECATE_MSG_NO_REPLACEMENT, 297
ER_DEPRECATE_MSG_WITH_REPLACEMENT, 279
ER_DERIVED_MUST_HAVE_ALIAS, 21
ER_DES_FILE_WRONG_KEY, 185
ER_DETACHED_SESSIONS_LEFT_BY_PLUGIN, 217
ER_DETACHING_SESSION_LEFT_BY_PLUGIN, 216
ER_DIMENSION_UNSUPPORTED, 75
ER_DISABLED_STORAGE_ENGINE, 83
ER_DISABLED_STORAGE_ENGINE_AS_DEFAULT, 166
ER_DISABLE_AUTO_POSITION_REQUIRES_ASYNC_RECO 141
ER_DISABLE_GTID_MODE_REQUIRES_ASYNC_RECONNE 141
ER_DISALLOWED_OPERATION, 102
ER_DISCARD_FK_CHECKS_RUNNING, 61

ER_DISCONNECTING_REMAINING_CLIENTS, 175
ER_DISK_FULL_NOWAIT, 104
ER_DIVISION_BY_ZERO, 29
ER_DONT_SUPPORT_REPLICA_PRESERVE_COMMIT_ORDER, 71
ER_DONT_SUPPORT_SLAVE_PRESERVE_COMMIT_ORDER, 71
ER_DROP_DATABASE_FAILED_RMDIR_MANUALLY, 298
ER_DROP_FILEGROUP_FAILED, 39
ER_DROP_INDEX_FK, 40
ER_DROP_LAST_PARTITION, 38
ER_DROP_PARTITION_NON_EXISTENT, 38
ER_DROP_PK_COLUMN_TO_DROP_GIPK, 156
ER_DUPLICATED_VALUE_IN_TYPE, 24
ER_DUPLICATE_OPTION_KEY, 92
ER_DUPLICATE_SYS_VAR, 537
ER_DUPLICATE_TABLE_LOCK, 93
ER_DUP_ARGUMENT, 19
ER_DUP_ENTRY, 7
ER_DUP_ENTRY_AUTOINCREMENT_CASE, 41
ER_DUP_ENTRY_WITH_KEY_NAME, 42
ER_DUP_FD_OPEN_FAILED, 281
ER_DUP_FIELDNAME, 7
ER_DUP_INDEX, 62
ER_DUP_KEY, 4
ER_DUP_KEYNAME, 7
ER_DUP_LIST_ENTRY, 71
ER_DUP_SIGNAL_SET, 46
ER_DUP_UNIQUE, 15
ER_DUP_UNKNOWN_IN_INDEX, 65
ER_EMPTY_PIPELINE_FOR_ERROR_LOG_SERVICE, 107
ER_EMPTY_PRIVILEGE_NAME_IGNORED, 590
ER_EMPTY_QUERY, 8
ER_ENDING_INIT, 535
ER_END_INITFILE, 177
ER_ENFORCE_GTID_CONSISTENCY_WARN_WITH_ONGOING_GTID_VIOLATING_TX, 80
ER_ENGINE_ATTRIBUTE_NOT_SUPPORTED, 139
ER_ENGINE_CANT_DROP_MISSING_TABLE, 97
ER_ENGINE_CANT_DROP_TABLE, 97
ER_ENGINE_COST_FAILED_TO_READ, 213
ER_ENGINE_COST_INVALID_CONST_CONSTANT_FOR_SE, 213
ER_ENGINE_COST_INVALID_DEVICE_TYPE_FOR_SE, 213
ER_ENGINE_COST_UNKNOWN_COST_CONSTANT, 212
ER_ENGINE_COST_UNKNOWN_STORAGE_ENGINE, 213
ER_ENGINE_OUT_OF_MEMORY, 69
ER_ERRMSG_CANT_FIND_FILE, 198
ER_ERRMSG_CANT_READ, 199
ER_ERRMSG_LOADING_55_STYLE, 199
ER_ERRMSG_MISSING_IN_FILE, 199
ER_ERRMSG_OOM, 199
ER_ERRMSG_REPLACEMENTS_FAILED, 275
ER_ERRMSG_REPLACEMENT_DODGY, 275
ER_ERROR_DURING_COMMIT, 15
ER_ERROR_DURING_FLUSH_LOGS, 16
ER_ERROR_DURING_FLUSH_LOG_COMMIT_PHASE, 298
ER_ERROR_DURING_OPTIMIZE_TABLE, 259
ER_ERROR_DURING_ROLLBACK, 15
ER_ERROR_ENABLING_KEYS, 259
ER_ERROR_INFO_FROM_DA, 532
ER_ERROR_IN_TRIGGER_BODY, 52
ER_ERROR_IN_UNKNOWN_TRIGGER_BODY, 52
ER_ERROR_LOG_DESTINATION_NOT_A_FILE, 591
ER_ERROR_ON_MASTER, 68
ER_ERROR_ON_MODIFYING_GTID_EXECUTED_TABLE, 84
ER_ERROR_ON_READ, 4
ER_ERROR_ON_RENAME, 5
ER_ERROR_ON_SOURCE, 68
ER_ERROR_ON_WRITE, 5
ER_ERROR_WHEN_EXECUTING_COMMAND, 19
ER_EVENT_ALREADY_EXISTS, 40
ER_EVENT_CANNOT_ALTER_IN_THE_PAST, 42
ER_EVENT_CANNOT_CREATE_IN_THE_PAST, 42
ER_EVENT_CANT_FIND_TIMEZONE, 261
ER_EVENT_CANT_GET_CHARSET, 261
ER_EVENT_CANT_GET_COLLATION, 261
ER_EVENT_CANT_GET_LOCK_FOR_DROPPING_EVENT, 265
ER_EVENT_CANT_GET_TIMEZONE_FROM_FIELD, 261
ER_EVENT_CANT_INIT_QUEUE, 167
ER_EVENT_CANT_OPEN_TABLE_MYSQL_EVENT, 261
ER_EVENT_DOES_NOT_EXIST, 40
ER_EVENT_DROPPING, 214
ER_EVENT_ENDS_BEFORE_STARTS, 40
ER_EVENT_ERROR_CREATING_QUERY_TO_WRITE_TO_BINL 264
ER_EVENT_ERROR_DURING_COMPILATION, 214
ER_EVENT_EXECUTION_FAILED, 167
ER_EVENT_EXECUTION_FAILED_CANT_AUTHENTICATE_USE 214
ER_EVENT_EXECUTION_FAILED_USER_LOST_EVEN_PRIVILE 214
ER_EVENT_EXEC_TIME_IN_THE_PAST, 40
ER_EVENT_INTERVAL_NOT_POSITIVE_OR_TOO_BIG, 40
ER_EVENT_INVALID_CREATION_CTX, 43
ER_EVENT_LAST_EXECUTION, 167
ER_EVENT_MESSAGE_STACK, 167

ER_EVENT_PURGING_QUEUE, 167
ER_EVENT_RECURSION_FORBIDDEN, 42
ER_EVENT_SAME_NAME, 40
ER_EVENT_SCHEDULER_ERROR_GETTING_EVENT_OBJECT, 265
ER_EVENT_SCHEDULER_ERROR_LOADING_FROM_DB, 265
ER_EVENT_SCHEDULER_GOT_BAD_DATA_FROM_TABLE, 265
ER_EVENT_SET_VAR_ERROR, 41
ER_EVENT_UNABLE_TO_DROP_EVENT, 265
ER_EXCEEDED_MV_KEYS_NUM, 130
ER_EXCEEDED_MV_KEYS_SPACE, 130
ER_EXCEPTIONS_WRITE_ERROR, 45
ER_EXCESS_ARGUMENTS, 178
ER_EXPIRE_LOGS_DAYS_IGNORED, 298
ER_EXPLAIN_NOT_SUPPORTED, 69
ER_FAILED_DEFAULT_ROLES, 89
ER_FAILED_GET_DD_PROPERTY, 640
ER_FAILED_READ_FROM_PAR_FILE, 50
ER_FAILED_REVOKE_ROLE, 89
ER_FAILED_ROLE_GRANT, 89
ER_FAILED_SET_DD_PROPERTY, 640
ER_FAILED_START_MYSQLD_DAEMON, 282
ER_FAILED_TO_ACQUIRE_LOCK_ON_RESOURCE_GROUP, 286
ER_FAILED_TO_ADD_RESOURCE_GROUP_TO_MAP, 286
ER_FAILED_TO_ADD_RPL_FILTER, 292
ER_FAILED_TO_ALLOCATE_MEMORY_FOR_RESOURCE_GROUP, 286
ER_FAILED_TO_ALLOCATE_MEMORY_FOR_RESOURCE_GROUP_HASH, 286
ER_FAILED_TO_ALLOCATE_SSL_BIO, 536
ER_FAILED_TO_APPLY_RESOURCE_GROUP_CONTROLLER, 286
ER_FAILED_TO_BINLOG_DROP_EVENT, 291
ER_FAILED_TO_BUILD_DO_AND_IGNORE_TABLE_HASHES, 293
ER_FAILED_TO_COMPRESS_GTID_EXECUTED_TABLE, 205
ER_FAILED_TO_COMPRESS_GTID_EXECUTED_TABLE_FOR_M, 205
ER_FAILED_TO_CONSTRUCT_DROP_EVENT_QUERY, 291
ER_FAILED_TO_CREATE_CLONE_HANDLER, 293
ER_FAILED_TO_CREATE_GTID_TABLE_COMPRESSION_THREAD, 205
ER_FAILED_TO_CREATE_SDI_FOR_TABLESPACE, 289
ER_FAILED_TO_DECREMENT_NUMBER_OF_THREADS, 217
ER_FAILED_TO_DELETE_FROM_GTID_EXECUTED_TABLE, 204
ER_FAILED_TO_DESERIALIZE_RESOURCE_GROUP, 285
ER_FAILED_TO_DETERMINE_IF_ROLE_IS_MANDATORY, 135
ER_FAILED_TO_FETCH_MANDATORY_ROLE_LIST, 135
ER_FAILED_TO_FIND_COLLATION_NAME, 280
ER_FAILED_TO_FIND_DL_ENTRY, 277
ER_FAILED_TO_FIND_LOCALE_NAME, 280
ER_FAILED_TO_FIND_MYSQLD_STATUS, 297
ER_FAILED_TO_GENERATE_UNIQUE_LOGFILE, 277
ER_FAILED_TO_GET_ABSOLUTE_PATH, 281
ER_FAILED_TO_HANDLE_DEFAULTS_FILE, 537
ER_FAILED_TO_INIT_SYS_VAR, 537
ER_FAILED_TO_INIT_THREAD_ATTR_FOR_GTID_TABLE_C, 205
ER_FAILED_TO_JOIN_GTID_TABLE_COMPRESSION_THRE, 205
ER_FAILED_TO_LOCK_MEM, 176
ER_FAILED_TO_OPEN_COST_CONSTANT_TABLES, 213
ER_FAILED_TO_OPEN_SHARED_LIBRARY, 277
ER_FAILED_TO_PERSIST_RESOURCE_GROUP_METADAT, 285
ER_FAILED_TO_READ_FILE, 278
ER_FAILED_TO_REMOVE_TEMP_TABLE, 255
ER_FAILED_TO_REPAIR_TABLE, 255
ER_FAILED_TO_SET_PERSISTED_OPTIONS, 298
ER_FAILED_TO_START_REPLICA_THREAD, 292
ER_FAILED_TO_START_SLAVE_THREAD, 291
ER_FAILED_TO_STORE_SDI_FOR_TABLESPACE, 289
ER_FAILED_TO_UPDATE_RESOURCE_GROUP, 285
ER_FAILED_TO_WRITE_TO_FILE, 278
ER_FAIL_CHROOT, 176
ER_FAIL_SETGID, 176
ER_FAIL_SETREGID, 176
ER_FAIL_SETREUID, 176
ER_FAIL_SETUID, 176
ER_FEATURE_DISABLED, 24
ER_FEATURE_DISABLED_SEE_DOC, 84
ER_FEATURE_NOT_AVAILABLE, 79
ER_FEATURE_UNSUPPORTED, 103
ER_FIELD_IN_GROUPING_NOT_GROUP_BY, 96
ER_FIELD_IN_ORDER_NOT_SELECT, 74
ER_FIELD_NOT_FOUND_PART_ERROR, 37
ER_FIELD_SPECIFIED_TWICE, 11
ER_FIELD_TYPE_NOT_ALLOWED_AS_PARTITION_FIELD, 47
ER_FILEGROUP_OPTION_ONLY_ONCE, 39
ER_FILESORT_TERMINATED, 280
ER_FILE_CORRUPT, 68

ER_FILE_EXISTS_DURING_UPGRADE, 262
ER_FILE_EXISTS_ERROR, 9
ER_FILE_HAS_OLD_FORMAT, 279
ER_FILE_NOT_FOUND, 4
ER_FILE_PRIVILEGE_FOR_REPLICATION_CHECKS, 571
ER_FILE_TYPE_UNKNOWN, 200
ER_FILE_USED, 5
ER_FILSORT_ABORT, 5
ER_FIREWALL_ACCESS_DENIED, 313
ER_FIREWALL_DEPRECATED_USER_PROFILE, 601
ER_FIREWALL_FAILED_TO_READ_FIREWALL_TABLES, 313
ER_FIREWALL_FAILED_TO_REG_DYNAMIC_PRIVILEGES, 313
ER_FIREWALL_PFS_TABLE_REGISTER_FAILED, 596
ER_FIREWALL_RECORDING_STMT_WAS_TRUNCATED, 313
ER_FIREWALL_RECORDING_STMT_WITHOUT_TEXT, 313
ER_FIREWALL_RELOADING_CACHE, 313
ER_FIREWALL_RESET_FOR_USER, 313
ER_FIREWALL_SERVICES_NOT_ACQUIRED, 595
ER_FIREWALL_SKIPPED_UNKNOWN_USER_MODE, 313
ER_FIREWALL_STATUS_FLUSHED, 314
ER_FIREWALL_SUSPICIOUS_STMT, 313
ER_FIREWALL_UDF_REGISTER_FAILED, 596
ER_FIXING_CLIENT_CHARSET, 176
ER_FK_CANNOT_CHANGE_ENGINE, 116
ER_FK_CANNOT_DROP_PARENT, 110
ER_FK_CANNOT_OPEN_PARENT, 62
ER_FK_CANNOT_USE_VIRTUAL_COLUMN, 111
ER_FK_COLUMN_CANNOT_CHANGE, 63
ER_FK_COLUMN_CANNOT_CHANGE_CHILD, 63
ER_FK_COLUMN_CANNOT_DROP, 62
ER_FK_COLUMN_CANNOT_DROP_CHILD, 62
ER_FK_COLUMN_NOT_NULL, 62
ER_FK_DEPTH_EXCEEDED, 69
ER_FK_DUP_NAME, 62
ER_FK_FAIL_ADD_SYSTEM, 62
ER_FK_INCOMPATIBLE_COLUMNS, 116
ER_FK_INCORRECT_OPTION, 62
ER_FK_NO_COLUMN_PARENT, 111
ER_FK_NO_INDEX_CHILD, 62
ER_FK_NO_INDEX_PARENT, 62
ER_FORBID_SCHEMA_CHANGE, 34
ER_FORCE_CLOSE_THREAD, 278
ER_FORCING_CLOSE, 8
ER_FOREIGN_DATA_SOURCE_DOESNT_EXIST, 33
ER_FOREIGN_DATA_STRING_INVALID, 33
ER_FOREIGN_DATA_STRING_INVALID_CANT_CREATE, 33
ER_FOREIGN_DUPLICATE_KEY_OLD_UNUSED, 40
ER_FOREIGN_DUPLICATE_KEY_WITHOUT_CHILD_INFO, 56
ER_FOREIGN_DUPLICATE_KEY_WITH_CHILD_INFO, 56
ER_FOREIGN_KEY_ON_PARTITIONED, 38
ER_FOREIGN_KEY_WITH_ATOMIC_CREATE_SELECT, 139
ER_FOREIGN_SERVER_DOESNT_EXIST, 36
ER_FOREIGN_SERVER_EXISTS, 36
ER_FOUND_MISSING_GTIDS, 388
ER_FOUND_ROWS_WHILE_REPAIRING, 259
ER_FPARSER_BAD_HEADER, 28
ER_FPARSER_EOF_IN_COMMENT, 28
ER_FPARSER_EOF_IN_UNKNOWN_PARAMETER, 28
ER_FPARSER_ERROR_IN_PARAMETER, 28
ER_FPARSER_TOO_BIG_FILE, 28
ER_FSEEK_FAIL, 30
ER_FT_BOOL_SYNTAX_INVALID, 171
ER_FT_MATCHING_KEY_NOT_FOUND, 16
ER_FULLTEXT_FUNCTIONAL_INDEX, 114
ER_FULLTEXT_NOT_SUPPORTED_WITH_PARTITIONING, 56
ER_FULLTEXT_WITH_ROLLUP, 152
ER_FUNCTIONAL_INDEX_DATA_IS_TOO_LONG, 130
ER_FUNCTIONAL_INDEX_FUNCTION_IS_NOT_ALLOWED, 114
ER_FUNCTIONAL_INDEX_ON_FIELD, 114
ER_FUNCTIONAL_INDEX_ON_JSON_OR_GEOMETRY_FUNCTI 113
ER_FUNCTIONAL_INDEX_ON_LOB, 114
ER_FUNCTIONAL_INDEX_PRIMARY_KEY, 113
ER_FUNCTIONAL_INDEX_REF_AUTO_INCREMENT, 113
ER_FUNCTIONAL_INDEX_ROW_VALUE_IS_NOT_ALLOWED, 118
ER_FUNCTION_DOES_NOT_SUPPORT_CHARACTER_SET, 140
ER_FUNCTION_NOT_DEFINED, 12
ER_FUNC_INEXISTENT_NAME_COLLISION, 45
ER_FUTURE_DATE, 174
ER_GENERATED_COLUMN_FUNCTION_IS_NOT_ALLOWED, 78
ER_GENERATED_COLUMN_NAMED_FUNCTION_IS_NOT_ALL 114
ER_GENERATED_COLUMN_NON_PRIOR, 79
ER_GENERATED_COLUMN_REF_AUTO_INC, 79
ER_GENERATED_COLUMN_ROW_VALUE, 114
ER_GENERATED_COLUMN_VARIABLES, 114

ER_GEOMETRY_IN_UNKNOWN_LENGTH_UNIT, 128
ER_GEOMETRY_PARAM_LATITUDE_OUT_OF_RANGE, 111
ER_GEOMETRY_PARAM_LONGITUDE_OUT_OF_RANGE, 111
ER_GET_ERRMSG, 25
ER_GET_ERRNO, 5
ER_GET_ERRNO_FROM_STORAGE_ENGINE, 279
ER_GET_STACKED_DA_WITHOUT_ACTIVE_HANDLER, 69
ER_GET_TEMPORARY_ERRMSG, 25
ER_GIPK_COLUMN_ALTER_NOT_ALLOWED, 156
ER_GIPK_COLUMN_EXISTS, 155
ER_GIPK_FAILED_AUTOINC_COLUMN_EXISTS, 155
ER_GIS_DATA_WRONG_ENDIANESS, 73
ER_GIS_DIFFERENT_SRIDS, 72
ER_GIS_DIFFERENT_SRIDS_AGGREGATION, 146
ER_GIS_INVALID_DATA, 72
ER_GIS_MAX_POINTS_IN_GEOMETRY_OVERFLOWED, 81
ER_GIS_UNKNOWN_ERROR, 72
ER_GIS_UNKNOWN_EXCEPTION, 72
ER_GIS_UNSUPPORTED_ARGUMENT, 72
ER_GLOBAL_CONN_LIMIT, 612
ER_GLOBAL_VARIABLE, 20
ER_GLOBSTAT_CHANGE_DURING_QUERY, 131
ER_GNO_EXHAUSTED, 57
ER_GRANT_WRONG_HOST_OR_USER, 13
ER_GROUPING_ON_TIMESTAMP_IN_DST, 131
ER_GROUP_REPLICATION_APPLIER_INIT_ERROR, 78
ER_GROUP_REPLICATION_COMMAND_FAILURE, 103
ER_GROUP_REPLICATION_COMMUNICATION_LAYER_JOIN_ERROR, 78
ER_GROUP_REPLICATION_COMMUNICATION_LAYER_SESSION_ERROR, 78
ER_GROUP_REPLICATION_CONFIGURATION, 78
ER_GROUP_REPLICATION_FORCE_MEMBERS_COMMAND_FAILURE, 157
ER_GROUP_REPLICATION_MAX_GROUP_SIZE, 86
ER_GROUP_REPLICATION_PASSWORD_LENGTH, 138
ER_GROUP_REPLICATION_PLUGIN_NOT_INSTALLED, 204
ER_GROUP_REPLICATION_RUNNING, 78
ER_GROUP_REPLICATION_STOP_APPLIER_THREAD_TIMEOUT, 78
ER_GROUP_REPLICATION_USER_EMPTY_MSG, 138
ER_GROUP_REPLICATION_USER_MANDATORY_MSG, 138
ER_GRP_DELAYED_VCLE_LOGGING, 561
ER_GRP_OPERATION_NOT_ALLOWED_GR_MUST_STOP, 137
ER_GRP_RPL_ABORTS_AS_SSL_NOT_SUPPORTED_BY_M 370
ER_GRP_RPL_ADD_GRPSID_TO_GRPGTIDSID_MAP_ERR 344
ER_GRP_RPL_ADD_GTID_INFO_WITHOUT_LOCAL_GTID_ 356
ER_GRP_RPL_ADD_GTID_INFO_WITHOUT_REMOTE_GTID 356
ER_GRP_RPL_ADD_GTID_INFO_WITH_LOCAL_GTID_FAIL 356
ER_GRP_RPL_ADD_GTID_INFO_WITH_REMOTE_GTID_FA 356
ER_GRP_RPL_ADD_GTID_TO_GRPGTID_EXECUTED_ERR 344
ER_GRP_RPL_ADD_RETRIEVED_SET_TO_GRP_GTID_EXE 345
ER_GRP_RPL_ADD_VIEW_CHANGE_UUID_TO_GRP_SID_M 603
ER_GRP_RPL_ALL_DONORS_LEFT_ABORT_RECOVERY, 358
ER_GRP_RPL_ALL_OBSERVERS_UNREGISTERED, 369
ER_GRP_RPL_APPENDING_DATA_TO_INTERNAL_CACHE_ 362
ER_GRP_RPL_APPLIER_CHANNEL_STILL_RUNNING, 595
ER_GRP_RPL_APPLIER_EXECUTION_FATAL_ERROR, 343
ER_GRP_RPL_APPLIER_HANDLER_IS_IN_USE, 374
ER_GRP_RPL_APPLIER_HANDLER_NOT_INITIALIZED, 374
ER_GRP_RPL_APPLIER_HANDLER_ROLE_IS_IN_USE, 374
ER_GRP_RPL_APPLIER_INITIALIZED, 370
ER_GRP_RPL_APPLIER_METADATA_REPO_MUST_BE_TA 371
ER_GRP_RPL_APPLIER_NOT_STARTED_DUE_TO_RUNNIN 370
ER_GRP_RPL_APPLIER_PIPELINE_NOT_DISPOSED, 343
ER_GRP_RPL_APPLIER_TERMINATION_TIMED_OUT_ON_S 368
ER_GRP_RPL_APPLIER_THD_EXECUTION_ABORTED, 343
ER_GRP_RPL_APPLIER_THD_KILLED, 342
ER_GRP_RPL_APPLIER_THD_KILLED_BY_SQL_KILL, 643
ER_GRP_RPL_APPLIER_THD_SETUP_ERROR, 353
ER_GRP_RPL_APPLIER_THD_START_ERROR, 353
ER_GRP_RPL_APPLIER_THD_STOP_ERROR, 353

ER_GRP_RPL_APPOINTED_PRIMARY_NOT_PRESENT, 540
ER_GRP_RPL_AUTO_INC_OFFSET_RESET, 355
ER_GRP_RPL_AUTO_INC_OFFSET_SET, 355
ER_GRP_RPL_AUTO_INC_RESET, 354
ER_GRP_RPL_AUTO_INC_SET, 355
ER_GRP_RPL_BINLOG_CHECKSUM_SET, 361
ER_GRP_RPL_BINLOG_DISABLED, 370
ER_GRP_RPL_BLOCK_SIZE_DIFF_FROM_GRP, 352
ER_GRP_RPL_BROADCASTING_TRANS_TO_GRP_FAILED, 363
ER_GRP_RPL_BROADCAST_COMMIT_MSSG_TOO_BIG, 377
ER_GRP_RPL_BROADCAST_COMMIT_TRANS_MSSG_FAILED, 344
ER_GRP_RPL_CANNOT_EXECUTE_TRANS_IN_ERROR_STATE, 361
ER_GRP_RPL_CANNOT_EXECUTE_TRANS_IN_OFFLINE_MODE, 361
ER_GRP_RPL_CANNOT_EXECUTE_TRANS_WHILE_RECOVERING, 361
ER_GRP_RPL_CANNOT_EXECUTE_TRANS_WHILE_STOPPING, 361
ER_GRP_RPL_CANT_GENERATE_GTID, 345
ER_GRP_RPL_CANT_KILL_THREAD, 567
ER_GRP_RPL_CANT_READ_GRP_GTID_EXTRACTED, 347
ER_GRP_RPL_CANT_READ_GTID, 346
ER_GRP_RPL_CANT_READ_WRITE_SET_ITEM, 347
ER_GRP_RPL_CERTIFICATE_SIZE_ERROR, 342
ER_GRP_RPL_CERTIFICATION_INITIALIZATION_FAILURE, 345
ER_GRP_RPL_CERTIFICATION_REC_PROCESS, 364
ER_GRP_RPL_CERTIFIER_MSSG_PROCESS_ERROR, 347
ER_GRP_RPL_CERT_BROADCAST_THREAD_CREATE_FAILED, 643
ER_GRP_RPL_CERT_BROADCAST_THREAD_STARTED, 643
ER_GRP_RPL_CERT_BROADCAST_THREAD_STOPPED, 643
ER_GRP_RPL_CHANGE_GRP_MEM_NOT_PROCESSED, 348
ER_GRP_RPL_CHANNEL_THREAD_WHEN_GROUP_ACTION, 539
ER_GRP_RPL_CHECK_STATUS_TABLE, 359
ER_GRP_RPL_CLONE_PROCESS_EXEC_ERROR, 567
ER_GRP_RPL_CLONE_PROCESS_PREPARE_ERROR, 566
ER_GRP_RPL_COMMUNICATION_SSL_CONF_INFO, 370
ER_GRP_RPL_CONFIGURATION_ACTION_END, 540
ER_GRP_RPL_CONFIGURATION_ACTION_ERROR, 540
ER_GRP_RPL_CONFIGURATION_ACTION_KILLED_ERROR, 540
ER_GRP_RPL_CONFIGURATION_ACTION_LOCAL_TERMINATI 540
ER_GRP_RPL_CONFIGURATION_ACTION_START, 540
ER_GRP_RPL_CONFIG_RECOVERY, 358
ER_GRP_RPL_CONFLICT_DETECTION_DISABLED, 347
ER_GRP_RPL_CONNECTION_METADATA_REPO_MUST_BE_T 371
ER_GRP_RPL_CONN_INTERNAL_PLUGIN_FAIL, 357
ER_GRP_RPL_CONTACT_WITH_SRV_FAILED, 356
ER_GRP_RPL_COPY_FROM_EMPTY_STRING, 358
ER_GRP_RPL_CREATE_APPLIER_CACHE_ERROR, 343
ER_GRP_RPL_CREATE_GRP_RPL_REC_CHANNEL, 359
ER_GRP_RPL_CREATE_SESSION_UNABLE, 358
ER_GRP_RPL_DATA_NOT_PROVIDED_BY_MEM, 350
ER_GRP_RPL_DEBUG_OPTIONS, 376
ER_GRP_RPL_DEFAULT_TABLE_ENCRYPTION_DIFF_FROM_G 558
ER_GRP_RPL_DISABLE_READ_ONLY_FAILED, 349
ER_GRP_RPL_DISABLE_SRV_READ_MODE_RESTRICTED, 348
ER_GRP_RPL_DONOR_CONN_TERMINATION, 359
ER_GRP_RPL_DONOR_SERVER_CONN, 359
ER_GRP_RPL_DONOR_TRANS_INFO_ERROR, 344
ER_GRP_RPL_DONOR_VIEW_CHANGE_UUID_TRANS_INFO_E 608
ER_GRP_RPL_ENABLE_READ_ONLY_FAILED, 350
ER_GRP_RPL_ERROR_FETCHING_GTID_EXECUTED_SET, 344
ER_GRP_RPL_ERROR_FETCHING_GTID_SET, 345
ER_GRP_RPL_ERROR_GTID_EXECUTION_INFO, 342
ER_GRP_RPL_ERROR_GTID_SET_EXTRACTION, 539
ER_GRP_RPL_ERROR_MSG, 320
ER_GRP_RPL_ERROR_ON_CERT_DB_INSTALL, 553
ER_GRP_RPL_ERROR_ON_MESSAGE_SENDING, 540
ER_GRP_RPL_ERROR_SENDING_SINGLE_PRIMARY_MSSG, 343

ER_GRP_RPL_ERROR_SET_MULTI_CONSENSUS_LEADER, 611
ER_GRP_RPL_ERROR_SET_SINGLE_CONSENSUS_LEADER, 611
ER_GRP_RPL_ERROR_STOPPING_CHANNELS, 343
ER_GRP_RPL_ERROR_VERIFYING_SIDNO, 345
ER_GRP_RPL_ERROR_WHILE_WAITING_FOR_CONFLICT_DETECTION, 363
ER_GRP_RPL_ESTABLISHING_CONN_GRP_REC_DONOR, 359
ER_GRP_RPL_ESTABLISH_RECOVERY_WITH_ANOTHER_DONOR, 358
ER_GRP_RPL_ESTABLISH_RECOVERY_WITH_DONOR, 358
ER_GRP_RPL_EVENT_HANDLING_ERROR, 342
ER_GRP_RPL_EXCEEDS_AUTO_INC_VALUE, 350
ER_GRP_RPL_EXIT_GRP_GCS_ERROR, 377
ER_GRP_RPL_FAILED_TO_BOOTSTRAP_EVENT_HANDLING_INFRASTRUCTURE, 374
ER_GRP_RPL_FAILED_TO_BROADCAST_GRP_MEMBERSHIP_NOTIFICATION, 360
ER_GRP_RPL_FAILED_TO_BROADCAST_MEMBER_STATUS_NOTIFICATION, 360
ER_GRP_RPL_FAILED_TO_CALL_GRP_COMMUNICATION_INTERFACE, 366
ER_GRP_RPL_FAILED_TO_CONFIRM_IF_SERVER_LEFT_GRP, 367
ER_GRP_RPL_FAILED_TO_CREATE_COMMIT_CACHE, 363
ER_GRP_RPL_FAILED_TO_CREATE_TRANS_CONTEXT, 362
ER_GRP_RPL_FAILED_TO_ENABLE_READ_ONLY_MODE, 368
ER_GRP_RPL_FAILED_TO_ENABLE_SUPER_READ_ONLY_MODE, 366
ER_GRP_RPL_FAILED_TO_EXTRACT_TRANS_WRITE_SET, 362
ER_GRP_RPL_FAILED_TO_GATHER_TRANS_WRITE_SET, 362
ER_GRP_RPL_FAILED_TO_GENERATE_SIDNO_FOR_GRP, 369
ER_GRP_RPL_FAILED_TO_GENERATE_SIDNO_FOR_VIEW, 602
ER_GRP_RPL_FAILED_TO_INIT_APPLIER_HANDLER, 374
ER_GRP_RPL_FAILED_TO_INIT_APPLIER_MODULE, 370
ER_GRP_RPL_FAILED_TO_INIT_COMMUNICATION_ENGINE, 366
ER_GRP_RPL_FAILED_TO_INIT_HANDLER, 368
ER_GRP_RPL_FAILED_TO_INSERT_TRX_ON_TCM_ON_AFTER_CERTIFICATION, 550
ER_GRP_RPL_FAILED_TO_LOG_VIEW_CHANGE, 622
ER_GRP_RPL_FAILED_TO_NOTIFY_GRP_MEMBERSHIP_E 360
ER_GRP_RPL_FAILED_TO_PARSE_THE_GRP_NAME, 369
ER_GRP_RPL_FAILED_TO_PARSE_THE_VIEW_CHANGE_U 602
ER_GRP_RPL_FAILED_TO_REGISTER_BINLOG_STATE_OI 369
ER_GRP_RPL_FAILED_TO_REGISTER_SERVER_STATE_C 368
ER_GRP_RPL_FAILED_TO_REGISTER_TRANS_OUTCOME_ 363
ER_GRP_RPL_FAILED_TO_REGISTER_TRANS_STATE_OB 368
ER_GRP_RPL_FAILED_TO_REINIT_BINLOG_CACHE_FOR_ 362
ER_GRP_RPL_FAILED_TO_SHUTDOWN_REGISTRY_MODU 368
ER_GRP_RPL_FAILED_TO_START_COMMUNICATION_ENG 366
ER_GRP_RPL_FAILED_TO_START_ON_BOOT, 369
ER_GRP_RPL_FAILED_TO_START_ON_SECONDARY_WITH 366
ER_GRP_RPL_FAILED_TO_START_WITH_INVALID_SERVE 365
ER_GRP_RPL_FAILED_TO_STOP_ON_PLUGIN_UNINSTALL 369
ER_GRP_RPL_FAILED_TO_UNREGISTER_BINLOG_STATE_ 369
ER_GRP_RPL_FAILED_TO_UNREGISTER_SERVER_STATE 369
ER_GRP_RPL_FAILED_TO_UNREGISTER_TRANS_STATE_ 369
ER_GRP_RPL_FAILOVER_CHANNEL_STATUS_PROPAGAT 148
ER_GRP_RPL_FAILOVER_CONF_CHANNEL_DOES_NOT_E 606
ER_GRP_RPL_FAILOVER_CONF_DEFAULT_CONFIGURATI 606
ER_GRP_RPL_FAILOVER_CONF_GET_EXCHANGEABLE_D 606
ER_GRP_RPL_FAILOVER_CONF_PARSE_ON_MEMBER_JO 606
ER_GRP_RPL_FAILOVER_CONF_UNABLE_TO_SET_DEFAU 606
ER_GRP_RPL_FAILOVER_PRIMARY_BACK_TO_MAJORITY 606
ER_GRP_RPL_FAILOVER_PRIMARY_WITHOUT_MAJORITY 606
ER_GRP_RPL_FAILOVER_REGISTER_MESSAGE_LISTENE 606
ER_GRP_RPL_FATAL_REC_PROCESS, 364

ER_GRP_RPL_FETCH_FORMAT_DESC_LOG_EVENT_FAILED, 355
ER_GRP_RPL_FETCH_GTID_LOG_EVENT_FAILED, 355
ER_GRP_RPL_FETCH_LOG_EVENT_FAILED, 357
ER_GRP_RPL_FETCH_SNAPSHOT_VERSION_FAILED, 355
ER_GRP_RPL_FETCH_TRANS_CONTEXT_FAILED, 355
ER_GRP_RPL_FETCH_TRANS_CONTEXT_LOG_EVENT_FAILED, 355
ER_GRP_RPL_FETCH_TRANS_DATA_FAILED, 353
ER_GRP_RPL_FETCH_TRANS_SIDNO_ERROR, 345
ER_GRP_RPL_FETCH_VIEW_CHANGE_LOG_EVENT_FAILED, 356
ER_GRP_RPL_FINISHED_AUTO_REJOIN, 558
ER_GRP_RPL_FK_WITH_CASCADE_UNSUPPORTED, 354
ER_GRP_RPL_FLOW_CONTROL_STATS, 378
ER_GRP_RPL_FLOW_CTRL_MAX_QUOTA_SMALLER_THAN_MIN_QUOTAS, 373
ER_GRP_RPL_FLOW_CTRL_MIN_QUOTA_GREATER_THAN_MAX_QUOTA, 373
ER_GRP_RPL_FLOW_CTRL_MIN_RECOVERY_QUOTA_GREATER_THAN_MAX_QUOTA, 373
ER_GRP_RPL_FORCE_MEMBERS_MUST_BE_EMPTY, 365
ER_GRP_RPL_FORCE_MEMBERS_SET_UPDATE_NOT_ALLOWED, 373
ER_GRP_RPL_FORCE_MEMBERS_WHEN_LEAVING, 553
ER_GRP_RPL_FORCE_MEMBER_VALUE_SET, 377
ER_GRP_RPL_FORCE_MEMBER_VALUE_SET_ERROR, 377
ER_GRP_RPL_FORCE_MEMBER_VALUE_TIME_OUT, 377
ER_GRP_RPL_GCS_GR_ERROR_MSG, 379
ER_GRP_RPL_GCS_INTERFACE_ERROR, 377
ER_GRP_RPL_GMS_LISTENER_FAILED_TO_LOG_NOTIFICATION, 376
ER_GRP_RPL_GROUP_NAME_PARSE_ERROR, 344
ER_GRP_RPL_GROUP_NAME_SAME_AS_VIEW_CHANGE_UUID, 601
ER_GRP_RPL_GRP_CHANGE_INFO_EXTRACT_ERROR, 351
ER_GRP_RPL_GRP_COMMUNICATION_ENG_INIT_FAILED, 376
ER_GRP_RPL_GRP_COMMUNICATION_INIT_WITH_CONF, 374
ER_GRP_RPL_GRP_MEMBER_OFFLINE, 377
ER_GRP_RPL_GRP_NAME_IS_NOT_VALID_UUID, 372
ER_GRP_RPL_GRP_NAME_IS_SAME_AS_ANONYMOUS_TO_GROUP_NAME, 594
ER_GRP_RPL_GRP_NAME_IS_TOO_LONG, 372
ER_GRP_RPL_GRP_NAME_OPTION_MANDATORY, 372
ER_GRP_RPL_GRP_VIEW_CHANGE_UUID_IS_INCOMPATIBLE, 602
ER_GRP_RPL_GTID_ALREADY_USED, 342
ER_GRP_RPL_GTID_EXECUTED_EXTRACT_ERROR, 351
ER_GRP_RPL_GTID_MODE_OFF, 371
ER_GRP_RPL_GTID_PURGED_EXTRACT_ERROR, 566
ER_GRP_RPL_GTID_SET_EXTRACT_ERROR, 351
ER_GRP_RPL_GTID_SET_EXTRACT_ERROR_DURING_RECOV, 552
ER_GRP_RPL_HAS_STARTED, 634
ER_GRP_RPL_INCORRECT_TYPE_SET_FOR_PARALLEL_APPL, 372
ER_GRP_RPL_INIT_CERTIFICATION_INFO_FAILURE, 347
ER_GRP_RPL_INTERNAL_QUERY, 357
ER_GRP_RPL_INVALID_BINLOG_FORMAT, 360
ER_GRP_RPL_INVALID_COMMUNICATION_PROTOCOL, 558
ER_GRP_RPL_INVALID_DEBUG_OPTIONS, 377
ER_GRP_RPL_INVALID_GTID_SET, 346
ER_GRP_RPL_INVALID_SSL_RECOVERY_STRING, 373
ER_GRP_RPL_INVALID_TRANS_WRITE_SET_EXTRACTION_VA, 371
ER_GRP_RPL_IS_STARTING, 582
ER_GRP_RPL_IS_STOPPED, 368
ER_GRP_RPL_IS_STOPPING, 367
ER_GRP_RPL_JOINER_EXIT_WHEN_GROUP_ACTION_RUNNIN, 539
ER_GRP_RPL_JOIN_WHEN_GROUP_ACTION_RUNNING, 539
ER_GRP_RPL_KILLED_FAILED_ID, 357
ER_GRP_RPL_KILLED_SESSION_ID, 357
ER_GRP_RPL_LOCAL_GTID_SETS_PROCESS_ERROR, 352
ER_GRP_RPL_LOG_REPLICA_UPDATES_NOT_SET, 371
ER_GRP_RPL_LOG_SLAVE_UPDATES_NOT_SET, 371
ER_GRP_RPL_LOWER_CASE_TABLE_NAMES_DIFF_FROM_GR, 527
ER_GRP_RPL_MASTER_INFO_REPO_MUST_BE_TABLE, 371
ER_GRP_RPL_MAXIMUM_CONNECTION_RETRIES_REACHED, 358
ER_GRP_RPL_MEMBER_ACTIONS_RESET, 600

ER_GRP_RPL_MEMBER_ACTION_DEFAULT_CONFIGURATION, 600
ER_GRP_RPL_MEMBER_ACTION_DISABLED, 600
ER_GRP_RPL_MEMBER_ACTION_ENABLED, 600
ER_GRP_RPL_MEMBER_ACTION_FAILURE, 599
ER_GRP_RPL_MEMBER_ACTION_FAILURE_IGNORE, 599
ER_GRP_RPL_MEMBER_ACTION_GET_EXCHANGEABLE_DATA, 599
ER_GRP_RPL_MEMBER_ACTION_INVALID_ACTIONS_ON_MEMBER_JOIN, 600
ER_GRP_RPL_MEMBER_ACTION_PARSE_ON_MEMBER_JOIN, 600
ER_GRP_RPL_MEMBER_ACTION_PARSE_ON_RECEIVE, 599
ER_GRP_RPL_MEMBER_ACTION_TRIGGERED, 599
ER_GRP_RPL_MEMBER_ACTION_UNABLE_TO_SET_DEFAULT_CONFIGURATION, 600
ER_GRP_RPL_MEMBER_ACTION_UPDATE_ACTIONS, 599
ER_GRP_RPL_MEMBER_ACTION_UPDATE_ACTIONS_ON_MEMBER_JOIN, 600
ER_GRP_RPL_MEMBER_ADDED, 349
ER_GRP_RPL_MEMBER_ALREADY_EXISTS, 350
ER_GRP_RPL_MEMBER_CFG_INCOMPATIBLE_WITH_GRP_CFG, 352
ER_GRP_RPL_MEMBER_CHANGE, 349
ER_GRP_RPL_MEMBER_CONF_INFO, 367
ER_GRP_RPL_MEMBER_CONTACT_RESTORED, 348
ER_GRP_RPL_MEMBER_EXIT_PLUGIN_ERROR, 349
ER_GRP_RPL_MEMBER_EXPELLED, 349
ER_GRP_RPL_MEMBER_INFO_DOES_NOT_EXIST, 641
ER_GRP_RPL_MEMBER_LEFT_GRP, 349
ER_GRP_RPL_MEMBER_NOT_FOUND, 358
ER_GRP_RPL_MEMBER_REMOVED, 349
ER_GRP_RPL_MEMBER_SERVER_UUID_IS_INCOMPATIBLE_WITH_GRP, 366
ER_GRP_RPL_MEMBER_STATS_INFO, 378
ER_GRP_RPL_MEMBER_STOP_RPL_CHANNELS_ERROR, 352
ER_GRP_RPL_MEMBER_TRANS_GREATER_THAN_GRP, 352
ER_GRP_RPL_MEMBER_VERSION_LOWER_THAN_GRP, 351
ER_GRP_RPL_MEMBER_VER_INCOMPATIBLE, 351
ER_GRP_RPL_MEMBER_VER_READ_COMPATIBLE, 563
ER_GRP_RPL_MEM_ONLINE, 348
ER_GRP_RPL_MEM_REACHABLE, 348
ER_GRP_RPL_MEM_UNREACHABLE, 348
ER_GRP_RPL_MESSAGE_SERVICE_FATAL_ERROR, 570
ER_GRP_RPL_MESSAGE_SERVICE_INIT_FAILURE, 132
ER_GRP_RPL_MISSING_GRP_RPL_ACTION_COORDINATOR, 539
ER_GRP_RPL_MISSING_GRP_RPL_APPLIER, 347
ER_GRP_RPL_MODULE_TERMINATE_ERROR, 372
ER_GRP_RPL_MSG_DISCARDED, 347
ER_GRP_RPL_MSG_TOO_LONG_BROADCASTING_TRANS, 368
ER_GRP_RPL_MULTIPLE_CACHE_TYPE_NOT_SUPPORTED, 361
ER_GRP_RPL_MYSQL_NETWORK_PROVIDER_CLIENT_ERROR, 605
ER_GRP_RPL_MYSQL_NETWORK_PROVIDER_CLIENT_ERROR_GRP, 605
ER_GRP_RPL_NEEDS_INNODB_TABLE, 354
ER_GRP_RPL_NEW_PRIMARY_ELECTED, 349
ER_GRP_RPL_NOTIFY_CERTIFICATION_OUTCOME_FAILED, 356
ER_GRP_RPL_NO_POSSIBLE_RECOVERY, 567
ER_GRP_RPL_NO_STAGE_SERVICE, 541
ER_GRP_RPL_NO_SUITABLE_PRIMARY_MEM, 350
ER_GRP_RPL_NO_VALID_DONOR, 358
ER_GRP_RPL_NULL_PACKET, 346
ER_GRP_RPL_ONLY_ONE_SERVER_ALIVE, 364
ER_GRP_RPL_OOM_FAILED_TO_GENERATE_IDENTIFICATION, 360
ER_GRP_RPL_PAXOS_SINGLE_LEADER_DIFF_FROM_GRP, 611
ER_GRP_RPL_PAXOS_SINGLE_LEADER_DIFF_FROM_OLD, 632
ER_GRP_RPL_PIPELINE_CREATE_FAILED, 378
ER_GRP_RPL_PIPELINE_FLUSH_FAIL, 378
ER_GRP_RPL_PIPELINE_REINIT_FAILED_READ, 378
ER_GRP_RPL_PIPELINE_REINIT_FAILED_WRITE, 378
ER_GRP_RPL_PLUGIN_ABORT, 536
ER_GRP_RPL_PLUGIN_STRUCT_INIT_NOT_POSSIBLE_ON, 366
ER_GRP_RPL_PREV_REC_SESSION_RUNNING, 364
ER_GRP_RPL_PRIMARY_ELECTION_PROCESS_ERROR, 540
ER_GRP_RPL_PRIMARY_ELECTION_STOP_ERROR, 541
ER_GRP_RPL_PRIMARY_KEY_NOT_DEFINED, 354
ER_GRP_RPL_PRIMARY_MEMBER_LEFT_GRP, 349
ER_GRP_RPL_PROCESS_GTID_SET_ERROR, 346

ER_GRP_RPL_PROCESS_INTERSECTION_GTID_SET_ERROR, 346
ER_GRP_RPL_PURGE_APPLIER_LOGS, 352
ER_GRP_RPL_PURGE_REC, 359
ER_GRP_RPL_QUERY_FAIL, 358
ER_GRP_RPL_READ_UNABLE_FOR_READ_ONLY_SUPER, 365
ER_GRP_RPL_READ_UNABLE_FOR_SUPER_READ_ONLY, 365
ER_GRP_RPL_RECEIVED_SET_MISSING_GTIDS, 346
ER_GRP_RPL_RECOVERY_CHANNEL_STILL_RUNNING, 145
ER_GRP_RPL_RECOVERY_ENDPOINT_FORMAT, 582
ER_GRP_RPL_RECOVERY_ENDPOINT_INTERFACES_IPS, 583
ER_GRP_RPL_RECOVERY_ENDPOINT_INVALID, 582
ER_GRP_RPL_RECOVERY_ENDPOINT_INVALID_DONOR, 583
ER_GRP_RPL_RECOVERY_EVAL_ERROR, 567
ER_GRP_RPL_RECOVERY_MODULE_TERMINATION_TIMEOUT, 368
ER_GRP_RPL_RECOVERY_STRAT_CHOICE, 567
ER_GRP_RPL_RECOVERY_STRAT_CLONE_PURGED, 567
ER_GRP_RPL_RECOVERY_STRAT_CLONE_THRESHOLD, 567
ER_GRP_RPL_RECOVERY_STRAT_FALLBACK, 567
ER_GRP_RPL_RECOVERY_STRAT_NO_FALLBACK, 568
ER_GRP_RPL_REGISTER_TRX_TO_WAIT_FOR_DEPENDENCIES_FAILED, 551
ER_GRP_RPL_REGISTER_TRX_TO_WAIT_FOR_GROUP_PREPARE, 551
ER_GRP_RPL_REGISTER_TRX_TO_WAIT_FOR_SYNC_BEFORE_EXECUTION_FAILED, 551
ER_GRP_RPL_REINIT_OF_COMMIT_CACHE_FOR_WRITE_FAILED, 364
ER_GRP_RPL_REINIT_OF_INTERNAL_CACHE_FOR_READ, 362
ER_GRP_RPL_REINIT_OF_INTERNAL_CACHE_FOR_WRITE_FAILED, 363
ER_GRP_RPL_RELAY_LOG_INFO_REPO_MUST_BE_TABLE, 371
ER_GRP_RPL_RELEASE_BEGIN_TRX_AFTER_DEPENDENCIES_FAILED, 551
ER_GRP_RPL_RELEASE_BEGIN_TRX_AFTER_WAIT_FOR_SYNC, 552
ER_GRP_RPL_RELEASE_COMMIT_AFTER_GROUP_PREPARE_FAILED, 550
ER_GRP_RPL_REPLICA_APPLIER_THREAD_ERROR_OUT, 380
ER_GRP_RPL_REPLICA_APPLIER_THREAD_UNBLOCKED, 379
ER_GRP_RPL_REPLICA_IO_THD_PRIMARY_UNKNOWN, 353
ER_GRP_RPL_REPLICA_IO_THREAD_ERROR_OUT, 379
ER_GRP_RPL_REPLICA_IO_THREAD_UNBLOCKED, 379
ER_GRP_RPL_REPLICA_PRESERVE_COMMIT_ORDER_NOT_S 372
ER_GRP_RPL_REPLICA_SQL_THD_ON_SECONDARY_MEMBE 354
ER_GRP_RPL_REPLICA_SQL_THD_PRIMARY_UNKNOWN, 354
ER_GRP_RPL_REPLICA_THREAD_ERROR_ON_CLONE, 568
ER_GRP_RPL_REPLICA_THREAD_ERROR_ON_SECONDARY_ 607
ENDPOINT,
ER_GRP_RPL_REQUESTING_NON_MEMBER_SERVER_TO_LE 367
ER_GRP_RPL_RESET_APPLIER_MODULE_LOGS_ERROR, 353
ER_GRP_RPL_SALVE_IO_THD_ON_SECONDARY_MEMBER, 353
ER_GRP_RPL_SEND_STATS_ERROR, 377
ER_GRP_RPL_SEND_TRX_PREPARED_MESSAGE_FAILED, 550
ER_GRP_RPL_SEND_TRX_SYNC_BEFORE_EXECUTION_FAIL 552
ER_GRP_RPL_SERVER_ALREADY_LEFT, 367
ER_GRP_RPL_SERVER_CONN_ERROR, 344
ER_GRP_RPL_SERVER_IS_ALREADY_LEAVING, 367
ER_GRP_RPL_SERVER_SET_TO_OFFLINE_MODE_DUE_TO_E 569
ER_GRP_RPL_SERVER_SET_TO_READ_ONLY_DUE_TO_ERRO 376
ER_GRP_RPL_SERVER_UDF_ERROR, 541
ER_GRP_RPL_SERVER_WORKING_AS_SECONDARY, 365
ER_GRP_RPL_SESSION_OPEN_FAILED, 349
ER_GRP_RPL_SET_GRP_COMMUNICATION_ENG_LOGGER_F 376
ER_GRP_RPL_SET_MULTI_CONSENSUS_LEADER, 611
ER_GRP_RPL_SET_SINGLE_CONSENSUS_LEADER, 611
ER_GRP_RPL_SET_XCOM_TASK_TIMEOUT_ERROR, 346
ER_GRP_RPL_SIDNO_FETCH_ERROR, 343
ER_GRP_RPL_SINGLE_PRIM_MODE_NOT_ALLOWED_WITH_U 372

ER_GRP_RPL_SKIP_COMPUTATION_TRANS_COMMITTED, 346
ER_GRP_RPL_SLAVE_APPLIER_THREAD_ERROR_OUT, 379
ER_GRP_RPL_SLAVE_APPLIER_THREAD_UNBLOCKED, 379
ER_GRP_RPL_SLAVE_IO_THD_PRIMARY_UNKNOWN, 353
ER_GRP_RPL_SLAVE_IO_THREAD_ERROR_OUT, 379
ER_GRP_RPL_SLAVE_IO_THREAD_UNBLOCKED, 379
ER_GRP_RPL_SLAVE_PRESERVE_COMMIT_ORDER_NOT_SET, 372
ER_GRP_RPL_SLAVE_SQL_THD_ON_SECONDARY_MEMBER, 354
ER_GRP_RPL_SLAVE_SQL_THD_PRIMARY_UNKNOWN, 354
ER_GRP_RPL_SLAVE_THREAD_ERROR_ON_CLONE, 568
ER_GRP_RPL_SLAVE_THREAD_ERROR_ON_SECONDARY_MEMBER, 607
ER_GRP_RPL_SQL_SERVICE_COMM_SESSION_NOT_INITIALIZED, 375
ER_GRP_RPL_SQL_SERVICE_FAILED_TO_FETCH_SECURITY_CTX, 375
ER_GRP_RPL_SQL_SERVICE_FAILED_TO_INIT_SESSION_THREAD, 375
ER_GRP_RPL_SQL_SERVICE_FAILED_TO_RUN_SQL_QUERY, 375
ER_GRP_RPL_SQL_SERVICE_MAX_CONN_ERROR_FROM_SERVER, 376
ER_GRP_RPL_SQL_SERVICE_RETRIES_EXCEEDED_ON_SESSION_STATE, 375
ER_GRP_RPL_SQL_SERVICE_SERVER_ACCESS_DENIED_FOR_USER, 375
ER_GRP_RPL_SQL_SERVICE_SERVER_ERROR_ON_CONN, 376
ER_GRP_RPL_SQL_SERVICE_SERVER_INTERNAL_FAILURE, 375
ER_GRP_RPL_SQL_SERVICE_SERVER_SESSION_KILLED, 375
ER_GRP_RPL_SRV_BLOCKED, 348
ER_GRP_RPL_SRV_BLOCKED_FOR_SECS, 348
ER_GRP_RPL_SRV_GTID_WAIT_ERROR, 561
ER_GRP_RPL_SRV_NOT_ONLINE, 347
ER_GRP_RPL_SRV_ONLINE, 347
ER_GRP_RPL_SRV_PRIMARY_MEM, 350
ER_GRP_RPL_SRV_SECONDARY_MEM, 350
ER_GRP_RPL_SRV_WAIT_TIME_OUT, 357
ER_GRP_RPL_SSL_DISABLED, 370
ER_GRP_RPL_STARTED_AUTO_REJOIN, 558
ER_GRP_RPL_STARTING_GRP_REC, 359
ER_GRP_RPL_START_FAILED, 351
ER_GRP_RPL_START_GRP_RPL_FAILED, 357
ER_GRP_RPL_STOPPING_GRP_REC, 359
ER_GRP_RPL_STOP_REP_CHANNEL, 378
ER_GRP_RPL_SUPER_READ_OFF, 357
ER_GRP_RPL_SUPER_READ_ON, 357
ER_GRP_RPL_SUPER_READ_ONLY_ACTIVATE_ERROR, 350
ER_GRP_RPL_SUPPORTS_ONLY_ONE_FORCE_MEMBERS 373
ER_GRP_RPL_TIMEOUT_ON_VIEW_AFTER_JOINING_GRP 366
ER_GRP_RPL_TIMEOUT_RECEIVED_VC_LEAVE_ON_REJO 370
ER_GRP_RPL_TIMEOUT_RECEIVED_VC_ON_REJOIN, 368
ER_GRP_RPL_TIMEOUT_RECEIVING_VIEW_CHANGE_ON_ 367
ER_GRP_RPL_TRANS_GREATER_THAN_GRP, 351
ER_GRP_RPL_TRANS_NOT_PRESENT_IN_GRP, 351
ER_GRP_RPL_TRANS_SIZE_EXCEEDS_LIMIT, 362
ER_GRP_RPL_TRANS_WRITE_SET_EXTRACTION_NOT_SE 361
ER_GRP_RPL_TRANS_WRITE_SET_EXTRACT_DIFF_FROM 352
ER_GRP_RPL_TRX_ALREADY_EXISTS_ON_TCM_ON_AFTE 550
ER_GRP_RPL_TRX_DOES_NOT_EXIST_ON_TCM_ON_HAN 561
ER_GRP_RPL_TRX_WAIT_FOR_GROUP_GTID_EXECUTED 552
ER_GRP_RPL_TRX_WAIT_FOR_GROUP_PREPARE_FAILE 553
ER_GRP_RPL_TRX_WAIT_FOR_SYNC_BEFORE_EXECUTI 552
ER_GRP_RPL_UDF_ERROR, 131
ER_GRP_RPL_UDF_REGISTER_ERROR, 541
ER_GRP_RPL_UDF_REGISTER_SERVICE_ERROR, 542
ER_GRP_RPL_UDF_UNREGISTER_ERROR, 541
ER_GRP_RPL_UNABLE_TO_CERTIFY_PLUGIN_TRANS, 365
ER_GRP_RPL_UNABLE_TO_CONVERT_EVENT_TO_PACKE 378
ER_GRP_RPL_UNABLE_TO_CONVERT_PACKET_TO_EVEN 378
ER_GRP_RPL_UNABLE_TO_ENSURE_EXECUTION_REC, 364
ER_GRP_RPL_UNABLE_TO_EVALUATE_APPLIER_STATUS 364
ER_GRP_RPL_UNABLE_TO_INIT_COMMUNICATION_ENGI 370
ER_GRP_RPL_UNABLE_TO_KILL_CONN_REC_DONOR_AP 360

ER_GRP_RPL_UNABLE_TO_KILL_CONN_REC_DONOR_FAILOVER, 360
ER_GRP_RPL_UNABLE_TO_RESET_SERVER_READ_MODE, 365
ER_GRP_RPL_UNBLOCK_CERTIFIED_TRANS, 365
ER_GRP_RPL_UNBLOCK_WAITING_THD, 343
ER_GRP_RPL_UNKNOWN_GRP_RPL_APPLIER_PIPELINE_REQUESTED, 374
ER_GRP_RPL_UNREACHABLE_MAJORITY_TIMEOUT_FOR_MEMBER, 376
ER_GRP_RPL_UNSUPPORTED_TRANS_ISOLATION, 361
ER_GRP_RPL_UPDATE_GRPGTID_EXECUTED_ERROR, 344
ER_GRP_RPL_UPDATE_GRPGTID_VIEW_CHANGE_UUID_ERROR, 602
ER_GRP_RPL_UPDATE_GTID_SET_ERROR, 346
ER_GRP_RPL_UPDATE_LAST_CONFLICT_FREE_TRANS_ERROR, 345
ER_GRP_RPL_UPDATE_SERV_CERTIFICATE_FAILED, 356
ER_GRP_RPL_UPDATE_TRANS_SNAPSHOT_REF_VER_ERROR, 345
ER_GRP_RPL_UPDATE_TRANS_SNAPSHOT_VER_ERROR, 343
ER_GRP_RPL_VIEW_CHANGE_UUID_DIFF_FROM_GRP, 602
ER_GRP_RPL_VIEW_CHANGE_UUID_FAIL_GET_VARIABLE, 147
ER_GRP_RPL_VIEW_CHANGE_UUID_INVALID, 601
ER_GRP_RPL_VIEW_CHANGE_UUID_IS_SAME_AS_ANONYMOUS_GTID_UUID, 601
ER_GRP_RPL_VIEW_CHANGE_UUID_PARSE_ERROR, 602
ER_GRP_RPL_VIEW_CHANGE_UUID_SAME_AS_GROUP_NAME, 601
ER_GRP_RPL_WAITING_FOR_VIEW_UPDATE, 367
ER_GRP_RPL_WAIT_FOR_DEPENDENCIES_FAILED, 551
ER_GRP_RPL_WHILE_SENDING_MSG_REC, 364
ER_GRP_RPL_WHILE_STOPPING_REP_CHANNEL, 364
ER_GRP_RPL_WRITE_IDENT_HASH_BASE64_ENCODING_FAILED, 360
ER_GRP_RPL_WRITE_TO_BINLOG_CACHE_FAILED, 363
ER_GRP_RPL_WRITE_TO_TRANSACTION_MESSAGE_FAILED, 363
ER_GRP_TRX_CONSISTENCY_AFTER_ON_TRX_BEGIN, 118
ER_GRP_TRX_CONSISTENCY_BEFORE, 118
ER_GRP_TRX_CONSISTENCY_BEGIN_NOT_ALLOWED, 118
ER_GRP_TRX_CONSISTENCY_NOT_ALLOWED, 118
ER_GR_ELECTED_PRIMARY_GTID_INFORMATION, 574
ER_GR_HOLD_KILLED, 116
ER_GR_HOLD_MEMBER_STATUS_ERROR, 117
ER_GR_HOLD_WAIT_TIMEOUT, 116
ER_GTID_ALREADY_ADDED_BY_USER, 204
ER_GTID_EXECUTED_WAS_CHANGED, 63
ER_GTID_EXECUTED_WAS_UPDATED, 279
ER_GTID_MODE_CAN_ONLY_CHANGE_ONE_STEP_AT_A_TIME, 58
ER_GTID_MODE_OFF, 74
ER_GTID_MODE_ON_REQUIRES_ENFORCE_GTID_CONSISTENCY_ON, 58
ER_GTID_NEXT_CANT_BE_AUTOMATIC_IF_GTID_NEXT_LIST_IS_NON_NULL, 57
ER_GTID_NEXT_TYPE_UNDEFINED_GROUP, 63
ER_GTID_NEXT_TYPE_UNDEFINED_GTID, 63
ER_GTID_PURGED_WAS_CHANGED, 63
ER_GTID_PURGED_WAS_UPDATED, 279
ER_GTID_UNSAFE_ALTER_ADD_COL_WITH_DEFAULT_EXPRESSION, 116
ER_GTID_UNSAFE_BINLOG_SPLITTABLE_STATEMENT_AND_ANONYMOUS_GTID, 67
ER_GTID_UNSAFE_BINLOG_SPLITTABLE_STATEMENT_AND_GTID_GROUP, 67
ER_GTID_UNSAFE_CREATE_DROP_TEMPORARY_TABLE_IN_TRANSACTION, 58
ER_GTID_UNSAFE_CREATE_SELECT, 58
ER_GTID_UNSAFE_NON_TRANSACTIONAL_TABLE, 58
ER_HANDLERTON_OOM, 188
ER_HANDSHAKE_ERROR, 6
ER_HEALTH_ERROR, 594
ER_HEALTH_INFO, 594
ER_HEALTH_WARNING, 594
ER_HEALTH_WARNING_DISK_USAGE_LEVEL_1, 595
ER_HEALTH_WARNING_DISK_USAGE_LEVEL_2, 595
ER_HEALTH_WARNING_DISK_USAGE_LEVEL_3, 595
ER_HEALTH_WARNING_MEMORY_USAGE_LEVEL_1, 610
ER_HEALTH_WARNING_MEMORY_USAGE_LEVEL_2, 610
ER_HEALTH_WARNING_MEMORY_USAGE_LEVEL_3, 610
ER_HOSTNAME, 35
ER_HOSTNAME_DOESNT_RESOLVE_TO, 168
ER_HOSTNAME_RESEMBLES_IPV4, 168
ER_HOSTNAME_TOO_LONG, 138
ER_HOSTNAME_TRUNKATED, 584

ER_HOST_IS_BLOCKED, 12
ER_HOST_NOT_PRIVILEGED, 12
ER_HYPERGRAPH_NOT_SUPPORTED_YET, 142
ER_IB_BUFFER_POOL_FULL, 628
ER_IB_BUFFER_POOL_OVERUSE, 628
ER_IB_BULK_FLUSHER_INFO, 628
ER_IB_BULK_LOAD_MERGE_FAIL, 631
ER_IB_BULK_LOAD_SUBTREE_INFO, 628
ER_IB_BULK_LOAD_THREAD_FAIL, 631
ER_IB_CANNOT_UPGRADE_WITH_DISCARDED_TABLESPACES, 584
ER_IB_CLONE_GTID_PERSIST, 406
ER_IB_CLONE_INTERNAL, 404
ER_IB_CLONE_NON_INNODB_TABLE, 566
ER_IB_CLONE_OPERATION, 566
ER_IB_CLONE_PUNCH_HOLE, 405
ER_IB_CLONE_RESTART, 566
ER_IB_CLONE_SQL, 405
ER_IB_CLONE_START_STOP, 566
ER_IB_CLONE_STATUS_FILE, 405
ER_IB_CLONE_TIMEOUT, 405
ER_IB_CLONE_USER_DATA, 566
ER_IB_CLONE_VALIDATE, 405
ER_IB_DBLWR_BYTES_INFO, 615
ER_IB_DBLWR_DECOMPRESS_FAILED, 591
ER_IB_DBLWR_DECRYPT_FAILED, 591
ER_IB_DBLWR_KEY_MISSING, 591
ER_IB_DDL_CONVERT_HEAP_NOT_FOUND, 640
ER_IB_DICT_INVALID_COLUMN_POSITION, 632
ER_IB_DICT_LOG_TABLE_INFO, 633
ER_IB_DUPLICATE_KEY, 628
ER_IB_ERR_DDL_LOG_INSERT_FAILURE, 585
ER_IB_ERR_FOUND_N_DUPLICATE_KEYS, 588
ER_IB_ERR_FOUND_N_RECORDS_WRONG_ORDER, 588
ER_IB_ERR_INDEX_DUPLICATE_KEY, 588
ER_IB_ERR_INDEX_RECORDS_WRONG_ORDER, 588
ER_IB_ERR_LOG_PARSING_BUFFER_OVERFLOW, 587
ER_IB_ERR_NOT_ENOUGH_MEMORY_FOR_PARSE_BUFFER, 587
ER_IB_ERR_PAGE_ARCH_DBLWR_INIT_FAILED, 604
ER_IB_ERR_PAGE_ARCH_INVALID_DOUBLE_WRITE_BUF, 581
ER_IB_ERR_PAGE_ARCH_INVALID_FORMAT, 581
ER_IB_ERR_PAGE_ARCH_RECOVERY_FAILED, 581
ER_IB_ERR_PAGE_DIRTY_AT_SHUTDOWN, 398
ER_IB_ERR_PARALLEL_READ_OOM, 588
ER_IB_ERR_RECOVERY_REDO_DISABLED, 583
ER_IB_ERR_SCHED_SETAFFNINITY_FAILED, 587
ER_IB_ERR_TEMP_TABLESPACE_DIR_CONTAINS_SEMIC 586
ER_IB_ERR_TEMP_TABLESPACE_DIR_DOESNT_EXIST, 586
ER_IB_ERR_TEMP_TABLESPACE_DIR_EMPTY, 586
ER_IB_ERR_TEMP_TABLESPACE_DIR_SUBDIR_OF_DATA 586
ER_IB_ERR_UNKNOWN_PAGE_FETCH_MODE, 587
ER_IB_ERR_ZLIB_BUF_ERROR, 587
ER_IB_ERR_ZLIB_DATA_ERROR, 588
ER_IB_ERR_ZLIB_MEM_ERROR, 588
ER_IB_ERR_ZLIB_UNCOMPRESS_FAILED, 587
ER_IB_ERR_ZLIB_UNKNOWN_ERROR, 588
ER_IB_FAILED_TO_DELETE_TABLESPACE_FILE, 586
ER_IB_HIDDEN_NAME_CONFLICT, 632
ER_IB_INDEX_BUILDER_DONE, 634
ER_IB_INDEX_BUILDER_INIT, 634
ER_IB_INDEX_LOADER_DONE, 633
ER_IB_INDEX_LOG_VERSION_MISMATCH, 634
ER_IB_INDEX_PART_TOO_LONG, 642
ER_IB_INNODB_TBSP_OUT_OF_SPACE, 595
ER_IB_INSTANT_ADD_DROP_COLUMN_NOT_ALLOWED, 643
ER_IB_INSTANT_ADD_NOT_POSSIBLE, 643
ER_IB_LOAD_BULK_CONCURRENCY_REDUCED, 631
ER_IB_LOB_ROLLBACK_INDEX_LEN, 572
ER_IB_LOCK_VALIDATE_LATCH_ORDER_VIOLATION, 585
ER_IB_LONG_AHI_DISABLE_WAIT, 408
ER_IB_MSG_0, 389
ER_IB_MSG_1, 389
ER_IB_MSG_10, 390
ER_IB_MSG_100, 399
ER_IB_MSG_1000, 494
ER_IB_MSG_1001, 494
ER_IB_MSG_1002, 494
ER_IB_MSG_1003, 494
ER_IB_MSG_1004, 494
ER_IB_MSG_1005, 494
ER_IB_MSG_1006, 494
ER_IB_MSG_1007, 495
ER_IB_MSG_1008, 495
ER_IB_MSG_1009, 495
ER_IB_MSG_101, 400
ER_IB_MSG_1010, 495
ER_IB_MSG_1011, 495
ER_IB_MSG_1012, 495
ER_IB_MSG_1013, 495
ER_IB_MSG_1014, 495
ER_IB_MSG_1015, 495

ER_IB_MSG_1016, 495
ER_IB_MSG_1017, 496
ER_IB_MSG_1018, 496
ER_IB_MSG_1019, 496
ER_IB_MSG_102, 400
ER_IB_MSG_1020, 496
ER_IB_MSG_1021, 496
ER_IB_MSG_1022, 496
ER_IB_MSG_1023, 496
ER_IB_MSG_1024, 496
ER_IB_MSG_1025, 496
ER_IB_MSG_1026, 496
ER_IB_MSG_1027, 497
ER_IB_MSG_1028, 497
ER_IB_MSG_1029, 497
ER_IB_MSG_103, 400
ER_IB_MSG_1030, 497
ER_IB_MSG_1031, 497
ER_IB_MSG_1032, 497
ER_IB_MSG_1033, 497
ER_IB_MSG_1034, 497
ER_IB_MSG_1035, 497
ER_IB_MSG_1036, 497
ER_IB_MSG_1037, 498
ER_IB_MSG_1038, 498
ER_IB_MSG_1039, 498
ER_IB_MSG_104, 400
ER_IB_MSG_1040, 498
ER_IB_MSG_1041, 498
ER_IB_MSG_1042, 498
ER_IB_MSG_1043, 498
ER_IB_MSG_1044, 498
ER_IB_MSG_1045, 498
ER_IB_MSG_1046, 498
ER_IB_MSG_1047, 499
ER_IB_MSG_1048, 499
ER_IB_MSG_1049, 499
ER_IB_MSG_105, 400
ER_IB_MSG_1050, 499
ER_IB_MSG_1051, 499
ER_IB_MSG_1052, 499
ER_IB_MSG_1053, 499
ER_IB_MSG_1054, 499
ER_IB_MSG_1055, 499
ER_IB_MSG_1056, 500
ER_IB_MSG_1057, 500
ER_IB_MSG_1058, 500
ER_IB_MSG_1059, 500
ER_IB_MSG_106, 400
ER_IB_MSG_1060, 500
ER_IB_MSG_1061, 500
ER_IB_MSG_1062, 500
ER_IB_MSG_1063, 500
ER_IB_MSG_1064, 501
ER_IB_MSG_1065, 501
ER_IB_MSG_1066, 501
ER_IB_MSG_1067, 501
ER_IB_MSG_1068, 501
ER_IB_MSG_1069, 501
ER_IB_MSG_107, 400
ER_IB_MSG_1070, 502
ER_IB_MSG_1071, 502
ER_IB_MSG_1072, 502
ER_IB_MSG_1073, 502
ER_IB_MSG_1074, 502
ER_IB_MSG_1075, 502
ER_IB_MSG_1076, 502
ER_IB_MSG_1077, 502
ER_IB_MSG_1078, 502
ER_IB_MSG_1079, 503
ER_IB_MSG_108, 400
ER_IB_MSG_1080, 503
ER_IB_MSG_1081, 503
ER_IB_MSG_1082, 503
ER_IB_MSG_1083, 503
ER_IB_MSG_1084, 503
ER_IB_MSG_1085, 503
ER_IB_MSG_1086, 503
ER_IB_MSG_1087, 504
ER_IB_MSG_1088, 504
ER_IB_MSG_1089, 504
ER_IB_MSG_109, 400
ER_IB_MSG_1090, 504
ER_IB_MSG_1091, 504
ER_IB_MSG_1092, 504
ER_IB_MSG_1093, 504
ER_IB_MSG_1094, 504
ER_IB_MSG_1095, 504
ER_IB_MSG_1096, 504
ER_IB_MSG_1097, 505
ER_IB_MSG_1098, 505
ER_IB_MSG_1099, 505
ER_IB_MSG_11, 390
ER_IB_MSG_110, 400
ER_IB_MSG_1100, 505
ER_IB_MSG_1101, 505
ER_IB_MSG_1102, 505
ER_IB_MSG_1103, 505
ER_IB_MSG_1104, 505
ER_IB_MSG_1105, 505
ER_IB_MSG_1106, 505
ER_IB_MSG_1107, 506
ER_IB_MSG_1108, 506
ER_IB_MSG_1109, 506
ER_IB_MSG_111, 401
ER_IB_MSG_1110, 506
ER_IB_MSG_1111, 506
ER_IB_MSG_1112, 506

ER_IB_MSG_1113, 506
ER_IB_MSG_1114, 506
ER_IB_MSG_1115, 506
ER_IB_MSG_1116, 507
ER_IB_MSG_1117, 507
ER_IB_MSG_1118, 507
ER_IB_MSG_1119, 507
ER_IB_MSG_112, 401
ER_IB_MSG_1120, 507
ER_IB_MSG_1121, 507
ER_IB_MSG_1122, 507
ER_IB_MSG_1123, 507
ER_IB_MSG_1124, 507
ER_IB_MSG_1125, 508
ER_IB_MSG_1126, 508
ER_IB_MSG_1127, 508
ER_IB_MSG_1128, 508
ER_IB_MSG_1129, 508
ER_IB_MSG_113, 401
ER_IB_MSG_1130, 508
ER_IB_MSG_1131, 508
ER_IB_MSG_1132, 508
ER_IB_MSG_1133, 508
ER_IB_MSG_1134, 509
ER_IB_MSG_1135, 509
ER_IB_MSG_1136, 509
ER_IB_MSG_1137, 509
ER_IB_MSG_1138, 509
ER_IB_MSG_1139, 510
ER_IB_MSG_114, 401
ER_IB_MSG_1140, 510
ER_IB_MSG_1141, 510
ER_IB_MSG_1142, 510
ER_IB_MSG_1143, 510
ER_IB_MSG_1144, 510
ER_IB_MSG_1145, 511
ER_IB_MSG_1146, 511
ER_IB_MSG_1147, 511
ER_IB_MSG_1148, 511
ER_IB_MSG_1149, 511
ER_IB_MSG_115, 401
ER_IB_MSG_1150, 511
ER_IB_MSG_1151, 511
ER_IB_MSG_1152, 511
ER_IB_MSG_1153, 511
ER_IB_MSG_1154, 512
ER_IB_MSG_1155, 512
ER_IB_MSG_1156, 512
ER_IB_MSG_1157, 512
ER_IB_MSG_1158, 512
ER_IB_MSG_1159, 512
ER_IB_MSG_116, 401
ER_IB_MSG_1160, 512
ER_IB_MSG_1161, 512
ER_IB_MSG_1162, 512
ER_IB_MSG_1163, 512
ER_IB_MSG_1164, 513
ER_IB_MSG_1165, 513
ER_IB_MSG_1166, 513
ER_IB_MSG_1167, 513
ER_IB_MSG_1168, 513
ER_IB_MSG_1169, 513
ER_IB_MSG_117, 401
ER_IB_MSG_1170, 513
ER_IB_MSG_1171, 514
ER_IB_MSG_1172, 514
ER_IB_MSG_1173, 514
ER_IB_MSG_1174, 514
ER_IB_MSG_1175, 514
ER_IB_MSG_1176, 514
ER_IB_MSG_1177, 515
ER_IB_MSG_1178, 515
ER_IB_MSG_1179, 515
ER_IB_MSG_118, 401
ER_IB_MSG_1180, 515
ER_IB_MSG_1181, 515
ER_IB_MSG_1182, 515
ER_IB_MSG_1183, 515
ER_IB_MSG_1184, 515
ER_IB_MSG_1185, 515
ER_IB_MSG_1186, 515
ER_IB_MSG_1187, 516
ER_IB_MSG_1188, 516
ER_IB_MSG_1189, 516
ER_IB_MSG_119, 401
ER_IB_MSG_1190, 516
ER_IB_MSG_1191, 516
ER_IB_MSG_1192, 516
ER_IB_MSG_1193, 516
ER_IB_MSG_1194, 516
ER_IB_MSG_1195, 516
ER_IB_MSG_1196, 517
ER_IB_MSG_1197, 517
ER_IB_MSG_1198, 517
ER_IB_MSG_1199, 517
ER_IB_MSG_12, 391
ER_IB_MSG_120, 401
ER_IB_MSG_1200, 517
ER_IB_MSG_1201, 517
ER_IB_MSG_1202, 517
ER_IB_MSG_1203, 517
ER_IB_MSG_1204, 517
ER_IB_MSG_1205, 517
ER_IB_MSG_1206, 518
ER_IB_MSG_1207, 518
ER_IB_MSG_1208, 518
ER_IB_MSG_1209, 518
ER_IB_MSG_121, 402

ER_IB_MSG_1210, 518
ER_IB_MSG_1211, 518
ER_IB_MSG_1212, 518
ER_IB_MSG_1213, 518
ER_IB_MSG_1214, 518
ER_IB_MSG_1215, 518
ER_IB_MSG_1216, 519
ER_IB_MSG_1217, 519
ER_IB_MSG_1218, 519
ER_IB_MSG_1219, 519
ER_IB_MSG_122, 402
ER_IB_MSG_1220, 519
ER_IB_MSG_1221, 519
ER_IB_MSG_1222, 519
ER_IB_MSG_1223, 519
ER_IB_MSG_1224, 520
ER_IB_MSG_1225, 520
ER_IB_MSG_1226, 520
ER_IB_MSG_1227, 520
ER_IB_MSG_1228, 520
ER_IB_MSG_1229, 520
ER_IB_MSG_123, 402
ER_IB_MSG_1230, 520
ER_IB_MSG_1231, 520
ER_IB_MSG_1232, 520
ER_IB_MSG_1233, 520
ER_IB_MSG_1234, 521
ER_IB_MSG_1235, 521
ER_IB_MSG_1236, 521
ER_IB_MSG_1237, 521
ER_IB_MSG_1238, 521
ER_IB_MSG_1239, 521
ER_IB_MSG_124, 402
ER_IB_MSG_1240, 522
ER_IB_MSG_1241, 522
ER_IB_MSG_1242, 522
ER_IB_MSG_1243, 522
ER_IB_MSG_1244, 522
ER_IB_MSG_1245, 522
ER_IB_MSG_1246, 522
ER_IB_MSG_1247, 522
ER_IB_MSG_1248, 523
ER_IB_MSG_1249, 523
ER_IB_MSG_125, 402
ER_IB_MSG_1250, 523
ER_IB_MSG_1251, 523
ER_IB_MSG_1252, 523
ER_IB_MSG_1253, 523
ER_IB_MSG_1254, 523
ER_IB_MSG_1255, 523
ER_IB_MSG_1256, 523
ER_IB_MSG_1257, 524
ER_IB_MSG_1258, 524
ER_IB_MSG_1259, 524
ER_IB_MSG_126, 402
ER_IB_MSG_1260, 524
ER_IB_MSG_1261, 524
ER_IB_MSG_1262, 524
ER_IB_MSG_1263, 524
ER_IB_MSG_1264, 524
ER_IB_MSG_1265, 524
ER_IB_MSG_1266, 525
ER_IB_MSG_1267, 525
ER_IB_MSG_1268, 525
ER_IB_MSG_1269, 525
ER_IB_MSG_127, 402
ER_IB_MSG_1270, 525
ER_IB_MSG_1271, 535
ER_IB_MSG_1272, 535
ER_IB_MSG_1273, 536
ER_IB_MSG_1274, 537
ER_IB_MSG_1275, 537
ER_IB_MSG_1276, 537
ER_IB_MSG_1277, 538
ER_IB_MSG_1278, 538
ER_IB_MSG_1279, 538
ER_IB_MSG_128, 402
ER_IB_MSG_1280, 538
ER_IB_MSG_1281, 538
ER_IB_MSG_1282, 538
ER_IB_MSG_1283, 538
ER_IB_MSG_1284, 538
ER_IB_MSG_1285, 563
ER_IB_MSG_129, 402
ER_IB_MSG_13, 391
ER_IB_MSG_130, 402
ER_IB_MSG_131, 403
ER_IB_MSG_132, 403
ER_IB_MSG_133, 403
ER_IB_MSG_134, 403
ER_IB_MSG_135, 403
ER_IB_MSG_1357, 585
ER_IB_MSG_1358, 585
ER_IB_MSG_1359, 585
ER_IB_MSG_136, 403
ER_IB_MSG_137, 403
ER_IB_MSG_1372, 587
ER_IB_MSG_1373, 587
ER_IB_MSG_1374, 587
ER_IB_MSG_1375, 587
ER_IB_MSG_138, 403
ER_IB_MSG_1381, 588
ER_IB_MSG_139, 403
ER_IB_MSG_14, 391
ER_IB_MSG_140, 403
ER_IB_MSG_141, 404
ER_IB_MSG_142, 404
ER_IB_MSG_143, 404

ER_IB_MSG_144, 404
ER_IB_MSG_145, 404
ER_IB_MSG_146, 404
ER_IB_MSG_147, 404
ER_IB_MSG_148, 404
ER_IB_MSG_149, 404
ER_IB_MSG_15, 391
ER_IB_MSG_150, 405
ER_IB_MSG_151, 405
ER_IB_MSG_152, 405
ER_IB_MSG_153, 405
ER_IB_MSG_154, 405
ER_IB_MSG_155, 406
ER_IB_MSG_156, 406
ER_IB_MSG_157, 406
ER_IB_MSG_158, 406
ER_IB_MSG_159, 406
ER_IB_MSG_16, 391
ER_IB_MSG_160, 406
ER_IB_MSG_161, 406
ER_IB_MSG_162, 406
ER_IB_MSG_163, 406
ER_IB_MSG_164, 407
ER_IB_MSG_165, 407
ER_IB_MSG_166, 407
ER_IB_MSG_167, 407
ER_IB_MSG_168, 407
ER_IB_MSG_169, 407
ER_IB_MSG_17, 391
ER_IB_MSG_170, 407
ER_IB_MSG_171, 407
ER_IB_MSG_172, 407
ER_IB_MSG_173, 407
ER_IB_MSG_174, 408
ER_IB_MSG_175, 408
ER_IB_MSG_176, 408
ER_IB_MSG_177, 408
ER_IB_MSG_178, 408
ER_IB_MSG_179, 408
ER_IB_MSG_18, 391
ER_IB_MSG_180, 408
ER_IB_MSG_181, 408
ER_IB_MSG_182, 408
ER_IB_MSG_183, 409
ER_IB_MSG_184, 409
ER_IB_MSG_185, 409
ER_IB_MSG_186, 409
ER_IB_MSG_187, 409
ER_IB_MSG_188, 409
ER_IB_MSG_189, 409
ER_IB_MSG_19, 391
ER_IB_MSG_190, 409
ER_IB_MSG_191, 409
ER_IB_MSG_192, 409
ER_IB_MSG_193, 410
ER_IB_MSG_194, 410
ER_IB_MSG_195, 410
ER_IB_MSG_196, 410
ER_IB_MSG_197, 410
ER_IB_MSG_198, 410
ER_IB_MSG_199, 410
ER_IB_MSG_2, 390
ER_IB_MSG_20, 391
ER_IB_MSG_200, 410
ER_IB_MSG_201, 410
ER_IB_MSG_202, 410
ER_IB_MSG_203, 411
ER_IB_MSG_204, 411
ER_IB_MSG_205, 411
ER_IB_MSG_206, 411
ER_IB_MSG_207, 411
ER_IB_MSG_208, 411
ER_IB_MSG_209, 411
ER_IB_MSG_21, 391
ER_IB_MSG_210, 411
ER_IB_MSG_211, 411
ER_IB_MSG_212, 411
ER_IB_MSG_213, 412
ER_IB_MSG_214, 412
ER_IB_MSG_215, 412
ER_IB_MSG_216, 412
ER_IB_MSG_217, 412
ER_IB_MSG_218, 412
ER_IB_MSG_219, 412
ER_IB_MSG_22, 392
ER_IB_MSG_220, 412
ER_IB_MSG_221, 412
ER_IB_MSG_222, 412
ER_IB_MSG_223, 413
ER_IB_MSG_224, 413
ER_IB_MSG_225, 413
ER_IB_MSG_226, 413
ER_IB_MSG_227, 413
ER_IB_MSG_228, 413
ER_IB_MSG_229, 413
ER_IB_MSG_23, 392
ER_IB_MSG_230, 413
ER_IB_MSG_231, 413
ER_IB_MSG_232, 413
ER_IB_MSG_233, 414
ER_IB_MSG_234, 414
ER_IB_MSG_235, 414
ER_IB_MSG_236, 414
ER_IB_MSG_237, 414
ER_IB_MSG_238, 414
ER_IB_MSG_239, 414
ER_IB_MSG_24, 392
ER_IB_MSG_240, 414

ER_IB_MSG_241, 414
ER_IB_MSG_242, 414
ER_IB_MSG_243, 415
ER_IB_MSG_244, 415
ER_IB_MSG_245, 415
ER_IB_MSG_246, 415
ER_IB_MSG_247, 415
ER_IB_MSG_248, 415
ER_IB_MSG_249, 415
ER_IB_MSG_25, 392
ER_IB_MSG_250, 415
ER_IB_MSG_251, 415
ER_IB_MSG_252, 415
ER_IB_MSG_253, 416
ER_IB_MSG_254, 416
ER_IB_MSG_255, 416
ER_IB_MSG_256, 416
ER_IB_MSG_257, 416
ER_IB_MSG_258, 416
ER_IB_MSG_259, 416
ER_IB_MSG_26, 392
ER_IB_MSG_260, 416
ER_IB_MSG_261, 416
ER_IB_MSG_262, 416
ER_IB_MSG_263, 417
ER_IB_MSG_264, 417
ER_IB_MSG_265, 417
ER_IB_MSG_266, 417
ER_IB_MSG_267, 417
ER_IB_MSG_268, 417
ER_IB_MSG_269, 417
ER_IB_MSG_27, 392
ER_IB_MSG_270, 417
ER_IB_MSG_271, 417
ER_IB_MSG_272, 417
ER_IB_MSG_273, 418
ER_IB_MSG_274, 418
ER_IB_MSG_275, 418
ER_IB_MSG_276, 418
ER_IB_MSG_277, 418
ER_IB_MSG_278, 418
ER_IB_MSG_279, 418
ER_IB_MSG_28, 392
ER_IB_MSG_280, 418
ER_IB_MSG_281, 418
ER_IB_MSG_282, 418
ER_IB_MSG_283, 419
ER_IB_MSG_284, 419
ER_IB_MSG_285, 419
ER_IB_MSG_286, 419
ER_IB_MSG_287, 419
ER_IB_MSG_288, 419
ER_IB_MSG_289, 419
ER_IB_MSG_29, 392
ER_IB_MSG_290, 419
ER_IB_MSG_291, 420
ER_IB_MSG_292, 420
ER_IB_MSG_293, 420
ER_IB_MSG_294, 420
ER_IB_MSG_295, 420
ER_IB_MSG_296, 420
ER_IB_MSG_297, 420
ER_IB_MSG_298, 420
ER_IB_MSG_299, 420
ER_IB_MSG_3, 390
ER_IB_MSG_30, 392
ER_IB_MSG_300, 421
ER_IB_MSG_301, 421
ER_IB_MSG_302, 421
ER_IB_MSG_303, 421
ER_IB_MSG_304, 421
ER_IB_MSG_305, 421
ER_IB_MSG_306, 421
ER_IB_MSG_307, 422
ER_IB_MSG_308, 422
ER_IB_MSG_309, 422
ER_IB_MSG_31, 392
ER_IB_MSG_310, 422
ER_IB_MSG_311, 422
ER_IB_MSG_312, 422
ER_IB_MSG_313, 422
ER_IB_MSG_314, 422
ER_IB_MSG_315, 422
ER_IB_MSG_316, 422
ER_IB_MSG_317, 423
ER_IB_MSG_318, 423
ER_IB_MSG_319, 423
ER_IB_MSG_32, 393
ER_IB_MSG_320, 423
ER_IB_MSG_321, 423
ER_IB_MSG_322, 423
ER_IB_MSG_323, 423
ER_IB_MSG_324, 423
ER_IB_MSG_325, 423
ER_IB_MSG_326, 423
ER_IB_MSG_327, 424
ER_IB_MSG_328, 424
ER_IB_MSG_329, 424
ER_IB_MSG_33, 393
ER_IB_MSG_330, 424
ER_IB_MSG_331, 424
ER_IB_MSG_332, 424
ER_IB_MSG_333, 424
ER_IB_MSG_334, 424
ER_IB_MSG_335, 424
ER_IB_MSG_336, 424
ER_IB_MSG_337, 425
ER_IB_MSG_338, 425

ER_IB_MSG_339, 425
ER_IB_MSG_34, 393
ER_IB_MSG_340, 425
ER_IB_MSG_341, 425
ER_IB_MSG_342, 425
ER_IB_MSG_343, 425
ER_IB_MSG_344, 425
ER_IB_MSG_345, 425
ER_IB_MSG_346, 425
ER_IB_MSG_347, 426
ER_IB_MSG_348, 426
ER_IB_MSG_349, 426
ER_IB_MSG_35, 393
ER_IB_MSG_350, 426
ER_IB_MSG_351, 426
ER_IB_MSG_352, 426
ER_IB_MSG_353, 426
ER_IB_MSG_354, 426
ER_IB_MSG_355, 426
ER_IB_MSG_356, 427
ER_IB_MSG_357, 427
ER_IB_MSG_358, 427
ER_IB_MSG_359, 427
ER_IB_MSG_36, 393
ER_IB_MSG_360, 427
ER_IB_MSG_361, 427
ER_IB_MSG_362, 427
ER_IB_MSG_363, 427
ER_IB_MSG_364, 427
ER_IB_MSG_365, 427
ER_IB_MSG_366, 428
ER_IB_MSG_367, 428
ER_IB_MSG_368, 428
ER_IB_MSG_369, 428
ER_IB_MSG_37, 393
ER_IB_MSG_370, 428
ER_IB_MSG_371, 428
ER_IB_MSG_372, 428
ER_IB_MSG_373, 428
ER_IB_MSG_374, 428
ER_IB_MSG_375, 429
ER_IB_MSG_376, 429
ER_IB_MSG_377, 429
ER_IB_MSG_378, 429
ER_IB_MSG_379, 429
ER_IB_MSG_38, 393
ER_IB_MSG_380, 429
ER_IB_MSG_381, 429
ER_IB_MSG_382, 429
ER_IB_MSG_383, 429
ER_IB_MSG_384, 429
ER_IB_MSG_385, 430
ER_IB_MSG_386, 430
ER_IB_MSG_387, 430
ER_IB_MSG_388, 430
ER_IB_MSG_389, 430
ER_IB_MSG_39, 393
ER_IB_MSG_390, 430
ER_IB_MSG_391, 430
ER_IB_MSG_392, 430
ER_IB_MSG_393, 431
ER_IB_MSG_394, 431
ER_IB_MSG_395, 431
ER_IB_MSG_396, 431
ER_IB_MSG_397, 431
ER_IB_MSG_398, 431
ER_IB_MSG_399, 431
ER_IB_MSG_4, 390
ER_IB_MSG_40, 393
ER_IB_MSG_400, 431
ER_IB_MSG_401, 431
ER_IB_MSG_402, 431
ER_IB_MSG_403, 432
ER_IB_MSG_404, 432
ER_IB_MSG_405, 432
ER_IB_MSG_406, 432
ER_IB_MSG_407, 432
ER_IB_MSG_408, 432
ER_IB_MSG_409, 432
ER_IB_MSG_41, 393
ER_IB_MSG_410, 432
ER_IB_MSG_411, 432
ER_IB_MSG_412, 432
ER_IB_MSG_413, 433
ER_IB_MSG_414, 433
ER_IB_MSG_415, 433
ER_IB_MSG_416, 433
ER_IB_MSG_417, 433
ER_IB_MSG_418, 433
ER_IB_MSG_419, 433
ER_IB_MSG_42, 394
ER_IB_MSG_420, 433
ER_IB_MSG_421, 433
ER_IB_MSG_422, 433
ER_IB_MSG_423, 434
ER_IB_MSG_424, 434
ER_IB_MSG_425, 434
ER_IB_MSG_426, 434
ER_IB_MSG_427, 434
ER_IB_MSG_428, 434
ER_IB_MSG_429, 434
ER_IB_MSG_43, 394
ER_IB_MSG_430, 434
ER_IB_MSG_431, 434
ER_IB_MSG_432, 434
ER_IB_MSG_433, 435
ER_IB_MSG_434, 435
ER_IB_MSG_435, 435

ER_IB_MSG_436, 435
ER_IB_MSG_437, 435
ER_IB_MSG_438, 435
ER_IB_MSG_439, 435
ER_IB_MSG_44, 394
ER_IB_MSG_440, 435
ER_IB_MSG_441, 435
ER_IB_MSG_442, 435
ER_IB_MSG_443, 436
ER_IB_MSG_444, 436
ER_IB_MSG_445, 436
ER_IB_MSG_446, 436
ER_IB_MSG_447, 436
ER_IB_MSG_448, 436
ER_IB_MSG_449, 436
ER_IB_MSG_45, 394
ER_IB_MSG_450, 436
ER_IB_MSG_451, 436
ER_IB_MSG_452, 436
ER_IB_MSG_453, 437
ER_IB_MSG_454, 437
ER_IB_MSG_455, 437
ER_IB_MSG_456, 437
ER_IB_MSG_457, 437
ER_IB_MSG_458, 437
ER_IB_MSG_459, 437
ER_IB_MSG_46, 394
ER_IB_MSG_460, 437
ER_IB_MSG_461, 437
ER_IB_MSG_462, 437
ER_IB_MSG_463, 438
ER_IB_MSG_464, 438
ER_IB_MSG_465, 438
ER_IB_MSG_466, 438
ER_IB_MSG_467, 438
ER_IB_MSG_468, 438
ER_IB_MSG_469, 438
ER_IB_MSG_47, 394
ER_IB_MSG_470, 438
ER_IB_MSG_471, 438
ER_IB_MSG_472, 438
ER_IB_MSG_473, 439
ER_IB_MSG_474, 439
ER_IB_MSG_475, 439
ER_IB_MSG_476, 439
ER_IB_MSG_477, 439
ER_IB_MSG_478, 439
ER_IB_MSG_479, 439
ER_IB_MSG_48, 394
ER_IB_MSG_480, 439
ER_IB_MSG_481, 439
ER_IB_MSG_482, 439
ER_IB_MSG_483, 440
ER_IB_MSG_484, 440
ER_IB_MSG_485, 440
ER_IB_MSG_486, 440
ER_IB_MSG_487, 440
ER_IB_MSG_488, 440
ER_IB_MSG_489, 440
ER_IB_MSG_49, 394
ER_IB_MSG_490, 440
ER_IB_MSG_491, 440
ER_IB_MSG_492, 440
ER_IB_MSG_493, 441
ER_IB_MSG_494, 441
ER_IB_MSG_495, 441
ER_IB_MSG_496, 441
ER_IB_MSG_497, 441
ER_IB_MSG_498, 441
ER_IB_MSG_499, 441
ER_IB_MSG_5, 390
ER_IB_MSG_50, 394
ER_IB_MSG_500, 441
ER_IB_MSG_501, 441
ER_IB_MSG_502, 441
ER_IB_MSG_503, 442
ER_IB_MSG_504, 442
ER_IB_MSG_505, 442
ER_IB_MSG_506, 442
ER_IB_MSG_507, 442
ER_IB_MSG_508, 442
ER_IB_MSG_509, 442
ER_IB_MSG_51, 394
ER_IB_MSG_510, 442
ER_IB_MSG_511, 442
ER_IB_MSG_512, 442
ER_IB_MSG_513, 443
ER_IB_MSG_514, 443
ER_IB_MSG_515, 443
ER_IB_MSG_516, 443
ER_IB_MSG_517, 443
ER_IB_MSG_518, 443
ER_IB_MSG_519, 443
ER_IB_MSG_52, 395
ER_IB_MSG_520, 443
ER_IB_MSG_521, 443
ER_IB_MSG_522, 443
ER_IB_MSG_523, 444
ER_IB_MSG_524, 444
ER_IB_MSG_525, 444
ER_IB_MSG_526, 444
ER_IB_MSG_527, 444
ER_IB_MSG_528, 444
ER_IB_MSG_529, 444
ER_IB_MSG_53, 395
ER_IB_MSG_530, 444
ER_IB_MSG_531, 444
ER_IB_MSG_532, 444

ER_IB_MSG_533, 445
ER_IB_MSG_534, 445
ER_IB_MSG_535, 445
ER_IB_MSG_536, 445
ER_IB_MSG_537, 445
ER_IB_MSG_538, 445
ER_IB_MSG_539, 445
ER_IB_MSG_54, 395
ER_IB_MSG_540, 445
ER_IB_MSG_541, 445
ER_IB_MSG_542, 445
ER_IB_MSG_543, 446
ER_IB_MSG_544, 446
ER_IB_MSG_545, 446
ER_IB_MSG_546, 446
ER_IB_MSG_547, 446
ER_IB_MSG_548, 446
ER_IB_MSG_549, 446
ER_IB_MSG_55, 395
ER_IB_MSG_550, 446
ER_IB_MSG_551, 446
ER_IB_MSG_552, 446
ER_IB_MSG_553, 447
ER_IB_MSG_554, 447
ER_IB_MSG_555, 447
ER_IB_MSG_556, 447
ER_IB_MSG_557, 447
ER_IB_MSG_558, 447
ER_IB_MSG_559, 447
ER_IB_MSG_56, 395
ER_IB_MSG_560, 447
ER_IB_MSG_561, 447
ER_IB_MSG_562, 447
ER_IB_MSG_563, 448
ER_IB_MSG_564, 448
ER_IB_MSG_565, 448
ER_IB_MSG_566, 448
ER_IB_MSG_567, 448
ER_IB_MSG_568, 448
ER_IB_MSG_569, 448
ER_IB_MSG_57, 395
ER_IB_MSG_570, 448
ER_IB_MSG_571, 448
ER_IB_MSG_572, 449
ER_IB_MSG_573, 449
ER_IB_MSG_574, 449
ER_IB_MSG_575, 449
ER_IB_MSG_576, 449
ER_IB_MSG_577, 449
ER_IB_MSG_578, 449
ER_IB_MSG_579, 449
ER_IB_MSG_57_STAT_SPACE_DELETE_FAIL, 580
ER_IB_MSG_57_UNDO_SPACE_DELETE_FAIL, 576
ER_IB_MSG_58, 395
ER_IB_MSG_580, 449
ER_IB_MSG_581, 449
ER_IB_MSG_582, 450
ER_IB_MSG_583, 450
ER_IB_MSG_584, 450
ER_IB_MSG_585, 450
ER_IB_MSG_586, 450
ER_IB_MSG_587, 450
ER_IB_MSG_588, 450
ER_IB_MSG_589, 450
ER_IB_MSG_59, 395
ER_IB_MSG_590, 450
ER_IB_MSG_591, 450
ER_IB_MSG_592, 451
ER_IB_MSG_593, 451
ER_IB_MSG_594, 451
ER_IB_MSG_595, 451
ER_IB_MSG_596, 451
ER_IB_MSG_597, 451
ER_IB_MSG_598, 451
ER_IB_MSG_599, 451
ER_IB_MSG_6, 390
ER_IB_MSG_60, 395
ER_IB_MSG_600, 451
ER_IB_MSG_601, 451
ER_IB_MSG_602, 452
ER_IB_MSG_603, 452
ER_IB_MSG_604, 452
ER_IB_MSG_605, 452
ER_IB_MSG_606, 452
ER_IB_MSG_607, 452
ER_IB_MSG_608, 452
ER_IB_MSG_609, 452
ER_IB_MSG_61, 395
ER_IB_MSG_610, 452
ER_IB_MSG_611, 452
ER_IB_MSG_612, 453
ER_IB_MSG_613, 453
ER_IB_MSG_614, 453
ER_IB_MSG_615, 453
ER_IB_MSG_616, 453
ER_IB_MSG_617, 453
ER_IB_MSG_618, 453
ER_IB_MSG_619, 453
ER_IB_MSG_62, 396
ER_IB_MSG_620, 453
ER_IB_MSG_621, 453
ER_IB_MSG_622, 454
ER_IB_MSG_623, 454
ER_IB_MSG_624, 454
ER_IB_MSG_625, 454
ER_IB_MSG_626, 454
ER_IB_MSG_627, 454
ER_IB_MSG_628, 454

ER_IB_MSG_629, 454
ER_IB_MSG_63, 396
ER_IB_MSG_630, 454
ER_IB_MSG_631, 454
ER_IB_MSG_632, 455
ER_IB_MSG_633, 455
ER_IB_MSG_634, 455
ER_IB_MSG_635, 455
ER_IB_MSG_636, 455
ER_IB_MSG_637, 455
ER_IB_MSG_638, 455
ER_IB_MSG_639, 455
ER_IB_MSG_64, 396
ER_IB_MSG_640, 455
ER_IB_MSG_641, 456
ER_IB_MSG_642, 456
ER_IB_MSG_643, 456
ER_IB_MSG_644, 456
ER_IB_MSG_645, 456
ER_IB_MSG_646, 456
ER_IB_MSG_647, 456
ER_IB_MSG_648, 456
ER_IB_MSG_649, 456
ER_IB_MSG_65, 396
ER_IB_MSG_650, 456
ER_IB_MSG_651, 457
ER_IB_MSG_652, 457
ER_IB_MSG_653, 457
ER_IB_MSG_654, 457
ER_IB_MSG_655, 457
ER_IB_MSG_656, 457
ER_IB_MSG_657, 457
ER_IB_MSG_658, 457
ER_IB_MSG_659, 457
ER_IB_MSG_66, 396
ER_IB_MSG_660, 458
ER_IB_MSG_661, 458
ER_IB_MSG_662, 458
ER_IB_MSG_663, 458
ER_IB_MSG_664, 458
ER_IB_MSG_665, 458
ER_IB_MSG_666, 458
ER_IB_MSG_667, 458
ER_IB_MSG_668, 458
ER_IB_MSG_669, 459
ER_IB_MSG_67, 396
ER_IB_MSG_670, 459
ER_IB_MSG_671, 459
ER_IB_MSG_672, 459
ER_IB_MSG_673, 459
ER_IB_MSG_674, 459
ER_IB_MSG_675, 459
ER_IB_MSG_676, 459
ER_IB_MSG_677, 459
ER_IB_MSG_678, 459
ER_IB_MSG_679, 460
ER_IB_MSG_68, 396
ER_IB_MSG_680, 460
ER_IB_MSG_681, 460
ER_IB_MSG_682, 460
ER_IB_MSG_683, 460
ER_IB_MSG_684, 460
ER_IB_MSG_685, 460
ER_IB_MSG_686, 460
ER_IB_MSG_687, 460
ER_IB_MSG_688, 460
ER_IB_MSG_689, 461
ER_IB_MSG_69, 396
ER_IB_MSG_690, 461
ER_IB_MSG_691, 461
ER_IB_MSG_692, 461
ER_IB_MSG_693, 461
ER_IB_MSG_694, 461
ER_IB_MSG_695, 461
ER_IB_MSG_696, 461
ER_IB_MSG_697, 461
ER_IB_MSG_698, 462
ER_IB_MSG_699, 462
ER_IB_MSG_7, 390
ER_IB_MSG_70, 396
ER_IB_MSG_700, 462
ER_IB_MSG_701, 462
ER_IB_MSG_702, 462
ER_IB_MSG_703, 462
ER_IB_MSG_704, 463
ER_IB_MSG_705, 463
ER_IB_MSG_706, 463
ER_IB_MSG_707, 463
ER_IB_MSG_708, 463
ER_IB_MSG_709, 463
ER_IB_MSG_71, 396
ER_IB_MSG_710, 463
ER_IB_MSG_711, 464
ER_IB_MSG_712, 464
ER_IB_MSG_713, 464
ER_IB_MSG_714, 464
ER_IB_MSG_715, 464
ER_IB_MSG_716, 464
ER_IB_MSG_717, 464
ER_IB_MSG_718, 464
ER_IB_MSG_719, 464
ER_IB_MSG_72, 397
ER_IB_MSG_720, 464
ER_IB_MSG_721, 465
ER_IB_MSG_722, 465
ER_IB_MSG_723, 465
ER_IB_MSG_724, 465
ER_IB_MSG_725, 465

ER_IB_MSG_726, 465
ER_IB_MSG_727, 465
ER_IB_MSG_728, 465
ER_IB_MSG_729, 466
ER_IB_MSG_73, 397
ER_IB_MSG_730, 466
ER_IB_MSG_731, 466
ER_IB_MSG_732, 466
ER_IB_MSG_733, 466
ER_IB_MSG_734, 467
ER_IB_MSG_735, 467
ER_IB_MSG_736, 467
ER_IB_MSG_737, 467
ER_IB_MSG_738, 467
ER_IB_MSG_739, 468
ER_IB_MSG_74, 397
ER_IB_MSG_740, 468
ER_IB_MSG_741, 468
ER_IB_MSG_742, 468
ER_IB_MSG_743, 468
ER_IB_MSG_744, 468
ER_IB_MSG_745, 468
ER_IB_MSG_746, 468
ER_IB_MSG_747, 468
ER_IB_MSG_748, 468
ER_IB_MSG_749, 469
ER_IB_MSG_75, 397
ER_IB_MSG_750, 469
ER_IB_MSG_751, 469
ER_IB_MSG_752, 469
ER_IB_MSG_753, 469
ER_IB_MSG_754, 469
ER_IB_MSG_755, 469
ER_IB_MSG_756, 469
ER_IB_MSG_757, 469
ER_IB_MSG_758, 469
ER_IB_MSG_759, 470
ER_IB_MSG_76, 397
ER_IB_MSG_760, 470
ER_IB_MSG_761, 470
ER_IB_MSG_762, 470
ER_IB_MSG_763, 470
ER_IB_MSG_764, 470
ER_IB_MSG_765, 470
ER_IB_MSG_766, 470
ER_IB_MSG_767, 470
ER_IB_MSG_768, 470
ER_IB_MSG_769, 471
ER_IB_MSG_77, 397
ER_IB_MSG_770, 471
ER_IB_MSG_771, 471
ER_IB_MSG_772, 471
ER_IB_MSG_773, 471
ER_IB_MSG_774, 471
ER_IB_MSG_775, 471
ER_IB_MSG_776, 471
ER_IB_MSG_777, 471
ER_IB_MSG_778, 471
ER_IB_MSG_779, 472
ER_IB_MSG_78, 397
ER_IB_MSG_780, 472
ER_IB_MSG_781, 472
ER_IB_MSG_782, 472
ER_IB_MSG_783, 472
ER_IB_MSG_784, 472
ER_IB_MSG_785, 472
ER_IB_MSG_786, 472
ER_IB_MSG_787, 472
ER_IB_MSG_788, 472
ER_IB_MSG_789, 473
ER_IB_MSG_79, 397
ER_IB_MSG_790, 473
ER_IB_MSG_791, 473
ER_IB_MSG_792, 473
ER_IB_MSG_793, 473
ER_IB_MSG_794, 473
ER_IB_MSG_795, 473
ER_IB_MSG_796, 473
ER_IB_MSG_797, 473
ER_IB_MSG_798, 473
ER_IB_MSG_799, 474
ER_IB_MSG_8, 390
ER_IB_MSG_80, 397
ER_IB_MSG_800, 474
ER_IB_MSG_801, 474
ER_IB_MSG_802, 474
ER_IB_MSG_803, 474
ER_IB_MSG_804, 474
ER_IB_MSG_805, 474
ER_IB_MSG_806, 474
ER_IB_MSG_807, 474
ER_IB_MSG_808, 474
ER_IB_MSG_809, 475
ER_IB_MSG_81, 397
ER_IB_MSG_810, 475
ER_IB_MSG_811, 475
ER_IB_MSG_812, 475
ER_IB_MSG_813, 475
ER_IB_MSG_814, 475
ER_IB_MSG_815, 475
ER_IB_MSG_816, 475
ER_IB_MSG_817, 475
ER_IB_MSG_818, 475
ER_IB_MSG_819, 476
ER_IB_MSG_82, 398
ER_IB_MSG_820, 476
ER_IB_MSG_821, 476
ER_IB_MSG_822, 476

ER_IB_MSG_823, 476
ER_IB_MSG_824, 476
ER_IB_MSG_825, 476
ER_IB_MSG_826, 476
ER_IB_MSG_827, 476
ER_IB_MSG_828, 476
ER_IB_MSG_829, 477
ER_IB_MSG_83, 398
ER_IB_MSG_830, 477
ER_IB_MSG_831, 477
ER_IB_MSG_832, 477
ER_IB_MSG_833, 477
ER_IB_MSG_834, 477
ER_IB_MSG_835, 477
ER_IB_MSG_836, 477
ER_IB_MSG_837, 477
ER_IB_MSG_838, 477
ER_IB_MSG_839, 478
ER_IB_MSG_84, 398
ER_IB_MSG_840, 478
ER_IB_MSG_841, 478
ER_IB_MSG_842, 478
ER_IB_MSG_843, 478
ER_IB_MSG_844, 478
ER_IB_MSG_845, 478
ER_IB_MSG_846, 478
ER_IB_MSG_847, 479
ER_IB_MSG_848, 479
ER_IB_MSG_849, 479
ER_IB_MSG_85, 398
ER_IB_MSG_850, 479
ER_IB_MSG_851, 479
ER_IB_MSG_852, 479
ER_IB_MSG_853, 479
ER_IB_MSG_854, 479
ER_IB_MSG_855, 479
ER_IB_MSG_856, 479
ER_IB_MSG_857, 480
ER_IB_MSG_858, 480
ER_IB_MSG_859, 480
ER_IB_MSG_86, 398
ER_IB_MSG_860, 480
ER_IB_MSG_861, 480
ER_IB_MSG_862, 480
ER_IB_MSG_863, 480
ER_IB_MSG_864, 480
ER_IB_MSG_865, 480
ER_IB_MSG_866, 480
ER_IB_MSG_867, 481
ER_IB_MSG_868, 481
ER_IB_MSG_869, 481
ER_IB_MSG_87, 398
ER_IB_MSG_870, 481
ER_IB_MSG_871, 481
ER_IB_MSG_872, 481
ER_IB_MSG_873, 481
ER_IB_MSG_874, 481
ER_IB_MSG_875, 481
ER_IB_MSG_876, 481
ER_IB_MSG_877, 482
ER_IB_MSG_878, 482
ER_IB_MSG_879, 482
ER_IB_MSG_88, 398
ER_IB_MSG_880, 482
ER_IB_MSG_881, 482
ER_IB_MSG_882, 482
ER_IB_MSG_883, 482
ER_IB_MSG_884, 482
ER_IB_MSG_885, 482
ER_IB_MSG_886, 482
ER_IB_MSG_887, 483
ER_IB_MSG_888, 483
ER_IB_MSG_889, 483
ER_IB_MSG_89, 398
ER_IB_MSG_890, 483
ER_IB_MSG_891, 483
ER_IB_MSG_892, 483
ER_IB_MSG_893, 483
ER_IB_MSG_894, 483
ER_IB_MSG_895, 483
ER_IB_MSG_896, 483
ER_IB_MSG_897, 484
ER_IB_MSG_898, 484
ER_IB_MSG_899, 484
ER_IB_MSG_9, 390
ER_IB_MSG_90, 398
ER_IB_MSG_900, 484
ER_IB_MSG_901, 484
ER_IB_MSG_902, 484
ER_IB_MSG_903, 484
ER_IB_MSG_904, 484
ER_IB_MSG_905, 484
ER_IB_MSG_906, 484
ER_IB_MSG_907, 485
ER_IB_MSG_908, 485
ER_IB_MSG_909, 485
ER_IB_MSG_91, 399
ER_IB_MSG_910, 485
ER_IB_MSG_911, 485
ER_IB_MSG_912, 485
ER_IB_MSG_913, 485
ER_IB_MSG_914, 485
ER_IB_MSG_915, 485
ER_IB_MSG_916, 485
ER_IB_MSG_917, 486
ER_IB_MSG_918, 486
ER_IB_MSG_919, 486
ER_IB_MSG_92, 399

ER_IB_MSG_920, 486
ER_IB_MSG_921, 486
ER_IB_MSG_922, 486
ER_IB_MSG_923, 486
ER_IB_MSG_924, 486
ER_IB_MSG_925, 486
ER_IB_MSG_926, 486
ER_IB_MSG_927, 487
ER_IB_MSG_928, 487
ER_IB_MSG_929, 487
ER_IB_MSG_93, 399
ER_IB_MSG_930, 487
ER_IB_MSG_931, 487
ER_IB_MSG_932, 487
ER_IB_MSG_933, 487
ER_IB_MSG_934, 487
ER_IB_MSG_935, 487
ER_IB_MSG_936, 487
ER_IB_MSG_937, 488
ER_IB_MSG_938, 488
ER_IB_MSG_939, 488
ER_IB_MSG_94, 399
ER_IB_MSG_940, 488
ER_IB_MSG_941, 488
ER_IB_MSG_942, 488
ER_IB_MSG_943, 488
ER_IB_MSG_944, 488
ER_IB_MSG_945, 488
ER_IB_MSG_946, 488
ER_IB_MSG_947, 489
ER_IB_MSG_948, 489
ER_IB_MSG_949, 489
ER_IB_MSG_95, 399
ER_IB_MSG_950, 489
ER_IB_MSG_951, 489
ER_IB_MSG_952, 489
ER_IB_MSG_953, 489
ER_IB_MSG_954, 489
ER_IB_MSG_955, 489
ER_IB_MSG_956, 489
ER_IB_MSG_957, 490
ER_IB_MSG_958, 490
ER_IB_MSG_959, 490
ER_IB_MSG_96, 399
ER_IB_MSG_960, 490
ER_IB_MSG_961, 490
ER_IB_MSG_962, 490
ER_IB_MSG_963, 490
ER_IB_MSG_964, 490
ER_IB_MSG_965, 490
ER_IB_MSG_966, 490
ER_IB_MSG_967, 491
ER_IB_MSG_968, 491
ER_IB_MSG_969, 491
ER_IB_MSG_97, 399
ER_IB_MSG_970, 491
ER_IB_MSG_971, 491
ER_IB_MSG_972, 491
ER_IB_MSG_973, 491
ER_IB_MSG_974, 491
ER_IB_MSG_975, 491
ER_IB_MSG_976, 491
ER_IB_MSG_977, 492
ER_IB_MSG_978, 492
ER_IB_MSG_979, 492
ER_IB_MSG_98, 399
ER_IB_MSG_980, 492
ER_IB_MSG_981, 492
ER_IB_MSG_982, 492
ER_IB_MSG_983, 492
ER_IB_MSG_984, 492
ER_IB_MSG_985, 492
ER_IB_MSG_986, 492
ER_IB_MSG_987, 493
ER_IB_MSG_988, 493
ER_IB_MSG_989, 493
ER_IB_MSG_99, 399
ER_IB_MSG_990, 493
ER_IB_MSG_991, 493
ER_IB_MSG_992, 493
ER_IB_MSG_993, 493
ER_IB_MSG_994, 493
ER_IB_MSG_995, 493
ER_IB_MSG_996, 493
ER_IB_MSG_997, 494
ER_IB_MSG_998, 494
ER_IB_MSG_999, 494
ER_IB_MSG_ABORTING_LOG_ARCHIVER, 643
ER_IB_MSG_BAD_DBLWR_FILE_NAME, 577
ER_IB_MSG_BTREE_LEVEL_LIMIT_EXCEEDED, 566
ER_IB_MSG_BUF_PENDING_IO, 506
ER_IB_MSG_BUF_PENDING_IO_ON_SHUTDOWN, 523
ER_IB_MSG_BUF_POOL_RESIZE_CODE_STATUS, 627
ER_IB_MSG_BUF_POOL_RESIZE_COMPLETE_CUR_CODE 627
ER_IB_MSG_BUF_POOL_RESIZE_PROGRESS_UPDATE, 627
ER_IB_MSG_CANNOT_FIND_DD_UNDO_SPACE, 582
ER_IB_MSG_CANNOT_OPEN_57_UNDO, 503
ER_IB_MSG_CANT_DECRYPT_REDO_LOG, 478
ER_IB_MSG_CANT_ENCRYPT_REDO_LOG_DATA, 478
ER_IB_MSG_CLEAR_INSTANT_DROP_COLUMN_METADAT 626

ER_IB_MSG_CLOCK_GETTIME_FAILED, 563
ER_IB_MSG_CLOCK_MONOTONIC_UNSUPPORTED, 563
ER_IB_MSG_CLONE_DDL_APPLY, 607
ER_IB_MSG_CLONE_DDL_INVALIDATE, 607
ER_IB_MSG_CLONE_DDL_NTFN, 607
ER_IB_MSG_CREATED_UNDO_SPACE, 591
ER_IB_MSG_CREATE_LOG_FILE, 580
ER_IB_MSG_DATA_DIRECTORY_NOT_INITIALIZED_OR_RECOVERED, 509
ER_IB_MSG_DBLWR_1285, 576
ER_IB_MSG_DBLWR_1286, 576
ER_IB_MSG_DBLWR_1287, 576
ER_IB_MSG_DBLWR_1288, 576
ER_IB_MSG_DBLWR_1290, 576
ER_IB_MSG_DBLWR_1291, 576
ER_IB_MSG_DBLWR_1292, 577
ER_IB_MSG_DBLWR_1293, 577
ER_IB_MSG_DBLWR_1294, 577
ER_IB_MSG_DBLWR_1295, 577
ER_IB_MSG_DBLWR_1296, 577
ER_IB_MSG_DBLWR_1297, 577
ER_IB_MSG_DBLWR_1298, 577
ER_IB_MSG_DBLWR_1300, 577
ER_IB_MSG_DBLWR_1301, 577
ER_IB_MSG_DBLWR_1304, 578
ER_IB_MSG_DBLWR_1305, 578
ER_IB_MSG_DBLWR_1306, 578
ER_IB_MSG_DBLWR_1307, 578
ER_IB_MSG_DBLWR_1308, 578
ER_IB_MSG_DBLWR_1309, 578
ER_IB_MSG_DBLWR_1310, 578
ER_IB_MSG_DBLWR_1311, 578
ER_IB_MSG_DBLWR_1312, 578
ER_IB_MSG_DBLWR_1313, 578
ER_IB_MSG_DBLWR_1314, 579
ER_IB_MSG_DBLWR_1315, 579
ER_IB_MSG_DBLWR_1316, 579
ER_IB_MSG_DBLWR_1317, 579
ER_IB_MSG_DBLWR_1318, 579
ER_IB_MSG_DBLWR_1319, 579
ER_IB_MSG_DBLWR_1320, 579
ER_IB_MSG_DBLWR_1321, 579
ER_IB_MSG_DBLWR_1322, 579
ER_IB_MSG_DBLWR_1323, 579
ER_IB_MSG_DBLWR_1324, 580
ER_IB_MSG_DBLWR_1325, 580
ER_IB_MSG_DBLWR_1326, 580
ER_IB_MSG_DBLWR_1327, 580
ER_IB_MSG_DDL_FAIL_NO_BUILDER, 641
ER_IB_MSG_DDL_LOG_DELETE_BY_ID_OK, 457
ER_IB_MSG_DDL_LOG_DELETE_BY_ID_TMCT, 560
ER_IB_MSG_DDL_LOG_FAIL_POST_DDL, 560
ER_IB_MSG_DEPRECATED_INNODB_UNDO_TABLESPACES, 546
ER_IB_MSG_DICT_PARTITION_NOT_FOUND, 575
ER_IB_MSG_DIR_DOES_NOT_EXIST, 546
ER_IB_MSG_DOWNGRADE_PARTITION_FILE, 574
ER_IB_MSG_DROPPED_UNDO_SPACE, 591
ER_IB_MSG_ERROR_OPENING_NEW_UNDO_SPACE, 544
ER_IB_MSG_FAILED_SDI_Z_BUF_ERROR, 544
ER_IB_MSG_FAILED_SDI_Z_MEM_ERROR, 544
ER_IB_MSG_FAILED_TO_ALLOCATE_WAIT, 544
ER_IB_MSG_FAILED_TO_FINISH_TRUNCATE, 545
ER_IB_MSG_FAIL_TO_SAVE_SPACE_STATE, 544
ER_IB_MSG_FILE_RESIZE, 500
ER_IB_MSG_FIL_STATE_MOVED_CHANGED_NAME, 574
ER_IB_MSG_FIL_STATE_MOVED_CHANGED_PATH, 574
ER_IB_MSG_FIL_STATE_MOVED_CORRECTED, 574
ER_IB_MSG_FIL_STATE_MOVED_PREV, 642
ER_IB_MSG_FIL_STATE_MOVED_PREV_OR_HAS_DATADIR, 642
ER_IB_MSG_FIL_STATE_MOVED_TOO_MANY, 574
ER_IB_MSG_FOUND_WRONG_UNDO_SPACE, 545
ER_IB_MSG_GENERAL_TABLESPACE_UNDER_DATADIR, 430
ER_IB_MSG_GTID_FLUSH_AT_SHUTDOWN, 580
ER_IB_MSG_IGNORE_SCAN_PATH, 428
ER_IB_MSG_IMPLICIT_TABLESPACE_IN_DATADIR, 430
ER_IB_MSG_INCORRECT_SIZE, 590
ER_IB_MSG_INJECT_CRASH, 589
ER_IB_MSG_INJECT_FAILURE, 589
ER_IB_MSG_INNODB_END_INITIALIZE, 581
ER_IB_MSG_INNODB_START_INITIALIZE, 581
ER_IB_MSG_INVALID_LOCATION_FOR_TABLE, 448
ER_IB_MSG_INVALID_LOCATION_FOR_TABLESPACE, 582
ER_IB_MSG_INVALID_LOCATION_WRONG_DB, 582
ER_IB_MSG_INVALID_PAGE_TYPE, 628
ER_IB_MSG_LOCK_FREE_HASH_USAGE_STATS, 546
ER_IB_MSG_LOG_CHECKPOINT_FOUND, 618
ER_IB_MSG_LOG_CORRUPT, 462
ER_IB_MSG_LOG_FILES_CANNOT_ENCRYPT_IN_READ_ONLY 522
ER_IB_MSG_LOG_FILES_CAPACITY_CHANGED, 619
ER_IB_MSG_LOG_FILES_CREATED_BY_CLONE, 466

ER_IB_MSG_LOG_FILES_CREATED_BY_CLONE_AND_READ_ONLY_MODE, 616
ER_IB_MSG_LOG_FILES_CREATED_BY_MEB, 466
ER_IB_MSG_LOG_FILES_CREATED_BY_MEB_AND_READ_ONLY_MODE, 466
ER_IB_MSG_LOG_FILES_CREATED_BY_UNKNOWN_CREATOR, 620
ER_IB_MSG_LOG_FILES_CREATE_AND_READ_ONLY_MODE, 501
ER_IB_MSG_LOG_FILES_DIFFERENT_SIZES, 509
ER_IB_MSG_LOG_FILES_ENCRYPTION_INIT_FAILED, 522
ER_IB_MSG_LOG_FILES_FOUND_MISSING, 620
ER_IB_MSG_LOG_FILES_INITIALIZED, 501
ER_IB_MSG_LOG_FILES_INVALID_SET, 509
ER_IB_MSG_LOG_FILES_RESIZE_CANCELLED, 619
ER_IB_MSG_LOG_FILES_RESIZE_FINISHED, 619
ER_IB_MSG_LOG_FILES_RESIZE_ON_START, 519
ER_IB_MSG_LOG_FILES_RESIZE_ON_START_FAILED__UNEXPECTED, 618
ER_IB_MSG_LOG_FILES_RESIZE_ON_START_IN_READ_ONLY_MODE, 510
ER_IB_MSG_LOG_FILES_RESIZE_REQUESTED, 619
ER_IB_MSG_LOG_FILES_REWRITING, 510
ER_IB_MSG_LOG_FILES_UPGRADE, 619
ER_IB_MSG_LOG_FILE_DIFFERENT_FORMATS, 620
ER_IB_MSG_LOG_FILE_FOREIGN_UUID, 618
ER_IB_MSG_LOG_FILE_FORMAT_TOO_NEW, 620
ER_IB_MSG_LOG_FILE_FORMAT_TOO_OLD, 620
ER_IB_MSG_LOG_FILE_FORMAT_UNKNOWN, 463
ER_IB_MSG_LOG_FILE_HEADER_INVALID_CHECKSUM, 524
ER_IB_MSG_LOG_FILE_HEADER_READ_FAILED, 615
ER_IB_MSG_LOG_FILE_INVALID_LSN_RANGES, 618
ER_IB_MSG_LOG_FILE_INVALID_START_LSN, 618
ER_IB_MSG_LOG_FILE_IS_EMPTY, 615
ER_IB_MSG_LOG_FILE_MARK_AS_UNUSED_FAILED, 621
ER_IB_MSG_LOG_FILE_MARK_CURRENT_AS_INCOMPLETE, 619
ER_IB_MSG_LOG_FILE_MISSING_FOR_ID, 618
ER_IB_MSG_LOG_FILE_OPEN_FAILED, 502
ER_IB_MSG_LOG_FILE_OS_CREATE_FAILED, 500
ER_IB_MSG_LOG_FILE_PREPARE_ON_CREATE_FAILED, 501
ER_IB_MSG_LOG_FILE_REMOVE_FAILED, 619
ER_IB_MSG_LOG_FILE_RENAME_ON_CREATE_FAILED, 619
ER_IB_MSG_LOG_FILE_RESIZE_FAILED, 501
ER_IB_MSG_LOG_FILE_SIZE_INVALID, 509
ER_IB_MSG_LOG_FILE_TOO_BIG, 615
ER_IB_MSG_LOG_FILE_TOO_SMALL, 615
ER_IB_MSG_LOG_FILE_TRUNCATE, 621
ER_IB_MSG_LOG_FILE_UNUSED_MARK_AS_IN_USE_FAIL, 621
ER_IB_MSG_LOG_FILE_UNUSED_REMOVE_FAILED, 621
ER_IB_MSG_LOG_FILE_UNUSED_RENAME_FAILED, 621
ER_IB_MSG_LOG_FILE_UNUSED_RESIZE_FAILED, 621
ER_IB_MSG_LOG_FORMAT_BEFORE_5_7_9, 525
ER_IB_MSG_LOG_FORMAT_BEFORE_8_0_30, 463
ER_IB_MSG_LOG_FORMAT_NOT_SUPPORTED, 466
ER_IB_MSG_LOG_FORMAT_OLD, 466
ER_IB_MSG_LOG_FORMAT_OLD_AND_LOG_CORRUPTED, 462
ER_IB_MSG_LOG_FORMAT_OLD_AND_NO_CLEAN_SHUTD, 462
ER_IB_MSG_LOG_INIT_DIR_LIST_FAILED, 616
ER_IB_MSG_LOG_INIT_DIR_MISSING_SUBDIR, 616
ER_IB_MSG_LOG_INIT_DIR_NOT_EMPTY_WONT_INITIALIZ, 616
ER_IB_MSG_LOG_PARAMS_CONCURRENCY_MARGIN_UN, 525
ER_IB_MSG_LOG_PARAMS_DEDICATED_SERVER_IGNOR, 621
ER_IB_MSG_LOG_PARAMS_FILE_SIZE_UNUSED, 617
ER_IB_MSG_LOG_PARAMS_LEGACY_USAGE, 621
ER_IB_MSG_LOG_PARAMS_N_FILES_UNUSED, 617
ER_IB_MSG_LOG_PFS_ACQUIRE_SERVICES_FAILED, 620
ER_IB_MSG_LOG_PFS_CREATE_TABLES_FAILED, 620
ER_IB_MSG_LOG_PRE_8_0_30_MISSING_FILE0, 620
ER_IB_MSG_LOG_UPGRADE_CLONED_DB, 617
ER_IB_MSG_LOG_UPGRADE_CORRUPTION__UNEXPECTE, 617
ER_IB_MSG_LOG_UPGRADE_FLUSH_FAILED__UNEXPECT, 618
ER_IB_MSG_LOG_UPGRADE_FORCED_RECV, 617
ER_IB_MSG_LOG_UPGRADE_IN_READ_ONLY_MODE, 617
ER_IB_MSG_LOG_UPGRADE_NON_PERSISTED_DD_META, 618
ER_IB_MSG_LOG_UPGRADE_UNINITIALIZED_FILES, 617

ER_IB_MSG_LOG_WRITER_ABORTS_LOG_ARCHIVER, 521
ER_IB_MSG_LOG_WRITER_ENTERED_EXTRA_MARGIN, 616
ER_IB_MSG_LOG_WRITER_EXITED_EXTRA_MARGIN, 617
ER_IB_MSG_LOG_WRITER_OUT_OF_SPACE, 521
ER_IB_MSG_LOG_WRITER_WAITING_FOR_ARCHIVER, 521
ER_IB_MSG_LOG_WRITER_WAIT_ON_CONSUMER, 625
ER_IB_MSG_LOG_WRITER_WAIT_ON_NEW_LOG_FILE, 616
ER_IB_MSG_LOG_WRITER_WRITE_FAILED, 616
ER_IB_MSG_MADVISE_FAILED, 543
ER_IB_MSG_MADV_DONTDUMP_UNSUPPORTED, 543
ER_IB_MSG_MASTER_KEY_ROTATED, 591
ER_IB_MSG_MAX_UNDO_SPACES_REACHED, 544
ER_IB_MSG_NOT_END_WITH_IBU, 545
ER_IB_MSG_NO_ENCRYPT_PROGRESS_FOUND, 538
ER_IB_MSG_NUM_POOLS, 544
ER_IB_MSG_PAGE_ARCH_NO_RESET_POINTS, 581
ER_IB_MSG_PARSE_OLD_REDO_INDEX_VERSION, 625
ER_IB_MSG_PAR_RSEG_INIT_COMPLETE_MSG, 605
ER_IB_MSG_PAR_RSEG_INIT_TIME_MSG, 605
ER_IB_MSG_POST_RECOVER_DDL_LOG_RECOVER, 560
ER_IB_MSG_POST_RECOVER_POST_TS_ENCRYPT, 560
ER_IB_MSG_RECOVERY_CHECKPOINT_FROM_BEFORE_CLEAN_SHUTDOWN, 467
ER_IB_MSG_RECOVERY_CHECKPOINT_NOT_FOUND, 463
ER_IB_MSG_RECOVERY_CHECKPOINT_OUTSIDE_LOGFILE, 616
ER_IB_MSG_RECOVERY_CORRUPT, 510
ER_IB_MSG_RECOVERY_IN_READ_ONLY, 467
ER_IB_MSG_RECOVERY_IS_NEEDED, 467
ER_IB_MSG_RECOVERY_NO_SPACE_IN_REDO_LOG__SKIP_BIG_MERGES, 604
ER_IB_MSG_RECOVERY_NO_SPACE_IN_REDO_LOG__UNEXPECTED, 604
ER_IB_MSG_RECOVERY_SKIPPED_IN_READ_ONLY_MODE, 465
ER_IB_MSG_REENCRYPTED_GENERAL_TABLESPACE_KEY, 604
ER_IB_MSG_REENCRYPTED_TABLESPACE_KEY, 604
ER_IB_MSG_RESUME_OP_FOR_SPACE, 538
ER_IB_MSG_SCANNING_TEMP_TABLESPACE_DIR, 586
ER_IB_MSG_SDI_Z_STREAM_ERROR, 544
ER_IB_MSG_SDI_Z_UNKNOWN_ERROR, 545
ER_IB_MSG_SKIP_HIDDEN_DIR, 572
ER_IB_MSG_STATS_SAMPLING_TOO_LARGE, 596
ER_IB_MSG_THREAD_CONCURRENCY_CHANGED, 525
ER_IB_MSG_TOO_LONG_PATH, 562
ER_IB_MSG_TRX_RECOVERY_ROLLBACK_COMPLETED, 516
ER_IB_MSG_TRX_RECOVERY_ROLLBACK_NOT_COMPLETED 584
ER_IB_MSG_TRYING_TO_OPEN_FILE_FOR_LONG_TIME, 612
ER_IB_MSG_UNDO_ALTERED_ACTIVE, 589
ER_IB_MSG_UNDO_ALTERED_INACTIVE, 589
ER_IB_MSG_UNDO_ENCRYPTION_INFO_LOADED, 607
ER_IB_MSG_UNDO_INJECT_CRASH, 589
ER_IB_MSG_UNDO_INJECT_FAILURE, 589
ER_IB_MSG_UNDO_MARKED_ACTIVE, 588
ER_IB_MSG_UNDO_MARKED_EMPTY, 589
ER_IB_MSG_UNDO_MARKED_FOR_TRUNCATE, 513
ER_IB_MSG_UNDO_TRUNCATE_COMPLETE, 514
ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_CLONE, 589
ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_FAILURE, 514
ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_LOG_CREATE, 514
ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_MDL, 589
ER_IB_MSG_UNDO_TRUNCATE_FAIL_TO_READ_LOG_FILE, 513
ER_IB_MSG_UNDO_TRUNCATE_START, 513
ER_IB_MSG_UNDO_TRUNCATE_TOO_OFTEN, 582
ER_IB_MSG_UNDO_TRUNC_BEFORE_UNDO_LOGGING, 545
ER_IB_MSG_UNDO_TRUNC_BEFOR_DD_UPDATE, 545
ER_IB_MSG_UNDO_TRUNC_EMPTY_FILE, 545
ER_IB_MSG_UNDO_TRUNK_BEFORE_RSEG, 545
ER_IB_MSG_UNEXPECTED_FILE_EXISTS, 421
ER_IB_MSG_UNEXPECTED_UNPROTECTED_LOCATION_ALLOWED, 426
ER_IB_MSG_UPGRADE_PARTITION_FILE, 574
ER_IB_MSG_UPGRADE_PARTITION_FILE_IMPORT, 574
ER_IB_MSG_USING_UNDO_SPACE, 544
ER_IB_MSG_WAITING_ON_LAGGING_REDO_LOG_CONSUMER 643
ER_IB_MSG_WAIT_FOR_ENCRYPT_THREAD, 537

ER_IB_MSG_WRONG_TABLESPACE_DIR, 546
ER_IB_PARALLEL_READER_WORKER_INFO, 628
ER_IB_PRIMARY_KEY_IS_INSTANT, 632
ER_IB_RDBLWR_BYTES_INFO, 615
ER_IB_RECV_FIRST_REC_GROUP_INVALID, 562
ER_IB_RELOCK_LATCH_ORDER_VIOLATION, 585
ER_IB_RESURRECT_ACQUIRE_TABLE_LOCK, 635
ER_IB_RESURRECT_IDENTIFY_TABLE_TO_LOCK, 635
ER_IB_RESURRECT_RECORD_COMPLETE, 636
ER_IB_RESURRECT_RECORD_PROGRESS, 636
ER_IB_RESURRECT_TRX_INSERT, 635
ER_IB_RESURRECT_TRX_INSERT_COMPLETE, 636
ER_IB_RESURRECT_TRX_UPDATE, 635
ER_IB_RESURRECT_TRX_UPDATE_COMPLETE, 636
ER_IB_SELECT_COUNT_STAR, 634
ER_IB_TABLESPACE_PATH_VALIDATION_SKIPPED, 584
ER_IB_TMP_TABLESPACE_CANNOT_CREATE_DIRECTORY, 586
ER_IB_UNABLE_TO_EXPAND_TEMPORARY_TABLESPACE, 586
ER_IB_WARN_ACCESSING_NONEXISTINC_SPACE, 419
ER_IB_WARN_MANY_NON_LRU_FILES_OPENED, 612
ER_IB_WARN_OPEN_PARTITION_FILE, 574
ER_IB_WRN_ENCRYPTION_INFO_SIZE_MISMATCH, 608
ER_IB_WRN_FAILED_TO_ACQUIRE_SERVICE, 598
ER_IB_WRN_FAST_SHUTDOWN_REDO_DISABLED, 583
ER_IB_WRN_IGNORE_REDO_LOG_CAPACITY, 632
ER_IB_WRN_OLD_GEOMETRY_TYPE, 599
ER_IB_WRN_PAGE_ARCH_FLUSH_DATA, 581
ER_IB_WRN_REDO_DISABLED, 583
ER_IB_WRN_REDO_ENABLED, 584
ER_IDENTIFIED_BY_UNSUPPORTED, 149
ER_IDENT_CAUSES_TOO_LONG_PATH, 65
ER_IDENT_CAUSES_TOO_LONG_PATH_IN_UPGRADE, 568
ER_IF_NOT_EXISTS_UNSUPPORTED_TRG_EXISTS_ON_DIFFERENT_TABLE, 155
ER_IF_NOT_EXISTS_UNSUPPORTED_UDF_NATIVE_FCT_NAME_COLLISION, 155
ER_ILLEGAL_GRANT_FOR_TABLE, 13
ER_ILLEGAL_HA, 5
ER_ILLEGAL_HA_CREATE_OPTION, 36
ER_ILLEGAL_PRIVILEGE_LEVEL, 98
ER_ILLEGAL_REFERENCE, 21
ER_ILLEGAL_USER_VAR, 74
ER_ILLEGAL_VALUE_FOR_TYPE, 29
ER_IMPLICIT_COMPARISON_FOR_JSON, 140
ER_IMPOSSIBLE_STRING_CONVERSION, 140
ER_IMP_INCOMPATIBLE_CFG_VERSION, 135
ER_IMP_INCOMPATIBLE_DD_VERSION, 98
ER_IMP_INCOMPATIBLE_MYSQLD_VERSION, 97
ER_IMP_INCOMPATIBLE_SDI_VERSION, 98
ER_IMP_NO_FILES_MATCHED, 97
ER_IMP_SCHEMA_DOES_NOT_EXIST, 97
ER_IMP_TABLE_ALREADY_EXISTS, 97
ER_INCONSISTENT_ERROR, 528
ER_INCONSISTENT_PARTITION_INFO_ERROR, 37
ER_INCONSISTENT_TYPE_OF_FUNCTIONS_ERROR, 37
ER_INCORRECT_CURRENT_PASSWORD, 129
ER_INCORRECT_GLOBAL_LOCAL_VAR, 21
ER_INCORRECT_TYPE, 74
ER_INDEX_COLUMN_TOO_LONG, 51
ER_INDEX_CORRUPT, 52
ER_INDEX_OTHER_THAN_PK, 158
ER_INDEX_TYPE_NOT_SUPPORTED_FOR_SPATIAL_INDEX, 120
ER_INFORMATION_SCHEMA_VERSION_CHANGE, 641
ER_INIT_BOOTSTRAP_COMPLETE, 215
ER_INIT_CANT_OPEN_BOOTSTRAP_FILE, 215
ER_INIT_CREATING_DD, 215
ER_INIT_DATADIR_EXISTS_AND_NOT_WRITABLE_WONT_ 215
ER_INIT_DATADIR_EXISTS_AND_PATH_TOO_LONG_WON 215
ER_INIT_DATADIR_EXISTS_WONT_INITIALIZE, 215
ER_INIT_DATADIR_NOT_EMPTY_WONT_INITIALIZE, 215
ER_INIT_FAILED_TO_GENERATE_ROOT_PASSWORD, 571
ER_INIT_GENERATING_TEMP_PASSWORD_FOR_ROOT, 215
ER_INIT_ROOT_WITHOUT_PASSWORD, 215
ER_INNODB_ACTIVE_INDEX_CHANGE_FAILED, 294
ER_INNODB_AUTOEXTEND_SIZE_OUT_OF_RANGE, 145
ER_INNODB_CANNOT_BE_IGNORED, 107
ER_INNODB_CANT_ALTER_TABLE, 295
ER_INNODB_CANT_BUILD_INDEX_XLATION_TABLE_FOR, 274
ER_INNODB_CANT_FIND_INDEX_IN_INNODB_DD, 274
ER_INNODB_CANT_OPEN_TABLE, 274
ER_INNODB_CLOSING_CONNECTION_ROLLS_BACK, 274
ER_INNODB_CLUSTERED_INDEX_PRIVATE, 275
ER_INNODB_COMPRESSION_FAILURE, 146
ER_INNODB_DIFF_IN_REF_LEN, 295

ER_INNODB_DIRTY_WATER_MARK_NOT_LOW, 273
ER_INNODB_ERROR_LOGGER_FATAL_MSG, 297
ER_INNODB_ERROR_LOGGER_MSG, 297
ER_INNODB_FAILED_TO_FIND_IDX, 294
ER_INNODB_FAILED_TO_FIND_IDX_FROM_DICT_CACHE, 294
ER_INNODB_FAILED_TO_FIND_IDX_WITH_KEY_NO, 294
ER_INNODB_FILES_SAME, 274
ER_INNODB_FORCED_RECOVERY, 67
ER_INNODB_FT_AUX_NOT_HEX_ID, 67
ER_INNODB_FT_LIMIT, 59
ER_INNODB_FT_WRONG_DOCID_COLUMN, 59
ER_INNODB_FT_WRONG_DOCID_INDEX, 60
ER_INNODB_IDX_CNT_FEWER_THAN_DEFINED_IN_MYSQL, 295
ER_INNODB_IDX_CNT_MORE_THAN_DEFINED_IN_MYSQL, 295
ER_INNODB_IDX_COLUMN_CNT_DIFF, 295
ER_INNODB_ILLEGAL_COLON_IN_POOL, 273
ER_INNODB_IMPORT_ERROR, 61
ER_INNODB_INCOMPATIBLE_WITH_TABLESPACE, 145
ER_INNODB_INDEX_COLUMN_INFO_UNLIKE_MYSQLS, 274
ER_INNODB_INDEX_CORRUPT, 61
ER_INNODB_INSTANT_ADD_DROP_NOT_SUPPORTED_MAX_SIZE, 161
ER_INNODB_INSTANT_ADD_NOT_SUPPORTED_MAX_FIELDS, 161
ER_INNODB_INSTANT_ADD_NOT_SUPPORTED_MAX_SIZE, 154
ER_INNODB_INTERNAL_INDEX, 295
ER_INNODB_INVALID_AUTOEXTEND_SIZE_VALUE, 145
ER_INNODB_INVALID_INNODB_UNDO_DIRECTORY, 273
ER_INNODB_INVALID_INNODB_UNDO_DIRECTORY_LOCATION, 547
ER_INNODB_INVALID_LOG_GROUP_HOME_DIR, 273
ER_INNODB_INVALID_MONITOR_COUNTER_NAME, 296
ER_INNODB_INVALID_PAGE_SIZE, 273
ER_INNODB_IO_CAPACITY_EXCEEDS_MAX, 274
ER_INNODB_IO_WRITE_ERROR_RETRYING, 592
ER_INNODB_IO_WRITE_FAILED, 592
ER_INNODB_MANDATORY, 171
ER_INNODB_MAX_ROW_VERSION, 153
ER_INNODB_MONITOR_DEFAULT_VALUE_NOT_DEFINED, 296
ER_INNODB_MONITOR_IS_ENABLED, 296
ER_INNODB_NO_FT_TEMP_TABLE, 59
ER_INNODB_ONLINE_LOG_TOO_BIG, 60
ER_INNODB_OUT_OF_RESOURCES, 575
ER_INNODB_PARTITION_TABLE_LOWERCASED, 275
ER_INNODB_PK_NOT_IN_MYSQL, 275
ER_INNODB_PK_ONLY_IN_MYSQL, 275
ER_INNODB_READ_ONLY, 66
ER_INNODB_REDO_ARCHIVING_ENABLED, 140
ER_INNODB_REDO_DISABLED, 140
ER_INNODB_REDO_LOG_ARCHIVE_ACTIVE, 124
ER_INNODB_REDO_LOG_ARCHIVE_DIRS_INVALID, 123
ER_INNODB_REDO_LOG_ARCHIVE_DIR_CLASH, 124
ER_INNODB_REDO_LOG_ARCHIVE_DIR_EMPTY, 123
ER_INNODB_REDO_LOG_ARCHIVE_DIR_PERMISSIONS, 124
ER_INNODB_REDO_LOG_ARCHIVE_FAILED, 124
ER_INNODB_REDO_LOG_ARCHIVE_FILE_CREATE, 124
ER_INNODB_REDO_LOG_ARCHIVE_INACTIVE, 124
ER_INNODB_REDO_LOG_ARCHIVE_LABEL_NOT_FOUND, 123
ER_INNODB_REDO_LOG_ARCHIVE_NO_SUCH_DIR, 124
ER_INNODB_REDO_LOG_ARCHIVE_SESSION, 124
ER_INNODB_REDO_LOG_ARCHIVE_START_SUBDIR_PATH, 123
ER_INNODB_REDO_LOG_ARCHIVE_START_TIMEOUT, 123
ER_INNODB_TRX_XLATION_TABLE_OOM, 274
ER_INNODB_UNABLE_TO_ACQUIRE_DD_OBJECT, 581
ER_INNODB_UNDO_LOG_FULL, 70
ER_INNODB_UNKNOWN_COLLATION, 273
ER_INNODB_UNREGISTERED_TRX_ACTIVE, 274
ER_INNODB_USE_MONITOR_GROUP_NAME, 295
ER_INSECURE_CHANGE_MASTER, 56
ER_INSECURE_CHANGE_SOURCE, 56
ER_INSECURE_PLAIN_TEXT, 56
ER_INSERT_INFO, 9
ER_INSIDE_TRANSACTION_PREVENTS_SWITCH_BINLOG_DIR 49
ER_INSIDE_TRANSACTION_PREVENTS_SWITCH_BINLOG_FO 49
ER_INSIDE_TRANSACTION_PREVENTS_SWITCH_SQL_LOG_B 50
ER_INSTALL_COMPONENT_SET_NULL_VALUE, 161
ER_INSTALL_COMPONENT_SET_UNUSED_VALUE, 161
ER_INSTALL_PLUGIN_CONFLICT_CLIENT, 148

ER_INSTALL_PLUGIN_CONFLICT_LOG, 603
ER_INTERNAL_ERROR, 61
ER_INTERSECT_ALL_MAX_DUPLICATES_EXCEEDED, 157
ER_INVALID_ADMIN_ADDRESS, 549
ER_INVALID_ARGUMENT_FOR_LOGARITHM, 70
ER_INVALID_ASSIGNMENT_TARGET, 148
ER_INVALID_AUTHENTICATION_POLICY, 608
ER_INVALID_BITWISE_AGGREGATE_OPERANDS_SIZE, 88
ER_INVALID_BITWISE_OPERANDS_SIZE, 88
ER_INVALID_CAST, 141
ER_INVALID_CAST_POLYGON_RING_DIRECTION, 146
ER_INVALID_CAST_TO_GEOMETRY, 146
ER_INVALID_CAST_TO_JSON, 82
ER_INVALID_CHARACTER_STRING, 25
ER_INVALID_CHARSET_AND_DEFAULT_IS_MB, 199
ER_INVALID_COLLATION_FOR_CHARSET, 281
ER_INVALID_DD_OBJECT, 88
ER_INVALID_DD_OBJECT_ID, 88
ER_INVALID_DD_OBJECT_NAME, 88
ER_INVALID_DEFAULT, 8
ER_INVALID_DEFAULT_UTF8MB4_COLLATION, 109
ER_INVALID_ENCRYPTION_OPTION, 85
ER_INVALID_ENCRYPTION_REQUEST, 121
ER_INVALID_ERROR_LOG_NAME, 182
ER_INVALID_FIELD_SIZE, 69
ER_INVALID_GEOJSON_CRS_NOT_TOP_LEVEL, 104
ER_INVALID_GEOJSON_MISSING_MEMBER, 74
ER_INVALID_GEOJSON_UNSPECIFIED, 74
ER_INVALID_GEOJSON_WRONG_TYPE, 74
ER_INVALID_GROUP_FUNC_USE, 11
ER_INVALID_INFO_IN_FRM, 200
ER_INVALID_INSTRUMENT, 171
ER_INVALID_JSON_ATTRIBUTE, 139
ER_INVALID_JSON_BINARY_DATA, 82
ER_INVALID_JSON_CHARSET, 82
ER_INVALID_JSON_CHARSET_IN_FUNCTION, 82
ER_INVALID_JSON_DATA, 74
ER_INVALID_JSON_PATH, 82
ER_INVALID_JSON_PATH_ARRAY_CELL, 84
ER_INVALID_JSON_PATH_CHARSET, 82
ER_INVALID_JSON_PATH_WILDCARD, 82
ER_INVALID_JSON_TEXT, 82
ER_INVALID_JSON_TEXT_IN_PARAM, 82
ER_INVALID_JSON_TYPE, 124
ER_INVALID_JSON_VALUE_FOR_CAST, 83
ER_INVALID_JSON_VALUE_FOR_FUNC_INDEX, 130
ER_INVALID_MFA_OPERATIONS_FOR_PASSWORDLESS_U 150
ER_INVALID_MFA_PLUGIN_SPECIFIED, 149
ER_INVALID_MULTIPLE_CLAUSES, 122
ER_INVALID_NAMED_PIPE_FULL_ACCESS_GROUP, 556
ER_INVALID_NO_OF_ARGS, 96
ER_INVALID_ON_UPDATE, 25
ER_INVALID_OPTION_CHARACTERS, 92
ER_INVALID_OPTION_END_CHARACTER, 92
ER_INVALID_OPTION_KEY, 91
ER_INVALID_OPTION_KEY_VALUE_PAIR, 92
ER_INVALID_OPTION_START_CHARACTER, 92
ER_INVALID_OPTION_VALUE, 92
ER_INVALID_OR_OLD_TABLE_OR_DB_NAME, 223
ER_INVALID_PARAMETER_USE, 141
ER_INVALID_PLUGIN_FOR_REGISTRATION, 149
ER_INVALID_PROPERTY_KEY, 552
ER_INVALID_REPLICATION_TIMESTAMPS, 283
ER_INVALID_RPL_WILD_TABLE_FILTER_PATTERN, 74
ER_INVALID_SERVER_DOWNGRADE_NOT_PATCH, 640
ER_INVALID_SERVER_UPGRADE_NOT_LTS, 640
ER_INVALID_THREAD_ID, 103
ER_INVALID_THREAD_PRIORITY, 102
ER_INVALID_TIME_ZONE_INTERVAL, 141
ER_INVALID_TLS_VERSION, 613
ER_INVALID_TYPE_FOR_JSON, 82
ER_INVALID_USER_ATTRIBUTE_JSON, 139
ER_INVALID_USER_FOR_REGISTRATION, 150
ER_INVALID_USE_OF_FORCE_OPTION, 103
ER_INVALID_USE_OF_NULL, 13
ER_INVALID_VALUE_FOR_ENFORCE_GTID_CONSISTENC 166
ER_INVALID_VALUE_OF_BIND_ADDRESSES, 539
ER_INVALID_VCPU_ID, 102
ER_INVALID_VCPU_RANGE, 102
ER_INVALID_XPLUGIN_SOCKET_SAME_AS_SERVER, 581
ER_INVALID_YEAR_COLUMN_LENGTH, 62
ER_IO_ERR_LOG_INDEX_READ, 30
ER_IO_READ_ERROR, 61
ER_IO_WRITE_ERROR, 61
ER_IPSOCK_ERROR, 9
ER_IS_QUERY_INVALID_CLAUSE, 91
ER_I_S_SKIPPED_TABLESPACE, 101
ER_JSON_BAD_ONE_OR_ALL_ARG, 83
ER_JSON_DOCUMENT_NULL_KEY, 83
ER_JSON_DOCUMENT_TOO_DEEP, 83
ER_JSON_KEY_TOO_BIG, 82
ER_JSON_PARSE_ERROR, 185
ER_JSON_SCHEMA_VALIDATION_ERROR_WITH_DETAILE 134

ER_JSON_USED_AS_KEY, 83
ER_JSON_VACUOUS_PATH, 83
ER_JSON_VALUE_OUT_OF_RANGE_FOR_FUNC_INDEX, 130
ER_JSON_VALUE_TOO_BIG, 82
ER_JT_MAX_NESTED_PATH, 104
ER_JT_VALUE_OUT_OF_RANGE, 104
ER_KERBEROS_CREATE_USER, 148
ER_KEYCACHE_OOM, 174
ER_KEYRING_ACCESS_DENIED_ERROR, 86
ER_KEYRING_AWS_CMK_ID_NOT_SET, 340
ER_KEYRING_AWS_FAILED_TO_ACCESS_DATA_FILE, 340
ER_KEYRING_AWS_FAILED_TO_ACCESS_KEY_FROM_CONF_FILE, 339
ER_KEYRING_AWS_FAILED_TO_ACCESS_KEY_ID_FROM_CONF_FILE, 339
ER_KEYRING_AWS_FAILED_TO_ACCESS_OR_CREATE_KEYRING_DATA_FILE, 340
ER_KEYRING_AWS_FAILED_TO_ACCESS_OR_CREATE_KEYRING_DIR, 339
ER_KEYRING_AWS_FAILED_TO_CONNECT_KMS, 341
ER_KEYRING_AWS_FAILED_TO_DECRYPT_KEY, 342
ER_KEYRING_AWS_FAILED_TO_ENCRYPT_KEY, 342
ER_KEYRING_AWS_FAILED_TO_FLUSH_KEYRING_TO_FILE, 341
ER_KEYRING_AWS_FAILED_TO_GENERATE_KEY_DUE_TO_INTERNAL_ERROR, 341
ER_KEYRING_AWS_FAILED_TO_GENERATE_NEW_KEY, 341
ER_KEYRING_AWS_FAILED_TO_GET_KMS_CREDENTIALS_FROM_KEYRING, 340
ER_KEYRING_AWS_FAILED_TO_INIT_DUE_TO_INTERNAL_ERROR, 340
ER_KEYRING_AWS_FAILED_TO_INIT_DUE_TO_PLUGIN_INTERNAL_ERROR, 340
ER_KEYRING_AWS_FAILED_TO_OPEN_CONF_FILE, 339
ER_KEYRING_AWS_FAILED_TO_RESTORE_FROM_BACKUP_FILE, 341
ER_KEYRING_AWS_FAILED_TO_RE_ENCRYPT_KEY, 342
ER_KEYRING_AWS_FAILED_TO_ROTATE_CMK, 342
ER_KEYRING_AWS_FAILED_TO_SET_CMK_ID, 338
ER_KEYRING_AWS_FAILED_TO_SET_REGION, 339
ER_KEYRING_AWS_FOUND_MALFORMED_BACKUP_FILE, 341
ER_KEYRING_AWS_INCORRECT_FILE, 341
ER_KEYRING_AWS_INCORRECT_PROXY, 569
ER_KEYRING_AWS_INCORRECT_REGION, 341
ER_KEYRING_AWS_INIT_FAILURE, 340
ER_KEYRING_AWS_INVALID_CONF_FILE_PATH, 339
ER_KEYRING_AWS_INVALID_DATA_FILE_PATH, 339
ER_KEYRING_AWS_INVALID_KEY_LENGTH_FOR_CIPHER, 340
ER_KEYRING_AWS_UDF_AWS_KMS_ERROR, 86
ER_KEYRING_CHECK_KEY_FAILED_DUE_TO_EMPTY_KEY_ID, 332
ER_KEYRING_CHECK_KEY_FAILED_DUE_TO_INVALID_KEY, 332
ER_KEYRING_COMPONENT_EXCEPTION, 597
ER_KEYRING_COMPONENT_MEMORY_ALLOCATION_ERROR, 597
ER_KEYRING_COMPONENT_NOT_INITIALIZED, 597
ER_KEYRING_ENCRYPTED_FILE_DECRYPTION_FAILED, 337
ER_KEYRING_ENCRYPTED_FILE_ENCRYPTION_FAILED, 337
ER_KEYRING_ENCRYPTED_FILE_FAILED_TO_CREATE_KEYR 338
ER_KEYRING_ENCRYPTED_FILE_FAILED_TO_FLUSH_KEYRIN 337
ER_KEYRING_ENCRYPTED_FILE_FAILED_TO_RESTORE_KEY 337
ER_KEYRING_ENCRYPTED_FILE_FOUND_MALFORMED_BACI 337
ER_KEYRING_ENCRYPTED_FILE_GEN_KEY_FAILED_DUE_TO 338
ER_KEYRING_ENCRYPTED_FILE_INCORRECT_KEYRING_FILE 337
ER_KEYRING_ENCRYPTED_FILE_INIT_FAILED_DUE_TO_INTE 338
ER_KEYRING_ENCRYPTED_FILE_INIT_FAILURE, 338
ER_KEYRING_ENCRYPTED_FILE_INVALID_KEYRING_DIR, 338
ER_KEYRING_ENCRYPTED_FILE_PASSWORD_IS_INVALID, 338
ER_KEYRING_ENCRYPTED_FILE_PASSWORD_IS_TOO_LONG 338
ER_KEYRING_FAILED_TO_CREATE_KEYRING_DIR, 331
ER_KEYRING_FAILED_TO_FLUSH_KEYRING_TO_FILE, 332
ER_KEYRING_FAILED_TO_FLUSH_KEYS_TO_KEYRING, 333
ER_KEYRING_FAILED_TO_FLUSH_KEYS_TO_KEYRING_BACK 333
ER_KEYRING_FAILED_TO_GENERATE_KEY, 332

ER_KEYRING_FAILED_TO_GET_FILE_STAT, 332
ER_KEYRING_FAILED_TO_LOAD_KEYRING_CONTENT, 333
ER_KEYRING_FAILED_TO_REMOVE_FILE, 333
ER_KEYRING_FAILED_TO_REMOVE_KEY_DUE_TO_EMPTY_KEY, 334
ER_KEYRING_FAILED_TO_RESTORE_FROM_BACKUP_FILE, 332
ER_KEYRING_FAILED_TO_SET_KEYRING_FILE_DATA, 333
ER_KEYRING_FAILED_TO_TRUNCATE_FILE, 333
ER_KEYRING_FILE_INIT_FAILED, 331
ER_KEYRING_FILE_IO_ERROR, 333
ER_KEYRING_FOUND_MALFORMED_BACKUP_FILE, 332
ER_KEYRING_INCORRECT_FILE, 332
ER_KEYRING_INTERNAL_EXCEPTION_FAILED_FILE_INIT, 331
ER_KEYRING_INVALID_KEY_LENGTH, 331
ER_KEYRING_INVALID_KEY_TYPE, 331
ER_KEYRING_KEY_FETCH_FAILED_DUE_TO_EMPTY_KEY_ID, 333
ER_KEYRING_LOGGER_ERROR_MSG, 314
ER_KEYRING_MIGRATE_FAILED, 527
ER_KEYRING_MIGRATION_EXTRA_OPTIONS, 389
ER_KEYRING_MIGRATION_FAILED, 299
ER_KEYRING_MIGRATION_FAILURE, 86
ER_KEYRING_MIGRATION_STATUS, 86
ER_KEYRING_MIGRATION_SUCCESSFUL, 299
ER_KEYRING_OCI_HTTP_REQUEST, 627
ER_KEYRING_OCI_INVALID_JSON, 627
ER_KEYRING_OCI_PARSE_JSON, 627
ER_KEYRING_OKV_CONNECTION_TO_SERVER_FAILED, 335
ER_KEYRING_OKV_FAILED_TO_ACTIVATE_KEYS, 336
ER_KEYRING_OKV_FAILED_TO_ADD_ATTRIBUTE, 335
ER_KEYRING_OKV_FAILED_TO_FETCH_KEY, 336
ER_KEYRING_OKV_FAILED_TO_FIND_SERVER_ENTRY, 334
ER_KEYRING_OKV_FAILED_TO_FIND_STANDBY_SERVER_ENTRY, 335
ER_KEYRING_OKV_FAILED_TO_GENERATE_KEY, 336
ER_KEYRING_OKV_FAILED_TO_GENERATE_KEY_DUE_TO, 334
ER_KEYRING_OKV_FAILED_TO_INIT_CLIENT, 335
ER_KEYRING_OKV_FAILED_TO_INIT_SSL_LAYER, 335
ER_KEYRING_OKV_FAILED_TO_LOAD_KEY_UID, 335
ER_KEYRING_OKV_FAILED_TO_LOAD_SSL_TRUST_STORE, 336
ER_KEYRING_OKV_FAILED_TO_PARSE_CONF_FILE, 335
ER_KEYRING_OKV_FAILED_TO_REMOVE_KEY, 335
ER_KEYRING_OKV_FAILED_TO_RETRIEVE_KEY, 336
ER_KEYRING_OKV_FAILED_TO_RETRIEVE_KEY_SIGNATU
336
ER_KEYRING_OKV_FAILED_TO_SET_CERTIFICATE_FILE, 336
ER_KEYRING_OKV_FAILED_TO_SET_KEY_FILE, 337
ER_KEYRING_OKV_FAILED_TO_STORE_KEY, 336
ER_KEYRING_OKV_FAILED_TO_STORE_OR_GENERATE_
336
ER_KEYRING_OKV_INCORRECT_KEY_VAULT_CONFIGUR
334
ER_KEYRING_OKV_INIT_FAILED_DUE_TO_INCORRECT_C
334
ER_KEYRING_OKV_INIT_FAILED_DUE_TO_INTERNAL_ERR
334
ER_KEYRING_OKV_INVALID_KEY_LENGTH_FOR_CIPHER, 334
ER_KEYRING_OKV_INVALID_KEY_TYPE, 334
ER_KEYRING_OKV_KEY_MISMATCH, 337
ER_KEYRING_OKV_STANDBY_SERVER_COUNT_EXCEED
613
ER_KEYRING_OPERATION_FAILED_DUE_TO_INTERNAL_E
332
ER_KEYRING_UDF_KEYRING_SERVICE_ERROR, 85
ER_KEYRING_UNKNOWN_ERROR, 333
ER_KEY_COLUMN_DOES_NOT_EXITS, 8
ER_KEY_DOES_NOT_EXITS, 15
ER_KEY_NOT_FOUND, 5
ER_KEY_PART_0, 30
ER_KEY_REF_DO_NOT_MATCH_TABLE_REF, 21
ER_KILLED_THREADS_OF_PLUGIN, 217
ER_KILLING_THREAD, 216
ER_KILL_DENIED_ERROR, 10
ER_LATITUDE_OUT_OF_RANGE, 98
ER_LCTN_CHANGED, 299
ER_LCTN_NOT_FOUND, 527
ER_LDAP_AUTH_CERTIFICATE_NAME, 382
ER_LDAP_AUTH_COMMUNICATION_HOST_INFO, 385
ER_LDAP_AUTH_INTERNAL_ERROR, 385
ER_LDAP_AUTH_CONNECTION_CREATOR_ENTER, 385
ER_LDAP_AUTH_CONNECTION_GET_LDAP_INFO_NULL, 385
ER_LDAP_AUTH_CONNECTION_POOL_INIT_FAILED, 383
ER_LDAP_AUTH_CONNECTION_POOL_REINIT_ENTER, 387

ER_LDAP_AUTH_CONNECTION_PUSHED_TO_POOL, 385
ER_LDAP_AUTH_CONN_POOL_DEINITIALIZING, 381
ER_LDAP_AUTH_CONN_POOL_INITIALIZING, 381
ER_LDAP_AUTH_CONN_POOL_NOT_CREATED, 381
ER_LDAP_AUTH_CREATE_CONNECTION_KEY, 385
ER_LDAP_AUTH_CREATING_LDAP_CONNECTION, 384
ER_LDAP_AUTH_DEINIT_FAILED, 380
ER_LDAP_AUTH_DELETING_CONNECTION_KEY, 385
ER_LDAP_AUTH_DISTINGUISHED_NAME, 386
ER_LDAP_AUTH_FAILED_TO_CREATE_LDAP_CONNECTION, 387
ER_LDAP_AUTH_FAILED_TO_CREATE_LDAP_OBJECT, 380
ER_LDAP_AUTH_FAILED_TO_CREATE_LDAP_OBJECT_CREATOR, 380
ER_LDAP_AUTH_FAILED_TO_CREATE_OR_GET_CONNECTION, 380
ER_LDAP_AUTH_FAILED_TO_DEINITIALIZE_NOT_READY_POOL, 383
ER_LDAP_AUTH_FAILED_TO_DEINITIALIZE_POOL_IN_REINITIALIZE, 383
ER_LDAP_AUTH_FAILED_TO_ESTABLISH_TLS_CONNECTION, 387
ER_LDAP_AUTH_FAILED_TO_GET_CONNECTION_AS_PLUGIN_NOT_READY, 383
ER_LDAP_AUTH_FAILED_TO_INITIALIZE_POOL_IN_DEINIT_STATE, 383
ER_LDAP_AUTH_FAILED_TO_INITIALIZE_POOL_IN_INITIALIZE, 383
ER_LDAP_AUTH_FAILED_TO_INITIALIZE_POOL_IN_RECONSTRUCTING, 383
ER_LDAP_AUTH_FAILED_TO_POOL_DEINIT, 383
ER_LDAP_AUTH_FAILED_TO_SEARCH_DN, 387
ER_LDAP_AUTH_FAILED_TO_WRITE_PACKET, 381
ER_LDAP_AUTH_FREEING_CONNECTION, 385
ER_LDAP_AUTH_GETTING_CONNECTION_FROM_POOL, 384
ER_LDAP_AUTH_GRP_DN_PARSING_FAILED, 554
ER_LDAP_AUTH_GRP_INCORRECT_ATTRIBUTE, 554
ER_LDAP_AUTH_GRP_INFO_FOUND_IN_MANY_OBJECTS, 554
ER_LDAP_AUTH_GRP_IS_FULL_DN, 382
ER_LDAP_AUTH_GRP_NULL_ATTRIBUTE_VALUE, 554
ER_LDAP_AUTH_GRP_OBJECT_HAS_USER_INFO, 554
ER_LDAP_AUTH_GRP_SEARCH_NOT_SPECIAL_HDL, 553
ER_LDAP_AUTH_GRP_SEARCH_SPECIAL_HDL, 382
ER_LDAP_AUTH_GRP_USER_OBJECT_HAS_GROUP_INFO, 554
ER_LDAP_AUTH_INFO_FOR_USER, 381
ER_LDAP_AUTH_INIT_FAILED, 386
ER_LDAP_AUTH_LDAPS, 554
ER_LDAP_AUTH_LDAP_INFO_NULL, 384
ER_LDAP_AUTH_MAX_ALLOWED_CONNECTION_LIMIT_HIT, 384
ER_LDAP_AUTH_MAX_POOL_SIZE_SET_FAILED, 384
ER_LDAP_AUTH_METHOD_TO_CLIENT, 386
ER_LDAP_AUTH_OBJECT_CREATE_TIMESTAMP, 382
ER_LDAP_AUTH_OR_GROUP_RETRIEVAL_FAILED, 386
ER_LDAP_AUTH_PLUGIN_FAILED_TO_READ_PACKET, 384
ER_LDAP_AUTH_POOLED_CONNECTION_KEY, 385
ER_LDAP_AUTH_POOL_DISABLE_MAX_SIZE_ZERO, 380
ER_LDAP_AUTH_POOL_GET_FAILED_TO_CREATE_CONNECTION, 387
ER_LDAP_AUTH_POOL_REINITIALIZING, 381
ER_LDAP_AUTH_RETURNING_CONNECTION_TO_POOL, 384
ER_LDAP_AUTH_SASL_BIND_SUCCESS_INFO, 386
ER_LDAP_AUTH_SASL_PROCESS_SASL, 386
ER_LDAP_AUTH_SASL_REQUEST_FROM_CLIENT, 386
ER_LDAP_AUTH_SEARCHED_USER_GRP_NAME, 382
ER_LDAP_AUTH_SEARCH_USER_GROUP_ATTR_NOT_FOUND, 384
ER_LDAP_AUTH_SETTING_USERNAME, 381
ER_LDAP_AUTH_SKIPPING_USER_GROUP_SEARCH, 380
ER_LDAP_AUTH_STARTED_FOR_USER, 386
ER_LDAP_AUTH_STARTING_TLS, 385
ER_LDAP_AUTH_TLS_CONF, 380
ER_LDAP_AUTH_TLS_CONNECTION, 380
ER_LDAP_AUTH_USER_AUTH_DATA, 381
ER_LDAP_AUTH_USER_BIND_FAILED, 387
ER_LDAP_AUTH_USER_FOUND_IN_MANY_GRPS, 382
ER_LDAP_AUTH_USER_GROUP_SEARCH_FAILED, 386
ER_LDAP_AUTH_USER_GROUP_SEARCH_INFO, 382

ER_LDAP_AUTH_USER_GROUP_SEARCH_ROOT_BIND, 542
ER_LDAP_AUTH_USER_HAS_MULTIPLE_GRP_NAMES, 382
ER_LDAP_AUTH_USER_NOT_FOUND_IN_ANY_GRP, 382
ER_LDAP_AUTH_ZERO_MAX_POOL_SIZE_UNCHANGED, 381
ER_LDAP_EMPTY_USERDN_PASSWORD, 565
ER_LDAP_MAPPING_CHECK_DELIMI_QUOTE, 555
ER_LDAP_MAPPING_EMPTY_MAPPING, 555
ER_LDAP_MAPPING_GETTING_NEXT_MAPPING, 556
ER_LDAP_MAPPING_GET_USER_PROXY, 554
ER_LDAP_MAPPING_INFO, 555
ER_LDAP_MAPPING_IS_QUOTE, 556
ER_LDAP_MAPPING_NON_DESIRED_STATE, 556
ER_LDAP_MAPPING_NO_SEPEARATOR_END_OF_GROUP, 555
ER_LDAP_MAPPING_PARSING_CURRENT_STATE, 556
ER_LDAP_MAPPING_PARSING_ERROR, 556
ER_LDAP_MAPPING_PARSING_MAPPING_INFO, 556
ER_LDAP_MAPPING_PROCESS_DELIMITER, 555
ER_LDAP_MAPPING_PROCESS_DELIMITER_COMMA_NOT_FOUND, 555
ER_LDAP_MAPPING_PROCESS_DELIMITER_EQUAL_NOT_FOUND, 555
ER_LDAP_MAPPING_PROCESS_DELIMITER_TRY_COMMA, 555
ER_LDAP_MAPPING_PROCESS_MAPPING, 555
ER_LDAP_MAPPING_TRIMMING_SPACES, 556
ER_LDAP_MAPPING_USER_DONT_BELONG_GROUP, 554
ER_LIMITED_PART_RANGE, 39
ER_LOAD_BULK_DATA_FAILED, 160
ER_LOAD_BULK_DATA_UNSORTED, 158
ER_LOAD_BULK_DATA_WARN_NULL_TO_NOTNULL, 161
ER_LOAD_BULK_DATA_WARN_NULL_TO_NOTNULL_LOG, 631
ER_LOAD_BULK_DATA_WRONG_VALUE_FOR_FIELD, 161
ER_LOAD_BULK_DATA_WRONG_VALUE_FOR_FIELD_LOG, 631
ER_LOAD_DATA_INFILE_FAILED_IN_UNEXPECTED_WAY, 185
ER_LOAD_FROM_FIXED_SIZE_ROWS_TO_VAR, 32
ER_LOAD_INFO, 9
ER_LOCAL_VARIABLE, 20
ER_LOCKING_SERVICE_DEADLOCK, 81
ER_LOCKING_SERVICE_TIMEOUT, 81
ER_LOCKING_SERVICE_WRONG_NAME, 81
ER_LOCK_ABORTED, 50
ER_LOCK_DEADLOCK, 18
ER_LOCK_NOWAIT, 93
ER_LOCK_ORDER_DEPENDENCIES_SYNTAX, 565
ER_LOCK_ORDER_FAILED_READ_FILE, 565
ER_LOCK_ORDER_FAILED_WRITE_FILE, 565
ER_LOCK_ORDER_INIT_FAILED, 563
ER_LOCK_ORDER_MESSAGE, 565
ER_LOCK_ORDER_SCANNER_SYNTAX, 565
ER_LOCK_OR_ACTIVE_TRANSACTION, 16
ER_LOCK_REFUSED_BY_ENGINE, 84
ER_LOCK_TABLE_FULL, 18
ER_LOCK_WAIT_TIMEOUT, 18
ER_LOG_BIN_BETTER_WITH_NAME, 179
ER_LOG_CANNOT_PURGE_BINLOG_WITH_BACKUP_LOCK 639
ER_LOG_CANNOT_WRITE, 164
ER_LOG_CANNOT_WRITE_EXTENDED, 569
ER_LOG_COMPONENT_CANNOT_INIT, 592
ER_LOG_COMPONENT_FLUSH_FAILED, 604
ER_LOG_FILES_GIVEN_LOG_OUTPUT_IS_TABLE, 179
ER_LOG_FILE_CANNOT_OPEN, 322
ER_LOG_FILE_INVALID, 179
ER_LOG_GENERAL_CANNOT_OPEN, 164
ER_LOG_IN_USE, 30
ER_LOG_OUTPUT_CONTRADICTORY, 178
ER_LOG_PRINTF_MSG, 297
ER_LOG_PRIV_CHECKS_REQUIRE_ROW_FORMAT_NOT_S 573
ER_LOG_PURGE_NO_FILE, 44
ER_LOG_PURGE_UNKNOWN_ERR, 30
ER_LOG_SLOW_CANNOT_OPEN, 163
ER_LOG_SYSLOG_CANNOT_OPEN, 163
ER_LOG_SYSLOG_FACILITY_FAIL, 163
ER_LONGITUDE_OUT_OF_RANGE, 98
ER_LOWER_CASE_TABLE_NAMES_CS_DD_ON_CI_FS_UN 179
ER_LOWER_CASE_TABLE_NAMES_USING_0, 179
ER_LOWER_CASE_TABLE_NAMES_USING_2, 179
ER_MALFORMED_GTID_SET_ENCODING, 57
ER_MALFORMED_GTID_SET_SPECIFICATION, 57
ER_MALFORMED_GTID_SPECIFICATION, 57
ER_MALFORMED_PACKET, 63
ER_MANDATORY_ROLE, 99
ER_MASTER, 16
ER_MASTER_DELAY_VALUE_OUT_OF_RANGE, 53
ER_MASTER_FATAL_ERROR_READING_BINLOG, 20
ER_MASTER_HAS_PURGED_REQUIRED_GTIDS, 59
ER_MASTER_INFO, 17

ER_MASTER_KEY_ROTATION_BINLOG_FAILED, 85
ER_MASTER_KEY_ROTATION_NOT_SUPPORTED_BY_SE, 85
ER_MASTER_KEY_ROTATION_SE_UNAVAILABLE, 85
ER_MASTER_NET_READ, 16
ER_MASTER_NET_WRITE, 16
ER_MAXVALUE_IN_VALUES_IN, 47
ER_MAX_PREPARED_STMT_COUNT_REACHED, 35
ER_MDL_OUT_OF_RESOURCES, 140
ER_MECAB_CHARSET_LOADED, 303
ER_MECAB_CREATE_LATTICE_FAILED, 303
ER_MECAB_CREATING_MODEL, 303
ER_MECAB_FAILED_TO_CREATE_MODEL, 303
ER_MECAB_FAILED_TO_CREATE_TRIGGER, 303
ER_MECAB_NOT_SUPPORTED, 303
ER_MECAB_NOT_VERIFIED, 303
ER_MECAB_OOM_WHILE_PARSING_TEXT, 303
ER_MECAB_PARSE_FAILED, 303
ER_MECAB_UNSUPPORTED_CHARSET, 303
ER_MESSAGE_AND_STATEMENT, 48
ER_MFA_METHODS_IDENTICAL, 150
ER_MFA_METHODS_INVALID_ORDER, 150
ER_MFA_METHOD_EXISTS, 149
ER_MFA_METHOD_NOT_EXISTS, 149
ER_MFA_PLUGIN_NOT_LOADED, 611
ER_MFA_USER_ATTRIBUTES_CORRUPT, 611
ER_MICROSECOND_TIMER_IS_NOT_AVAILABLE, 294
ER_MIGRATE_TABLE_TO_DD_OOM, 576
ER_MISPLACED_INTO, 136
ER_MISSING_ACL_SYSTEM_TABLE, 285
ER_MISSING_CURRENT_PASSWORD, 129
ER_MISSING_GRANT_SYSTEM_TABLE, 285
ER_MISSING_HA_CREATE_OPTION, 69
ER_MISSING_JSON_TABLE_VALUE, 103
ER_MISSING_JSON_VALUE, 137
ER_MISSING_KEY, 68
ER_MISSING_SKIP_REPLICA, 24
ER_MISSING_SKIP_SLAVE, 23
ER_MISSING_TABLESPACE_FILE, 99
ER_MIXING_NOT_ALLOWED, 19
ER_MIX_HANDLER_ERROR, 37
ER_MIX_OF_GROUP_FUNC_AND_FIELDS, 13
ER_MIX_OF_GROUP_FUNC_AND_FIELDS_V2, 77
ER_MTA_CANT_PARALLEL, 55
ER_MTA_CHANGE_SOURCE_CANT_RUN_WITH_GAPS, 60
ER_MTA_EVENT_BIGGER_PENDING_JOBS_SIZE_MAX, 65
ER_MTA_FEATURE_IS_NOT_SUPPORTED, 55
ER_MTA_INCONSISTENT_DATA, 56
ER_MTA_RECOVERY_FAILURE, 60
ER_MTA_RESET_WORKERS, 60
ER_MTA_UPDATED_DBS_GREATER_MAX, 55
ER_MTR_MSG_1, 605
ER_MTS_CANT_PARALLEL, 55
ER_MTS_CHANGE_MASTER_CANT_RUN_WITH_GAPS, 60
ER_MTS_EVENT_BIGGER_PENDING_JOBS_SIZE_MAX, 65
ER_MTS_FEATURE_IS_NOT_SUPPORTED, 55
ER_MTS_INCONSISTENT_DATA, 55
ER_MTS_RECOVERY_FAILURE, 60
ER_MTS_RESET_WORKERS, 60
ER_MTS_UPDATED_DBS_GREATER_MAX, 55
ER_MULTIPLE_CONSTRAINTS_WITH_SAME_NAME, 134
ER_MULTIPLE_DEF_CONST_IN_LIST_PART_ERROR, 37
ER_MULTIPLE_INTO_CLAUSES, 136
ER_MULTIPLE_JSON_VALUES, 138
ER_MULTIPLE_PRI_KEY, 8
ER_MULTI_UPDATE_KEY_CONFLICT, 51
ER_MUST_CHANGE_EXPIRED_PASSWORD, 280
ER_MUST_CHANGE_PASSWORD, 62
ER_MUST_CHANGE_PASSWORD_LOGIN, 65
ER_MYINIT_FAILED, 177
ER_MYISAM_CHECK_METHOD_ERROR, 296
ER_MYISAM_CRASHED_ERROR, 297
ER_MYISAM_CRASHED_ERROR_IN, 188
ER_MYISAM_CRASHED_ERROR_IN_THREAD, 187
ER_MYSQLBACKUP_CLIENT_MSG, 153
ER_MYSQLBACKUP_MSG, 570
ER_MYSQL_NATIVE_PASSWORD_SECOND_PASSWORD_USE 550
ER_MY_MALLOC_GETPROCADDRESS_FAILED, 614
ER_MY_MALLOC_LOADLIBRARY_FAILED, 614
ER_MY_MALLOC_USING_JEMALLOC, 614
ER_MY_MALLOC_USING_STD_MALLOC, 614
ER_MY_NET_WRITE_FAILED_FALLING_BACK_ON_STDERR, 258
ER_M_BIGGER_THAN_D, 33
ER_NAME_BECOMES_EMPTY, 36
ER_NANOSECOND_TIMER_IS_NOT_AVAILABLE, 294
ER_NATIVE_FCT_NAME_COLLISION, 42
ER_NDBINFO_NOT_UPGRADING_SCHEMA, 580
ER_NDBINFO_UPGRADING_SCHEMA, 580
ER_NDBINFO_UPGRADING_SCHEMA_FAIL, 580
ER_NDB_BINLOG_BLOB_REQUIRES_PK, 249
ER_NDB_BINLOG_CANT_COMMIT_TO_NDB_BINLOG_INDEX, 247
ER_NDB_BINLOG_CANT_CREATE_BLOB, 250

ER_NDB_BINLOG_CANT_CREATE_EVENT_IN_DB, 249
ER_NDB_BINLOG_CANT_CREATE_EVENT_IN_DB_AND_CANT_DROP, 249
ER_NDB_BINLOG_CANT_CREATE_EVENT_IN_DB_DROPPED, 249
ER_NDB_BINLOG_CANT_CREATE_PURGE_THD, 273
ER_NDB_BINLOG_CANT_DISCOVER_TABLE_FROM_SCHEMA_EVENT, 244
ER_NDB_BINLOG_CANT_DROP_EVENT_FROM_DB, 250
ER_NDB_BINLOG_CANT_INJECT_APPLY_STATUS_WRITE_ROW, 252
ER_NDB_BINLOG_CANT_LOCK_NDB_BINLOG_INDEX, 247
ER_NDB_BINLOG_CANT_RELEASE_SLOCK, 244
ER_NDB_BINLOG_CANT_REOPEN_SHADOW_TABLE, 245
ER_NDB_BINLOG_CANT_WRITE_TO_NDB_BINLOG_INDEX, 247
ER_NDB_BINLOG_CLEANING_UP_SETUP_LEFTOVERS, 243
ER_NDB_BINLOG_CLUSTER_FAILURE, 250
ER_NDB_BINLOG_CLUSTER_HAS_RECONNECTED, 251
ER_NDB_BINLOG_CLUSTER_RESTARTED_RESET_MASTER_SUGGESTED, 251
ER_NDB_BINLOG_CREATE_TABLE_EVENT, 220
ER_NDB_BINLOG_CREATE_TABLE_EVENT_FAILED, 249
ER_NDB_BINLOG_CREATE_TABLE_EVENT_INFO, 249
ER_NDB_BINLOG_CREATING_NDBEVENTOPERATION_FAILED, 250
ER_NDB_BINLOG_DISCOVER_REUSING_OLD_EVENT_OPS, 250
ER_NDB_BINLOG_DISCOVER_TABLE_EVENT_INFO, 249
ER_NDB_BINLOG_ERROR_DURING_GCI_COMMIT, 253
ER_NDB_BINLOG_ERROR_DURING_GCI_ROLLBACK, 252
ER_NDB_BINLOG_ERROR_HANDLING_SCHEMA_EVENT, 252
ER_NDB_BINLOG_ERROR_INFO_FROM_DA, 219
ER_NDB_BINLOG_FAILED_CREATE_EVENT_OPERATIONS, 220
ER_NDB_BINLOG_FAILED_CREATE_TABLE_EVENT_OPERATIONS, 220
ER_NDB_BINLOG_FAILED_TO_GET_TABLE, 248
ER_NDB_BINLOG_FORMAT_CHANGED_FROM_STMT_TO_MIXED, 221
ER_NDB_BINLOG_GENERIC_MESSAGE, 248
ER_NDB_BINLOG_GOT_DIST_PRIV_EVENT_FLUSHING_PRIVILEGES, 246
ER_NDB_BINLOG_GOT_SCHEMA_EVENT, 246
ER_NDB_BINLOG_INJECTING_RANDOM_WRITE_FAILURE, 247
ER_NDB_BINLOG_INJECTOR_DISCARDING_ROW_EVENT, 251
ER_NDB_BINLOG_LATEST_TRX_IN_EPOCH_NOT_IN_BINLOG, 253
ER_NDB_BINLOG_LOST_SCHEMA_CONNECTION_CONTINUING, 252
ER_NDB_BINLOG_LOST_SCHEMA_CONNECTION_WAITING, 252
ER_NDB_BINLOG_NDBEVENT_EXECUTE_FAILED, 250
ER_NDB_BINLOG_NDB_LOG_APPLY_STATUS_FORCING_IGNORE, 248
ER_NDB_BINLOG_NDB_LOG_TRANSACTION_ID_REQUIRED, 248
ER_NDB_BINLOG_NDB_TABLES_INITIALLY_READ_ONLY, 222
ER_NDB_BINLOG_NDB_TABLES_WRITABLE, 252
ER_NDB_BINLOG_NOT_LOGGING, 249
ER_NDB_BINLOG_ONLINE_ALTER_RENAME, 245
ER_NDB_BINLOG_ONLINE_ALTER_RENAME_COMPLETE, 245
ER_NDB_BINLOG_OPENING_INDEX, 247
ER_NDB_BINLOG_RELEASING_EXTRA_SHARE_REFERENCES, 253
ER_NDB_BINLOG_REMAINING_OPEN_TABLES, 253
ER_NDB_BINLOG_REMAINING_OPEN_TABLE_INFO, 253
ER_NDB_BINLOG_RENAME_EVENT, 220
ER_NDB_BINLOG_REPLY_TO, 244
ER_NDB_BINLOG_SERVER_SHUTDOWN_DURING_NDB_CLUSTER_, 251
ER_NDB_BINLOG_SHUTDOWN_DETECTED, 252
ER_NDB_BINLOG_SIGNALLING_UNKNOWN_VALUE, 244
ER_NDB_BINLOG_SKIPPING_DROP_OF_DB_CONTAINING_, 246
ER_NDB_BINLOG_SKIPPING_DROP_OF_LOCAL_TABLE, 245
ER_NDB_BINLOG_SKIPPING_LOCAL_TABLE, 245
ER_NDB_BINLOG_SKIPPING_OLD_SCHEMA_OPERATION, 246
ER_NDB_BINLOG_SKIPPING_RENAME_OF_LOCAL_TABLE_DURING_RENAME, 246
ER_NDB_BINLOG_STARTING_LOG_AT_EPOCH, 252
ER_NDB_BINLOG_UNHANDLED_ERROR_FOR_TABLE, 250

ER_NDB_BINLOG_UNKNOWN_NON_DATA_EVENT, 251
ER_NDB_BINLOG_USING_SERVER_ID_0_SLAVES_WILL_NOT, 247
ER_NDB_BINLOG_WRITE_TO_NDB_BINLOG_INDEX_FAILED_ABORTING, 247
ER_NDB_BINLOG_WRITING_TO_NDB_BINLOG_INDEX, 247
ER_NDB_CANT_ALLOC_GLOBAL_NDB_CLUSTER_CONNECTION, 263
ER_NDB_CANT_ALLOC_GLOBAL_NDB_OBJECT, 264
ER_NDB_CANT_ALLOC_NDB_CLUSTER_CONNECTION, 264
ER_NDB_CANT_FIND_TABLE, 245
ER_NDB_CANT_PARSE_NDB_CLUSTER_CONNECTION_POOL_NODEIDS, 263
ER_NDB_CANT_START_CONNECT_THREAD, 264
ER_NDB_CLEANING_STRAY_TABLES, 242
ER_NDB_CLEAR_SLOCK_INFO, 245
ER_NDB_CLUSTER_FAILURE, 246
ER_NDB_CLUSTER_FIND_ALL_DBS_FAIL, 242
ER_NDB_CLUSTER_FIND_ALL_DBS_RETRY, 242
ER_NDB_CLUSTER_FREE_SHARE_INFO, 221
ER_NDB_CLUSTER_GENERIC_MESSAGE, 207
ER_NDB_CLUSTER_GET_SHARE_INFO, 221
ER_NDB_CLUSTER_MARK_SHARE_DROPPED_DESTROYING_SHARE, 222
ER_NDB_CLUSTER_MARK_SHARE_DROPPED_INFO, 221
ER_NDB_CLUSTER_OOM_THD_NDB, 222
ER_NDB_CLUSTER_REAL_FREE_SHARE_DROP_FAILED, 221
ER_NDB_CLUSTER_REAL_FREE_SHARE_INFO, 221
ER_NDB_CLUSTER_SCHEMA_INFO, 207
ER_NDB_CLUSTER_WRONG_NUMBER_OF_FUNCTION_ARGUMENTS, 207
ER_NDB_COLUMN_DEFAULTS_DIFFER, 218
ER_NDB_COLUMN_INFO, 218
ER_NDB_COLUMN_SHOULD_NOT_HAVE_NATIVE_DEFAULT, 218
ER_NDB_CONFLICT_FN_PARSE_ERROR, 248
ER_NDB_CONFLICT_FN_SETUP_ERROR, 248
ER_NDB_CONFLICT_GENERIC_MESSAGE, 248
ER_NDB_COULD_NOT_GET_APPLY_STATUS_SHARE, 251
ER_NDB_CPU_MASK_TOO_SHORT, 264
ER_NDB_CREATE_EVENT_OPS_LOGGING_INFO, 250
ER_NDB_CREATING_SHARE_IN_OPEN, 220
ER_NDB_CREATING_TABLE, 242
ER_NDB_DISCARDING_EVENT_ID_VERSION_MISMATCH, 245
ER_NDB_DISCARDING_EVENT_NO_OBJ, 245
ER_NDB_DISCONNECT_INFO, 218
ER_NDB_DISCOVERED_MISSING_DB, 242
ER_NDB_DISCOVERED_REMAINING_DB, 242
ER_NDB_DISTRIBUTED_INFO, 243
ER_NDB_DISTRIBUTING_ERR, 276
ER_NDB_DISTRIBUTION_COMPLETE, 244
ER_NDB_DUPLICATE_NODEID_IN_NDB_CLUSTER_CONNECTION, 263
ER_NDB_EMPTY_NODEID_IN_NDB_CLUSTER_CONNECTION_, 262
ER_NDB_ERROR_IN_GET_AUTO_INCREMENT, 220
ER_NDB_ERROR_IN_READAUTOINCREMENTVALUE, 219
ER_NDB_FAILED_TO_SET_UP_TABLE, 243
ER_NDB_FIELD_INFO, 218
ER_NDB_FLUSHING_TABLE_INFO, 242
ER_NDB_FOUND_UNCOMMITTED_AUTOCOMMIT, 219
ER_NDB_GENERIC_ERROR, 264
ER_NDB_HANDLE_TRAILING_SHARE_INFO, 221
ER_NDB_IGNORING_UNKNOWN_EVENT, 246
ER_NDB_ILLEGAL_VALUE_FOR_NDB_RECV_THREAD_CPU_M 222
ER_NDB_INFO_FAILED_TO_CREATE_NDBINFO, 207
ER_NDB_INFO_FAILED_TO_INIT_NDBINFO, 207
ER_NDB_INFO_FOUND_UNEXPECTED_FIELD_TYPE, 207
ER_NDB_INITIALIZE_GIVEN_CLUSTER_PLUGIN_DISABLED, 220
ER_NDB_INVALID_NODEID_IN_NDB_CLUSTER_CONNECTION_ 263
ER_NDB_LOG_ENTRY, 273
ER_NDB_LOG_ENTRY_WITH_PREFIX, 273
ER_NDB_MISMATCH_IN_FRM_DISCOVERING, 243
ER_NDB_MISSING_FRM_DISCOVERING, 243
ER_NDB_NODEID_NOT_FIRST_IN_NDB_CLUSTER_CONNECTI 263
ER_NDB_NODE_ID_AND_MANAGEMENT_SERVER_INFO, 217
ER_NDB_NODE_INFO, 264
ER_NDB_NOT_WAITING_FOR_DISTRIBUTING, 243
ER_NDB_NUMBER_OF_CHANNELS, 276
ER_NDB_OOM_GET_NDB_BLOBS_VALUE, 241
ER_NDB_OOM_IN_FIX_UNIQUE_INDEX_ATTR_ORDER, 218
ER_NDB_POOL_SIZE_MUST_MATCH_NDB_CLUSTER_CONNE 263
ER_NDB_QUERY_FAILED, 216
ER_NDB_REMAINING_OPEN_TABLES, 251
ER_NDB_REMAINING_OPEN_TABLE_INFO, 251
ER_NDB_REPLICATION_SCHEMA_ERROR, 45

ER_NDB_SCHEMA_DISTRIBUTION_FAILED, 244
ER_NDB_SCHEMA_DISTRIBUTION_REPORTS_SUBSCRIBE, 244
ER_NDB_SCHEMA_DISTRIBUTION_REPORTS_UNSUBSCRIBE, 244
ER_NDB_SCHEMA_GENERIC_MESSAGE, 214
ER_NDB_SERVER_ID_RESERVED_OR_TOO_LARGE, 248
ER_NDB_SHARE_ALREADY_EXISTS, 221
ER_NDB_SKIPPING_SETUP_TABLE, 242
ER_NDB_SLAVE_BINLOG_MISSING_INFO_FOR_CONFLICT_DETECTION, 219
ER_NDB_SLAVE_CANT_ALLOCATE_TABLE_SHARE, 219
ER_NDB_SLAVE_CONFLICT_DETECTION_REQUIRES_TRANSACTION_IDS, 219
ER_NDB_SLAVE_CONFLICT_FUNCTION_REQUIRES_ROLE, 218
ER_NDB_SLAVE_ERROR_IN_UPDATE_CREATE_INFO, 219
ER_NDB_SLAVE_LOGGING_EXCEPTIONS_TO, 206
ER_NDB_SLAVE_LOW_EPOCH_RESOLUTION, 206
ER_NDB_SLAVE_MALFORMED_EVENT_RECEIVED_ON_TABLE, 218
ER_NDB_SLAVE_MAX_REPLICATED_EPOCH_SET_TO, 217
ER_NDB_SLAVE_MAX_REPLICATED_EPOCH_UNKNOWN, 217
ER_NDB_SLAVE_MISSING_DATA_FOR_TIMESTAMP_COLUMN, 206
ER_NDB_SLAVE_PARALLEL_WORKERS, 276
ER_NDB_SLAVE_PREVIOUS_EPOCH_NOT_COMMITTED, 206
ER_NDB_SLAVE_SAW_ALREADY_COMMITTED_EPOCH, 206
ER_NDB_SLAVE_SAW_EPOCH_LOWER_THAN_PREVIOUS, 206
ER_NDB_SLAVE_SAW_EPOCH_LOWER_THAN_PREVIOUS_ON_START, 206
ER_NDB_SLAVE_TOO_MANY_RETRIES, 219
ER_NDB_STARTING_CONNECT_THREAD, 264
ER_NDB_TABLES_INITIALLY_READ_ONLY_ON_RECONNECT, 246
ER_NDB_TABLES_NOT_READY, 182
ER_NDB_TABLE_IS_NOT_DISTRIBUTED, 242
ER_NDB_TABLE_OPENED_READ_ONLY, 220
ER_NDB_THREAD_TIMED_OUT, 242
ER_NDB_TIMED_OUT_IN_DROP_TABLE, 250
ER_NDB_TIMEOUT_WHILE_DISTRIBUTING, 243
ER_NDB_TOO_MANY_CPUS_IN_NDB_RECV_THREAD_CPU_MASK, 222
ER_NDB_TRAILING_SHARE_RELEASED_BY_CLOSE_CACHED_TABLES, 221
ER_NDB_TRANS_DEPENDENCY_TRACKER_ERROR, 248
ER_NDB_UNEXPECTED_RENAME_TYPE, 220
ER_NDB_USING_NODEID, 263
ER_NDB_USING_NODEID_LIST, 264
ER_NDB_UTIL_THREAD_OOM, 222
ER_NDB_WAITING_INFO, 243
ER_NDB_WAITING_INFO_WITH_MAP, 243
ER_NEED_FILE_INSTEAD_OF_DIR, 179
ER_NEED_LOG_BIN, 179
ER_NEED_REPREPARE, 44
ER_NETWORK_NAMESPACES_NOT_SUPPORTED, 561
ER_NETWORK_NAMESPACE_FILE_PATH_TOO_LONG, 561
ER_NETWORK_NAMESPACE_NOT_ALLOWED_FOR_WILDCARD_LISTENER, 561
ER_NETWORK_READ_EVENT_CHECKSUM_FAILURE, 528
ER_NET_ERROR_ON_WRITE, 14
ER_NET_FCNTL_ERROR, 14
ER_NET_OK_PACKET_TOO_LARGE, 74
ER_NET_PACKETS_OUT_OF_ORDER, 14
ER_NET_PACKET_TOO_LARGE, 14
ER_NET_READ_ERROR, 14
ER_NET_READ_ERROR_FROM_PIPE, 14
ER_NET_READ_INTERRUPTED, 14
ER_NET_UNCOMPRESS_ERROR, 14
ER_NET_WAIT_ERROR, 562
ER_NET_WAIT_ERROR2, 599
ER_NET_WRITE_INTERRUPTED, 14
ER_NEW_ABORTING_CONNECTION, 16
ER_NO, 3
ER_NONEXISTING_GRANT, 13
ER_NONEXISTING_PROC_GRANT, 31
ER_NONEXISTING_TABLE_GRANT, 13
ER_NONPOSITIVE_RADIUS, 108
ER_NON_UNIQ_ERROR, 8
ER_NONUPDATEABLE_COLUMN, 28
ER_NON_BOOLEAN_EXPR_FOR_CHECK_CONSTRAINT, 120
ER_NON_DEFAULT_VALUE_FOR_GENERATED_COLUMN, 79
ER_NON_GROUPING_FIELD_USED, 35
ER_NON_INSERTABLE_TABLE, 36
ER_NON_RO_SELECT_DISABLE_TIMER, 71
ER_NON_UNIQ_ERROR, 6
ER_NON_UPDATABLE_TABLE, 24
ER_NORMAL_SERVER_SHUTDOWN, 527
ER_NORMAL_SHUTDOWN, 8
ER_NOTE_COMPONENT_KEYRING_OCI_MISSING_NAME_626
ER_NOTE_COMPONENT_SLOT_DEREGISTRATION_SUCCI635

ER_NOTE_COMPONENT_SLOT_REGISTRATION_SUCCESS, 635
ER_NOTE_KEYRING_COMPONENT_AES_DATA_IDENTIFIER_EMPTY, 597
ER_NOTE_KEYRING_COMPONENT_AES_INVALID_KEY, 597
ER_NOTE_KEYRING_COMPONENT_AES_INVALID_MODE_OR_SIZE, 597
ER_NOTE_KEYRING_COMPONENT_AES_OPERATION_ERROR, 597
ER_NOTE_KEYRING_COMPONENT_GENERATE_FAILED, 598
ER_NOTE_KEYRING_COMPONENT_INITIALIZED, 597
ER_NOTE_KEYRING_COMPONENT_KEYS_METADATA_ERROR, 598
ER_NOTE_KEYRING_COMPONENT_METADATA_ITERATION_ERROR, 598
ER_NOTE_KEYRING_COMPONENT_READ_DATA_NOT_EQUAL, 598
ER_NOTE_KEYRING_COMPONENT_REMOVE_FAILED, 598
ER_NOTE_KEYRING_COMPONENT_STORE_FAILED, 598
ER_NOTE_KEYRING_COMPONENT_WRITE_MAXIMUM_DATA_LENGTH, 598
ER_NOT_ALLOWED_COMMAND, 13
ER_NOT_ALLOWED_WITH_START_TRANSACTION, 139
ER_NOT_FORM_FILE, 5
ER_NOT_HINT_UPDATABLE_VARIABLE, 100
ER_NOT_IMPLEMENTED_FOR_CARTESIAN_SRS, 107
ER_NOT_IMPLEMENTED_FOR_GEOGRAPHIC_SRS, 98
ER_NOT_IMPLEMENTED_FOR_PROJECTED_SRS, 108
ER_NOT_IMPLEMENTED_GET_TABLESPACE_STATISTICS, 322
ER_NOT_KEYFILE, 5
ER_NOT_RIGHT_NOW, 176
ER_NOT_SUPPORTED_AUTH_MODE, 21
ER_NOT_SUPPORTED_YET, 20
ER_NOT_VALID_PASSWORD, 62
ER_NO_ACCESS_TO_NATIVE_FCT, 92
ER_NO_BINARY_LOGGING, 30
ER_NO_BINLOG_ERROR, 39
ER_NO_CSV_NO_LOG_TABLES, 178
ER_NO_DB_ERROR, 6
ER_NO_DEFAULT, 20
ER_NO_DEFAULT_FOR_FIELD, 29
ER_NO_DEFAULT_FOR_VIEW_FIELD, 32
ER_NO_ERROR_LOG_PARSER_CONFIGURED, 591
ER_NO_FORMAT_DESCRIPTION_EVENT_BEFORE_BINLOG_STATEMENT, 43
ER_NO_FT_MATERIALIZED_SUBQUERY, 70
ER_NO_PARTITION_FOR_GIVEN_VALUE, 39
ER_NO_PARTITION_FOR_GIVEN_VALUE_SILENT, 43
ER_NO_RAID, 1
ER_NO_RANDOM_GENERATOR_AVAILABLE, 13
ER_NO_SUCH_TABLE, 13
ER_NO_SUCH_THREAD, 10
ER_NO_SUCH_USER, 34
ER_NO_SUPER_WITHOUT_USER_PLUGIN, 196
ER_NO_SYSTEM_SCHEMA_ACCESS, 91
ER_NO_SYSTEM_TABLESPACE_ACCESS, 91
ER_NO_SYSTEM_TABLE_ACCESS, 91
ER_NO_SYSTEM_TABLE_ACCESS_FOR_DICTIONARY_TABLE, 91
ER_NO_SYSTEM_TABLE_ACCESS_FOR_SYSTEM_TABLE, 91
ER_NO_SYSTEM_TABLE_ACCESS_FOR_TABLE, 91
ER_NO_SYSTEM_VIEW_ACCESS, 98
ER_NO_TABLES_USED, 10
ER_NO_THD_NO_UUID, 170
ER_NO_TRIGGERS_ON_SYSTEM_SCHEMA, 35
ER_NO_UNIQUE_LOGFILE, 10
ER_NPIPE_CANT_CREATE, 275
ER_NPIPE_FAILED_TO_INIT_SECURITY_DESCRIPTOR, 205
ER_NPIPE_FAILED_TO_SET_SECURITY_DESCRIPTOR, 205
ER_NPIPE_PIPE_ALREADY_IN_USE, 205
ER_NULL_COLUMN_IN_INDEX, 12
ER_NULL_IN_VALUES_LESS_THAN, 41
ER_NUMERIC_JSON_VALUE_OUT_OF_RANGE, 83
ER_OBSOLETE_FILE_PRIVILEGE_FOR_REPLICATION_CHECK, 571
ER_OBSOLETE_REQUIRE_ROW_FORMAT_VIOLATION, 573
ER_OLD_FILE_FORMAT, 35
ER_OLD_KEYFILE, 5
ER_OLD_PASSWORDS_NO_MIDDLE_GROUND, 171
ER_OLD_TEMPORALS_UPGRADED, 67
ER_ONLY_FD_AND_RBR_EVENTS_ALLOWED_IN_BINLOG_STATEMENT, 53

ER_ONLY_IMPLEMENTED_FOR_SRID_0_AND_4326, 105
ER_ONLY_INTEGERS_ALLOWED, 42
ER_ONLY_ON_RANGE_LIST_PARTITION, 38
ER_OOM, 176
ER_OOM_SAVE_GTIDS, 527
ER_OPEN_AS_READONLY, 5
ER_OPEN_ROLE_TABLES, 89
ER_OPERAND_COLUMNS, 21
ER_OPERATION_NOT_ALLOWED_ON_GR_SECONDARY, 148
ER_OPERATION_NOT_ALLOWED_WHILE_PRIMARY_CHANGE_IS_RUNNING, 154
ER_OPTION_PREVENTS_STATEMENT, 24
ER_OPT_WRONG_TREE, 163
ER_OUTOFMEMORY, 5
ER_OUT_OF_RESOURCES, 6
ER_OUT_OF_SORTMEMORY, 5
ER_PAGE_TRACKING_CANNOT_PURGE, 119
ER_PAGE_TRACKING_NOT_STARTED, 119
ER_PAGE_TRACKING_RANGE_NOT_TRACKED, 119
ER_PARSER_TRACE, 162
ER_PARSE_ERROR, 7
ER_PARSE_ERROR_IN_DIGEST_FN, 104
ER_PARSING_VIEW, 169
ER_PARTIAL_REVOKES_EXIST, 129
ER_PARTIAL_REVOKE_AND_DB_GRANT_BOTH_EXISTS, 130
ER_PARTITIONS_MUST_BE_DEFINED_ERROR, 37
ER_PARTITION_CLAUSE_ON_NONPARTITIONED, 54
ER_PARTITION_COLUMN_LIST_ERROR, 47
ER_PARTITION_CONST_DOMAIN_ERROR, 41
ER_PARTITION_ENTRY_ERROR, 37
ER_PARTITION_EXCHANGE_DIFFERENT_OPTION, 53
ER_PARTITION_EXCHANGE_FOREIGN_KEY, 54
ER_PARTITION_EXCHANGE_PART_TABLE, 53
ER_PARTITION_EXCHANGE_TEMP_TABLE, 54
ER_PARTITION_FIELDS_TOO_LONG, 47
ER_PARTITION_FUNCTION_FAILURE, 39
ER_PARTITION_FUNCTION_IS_NOT_ALLOWED, 41
ER_PARTITION_FUNC_NOT_ALLOWED_ERROR, 37
ER_PARTITION_HANDLER_ADMIN_MSG, 296
ER_PARTITION_INSTEAD_OF_SUBPARTITION, 54
ER_PARTITION_MAXVALUE_ERROR, 36
ER_PARTITION_MERGE_ERROR, 41
ER_PARTITION_MGMT_ON_NONPARTITIONED, 38
ER_PARTITION_MOVE_CREATED_DUPLICATE_ROW_PLEASE_FIX, 275
ER_PARTITION_NAME, 45
ER_PARTITION_NOT_DEFINED_ERROR, 37
ER_PARTITION_NO_TEMPORARY, 41
ER_PARTITION_REQUIRES_VALUES_ERROR, 36
ER_PARTITION_WRONG_NO_PART_ERROR, 36
ER_PARTITION_WRONG_NO_SUBPART_ERROR, 36
ER_PARTITION_WRONG_VALUES_ERROR, 36
ER_PART_EXPR_TOO_LONG, 99
ER_PASSWORD_ANONYMOUS_USER, 12
ER_PASSWORD_CANNOT_BE_RETAINED_ON_PLUGIN_CH
129
ER_PASSWORD_EXPIRATION_NOT_SUPPORTED_BY_AUT
204
ER_PASSWORD_EXPIRE_ANONYMOUS_USER, 69
ER_PASSWORD_FORMAT, 62
ER_PASSWORD_NOT_ALLOWED, 12
ER_PASSWORD_NO_MATCH, 12
ER_PATH_IN_DATADIR, 100
ER_PATH_LENGTH, 49
ER_PERFORMANCE_SCHEMA_VERSION_CHANGE, 641
ER_PERFSCHEMA_COMPONENTS_INFRASTRUCTURE_BO
281
ER_PERFSCHEMA_COMPONENTS_INFRASTRUCTURE_SH
281
ER_PERFSCHEMA_INIT_FAILED, 180
ER_PERFSCHEMA_TABLES_INIT_FAILED, 283
ER_PERSISTED_VARIABLES_DECRYPTION_FAILED, 614
ER_PERSISTED_VARIABLES_ENCRYPTION_FAILED, 614
ER_PERSISTED_VARIABLES_KEYRING_SUPPORT_REQUI
613
ER_PERSISTED_VARIABLES_LACK_KEYRING_SUPPORT, 614
ER_PERSISTED_VARIABLES_MASTER_KEY_CANNOT_BE_
614
ER_PERSISTED_VARIABLES_MASTER_KEY_NOT_FOUND,
613
ER_PERSISTENT_PRIVILEGES_BOOTSTRAP, 282
ER_PERSIST_ONLY_ACCESS_DENIED_ERROR, 99
ER_PERSIST_OPTION_HOST_TRUNCATED, 562
ER_PERSIST_OPTION_STATUS, 322
ER_PERSIST_OPTION_USER_TRUNCATED, 562
ER_PER_CHANNEL_RPL_FILTER_CONF_FOR_GRP_RPL, 293
ER_PFS_MALLOC_ARRAY_OOM, 294
ER_PFS_MALLOC_ARRAY_OVERFLOW, 294
ER_PFS_NOTIFICATION_FUNCTION_REGISTER_FAILED, 286
ER_PFS_PLUGIN_TABLE_FILEPATH_LOCATIONS_INACCESSIBLE, 536
ER_PID_FILE_PRIV_DIRECTORY_INSECURE, 388
ER_PK_INDEX_CANT_BE_INVISIBLE, 89

ER_PLUGGABLE_PROTOCOL_COMMAND_NOT_SUPPORTED, 81
ER_PLUGIN_BAD_OPTIONS, 258
ER_PLUGIN_CANNOT_BE_UNINSTALLED, 67
ER_PLUGIN_CANT_LOAD, 257
ER_PLUGIN_CANT_OPEN_PLUGIN_TABLE, 257
ER_PLUGIN_CANT_SET_PERSISTENT_OPTIONS, 258
ER_PLUGIN_COMMON_FAILED_TO_OPEN_FILTER_TABLES, 320
ER_PLUGIN_COMMON_FAILED_TO_OPEN_TABLE, 320
ER_PLUGIN_DELETE_BUILTIN, 44
ER_PLUGIN_DID_NOT_DEINITIALIZE_THREADS, 217
ER_PLUGIN_DISABLED, 258
ER_PLUGIN_EXCEPTION_OPERATION_FAILED, 631
ER_PLUGIN_FAILED_DEINITIALIZATION, 256
ER_PLUGIN_FAILED_TO_OPEN_TABLE, 533
ER_PLUGIN_FAILED_TO_OPEN_TABLES, 533
ER_PLUGIN_FORCING_SHUTDOWN, 257
ER_PLUGIN_HAS_CONFLICTING_SYSTEM_VARIABLES, 258
ER_PLUGIN_HAS_NONZERO_REFCOUNT_AFTER_DEINITIALIZATION, 256
ER_PLUGIN_HAS_NONZERO_REFCOUNT_AFTER_SHUTDOWN, 257
ER_PLUGIN_INIT_FAILED, 184
ER_PLUGIN_INSTALL_ERROR, 542
ER_PLUGIN_INVALID_TABLE_DEFINITION, 603
ER_PLUGIN_IS_NOT_LOADED, 39
ER_PLUGIN_IS_PERMANENT, 51
ER_PLUGIN_LOAD_OPTIONS_IGNORED, 572
ER_PLUGIN_LOAD_PARAMETER_TOO_LONG, 257
ER_PLUGIN_NOT_EARLY, 123
ER_PLUGIN_NOT_EARLY_DUP, 563
ER_PLUGIN_NO_INSTALL, 52
ER_PLUGIN_NO_INSTALL_DUP, 563
ER_PLUGIN_NO_UNINSTALL, 52
ER_PLUGIN_OOM, 258
ER_PLUGIN_PARSING_OPTIONS_FAILED, 258
ER_PLUGIN_REGISTRATION_DONE, 149
ER_PLUGIN_REGISTRATION_FAILED, 257
ER_PLUGIN_REQUIRES_REGISTRATION, 149
ER_PLUGIN_SHUTTING_DOWN_PLUGIN, 257
ER_PLUGIN_UNINSTALL_ERROR, 542
ER_PLUGIN_UNKNOWN_VARIABLE_TYPE, 257
ER_PLUGIN_VARIABLE_MISSING_NAME, 257
ER_PLUGIN_VARIABLE_NOT_ALLOCATED_THREAD_LOCAL, 258
ER_PLUGIN_VARIABLE_SET_READ_ONLY, 257
ER_POINTLESS_WITHOUT_SLOWLOG, 171
ER_POLYGON_TOO_LARGE, 110
ER_PREPARE_FOR_PRIMARY_ENGINE, 605
ER_PREPARE_FOR_SECONDARY_ENGINE, 556
ER_PREVENTS_VARIABLE_WITHOUT_RBR, 78
ER_PRIMARY_CANT_HAVE_NULL, 15
ER_PRIVILEGE_DEREGISTRATION, 637
ER_PRIVILEGE_REGISTRATION, 637
ER_PRIVILEGE_SYSTEM_INIT_FAILED, 282
ER_PROCACCESS_DENIED_ERROR, 29
ER_PROC_AUTO_GRANT_FAIL, 31
ER_PROC_AUTO_REVOKE_FAIL, 31
ER_PROTOCOL_COMPRESSION_RESET_LOG, 570
ER_PS_MANY_PARAM, 30
ER_PS_NO_RECURSION, 34
ER_QUERY_CACHE_DISABLED, 47
ER_QUERY_INTERRUPTED, 26
ER_QUERY_ON_FOREIGN_DATA_SOURCE, 33
ER_QUERY_TIMEOUT, 70
ER_RANGE_NOT_INCREASING_ERROR, 37
ER_READING_TABLE_FAILED, 184
ER_READY, 8
ER_READ_LOG_EVENT_FAILED, 291
ER_READ_ONLY_MODE, 63
ER_READ_ONLY_TRANSACTION, 18
ER_RECOVERY_RUN_AS_ROOT, 175
ER_RECORD_FILE_FULL, 11
ER_RECOVERING_TABLE, 259
ER_REDUCED_DBLWR_FILE_CORRUPTED, 639
ER_REDUCED_DBLWR_PAGE_FOUND, 639
ER_REFERENCED_TRG_DOES_NOT_EXIST, 69
ER_REGEXP_BAD_ESCAPE_SEQUENCE, 106
ER_REGEXP_BAD_INTERVAL, 106
ER_REGEXP_BUFFER_OVERFLOW, 105
ER_REGEXP_ERROR, 13
ER_REGEXP_ILLEGAL_ARGUMENT, 105
ER_REGEXP_INDEX_OUTOFBOUNDS_ERROR, 106
ER_REGEXP_INTERNAL_ERROR, 106
ER_REGEXP_INVALID_BACK_REF, 106
ER_REGEXP_INVALID_CAPTURE_GROUP_NAME, 128
ER_REGEXP_INVALID_FLAG, 130
ER_REGEXP_INVALID_RANGE, 107
ER_REGEXP_LOOK_BEHIND_LIMIT, 106
ER_REGEXP_MAX_LT_MIN, 106
ER_REGEXP_MISMATCHED_PAREN, 106
ER_REGEXP_MISSING_CLOSE_BRACKET, 107
ER_REGEXP_MISSING_FILE, 152
ER_REGEXP_MISSING_ICU_DATADIR, 612
ER_REGEXP_MISSING_RESOURCE, 152
ER_REGEXP_PATTERN_TOO_BIG, 107
ER_REGEXP_RULE_SYNTAX, 106
ER_REGEXP_STACK_OVERFLOW, 107
ER_REGEXP_STRING_NOT_TERMINATED, 105

ER_REGEXP_TIME_OUT, 107
ER_REGEXP_UNIMPLEMENTED, 106
ER_REGEX_NUMBER_TOO_BIG, 142
ER_RELAY_LOG_FAIL, 30
ER_RELAY_LOG_INIT, 30
ER_RELAY_LOG_SPACE_LIMIT_DISABLED, 539
ER_RELOAD_KEYRING_FAILURE, 146
ER_REMOVED_SPACES, 35
ER_RENAMED_NAME, 45
ER_RENAME_ROLE, 89
ER_REORG_HASH_ONLY_ON_SAME_NO, 38
ER_REORG_NO_PARAM_ERROR, 38
ER_REORG_OUTSIDE_RANGE, 39
ER_REORG_PARTITION_NOT_EXIST, 38
ER_REPLACE_INACCESSIBLE_ROWS, 74
ER_REPLICATION_INCOMPATIBLE_TABLE_WITH_GIPK, 629
ER_REPLICA_AM_INIT_REPOSITORY, 66
ER_REPLICA_ANONYMOUS_TO_GTID_UUID_SAME_AS_GROUP_NAME, 594
ER_REPLICA_ANON_TO_GTID_IS_LOCAL_OR_UUID_AND_GROUP_NAME, 594
ER_REPLICA_CANT_CREATE_CONVERSION, 49
ER_REPLICA_CANT_USE_TEMPDIR, 240
ER_REPLICA_CHANGE_SOURCE_TO_EXECUTED, 239
ER_REPLICA_CHANNEL_DOES_NOT_EXIST, 75
ER_REPLICA_CHANNEL_IO_THREAD_MUST_STOP, 70
ER_REPLICA_CHANNEL_MUST_STOP, 76
ER_REPLICA_CHANNEL_NAME_INVALID_OR_TOO_LONG, 75
ER_REPLICA_CHANNEL_NOT_RUNNING, 76
ER_REPLICA_CHANNEL_OPERATION_NOT_ALLOWED, 82
ER_REPLICA_CHANNEL_SQL_SKIP_COUNTER, 77
ER_REPLICA_CHANNEL_SQL_THREAD_MUST_STOP, 77
ER_REPLICA_CHANNEL_WAS_NOT_RUNNING, 76
ER_REPLICA_CHANNEL_WAS_RUNNING, 76
ER_REPLICA_CM_INIT_REPOSITORY, 66
ER_REPLICA_CONFIGURATION, 59
ER_REPLICA_CORRUPT_EVENT, 44
ER_REPLICA_CREATE_EVENT_FAILURE, 528
ER_REPLICA_FATAL_ERROR, 528
ER_REPLICA_HAS_MORE_GTIDS_THAN_SOURCE, 68
ER_REPLICA_HEARTBEAT_FAILURE, 529
ER_REPLICA_HEARTBEAT_VALUE_OUT_OF_RANGE, 45
ER_REPLICA_HEARTBEAT_VALUE_OUT_OF_RANGE_MAX, 51
ER_REPLICA_HEARTBEAT_VALUE_OUT_OF_RANGE_MIN, 51
ER_REPLICA_IGNORED_SSL_PARAMS, 23
ER_REPLICA_IGNORED_TABLE, 20
ER_REPLICA_IGNORE_SERVER_IDS, 46
ER_REPLICA_INCIDENT, 529
ER_REPLICA_KILLED_AFTER_RECONNECT, 292
ER_REPLICA_MAX_CHANNELS_EXCEEDED, 76
ER_REPLICA_MULTIPLE_CHANNELS_CMD, 75
ER_REPLICA_NEW_CHANNEL_WRONG_REPOSITORY, 75
ER_REPLICA_NOT_RUNNING, 17
ER_REPLICA_NOT_STARTED_ON_SOME_CHANNELS, 292
ER_REPLICA_POSSIBLY_DIVERGED_AFTER_DDL, 110
ER_REPLICA_RECONNECT_FAILED, 292
ER_REPLICA_RELAY_LOG_PURGE_FAILED, 284
ER_REPLICA_RELAY_LOG_READ_FAILURE, 529
ER_REPLICA_RELAY_LOG_TRUNCATE_INFO, 283
ER_REPLICA_RELAY_LOG_WRITE_FAILURE, 529
ER_REPLICA_SILENT_RETRY_TRANSACTION, 61
ER_REPLICA_SOURCE_COM_FAILURE, 529
ER_REPLICA_SQL_THREAD_MUST_STOP, 70
ER_REPLICA_SQL_THREAD_STOPPED_AFTER_GTIDS_RE 204
ER_REPLICA_SQL_THREAD_STOPPED_BEFORE_GTIDS_A 203
ER_REPLICA_SQL_THREAD_STOPPED_BEFORE_GTIDS_F 204
ER_REPLICA_SQL_THREAD_STOPPED_GAP_TRX_PROCE 204
ER_REPLICA_SQL_THREAD_STOPPED_UNTIL_CONDITION 203
ER_REPLICA_SQL_THREAD_STOPPED_UNTIL_POSITION_ 203
ER_REPLICA_THREAD, 18
ER_REPLICA_WORKER_STOPPED_PREVIOUS_THD_ERRO 71
ER_REQUIRES_PRIMARY_KEY, 15
ER_REQUIRE_ROW_FORMAT_INVALID_VALUE, 135
ER_REQUIRE_TABLE_PRIMARY_KEY_CHECK_GENERATE 161
ER_REQUIRE_TABLE_PRIMARY_KEY_CHECK_GENERATE 632
ER_RESERVED_SYNTAX, 30
ER_RESERVED_TABLESPACE_NAME, 109
ER_RESET_MASTER_TO_VALUE_OUT_OF_RANGE, 92
ER_RESET_SOURCE_TO_VALUE_OUT_OF_RANGE, 92
ER_RESIGNAL_WITHOUT_ACTIVE_HANDLER, 46
ER_RESOURCE_GROUP_BIND_FAILED, 103
ER_RESOURCE_GROUP_BUSY, 102
ER_RESOURCE_GROUP_DISABLED, 102

ER_RESOURCE_GROUP_EXISTS, 102
ER_RESOURCE_GROUP_IS_DISABLED, 286
ER_RESOURCE_GROUP_METADATA_UPDATE_SKIPPED, 285
ER_RESOURCE_GROUP_NOT_EXISTS, 102
ER_RESOURCE_GROUP_POST_INIT_FAILED, 282
ER_RESOURCE_GROUP_SUBSYSTEM_INIT_FAILED, 282
ER_RESOURCE_GROUP_VALIDATION_FAILED, 286
ER_RESTART_RECEIVED_INFO, 299
ER_RESTART_SERVER_FAILED, 108
ER_RES_GRP_FAILED_DETERMINE_CPU_COUNT, 287
ER_RES_GRP_FAILED_TO_DETERMINE_NICE_CAPABILITY, 287
ER_RES_GRP_FAILED_TO_GET_THREAD_HANDLE, 287
ER_RES_GRP_FAILED_TO_SWITCH_RESOURCE_GROUP, 625
ER_RES_GRP_FEATURE_NOT_AVAILABLE, 287
ER_RES_GRP_GET_THREAD_PRIO_NOT_SUPPORTED, 287
ER_RES_GRP_INVALID_THREAD_PRIORITY, 288
ER_RES_GRP_INVALID_VCPU_ID, 298
ER_RES_GRP_INVALID_VCPU_RANGE, 298
ER_RES_GRP_SET_THREAD_PRIORITY_FAILED, 287
ER_RES_GRP_SET_THR_AFFINITY_FAILED, 287
ER_RES_GRP_SET_THR_AFFINITY_TO_CPUS_FAILED, 287
ER_RES_GRP_SOLARIS_PROCESSOR_AFFINITY_FAILED, 288
ER_RES_GRP_SOLARIS_PROCESSOR_BIND_TO_CPUID_FAILED, 288
ER_RES_GRP_SOLARIS_PROCESSOR_BIND_TO_THREAD, 288
ER_RES_GRP_SWITCH_FAILED_COULD_NOT_ACQUIRE_LOCK, 626
ER_RES_GRP_SWITCH_FAILED_COULD_NOT_ACQUIRE_LOCK_1, 626
ER_RES_GRP_SWITCH_FAILED_UNABLE_TO_APPLY_RES_GRP, 626
ER_RES_GRP_THD_UNBIND_FROM_CPU_FAILED, 287
ER_RETRYING_REPAIR_WITHOUT_QUICK, 258
ER_RETRYING_REPAIR_WITH_KEYCACHE, 259
ER_REVOKE_GRANTS, 22
ER_REWRITER_LOAD_FAILED, 322
ER_REWRITER_OOM, 322
ER_REWRITER_QUERY_ERROR_MSG, 318
ER_REWRITER_QUERY_FAILED, 318
ER_REWRITER_READ_FAILED, 322
ER_REWRITER_TABLE_MALFORMED_ERROR, 322
ER_ROLE_GRANTED_TO_ITSELF, 145
ER_ROLE_NOT_GRANTED, 89
ER_ROW_DATA_TOO_BIG_TO_WRITE_IN_BINLOG, 291
ER_ROW_DOES_NOT_MATCH_GIVEN_PARTITION_SET, 54
ER_ROW_DOES_NOT_MATCH_PARTITION, 54
ER_ROW_IN_WRONG_PARTITION, 65
ER_ROW_IN_WRONG_PARTITION_PLEASE_REPAIR, 187
ER_ROW_IS_REFERENCED, 19
ER_ROW_IS_REFERENCED_2, 34
ER_ROW_SINGLE_PARTITION_FIELD_ERROR, 47
ER_RPL_AM_INIT_INFO_MSG, 296
ER_RPL_ASYNC_CHANNEL_CANT_CONNECT, 592
ER_RPL_ASYNC_CHANNEL_CANT_CONNECT_NO_QUORUM, 592
ER_RPL_ASYNC_CHANNEL_STOPPED_QUORUM_LOST, 592
ER_RPL_ASYNC_EXECUTING_QUERY, 592
ER_RPL_ASYNC_MANAGED_NAME_ADDED, 593
ER_RPL_ASYNC_MANAGED_NAME_REMOVED, 593
ER_RPL_ASYNC_NEXT_FAILOVER_CHANNEL_SELECTED, 633
ER_RPL_ASYNC_READ_FAILOVER_TABLE, 593
ER_RPL_ASYNC_RECONNECT_AUTO_POSITION_OFF, 141
ER_RPL_ASYNC_RECONNECT_FAIL_NO_SOURCE, 590
ER_RPL_ASYNC_RECONNECT_GTID_MODE_OFF, 140
ER_RPL_ASYNC_RECONNECT_GTID_MODE_OFF_CHANNEL, 595
ER_RPL_ASYNC_SENDER_ADDED, 592
ER_RPL_ASYNC_SENDER_REMOVED, 592
ER_RPL_BINLOG_FILTERS_OOM, 174
ER_RPL_BINLOG_MASTER_SENDS_HEARTBEAT, 216
ER_RPL_BINLOG_MASTER_USES_CHECKSUM_AND_SLAVE_C 216
ER_RPL_BINLOG_RELAY_DELEGATES_INIT_FAILED, 184
ER_RPL_BINLOG_SKIPPING_REMAINING_HEARTBEAT_INFO, 216
ER_RPL_BINLOG_SOURCE_SENDS_HEARTBEAT, 216
ER_RPL_BINLOG_SOURCE_USES_CHECKSUM_AND_REPLICA 216
ER_RPL_BINLOG_STARTING_DUMP, 216
ER_RPL_BINLOG_STORAGE_DELEGATES_INIT_FAILED, 184

ER_RPL_BINLOG_TRANSMIT_DELEGATES_INIT_FAILED, 184
ER_RPL_CANNOT_OPEN_RELAY_LOG, 609
ER_RPL_CANT_ADD_DO_TABLE, 177
ER_RPL_CANT_ADD_IGNORE_TABLE, 177
ER_RPL_CANT_CREATE_REPLICA_THREAD, 227
ER_RPL_CANT_CREATE_SLAVE_THREAD, 227
ER_RPL_CANT_FIND_FOLLOWUP_FILE, 234
ER_RPL_CANT_HAVE_SAME_BASENAME, 278
ER_RPL_CANT_INITIALIZE_GTID_SETS_IN_AM_INIT_INFO, 241
ER_RPL_CANT_INITIALIZE_GTID_SETS_IN_RLI_INIT_INFO, 241
ER_RPL_CANT_MAKE_PATHS, 180
ER_RPL_CANT_OPEN_INFO_TABLE, 207
ER_RPL_CANT_OPEN_LOG_IN_AM_INIT_INFO, 241
ER_RPL_CANT_OPEN_LOG_IN_RLI_INIT_INFO, 241
ER_RPL_CANT_SCAN_INFO_TABLE, 207
ER_RPL_CANT_STOP_REPLICA_WHILE_LOCKED_BACKUP, 125
ER_RPL_CANT_STOP_SLAVE_WHILE_LOCKED_BACKUP, 125
ER_RPL_CHANGING_APPLIER_METADATA_REPO_TYPE_FAILED_DUE_TO_ERROR, 209
ER_RPL_CHANGING_RELAY_LOG_INFO_REPO_TYPE_FAILED_DUE_TO_ERROR, 209
ER_RPL_CHANNELS_REQUIRE_NON_ZERO_SERVER_ID, 208
ER_RPL_CHANNELS_REQUIRE_TABLES_AS_INFO_REPOSITORIES, 208
ER_RPL_CORRUPTED_INFO_TABLE, 207
ER_RPL_CORRUPTED_KEYS_IN_INFO_TABLE, 208
ER_RPL_ENCRYPTION_CANNOT_ROTATE_BINLOG_MASTER_KEY, 119
ER_RPL_ENCRYPTION_FAILED_TO_ENCRYPT, 119
ER_RPL_ENCRYPTION_FAILED_TO_FETCH_KEY, 117
ER_RPL_ENCRYPTION_FAILED_TO_GENERATE_KEY, 117
ER_RPL_ENCRYPTION_FAILED_TO_REMOVE_KEY, 117
ER_RPL_ENCRYPTION_FAILED_TO_ROTATE_LOGS, 117
ER_RPL_ENCRYPTION_FAILED_TO_STORE_KEY, 117
ER_RPL_ENCRYPTION_HEADER_ERROR, 117
ER_RPL_ENCRYPTION_KEYRING_INVALID_KEY, 117
ER_RPL_ENCRYPTION_KEY_EXISTS_UNEXPECTED, 117
ER_RPL_ENCRYPTION_KEY_NOT_FOUND, 117
ER_RPL_ENCRYPTION_MASTER_KEY_RECOVERY_FAILED, 118
ER_RPL_ENCRYPTION_UNABLE_TO_CHANGE_OPTION, 118
ER_RPL_ERROR_CHANGING_APPLIER_METADATA_REPO, 210
ER_RPL_ERROR_CHANGING_CONNECTION_METADATA_, 209
ER_RPL_ERROR_CHANGING_MASTER_INFO_REPO_TYPE, 209
ER_RPL_ERROR_CHANGING_RELAY_LOG_INFO_REPO_T, 209
ER_RPL_ERROR_CHECKING_REPOSITORY, 210
ER_RPL_ERROR_CREATING_APPLIER_METADATA, 209
ER_RPL_ERROR_CREATING_CONNECTION_METADATA, 209
ER_RPL_ERROR_CREATING_MASTER_INFO, 208
ER_RPL_ERROR_CREATING_RELAY_LOG_INFO, 209
ER_RPL_ERROR_LOOKING_FOR_LOG, 234
ER_RPL_ERROR_READING_MASTER_CONFIGURATION, 256
ER_RPL_ERROR_READING_REPLICA_WORKER_CONFIGU, 254
ER_RPL_ERROR_READING_SLAVE_WORKER_CONFIGUR, 254
ER_RPL_ERROR_READING_SOURCE_CONFIGURATION, 256
ER_RPL_ERROR_WRITING_MASTER_CONFIGURATION, 256
ER_RPL_ERROR_WRITING_RELAY_LOG_CONFIGURATION, 241
ER_RPL_ERROR_WRITING_SLAVE_WORKER_CONFIGURA, 254
ER_RPL_ERROR_WRITING_SOURCE_CONFIGURATION, 256
ER_RPL_FAILED_TO_CREATE_CACHE_FOR_INFO_FILE, 212
ER_RPL_FAILED_TO_CREATE_NEW_INFO_FILE, 212
ER_RPL_FAILED_TO_DELETE_FROM_REPLICA_WORKERS, 210
ER_RPL_FAILED_TO_DELETE_FROM_SLAVE_WORKERS_, 210
ER_RPL_FAILED_TO_OPEN_INFO_FILE, 212
ER_RPL_FAILED_TO_OPEN_RELAY_LOG, 254
ER_RPL_FAILED_TO_RESET_STATE_IN_REPLICA_INFO_R, 210
ER_RPL_FAILED_TO_RESET_STATE_IN_SLAVE_INFO_RE, 210
ER_RPL_FAILED_TO_STAT_LOG_IN_INDEX, 240

ER_RPL_FILTERS_NOT_ATTACHED_TO_CHANNEL, 293
ER_RPL_FILTER_ADD_WILD_DO_TABLE_FAILED, 282
ER_RPL_FILTER_ADD_WILD_IGNORE_TABLE_FAILED, 282
ER_RPL_GTID_LOG_EVENT_IN_STREAM, 213
ER_RPL_GTID_MEMORY_FINALLY_AVAILABLE, 212
ER_RPL_GTID_MODE_REQUIRES_ENFORCE_GTID_CONSISTENCY_ON, 278
ER_RPL_GTID_TABLE_CANNOT_OPEN, 164
ER_RPL_GTID_UNSAFE_ALTER_ADD_COL_WITH_DEFAULT_EXPRESSION, 542
ER_RPL_GTID_UNSAFE_STMT_CREATE_SELECT, 526
ER_RPL_GTID_UNSAFE_STMT_ON_NON_TRANS_TABLE, 526
ER_RPL_GTID_UNSAFE_STMT_ON_TEMPORARY_TABLE, 526
ER_RPL_INCOMPATIBLE_DECIMAL_IN_RBR, 214
ER_RPL_INCONSISTENT_SEQUENCE_NO_IN_TRX, 208
ER_RPL_INCONSISTENT_TIMESTAMPS_IN_TRX, 208
ER_RPL_INCREMENTING_MEMBER_ACTION_VERSION, 607
ER_RPL_INFINITY_DENIED, 182
ER_RPL_INFINITY_IGNORED, 182
ER_RPL_INFO_DATA_TOO_LONG, 54
ER_RPL_IO_THREAD_KILLED, 292
ER_RPL_KILL_OLD_DUMP_THREAD_ENCOUNTERED, 642
ER_RPL_LOG_ENTRY_EXCEEDS_REPLICA_MAX_ALLOWED_PACKET, 232
ER_RPL_LOG_ENTRY_EXCEEDS_SLAVE_MAX_ALLOWED_PACKET, 232
ER_RPL_LOG_NOT_FOUND_WHILE_COUNTING_RELAY_LOG_SPACE, 240
ER_RPL_MTA_ALLOW_COMMIT_OUT_OF_ORDER, 642
ER_RPL_MTA_AUTOMATIC_RECOVERY_FAILED, 227
ER_RPL_MTA_CHECKPOINT_PERIOD_DIFFERS_FROM_CNT, 234
ER_RPL_MTA_GROUP_RECOVERY_APPLIER_METADATA, 234
ER_RPL_MTA_GROUP_RECOVERY_APPLIER_METADATA_FOR_WORKER, 234
ER_RPL_MTA_RECOVERY_CANT_OPEN_RELAY_LOG, 227
ER_RPL_MTA_RECOVERY_COMPLETE, 231
ER_RPL_MTA_RECOVERY_FAILED_TO_START_COORDINATOR, 226
ER_RPL_MTA_RECOVERY_STARTING_COORDINATOR, 226
ER_RPL_MTA_RECOVERY_SUCCESSFUL, 227
ER_RPL_MTA_REPLICA_COORDINATOR_HAS_WAITED, 255
ER_RPL_MTA_STATISTICS, 231
ER_RPL_MTS_AUTOMATIC_RECOVERY_FAILED, 227
ER_RPL_MTS_CHECKPOINT_PERIOD_DIFFERS_FROM_CNT, 234
ER_RPL_MTS_GROUP_RECOVERY_RELAY_LOG_INFO, 234
ER_RPL_MTS_GROUP_RECOVERY_RELAY_LOG_INFO_FOR_W, 233
ER_RPL_MTS_RECOVERY_CANT_OPEN_RELAY_LOG, 227
ER_RPL_MTS_RECOVERY_COMPLETE, 231
ER_RPL_MTS_RECOVERY_FAILED_TO_START_COORDINATO, 226
ER_RPL_MTS_RECOVERY_STARTING_COORDINATOR, 226
ER_RPL_MTS_RECOVERY_SUCCESSFUL, 227
ER_RPL_MTS_SLAVE_COORDINATOR_HAS_WAITED, 255
ER_RPL_MTS_STATISTICS, 230
ER_RPL_MULTISOURCE_REQUIRES_TABLE_TYPE_REPOSITO, 211
ER_RPL_OPEN_INDEX_FILE_FAILED, 241
ER_RPL_PLEASE_USE_OPTION_RELAY_LOG, 241
ER_RPL_PLUGIN_FUNCTION_FAILED, 184
ER_RPL_RECOVERY_ERROR, 225
ER_RPL_RECOVERY_ERROR_FREEING_IO_CACHE, 225
ER_RPL_RECOVERY_ERROR_READ_RELAY_LOG, 225
ER_RPL_RECOVERY_FILE_MASTER_POS_INFO, 226
ER_RPL_RECOVERY_FILE_SOURCE_POS_INFO, 226
ER_RPL_RECOVERY_IO_ERROR_READING_RELAY_LOG_IND, 226
ER_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_MASTER, 225
ER_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_SOURCE, 225
ER_RPL_RECOVERY_REPLICATE_SAME_SERVER_ID_REQUI, 226
ER_RPL_RECOVERY_SKIPPED_GROUP_REPLICATION_CHAN, 225
ER_RPL_RELAY_LOG_INDEX_NEEDS_FILE_NOT_DIRECTORY, 240
ER_RPL_RELAY_LOG_NEEDS_FILE_NOT_DIRECTORY, 240

ER_RPL_RELAY_LOG_RECOVERY_GTID_ONLY, 613
ER_RPL_RELAY_LOG_RECOVERY_INFO_AFTER_CLONE, 576
ER_RPL_REPLICA_ADDITIONAL_ERROR_INFO_FROM_DA, 236
ER_RPL_REPLICA_AUTO_POSITION_IS_1_AND_GTID_MODE_IS_OFF, 224
ER_RPL_REPLICA_CANT_FLUSH_CONNECTION_METADATA_REPOS, 229
ER_RPL_REPLICA_CANT_INITIALIZE_REPLICA_WORKER, 233
ER_RPL_REPLICA_CANT_INIT_RELAY_LOG_POSITION, 231
ER_RPL_REPLICA_CANT_START_REPLICA_FOR_CHANNEL, 224
ER_RPL_REPLICA_CANT_STOP_REPLICA_FOR_CHANNEL, 225
ER_RPL_REPLICA_CANT_USE_CHARSET, 238
ER_RPL_REPLICA_CONNECTED_TO_SOURCE_REPLICATION_RESUMED, 238
ER_RPL_REPLICA_CONNECTED_TO_SOURCE_RPL_START_REPLICA_END, 633
ER_RPL_REPLICA_CONNECTED_TO_SOURCE_RPL_START_REPLICA_START, 633
ER_RPL_REPLICA_COULD_NOT_CREATE_CHANNEL_LIST, 211
ER_RPL_REPLICA_DUMP_THREAD_KILLED_BY_SOURCE, 230
ER_RPL_REPLICA_ERROR_INFO_FROM_DA, 236
ER_RPL_REPLICA_ERROR_LOADING_USER_DEFINED_LIBRARY, 236
ER_RPL_REPLICA_ERROR_READING_FROM_SERVER, 230
ER_RPL_REPLICA_ERROR_READING_RELAY_LOG_EVENTS, 239
ER_RPL_REPLICA_ERROR_REQUESTING_BINLOG_DUMP, 232
ER_RPL_REPLICA_ERROR_RETRYING, 230
ER_RPL_REPLICA_ERROR_RUNNING_QUERY, 237
ER_RPL_REPLICA_FAILED_TO_CREATE_CHANNEL_FROM, 212
ER_RPL_REPLICA_FAILED_TO_CREATE_OR_RECOVER_INFO_REPOSITORIES, 224
ER_RPL_REPLICA_FAILED_TO_INIT_A_CONNECTION_METADATA_STRUCTURE, 211
ER_RPL_REPLICA_FAILED_TO_INIT_CONNECTION_METADATA_STRUCTURE, 211
ER_RPL_REPLICA_FAILED_TO_INIT_PARTITIONS_HASH, 235
ER_RPL_REPLICA_FILTER_CREATE_FAILED, 284
ER_RPL_REPLICA_FORCING_TO_RECONNECT_IO_THREAD, 232
ER_RPL_REPLICA_GENERIC_MESSAGE, 210
ER_RPL_REPLICA_GLOBAL_FILTERS_COPY_FAILED, 284
ER_RPL_REPLICA_INCORRECT_CHANNEL, 277
ER_RPL_REPLICA_INSECURE_CHANGE_SOURCE, 276
ER_RPL_REPLICA_IO_THREAD_ABORTED_WAITING_FOR_RELAY_REPLICA_IO_THREAD_CANT_REGISTER_ON_SOURCE, 233
ER_RPL_REPLICA_IO_THREAD_CANT_REGISTER_ON_SO, 232
ER_RPL_REPLICA_IO_THREAD_DETECTED_UNEXPECTED, 238
ER_RPL_REPLICA_IO_THREAD_EXITING, 233
ER_RPL_REPLICA_IO_THREAD_KILLED, 231
ER_RPL_REPLICA_IO_THREAD_STOP_CMD_EXEC_TIMEC, 526
ER_RPL_REPLICA_IO_THREAD_WAS_KILLED, 228
ER_RPL_REPLICA_MONITOR_IO_THREAD_EXITING, 593
ER_RPL_REPLICA_MONITOR_IO_THREAD_RECONNECT_C, 593
ER_RPL_REPLICA_NEW_C_M_NEEDS_REPOS_TYPE_OTH, 240
ER_RPL_REPLICA_NEXT_LOG_IS_ACTIVE, 238
ER_RPL_REPLICA_NEXT_LOG_IS_INACTIVE, 239
ER_RPL_REPLICA_QUEUE_EVENT_FAILED_INVALID_CON, 237
ER_RPL_REPLICA_QUEUE_EVENT_FAILED_INVALID_NON, 573
ER_RPL_REPLICA_READ_INVALID_EVENT_FROM_SOURC, 237
ER_RPL_REPLICA_REPORT_HOST_TOO_LONG, 229
ER_RPL_REPLICA_REPORT_PASSWORD_TOO_LONG, 229
ER_RPL_REPLICA_REPORT_USER_TOO_LONG, 229
ER_RPL_REPLICA_RESET_FILTER_OPTIONS, 284
ER_RPL_REPLICA_SECONDS_BEHIND_SOURCE_DUBIOU, 228
ER_RPL_REPLICA_SKIP_COUNTER_EXECUTED, 236
ER_RPL_REPLICA_SOURCE_CONNECTION_METADATA, 630
ER_RPL_REPLICA_SOURCE_UUID_HAS_CHANGED_HOST, 633
ER_RPL_REPLICA_SOURCE_UUID_HAS_NOT_CHANGED, 633
ER_RPL_REPLICA_SOURCE_UUID_HOST_PORT_HAS_CH, 633
ER_RPL_REPLICA_SQL_THREAD_DETECTED_UNEXPECT, 573
ER_RPL_REPLICA_SQL_THREAD_EXITING, 237
ER_RPL_REPLICA_SQL_THREAD_IO_ERROR_READING_E, 239
ER_RPL_REPLICA_SQL_THREAD_STARTING, 235

ER_RPL_REPLICA_SQL_THREAD_STARTING_WITH_PRIVILEGE_CHECKS,
571
ER_RPL_REPLICA_SQL_THREAD_STOP_CMD_EXEC_TIMEOUT,
526
ER_RPL_REPLICA_STOPPING_AS_SOURCE_OOM,
233
ER_RPL_REPLICA_USES_CHECKSUM_AND_SOURCE_PRE_
228
ER_RPL_REPLICA_WORKER_THREAD_CREATION_FAILED,
235
ER_RPL_REPLICA_WORKER_THREAD_CREATION_FAILED_
235
ER_RPL_REPO_HAS_GAPS, 166
ER_RPL_REPO_SHOULD_BE_TABLE, 208
ER_RPL_REWRITEDB_EMPTY_FROM, 178
ER_RPL_REWRITEDB_EMPTY_TO, 178
ER_RPL_REWRITEDB_MISSING_ARROW, 178
ER_RPL_RLI_INIT_INFO_MSG, 296
ER_RPL_SERVER_ID_MISSING, 227
ER_RPL_SLAVE_ADDITIONAL_ERROR_INFO_FROM_DA,
236
ER_RPL_SLAVE_APPLY_LOG_EVENT_FAILED_INVALID_NO
573
ER_RPL_SLAVE_AUTO_POSITION_IS_1_AND_GTID_MODE
224
ER_RPL_SLAVE_CANT_FLUSH_MASTER_INFO_FILE,
229
ER_RPL_SLAVE_CANT_INITIALIZE_SLAVE_WORKER,
233
ER_RPL_SLAVE_CANT_INIT_RELAY_LOG_POSITION,
231
ER_RPL_SLAVE_CANT_START_SLAVE_FOR_CHANNEL,
224
ER_RPL_SLAVE_CANT_STOP_SLAVE_FOR_CHANNEL,
225
ER_RPL_SLAVE_CANT_USE_CHARSET, 238
ER_RPL_SLAVE_CONNECTED_TO_MASTER_REPLICATION,
238
ER_RPL_SLAVE_CONNECTED_TO_MASTER_REPLICATION_
231
ER_RPL_SLAVE_COULD_NOT_CREATE_CHANNEL_LIST,
211
ER_RPL_SLAVE_DUMP_THREAD_KILLED_BY_MASTER,
230
ER_RPL_SLAVE_ERROR_INFO_FROM_DA, 236
ER_RPL_SLAVE_ERROR_LOADING_USER_DEFINED_LIBRARY,
236
ER_RPL_SLAVE_ERROR_READING_FROM_SERVER,
230
ER_RPL_SLAVE_ERROR_READING_RELAY_LOG_EVENTS,
239
ER_RPL_SLAVE_ERROR_REQUESTING_BINLOG_DUMP,
232
ER_RPL_SLAVE_ERROR_RETRYING, 230
ER_RPL_SLAVE_ERROR_RUNNING_QUERY, 237
ER_RPL_SLAVE_FAILED_TO_CREATE_CHANNEL_FROM_MAS
215
ER_RPL_SLAVE_FAILED_TO_CREATE_OR_RECOVER_INFO_F
224
ER_RPL_SLAVE_FAILED_TO_INIT_A_MASTER_INFO_STRUCT
231
ER_RPL_SLAVE_FAILED_TO_INIT_MASTER_INFO_STRUCTUR
211
ER_RPL_SLAVE_FAILED_TO_INIT_PARTITIONS_HASH,
235
ER_RPL_SLAVE_FILTER_CREATE_FAILED, 284
ER_RPL_SLAVE_FLUSH_RELAY_LOGS_NOT_ALLOWED,
277
ER_RPL_SLAVE_FORCING_TO_RECONNECT_IO_THREAD,
232
ER_RPL_SLAVE_GENERIC_MESSAGE, 210
ER_RPL_SLAVE_GLOBAL_FILTERS_COPY_FAILED,
284
ER_RPL_SLAVE_INCORRECT_CHANNEL, 277
ER_RPL_SLAVE_INSECURE_CHANGE_MASTER,
276
ER_RPL_SLAVE_IO_THREAD_ABORTED_WAITING_FOR_RELA
238
ER_RPL_SLAVE_IO_THREAD_CANT_REGISTER_ON_MASTER
232
ER_RPL_SLAVE_IO_THREAD_DETECTED_UNEXPECTED_EVE
238
ER_RPL_SLAVE_IO_THREAD_EXITING, 233
ER_RPL_SLAVE_IO_THREAD_KILLED, 231
ER_RPL_SLAVE_IO_THREAD_STOP_CMD_EXEC_TIMEOUT,
526
ER_RPL_SLAVE_IO_THREAD_WAS_KILLED, 228
ER_RPL_SLAVE_MASTER_UUID_HAS_CHANGED,
228
ER_RPL_SLAVE_NDB_TABLES_NOT_AVAILABLE,
235
ER_RPL_SLAVE_NEW_MASTER_INFO_NEEDS_REPOS_TYPE_
220
ER_RPL_SLAVE_NEXT_LOG_IS_ACTIVE, 238
ER_RPL_SLAVE_NEXT_LOG_IS_INACTIVE, 238
ER_RPL_SLAVE_QUEUE_EVENT_FAILED_INVALID_CONFIGUR
237
ER_RPL_SLAVE_QUEUE_EVENT_FAILED_INVALID_NON_ROW
573
ER_RPL_SLAVE_READ_INVALID_EVENT_FROM_MASTER,
237
ER_RPL_SLAVE_REPORT_HOST_TOO_LONG, 229
ER_RPL_SLAVE_REPORT_PASSWORD_TOO_LONG,
229
ER_RPL_SLAVE_REPORT_USER_TOO_LONG, 229
ER_RPL_SLAVE_RESET_FILTER_OPTIONS, 284
ER_RPL_SLAVE_SECONDS_BEHIND_MASTER_DUBIOUS,
228

ER_RPL_SLAVE_SKIP_COUNTER_EXECUTED, 236
ER_RPL_SLAVE_SQL_THREAD_DETECTED_UNEXPECTED_EVENT_SEQUENCE,
573
ER_RPL_SLAVE_SQL_THREAD_EXITING, 237
ER_RPL_SLAVE_SQL_THREAD_IO_ERROR_READING_EVENT,
239
ER_RPL_SLAVE_SQL_THREAD_STARTING, 235
ER_RPL_SLAVE_SQL_THREAD_STARTING_WITH_PRIVILEGE_CHECKS,
571
ER_RPL_SLAVE_SQL_THREAD_STOP_CMD_EXEC_TIMEOUT,
525
ER_RPL_SLAVE_STOPPING_AS_MASTER_OOM,
233
ER_RPL_SLAVE_USES_CHECKSUM_AND_MASTER_PRE_5_0,
228
ER_RPL_SLAVE_WORKER_THREAD_CREATION_FAILED,
234
ER_RPL_SLAVE_WORKER_THREAD_CREATION_FAILED_WITH_ERRNO,
235
ER_RPL_SSL_INFO_IN_CONNECTION_METADATA_IGNORED,
256
ER_RPL_SSL_INFO_IN_MASTER_INFO_IGNORED,
256
ER_RPL_TIMESTAMPS_RETURNED_TO_NORMAL,
283
ER_RPL_TRX_DELEGATES_INIT_FAILED, 184
ER_RPL_UNEXPECTED_BEGIN_IN_STREAM, 214
ER_RPL_UNEXPECTED_COMMIT_ROLLBACK_OR_XID_IN_STREAM,
214
ER_RPL_UNEXPECTED_XA_ROLLBACK_IN_STREAM,
214
ER_RPL_UNSUPPORTED_UNIGNORABLE_EVENT_IN_STREAM,
213
ER_RPL_WORKER_CANT_FIND_NEXT_RELAY_LOG,
255
ER_RPL_WORKER_CANT_READ_RELAY_LOG, 254
ER_RPL_WORKER_ID_IS, 208
ER_RPL_ZOMBIE_ENCOUNTERED, 164
ER_RUNNING_APPLIER_PREVENTS_SWITCH_GLOBAL_BINLOG_FORMAT,
112
ER_RUN_HOOK_ERROR, 78
ER_SAME_NAME_PARTITION, 38
ER_SAME_NAME_PARTITION_FIELD, 47
ER_SCHEDULER_KILLING, 168
ER_SCHEDULER_STARTED, 168
ER_SCHEDULER_STOPPED, 167
ER_SCHEDULER_STOPPING_FAILED_TO_CREATE_WORKER,
168
ER_SCHEDULER_STOPPING_FAILED_TO_GET_EVENT,
168
ER_SCHEDULER_WAITING, 168
ER_SCHEMA_DIR_CREATE_FAILED, 105
ER_SCHEMA_DIR_EXISTS, 105
ER_SCHEMA_DIR_MISSING, 105
ER_SCHEMA_DIR_UNKNOWN, 105
ER_SCHEMA_NAME_IN_UPPER_CASE_NOT_ALLOWED,
575
ER_SCHEMA_NAME_IN_UPPER_CASE_NOT_ALLOWED_FO
575,
ER_SCHEMA_READ_ONLY, 140
ER_SDI_GET_KEYS_INVALID_TABLESPACE, 146
ER_SDI_OPERATION_FAILED, 103
ER_SDI_OPERATION_FAILED_MISSING_RECORD,
136
ER_SECONDARY_ENGINE, 128
ER_SECONDARY_ENGINE_DDL, 129
ER_SECONDARY_ENGINE_DDL_FAILED, 639
ER_SECONDARY_ENGINE_PLUGIN, 127
ER_SECOND_PASSWORD_CANNOT_BE_EMPTY,
127
ER_SECURE_AUTH_VALUE_UNSUPPORTED, 171
ER_SECURE_TRANSPORT_REQUIRED, 83
ER_SEC_FILE_PRIV_ARGUMENT_TOO_LONG, 173
ER_SEC_FILE_PRIV_CANT_ACCESS_DIR, 172
ER_SEC_FILE_PRIV_CANT_STAT, 173
ER_SEC_FILE_PRIV_DIRECTORY_INSECURE, 173
ER_SEC_FILE_PRIV_DIRECTORY_PERMISSIONS,
173
ER_SEC_FILE_PRIV_EMPTY, 172
ER_SEC_FILE_PRIV_IGNORED, 172
ER_SEC_FILE_PRIV_NULL, 173
ER_SELECT_REDUCED, 21
ER_SEMISYNC_ADD_ACK_TO_SLOT, 308
ER_SEMISYNC_BINLOG_REPLY_IS_AHEAD, 307
ER_SEMISYNC_BINLOG_WRITE_OUT_OF_ORDER,
304
ER_SEMISYNC_CLEARED_ACTIVE_TRANSACTION_TILL_P
305
ER_SEMISYNC_CLEARED_ALL_ACTIVE_TRANSACTION_N
305
ER_SEMISYNC_DISABLED_ON_MASTER, 306
ER_SEMISYNC_DISABLED_ON_SOURCE, 306
ER_SEMISYNC_EXECUTION_FAILED_ON_MASTER,
312
ER_SEMISYNC_EXECUTION_FAILED_ON_SOURCE,
312
ER_SEMISYNC_FAILED_REGISTER_REPLICA_TO_RECEIV
309
ER_SEMISYNC_FAILED_REGISTER_SLAVE_TO_RECEIVER
309
ER_SEMISYNC_FAILED_TO_ALLOCATE_TRX_NODE,
304
ER_SEMISYNC_FAILED_TO_INSERT_TRX_NODE,
308
ER_SEMISYNC_FAILED_TO_START_ACK_RECEIVER_THD
309
ER_SEMISYNC_FAILED_TO_STOP_ACK_RECEIVER_THD,
312

ER_SEMISYNC_FAILED_TO_WAIT_ON_DUMP_SOCKET, 309
ER_SEMISYNC_FORCED_SHUTDOWN, 306
ER_SEMISYNC_FUNCTION_CALLED_TWICE, 305
ER_SEMISYNC_INIT_WAIT_POS, 307
ER_SEMISYNC_INSERT_LOG_INFO_IN_ENTRY, 304
ER_SEMISYNC_MASTER_FAILED_ON_NET_FLUSH, 308
ER_SEMISYNC_MASTER_GOT_REPLY_AT_POS, 306
ER_SEMISYNC_MASTER_OOM, 306
ER_SEMISYNC_MASTER_SIGNAL_ALL_WAITING_THREADS, 306
ER_SEMISYNC_MASTER_TRX_WAIT_POS, 307
ER_SEMISYNC_MISSING_MAGIC_NO_FOR_SEMISYNC_PKT, 311
ER_SEMISYNC_MOVE_BACK_WAIT_POS, 307
ER_SEMISYNC_NOT_SUPPORTED_BY_MASTER, 312
ER_SEMISYNC_NOT_SUPPORTED_BY_SOURCE, 312
ER_SEMISYNC_NO_SPACE_IN_THE_PKT, 308
ER_SEMISYNC_PROBE_LOG_INFO_IN_ENTRY, 304
ER_SEMISYNC_RECEIVED_ACK_IS_SMALLER, 308
ER_SEMISYNC_REPLICA_NET_FLUSH_REPLY_FAILED, 311
ER_SEMISYNC_REPLICA_REPLY, 311
ER_SEMISYNC_REPLICA_REPLY_WITH_BINLOG_INFO, 311
ER_SEMISYNC_REPLICA_SEND_REPLY_FAILED, 312
ER_SEMISYNC_REPLICA_SET_FAILED, 312
ER_SEMISYNC_REPLICA_START, 311
ER_SEMISYNC_REPLY_BINLOG_FILE_TOO_LARGE, 305
ER_SEMISYNC_REPLY_MAGIC_NO_ERROR, 305
ER_SEMISYNC_REPLY_PKT_LENGTH_TOO_SMALL, 305
ER_SEMISYNC_RPL_ENABLED_ON_MASTER, 305
ER_SEMISYNC_RPL_ENABLED_ON_SOURCE, 305
ER_SEMISYNC_RPL_INIT_FOR_TRX, 304
ER_SEMISYNC_RPL_SWITCHED_OFF, 307
ER_SEMISYNC_RPL_SWITCHED_ON, 307
ER_SEMISYNC_SERVER_REPLY, 305
ER_SEMISYNC_SLAVE_NET_FLUSH_REPLY_FAILED, 311
ER_SEMISYNC_SLAVE_REPLY, 310
ER_SEMISYNC_SLAVE_REPLY_WITH_BINLOG_INFO, 311
ER_SEMISYNC_SLAVE_SEND_REPLY_FAILED, 311
ER_SEMISYNC_SLAVE_SET_FAILED, 312
ER_SEMISYNC_SLAVE_START, 311
ER_SEMISYNC_SOCKET_FD_TOO_LARGE, 310
ER_SEMISYNC_SOURCE_FAILED_ON_NET_FLUSH, 308
ER_SEMISYNC_SOURCE_GOT_REPLY_AT_POS, 306
ER_SEMISYNC_SOURCE_OOM, 306
ER_SEMISYNC_SOURCE_SIGNAL_ALL_WAITING_THREADS, 306
ER_SEMISYNC_SOURCE_TRX_WAIT_POS, 307
ER_SEMISYNC_STARTING_ACK_RECEIVER_THD, 309
ER_SEMISYNC_START_BINLOG_DUMP_TO_REPLICA, 310
ER_SEMISYNC_START_BINLOG_DUMP_TO_SLAVE, 309
ER_SEMISYNC_STOPPING_ACK_RECEIVER_THREAD, 309
ER_SEMISYNC_STOP_BINLOG_DUMP_TO_REPLICA, 310
ER_SEMISYNC_STOP_BINLOG_DUMP_TO_SLAVE, 310
ER_SEMISYNC_SYNC_HEADER_UPDATE_INFO, 308
ER_SEMISYNC_TRACE_ENTER_FUNC, 304
ER_SEMISYNC_TRACE_EXIT, 304
ER_SEMISYNC_TRACE_EXIT_WITH_BOOL_EXIT_CODE, 304
ER_SEMISYNC_TRACE_EXIT_WITH_INT_EXIT_CODE, 304
ER_SEMISYNC_TRX_SKIPPED_AT_POS, 308
ER_SEMISYNC_UNREGISTERED_REPLICATOR, 310
ER_SEMISYNC_UNREGISTER_BINLOG_STORAGE_OBSERVER 310
ER_SEMISYNC_UNREGISTER_BINLOG_TRANSMIT_OBSERVE 310
ER_SEMISYNC_UNREGISTER_TRX_OBSERVER_FAILED, 310
ER_SEMISYNC_UPDATE_EXISTING_REPLICA_ACK, 309
ER_SEMISYNC_UPDATE_EXISTING_SLAVE_ACK, 308
ER_SEMISYNC_WAIT_FOR_BINLOG_TIMEDOUT, 307
ER_SEMISYNC_WAIT_TIME_ASSESSMENT_FOR_COMMIT_TR 307
ER_SEMISYNC_WAIT_TIME_FOR_BINLOG_SENT, 307
ER_SERVERID_TOO_LARGE, 182
ER_SERVER_ACL_TABLE_ERROR, 532
ER_SERVER_BINLOG_MASTER_KEY_RECOVERY_OUT_OF_C 557

ER_SERVER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_GENERATE_AUX_KEY, 557
ER_SERVER_BINLOG_UNSAFE_SYSTEM_FUNCTION, 561
ER_SERVER_CANNOT_LOAD_FROM_TABLE_V2, 531
ER_SERVER_CANT_OPEN_FILE, 531
ER_SERVER_COL_COUNT_DOESNT_MATCH_CORRUPTED_V2, 532
ER_SERVER_COL_COUNT_DOESNT_MATCH_PLEASE_UPDATE_V2, 532
ER_SERVER_COST_FAILED_TO_READ, 213
ER_SERVER_COST_INVALID_COST_CONSTANT, 212
ER_SERVER_COST_UNKNOWN_COST_CONSTANT, 212
ER_SERVER_DISK_FULL_NOWAIT, 531
ER_SERVER_DOWNGRADE_FROM_VERSION, 640
ER_SERVER_DOWNGRADE_STATUS, 640
ER_SERVER_FILE_NOT_FOUND, 531
ER_SERVER_FILE_USED, 531
ER_SERVER_GTID_UNSAFE_CREATE_DROP_TEMP_TABLE_IN_TRX_IN_SBR, 542
ER_SERVER_HANDLER_ERROR, 531
ER_SERVER_INIT_COMPILED_IN_COMMANDS, 296
ER_SERVER_ISNT_AVAILABLE, 84
ER_SERVER_IS_IN_SECURE_AUTH_MODE, 23
ER_SERVER_MASTER_FATAL_ERROR_READING_BINLOG, 528
ER_SERVER_NET_PACKET_TOO_LARGE, 530
ER_SERVER_NEW_ABORTING_CONNECTION, 531
ER_SERVER_NOT_FORM_FILE, 531
ER_SERVER_NO_SESSION_TO_SEND_TO, 530
ER_SERVER_NO_SYSTEM_TABLE_ACCESS, 530
ER_SERVER_OFFLINE_MODE, 71
ER_SERVER_OUTOFMEMORY, 281
ER_SERVER_OUT_OF_RESOURCES, 280
ER_SERVER_OUT_OF_SORTMEMORY, 531
ER_SERVER_RECORD_FILE_FULL, 531
ER_SERVER_REPLICA_AM_INIT_REPOSITORY, 530
ER_SERVER_REPLICA_CM_INIT_REPOSITORY, 530
ER_SERVER_REPLICA_CONVERSION_FAILED, 532
ER_SERVER_REPLICA_IGNORED_TABLE, 533
ER_SERVER_REPLICA_INIT_QUERY_FAILED, 532
ER_SERVER_RPL_ENCRYPTION_FAILED_TO_ENCRYPT, 552
ER_SERVER_RPL_ENCRYPTION_FAILED_TO_FETCH_KEY, 547
ER_SERVER_RPL_ENCRYPTION_FAILED_TO_GENERATE_KEY, 548
ER_SERVER_RPL_ENCRYPTION_FAILED_TO_REMOVE_KEY, 548
ER_SERVER_RPL_ENCRYPTION_FAILED_TO_ROTATE_LOGS, 548
ER_SERVER_RPL_ENCRYPTION_FAILED_TO_STORE_KEY, 548
ER_SERVER_RPL_ENCRYPTION_HEADER_ERROR, 549
ER_SERVER_RPL_ENCRYPTION_IGNORE_ROTATE_MASTER_KEY, 548
ER_SERVER_RPL_ENCRYPTION_KEYRING_INVALID_KEY, 548
ER_SERVER_RPL_ENCRYPTION_KEY_EXISTS_UNEXPECTEDLY, 548
ER_SERVER_RPL_ENCRYPTION_KEY_NOT_FOUND, 547
ER_SERVER_RPL_ENCRYPTION_MASTER_KEY_RECOVERY_FAILED, 548
ER_SERVER_RPL_ENCRYPTION_UNABLE_TO_INITIALIZE, 549
ER_SERVER_RPL_ENCRYPTION_UNABLE_TO_ROTATE_MASTER_KEY_IN_TRX_IN_SBR, 549
ER_SERVER_SHUTDOWN, 7
ER_SERVER_SHUTDOWN_COMPLETE, 278
ER_SERVER_SHUTDOWN_INFO, 535
ER_SERVER_SLAVE_CONVERSION_FAILED, 532
ER_SERVER_SLAVE_IGNORED_TABLE, 533
ER_SERVER_SLAVE_INIT_QUERY_FAILED, 532
ER_SERVER_SLAVE_MI_INIT_REPOSITORY, 530
ER_SERVER_SLAVE_RLI_INIT_REPOSITORY, 530
ER_SERVER_SOURCE_FATAL_ERROR_READING_BINLOG, 528
ER_SERVER_STARTUP_ADMIN_INTERFACE, 549
ER_SERVER_STARTUP_MSG, 280
ER_SERVER_TABLE_CHECK_FAILED, 532
ER_SERVER_TEST_MESSAGE, 533
ER_SERVER_UNKNOWN_ERROR, 530
ER_SERVER_UNKNOWN_SYSTEM_VARIABLE, 530
ER_SERVER_UPGRADE_CHECKING_DB, 560
ER_SERVER_UPGRADE_EMPTY_SYS, 559
ER_SERVER_UPGRADE_FAILED, 558
ER_SERVER_UPGRADE_FROM_VERSION, 553
ER_SERVER_UPGRADE_HELP_TABLE_STATUS, 561
ER_SERVER_UPGRADE_INFO_FILE, 559
ER_SERVER_UPGRADE_MYSQL_TABLES, 559
ER_SERVER_UPGRADE_NO_SYS_VERSION, 559
ER_SERVER_UPGRADE_OFF, 558
ER_SERVER_UPGRADE_PENDING, 558
ER_SERVER_UPGRADE_REPAIR_REQUIRED, 559
ER_SERVER_UPGRADE_REPAIR_STATUS, 559
ER_SERVER_UPGRADE_SKIP, 558
ER_SERVER_UPGRADE_STATUS, 559
ER_SERVER_UPGRADE_SYSTEM_TABLES, 559

ER_SERVER_UPGRADE_SYS_SCHEMA, 559
ER_SERVER_UPGRADE_SYS_SCHEMA_OBJECT_COUNT, 560
ER_SERVER_UPGRADE_SYS_SCHEMA_OUTDATED, 560
ER_SERVER_UPGRADE_SYS_SCHEMA_UP_TO_DATE, 560
ER_SERVER_UPGRADE_SYS_VERSION_EMPTY, 559
ER_SERVER_UPGRADE_VERSION_NOT_SUPPORTED, 553
ER_SERVER_WARN_DEPRECATED, 556
ER_SERVER_WRONG_VALUE_FOR_VAR, 541
ER_SESSION_WAS_KILLED, 84
ER_SETNS_FAILED, 562
ER_SET_CONSTANTS_ONLY, 18
ER_SET_EVENT_FAILED, 536
ER_SET_PASSWORD_AUTH_PLUGIN, 50
ER_SET_PASSWORD_AUTH_PLUGIN_ERROR, 155
ER_SET_STATEMENT_CANNOT_INVOKE_FUNCTION, 57
ER_SE_TYPECODE_CONFLICT, 188
ER_SHA256_PASSWORD_SECOND_PASSWORD_USED, 550
ER_SHAPE_PRIDICTION_UDF, 157
ER_SHARED_TABLESPACE_USED_BY_PARTITIONED_TABLE, 543
ER_SHA_PWD_AUTH_REQUIRES_RSA_OR_SSL, 320
ER_SHA_PWD_FAILED_TO_GENERATE_MULTI_ROUND_HASH, 320
ER_SHA_PWD_FAILED_TO_PARSE_AUTH_STRING, 319
ER_SHA_PWD_RSA_KEY_TOO_LONG, 320
ER_SHA_PWD_SALT_FOR_USER_CORRUPT, 320
ER_SHUTDOWN_COMPLETE, 8
ER_SHUTTING_DOWN_REPLICA_THREADS, 175
ER_SHUTTING_DOWN_SLAVE_THREADS, 175
ER_SIGNAL_BAD_CONDITION_TYPE, 46
ER_SIGNAL_EXCEPTION, 46
ER_SIGNAL_NOT_FOUND, 46
ER_SIGNAL_WARN, 46
ER_SIZE_OVERFLOW_ERROR, 39
ER_SKIP_UPDATING_METADATA_IN_SE_RO_MODE, 291
ER_SLAVE_ANONYMOUS_TO_GTID_IS_LOCAL_OR_UUID, 593
ER_SLAVE_CANT_CREATE_CONVERSION, 49
ER_SLAVE_CANT_USE_TEMPDIR, 240
ER_SLAVE_CHANGE_MASTER_TO_EXECUTED, 239
ER_SLAVE_CHANNEL_DOES_NOT_EXIST, 75
ER_SLAVE_CHANNEL_IO_THREAD_MUST_STOP, 70
ER_SLAVE_CHANNEL_MUST_STOP, 76
ER_SLAVE_CHANNEL_NAME_INVALID_OR_TOO_LONG, 75
ER_SLAVE_CHANNEL_NOT_RUNNING, 76
ER_SLAVE_CHANNEL_OPERATION_NOT_ALLOWED, 82
ER_SLAVE_CHANNEL_SQL_SKIP_COUNTER, 77
ER_SLAVE_CHANNEL_SQL_THREAD_MUST_STOP, 77
ER_SLAVE_CHANNEL_WAS_NOT_RUNNING, 76
ER_SLAVE_CHANNEL_WAS_RUNNING, 76
ER_SLAVE_CONFIGURATION, 59
ER_SLAVE_CONVERSION_FAILED, 49
ER_SLAVE_CORRUPT_EVENT, 43
ER_SLAVE_CREATE_EVENT_FAILURE, 528
ER_SLAVE_FATAL_ERROR, 528
ER_SLAVE_HAS_MORE_GTIDS_THAN_MASTER, 68
ER_SLAVE_HEARTBEAT_FAILURE, 529
ER_SLAVE_HEARTBEAT_VALUE_OUT_OF_RANGE, 44
ER_SLAVE_HEARTBEAT_VALUE_OUT_OF_RANGE_MAX, 51
ER_SLAVE_HEARTBEAT_VALUE_OUT_OF_RANGE_MIN, 51
ER_SLAVE_IGNORED_SSL_PARAMS, 23
ER_SLAVE_IGNORED_TABLE, 20
ER_SLAVE_IGNORE_SERVER_IDS, 46
ER_SLAVE_INCIDENT, 529
ER_SLAVE_KILLED_AFTER_RECONNECT, 292
ER_SLAVE_MASTER_COM_FAILURE, 529
ER_SLAVE_MAX_CHANNELS_EXCEEDED, 76
ER_SLAVE_MI_INIT_REPOSITORY, 66
ER_SLAVE_MULTIPLE_CHANNELS_CMD, 75
ER_SLAVE_NEW_CHANNEL_WRONG_REPOSITORY, 75
ER_SLAVE_NOT_RUNNING, 17
ER_SLAVE_NOT_STARTED_ON_SOME_CHANNELS, 292
ER_SLAVE_POSSIBLY_DIVERGED_AFTER_DDL, 110
ER_SLAVE_RECONNECT_FAILED, 292
ER_SLAVE_RELAY_LOG_PURGE_FAILED, 284
ER_SLAVE_RELAY_LOG_READ_FAILURE, 529
ER_SLAVE_RELAY_LOG_TRUNCATE_INFO, 283
ER_SLAVE_RELAY_LOG_WRITE_FAILURE, 529
ER_SLAVE_RLI_INIT_REPOSITORY, 66
ER_SLAVE_SILENT_RETRY_TRANSACTION, 61
ER_SLAVE_SQL_THREAD_MUST_STOP, 70
ER_SLAVE_SQL_THREAD_STOPPED_AFTER_GTIDS_REACHE 204
ER_SLAVE_SQL_THREAD_STOPPED_BEFORE_GTIDS_ALREA 203

ER_SLAVE_SQL_THREAD_STOPPED_BEFORE_GTIDS_REACHED, 203
ER_SLAVE_SQL_THREAD_STOPPED_GAP_TRX_PROCESSED, 204
ER_SLAVE_SQL_THREAD_STOPPED_UNTIL_CONDITION_BAD, 203
ER_SLAVE_SQL_THREAD_STOPPED_UNTIL_POSITION_REACHED, 203
ER_SLAVE_THREAD, 17
ER_SLAVE_WORKER_STOPPED_PREVIOUS_THD_ERROR, 71
ER_SLOW_LOG_MODE_IGNORED_WHEN_NOT_LOGGING_TO_FILE, 118
ER_SOURCE, 16
ER_SOURCE_DELAY_VALUE_OUT_OF_RANGE, 53
ER_SOURCE_FATAL_ERROR_READING_BINLOG, 20
ER_SOURCE_HAS_PURGED_REQUIRED_GTIDS, 59
ER_SOURCE_NET_READ, 16
ER_SOURCE_NET_WRITE, 16
ER_SPATIAL_CANT_HAVE_NULL, 21
ER_SPATIAL_FUNCTIONAL_INDEX, 114
ER_SPATIAL_MUST_HAVE_GEOM_COL, 49
ER_SPATIAL_UNIQUE_INDEX, 110
ER_SPECIFIC_ACCESS_DENIED_ERROR, 20
ER_SPVAR_NONINTEGER_TYPE, 143
ER_SP_ALREADY_EXISTS, 25
ER_SP_BADRETURN, 26
ER_SP_BADSELECT, 26
ER_SP_BADSTATEMENT, 26
ER_SP_BAD_CURSOR_QUERY, 26
ER_SP_BAD_CURSOR_SELECT, 26
ER_SP_BAD_SQLSTATE, 31
ER_SP_BAD_VAR_SHADOW, 34
ER_SP_CANT_ALTER, 27
ER_SP_CANT_SET_AUTOCOMMIT, 34
ER_SP_CASE_NOT_FOUND, 28
ER_SP_COND_MISMATCH, 26
ER_SP_CURSOR_AFTER_HANDLER, 27
ER_SP_CURSOR_ALREADY_OPEN, 27
ER_SP_CURSOR_MISMATCH, 27
ER_SP_CURSOR_NOT_OPEN, 27
ER_SP_DOES_NOT_EXIST, 25
ER_SP_DROP_FAILED, 25
ER_SP_DUP_COND, 27
ER_SP_DUP_CURS, 27
ER_SP_DUP_HANDLER, 32
ER_SP_DUP_PARAM, 27
ER_SP_DUP_VAR, 27
ER_SP_FETCH_NO_DATA, 27
ER_SP_LABEL_MISMATCH, 26
ER_SP_LABEL_REDEFINE, 26
ER_SP_LILABEL_MISMATCH, 25
ER_SP_LOAD_FAILED, 88
ER_SP_NORETURN, 26
ER_SP_NORETURNEND, 26
ER_SP_NOT_VAR_ARG, 32
ER_SP_NO_AGGREGATE, 35
ER_SP_NO_DROP_SP, 29
ER_SP_NO_RECURSION, 32
ER_SP_NO_RECURSIVE_CREATE, 25
ER_SP_NO_RETSET, 32
ER_SP_RECURSION_LIMIT, 35
ER_SP_STORE_FAILED, 25
ER_SP_SUBSELECT_NYI, 27
ER_SP_UNDECLARED_VAR, 27
ER_SP_UNINIT_VAR, 26
ER_SP_VARCOND_AFTER_CURSHNDLR, 27
ER_SP_WRONG_NAME, 35
ER_SP_WRONG_NO_OF_ARGS, 26
ER_SP_WRONG_NO_OF_FETCH_ARGS, 27
ER_SQLTHREAD_WITH_SECURE_REPLICA, 56
ER_SQLTHREAD_WITH_SECURE_SLAVE, 56
ER_SQL_AUTHOR_DEFAULT_ROLES_FAIL, 187
ER_SQL_HA_READ_FAILED, 184
ER_SQL_MODE_MERGED, 81
ER_SQL_MODE_MERGED_WITH_STRICT_MODE, 279
ER_SQL_REPLICA_SKIP_COUNTER_USED_WITH_GTID_M 144
ER_SQL_SLAVE_SKIP_COUNTER_NOT_SETTABLE_IN_GT 65
ER_SQL_SLAVE_SKIP_COUNTER_USED_WITH_GTID_MOD 144
ER_SQL_USER_TABLE_ALTER_WARNING, 187
ER_SQL_USER_TABLE_CREATE_WARNING, 187
ER_SRS_ATTRIBUTE_STRING_TOO_LONG, 109
ER_SRS_GEOGCS_INVALID_AXES, 111
ER_SRS_ID_ALREADY_EXISTS, 108
ER_SRS_INVALID_ANGULAR_UNIT, 111
ER_SRS_INVALID_CHARACTER_IN_ATTRIBUTE, 109
ER_SRS_INVALID_HEIGHT, 157
ER_SRS_INVALID_INVERSE_FLATTENING, 111
ER_SRS_INVALID_LATITUDE_OF_ORIGIN, 155
ER_SRS_INVALID_LATITUDE_POLAR_STERE_VAR_A, 158
ER_SRS_INVALID_LONGITUDE_OF_ORIGIN, 155
ER_SRS_INVALID_PRIME_MERIDIAN, 111
ER_SRS_INVALID_SCALING, 157
ER_SRS_INVALID_SEMI_MAJOR_AXIS, 111
ER_SRS_INVALID_ZONE_WIDTH, 157
ER_SRS_MISSING_MANDATORY_ATTRIBUTE, 108
ER_SRS_MULTIPLE_ATTRIBUTE_DEFINITIONS, 108
ER_SRS_NAME_CANT_BE_EMPTY_OR_WHITESPACE, 108

ER_SRS_NOT_CARTESIAN, 89
ER_SRS_NOT_CARTESIAN_UNDEFINED, 89
ER_SRS_NOT_FOUND, 91
ER_SRS_NOT_GEOGRAPHIC, 110
ER_SRS_ORGANIZATION_CANT_BE_EMPTY_OR_WHITESPACE, 108
ER_SRS_PARSE_ERROR, 88
ER_SRS_PROJ_PARAMETER_MISSING, 88
ER_SRS_UNUSED_PROJ_PARAMETER_PRESENT, 155
ER_SR_BOGUS_VALUE, 184
ER_SR_INVALID_CONTEXT, 184
ER_SSL_FIPS_MODE_ERROR, 322
ER_SSL_LIBRARY_ERROR, 170
ER_SSL_MEMORY_INSTRUMENTATION_INIT_FAILED, 543
ER_SSL_SERVER_CERT_VERIFY_FAILED, 562
ER_SSL_TRYING_DATADIR_DEFAULTS, 181
ER_STACKSIZE_UNEXPECTED, 180
ER_STACK_BACKTRACE, 627
ER_STACK_OVERRUN, 11
ER_STACK_OVERRUN_NEED_MORE, 33
ER_STARTING_AS, 174
ER_STARTING_INIT, 535
ER_STARTING_REPLICA_MONITOR_IO_THREAD, 143
ER_STARTUP, 31
ER_STATEMENT_NOT_ALLOWED_AFTER_START_TRANSACTION, 139
ER_STD_BAD_ALLOC_ERROR, 72
ER_STD_DOMAIN_ERROR, 72
ER_STD_INVALID_ARGUMENT, 73
ER_STD_LENGTH_ERROR, 73
ER_STD_LOGIC_ERROR, 73
ER_STD_OUT_OF_RANGE_ERROR, 73
ER_STD_OVERFLOW_ERROR, 73
ER_STD_RANGE_ERROR, 73
ER_STD_REGEX_ERROR, 124
ER_STD_RUNTIME_ERROR, 73
ER_STD_UNDERFLOW_ERROR, 73
ER_STD_UNKNOWN_EXCEPTION, 73
ER_STMT_CACHE_FULL, 51
ER_STMT_HAS_NO_OPEN_CURSOR, 32
ER_STMT_NOT_ALLOWED_IN_SF_OR_TRG, 27
ER_STOP_REPLICA_IO_THREAD_DISK_SPACE, 321
ER_STOP_REPLICA_IO_THREAD_TIMEOUT, 67
ER_STOP_REPLICA_MONITOR_IO_THREAD_TIMEOUT, 143
ER_STOP_REPLICA_SQL_THREAD_TIMEOUT, 66
ER_STOP_SLAVE_IO_THREAD_DISK_SPACE, 321
ER_STOP_SLAVE_IO_THREAD_TIMEOUT, 66
ER_STOP_SLAVE_SQL_THREAD_TIMEOUT, 66
ER_STORAGE_ENGINE_NOT_LOADED, 68
ER_STORED_FUNCTION_PREVENTS_SWITCH_BINLOG_DIREC 49
ER_STORED_FUNCTION_PREVENTS_SWITCH_BINLOG_FORM 41
ER_STORED_FUNCTION_PREVENTS_SWITCH_SQL_LOG_BIN 50
ER_SUBPARTITION_ERROR, 37
ER_SUBPARTITION_NAME, 45
ER_SUBQUERY_NO_1_ROW, 21
ER_SUBQUERY_TRANSFORM_REJECTED, 138
ER_SWITCH_TMP_ENGINE, 94
ER_SYNTAX_ERROR, 14
ER_SYSTEMD_NOTIFY_CONNECT_FAILED, 387
ER_SYSTEMD_NOTIFY_DEBUG, 625
ER_SYSTEMD_NOTIFY_PATH_TOO_LONG, 387
ER_SYSTEMD_NOTIFY_WRITE_FAILED, 387
ER_SYSTEM_SCHEMA_NOT_FOUND, 164
ER_SYSTEM_TABLES_NOT_SUPPORTED_BY_STORAGE_ENG 280
ER_SYSTEM_TABLE_NOT_TRANSACTIONAL, 255
ER_SYSTEM_VIEW_INIT_FAILED, 281
ER_SYSVAR_CHANGE_DURING_QUERY, 131
ER_SYS_VAR_COMPONENT_FAILED_TO_MAKE_VARIABLE_P 321
ER_SYS_VAR_COMPONENT_FAILED_TO_PARSE_VARIABLE_ 321
ER_SYS_VAR_COMPONENT_OOM, 321
ER_SYS_VAR_COMPONENT_UNKNOWN_VARIABLE_TYPE, 321
ER_SYS_VAR_COMPONENT_VARIABLE_SET_READ_ONLY, 321
ER_SYS_VAR_DEREGISTRATION, 637
ER_SYS_VAR_NOT_FOUND, 537
ER_SYS_VAR_REGISTRATION, 637
ER_TABLEACCESS_DENIED_ERROR, 13
ER_TABLENAME_NOT_ALLOWED_HERE, 21
ER_TABLESPACE_AUTO_EXTEND_ERROR, 39
ER_TABLESPACE_CANNOT_BE_DECRYPTED, 122
ER_TABLESPACE_CANNOT_BE_ENCRYPTED, 122
ER_TABLESPACE_CANNOT_ENCRYPT, 85
ER_TABLESPACE_DISCARDED, 61
ER_TABLESPACE_DUP_FILENAME, 97
ER_TABLESPACE_ENGINE_MISMATCH, 101
ER_TABLESPACE_EXISTS, 61
ER_TABLESPACE_IS_NOT_EMPTY, 80
ER_TABLESPACE_MISSING, 61
ER_TABLESPACE_MISSING_WITH_NAME, 88
ER_TABLESPACE_TYPE_UNKNOWN, 122
ER_TABLES_DIFFERENT_METADATA, 54
ER_TABLE_CANT_HANDLE_AUTO_INCREMENT, 14
ER_TABLE_CANT_HANDLE_BLOB, 14
ER_TABLE_CANT_HANDLE_FT, 19
ER_TABLE_CANT_HANDLE_SPKEYS, 35

ER_TABLE_CHECK_INTACT, 183
ER_TABLE_CORRUPT, 67
ER_TABLE_CREATED_WITH_DIFFERENT_VERSION, 200
ER_TABLE_DEF_CHANGED, 32
ER_TABLE_EXISTS_ERROR, 6
ER_TABLE_HAS_NO_FT, 57
ER_TABLE_INCOMPATIBLE_DECIMAL_FIELD, 199
ER_TABLE_INCOMPATIBLE_YEAR_FIELD, 199
ER_TABLE_IN_FK_CHECK, 53
ER_TABLE_IN_SHARED_TABLESPACE, 158
ER_TABLE_IN_SYSTEM_TABLESPACE, 61
ER_TABLE_MUST_HAVE_A_VISIBLE_COLUMN, 146
ER_TABLE_MUST_HAVE_COLUMNS, 11
ER_TABLE_NAME, 45
ER_TABLE_NAME_CAUSES_TOO_LONG_PATH, 131
ER_TABLE_NAME_IN_UPPER_CASE_NOT_ALLOWED, 575
ER_TABLE_NAME_IN_UPPER_CASE_NOT_ALLOWED_FOR_FK, 575
ER_TABLE_NEEDS_DUMP_UPGRADE, 299
ER_TABLE_NEEDS_REBUILD, 51
ER_TABLE_NEEDS_UPGRADE, 35
ER_TABLE_NOT_EMPTY, 158
ER_TABLE_NOT_LOCKED, 10
ER_TABLE_NOT_LOCKED_FOR_WRITE, 10
ER_TABLE_NO_PRIMARY_KEY, 158
ER_TABLE_REFERENCED, 86
ER_TABLE_SCHEMA_MISMATCH, 61
ER_TABLE_UPGRADE_REQUIRED, 279
ER_TABLE_VALUE_CONSTRUCTOR_CANNOT_HAVE_DEFAULT, 135
ER_TABLE_VALUE_CONSTRUCTOR_MUST_HAVE_COLUMNS, 135
ER_TABLE_WITHOUT_PK, 113
ER_TABLE_WRONG_KEY_DEFINITION, 199
ER_TARGET_TABLESPACE_UNENCRYPTED, 122
ER_TARGET_TS_UNENCRYPTED, 537
ER_TC_BAD_MAGIC_IN_TC_LOG, 223
ER_TC_CANT_AUTO_RECOVER_WITH_TC_HEURISTIC_RECOVER, 223
ER_TC_HEURISTIC_RECOVERY_FAILED, 223
ER_TC_HEURISTIC_RECOVERY_MODE, 223
ER_TC_NEED_N_SE_SUPPORTING_2PC_FOR_RECOVERY, 223
ER_TC_RECOVERING_AFTER_CRASH_USING, 223
ER_TC_RECOVERY_FAILED_THESE_ARE_YOUR_OPTIONS, 223
ER_TC_RESTART_WITHOUT_TC_HEURISTIC_RECOVER, 224
ER_TEMPORARY_NAME, 45
ER_TEMP_FILE_WRITE_FAILURE, 67
ER_TEMP_TABLE_PREVENTS_SWITCH_GLOBAL_BINLOG_ 112
ER_TEMP_TABLE_PREVENTS_SWITCH_OUT_OF_RBR, 41
ER_TEMP_TABLE_PREVENTS_SWITCH_SESSION_BINLOG 112
ER_TEXTFILE_NOT_READABLE, 9
ER_TF_FORBIDDEN_JOIN_TYPE, 104
ER_TF_MUST_HAVE_ALIAS, 103
ER_THE_USER_ABIDES, 177
ER_THREAD_HANDLING_OOM, 172
ER_THREAD_POOL_ALGORITHM_INVALID, 301
ER_THREAD_POOL_BUFFER_TOO_SMALL, 302
ER_THREAD_POOL_CANNOT_REGISTER_DYNAMIC_PRIV 625
ER_THREAD_POOL_CANNOT_SET_THREAD_SPECIFIC_DA 301
ER_THREAD_POOL_CONNECTION_REPORT, 639
ER_THREAD_POOL_CON_HANDLER_INIT_FAILED, 301
ER_THREAD_POOL_DEDICATED_LISTENERS_INVALID, 615
ER_THREAD_POOL_FAILED_PROCESS_CONNECT_EVENT 302
ER_THREAD_POOL_FAILED_TO_CREATE_CONNECT_HAN 302
ER_THREAD_POOL_FAILED_TO_CREATE_POOL, 302
ER_THREAD_POOL_FAILED_TO_CREATE_THD_AND_AUT 302
ER_THREAD_POOL_IDLE_CONNECTION_CLOSED, 632
ER_THREAD_POOL_INIT_FAILED, 301
ER_THREAD_POOL_INVALID_PRIO_KICKUP_TIMER, 301
ER_THREAD_POOL_INVALID_STALL_LIMIT, 301
ER_THREAD_POOL_LOW_LEVEL_REARM_FAILED, 302
ER_THREAD_POOL_MAX_UNUSED_THREADS_INVALID, 301
ER_THREAD_POOL_NOT_SUPPORTED_ON_PLATFORM, 300
ER_THREAD_POOL_PFS_TABLES_ADD_FAILED, 547
ER_THREAD_POOL_PFS_TABLES_INIT_FAILED, 547
ER_THREAD_POOL_PLUGIN_STARTED, 615
ER_THREAD_POOL_QUERY_THREADS_PER_GROUP_INV 623
ER_THREAD_POOL_QUERY_THRS_PER_GRP_EXCEEDS_ 628
ER_THREAD_POOL_RATE_LIMITED_ERROR_MSGS, 302

ER_THREAD_POOL_SIZE_TOO_HIGH, 301
ER_THREAD_POOL_SIZE_TOO_LOW, 301
ER_THREAD_POOL_SYSVAR_CHANGE, 627
ER_THREAD_PRIORITY_IGNORED, 277
ER_TLS_CONFIGURATION_REUSED, 584
ER_TLS_CONFIGURED_FOR_CHANNEL, 584
ER_TMPDIR_PATH_TOO_LONG, 590
ER_TMP_SESSION_FOR_VAR, 625
ER_TOO_BIG_DISPLAYWIDTH, 33
ER_TOO_BIG_ENUM, 87
ER_TOO_BIG_FIELDLENGTH, 8
ER_TOO_BIG_FOR_UNCOMPRESS, 22
ER_TOO_BIG_PRECISION, 33
ER_TOO_BIG_ROWSIZE, 11
ER_TOO_BIG_SCALE, 33
ER_TOO_BIG_SELECT, 10
ER_TOO_BIG_SET, 10
ER_TOO_HIGH_LEVEL_OF_NESTING_FOR_SELECT, 36
ER_TOO_LONG_BODY, 33
ER_TOO_LONG_FIELD_COMMENT, 45
ER_TOO_LONG_IDENT, 7
ER_TOO_LONG_INDEX_COMMENT, 50
ER_TOO_LONG_KEY, 8
ER_TOO_LONG_ROUTINE_COMMENT, 88
ER_TOO_LONG_SET_ENUM_VALUE, 88
ER_TOO_LONG_STRING, 14
ER_TOO_LONG_TABLESPACE_COMMENT, 97
ER_TOO_LONG_TABLE_COMMENT, 45
ER_TOO_LONG_TABLE_PARTITION_COMMENT, 59
ER_TOO_MANY_CONCURRENT_CLONES, 100
ER_TOO_MANY_CONCURRENT_TRXS, 45
ER_TOO_MANY_FIELDS, 11
ER_TOO_MANY_KEYS, 8
ER_TOO_MANY_KEY_PARTS, 8
ER_TOO_MANY_PARTITIONS_ERROR, 37
ER_TOO_MANY_PARTITION_FUNC_FIELDS_ERROR, 47
ER_TOO_MANY_ROWS, 15
ER_TOO_MANY_STORAGE_ENGINES, 188
ER_TOO_MANY_TABLES, 11
ER_TOO_MANY_USER_CONNECTIONS, 18
ER_TOO_MANY_VALUES_ERROR, 47
ER_TOO_MANY_WINDOWS, 153
ER_TP_QUERY_THRS_PER_GRP_EXCEEDS_TXN_THR_LMT, 157
ER_TRACK_VARIABLES_BOGUS, 178
ER_TRANSACTION_ROLLBACK_DURING_COMMIT, 78
ER_TRANSFORM_SOURCE_SRS_MISSING_TOWGS84, 112
ER_TRANSFORM_SOURCE_SRS_NOT_SUPPORTED, 112
ER_TRANSFORM_TARGET_SRS_MISSING_TOWGS84, 112
ER_TRANSFORM_TARGET_SRS_NOT_SUPPORTED, 112
ER_TRANSPORTS_WHAT_TRANSPORTS, 175
ER_TRANS_CACHE_FULL, 17
ER_TREE_CORRUPT_2_CONSECUTIVE_REDS, 253
ER_TREE_CORRUPT_INCORRECT_BLACK_COUNT, 254
ER_TREE_CORRUPT_PARENT_SHOULD_POINT_AT_PARENT, 253
ER_TREE_CORRUPT_RIGHT_IS_LEFT, 254
ER_TREE_CORRUPT_ROOT_SHOULD_BE_BLACK, 253
ER_TRG_ALREADY_EXISTS, 29
ER_TRG_CANT_CHANGE_ROW, 29
ER_TRG_CANT_OPEN_TABLE, 43
ER_TRG_CANT_PARSE, 183
ER_TRG_CORRUPTED_FILE, 43
ER_TRG_CREATION_CTX_NOT_SET, 279
ER_TRG_DOES_NOT_EXIST, 29
ER_TRG_INVALID_CREATION_CTX, 43
ER_TRG_IN_WRONG_SCHEMA, 33
ER_TRG_NO_CLIENT_CHARSET, 169
ER_TRG_NO_CREATION_CTX, 43
ER_TRG_NO_DEFINER, 35
ER_TRG_NO_SUCH_ROW_IN_TRG, 29
ER_TRG_ON_VIEW_OR_TEMP_TABLE, 29
ER_TRG_WITHOUT_DEFINER, 169
ER_TRG_WRONG_ORDER, 553
ER_TRHEAD_POOL_LOW_LEVEL_INIT_FAILED, 302
ER_TRIGGER_INVALID_VALUE, 163
ER_TRUNCATED_WRONG_VALUE, 24
ER_TRUNCATED_WRONG_VALUE_FOR_FIELD, 29
ER_TRUNCATE_ILLEGAL_FK, 50
ER_TRX_GTID_COLLECT_REJECT, 187
ER_TRX_WRITE_SET_OOM, 188
ER_TURNING_LOGGING_OFF_FOR_THE_DURATION, 272
ER_TURNING_ON_PARTIAL_REVOKES, 557
ER_TX_EXTRACTION_ALGORITHM_FOR_BINLOG_TX_DEPEDI 283
ER_TZ_CANT_BUILD_MKTIME_MAP, 202
ER_TZ_CANT_FIND_DESCRIPTION_FOR_TIME_ZONE, 201
ER_TZ_CANT_FIND_DESCRIPTION_FOR_TIME_ZONE_ID, 201
ER_TZ_CANT_OPEN_AND_LOCK_TIME_ZONE_TABLE, 201
ER_TZ_ERROR_LOADING_LEAP_SECOND_TABLE, 201

ER_TZ_NO_TRANSITION_TYPES_IN_TIME_ZONE, 202
ER_TZ_OOM_INITIALIZING_TIME_ZONES, 200
ER_TZ_OOM_LOADING_LEAP_SECOND_TABLE, 201
ER_TZ_OOM_LOADING_TIME_ZONE_DESCRIPTION, 202
ER_TZ_OOM_WHILE_LOADING_TIME_ZONE, 202
ER_TZ_OOM_WHILE_SETTING_TIME_ZONE, 203
ER_TZ_TOO_MANY_LEAPS_IN_LEAP_SECOND_TABLE, 201
ER_TZ_TRANSITION_TABLE_BAD_TRANSITION_TYPE, 202
ER_TZ_TRANSITION_TABLE_LOAD_ERROR, 202
ER_TZ_TRANSITION_TABLE_TOO_MANY_TRANSITIONS, 202
ER_TZ_TRANSITION_TYPE_TABLE_ABBREVIATIONS_EXCEED_SPACE, 202
ER_TZ_TRANSITION_TYPE_TABLE_LOAD_ERROR, 202
ER_TZ_TRANSITION_TYPE_TABLE_TYPE_TOO_LARGE, 201
ER_TZ_UNKNOWN_OR_ILLEGAL_DEFAULT_TIME_ZONE, 201
ER_UDF_ALREADY_EXISTS, 536
ER_UDF_CANT_ALLOC_FOR_FUNCTION, 185
ER_UDF_CANT_ALLOC_FOR_STRUCTURES, 185
ER_UDF_CANT_OPEN_FUNCTION_TABLE, 186
ER_UDF_DEREGISTRATION, 637
ER_UDF_DROP_DYNAMICALLY_REGISTERED, 99
ER_UDF_ERROR, 86
ER_UDF_EXEC_FAILURE, 637
ER_UDF_EXEC_FAILURE_REASON, 637
ER_UDF_EXISTS, 12
ER_UDF_INVALID_ROW_IN_FUNCTION_TABLE, 186
ER_UDF_NO_PATHS, 12
ER_UDF_REGISTER_ERROR, 590
ER_UDF_REGISTER_SERVICE_ERROR, 590
ER_UDF_REGISTRATION, 637
ER_UDF_UNREGISTER_ERROR, 590
ER_UKNOWN_AUTH_ID_OR_ACCESS_DENIED_FOR_GRANT, 123
ER_UNABLE_TO_BUILD_HISTOGRAM, 99
ER_UNABLE_TO_COLLECT_LOG_STATUS, 109
ER_UNABLE_TO_DROP_COLUMN_STATISTICS, 99
ER_UNABLE_TO_RESOLVE_HOSTNAME, 168
ER_UNABLE_TO_RESOLVE_IP, 168
ER_UNABLE_TO_SET_OPTION, 110
ER_UNABLE_TO_STORE_COLUMN_STATISTICS, 99
ER_UNABLE_TO_STORE_STATISTICS, 91
ER_UNABLE_TO_UPDATE_COLUMN_STATISTICS, 99
ER_UNDISCLOSED_PARSE_ERROR_IN_DIGEST_FN, 105
ER_UNDO_RECORD_TOO_BIG, 52
ER_UNEXPECTED_GEOMETRY_TYPE, 88
ER_UNIQUE_KEY_NEED_ALL_FIELDS_IN_PF, 38
ER_UNIT_NOT_FOUND, 130
ER_UNKNOWN_ALTER_ALGORITHM, 60
ER_UNKNOWN_ALTER_LOCK, 60
ER_UNKNOWN_AUTHID, 89
ER_UNKNOWN_AUTH_ID_IN_MANDATORY_ROLE, 285
ER_UNKNOWN_CHARACTER_SET, 11
ER_UNKNOWN_COLLATION, 23
ER_UNKNOWN_COM_ERROR, 6
ER_UNKNOWN_ERROR, 10
ER_UNKNOWN_ERROR_DETECTED_IN_SE, 291
ER_UNKNOWN_ERROR_NUMBER, 185
ER_UNKNOWN_EXPLAIN_FORMAT, 59
ER_UNKNOWN_KEY_CACHE, 24
ER_UNKNOWN_LOCALE, 46
ER_UNKNOWN_NETWORK_NAMESPACE, 561
ER_UNKNOWN_PARTITION, 54
ER_UNKNOWN_PROCEDURE, 10
ER_UNKNOWN_STMT_HANDLER, 21
ER_UNKNOWN_STORAGE_ENGINE, 24
ER_UNKNOWN_SYSTEM_VARIABLE, 16
ER_UNKNOWN_TABLE, 11
ER_UNKNOWN_TABLESPACE_TYPE, 543
ER_UNKNOWN_TABLE_IN_UPGRADE, 568
ER_UNKNOWN_TARGET_BINLOG, 30
ER_UNKNOWN_TIME_ZONE, 25
ER_UNKNOWN_UNSUPPORTED_STORAGE_ENGINE, 170
ER_UNKNOWN_VARIABLE_IN_PERSISTED_CONFIG_FILE, 537
ER_UNRESOLVED_HINT_NAME, 80
ER_UNRESOLVED_TABLE_LOCK, 93
ER_UNSUPORTED_LOG_ENGINE, 42
ER_UNSUPPORTED_ACTION_ON_DEFAULT_VAL_GENERA 115
ER_UNSUPPORTED_ACTION_ON_GENERATED_COLUMN, 79
ER_UNSUPPORTED_ALTER_ENCRYPTION_INPLACE, 85
ER_UNSUPPORTED_ALTER_INPLACE_ON_VIRTUAL_COLU 79
ER_UNSUPPORTED_ALTER_ONLINE_ON_VIRTUAL_COLU 85
ER_UNSUPPORTED_DATE, 174
ER_UNSUPPORTED_ENGINE, 53
ER_UNSUPPORTED_EXTENSION, 11
ER_UNSUPPORTED_INDEX_ALGORITHM, 87
ER_UNSUPPORTED_PS, 25
ER_UNSUPPORTED_SQL_MODE, 130

ER_UNSUPPORTED_USE_OF_GRANT_AS, 123
ER_UNSUPPORT_COMPRESSED_TEMPORARY_TABLE, 87
ER_UNTIL_COND_IGNORED, 24
ER_UPDATE_GTID_PURGED_WITH_GR, 131
ER_UPDATE_INFO, 12
ER_UPDATE_LOG_DEPRECATED_IGNORED, 26
ER_UPDATE_LOG_DEPRECATED_TRANSLATED, 26
ER_UPDATE_TABLE_USED, 9
ER_UPDATE_WITHOUT_KEY_IN_SAFE_MODE, 15
ER_UPDATING_DD_TABLE, 88
ER_UPGRADE_NONEXISTENT_SCHEMA, 591
ER_UPGRADE_PARSE_ERROR, 542
ER_UPGRADE_WITH_PARTITIONED_TABLES_REJECTED, 569
ER_USAGE_DEPRECATION_COUNTER, 641
ER_USERNAME, 35
ER_USERNAME_TRUNKATED, 584
ER_USER_ACCESS_DENIED_FOR_USER_ACCOUNT_BLOCKED_BY_PASSWORD_LOCK, 136
ER_USER_ALREADY_EXISTS, 83
ER_USER_COLUMN_OLD_LENGTH, 85
ER_USER_DOES_NOT_EXIST, 83
ER_USER_LIMIT_REACHED, 19
ER_USER_LOCK_DEADLOCK, 74
ER_USER_LOCK_OVERLONG_NAME, 162
ER_USER_LOCK_WRONG_NAME, 73
ER_USER_NOT_IN_EXTRA_USERS_BINLOG_POSSIBLY_INCOMPLETE, 198
ER_USER_REFERENCED_AS_DEFINER, 142
ER_USER_REGISTRATION_FAILED, 150
ER_USER_REQUIRES_ROOT, 175
ER_USER_WHAT_USER, 175
ER_USING_ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS_AS_LOCAL_OR_UUID, 144
ER_UUID_INVALID, 170
ER_UUID_IS, 170
ER_UUID_SALT, 170
ER_UUID_SCRUB, 170
ER_VALGRIND_COUNT_LEAKS, 185
ER_VALGRIND_DO_QUICK_LEAK_CHECK, 185
ER_VALIDATE_PASSWORD_INSUFFICIENT_CHANGED_CHARACTERS, 162
ER_VALIDATE_PWD_CONVERT_TO_BUFFER_FAILED, 389
ER_VALIDATE_PWD_COULD_BE_NULL, 388
ER_VALIDATE_PWD_DICT_FILE_NOT_LOADED, 318
ER_VALIDATE_PWD_DICT_FILE_NOT_SPECIFIED, 317
ER_VALIDATE_PWD_DICT_FILE_OPEN_FAILED, 388
ER_VALIDATE_PWD_DICT_FILE_TOO_BIG, 318
ER_VALIDATE_PWD_FAILED_TO_GET_FLD_FROM_SECURITY, 318
ER_VALIDATE_PWD_FAILED_TO_GET_SECURITY_CTX, 318
ER_VALIDATE_PWD_FAILED_TO_READ_DICT_FILE, 318
ER_VALIDATE_PWD_LENGTH_CHANGED, 318
ER_VALIDATE_PWD_STATUS_VAR_REGISTRATION_FAILED, 388
ER_VALIDATE_PWD_STATUS_VAR_UNREGISTRATION_FAILE 388
ER_VALIDATE_PWD_STRING_CONV_TO_BUFFER_FAILED, 388
ER_VALIDATE_PWD_STRING_CONV_TO_LOWERCASE_FAILE 388
ER_VALIDATE_PWD_STRING_HANDLER_MEM_ALLOCATION_ 389
ER_VALIDATE_PWD_STRONG_POLICY_DICT_FILE_UNSPECIF 389
ER_VALIDATE_PWD_VARIABLE_REGISTRATION_FAILED, 389
ER_VALIDATE_PWD_VARIABLE_UNREGISTRATION_FAILED, 389
ER_VALUES_IS_NOT_INT_TYPE_ERROR, 50
ER_VALUE_OUT_OF_RANGE, 152
ER_VARIABLE_IS_NOT_STRUCT, 23
ER_VARIABLE_IS_READONLY, 44
ER_VARIABLE_NOT_PERSISTED, 91
ER_VARIABLE_NOT_SETTABLE_IN_SF_OR_TRIGGER, 57
ER_VARIABLE_NOT_SETTABLE_IN_SP, 63
ER_VARIABLE_NOT_SETTABLE_IN_TRANSACTION, 57
ER_VAR_CANT_BE_READ, 20
ER_VERBOSE_HINT, 178
ER_VERBOSE_REQUIRES_HELP, 171
ER_VIEW_CHECKSUM, 30
ER_VIEW_CHECK_FAILED, 29
ER_VIEW_CREATION_CTX_NOT_SET, 279
ER_VIEW_DELETE_MERGE_VIEW, 31
ER_VIEW_FRM_NO_USER, 34
ER_VIEW_INVALID, 29
ER_VIEW_INVALID_CREATION_CTX, 43
ER_VIEW_MULTIUPDATE, 30
ER_VIEW_NONUPD_CHECK, 29
ER_VIEW_NO_CREATION_CTX, 43
ER_VIEW_NO_EXPLAIN, 28
ER_VIEW_NO_INSERT_FIELD_LIST, 31
ER_VIEW_OTHER_USER, 34
ER_VIEW_PREVENT_UPDATE, 34
ER_VIEW_RECURSIVE, 35
ER_VIEW_SELECT_CLAUSE, 28
ER_VIEW_SELECT_TMPTABLE, 28

ER_VIEW_SELECT_VARIABLE, 28
ER_VIEW_UNKNOWN_CHARSET_OR_COLLATION, 164
ER_VIEW_UNPARSABLE, 200
ER_VIEW_WRONG_LIST, 28
ER_VTOKEN_PLUGIN_TOKEN_MISMATCH, 81
ER_VTOKEN_PLUGIN_TOKEN_NOT_FOUND, 81
ER_WAITING_FOR_NO_CONNECTIONS, 641
ER_WAITING_FOR_NO_THDS, 641
ER_WAITPID_FAILED, 297
ER_WARNING_AUTHCACHE_INVALID_USER_ATTRIBUTES, 550
ER_WARNING_DISCARD_OLD_PASSWORD_CLAUSE_VOID, 549
ER_WARNING_NOT_COMPLETE_ROLLBACK, 17
ER_WARNING_NOT_COMPLETE_ROLLBACK_WITH_CREATED_TEMP_TABLE, 55
ER_WARNING_NOT_COMPLETE_ROLLBACK_WITH_DROPPED_TEMP_TABLE, 55
ER_WARNING_PASSWORD_HISTORY_CLAUSES_VOID, 101
ER_WARNING_RETAIN_CURRENT_PASSWORD_CLAUSE_VOID, 549
ER_WARN_ADUIT_LOG_MAX_SIZE_AND_PRUNE_SECONDS, 147
ER_WARN_ADUIT_LOG_MAX_SIZE_AND_PRUNE_SECONDS_LOG, 603
ER_WARN_ADUIT_LOG_MAX_SIZE_CLOSE_TO_ROTATE_SIZE, 147
ER_WARN_ADUIT_LOG_MAX_SIZE_CLOSE_TO_ROTATE_SIZE_LOG, 603
ER_WARN_ALLOWED_PACKET_OVERFLOWED, 25
ER_WARN_ASYNC_CONN_FAILOVER_NETWORK_NAMESPACE, 146
ER_WARN_AUDIT_LOG_DISABLED, 612
ER_WARN_AUDIT_LOG_FORMAT_UNIX_TIMESTAMP_ONLY_WHEN_JSON, 148
ER_WARN_AUDIT_LOG_FORMAT_UNIX_TIMESTAMP_ONLY_WHEN_JSON_LOG, 605
ER_WARN_AUTH_ID_WITH_SYSTEM_USER_PRIV_IN_MANDATORY_ROLES, 572
ER_WARN_BAD_MAX_EXECUTION_TIME, 80
ER_WARN_BINLOG_PARTIAL_UPDATES_DISABLED, 101
ER_WARN_BINLOG_PARTIAL_UPDATES_SUGGESTS_PARTIAL_IMAGES, 101
ER_WARN_BINLOG_V1_ROW_EVENTS_DISABLED, 101
ER_WARN_CANNOT_FREE_COMPONENT_DATA_DEALLOCATION_FAILED, 635
ER_WARN_CANNOT_PERSIST_SENSITIVE_VARIABLES, 613
ER_WARN_CANNOT_SECURELY_PERSIST_SENSITIVE_VA 154
ER_WARN_CANT_DROP_DEFAULT_KEYCACHE, 33
ER_WARN_CLIENT_DEPRECATED_PARTITION_PREFIX_KE 138
ER_WARN_COMPONENTS_INFRASTRUCTURE_MANIFEST 634
ER_WARN_COMPONENTS_INFRASTRUCTURE_MANIFEST 596
ER_WARN_COMPONENT_KEYRING_OCI_DUPLICATE_KEY 627
ER_WARN_CONFLICTING_HINT, 80
ER_WARN_C_DISABLE_GTID_ONLY_WITH_SOURCE_AUTO 151
ER_WARN_DATA_OUT_OF_RANGE, 22
ER_WARN_DATA_OUT_OF_RANGE_FUNCTIONAL_INDEX, 113
ER_WARN_DATA_TRUNCATED_FUNCTIONAL_INDEX, 113
ER_WARN_DA_PRIVILEGE_NOT_REGISTERED, 33
ER_WARN_DEPRECATED_CHARSET_OPTION, 612
ER_WARN_DEPRECATED_CLIENT_NO_SCHEMA_OPTION, 153
ER_WARN_DEPRECATED_COLLATION, 152
ER_WARN_DEPRECATED_COLLATION_OPTION, 612
ER_WARN_DEPRECATED_DATETIME_DELIMITER, 154
ER_WARN_DEPRECATED_FLOAT_AUTO_INCREMENT, 125
ER_WARN_DEPRECATED_FLOAT_DIGITS, 125
ER_WARN_DEPRECATED_FLOAT_UNSIGNED, 125
ER_WARN_DEPRECATED_FOUND_ROWS, 137
ER_WARN_DEPRECATED_IDENT, 157
ER_WARN_DEPRECATED_INNER_INTO, 137
ER_WARN_DEPRECATED_INTEGER_DISPLAY_WIDTH, 125
ER_WARN_DEPRECATED_JSON_TABLE_ON_ERROR_ON_ 137
ER_WARN_DEPRECATED_NESTED_COMMENT_SYNTAX, 116
ER_WARN_DEPRECATED_OR_BLOCKED_CIPHER, 641
ER_WARN_DEPRECATED_SQLMODE, 77
ER_WARN_DEPRECATED_SQL_CALC_FOUND_ROWS, 137
ER_WARN_DEPRECATED_SUPERFLUOUS_DELIMITER, 154
ER_WARN_DEPRECATED_SYNTAX, 24
ER_WARN_DEPRECATED_SYNTAX_NO_REPLACEMENT, 49

ER_WARN_DEPRECATED_SYNTAX_WITH_VER, 40
ER_WARN_DEPRECATED_SYSVAR_UPDATE, 77
ER_WARN_DEPRECATED_TLS_VERSION_FOR_CHANNEL_CLI, 601
ER_WARN_DEPRECATED_TLS_VERSION_FOR_CHANNEL_SRV, 147
ER_WARN_DEPRECATED_USER_DEFINED_COLLATIONS, 162
ER_WARN_DEPRECATED_USER_DEFINED_COLLATIONS_UPGRADE, 634
ER_WARN_DEPRECATED_USER_SET_EXPR, 116
ER_WARN_DEPRECATED_UTF8MB3_CHARSET_OPTION, 543
ER_WARN_DEPRECATED_UTF8MB3_COLLATION, 116
ER_WARN_DEPRECATED_UTF8MB3_COLLATION_OPTION, 543
ER_WARN_DEPRECATED_UTF8_ALIAS_OPTION, 543
ER_WARN_DEPRECATED_VALUES_FUNCTION_ALWAYS_NULL, 137
ER_WARN_DEPRECATED_WITH_NOTE, 162
ER_WARN_DEPRECATED_YEAR_UNSIGNED, 136
ER_WARN_DEPRECATED_ZEROFILL, 126
ER_WARN_ENGINE_TRANSACTION_ROLLBACK, 44
ER_WARN_FIELD_RESOLVED, 23
ER_WARN_FUNC_INDEX_NOT_APPLICABLE, 131
ER_WARN_GRP_RPL_VIEW_CHANGE_UUID_FAIL_GET_VARIABLE, 603
ER_WARN_GTID_THRESHOLD_BREACH, 594
ER_WARN_HOSTNAME_WONT_WORK, 24
ER_WARN_HYPERGRAPH_EXPERIMENTAL, 142
ER_WARN_INCORRECT_PRIVILEGE_FOR_DB_RESTRICTIONS, 557
ER_WARN_INDEX_NOT_APPLICABLE, 54
ER_WARN_INVALID_DB_RESTRICTIONS, 557
ER_WARN_INVALID_HINT, 98
ER_WARN_INVALID_TIMESTAMP, 25
ER_WARN_I_S_SKIPPED_TABLE, 49
ER_WARN_LEGACY_SYNTAX_CONVERTED, 69
ER_WARN_LOG_DEPRECATED_PARTITION_PREFIX_KEY, 582
ER_WARN_LOG_PRIVILEGE_CHECKS_USER_CORRUPT, 570
ER_WARN_LOG_PRIVILEGE_CHECKS_USER_DOES_NOT_EXIST, 570
ER_WARN_LOG_PRIVILEGE_CHECKS_USER_NEEDS_RPL_APPLIER_PRIV, 571
ER_WARN_L_DISABLE_GTID_ONLY_WITH_SOURCE_AUTO_POS_INVALID_POS, 609
ER_WARN_MIGRATION_EMPTY_SOURCE_KEYRING, 613
ER_WARN_NO_KEYRING_COMPONENT_SERVICE_FOUND, 596
ER_WARN_NO_SERVERID_SPECIFIED, 278
ER_WARN_NO_SPACE_VERSION_COMMENT, 162
ER_WARN_NULL_TO_NOTNULL, 22
ER_WARN_ONLY_MASTER_LOG_FILE_NO_POS, 70
ER_WARN_ONLY_SOURCE_LOG_FILE_NO_POS, 70
ER_WARN_OPTION_ON_MODIFYING_GTID_EXECUTED_TABLE, 81
ER_WARN_OPEN_TEMP_TABLES_MUST_BE_ZERO, 70
ER_WARN_OPTIMIZER_HINT_SYNTAX_ERROR, 80
ER_WARN_PARTIAL_REVOKE_AND_DB_GRANT, 557
ER_WARN_PROPERTY_STRING_PARSE_FAILED, 552
ER_WARN_PURGE_LOG_IN_USE, 65
ER_WARN_PURGE_LOG_IS_ACTIVE, 65
ER_WARN_QC_RESIZE, 24
ER_WARN_REGEXP_USING_DEFAULT, 152
ER_WARN_REMOVED_SQL_MODE, 544
ER_WARN_REPLICA_ANONYMOUS_TO_GTID_UUID_SAME_AS 602
ER_WARN_REPLICA_GTID_ONLY_AND_GTID_MODE_NOT_ON 609
ER_WARN_RESERVED_SRID_RANGE, 109
ER_WARN_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_MA 572
ER_WARN_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_SO 572
ER_WARN_SCHEDULED_TASK_RUN_FAILED, 639
ER_WARN_SF_UDF_NAME_COLLISION, 153
ER_WARN_SQL_AFTER_MTS_GAPS_GAP_NOT_CALCULATED 148
ER_WARN_SRS_ID_ALREADY_EXISTS, 108
ER_WARN_SRS_NOT_FOUND, 89
ER_WARN_SRS_NOT_FOUND_AXIS_ORDER, 92
ER_WARN_TLS_CHANNEL_INITIALIZATION_ERROR, 583
ER_WARN_TOO_FEW_RECORDS, 22
ER_WARN_TOO_MANY_RECORDS, 22
ER_WARN_TRG_ALREADY_EXISTS, 154
ER_WARN_TRIGGER_DOESNT_HAVE_CREATED, 69
ER_WARN_UNKNOWN_KEYRING_AWS_REGION, 570
ER_WARN_UNKNOWN_QB_NAME, 80
ER_WARN_UNLOAD_THE_NOT_PERSISTED, 90
ER_WARN_UNSUPPORTED_HINT, 88
ER_WARN_UNSUPPORTED_MAX_EXECUTION_TIME, 80
ER_WARN_USING_OTHER_HANDLER, 22

ER_WARN_VAR_VALUE_CHANGE_NOT_SUPPORTED, 141
ER_WARN_VIEW_MERGE, 28
ER_WARN_VIEW_WITHOUT_KEY, 29
ER_WARN_WRONG_COMPRESSION_ALGORITHM_LOG, 570
ER_WARN_WRONG_COMPRESSION_LEVEL_LOG, 570
ER_WASTEFUL_NET_BUFFER_SIZE, 171
ER_WILDCARD_NOT_ALLOWED_FOR_MULTIADDRESS_FRM, 562
ER_WINDOW_CIRCULARITY_IN_WINDOW_GRAPH, 94
ER_WINDOW_DUPLICATE_NAME, 95
ER_WINDOW_EXPLAIN_JSON, 96
ER_WINDOW_FRAME_END_ILLEGAL, 94
ER_WINDOW_FRAME_ILLEGAL, 95
ER_WINDOW_FRAME_START_ILLEGAL, 94
ER_WINDOW_FUNCTION_IGNORES_FRAME, 96
ER_WINDOW_ILLEGAL_ORDER_BY, 95
ER_WINDOW_INVALID_WINDOW_FUNC_ALIAS_USE, 95
ER_WINDOW_INVALID_WINDOW_FUNC_USE, 95
ER_WINDOW_NESTED_WINDOW_FUNC_USE_IN_WINDOW_SPEC, 96
ER_WINDOW_NO_CHILD_PARTITIONING, 94
ER_WINDOW_NO_GROUP_ORDER, 96
ER_WINDOW_NO_GROUP_ORDER_UNUSED, 96
ER_WINDOW_NO_INHERIT_FRAME, 94
ER_WINDOW_NO_REDEFINE_ORDER_BY, 94
ER_WINDOW_NO_SUCH_WINDOW, 94
ER_WINDOW_RANGE_BOUND_NOT_CONSTANT, 95
ER_WINDOW_RANGE_FRAME_NUMERIC_TYPE, 95
ER_WINDOW_RANGE_FRAME_ORDER_TYPE, 95
ER_WINDOW_RANGE_FRAME_TEMPORAL_TYPE, 95
ER_WINDOW_ROWS_INTERVAL_USE, 96
ER_WINDOW_SE_NOT_ACCEPTABLE, 96
ER_WIN_LISTEN_BUT_HOW, 176
ER_WIN_LOAD_LIBRARY_FAILED, 296
ER_WL9236_NOW_UNUSED, 96
ER_WRITABLE_CONFIG_REMOVED, 174
ER_WRITE_ROW_TO_PARTITION_FAILED, 285
ER_WRITE_SET_EXCEEDS_LIMIT, 87
ER_WRONG_ARGUMENTS, 18
ER_WRONG_AUTO_KEY, 8
ER_WRONG_COLUMN_NAME, 14
ER_WRONG_COMPRESSION_ALGORITHM_CLIENT, 132
ER_WRONG_COMPRESSION_LEVEL_CLIENT, 132
ER_WRONG_COUNT_FOR_KEY, 254
ER_WRONG_COUNT_FOR_ORIGIN, 254
ER_WRONG_COUNT_OF_ELEMENTS, 254
ER_WRONG_DATETIME_SPEC, 174
ER_WRONG_DB_NAME, 10
ER_WRONG_EXPR_IN_PARTITION_FUNC_ERROR, 136
ER_WRONG_FIELD_SPEC, 7
ER_WRONG_FIELD_TERMINATORS, 9
ER_WRONG_FIELD_WITH_GROUP, 7
ER_WRONG_FIELD_WITH_GROUP_V2, 77
ER_WRONG_FILE_NAME, 80
ER_WRONG_FK_DEF, 21
ER_WRONG_FK_OPTION_FOR_GENERATED_COLUMN, 79
ER_WRONG_GROUP_FIELD, 7
ER_WRONG_JSON_TABLE_VALUE, 103
ER_WRONG_KEY_COLUMN, 15
ER_WRONG_KEY_COLUMN_FUNCTIONAL_INDEX, 114
ER_WRONG_LOCK_OF_SYSTEM_TABLE, 33
ER_WRONG_MRG_TABLE, 15
ER_WRONG_MVI_VALUE, 130
ER_WRONG_NAME_FOR_CATALOG, 24
ER_WRONG_NAME_FOR_INDEX, 24
ER_WRONG_NATIVE_TABLE_STRUCTURE, 49
ER_WRONG_NUMBER_OF_COLUMNS_IN_SELECT, 19
ER_WRONG_OBJECT, 28
ER_WRONG_OUTER_JOIN, 11
ER_WRONG_OUTER_JOIN_UNUSED, 11
ER_WRONG_PARAMCOUNT_TO_NATIVE_FCT, 42
ER_WRONG_PARAMCOUNT_TO_PROCEDURE, 10
ER_WRONG_PARAMETERS_TO_NATIVE_FCT, 42
ER_WRONG_PARAMETERS_TO_PROCEDURE, 10
ER_WRONG_PARAMETERS_TO_STORED_FCT, 42
ER_WRONG_PARTITION_NAME, 41
ER_WRONG_PERFSCHEMA_USAGE, 49
ER_WRONG_SIZE_NUMBER, 39
ER_WRONG_SPVAR_TYPE_IN_LIMIT, 50
ER_WRONG_SRID_FOR_COLUMN, 101
ER_WRONG_STRING_LENGTH, 36
ER_WRONG_SUB_KEY, 9
ER_WRONG_SUM_SELECT, 7
ER_WRONG_TABLESPACE_NAME, 80
ER_WRONG_TABLE_NAME, 10
ER_WRONG_TYPE_COLUMN_VALUE_ERROR, 47
ER_WRONG_TYPE_FOR_COLUMN_PREFIX_IDX_FLD, 295
ER_WRONG_TYPE_FOR_VAR, 20
ER_WRONG_USAGE, 19
ER_WRONG_VALUE, 39
ER_WRONG_VALUE_COUNT, 7
ER_WRONG_VALUE_COUNT_ON_ROW, 13
ER_WRONG_VALUE_FOR_TYPE, 32
ER_WRONG_VALUE_FOR_VAR, 20

ER_WRONG_VALUE_FOR_VAR_PLUS_ACTIONABLE_PART, 139
ER_X509_CANT_CHMOD_KEY, 193
ER_X509_CANT_CREATE_CERT, 194
ER_X509_CANT_READ_CA_CERT, 194
ER_X509_CANT_READ_CA_KEY, 193
ER_X509_CANT_WRITE_CERT, 194
ER_X509_CANT_WRITE_KEY, 193
ER_X509_CIPHERS_MISMATCH, 193
ER_X509_ISSUER_MISMATCH, 193
ER_X509_NEEDS_RSA_PRIVKEY, 193
ER_X509_SUBJECT_MISMATCH, 193
ER_XAER_DUPID, 34
ER_XAER_INVAL, 31
ER_XAER_NOTA, 31
ER_XAER_OUTSIDE, 31
ER_XAER_RMERR, 31
ER_XAER_RMFAIL, 31
ER_XA_CANT_CREATE_MDL_BACKUP, 568
ER_XA_COMMITTING_XID, 186
ER_XA_IGNORING_XID, 186
ER_XA_NO_MULTI_2PC_HEURISTIC_RECOVER, 186
ER_XA_RBDEADLOCK, 44
ER_XA_RBROLLBACK, 31
ER_XA_RBTIMEOUT, 44
ER_XA_RECOVERY_DONE, 187
ER_XA_RECOVER_EXPLANATION, 187
ER_XA_RECOVER_FOUND_TRX_IN_SE, 186
ER_XA_RECOVER_FOUND_XA_TRX, 186
ER_XA_REPLICATION_FILTERS, 129
ER_XA_RETRY, 86
ER_XA_ROLLING_BACK_XID, 186
ER_XA_STARTING_RECOVERY, 186
ER_XA_TEMP_TABLE, 153
ER_XPLUGIN_ALL_IO_INTERFACES_DISABLED, 326
ER_XPLUGIN_BUFFER_PAGE_ALLOC_FAILED, 324
ER_XPLUGIN_CAPABILITY_CLIENT_INTERACTIVE_FAILED, 331
ER_XPLUGIN_CAPABILITY_EXPIRED_PASSWORD, 330
ER_XPLUGIN_CLIENT_KILL_MSG, 329
ER_XPLUGIN_CLIENT_RELEASE_TRIGGERED, 328
ER_XPLUGIN_CLIENT_SSL_HANDSHAKE_FAILED, 325
ER_XPLUGIN_CLOSING_CLIENTS_ON_SHUTDOWN, 326
ER_XPLUGIN_COMPRESSION_ERROR, 570
ER_XPLUGIN_DETECTED_HANGING_CLIENTS, 324
ER_XPLUGIN_EMPTY_ADMIN_CMD, 329
ER_XPLUGIN_ERROR_MSG, 319
ER_XPLUGIN_ERROR_READING_SOCKET, 327
ER_XPLUGIN_ERROR_WRITING_TO_CLIENT, 327
ER_XPLUGIN_EXCEPTION_IN_EVENT_LOOP, 325
ER_XPLUGIN_EXCEPTION_IN_TASK_SCHEDULER, 325
ER_XPLUGIN_EXISTING_USER_ACCOUNT_WITH_INCOMPLET 328
ER_XPLUGIN_FAILED_AT_SSL_CONF, 325
ER_XPLUGIN_FAILED_TO_ACCEPT_CLIENT, 324
ER_XPLUGIN_FAILED_TO_BIND_INTERFACE_ADDRESS, 583
ER_XPLUGIN_FAILED_TO_CLOSE_SQL_SESSION, 329
ER_XPLUGIN_FAILED_TO_CREATE_SESSION_FOR_CONN, 326
ER_XPLUGIN_FAILED_TO_EXECUTE_ADMIN_CMD, 329
ER_XPLUGIN_FAILED_TO_GET_CREATION_STMT, 330
ER_XPLUGIN_FAILED_TO_GET_ENGINE_INFO, 330
ER_XPLUGIN_FAILED_TO_GET_SECURITY_CTX, 329
ER_XPLUGIN_FAILED_TO_GET_SYS_VAR, 329
ER_XPLUGIN_FAILED_TO_INITIALIZE_SESSION, 326
ER_XPLUGIN_FAILED_TO_INTERRUPT_SESSION, 328
ER_XPLUGIN_FAILED_TO_OPEN_INTERNAL_SESSION, 330
ER_XPLUGIN_FAILED_TO_PREPARE_IO_INTERFACES, 324
ER_XPLUGIN_FAILED_TO_RESET_IPV6_V6ONLY_FLAG, 331
ER_XPLUGIN_FAILED_TO_SCHEDULE_CLIENT, 324
ER_XPLUGIN_FAILED_TO_SET_MIN_NUMBER_OF_WORKERS 326
ER_XPLUGIN_FAILED_TO_SET_SO_REUSEADDR_FLAG, 330
ER_XPLUGIN_FAILED_TO_STOP_SERVICES, 528
ER_XPLUGIN_FAILED_TO_SWITCH_CONTEXT, 330
ER_XPLUGIN_FAILED_TO_SWITCH_SECURITY_CTX, 542
ER_XPLUGIN_FAILED_TO_SWITCH_SECURITY_CTX_TO_ROO 329
ER_XPLUGIN_FAILED_TO_UNREGISTER_UDF, 330
ER_XPLUGIN_FAILED_TO_USE_SSL_CONF, 319
ER_XPLUGIN_FAILED_TO_VALIDATE_ADDRESS, 583
ER_XPLUGIN_FAIL_TO_GET_RESULT_DATA, 330
ER_XPLUGIN_FORCE_STOP_CLIENT, 323

ER_XPLUGIN_GET_PEER_ADDRESS_FAILED, 331
ER_XPLUGIN_INVALID_AUTH_METHOD, 327
ER_XPLUGIN_INVALID_MSG_DURING_CLIENT_INIT, 326
ER_XPLUGIN_IPv6_AVAILABLE, 329
ER_XPLUGIN_LISTENER_SETUP_FAILED, 325
ER_XPLUGIN_LISTENER_STATUS_MSG, 328
ER_XPLUGIN_LISTENER_SYS_VARIABLE_ERROR, 327
ER_XPLUGIN_MAX_AUTH_ATTEMPTS_REACHED, 323
ER_XPLUGIN_MESSAGE_TOO_LONG, 326
ER_XPLUGIN_PEER_DISCONNECTED_WHILE_READING_MSG_BODY, 327
ER_XPLUGIN_READ_FAILED_CLOSING_CONNECTION, 327
ER_XPLUGIN_REFERENCE_TO_SECURE_CONN_WITH_WARNING, 319
ER_XPLUGIN_REFERENCE_TO_USER_ACCOUNT_DOC_SECTION, 324
ER_XPLUGIN_RETRYING_BIND_ON_PORT, 328
ER_XPLUGIN_SCHEDULER_STARTED, 327
ER_XPLUGIN_SCHEDULER_STOPPED, 327
ER_XPLUGIN_SERVER_EXITED, 319
ER_XPLUGIN_SERVER_EXITING, 319
ER_XPLUGIN_SERVER_STARTS_HANDLING_CONNECTIONS, 328
ER_XPLUGIN_SERVER_STOPPED_HANDLING_CONNECTIONS, 328
ER_XPLUGIN_SHUTDOWN_TRIGGERED, 328
ER_XPLUGIN_SRV_SESSION_INIT_THREAD_FAILED, 324
ER_XPLUGIN_SSL_HANDSHAKE_WITH_SERVER_FAILED, 325
ER_XPLUGIN_STARTUP_FAILED, 318
ER_XPLUGIN_TASK_SCHEDULING_FAILED, 325
ER_XPLUGIN_UNABLE_TO_ACCEPT_CONNECTION, 326
ER_XPLUGIN_UNABLE_TO_USE_USER_SESSION_ACCOUNT, 324
ER_XPLUGIN_UNEXPECTED_EXCEPTION_DISPATCHING_CMD, 325
ER_XPLUGIN_UNEXPECTED_MSG_DURING_AUTHENTICATION, 327
ER_XPLUGIN_UNINITIALIZED_MESSAGE, 326
ER_XPLUGIN_UNIX_SOCKET_NOT_CONFIGURED, 329
ER_XPLUGIN_USER_ACCOUNT_WITH_ALL_PERMISSIONS, 328
ER_XPLUGIN_USING_SSL_CONF_FROM_MYSQLX, 319
ER_XPLUGIN_USING_SSL_CONF_FROM_SERVER, 319
ER_XPLUGIN_USING_SSL_FOR_TLS_CONNECTION, 319
ER_XPLUING_NET_STARTUP_FAILED, 325
ER_YES, 3
ER_ZLIB_Z_BUF_ERROR, 22
ER_ZLIB_Z_DATA_ERROR, 22
ER_ZLIB_Z_MEM_ERROR, 22
WARN_AES_KEY_SIZE, 87
WARN_COND_ITEM_TRUNCATED, 46
WARN_DATA_TRUNCATED, 22
WARN_DATA_TRUNCATED_FUNCTIONAL_INDEX, 113
WARN_DEPRECATED_PIPE_ACCESS_EVERYONE, 68
WARN_NON_ASCII_SEPARATOR_NOT_IMPLEMENTED, 46
WARN_NO_CONNECTION_METADATA, 44
WARN_NO_MASTER_INFO, 44
WARN_ON_BLOCKHOLE_IN_RBR, 66
WARN_OPTION_BELOW_LIMIT, 51
WARN_OPTION_IGNORED, 44
WARN_PLUGIN_BUSY, 44
WARN_UNENCRYPTED_TABLE_IN_ENCRYPTED_DB, 121
WARN_UNSUPPORTED_ACL_TABLES_READ, 143
WARN_USELESS_SPATIAL_INDEX, 104
ER_ABORTING error code, 175
ER_ABORTING_CONNECTION error code, 14
ER_ABORTING_USER_CONNECTION error code, 278
ER_ACCESS_DENIED_CHANGE_USER_ERROR error code, 66
ER_ACCESS_DENIED_ERROR error code, 6
ER_ACCESS_DENIED_ERROR_WITHOUT_PASSWORD error code, 279
ER_ACCESS_DENIED_ERROR_WITH_PASSWORD error code, 280
ER_ACCESS_DENIED_FOR_USER_ACCOUNT_BLOCKED_BY error code, 575
ER_ACCESS_DENIED_FOR_USER_ACCOUNT_LOCKED error code, 280
ER_ACCESS_DENIED_NO_PASSWORD_ERROR error code, 51
ER_ACCOUNT_HAS_BEEN_LOCKED error code, 80
ER_ACCOUNT_WITH_EXPIRED_PASSWORD error code, 614
ER_ACL_OPERATION_FAILED error code, 87
ER_ACL_WRONG_OR_MISSING_ACL_TABLES_LOG error code, 565
ER_ADDRESSES_FOR_HOSTNAME_HEADER error code, 169
ER_ADDRESSES_FOR_HOSTNAME_LIST_ITEM error code, 169
ER_ADD_PARTITION_NO_NEW_PARTITION error code, 38

ER_ADD_PARTITION_SUBPART_ERROR error code, 38
ER_ADMIN_WRONG_MRG_TABLE error code, 36
ER_AES_INVALID_IV error code, 67
ER_AES_INVALID_KDF_ITERATIONS error code, 87
ER_AES_INVALID_KDF_NAME error code, 87
ER_AES_INVALID_KDF_OPTION_SIZE error code, 87
ER_AGGREGATE_IN_ORDER_NOT_SELECT error code, 74
ER_AGGREGATE_ORDER_FOR_UNION error code, 71
ER_AGGREGATE_ORDER_NON_AGG_QUERY error code, 71
ER_ALTER_CONSTRAINT_ENFORCEMENT_NOT_SUPPORTED error code, 134
ER_ALTER_FILEGROUP_FAILED error code, 39
ER_ALTER_INFO error code, 9
ER_ALTER_OPERATION_NOT_SUPPORTED error code, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON error code, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_AUTOINC error code, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_CHANGE_FTS error code, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_COLUMN_TYPE error code, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_COLUMN_TYPE_INSTANT error code, 153
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_COPY error code, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_FK_CHECK error code, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_FK_RENAME error code, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_FTS error code, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_GIS error code, 74
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_HIDDEN_FTS error code, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_NOPK error code, 64
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_NOT_NULL error code, 65
ER_ALTER_OPERATION_NOT_SUPPORTED_REASON_PARTITION error code, 64
ER_AMBIGUOUS_FIELD_TERM error code, 36
ER_ANONYMOUS_AUTH_ID_NOT_ALLOWED_IN_MANDATORY_ROLES error code, 285
ER_ANONYMOUS_TO_GTID_UUID_SAME_AS_GROUP_NAME error code, 145
ER_ANONYMOUS_TO_GTID_UUID_SAME_AS_VIEW_CHANGE_UUID error code, 147
ER_APPLIER_LOG_EVENT_VALIDATION_ERROR error code, 100
ER_ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS_REQUIR error code, 144
ER_ATTRIBUTE_IGNORED error code, 103
ER_AUDIT_API_ABORT error code, 84
ER_AUDIT_CANT_ABORT_COMMAND error code, 276
ER_AUDIT_CANT_ABORT_EVENT error code, 276
ER_AUDIT_LOG_CANNOT_GENERATE_PASSWORD error code, 571
ER_AUDIT_LOG_CANNOT_READ_PASSWORD error code, 564
ER_AUDIT_LOG_CANNOT_REMOVE_PASSWORD error code, 564
ER_AUDIT_LOG_CANNOT_SET_LOG_POLICY_WITH_OTHER_PO error code, 314
ER_AUDIT_LOG_CANNOT_STORE_PASSWORD error code, 564
ER_AUDIT_LOG_COULD_NOT_CREATE_AES_KEY error code, 534
ER_AUDIT_LOG_COULD_NOT_OPEN_FILE_FOR_READING error code, 564
ER_AUDIT_LOG_EC_WRITER_FAILED_TO_CREATE_FILE error code, 315
ER_AUDIT_LOG_EC_WRITER_FAILED_TO_INIT_COMPRESSION error code, 315
ER_AUDIT_LOG_EC_WRITER_FAILED_TO_INIT_ENCRYPTION error code, 315
ER_AUDIT_LOG_ENCRYPTION_PASSWORD_CANNOT_BE_FETC error code, 534
ER_AUDIT_LOG_ENCRYPTION_PASSWORD_HAS_NOT_BEEN_S error code, 534
ER_AUDIT_LOG_FILE_AUTO_PRUNED error code, 596
ER_AUDIT_LOG_FILE_HAS_BEEN_SUCCESSFULLY_PROCESSE error code, 564
ER_AUDIT_LOG_FILE_NAME_DOES_NOT_HAVE_REQUIRED_FO error code, 564
ER_AUDIT_LOG_FILE_NAME_KEYRING_ID_VALUE_IS_MISSING error code, 564
ER_AUDIT_LOG_FILE_NAME_TIMESTAMP_VALUE_IS_MISSING_ error code, 564
ER_AUDIT_LOG_FILE_PRUNE_FAILED error code, 596
ER_AUDIT_LOG_FILTER_FAILED_TO_CLOSE_TABLE_AFTER_RE error code, 317
ER_AUDIT_LOG_FILTER_FAILED_TO_DELETE_FROM_TABLE error code, 317
ER_AUDIT_LOG_FILTER_FAILED_TO_INIT_TABLE_FOR_READ error code, 317
ER_AUDIT_LOG_FILTER_FAILED_TO_INSERT_INTO_TABLE error code, 317
ER_AUDIT_LOG_FILTER_FAILED_TO_READ_TABLE error code, 317
ER_AUDIT_LOG_FILTER_FAILED_TO_STORE_TABLE_FLDS error code, 316

ER_AUDIT_LOG_FILTER_FAILED_TO_UPDATE_TABLE error code, 316
ER_AUDIT_LOG_FILTER_FLD_FILTERNAME_CANNOT_BE_EMPTY error code, 317
ER_AUDIT_LOG_FILTER_INVALID_COLUMN_COUNT error code, 316
ER_AUDIT_LOG_FILTER_INVALID_COLUMN_DEFINITION error code, 316
ER_AUDIT_LOG_FILTER_IS_NOT_INSTALLED error code, 314
ER_AUDIT_LOG_FILTER_RESULT_MSG error code, 315
ER_AUDIT_LOG_FILTER_USER_AND_HOST_CANNOT_BE_EMPTY error code, 317
ER_AUDIT_LOG_HAS_NOT_BEEN_INSTALLED error code, 569
ER_AUDIT_LOG_HOST_NAME_INVALID_CHARACTER error code, 534
ER_AUDIT_LOG_INDEX_MAP_CANNOT_ACCESS_DIR error code, 314
ER_AUDIT_LOG_INSUFFICIENT_PRIVILEGE error code, 131
ER_AUDIT_LOG_INVALID_FILE_CONTENT error code, 564
ER_AUDIT_LOG_INVALID_FLUSH_INTERVAL_VALUE error code, 639
ER_AUDIT_LOG_JSON_FILTERING_NOT_ENABLED error code, 533
ER_AUDIT_LOG_JSON_FILTER_DOES_NOT_EXIST error code, 535
ER_AUDIT_LOG_JSON_FILTER_NAME_CANNOT_BE_EMPTY error code, 534
ER_AUDIT_LOG_JSON_FILTER_PARSING_ERROR error code, 533
ER_AUDIT_LOG_JSON_READER_BUF_TOO_SMALL error code, 316
ER_AUDIT_LOG_JSON_READER_FAILED_TO_OPEN_FILE error code, 316
ER_AUDIT_LOG_JSON_READER_FAILED_TO_PARSE error code, 316
ER_AUDIT_LOG_JSON_READER_FILE_PARSING_ERROR error code, 316
ER_AUDIT_LOG_JSON_USER_NAME_CANNOT_BE_EMPTY error code, 535
ER_AUDIT_LOG_KEYRING_ID_TIMESTAMP_VALUE_IS_INVALID error code, 563
ER_AUDIT_LOG_NO_KEYRING_PLUGIN_INSTALLED error code, 534
ER_AUDIT_LOG_ONLY_INCLUDE_LIST_USED error code, 314
ER_AUDIT_LOG_PASSWORD_HAS_BEEN_COPIED error code, 565
ER_AUDIT_LOG_RENAME_LOG_FILE_BEFORE_FLUSH error code, 315
ER_AUDIT_LOG_SUPER_PRIVILEGE_REQUIRED error code, 568
ER_AUDIT_LOG_SWITCHING_TO_INCLUDE_LIST error code, 314
ER_AUDIT_LOG_TABLE_DEFINITION_NOT_UPDATED error code, 536
ER_AUDIT_LOG_UDF_INSUFFICIENT_PRIVILEGE error code, 534
ER_AUDIT_LOG_UDF_INVALID_ARGUMENT_COUNT error code, 569
ER_AUDIT_LOG_UDF_INVALID_ARGUMENT_TYPE error code, 568
ER_AUDIT_LOG_UDF_READ_INVALID_MAX_ARRAY_LENGTH error code, 569
ER_AUDIT_LOG_UDF_READ_INVALID_MAX_ARRAY_LENGTH error code, 87
ER_AUDIT_LOG_USER_FIRST_CHARACTER_MUST_BE_ALPH error code, 535
ER_AUDIT_LOG_USER_NAME_INVALID_CHARACTER error code, 534
ER_AUDIT_LOG_WRITER_DEST_FILE_ALREADY_EXISTS error code, 315
ER_AUDIT_LOG_WRITER_FAILED_TO_WRITE_TO_FILE error code, 315
ER_AUDIT_LOG_WRITER_INCOMPLETE_FILE_RENAMED error code, 315
ER_AUDIT_LOG_WRITER_RENAME_FILE_FAILED error code, 314
ER_AUDIT_LOG_WRITER_RENAME_FILE_FAILED_REMOVE_ error code, 315
ER_AUDIT_PLUGIN_DOES_NOT_SUPPORT_AUDIT_AUTH_EV error code, 200
ER_AUDIT_PLUGIN_HAS_INVALID_DATA error code, 200
ER_AUDIT_WARNING error code, 276
ER_AUTHCACHE_CANT_INIT_GRANT_SUBSYSTEM error code, 197
ER_AUTHCACHE_CANT_OPEN_AND_LOCK_PRIVILEGE_TAB error code, 197
ER_AUTHCACHE_DB_ENTRY_LOWERCASED_REVOKE_WILL error code, 197
ER_AUTHCACHE_DB_IGNORED_EMPTY_NAME error code, 197
ER_AUTHCACHE_DB_SKIPPED_NEEDS_RESOLVE error code, 197
ER_AUTHCACHE_DEFAULT_ROLES_IGNORED_EMPTY_NAM error code, 585
ER_AUTHCACHE_DEFAULT_ROLES_UNKNOWN_AUTHORIZA error code, 585
ER_AUTHCACHE_EXPIRED_PASSWORD_UNSUPPORTED error code, 196
ER_AUTHCACHE_PLUGIN_CONFIG error code, 195
ER_AUTHCACHE_PLUGIN_MISSING error code, 195

ER_AUTHCACHE_PROCS_PRIV_ENTRY_IGNORED_BAD_ROUTINE_TYPE error code, 197
ER_AUTHCACHE_PROCS_PRIV_SKIPPED_NEEDS_RESOLVE error code, 197
ER_AUTHCACHE_PROXIES_PRIV_SKIPPED_NEEDS_RESOLVE error code, 195
ER_AUTHCACHE_ROLE_EDGES_IGNORED_EMPTY_NAME error code, 585
ER_AUTHCACHE_ROLE_EDGES_UNKNOWN_AUTHORIZATION_ID error code, 585
ER_AUTHCACHE_ROLE_TABLES_DODGY error code, 195
ER_AUTHCACHE_TABLES_PRIV_SKIPPED_NEEDS_RESOLVE error code, 198
ER_AUTHCACHE_TABLE_PROXIES_PRIV_MISSING error code, 197
ER_AUTHCACHE_USER_IGNORED_DEPRECATED_PASSWORD error code, 196
ER_AUTHCACHE_USER_IGNORED_INVALID_PASSWORD error code, 196
ER_AUTHCACHE_USER_IGNORED_NEEDS_PLUGIN error code, 196
ER_AUTHCACHE_USER_SKIPPED_NEEDS_RESOLVE error code, 196
ER_AUTHCACHE_USER_TABLE_DODGY error code, 196
ER_AUTHENTICATION_OCI_DOWNLOAD_IDDP_PUBLIC_KEY error code, 636
ER_AUTHENTICATION_OCI_DOWNLOAD_PUBLIC_KEY error code, 609
ER_AUTHENTICATION_OCI_IAM error code, 610
ER_AUTHENTICATION_OCI_IMDS error code, 609
ER_AUTHENTICATION_OCI_INVALID_AUTHENTICATION_METHOD error code, 610
ER_AUTHENTICATION_OCI_INVALID_TOKEN error code, 636
ER_AUTHENTICATION_OCI_NONCE error code, 610
ER_AUTHENTICATION_OCI_NO_GROUPS_FOUND error code, 610
ER_AUTHENTICATION_OCI_NO_MATCHING_GROUPS error code, 610
ER_AUTHENTICATION_OCI_NO_MATCHING_GROUPS_IN_TOKEN error code, 637
ER_AUTHENTICATION_OCI_PLUGIN_NOT_INITIALIZED error code, 609
ER_AUTHENTICATION_OCI_PRIVATE_KEY_ERROR error code, 609
ER_AUTHENTICATION_OCI_TOKEN_DETAILS_MISMATCH error code, 636
ER_AUTHENTICATION_OCI_TOKEN_NOT_VERIFIED error code, 636
ER_AUTHENTICATION_PLUGIN_AUTH_DATA_CORRUPT error code, 608
ER_AUTHENTICATION_PLUGIN_LOG error code, 609
ER_AUTHENTICATION_PLUGIN_OOM error code, 608
ER_AUTHENTICATION_PLUGIN_REGISTRATION_FAILED error code, 608
ER_AUTHENTICATION_PLUGIN_REGISTRATION_INSUFFICIENT_SCOPE error code, 608
ER_AUTHENTICATION_PLUGIN_SIGNATURE_CORRUPT error code, 608
ER_AUTHENTICATION_PLUGIN_VERIFY_SIGNATURE_FAILED error code, 608
ER_AUTHENTICATION_POLICY_MISMATCH error code, 149
ER_AUTH_CANT_ACTIVATE_ROLE error code, 193
ER_AUTH_CANT_CREATE_RSA_PAIR error code, 194
ER_AUTH_CANT_SET_DEFAULT_PLUGIN error code, 181
ER_AUTH_CANT_WRITE_PRIVKEY error code, 194
ER_AUTH_CANT_WRITE_PUBKEY error code, 194
ER_AUTH_CERTS_SAVED_TO_DATADIR error code, 194
ER_AUTH_CERT_GENERATION_DISABLED error code, 194
ER_AUTH_ID_WITH_SYSTEM_USER_PRIV_IN_MANDATORY_ROLES error code, 557
ER_AUTH_KERBEROS_LOGGER_GENERIC_MSG error code, 603
ER_AUTH_KEYS_SAVED_TO_DATADIR error code, 194
ER_AUTH_KEY_GENERATION_DISABLED error code, 195
ER_AUTH_KEY_GENERATION_SKIPPED_PAIR_PRESENT error code, 195
ER_AUTH_LDAP_ERROR_LOGGER_ERROR_MSG error code, 320
ER_AUTH_RSA_CANT_FIND error code, 192
ER_AUTH_RSA_CANT_PARSE error code, 192
ER_AUTH_RSA_CANT_READ error code, 192
ER_AUTH_RSA_CONF_PREVENTS_KEY_GENERATION error code, 195
ER_AUTH_RSA_FILES_NOT_FOUND error code, 193
ER_AUTH_SSL_CONF_PREVENTS_CERT_GENERATION error code, 194
ER_AUTH_USING_EXISTING_CERTS error code, 194
ER_AUTOINC_READ_FAILED error code, 35
ER_AUTO_CONVERT error code, 21
ER_AUTO_INCREMENT_CONFLICT error code, 66
ER_AUTO_OPTIONS_FAILED error code, 182
ER_AUTO_POSITION_REQUIRES_GTID_MODE_NOT_OFF error code, 57
ER_BACK_IN_TIME error code, 174
ER_BAD_DB_ERROR error code, 6
ER_BAD_FIELD_ERROR error code, 7
ER_BAD_FT_COLUMN error code, 24
ER_BAD_HOST_ERROR error code, 6
ER_BAD_LOG_STATEMENT error code, 42

ER_BAD_NULL_ERROR error code, 6
ER_BAD_NULL_ERROR_NOT_IGNORED error code, 104
ER_BAD_REPLICA error code, 17
ER_BAD_REPLICA_AUTO_POSITION error code, 57
ER_BAD_REPLICA_UNTIL_COND error code, 23
ER_BAD_SLAVE error code, 17
ER_BAD_SLAVE_AUTO_POSITION error code, 57
ER_BAD_SLAVE_UNTIL_COND error code, 23
ER_BAD_TABLE_ERROR error code, 6
ER_BAD_TIMESTAMP_FORMAT error code, 157
ER_BASE64_DECODE_ERROR error code, 42
ER_BASEDIR_SET_TO error code, 282
ER_BEFORE_DML_VALIDATION_ERROR error code, 78
ER_BEG_INITFILE error code, 177
ER_BEYOND_SERVER_DOWNGRADE_THRESHOLD error code, 640
ER_BEYOND_SERVER_UPGRADE_THRESHOLD error code, 640
ER_BINLOG_ATTACHING_THREAD_MEMORY_FINALLY_AVAILABLE error code, 265
ER_BINLOG_CACHE_SIZE_GREATER_THAN_MAX error code, 54
ER_BINLOG_CACHE_SIZE_TOO_LARGE error code, 277
ER_BINLOG_CANT_APPEND_LOG_TO_TMP_INDEX error code, 268
ER_BINLOG_CANT_CLEAR_IN_USE_FLAG_FOR_CRASHED_BINLOG error code, 272
ER_BINLOG_CANT_CLOSE_TMP_INDEX error code, 269
ER_BINLOG_CANT_COPY_INDEX_TO_TMP error code, 269
ER_BINLOG_CANT_CREATE_CACHE_FOR_LOG error code, 266
ER_BINLOG_CANT_DELETE_FILE error code, 268
ER_BINLOG_CANT_DELETE_FILE_AND_READ_BINLOG_INDEX error code, 271
ER_BINLOG_CANT_DELETE_LOG_FILE_DOES_INDEX_MATCH_FILES error code, 271
ER_BINLOG_CANT_FIND_LOG_IN_INDEX error code, 271
ER_BINLOG_CANT_GENERATE_NEW_FILE_NAME error code, 267
ER_BINLOG_CANT_LOCATE_OLD_BINLOG_OR_RELAY_LOG_FILES error code, 268
ER_BINLOG_CANT_MOVE_TMP_TO_INDEX error code, 269
ER_BINLOG_CANT_OPEN_CRASHED_BINLOG error code, 271
ER_BINLOG_CANT_OPEN_FOR_LOGGING error code, 266
ER_BINLOG_CANT_OPEN_LOG error code, 266
ER_BINLOG_CANT_OPEN_TMP_INDEX error code, 269
ER_BINLOG_CANT_RESIZE_CACHE error code, 265
ER_BINLOG_CANT_SET_TMP_INDEX_NAME error code, 268
ER_BINLOG_CANT_TRIM_CRASHED_BINLOG error code, 272
ER_BINLOG_CANT_USE_FOR_LOGGING error code, 267
ER_BINLOG_CRASHED_BINLOG_TRIMMED error code, 272
ER_BINLOG_CRASH_RECOVERY_COMMIT_FAILED error code, 622
ER_BINLOG_CRASH_RECOVERY_ENGINE_RESULTS error code, 622
ER_BINLOG_CRASH_RECOVERY_ERROR_RETURNED_SE error code, 622
ER_BINLOG_CRASH_RECOVERY_FAILED error code, 272
ER_BINLOG_CRASH_RECOVERY_MALFORMED_LOG error code, 622
ER_BINLOG_CRASH_RECOVERY_PREPARE_FAILED error code, 623
ER_BINLOG_CRASH_RECOVERY_ROLLBACK_FAILED error code, 622
ER_BINLOG_CREATE_ROUTINE_NEED_SUPER error code, 32
ER_BINLOG_END error code, 175
ER_BINLOG_ERROR_GETTING_NEXT_LOG_FROM_INDEX error code, 269
ER_BINLOG_ERROR_READING_GTIDS_FROM_BINARY_LOG error code, 267
ER_BINLOG_ERROR_READING_GTIDS_FROM_RELAY_LOG error code, 267
ER_BINLOG_EVENTS_READ_FROM_APPLIER_METADATA error code, 267
ER_BINLOG_EVENTS_READ_FROM_BINLOG_INFO error code, 267
ER_BINLOG_EVENTS_READ_FROM_RELAY_LOG_INFO error code, 267
ER_BINLOG_EVENT_WRITE_TO_STMT_CACHE_FAILED error code, 283
ER_BINLOG_EXPIRAY_LOG_DAYS_AND_SECS_USED_TOGE error code, 298
ER_BINLOG_EXPIRE_LOG_DAYS_AND_SECS_USED_TOGET error code, 305
ER_BINLOG_FAILED_TO_CLOSE_INDEX_FILE_WHILE_REBU error code, 268
ER_BINLOG_FAILED_TO_DELETE_INDEX_FILE_WHILE_REBU error code, 268
ER_BINLOG_FAILED_TO_DELETE_LOG_FILE error code, 271
ER_BINLOG_FAILED_TO_OPEN_INDEX_FILE_AFTER_REBUIL error code, 268

ER_BINLOG_FAILED_TO_OPEN_REGISTER_FILE error code, 270
ER_BINLOG_FAILED_TO_OPEN_TEMPORARY_INDEX_FILE error code, 269
ER_BINLOG_FAILED_TO_READ_REGISTER_FILE error code, 270
ER_BINLOG_FAILED_TO_REINIT_REGISTER_FILE error code, 270
ER_BINLOG_FAILED_TO_RENAME_INDEX_FILE_WHILE_REBUILDING error code, 268
ER_BINLOG_FAILED_TO_RUN_AFTER_FLUSH_HOOK error code, 272
ER_BINLOG_FAILED_TO_RUN_AFTER_SYNC_HOOK error code, 272
ER_BINLOG_FAILED_TO_SET_PURGE_INDEX_FILE_NAME error code, 270
ER_BINLOG_FAILED_TO_SYNC_INDEX_FILE error code, 266
ER_BINLOG_FAILED_TO_SYNC_INDEX_FILE_IN_OPEN error code, 267
ER_BINLOG_FAILED_TO_WRITE_DROP_FOR_TEMP_TABLES error code, 255
ER_BINLOG_FATAL_ERROR error code, 43
ER_BINLOG_FILE_BEING_READ_NOT_PURGED error code, 265
ER_BINLOG_FILE_EXTENSION_NUMBER_EXHAUSTED error code, 266
ER_BINLOG_FILE_EXTENSION_NUMBER_RUNNING_LOW error code, 266
ER_BINLOG_FILE_NAME_TOO_LONG error code, 266
ER_BINLOG_FILE_OPEN_FAILED error code, 283
ER_BINLOG_IO_ERROR_READING_HEADER error code, 266
ER_BINLOG_LOGGING_IMPOSSIBLE error code, 43
ER_BINLOG_LOGGING_INCIDENT_TO_STOP_REPLICAS error code, 271
ER_BINLOG_LOGGING_INCIDENT_TO_STOP_SLAVES error code, 271
ER_BINLOG_LOGGING_NOT_POSSIBLE error code, 297
ER_BINLOG_LOGICAL_CORRUPTION error code, 65
ER_BINLOG_MALFORMED_OR_OLD_RELAY_LOG error code, 299
ER_BINLOG_MASTER_KEY_RECOVERY_OUT_OF_COMBINATION error code, 119
ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_CLEANUP_AUX_KEY error code, 120
ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_CLEANUP_UNUSED_KEYS error code, 120
ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_OPERATE_KEY error code, 119
ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_REENCRYPT_LOG error code, 120
ER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_ROTATE_LOGS error code, 119
ER_BINLOG_MULTIPLE_ENGINES_AND_SELF_LOGGING_ENGIN error code, 48
ER_BINLOG_NEEDS_SERVERID error code, 180
ER_BINLOG_OOM_WRITING_DELETE_WHILE_OPENING_HEAP_T error code, 255
ER_BINLOG_PURGE_EMFILE error code, 42
ER_BINLOG_PURGE_FATAL_ERR error code, 30
ER_BINLOG_PURGE_LOGS_CALLED_WITH_FILE_NOT_IN_INDEX error code, 269
ER_BINLOG_PURGE_LOGS_CANT_COPY_TO_REGISTER_FILE error code, 269
ER_BINLOG_PURGE_LOGS_CANT_FLUSH_REGISTER_FILE error code, 270
ER_BINLOG_PURGE_LOGS_CANT_SYNC_INDEX_FILE error code, 269
ER_BINLOG_PURGE_LOGS_CANT_UPDATE_INDEX_FILE error code, 270
ER_BINLOG_PURGE_LOGS_FAILED_TO_PURGE_LOG error code, 270
ER_BINLOG_PURGE_PROHIBITED error code, 30
ER_BINLOG_RECOVERING_AFTER_CRASH_USING error code, 271
ER_BINLOG_ROW_ENGINE_AND_STMT_ENGINE error code, 47
ER_BINLOG_ROW_INJECTION_AND_STMT_ENGINE error code, 48
ER_BINLOG_ROW_INJECTION_AND_STMT_MODE error code, 48
ER_BINLOG_ROW_LOGGING_FAILED error code, 40
ER_BINLOG_ROW_MODE_AND_STMT_ENGINE error code, 47
ER_BINLOG_ROW_VALUE_OPTION_IGNORED error code, 526
ER_BINLOG_ROW_VALUE_OPTION_USED_ONLY_FOR_AFTER_I error code, 527
ER_BINLOG_STMT_CACHE_SIZE_GREATER_THAN_MAX error code, 54
ER_BINLOG_STMT_CACHE_SIZE_TOO_LARGE error code, 277
ER_BINLOG_STMT_MODE_AND_NO_REPL_TABLES error code, 63
ER_BINLOG_STMT_MODE_AND_ROW_ENGINE error code, 48
ER_BINLOG_UNABLE_TO_ROTATE_GTID_TABLE_READONLY error code, 561
ER_BINLOG_UNSAFE_ACL_TABLE_READ_IN_DML_DDL error code, 143
ER_BINLOG_UNSAFE_AND_STMT_ENGINE error code, 47
ER_BINLOG_UNSAFE_AUTOINC_COLUMNS error code, 48

ER_BINLOG_UNSAFE_AUTOINC_NOT_FIRST error code, 53
ER_BINLOG_UNSAFE_CREATE_IGNORE_SELECT error code, 52
ER_BINLOG_UNSAFE_CREATE_REPLACE_SELECT error code, 52
ER_BINLOG_UNSAFE_CREATE_SELECT_AUTOINC error code, 53
ER_BINLOG_UNSAFE_DEFAULT_EXPRESSION_IN_SUBSTATEMENT error code, 563
ER_BINLOG_UNSAFE_FULLTEXT_PLUGIN error code, 69
ER_BINLOG_UNSAFE_INSERT_IGNORE_SELECT error code, 52
ER_BINLOG_UNSAFE_INSERT_SELECT_UPDATE error code, 52
ER_BINLOG_UNSAFE_INSERT_TWO_KEYS error code, 53
ER_BINLOG_UNSAFE_LIMIT error code, 48
ER_BINLOG_UNSAFE_MESSAGE_AND_STATEMENT error code, 278
ER_BINLOG_UNSAFE_MIXED_STATEMENT error code, 50
ER_BINLOG_UNSAFE_MULTIPLE_ENGINES_AND_SELF_LOGGING_ENGINE error code, 50
ER_BINLOG_UNSAFE_NONTRANS_AFTER_TRANS error code, 48
ER_BINLOG_UNSAFE_NOWAIT error code, 93
ER_BINLOG_UNSAFE_REPLACE_SELECT error code, 52
ER_BINLOG_UNSAFE_ROUTINE error code, 32
ER_BINLOG_UNSAFE_SKIP_LOCKED error code, 93
ER_BINLOG_UNSAFE_STATEMENT error code, 43
ER_BINLOG_UNSAFE_SYSTEM_FUNCTION error code, 48
ER_BINLOG_UNSAFE_SYSTEM_TABLE error code, 48
ER_BINLOG_UNSAFE_SYSTEM_VARIABLE error code, 48
ER_BINLOG_UNSAFE_UDF error code, 48
ER_BINLOG_UNSAFE_UPDATE_IGNORE error code, 52
ER_BINLOG_UNSAFE_WRITE_AUTOINC_SELECT error code, 53
ER_BINLOG_UNSAFE_XA error code, 86
ER_BINLOG_USE_V1_ROW_EVENTS_IGNORED error code, 527
ER_BINLOG_WARNING_SUPPRESSED error code, 272
ER_BLOBS_AND_NO_TERMINATED error code, 9
ER_BLOB_CANT_HAVE_DEFAULT error code, 10
ER_BLOB_FIELD_IN_PART_FUNC_ERROR error code, 37
ER_BLOB_KEY_WITHOUT_LENGTH error code, 15
ER_BLOB_USED_AS_KEY error code, 8
ER_BOOST_GEOMETRY_CENTROID_EXCEPTION error code, 72
ER_BOOST_GEOMETRY_EMPTY_INPUT_EXCEPTION error code, 72
ER_BOOST_GEOMETRY_INCONSISTENT_TURNS_EXCEPTIO error code, 80
ER_BOOST_GEOMETRY_OVERLAY_INVALID_INPUT_EXCEP error code, 72
ER_BOOST_GEOMETRY_SELF_INTERSECTION_POINT_EXC error code, 72
ER_BOOST_GEOMETRY_TURN_INFO_EXCEPTION error code, 72
ER_BOOST_GEOMETRY_UNKNOWN_EXCEPTION error code, 72
ER_BOOTSTRAP_CANT_THREAD error code, 162
ER_BUFPOOL_RESIZE_INPROGRESS error code, 84
ER_BUILD_ID error code, 625
ER_BULK_EXECUTOR_ERROR error code, 158
ER_BULK_EXECUTOR_INFO error code, 629
ER_BULK_LOADER_COLUMN_TOO_BIG_FOR_LEFTOVER_BU error code, 159
ER_BULK_LOADER_COMPONENT_ERROR error code, 159
ER_BULK_LOADER_FILE_CONTAINS_LESS_LINES_THAN_IG error code, 159
ER_BULK_LOADER_FILE_CONTAINS_LESS_LINES_THAN_IG error code, 629
ER_BULK_LOADER_INFO error code, 629
ER_BULK_LOAD_DATA_FAILED error code, 159
ER_BULK_PARSER_COPY_BUFFER_SIZE_EXCEEDED error code, 160
ER_BULK_PARSER_COPY_BUFFER_SIZE_EXCEEDED_LOG error code, 630
ER_BULK_PARSER_INCOMPLETE_ESCAPE_SEQUENCE error code, 160
ER_BULK_PARSER_INCOMPLETE_ESCAPE_SEQUENCE_LO error code, 631
ER_BULK_PARSER_MISSING_ENCLOSED_BY error code, 159
ER_BULK_PARSER_MISSING_ENCLOSED_BY_LOG error code, 630
ER_BULK_PARSER_ROW_BUFFER_MAX_TOTAL_COLS_EXC error code, 159
ER_BULK_PARSER_ROW_BUFFER_MAX_TOTAL_COLS_EXC error code, 630
ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_COLUMN_ error code, 160
ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_COLUMN_ error code, 631
ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_ENDING_E error code, 160
ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_ENDING_E error code, 630

ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_NULL_ESCAPE error code, 160
ER_BULK_PARSER_UNEXPECTED_CHAR_AFTER_NULL_ESCAPE_LOG error code, 630
ER_BULK_PARSER_UNEXPECTED_END_OF_INPUT error code, 160
ER_BULK_PARSER_UNEXPECTED_END_OF_INPUT_LOG error code, 630
ER_BULK_PARSER_UNEXPECTED_ROW_TERMINATOR error code, 160
ER_BULK_PARSER_UNEXPECTED_ROW_TERMINATOR_LOG error code, 630
ER_BULK_READER_COMMUNICATION_ERROR error code, 159
ER_BULK_READER_COMMUNICATION_ERROR_LOG error code, 630
ER_BULK_READER_INFO error code, 629
ER_BULK_READER_LIBCURL_ERROR error code, 159
ER_BULK_READER_LIBCURL_ERROR_LOG error code, 629
ER_BULK_READER_LIBCURL_INIT_FAILED error code, 158
ER_BULK_READER_LIBCURL_INIT_FAILED_LOG error code, 629
ER_BULK_READER_SERVER_ERROR error code, 159
ER_BULK_READER_SERVER_ERROR_LOG error code, 629
ER_CACHING_SHA2_PASSWORD_SECOND_PASSWORD_USED error code, 550
ER_CALL_ME_LOCALHOST error code, 175
ER_CANNOT_ADD_FOREIGN error code, 19
ER_CANNOT_ADD_FOREIGN_BASE_COL_STORED error code, 86
ER_CANNOT_ADD_FOREIGN_BASE_COL_VIRTUAL error code, 84
ER_CANNOT_ALTER_SRID_DUE_TO_INDEX error code, 101
ER_CANNOT_CHANGE_TO_ROOT_DIR error code, 282
ER_CANNOT_CONVERT_STRING error code, 125
ER_CANNOT_CREATE_VIRTUAL_INDEX_CONSTRAINT error code, 84
ER_CANNOT_DISCARD_TEMPORARY_TABLE error code, 69
ER_CANNOT_DROP_COLUMN_FUNCTIONAL_INDEX error code, 113
ER_CANNOT_FIND_KEY_IN_KEYRING error code, 85
ER_CANNOT_GET_SERVER_VERSION_FROM_TABLESPACE_HEADER error code, 553
ER_CANNOT_GRANT_ROLES_TO_ANONYMOUS_USER error code, 127
ER_CANNOT_GRANT_SYSTEM_PRIV_TO_MANDATORY_ROLE error code, 129
ER_CANNOT_INTERPRET_PERSISTED_SENSITIVE_VARIABLES error code, 613
ER_CANNOT_LOAD_FROM_TABLE_V2 error code, 53
ER_CANNOT_LOCK_USER_MANAGEMENT_CACHES error code, 91
ER_CANNOT_LOG_PARTIAL_DROP_DATABASE_WITH_GTID error code, 77
ER_CANNOT_PERSIST_SENSITIVE_VARIABLES error code, 154
ER_CANNOT_PURGE_BINLOG_WITH_BACKUP_LOCK error code, 153
ER_CANNOT_SET_DATABASE_ENCRYPTION error code, 122
ER_CANNOT_SET_LOG_ERROR_SERVICES error code, 282
ER_CANNOT_SET_SERVER_VERSION_IN_TABLESPACE_HEADER error code, 553
ER_CANNOT_SET_TABLESPACE_ENCRYPTION error code, 122
ER_CANNOT_SET_TABLE_ENCRYPTION error code, 122
ER_CANNOT_USER error code, 31
ER_CANNOT_USER_REFERENCED_AS_DEFINER error code, 142
ER_CANNOT_USE_AUTOEXTEND_SIZE_CLAUSE error code, 145
ER_CANNOT_USE_ENCRYPTION_CLAUSE error code, 122
ER_CANT_AGGREGATE_2COLLATIONS error code, 22
ER_CANT_AGGREGATE_3COLLATIONS error code, 22
ER_CANT_AGGREGATE_NCOLLATIONS error code, 23
ER_CANT_ALLOC_TABLE_OBJECT error code, 259
ER_CANT_CHANGE_SYS_VAR_IN_READ_ONLY_MODE error code, 161
ER_CANT_CHANGE_TX_CHARACTERISTICS error code, 41
ER_CANT_CHECK_PID_PATH error code, 388
ER_CANT_CHOWN_DATADIR error code, 181
ER_CANT_COMBINE_ANONYMOUS_TO_GTID_AND_AUTOPOSITION error code, 143
ER_CANT_CREATE_ADMIN_THREAD error code, 549
ER_CANT_CREATE_CACHE_FOR_DB_OPT error code, 260
ER_CANT_CREATE_DB error code, 3
ER_CANT_CREATE_FILE error code, 3
ER_CANT_CREATE_GEOMETRY_OBJECT error code, 32
ER_CANT_CREATE_HANDLER_FILE error code, 37
ER_CANT_CREATE_HANDLER_OBJECT_FOR_TABLE error code, 259
ER_CANT_CREATE_INFORMATION

ER_CANT_CREATE_HANDLE_MGR_THREAD error code, 166
ER_CANT_CREATE_INTERRUPT_THREAD error code, 173
ER_CANT_CREATE_NAMED_PIPES_THREAD error code, 173
ER_CANT_CREATE_PID_FILE error code, 172
ER_CANT_CREATE_SCHEDULER_THREAD error code, 167
ER_CANT_CREATE_SHM_THREAD error code, 173
ER_CANT_CREATE_SHUTDOWN_THREAD error code, 172
ER_CANT_CREATE_TABLE error code, 3
ER_CANT_CREATE_TABLE_SHARE_FROM_FRM error code, 259
ER_CANT_CREATE_TCPIP_THREAD error code, 173
ER_CANT_CREATE_TEST_FILE error code, 172
ER_CANT_CREATE_THREAD error code, 13
ER_CANT_CREATE_USER_WITH_GRANT error code, 32
ER_CANT_CREATE_UUID error code, 170
ER_CANT_DETACH_SESSION_LEFT_BY_PLUGIN error code, 217
ER_CANT_DO_IMPLICIT_COMMIT_IN_TRX_WHEN_GTID_NEXT_IS_SET error code, 58
ER_CANT_DO_THIS_DURING_AN_TRANSACTION error code, 15
ER_CANT_DROP_FIELD_OR_KEY error code, 9
ER_CANT_ENFORCE_GTID_CONSISTENCY_WITH_ONGOING_GTID_VIOLATING_TX error code, 79
ER_CANT_EXECUTE_COMMAND_WITH_ASSIGNED_GTID_NEXT error code, 153
ER_CANT_EXECUTE_IN_READ_ONLY_TRANSACTION error code, 59
ER_CANT_FIND_DL_ENTRY error code, 12
ER_CANT_FIND_SYSTEM_REC error code, 4
ER_CANT_FIND_UDF error code, 12
ER_CANT_GET_STAT error code, 4
ER_CANT_HASH_DO_AND_IGNORE_RULES error code, 181
ER_CANT_IDENTIFY_CHARSET_USING_DEFAULT error code, 261
ER_CANT_INCREASE_MAX_OPEN_FILES error code, 177
ER_CANT_INITIALIZE_BUILTIN_PLUGINS error code, 180
ER_CANT_INITIALIZE_DYNAMIC_PLUGINS error code, 180
ER_CANT_INITIALIZE_EARLY_PLUGINS error code, 180
ER_CANT_INITIALIZE_GTID error code, 180
ER_CANT_INITIALIZE_UDF error code, 12
ER_CANT_INIT_DBS error code, 178
ER_CANT_INIT_SCHEDULER_THREAD error code, 167
ER_CANT_INIT_TC_LOG error code, 167
ER_CANT_INIT_TIMER error code, 182
ER_CANT_JOIN_SHUTDOWN_THREAD error code, 181
ER_CANT_LOCK error code, 4
ER_CANT_LOCK_LOG_TABLE error code, 40
ER_CANT_LOCK_TABLE error code, 259
ER_CANT_LOCK_TABLESPACE error code, 260
ER_CANT_MODIFY_SRID_0 error code, 108
ER_CANT_MODIFY_SRS_USED_BY_COLUMN error code, 109
ER_CANT_OPEN_AND_LOCK_PRIVILEGE_TABLES error code, 200
ER_CANT_OPEN_CA error code, 181
ER_CANT_OPEN_DATADIR_AFTER_UPGRADE_FAILURE error code, 262
ER_CANT_OPEN_DB_OPT_USING_DEFAULT_CHARSET error code, 260
ER_CANT_OPEN_DIR error code, 262
ER_CANT_OPEN_ERROR_LOG error code, 182
ER_CANT_OPEN_FILE error code, 4
ER_CANT_OPEN_FRM_FILE error code, 199
ER_CANT_OPEN_LIBRARY error code, 12
ER_CANT_OPEN_TABLE_MYSQL_PROC error code, 262
ER_CANT_PARSE_STORED_ROUTINE_BODY error code, 262
ER_CANT_PROCESS_EXPRESSION_FOR_GENERATED_COL error code, 572
ER_CANT_READ_DIR error code, 4
ER_CANT_READ_ERRMSGS error code, 178
ER_CANT_READ_FRM_FILE error code, 200
ER_CANT_READ_TABLE_MYSQL_PROC error code, 262
ER_CANT_REMOVE_ALL_FIELDS error code, 9
ER_CANT_REMOVE_PID_FILE error code, 172
ER_CANT_RENAME_LOG_TABLE error code, 42
ER_CANT_REOPEN_TABLE error code, 13
ER_CANT_REPLICATE_ANONYMOUS_WITH_AUTO_POSITIO error code, 533
ER_CANT_REPLICATE_ANONYMOUS_WITH_GTID_MODE_O error code, 533
ER_CANT_REPLICATE_GTID_WITH_GTID_MODE_OFF error code, 533
ER_CANT_RESET_MASTER error code, 85
ER_CANT_RESET_SOURCE error code, 85
ER_CANT_RUN_COMMAND_SERVICES_RECURSIVELY error code, 162
ER_CANT_SAVE_GTIDS error code, 181
ER_CANT_SET_ANONYMOUS_TO_GTID_AND_WAIT_UNTIL_ error code, 144
ER_CANT_SET_DATADIR error code, 180

ER_CANT_SET_DATA_DIR error code, 547
ER_CANT_SET_ERROR_LOG_SERVICE error code, 107
ER_CANT_SET_ERROR_SUPPRESSION_LIST error code, 111
ER_CANT_SET_ERROR_SUPPRESSION_LIST_FROM_COMMAND_LINE error code, 539
ER_CANT_SET_GTID_MODE error code, 79
ER_CANT_SET_GTID_NEXT_LIST_TO_NON_NULL_WHEN_GTID_MODE_IS_OFF error code, 58
ER_CANT_SET_GTID_NEXT_TO_ANONYMOUS_WHEN_GTID_MODE_IS_ON error code, 58
ER_CANT_SET_GTID_NEXT_TO_GTID_WHEN_GTID_MODE_IS_OFF error code, 58
ER_CANT_SET_GTID_NEXT_WHEN_OWNING_GTID error code, 59
ER_CANT_SET_GTID_PURGED_DUE_SETS_CONSTRAINTS error code, 90
ER_CANT_SET_GTID_PURGED_WHEN_GTID_EXECUTED_IS_NOT_EMPTY error code, 63
ER_CANT_SET_GTID_PURGED_WHEN_OWNED_GTIDS_IS_NOT_EMPTY error code, 63
ER_CANT_SET_HANDLER_REFERENCE_FOR_TABLE error code, 260
ER_CANT_SET_PATH_FOR error code, 262
ER_CANT_SET_PERSISTED error code, 161
ER_CANT_SET_SQL_AFTER_OR_BEFORE_GTIDS_WITH_ANONYMOUS_GTID error code, 144
ER_CANT_SET_UP_PERSISTED_VALUES error code, 181
ER_CANT_SET_VARIABLE_WHEN_OWNING_GTID error code, 81
ER_CANT_START_ERROR_LOG_SERVICE error code, 281
ER_CANT_STAT_DATADIR error code, 181
ER_CANT_STAT_FILE error code, 270
ER_CANT_UPDATE_TABLE_IN_CREATE_TABLE_SELECT error code, 54
ER_CANT_UPDATE_USED_TABLE_IN_SF_OR_TRG error code, 34
ER_CANT_UPDATE_WITH_READLOCK error code, 19
ER_CANT_UPGRADE_GENERATED_COLUMNS_TO_DD error code, 260
ER_CANT_USE_ANONYMOUS_TO_GTID_WITH_GTID_MODE_ON error code, 143
ER_CANT_USE_AUTO_POSITION_WITH_GTID_MODE_OFF error code, 79
ER_CANT_USE_GTID_ONLY_WITH_GTID_MODE_NOT_ON error code, 151
ER_CANT_USE_OPTION_HERE error code, 20
ER_CANT_USE_SAME_UUID_AS_GROUP_NAME error code, 145
ER_CANT_USE_SAME_UUID_AS_VIEW_CHANGE_UUID error code, 147
ER_CANT_WAIT_FOR_EXECUTED_GTID_SET_WHILE_OWNING_ error code, 84
ER_CAPACITY_EXCEEDED error code, 84
ER_CAPACITY_EXCEEDED_IN_PARSER error code, 85
ER_CAPACITY_EXCEEDED_IN_RANGE_OPTIMIZER error code, 84
ER_CA_SELF_SIGNED error code, 169
ER_CHANGED_GTID_SET_SINCE_GTID_NOT_IN_PURGED error code, 166
ER_CHANGED_GTID_SET_SINCE_GTID_NOT_IN_PURGED_DUE_TO_GTID_MODE error code, 166
ER_CHANGED_MAX_CONNECTIONS error code, 177
ER_CHANGED_MAX_OPEN_FILES error code, 177
ER_CHANGED_TABLE_OPEN_CACHE error code, 177
ER_CHANGE_MASTER_PASSWORD_LENGTH error code, 73
ER_CHANGE_MASTER_WRONG_COMPRESSION_ALGORITHM_C error code, 132
ER_CHANGE_MASTER_WRONG_COMPRESSION_ALGORITHM_L error code, 132
ER_CHANGE_MASTER_WRONG_COMPRESSION_LEVEL_CLIENT error code, 132
ER_CHANGE_REPLICATION_SOURCE_NO_OPTIONS_FOR_GTID error code, 150
ER_CHANGE_REP_SOURCE_CANT_DISABLE_AUTO_POSITION_ error code, 151
ER_CHANGE_REP_SOURCE_CANT_DISABLE_AUTO_POS_WITH error code, 151
ER_CHANGE_REP_SOURCE_CANT_DISABLE_GTID_ONLY_WITH error code, 151
ER_CHANGE_REP_SOURCE_CANT_DISABLE_REQ_ROW_FORM error code, 150
ER_CHANGE_REP_SOURCE_GR_CHANNEL_WITH_GTID_MODE_ error code, 151
ER_CHANGE_RPL_INFO_REPOSITORY_FAILURE error code, 54
ER_CHANGE_RPL_SRC_WRONG_COMPRESSION_ALGORITHM_ error code, 147
ER_CHANGE_SOURCE_PASSWORD_LENGTH error code, 73
ER_CHANGE_SOURCE_WRONG_COMPRESSION_ALGORITHM_C error code, 132
ER_CHANGE_SOURCE_WRONG_COMPRESSION_ALGORITHM_L error code, 132
ER_CHANGE_SOURCE_WRONG_COMPRESSION_LEVEL_CLIENT error code, 132
ER_CHARACTER_SET_MISMATCH error code, 141
ER_CHECKING_TABLE error code, 259
ER_CHECKREAD error code, 4
ER_CHECK_CONSTRAINT_CLAUSE_USING_FK_REFER_ACTION_ error code, 121
ER_CHECK_CONSTRAINT_DUP_NAME error code, 121

ER_CHECK_CONSTRAINT_FUNCTION_IS_NOT_ALLOWED error code, 120
ER_CHECK_CONSTRAINT_NAMED_FUNCTION_IS_NOT_ALLOWED error code, 120
ER_CHECK_CONSTRAINT_NOT_FOUND error code, 121
ER_CHECK_CONSTRAINT_REFERS_AUTO_INCREMENT_COLUMN error code, 121
ER_CHECK_CONSTRAINT_REFERS_UNKNOWN_COLUMN error code, 121
ER_CHECK_CONSTRAINT_ROW_VALUE error code, 121
ER_CHECK_CONSTRAINT_VARIABLES error code, 121
ER_CHECK_CONSTRAINT_VIOLATED error code, 121
ER_CHECK_NOT_IMPLEMENTED error code, 15
ER_CHECK_NO_SUCH_TABLE error code, 15
ER_CHECK_TABLE_FUNCTIONS error code, 642
ER_CHECK_TABLE_FUNCTIONS_DETAIL error code, 642
ER_CHECK_TABLE_INSTANT_VERSION_BIT_SET error code, 632
ER_CHECK_TABLE_MIN_REC_FLAG_NOT_SET error code, 635
ER_CHECK_TABLE_MIN_REC_FLAG_SET error code, 634
ER_CLIENT_DOES_NOT_SUPPORT error code, 101
ER_CLIENT_FILE_PRIVILEGE_FOR_REPLICATION_CHECKS error code, 156
ER_CLIENT_GTID_UNSAFE_CREATE_DROP_TEMP_TABLE_IN_TRX_IN_SR error code, 112
ER_CLIENT_INTERACTION_TIMEOUT error code, 146
ER_CLIENT_KEYRING_UDF_KEY_INVALID error code, 133
ER_CLIENT_KEYRING_UDF_KEY_TOO_LONG error code, 133
ER_CLIENT_KEYRING_UDF_KEY_TYPE_INVALID error code, 133
ER_CLIENT_KEYRING_UDF_KEY_TYPE_TOO_LONG error code, 133
ER_CLIENT_LOCAL_FILES_DISABLED error code, 135
ER_CLIENT_PRIVILEGE_CHECKS_USER_CANNOT_BE_ANONYMOUS error code, 133
ER_CLIENT_PRIVILEGE_CHECKS_USER_CORRUPT error code, 133
ER_CLIENT_PRIVILEGE_CHECKS_USER_DOES_NOT_EXIST error code, 133
ER_CLIENT_PRIVILEGE_CHECKS_USER_NEEDS_RPL_APPLIER_PRIV error code, 133
ER_CLIENT_QUERY_FAILURE_INVALID_NON_ROW_FORMAT error code, 135
ER_CLONE_CHARSET error code, 126
ER_CLONE_CLIENT_TRACE error code, 547
ER_CLONE_CONFIG error code, 126
ER_CLONE_CREATE_HANDLER_FAIL_TRACE error code, 293
ER_CLONE_DDL_IN_PROGRESS error code, 100
ER_CLONE_DISALLOWED error code, 127
ER_CLONE_DISK_SPACE error code, 127
ER_CLONE_DONOR error code, 126
ER_CLONE_DONOR_TRACE error code, 546
ER_CLONE_DONOR_VERSION error code, 126
ER_CLONE_ENCRYPTION error code, 127
ER_CLONE_HANDLER_EXISTS error code, 293
ER_CLONE_HANDLER_EXIST_TRACE error code, 293
ER_CLONE_INFO_CLIENT error code, 546
ER_CLONE_INFO_SERVER error code, 547
ER_CLONE_IN_PROGRESS error code, 127
ER_CLONE_LOOPBACK error code, 127
ER_CLONE_NETWORK_PACKET error code, 136
ER_CLONE_OS error code, 126
ER_CLONE_PLATFORM error code, 126
ER_CLONE_PLUGIN_MATCH error code, 126
ER_CLONE_PLUGIN_NOT_LOADED error code, 293
ER_CLONE_PLUGIN_NOT_LOADED_TRACE error code, 293
ER_CLONE_PROTOCOL error code, 126
ER_CLONE_PROTOCOL_ERROR error code, 546
ER_CLONE_PROTOCOL_TRACE error code, 546
ER_CLONE_REMOTE_ERROR error code, 546
ER_CLONE_SERVER_TRACE error code, 547
ER_CLONE_SHUTDOWN_TRACE error code, 566
ER_CLONE_SYS_CONFIG error code, 126
ER_CLONE_TOO_MANY_CONCURRENT_CLONES error code, 100
ER_CMD_NEED_SUPER error code, 99
ER_COALESCE_ONLY_ON_HASH_PARTITION error code, 38
ER_COALESCE_PARTITION_NO_PARTITION error code, 38
ER_COLLATION_CHARSET_MISMATCH error code, 21
ER_COLUMNACCESS_DENIED_ERROR error code, 13
ER_COLUMN_CHANGE_SIZE error code, 128
ER_COLUMN_CHECK_CONSTRAINT_REFERENCES_OTHER_COL error code, 120
ER_COL_COUNT_DOESNT_MATCH_CORRUPTED_V2 error code, 61
ER_COL_COUNT_DOESNT_MATCH_PLEASE_UPDATE error code, 41
ER_COL_COUNT_DOESNT_MATCH_PLEASE_UPDATE_V2 error code, 69
ER_COMMAND_BACKEND_FAILED_TO_FETCH_SECURITY_C error code, 156
ER_COMMAND_SERVICE_BACKEND_FAILED error code, 156
ER_COMMENT_CONTAINS_INVALID_STRING error code, 153

ER_COMMIT_NOT_ALLOWED_IN_SF_OR_TRG error code, 32
ER_COMPONENTS_CANT_ACQUIRE_SERVICE_IMPLEMENTATION error code, 90
ER_COMPONENTS_CANT_LOAD error code, 89
ER_COMPONENTS_CANT_RELEASE_SERVICE error code, 90
ER_COMPONENTS_CANT_SATISFY_DEPENDENCY error code, 90
ER_COMPONENTS_CANT_UNLOAD error code, 90
ER_COMPONENTS_FAILED_TO_ACQUIRE_SERVICE_IMPLEMENTATION error code, 298
ER_COMPONENTS_INFRASTRUCTURE_BOOTSTRAP error code, 169
ER_COMPONENTS_INFRASTRUCTURE_MANIFEST_DEINIT error code, 596
ER_COMPONENTS_INFRASTRUCTURE_MANIFEST_INIT error code, 596
ER_COMPONENTS_INFRASTRUCTURE_SHUTDOWN error code, 169
ER_COMPONENTS_LOAD_CANT_INITIALIZE error code, 90
ER_COMPONENTS_LOAD_CANT_REGISTER_SERVICE_IMPLEMENTATION error code, 90
ER_COMPONENTS_NO_SCHEME error code, 89
ER_COMPONENTS_NO_SCHEME_SERVICE error code, 89
ER_COMPONENTS_PERSIST_LOADER_BOOTSTRAP error code, 169
ER_COMPONENTS_UNLOAD_CANT_DEINITIALIZE error code, 90
ER_COMPONENTS_UNLOAD_CANT_UNREGISTER_SERVICE error code, 90
ER_COMPONENTS_UNLOAD_DUPLICATE_IN_GROUP error code, 90
ER_COMPONENTS_UNLOAD_NOT_LOADED error code, 90
ER_COMPONENT_EE_DATA_DECRYPTION_ERROR error code, 624
ER_COMPONENT_EE_DATA_ENCRYPTION_ERROR error code, 624
ER_COMPONENT_EE_DATA_LENGTH_OUT_OF_RAGE error code, 624
ER_COMPONENT_EE_DATA_SIGN_ERROR error code, 624
ER_COMPONENT_EE_FUNCTION_DEREGISTRATION_FAILURE error code, 623
ER_COMPONENT_EE_FUNCTION_INVALID_ALGORITHM error code, 623
ER_COMPONENT_EE_FUNCTION_INVALID_ARGUMENTS error code, 623
ER_COMPONENT_EE_FUNCTION_KEY_LENGTH_OUT_OF_RANGE error code, 623
ER_COMPONENT_EE_FUNCTION_PRIVATE_KEY_GENERATION_ error code, 624
ER_COMPONENT_EE_FUNCTION_PUBLIC_KEY_GENERATION_F error code, 624
ER_COMPONENT_EE_FUNCTION_REGISTRATION_FAILURE error code, 623
ER_COMPONENT_EE_INSUFFICIENT_LENGTH error code, 624
ER_COMPONENT_EE_OPENSSL_ERROR error code, 624
ER_COMPONENT_EE_SYS_VAR_DEREGISTRATION_FAILURE error code, 623
ER_COMPONENT_EE_SYS_VAR_REGISTRATION_FAILURE error code, 623
ER_COMPONENT_FILTER_CONFUSED error code, 321
ER_COMPONENT_FILTER_DIAGNOSTICS error code, 107
ER_COMPONENT_FILTER_FLABBERGASTED error code, 98
ER_COMPONENT_FILTER_WRONG_VALUE error code, 528
ER_COMPONENT_KEYRING_OCI_CREATE_PRIVATE_KEY error code, 626
ER_COMPONENT_KEYRING_OCI_OPEN_KEY_FILE error code, 626
ER_COMPONENT_KEYRING_OCI_READ_KEY_FILE error code, 626
ER_COMPONENT_LOCK error code, 638
ER_COMPONENT_MANIPULATE_ROW_FAILED error code, 90
ER_COMPONENT_MASKING_ABI error code, 638
ER_COMPONENT_MASKING_ABI_REASON error code, 638
ER_COMPONENT_MASKING_CANNOT_ACCESS_TABLE error code, 638
ER_COMPONENT_MASKING_OTHER_ERROR error code, 638
ER_COMPONENT_MASKING_RANDOM_CREATE error code, 638
ER_COMPONENT_MASKING_RANDOM_CREATE_REASON error code, 638
ER_COMPONENT_SERVICE_CALL error code, 638
ER_COMPONENT_SERVICE_CALL_RESULT error code, 638
ER_COMPONENT_TABLE_INCORRECT error code, 90
ER_COMPONENT_UNLOCK error code, 638
ER_CONCURRENT_PROCEDURE_USAGE error code, 152
ER_CONDITIONAL_DEBUG error code, 625
ER_COND_ITEM_TOO_LONG error code, 46
ER_CONFIG_OPTION_WITHOUT_GROUP error code, 185
ER_CONFIRMING_THE_FUTURE error code, 174

ER_CONFLICTING_DECLARATIONS error code, 25
ER_CONFLICT_FN_PARSE_ERROR error code, 45
ER_CONNECTION_ABORTED error code, 527
ER_CONNECTION_HANDLING_OOM error code, 172
ER_CONNECTION_METADATA error code, 17
ER_CONNECT_TO_FOREIGN_DATA_SOURCE error code, 33
ER_CONNECT_TO_MASTER error code, 19
ER_CONNECT_TO_SOURCE error code, 19
ER_CONN_ATTR_TRUNCATED error code, 193
ER_CONN_CONTROL_DELAY_ACTION_INIT_FAILED error code, 323
ER_CONN_CONTROL_ERROR_MSG error code, 320
ER_CONN_CONTROL_EVENT_COORDINATOR_INIT_FAILED error code, 322
ER_CONN_CONTROL_FAILED_TO_SET_CONN_DELAY error code, 323
ER_CONN_CONTROL_FAILED_TO_UPDATE_CONN_DELAY error code, 323
ER_CONN_CONTROL_INVALID_CONN_DELAY_TYPE error code, 323
ER_CONN_CONTROL_STAT_CONN_DELAY_TRIGGERED error code, 323
ER_CONN_CONTROL_STAT_CONN_DELAY_TRIGGERED_DEPR error code, 323
ER_CONN_INIT_CONNECT_IGNORED error code, 322
ER_CONN_INIT_CONNECT_IGNORED_MFA error code, 639
ER_CONN_LIMIT error code, 612
ER_CONN_PER_THREAD_NO_THREAD error code, 189
ER_CONN_PIP_CANT_CREATE_EVENT error code, 188
ER_CONN_PIP_CANT_CREATE_PIPE error code, 188
ER_CONN_SHM_CANT_CREATE_CONNECTION error code, 188
ER_CONN_SHM_CANT_CREATE_SERVICE error code, 188
ER_CONN_SHM_LISTENER error code, 188
ER_CONN_SOCKET_ACCEPT_FAILED error code, 192
ER_CONN_SOCKET_SELECT_FAILED error code, 192
ER_CONN_TCP_ADDRESS error code, 189
ER_CONN_TCP_BIND_FAIL error code, 190
ER_CONN_TCP_BIND_RETRY error code, 190
ER_CONN_TCP_CANT_RESET_V6ONLY error code, 190
ER_CONN_TCP_CANT_RESOLVE_HOSTNAME error code, 189
ER_CONN_TCP_CREATED error code, 189
ER_CONN_TCP_ERROR_WITH_STRERROR error code, 189
ER_CONN_TCP_IPV6_AVAILABLE error code, 189
ER_CONN_TCP_IPV6_UNAVAILABLE error code, 189
ER_CONN_TCP_IP_NOT_LOGGED error code, 190
ER_CONN_TCP_IS_THERE_ANOTHER_USING_PORT error code, 189
ER_CONN_TCP_LISTEN_FAIL error code, 190
ER_CONN_TCP_NO_SOCKET error code, 189
ER_CONN_TCP_RESOLVE_INFO error code, 190
ER_CONN_TCP_START_FAIL error code, 190
ER_CONN_TPC_BIND_FAIL error code, 190
ER_CONN_UNIX_IS_THERE_ANOTHER_USING_SOCKET error code, 190
ER_CONN_UNIX_LISTEN_FAILED error code, 191
ER_CONN_UNIX_LOCK_FILE_CANT_CLOSE error code, 192
ER_CONN_UNIX_LOCK_FILE_CANT_CREATE error code, 191
ER_CONN_UNIX_LOCK_FILE_CANT_DELETE error code, 192
ER_CONN_UNIX_LOCK_FILE_CANT_OPEN error code, 191
ER_CONN_UNIX_LOCK_FILE_CANT_READ error code, 191
ER_CONN_UNIX_LOCK_FILE_CANT_SYNC error code, 192
ER_CONN_UNIX_LOCK_FILE_CANT_WRITE error code, 192
ER_CONN_UNIX_LOCK_FILE_EMPTY error code, 191
ER_CONN_UNIX_LOCK_FILE_FAIL error code, 191
ER_CONN_UNIX_LOCK_FILE_GIVING_UP error code, 191
ER_CONN_UNIX_LOCK_FILE_PIDLESS error code, 192
ER_CONN_UNIX_NO_BIND_NO_START error code, 191
ER_CONN_UNIX_NO_FD error code, 191
ER_CONN_UNIX_PATH_TOO_LONG error code, 191
ER_CONN_UNIX_PID_CLAIMED_SOCKET_FILE error code, 190
ER_CONSECUTIVE_REORG_PARTITIONS error code, 39
ER_CONSTRAINT_NOT_FOUND error code, 134
ER_CONVERT_MULTI_VALUE error code, 639
ER_CON_COUNT_ERROR error code, 5
ER_CORE_VALUES error code, 174
ER_CORRUPTED_JSON_DIFF error code, 102
ER_CORRUPT_HELP_DB error code, 21
ER_COULD_NOT_APPLY_JSON_DIFF error code, 102
ER_COULD_NOT_CREATE_WINDOWS_REGISTRY_KEY error code, 541
ER_COULD_NOT_REINITIALIZE_AUDIT_LOG_FILTERS error code, 535
ER_CRASHED_ON_REPAIR error code, 17
ER_CRASHED_ON_USAGE error code, 16
ER_CREATED_SYSTEM_WITH_VERSION error code, 291
ER_CREATE_FILEGROUP_FAILED error code, 39

ER_CREATE_SELECT_WITH_GIPK_DISALLOWED_IN_SBR error code, 156
ER_CREATING_NEW_UUID error code, 170
ER_CREATING_NEW_UUID_FIRST_START error code, 281
ER_CREDENTIALLESS_AUTO_USER_BAD error code, 172
ER_CREDENTIALS_CONTRADICT_TO_HISTORY error code, 100
ER_CTE_MAX_RECURSION_DEPTH error code, 100
ER_CTE_RECURSIVE_FORBIDDEN_JOIN_ORDER error code, 93
ER_CTE_RECURSIVE_FORBIDS_AGGREGATION error code, 93
ER_CTE_RECURSIVE_NOT_UNION error code, 156
ER_CTE_RECURSIVE_REQUIRES_NONRECURSIVE_FIRST error code, 93
ER_CTE_RECURSIVE_REQUIRES_SINGLE_REFERENCE error code, 94
ER_CTE_RECURSIVE_REQUIRES_UNION error code, 93
ER_CURRENT_PASSWORD_CANNOT_BE_RETAINED error code, 129
ER_CURRENT_PASSWORD_NOT_REQUIRED error code, 129
ER_CUT_VALUE_GROUP_CONCAT error code, 22
ER_CYCLE_TIMER_IS_NOT_AVAILABLE error code, 294
ER_DATABASE_NAME error code, 45
ER_DATA_DIRECTORY_UNUSABLE error code, 542
ER_DATA_DIRECTORY_UNUSABLE_DELETABLE error code, 565
ER_DATA_OUT_OF_RANGE error code, 50
ER_DATA_TOO_LONG error code, 31
ER_DATETIME_FUNCTION_OVERFLOW error code, 34
ER_DA_AUTH_ID_WITH_SYSTEM_USER_PRIV_IN_MANDATORY_ROLES error code, 127
ER_DA_CANT_OPEN_ERROR_LOG error code, 142
ER_DA_CONN_LIMIT error code, 152
ER_DA_ERROR_LOG_COMPONENT_FLUSH_FAILED error code, 148
ER_DA_ERROR_LOG_MULTIPLE_FILTERS error code, 142
ER_DA_ERROR_LOG_TABLE_DISABLED error code, 142
ER_DA_EXPIRE_LOGS_DAYS_IGNORED error code, 156
ER_DA_GLOBAL_CONN_LIMIT error code, 152
ER_DA_GRP_RPL_RECOVERY_ENDPOINT_FORMAT error code, 138
ER_DA_GRP_RPL_RECOVERY_ENDPOINT_INVALID error code, 139
ER_DA_GRP_RPL_STARTED_AUTO_REJOIN error code, 131
ER_DA_INVALID_CONDITION_NUMBER error code, 56
ER_DA_NO_ERROR_LOG_PARSER_CONFIGURED error code, 142
ER_DA_OOM error code, 135
ER_DA_PLUGIN_INSTALL_ERROR error code, 128
ER_DA_RPL_GTID_TABLE_CANNOT_OPEN error code, 128
ER_DA_SSL_FIPS_MODE_ERROR error code, 151
ER_DA_SSL_LIBRARY_ERROR error code, 128
ER_DA_UDF_INVALID_ARGUMENT_TO_SET_CHARSET error code, 136
ER_DA_UDF_INVALID_CHARSET error code, 134
ER_DA_UDF_INVALID_CHARSET_SPECIFIED error code, 134
ER_DA_UDF_INVALID_COLLATION error code, 134
ER_DA_UDF_INVALID_EXTENSION_ARGUMENT_TYPE error code, 134
ER_DA_UDF_INVALID_RETURN_TYPE_TO_SET_CHARSET error code, 136
ER_DA_UNKNOWN_ERROR_NUMBER error code, 128
ER_DBACCESS_DENIED_ERROR error code, 6
ER_DBUG_CHECK_SHARES_DROPPED error code, 223
ER_DBUG_CHECK_SHARES_INFO error code, 222
ER_DBUG_CHECK_SHARES_OPEN error code, 222
ER_DB_ACCESS_DENIED error code, 127
ER_DB_CREATE_EXISTS error code, 4
ER_DB_DROP_EXISTS error code, 4
ER_DB_DROP_RMDIR error code, 4
ER_DB_DROP_RMDIR2 error code, 97
ER_DB_OPT_NOT_FOUND_USING_DEFAULT_CHARSET error code, 261
ER_DDL_IN_PROGRESS error code, 100
ER_DDL_LOG_ERROR error code, 41
ER_DDL_RECOVERY_FAILED error code, 605
ER_DD_ABORTING_PARTIAL_UPGRADE error code, 198
ER_DD_CACHE_NOT_EMPTY_AT_SHUTDOWN error code, 165
ER_DD_CANT_CREATE_OBJECT_KEY error code, 165
ER_DD_CANT_CREATE_SP error code, 260
ER_DD_CANT_FETCH_TABLE_DATA error code, 260
ER_DD_CANT_FIX_SE_DATA error code, 260
ER_DD_CANT_GET_OBJECT_KEY error code, 165
ER_DD_CANT_RESOLVE_VIEW error code, 183
ER_DD_CREATED_FOR_UPGRADE error code, 198
ER_DD_ERROR_CREATING_ENTRY error code, 260
ER_DD_FAILSAFE error code, 163
ER_DD_FRM_EXISTS_FOR_TABLE error code, 198
ER_DD_INITIALIZE error code, 299
ER_DD_INITIALIZE_SQL_ERROR error code, 536
ER_DD_INIT_FAILED error code, 164

ER_DD_INIT_UPGRADE_FAILED error code, 164
ER_DD_METADATA_NOT_FOUND error code, 165
ER_DD_MINOR_DOWNGRADE error code, 300
ER_DD_MINOR_DOWNGRADE_VERSION_NOT_SUPPORTED error code, 300
ER_DD_NO_VERSION_FOUND error code, 300
ER_DD_NO_WRITES_NO_REPOPULATION error code, 163
ER_DD_OBJECT_RELEASER_REMAINS error code, 165
ER_DD_OBJECT_REMAINS error code, 165
ER_DD_OBJECT_REMAINS_IN_RELEASER error code, 165
ER_DD_POPULATING_TABLES_FAILED error code, 165
ER_DD_RESTART error code, 300
ER_DD_SCHEMA_NOT_FOUND error code, 198
ER_DD_SE_INIT_FAILED error code, 198
ER_DD_TABLESPACE_NOT_FOUND error code, 183
ER_DD_TABLE_NOT_FOUND error code, 198
ER_DD_TRG_CANT_ADD error code, 183
ER_DD_TRG_CONNECTION_COLLATION_MISSING error code, 183
ER_DD_TRG_DB_COLLATION_MISSING error code, 183
ER_DD_TRG_DEFINER_OOM error code, 183
ER_DD_TRG_FILE_UNREADABLE error code, 183
ER_DD_UPDATE_DATADIR_FLAG_FAIL error code, 642
ER_DD_UPDATING_PLUGIN_MD_FAILED error code, 165
ER_DD_UPGRADE error code, 300
ER_DD_UPGRADE_COMPLETED error code, 562
ER_DD_UPGRADE_DD_OPEN_FAILED error code, 288
ER_DD_UPGRADE_DD_POPULATED error code, 289
ER_DD_UPGRADE_FAILED_FIND_VALID_DATA_DIR error code, 290
ER_DD_UPGRADE_FAILED_INIT_DD_SE error code, 290
ER_DD_UPGRADE_FAILED_TO_ACQUIRE_TABLESPACE error code, 288
ER_DD_UPGRADE_FAILED_TO_CREATE_INDEX_STATS error code, 290
ER_DD_UPGRADE_FAILED_TO_CREATE_TABLE_STATS error code, 289
ER_DD_UPGRADE_FAILED_TO_FETCH_TABLES error code, 289
ER_DD_UPGRADE_FAILED_TO_FETCH_TABLESPACES error code, 288
ER_DD_UPGRADE_FAILED_TO_RESOLVE_TABLESPACE_ENGINE error code, 288
ER_DD_UPGRADE_FAILED_TO_UPDATE_VER_NO_IN_TABLESPACE error code, 299
ER_DD_UPGRADE_FOUND_PARTIALLY_UPGRADED_DD_ABORT error code, 290
ER_DD_UPGRADE_FOUND_PARTIALLY_UPGRADED_DD_COMPLETED error code, 290
ER_DD_UPGRADE_FOUND_PREPARED_XA_TRANSACTION error code, 575
ER_DD_UPGRADE_INDEX_STATS_MIGRATE_COMPLETED error code, 290
ER_DD_UPGRADE_INFO_FILE_CLOSE_FAILED error code, 289
ER_DD_UPGRADE_INFO_FILE_OPEN_FAILED error code, 289
ER_DD_UPGRADE_OFF error code, 300
ER_DD_UPGRADE_RENAME_IDX_STATS_FILE_FAILED error code, 288
ER_DD_UPGRADE_SCHEMA_UNAVAILABLE error code, 300
ER_DD_UPGRADE_SDI_INFO_UPDATE_FAILED error code, 291
ER_DD_UPGRADE_SE_LOGS_FAILED error code, 290
ER_DD_UPGRADE_START error code, 290
ER_DD_UPGRADE_TABLESPACE_MIGRATION_FAILED error code, 289
ER_DD_UPGRADE_TABLE_INTACT_ERROR error code, 296
ER_DD_UPGRADE_TABLE_STATS_MIGRATE_COMPLETED error code, 290
ER_DD_UPGRADE_VERSION_NOT_SUPPORTED error code, 300
ER_DD_UPGRADE_VIEW_COLUMN_NAME_TOO_LONG error code, 299
ER_DD_VERSION_FOUND error code, 163
ER_DD_VERSION_INSTALLED error code, 163
ER_DD_VERSION_UNSUPPORTED error code, 163
ER_DD_VIEW_CANT_ALLOC_CHARSET error code, 164
ER_DD_VIEW_CANT_CREATE error code, 165
ER_DD_VIEW_WITHOUT_DEFINER error code, 183
ER_DEBUG_SYNC_EXECUTED error code, 166
ER_DEBUG_SYNC_HIT error code, 166
ER_DEBUG_SYNC_HIT_LIMIT error code, 46
ER_DEBUG_SYNC_OOM error code, 167
ER_DEBUG_SYNC_THREAD_MAX error code, 166
ER_DEBUG_SYNC_TIMEOUT error code, 46
ER_DEFAULT_AS_VAL_GENERATED error code, 115
ER_DEFAULT_SE_UNAVAILABLE error code, 182
ER_DEFAULT_VAL_GENERATED_FUNCTION_IS_NOT_ALLOWED error code, 115
ER_DEFAULT_VAL_GENERATED_NAMED_FUNCTION_IS_NOT_ALLOWED error code, 115
ER_DEFAULT_VAL_GENERATED_NON_PRIOR error code, 115
ER_DEFAULT_VAL_GENERATED_REF_AUTO_INC error code, 115

ER_DEFAULT_VAL_GENERATED_ROW_VALUE error code, 115
ER_DEFAULT_VAL_GENERATED_VARIABLES error code, 115
ER_DEFINITION_CONTAINS_INVALID_STRING error code, 153
ER_DEPART_WITH_GRACE error code, 169
ER_DEPENDENT_BY_CHECK_CONSTRAINT error code, 137
ER_DEPENDENT_BY_DEFAULT_GENERATED_VALUE error code, 115
ER_DEPENDENT_BY_FUNCTIONAL_INDEX error code, 123
ER_DEPENDENT_BY_GENERATED_COLUMN error code, 79
ER_DEPENDENT_BY_PARTITION_FUNC error code, 125
ER_DEPRECATED_NATIONAL error code, 109
ER_DEPRECATED_PERSISTED_VARIABLE_WITH_ALIAS error code, 604
ER_DEPRECATED_SYNTAX_NO_REPLACEMENT error code, 297
ER_DEPRECATED_SYNTAX_WITH_REPLACEMENT error code, 297
ER_DEPRECATED_TIMESTAMP_IMPLICIT_DEFAULTS error code, 171
ER_DEPRECATED_TLS_VERSION_SESSION error code, 601
ER_DEPRECATED_UTF8_ALIAS error code, 109
ER_DEPRECATE_MSG_NO_REPLACEMENT error code, 297
ER_DEPRECATE_MSG_WITH_REPLACEMENT error code, 279
ER_DERIVED_MUST_HAVE_ALIAS error code, 21
ER_DES_FILE_WRONG_KEY error code, 185
ER_DETACHED_SESSIONS_LEFT_BY_PLUGIN error code, 217
ER_DETACHING_SESSION_LEFT_BY_PLUGIN error code, 216
ER_DIMENSION_UNSUPPORTED error code, 75
ER_DISABLED_STORAGE_ENGINE error code, 83
ER_DISABLED_STORAGE_ENGINE_AS_DEFAULT error code, 166
ER_DISABLE_AUTO_POSITION_REQUIRES_ASYNC_RECONNECT_OFF error code, 141
ER_DISABLE_GTID_MODE_REQUIRES_ASYNC_RECONNECT_OFF error code, 141
ER_DISALLOWED_OPERATION error code, 102
ER_DISCARD_FK_CHECKS_RUNNING error code, 61
ER_DISCONNECTING_REMAINING_CLIENTS error code, 175
ER_DISK_FULL_NOWAIT error code, 104
ER_DIVISION_BY_ZERO error code, 29
ER_DONT_SUPPORT_REPLICA_PRESERVE_COMMIT_ORDER error code, 71
ER_DONT_SUPPORT_SLAVE_PRESERVE_COMMIT_ORDER error code, 71
ER_DROP_DATABASE_FAILED_RMDIR_MANUALLY error code, 298
ER_DROP_FILEGROUP_FAILED error code, 39
ER_DROP_INDEX_FK error code, 40
ER_DROP_LAST_PARTITION error code, 38
ER_DROP_PARTITION_NON_EXISTENT error code, 38
ER_DROP_PK_COLUMN_TO_DROP_GIPK error code, 156
ER_DUPLICATED_VALUE_IN_TYPE error code, 24
ER_DUPLICATE_OPTION_KEY error code, 92
ER_DUPLICATE_SYS_VAR error code, 537
ER_DUPLICATE_TABLE_LOCK error code, 93
ER_DUP_ARGUMENT error code, 19
ER_DUP_ENTRY error code, 7
ER_DUP_ENTRY_AUTOINCREMENT_CASE error code, 41
ER_DUP_ENTRY_WITH_KEY_NAME error code, 42
ER_DUP_FD_OPEN_FAILED error code, 281
ER_DUP_FIELDNAME error code, 7
ER_DUP_INDEX error code, 62
ER_DUP_KEY error code, 4
ER_DUP_KEYNAME error code, 7
ER_DUP_LIST_ENTRY error code, 71
ER_DUP_SIGNAL_SET error code, 46
ER_DUP_UNIQUE error code, 15
ER_DUP_UNKNOWN_IN_INDEX error code, 65
ER_EMPTY_PIPELINE_FOR_ERROR_LOG_SERVICE error code, 107
ER_EMPTY_PRIVILEGE_NAME_IGNORED error code, 590
ER_EMPTY_QUERY error code, 8
ER_ENDING_INIT error code, 535
ER_END_INITFILE error code, 177
ER_ENFORCE_GTID_CONSISTENCY_WARN_WITH_ONGOING_G error code, 80
ER_ENGINE_ATTRIBUTE_NOT_SUPPORTED error code, 139
ER_ENGINE_CANT_DROP_MISSING_TABLE error code, 97
ER_ENGINE_CANT_DROP_TABLE error code, 97
ER_ENGINE_COST_FAILED_TO_READ error code, 213
ER_ENGINE_COST_INVALID_CONST_CONSTANT_FOR_SE_AND error code, 213
ER_ENGINE_COST_INVALID_DEVICE_TYPE_FOR_SE error code, 213
ER_ENGINE_COST_UNKNOWN_COST_CONSTANT error code, 212
ER_ENGINE_COST_UNKNOWN_STORAGE_ENGINE error code, 213

ER_ENGINE_OUT_OF_MEMORY error code, 69
ER_ERRMSG_CANT_FIND_FILE error code, 198
ER_ERRMSG_CANT_READ error code, 199
ER_ERRMSG_LOADING_55_STYLE error code, 199
ER_ERRMSG_MISSING_IN_FILE error code, 199
ER_ERRMSG_OOM error code, 199
ER_ERRMSG_REPLACEMENTS_FAILED error code, 275
ER_ERRMSG_REPLACEMENT_DODGY error code, 275
ER_ERROR_DURING_COMMIT error code, 15
ER_ERROR_DURING_FLUSH_LOGS error code, 16
ER_ERROR_DURING_FLUSH_LOG_COMMIT_PHASE error code, 298
ER_ERROR_DURING_OPTIMIZE_TABLE error code, 259
ER_ERROR_DURING_ROLLBACK error code, 15
ER_ERROR_ENABLING_KEYS error code, 259
ER_ERROR_INFO_FROM_DA error code, 532
ER_ERROR_IN_TRIGGER_BODY error code, 52
ER_ERROR_IN_UNKNOWN_TRIGGER_BODY error code, 52
ER_ERROR_LOG_DESTINATION_NOT_A_FILE error code, 591
ER_ERROR_ON_MASTER error code, 68
ER_ERROR_ON_MODIFYING_GTID_EXECUTED_TABLE error code, 84
ER_ERROR_ON_READ error code, 4
ER_ERROR_ON_RENAME error code, 5
ER_ERROR_ON_SOURCE error code, 68
ER_ERROR_ON_WRITE error code, 5
ER_ERROR_WHEN_EXECUTING_COMMAND error code, 19
ER_EVENT_ALREADY_EXISTS error code, 40
ER_EVENT_CANNOT_ALTER_IN_THE_PAST error code, 42
ER_EVENT_CANNOT_CREATE_IN_THE_PAST error code, 42
ER_EVENT_CANT_FIND_TIMEZONE error code, 261
ER_EVENT_CANT_GET_CHARSET error code, 261
ER_EVENT_CANT_GET_COLLATION error code, 261
ER_EVENT_CANT_GET_LOCK_FOR_DROPPING_EVENT error code, 265
ER_EVENT_CANT_GET_TIMEZONE_FROM_FIELD error code, 261
ER_EVENT_CANT_INIT_QUEUE error code, 167
ER_EVENT_CANT_OPEN_TABLE_MYSQL_EVENT error code, 261
ER_EVENT_DOES_NOT_EXIST error code, 40
ER_EVENT_DROPPING error code, 214
ER_EVENT_ENDS_BEFORE_STARTS error code, 40
ER_EVENT_ERROR_CREATING_QUERY_TO_WRITE_TO_BINLOG error code, 264
ER_EVENT_ERROR_DURING_COMPILATION error code, 214
ER_EVENT_EXECUTION_FAILED error code, 167
ER_EVENT_EXECUTION_FAILED_CANT_AUTHENTICATE_US error code, 214
ER_EVENT_EXECUTION_FAILED_USER_LOST_EVEN_PRIVIL error code, 214
ER_EVENT_EXEC_TIME_IN_THE_PAST error code, 40
ER_EVENT_INTERVAL_NOT_POSITIVE_OR_TOO_BIG error code, 40
ER_EVENT_INVALID_CREATION_CTX error code, 43
ER_EVENT_LAST_EXECUTION error code, 167
ER_EVENT_MESSAGE_STACK error code, 167
ER_EVENT_PURGING_QUEUE error code, 167
ER_EVENT_RECURSION_FORBIDDEN error code, 42
ER_EVENT_SAME_NAME error code, 40
ER_EVENT_SCHEDULER_ERROR_GETTING_EVENT_OBJECT error code, 265
ER_EVENT_SCHEDULER_ERROR_LOADING_FROM_DB error code, 265
ER_EVENT_SCHEDULER_GOT_BAD_DATA_FROM_TABLE error code, 265
ER_EVENT_SET_VAR_ERROR error code, 41
ER_EVENT_UNABLE_TO_DROP_EVENT error code, 265
ER_EXCEEDED_MV_KEYS_NUM error code, 130
ER_EXCEEDED_MV_KEYS_SPACE error code, 130
ER_EXCEPTIONS_WRITE_ERROR error code, 45
ER_EXCESS_ARGUMENTS error code, 178
ER_EXPIRE_LOGS_DAYS_IGNORED error code, 298
ER_EXPLAIN_NOT_SUPPORTED error code, 69
ER_FAILED_DEFAULT_ROLES error code, 89
ER_FAILED_GET_DD_PROPERTY error code, 640
ER_FAILED_READ_FROM_PAR_FILE error code, 50
ER_FAILED_REVOKE_ROLE error code, 89
ER_FAILED_ROLE_GRANT error code, 89
ER_FAILED_SET_DD_PROPERTY error code, 640
ER_FAILED_START_MYSQLD_DAEMON error code, 282
ER_FAILED_TO_ACQUIRE_LOCK_ON_RESOURCE_GROUP error code, 286
ER_FAILED_TO_ADD_RESOURCE_GROUP_TO_MAP error code, 286
ER_FAILED_TO_ADD_RPL_FILTER error code, 292
ER_FAILED_TO_ALLOCATE_MEMORY_FOR_RESOURCE_GR error code, 286
ER_FAILED_TO_ALLOCATE_MEMORY_FOR_RESOURCE_GR error code, 286
ER_FAILED_TO_ALLOCATE_SSL_BIO error code, 536
ER_FAILED_TO_APPLY_RESOURCE_GROUP_CONTROLLER error code, 286
ER_FAILED_TO_BINLOG_DROP_EVENT error code, 291

ER_FAILED_TO_BUILD_DO_AND_IGNORE_TABLE_HASHES error code, 293
ER_FAILED_TO_COMPRESS_GTID_EXECUTED_TABLE error code, 205
ER_FAILED_TO_COMPRESS_GTID_EXECUTED_TABLE_OR_WAIT error code, 205
ER_FAILED_TO_CONSTRUCT_DROP_EVENT_QUERY error code, 291
ER_FAILED_TO_CREATE_CLONE_HANDLER error code, 293
ER_FAILED_TO_CREATE_GTID_TABLE_COMPRESSION_THREAD error code, 205
ER_FAILED_TO_CREATE_SDI_FOR_TABLESPACE error code, 289
ER_FAILED_TO_DECREMENT_NUMBER_OF_THREADS error code, 217
ER_FAILED_TO_DELETE_FROM_GTID_EXECUTED_TABLE error code, 204
ER_FAILED_TO_DESERIALIZE_RESOURCE_GROUP error code, 285
ER_FAILED_TO_DETERMINE_IF_ROLE_IS_MANDATORY error code, 135
ER_FAILED_TO_FETCH_MANDATORY_ROLE_LIST error code, 135
ER_FAILED_TO_FIND_COLLATION_NAME error code, 280
ER_FAILED_TO_FIND_DL_ENTRY error code, 277
ER_FAILED_TO_FIND_LOCALE_NAME error code, 280
ER_FAILED_TO_FIND_MYSQLD_STATUS error code, 297
ER_FAILED_TO_GENERATE_UNIQUE_LOGFILE error code, 277
ER_FAILED_TO_GET_ABSOLUTE_PATH error code, 281
ER_FAILED_TO_HANDLE_DEFAULTS_FILE error code, 537
ER_FAILED_TO_INIT_SYS_VAR error code, 537
ER_FAILED_TO_INIT_THREAD_ATTR_FOR_GTID_TABLE_COMPRESSION error code, 205
ER_FAILED_TO_JOIN_GTID_TABLE_COMPRESSION_THREAD error code, 205
ER_FAILED_TO_LOCK_MEM error code, 176
ER_FAILED_TO_OPEN_COST_CONSTANT_TABLES error code, 213
ER_FAILED_TO_OPEN_SHARED_LIBRARY error code, 277
ER_FAILED_TO_PERSIST_RESOURCE_GROUP_METADATA error code, 285
ER_FAILED_TO_READ_FILE error code, 278
ER_FAILED_TO_REMOVE_TEMP_TABLE error code, 255
ER_FAILED_TO_REPAIR_TABLE error code, 255
ER_FAILED_TO_SET_PERSISTED_OPTIONS error code, 298
ER_FAILED_TO_START_REPLICA_THREAD error code, 292
ER_FAILED_TO_START_SLAVE_THREAD error code, 291
ER_FAILED_TO_STORE_SDI_FOR_TABLESPACE error code, 289
ER_FAILED_TO_UPDATE_RESOURCE_GROUP error code, 285
ER_FAILED_TO_WRITE_TO_FILE error code, 278
ER_FAIL_CHROOT error code, 176
ER_FAIL_SETGID error code, 176
ER_FAIL_SETREGID error code, 176
ER_FAIL_SETREUID error code, 176
ER_FAIL_SETUID error code, 176
ER_FEATURE_DISABLED error code, 24
ER_FEATURE_DISABLED_SEE_DOC error code, 84
ER_FEATURE_NOT_AVAILABLE error code, 79
ER_FEATURE_UNSUPPORTED error code, 103
ER_FIELD_IN_GROUPING_NOT_GROUP_BY error code, 96
ER_FIELD_IN_ORDER_NOT_SELECT error code, 74
ER_FIELD_NOT_FOUND_PART_ERROR error code, 37
ER_FIELD_SPECIFIED_TWICE error code, 11
ER_FIELD_TYPE_NOT_ALLOWED_AS_PARTITION_FIELD error code, 47
ER_FILEGROUP_OPTION_ONLY_ONCE error code, 39
ER_FILESORT_TERMINATED error code, 280
ER_FILE_CORRUPT error code, 68
ER_FILE_EXISTS_DURING_UPGRADE error code, 262
ER_FILE_EXISTS_ERROR error code, 9
ER_FILE_HAS_OLD_FORMAT error code, 279
ER_FILE_NOT_FOUND error code, 4
ER_FILE_PRIVILEGE_FOR_REPLICATION_CHECKS error code, 571
ER_FILE_TYPE_UNKNOWN error code, 200
ER_FILE_USED error code, 5
ER_FILSORT_ABORT error code, 5
ER_FIREWALL_ACCESS_DENIED error code, 313
ER_FIREWALL_DEPRECATED_USER_PROFILE error code, 601
ER_FIREWALL_FAILED_TO_READ_FIREWALL_TABLES error code, 313
ER_FIREWALL_FAILED_TO_REG_DYNAMIC_PRIVILEGES error code, 313
ER_FIREWALL_PFS_TABLE_REGISTER_FAILED error code, 596
ER_FIREWALL_RECORDING_STMT_WAS_TRUNCATED error code, 313
ER_FIREWALL_RECORDING_STMT_WITHOUT_TEXT error code, 313
ER_FIREWALL_RELOADING_CACHE error code, 313
ER_FIREWALL_RESET_FOR_USER error code, 313
ER_FIREWALL_SERVICES_NOT_ACQUIRED error code, 595

ER_FIREWALL_SKIPPED_UNKNOWN_USER_MODE error code, 313
ER_FIREWALL_STATUS_FLUSHED error code, 314
ER_FIREWALL_SUSPICIOUS_STMT error code, 313
ER_FIREWALL_UDF_REGISTER_FAILED error code, 596
ER_FIXING_CLIENT_CHARSET error code, 176
ER_FK_CANNOT_CHANGE_ENGINE error code, 116
ER_FK_CANNOT_DROP_PARENT error code, 110
ER_FK_CANNOT_OPEN_PARENT error code, 62
ER_FK_CANNOT_USE_VIRTUAL_COLUMN error code, 111
ER_FK_COLUMN_CANNOT_CHANGE error code, 63
ER_FK_COLUMN_CANNOT_CHANGE_CHILD error code, 63
ER_FK_COLUMN_CANNOT_DROP error code, 62
ER_FK_COLUMN_CANNOT_DROP_CHILD error code, 62
ER_FK_COLUMN_NOT_NULL error code, 62
ER_FK_DEPTH_EXCEEDED error code, 69
ER_FK_DUP_NAME error code, 62
ER_FK_FAIL_ADD_SYSTEM error code, 62
ER_FK_INCOMPATIBLE_COLUMNS error code, 116
ER_FK_INCORRECT_OPTION error code, 62
ER_FK_NO_COLUMN_PARENT error code, 111
ER_FK_NO_INDEX_CHILD error code, 62
ER_FK_NO_INDEX_PARENT error code, 62
ER_FORBID_SCHEMA_CHANGE error code, 34
ER_FORCE_CLOSE_THREAD error code, 278
ER_FORCING_CLOSE error code, 8
ER_FOREIGN_DATA_SOURCE_DOESNT_EXIST error code, 33
ER_FOREIGN_DATA_STRING_INVALID error code, 33
ER_FOREIGN_DATA_STRING_INVALID_CANT_CREATE error code, 33
ER_FOREIGN_DUPLICATE_KEY_OLD_UNUSED error code, 40
ER_FOREIGN_DUPLICATE_KEY_WITHOUT_CHILD_INFO error code, 56
ER_FOREIGN_DUPLICATE_KEY_WITH_CHILD_INFO error code, 56
ER_FOREIGN_KEY_ON_PARTITIONED error code, 38
ER_FOREIGN_KEY_WITH_ATOMIC_CREATE_SELECT error code, 139
ER_FOREIGN_SERVER_DOESNT_EXIST error code, 36
ER_FOREIGN_SERVER_EXISTS error code, 36
ER_FOUND_MISSING_GTIDS error code, 388
ER_FOUND_ROWS_WHILE_REPAIRING error code, 259
ER_FPARSER_BAD_HEADER error code, 28
ER_FPARSER_EOF_IN_COMMENT error code, 28
ER_FPARSER_EOF_IN_UNKNOWN_PARAMETER error code, 28
ER_FPARSER_ERROR_IN_PARAMETER error code, 28
ER_FPARSER_TOO_BIG_FILE error code, 28
ER_FSEEK_FAIL error code, 30
ER_FT_BOOL_SYNTAX_INVALID error code, 171
ER_FT_MATCHING_KEY_NOT_FOUND error code, 16
ER_FULLTEXT_FUNCTIONAL_INDEX error code, 114
ER_FULLTEXT_NOT_SUPPORTED_WITH_PARTITIONING error code, 56
ER_FULLTEXT_WITH_ROLLUP error code, 152
ER_FUNCTIONAL_INDEX_DATA_IS_TOO_LONG error code, 130
ER_FUNCTIONAL_INDEX_FUNCTION_IS_NOT_ALLOWED error code, 114
ER_FUNCTIONAL_INDEX_ON_FIELD error code, 114
ER_FUNCTIONAL_INDEX_ON_JSON_OR_GEOMETRY_FUNCT error code, 113
ER_FUNCTIONAL_INDEX_ON_LOB error code, 114
ER_FUNCTIONAL_INDEX_PRIMARY_KEY error code, 113
ER_FUNCTIONAL_INDEX_REF_AUTO_INCREMENT error code, 113
ER_FUNCTIONAL_INDEX_ROW_VALUE_IS_NOT_ALLOWED error code, 118
ER_FUNCTION_DOES_NOT_SUPPORT_CHARACTER_SET error code, 140
ER_FUNCTION_NOT_DEFINED error code, 12
ER_FUNC_INEXISTENT_NAME_COLLISION error code, 45
ER_FUTURE_DATE error code, 174
ER_GENERATED_COLUMN_FUNCTION_IS_NOT_ALLOWED error code, 78
ER_GENERATED_COLUMN_NAMED_FUNCTION_IS_NOT_ALL error code, 114
ER_GENERATED_COLUMN_NON_PRIOR error code, 79
ER_GENERATED_COLUMN_REF_AUTO_INC error code, 79
ER_GENERATED_COLUMN_ROW_VALUE error code, 114
ER_GENERATED_COLUMN_VARIABLES error code, 114
ER_GEOMETRY_IN_UNKNOWN_LENGTH_UNIT error code, 128
ER_GEOMETRY_PARAM_LATITUDE_OUT_OF_RANGE error code, 111
ER_GEOMETRY_PARAM_LONGITUDE_OUT_OF_RANGE error code, 111
ER_GET_ERRMSG error code, 25
ER_GET_ERRNO error code, 5
ER_GET_ERRNO_FROM_STORAGE_ENGINE error code, 279
ER_GET_STACKED_DA_WITHOUT_ACTIVE_HANDLER error code, 69

ER_GET_TEMPORARY_ERRMSG error code, 25
ER_GIPK_COLUMN_ALTER_NOT_ALLOWED error code, 156
ER_GIPK_COLUMN_EXISTS error code, 155
ER_GIPK_FAILED_AUTOINC_COLUMN_EXISTS error code, 155
ER_GIS_DATA_WRONG_ENDIANESS error code, 73
ER_GIS_DIFFERENT_SRIDS error code, 72
ER_GIS_DIFFERENT_SRIDS_AGGREGATION error code, 146
ER_GIS_INVALID_DATA error code, 72
ER_GIS_MAX_POINTS_IN_GEOMETRY_OVERFLOWED error code, 81
ER_GIS_UNKNOWN_ERROR error code, 72
ER_GIS_UNKNOWN_EXCEPTION error code, 72
ER_GIS_UNSUPPORTED_ARGUMENT error code, 72
ER_GLOBAL_CONN_LIMIT error code, 612
ER_GLOBAL_VARIABLE error code, 20
ER_GLOBSTAT_CHANGE_DURING_QUERY error code, 131
ER_GNO_EXHAUSTED error code, 57
ER_GRANT_WRONG_HOST_OR_USER error code, 13
ER_GROUPING_ON_TIMESTAMP_IN_DST error code, 131
ER_GROUP_REPLICATION_APPLIER_INIT_ERROR error code, 78
ER_GROUP_REPLICATION_COMMAND_FAILURE error code, 103
ER_GROUP_REPLICATION_COMMUNICATION_LAYER_JOIN_ERROR error code, 78
ER_GROUP_REPLICATION_COMMUNICATION_LAYER_SESSION_ERROR error code, 78
ER_GROUP_REPLICATION_CONFIGURATION error code, 78
ER_GROUP_REPLICATION_FORCE_MEMBERS_COMMAND_FAILURE error code, 157
ER_GROUP_REPLICATION_MAX_GROUP_SIZE error code, 86
ER_GROUP_REPLICATION_PASSWORD_LENGTH error code, 138
ER_GROUP_REPLICATION_PLUGIN_NOT_INSTALLED error code, 204
ER_GROUP_REPLICATION_RUNNING error code, 78
ER_GROUP_REPLICATION_STOP_APPLIER_THREAD_TIMEOUT error code, 78
ER_GROUP_REPLICATION_USER_EMPTY_MSG error code, 138
ER_GROUP_REPLICATION_USER_MANDATORY_MSG error code, 138
ER_GRP_DELAYED_VCLE_LOGGING error code, 561
ER_GRP_OPERATION_NOT_ALLOWED_GR_MUST_STOP error code, 137
ER_GRP_RPL_ABORTS_AS_SSL_NOT_SUPPORTED_BY_MYSQLD error code, 370
ER_GRP_RPL_ADD_GRPSID_TO_GRPGTIDSID_MAP_ERROR error code, 344
ER_GRP_RPL_ADD_GTID_INFO_WITHOUT_LOCAL_GTID_FAILED error code, 356
ER_GRP_RPL_ADD_GTID_INFO_WITHOUT_REMOTE_GTID_FAIL error code, 356
ER_GRP_RPL_ADD_GTID_INFO_WITH_LOCAL_GTID_FAILED error code, 356
ER_GRP_RPL_ADD_GTID_INFO_WITH_REMOTE_GTID_FAILED error code, 356
ER_GRP_RPL_ADD_GTID_TO_GRPGTID_EXECUTED_ERROR error code, 344
ER_GRP_RPL_ADD_RETRIEVED_SET_TO_GRP_GTID_EXECUTE error code, 345
ER_GRP_RPL_ADD_VIEW_CHANGE_UUID_TO_GRP_SID_MAP_E error code, 603
ER_GRP_RPL_ALL_DONORS_LEFT_ABORT_RECOVERY error code, 358
ER_GRP_RPL_ALL_OBSERVERS_UNREGISTERED error code, 369
ER_GRP_RPL_APPENDING_DATA_TO_INTERNAL_CACHE_FAILE error code, 362
ER_GRP_RPL_APPLIER_CHANNEL_STILL_RUNNING error code, 595
ER_GRP_RPL_APPLIER_EXECUTION_FATAL_ERROR error code, 343
ER_GRP_RPL_APPLIER_HANDLER_IS_IN_USE error code, 374
ER_GRP_RPL_APPLIER_HANDLER_NOT_INITIALIZED error code, 374
ER_GRP_RPL_APPLIER_HANDLER_ROLE_IS_IN_USE error code, 374
ER_GRP_RPL_APPLIER_INITIALIZED error code, 370
ER_GRP_RPL_APPLIER_METADATA_REPO_MUST_BE_TABLE error code, 371
ER_GRP_RPL_APPLIER_NOT_STARTED_DUE_TO_RUNNING_PR error code, 370
ER_GRP_RPL_APPLIER_PIPELINE_NOT_DISPOSED error code, 343
ER_GRP_RPL_APPLIER_TERMINATION_TIMED_OUT_ON_SHUTD error code, 368
ER_GRP_RPL_APPLIER_THD_EXECUTION_ABORTED error code, 343
ER_GRP_RPL_APPLIER_THD_KILLED error code, 342
ER_GRP_RPL_APPLIER_THD_KILLED_BY_SQL_KILL error code, 643
ER_GRP_RPL_APPLIER_THD_SETUP_ERROR error code, 353
ER_GRP_RPL_APPLIER_THD_START_ERROR error code, 353
ER_GRP_RPL_APPLIER_THD_STOP_ERROR error code, 353
ER_GRP_RPL_APPOINTED_PRIMARY_NOT_PRESENT error code, 540

ER_GRP_RPL_AUTO_INC_OFFSET_RESET error code, 355
ER_GRP_RPL_AUTO_INC_OFFSET_SET error code, 355
ER_GRP_RPL_AUTO_INC_RESET error code, 354
ER_GRP_RPL_AUTO_INC_SET error code, 355
ER_GRP_RPL_BINLOG_CHECKSUM_SET error code, 361
ER_GRP_RPL_BINLOG_DISABLED error code, 370
ER_GRP_RPL_BLOCK_SIZE_DIFF_FROM_GRP error code, 352
ER_GRP_RPL_BROADCASTING_TRANS_TO_GRP_FAILED error code, 363
ER_GRP_RPL_BROADCAST_COMMIT_MSSG_TOO_BIG error code, 377
ER_GRP_RPL_BROADCAST_COMMIT_TRANS_MSSG_FAILED error code, 344
ER_GRP_RPL_CANNOT_EXECUTE_TRANS_IN_ERROR_STATE error code, 361
ER_GRP_RPL_CANNOT_EXECUTE_TRANS_IN_OFFLINE_MODE error code, 361
ER_GRP_RPL_CANNOT_EXECUTE_TRANS_WHILE_RECOVERING error code, 361
ER_GRP_RPL_CANNOT_EXECUTE_TRANS_WHILE_STOPPING error code, 361
ER_GRP_RPL_CANT_GENERATE_GTID error code, 345
ER_GRP_RPL_CANT_KILL_THREAD error code, 567
ER_GRP_RPL_CANT_READ_GRP_GTID_EXTRACTED error code, 347
ER_GRP_RPL_CANT_READ_GTID error code, 346
ER_GRP_RPL_CANT_READ_WRITE_SET_ITEM error code, 347
ER_GRP_RPL_CERTIFICATE_SIZE_ERROR error code, 342
ER_GRP_RPL_CERTIFICATION_INITIALIZATION_FAILURE error code, 345
ER_GRP_RPL_CERTIFICATION_REC_PROCESS error code, 364
ER_GRP_RPL_CERTIFIER_MSSG_PROCESS_ERROR error code, 347
ER_GRP_RPL_CERT_BROADCAST_THREAD_CREATE_FAILED error code, 643
ER_GRP_RPL_CERT_BROADCAST_THREAD_STARTED error code, 643
ER_GRP_RPL_CERT_BROADCAST_THREAD_STOPPED error code, 643
ER_GRP_RPL_CHANGE_GRP_MEM_NOT_PROCESSED error code, 348
ER_GRP_RPL_CHANNEL_THREAD_WHEN_GROUP_ACTION_RUNNING error code, 539
ER_GRP_RPL_CHECK_STATUS_TABLE error code, 359
ER_GRP_RPL_CLONE_PROCESS_EXEC_ERROR error code, 567
ER_GRP_RPL_CLONE_PROCESS_PREPARE_ERROR error code, 566
ER_GRP_RPL_COMMUNICATION_SSL_CONF_INFO error code, 370
ER_GRP_RPL_CONFIGURATION_ACTION_END error code, 540
ER_GRP_RPL_CONFIGURATION_ACTION_ERROR error code, 540
ER_GRP_RPL_CONFIGURATION_ACTION_KILLED_ERROR error code, 540
ER_GRP_RPL_CONFIGURATION_ACTION_LOCAL_TERMINAT error code, 540
ER_GRP_RPL_CONFIGURATION_ACTION_START error code, 540
ER_GRP_RPL_CONFIG_RECOVERY error code, 358
ER_GRP_RPL_CONFLICT_DETECTION_DISABLED error code, 347
ER_GRP_RPL_CONNECTION_METADATA_REPO_MUST_BE_ error code, 371
ER_GRP_RPL_CONN_INTERNAL_PLUGIN_FAIL error code, 357
ER_GRP_RPL_CONTACT_WITH_SRV_FAILED error code, 356
ER_GRP_RPL_COPY_FROM_EMPTY_STRING error code, 358
ER_GRP_RPL_CREATE_APPLIER_CACHE_ERROR error code, 343
ER_GRP_RPL_CREATE_GRP_RPL_REC_CHANNEL error code, 359
ER_GRP_RPL_CREATE_SESSION_UNABLE error code, 358
ER_GRP_RPL_DATA_NOT_PROVIDED_BY_MEM error code, 350
ER_GRP_RPL_DEBUG_OPTIONS error code, 376
ER_GRP_RPL_DEFAULT_TABLE_ENCRYPTION_DIFF_FROM_ error code, 558
ER_GRP_RPL_DISABLE_READ_ONLY_FAILED error code, 349
ER_GRP_RPL_DISABLE_SRV_READ_MODE_RESTRICTED error code, 348
ER_GRP_RPL_DONOR_CONN_TERMINATION error code, 359
ER_GRP_RPL_DONOR_SERVER_CONN error code, 359
ER_GRP_RPL_DONOR_TRANS_INFO_ERROR error code, 344
ER_GRP_RPL_DONOR_VIEW_CHANGE_UUID_TRANS_INFO_ error code, 603
ER_GRP_RPL_ENABLE_READ_ONLY_FAILED error code, 350
ER_GRP_RPL_ERROR_FETCHING_GTID_EXECUTED_SET error code, 344

ER_GRP_RPL_ERROR_FETCHING_GTID_SET error code, 345
ER_GRP_RPL_ERROR_GTID_EXECUTION_INFO error code, 342
ER_GRP_RPL_ERROR_GTID_SET_EXTRACTION error code, 539
ER_GRP_RPL_ERROR_MSG error code, 320
ER_GRP_RPL_ERROR_ON_CERT_DB_INSTALL error code, 553
ER_GRP_RPL_ERROR_ON_MESSAGE_SENDING error code, 540
ER_GRP_RPL_ERROR_SENDING_SINGLE_PRIMARY_MSG error code, 343
ER_GRP_RPL_ERROR_SET_MULTI_CONSENSUS_LEADER error code, 611
ER_GRP_RPL_ERROR_SET_SINGLE_CONSENSUS_LEADER error code, 611
ER_GRP_RPL_ERROR_STOPPING_CHANNELS error code, 343
ER_GRP_RPL_ERROR_VERIFYING_SIDNO error code, 345
ER_GRP_RPL_ERROR_WHILE_WAITING_FOR_CONFLICT_DETECTION error code, 363
ER_GRP_RPL_ESTABLISHING_CONN_GRP_REC_DONOR error code, 359
ER_GRP_RPL_ESTABLISH_RECOVERY_WITH_ANOTHER_DONOR error code, 358
ER_GRP_RPL_ESTABLISH_RECOVERY_WITH_DONOR error code, 358
ER_GRP_RPL_EVENT_HANDLING_ERROR error code, 342
ER_GRP_RPL_EXCEEDS_AUTO_INC_VALUE error code, 350
ER_GRP_RPL_EXIT_GRP_GCS_ERROR error code, 377
ER_GRP_RPL_FAILED_TO_BOOTSTRAP_EVENT_HANDLING_INFRASTRUCTURE error code, 374
ER_GRP_RPL_FAILED_TO_BROADCAST_GRP_MEMBERSHIP_NOTIFICATION error code, 360
ER_GRP_RPL_FAILED_TO_BROADCAST_MEMBER_STATUS_NOTIFICATION error code, 360
ER_GRP_RPL_FAILED_TO_CALL_GRP_COMMUNICATION_INTERFACE error code, 366
ER_GRP_RPL_FAILED_TO_CONFIRM_IF_SERVER_LEFT_GRP error code, 367
ER_GRP_RPL_FAILED_TO_CREATE_COMMIT_CACHE error code, 363
ER_GRP_RPL_FAILED_TO_CREATE_TRANS_CONTEXT error code, 362
ER_GRP_RPL_FAILED_TO_ENABLE_READ_ONLY_MODE_ON_SHUTDOWN error code, 368
ER_GRP_RPL_FAILED_TO_ENABLE_SUPER_READ_ONLY_MODE error code, 366
ER_GRP_RPL_FAILED_TO_EXTRACT_TRANS_WRITE_SET error code, 362
ER_GRP_RPL_FAILED_TO_GATHER_TRANS_WRITE_SET error code, 362
ER_GRP_RPL_FAILED_TO_GENERATE_SIDNO_FOR_GRP error code, 369
ER_GRP_RPL_FAILED_TO_GENERATE_SIDNO_FOR_VIEW_CHA error code, 602
ER_GRP_RPL_FAILED_TO_INIT_APPLIER_HANDLER error code, 374
ER_GRP_RPL_FAILED_TO_INIT_APPLIER_MODULE error code, 370
ER_GRP_RPL_FAILED_TO_INIT_COMMUNICATION_ENGINE error code, 366
ER_GRP_RPL_FAILED_TO_INIT_HANDLER error code, 368
ER_GRP_RPL_FAILED_TO_INSERT_TRX_ON_TCM_ON_AFTER_C error code, 550
ER_GRP_RPL_FAILED_TO_LOG_VIEW_CHANGE error code, 622
ER_GRP_RPL_FAILED_TO_NOTIFY_GRP_MEMBERSHIP_EVENT error code, 360
ER_GRP_RPL_FAILED_TO_PARSE_THE_GRP_NAME error code, 369
ER_GRP_RPL_FAILED_TO_PARSE_THE_VIEW_CHANGE_UUID error code, 602
ER_GRP_RPL_FAILED_TO_REGISTER_BINLOG_STATE_OBSERV error code, 369
ER_GRP_RPL_FAILED_TO_REGISTER_SERVER_STATE_OBSERV error code, 368
ER_GRP_RPL_FAILED_TO_REGISTER_TRANS_OUTCOME_NOTI error code, 363
ER_GRP_RPL_FAILED_TO_REGISTER_TRANS_STATE_OBSERVE error code, 368
ER_GRP_RPL_FAILED_TO_REINIT_BINLOG_CACHE_FOR_READ error code, 362
ER_GRP_RPL_FAILED_TO_SHUTDOWN_REGISTRY_MODULE error code, 358
ER_GRP_RPL_FAILED_TO_START_COMMUNICATION_ENGINE error code, 366
ER_GRP_RPL_FAILED_TO_START_ON_BOOT error code, 358
ER_GRP_RPL_FAILED_TO_START_ON_SECONDARY_WITH_ASY error code, 366
ER_GRP_RPL_FAILED_TO_START_WITH_INVALID_SERVER_ID error code, 365
ER_GRP_RPL_FAILED_TO_STOP_ON_PLUGIN_UNINSTALL error code, 369
ER_GRP_RPL_FAILED_TO_UNREGISTER_BINLOG_STATE_OBSE error code, 369
ER_GRP_RPL_FAILED_TO_UNREGISTER_SERVER_STATE_OBS error code, 369
ER_GRP_RPL_FAILED_TO_UNREGISTER_TRANS_STATE_OBSE error code, 369

ER_GRP_RPL_FAILOVER_CHANNEL_STATUS_PROPAGATION error code, 148
ER_GRP_RPL_FAILOVER_CONF_CHANNEL_DOES_NOT_EXIST error code, 606
ER_GRP_RPL_FAILOVER_CONF_DEFAULT_CONFIGURATION error code, 606
ER_GRP_RPL_FAILOVER_CONF_GET_EXCHANGEABLE_DATA error code, 606
ER_GRP_RPL_FAILOVER_CONF_PARSE_ON_MEMBER_ACTION error code, 606
ER_GRP_RPL_FAILOVER_CONF_UNABLE_TO_SET_DEFAULT error code, 606
ER_GRP_RPL_FAILOVER_PRIMARY_BACK_TO_MAJORITY error code, 607
ER_GRP_RPL_FAILOVER_PRIMARY_WITHOUT_MAJORITY error code, 606
ER_GRP_RPL_FAILOVER_REGISTER_MESSAGE_LISTENER_SERVICE error code, 606
ER_GRP_RPL_FATAL_REC_PROCESS error code, 364
ER_GRP_RPL_FETCH_FORMAT_DESC_LOG_EVENT_FAILED error code, 355
ER_GRP_RPL_FETCH_GTID_LOG_EVENT_FAILED error code, 355
ER_GRP_RPL_FETCH_LOG_EVENT_FAILED error code, 357
ER_GRP_RPL_FETCH_SNAPSHOT_VERSION_FAILED error code, 355
ER_GRP_RPL_FETCH_TRANS_CONTEXT_FAILED error code, 355
ER_GRP_RPL_FETCH_TRANS_CONTEXT_LOG_EVENT_FAILED error code, 355
ER_GRP_RPL_FETCH_TRANS_DATA_FAILED error code, 353
ER_GRP_RPL_FETCH_TRANS_SIDNO_ERROR error code, 345
ER_GRP_RPL_FETCH_VIEW_CHANGE_LOG_EVENT_FAILED error code, 356
ER_GRP_RPL_FINISHED_AUTO_REJOIN error code, 558
ER_GRP_RPL_FK_WITH_CASCADE_UNSUPPORTED error code, 354
ER_GRP_RPL_FLOW_CONTROL_STATS error code, 378
ER_GRP_RPL_FLOW_CTRL_MAX_QUOTA_SMALLER_THAN_MIN_QUOTA error code, 373
ER_GRP_RPL_FLOW_CTRL_MIN_QUOTA_GREATER_THAN_MAX_QUOTA error code, 373
ER_GRP_RPL_FLOW_CTRL_MIN_RECOVERY_QUOTA_GREATER_THAN_MAX_QUOTA error code, 373
ER_GRP_RPL_FORCE_MEMBERS_MUST_BE_EMPTY error code, 365
ER_GRP_RPL_FORCE_MEMBERS_SET_UPDATE_NOT_ALLOWED error code, 373
ER_GRP_RPL_FORCE_MEMBERS_WHEN_LEAVING error code, 553
ER_GRP_RPL_FORCE_MEMBER_VALUE_SET error code, 377
ER_GRP_RPL_FORCE_MEMBER_VALUE_SET_ERROR error code, 377
ER_GRP_RPL_FORCE_MEMBER_VALUE_TIME_OUT error code, 377
ER_GRP_RPL_GCS_GR_ERROR_MSG error code, 379
ER_GRP_RPL_GCS_INTERFACE_ERROR error code, 347
ER_GRP_RPL_GMS_LISTENER_FAILED_TO_LOG_NOTIFICATION error code, 376
ER_GRP_RPL_GROUP_NAME_PARSE_ERROR error code, 344
ER_GRP_RPL_GROUP_NAME_SAME_AS_VIEW_CHANGE_UUID error code, 601
ER_GRP_RPL_GRP_CHANGE_INFO_EXTRACT_ERROR error code, 351
ER_GRP_RPL_GRP_COMMUNICATION_ENG_INIT_FAILED error code, 376
ER_GRP_RPL_GRP_COMMUNICATION_INIT_WITH_CONF error code, 374
ER_GRP_RPL_GRP_MEMBER_OFFLINE error code, 377
ER_GRP_RPL_GRP_NAME_IS_NOT_VALID_UUID error code, 372
ER_GRP_RPL_GRP_NAME_IS_SAME_AS_ANONYMOUS_TO_ error code, 594
ER_GRP_RPL_GRP_NAME_IS_TOO_LONG error code, 372
ER_GRP_RPL_GRP_NAME_OPTION_MANDATORY error code, 372
ER_GRP_RPL_GRP_VIEW_CHANGE_UUID_IS_INCOMPATIBL error code, 602
ER_GRP_RPL_GTID_ALREADY_USED error code, 342
ER_GRP_RPL_GTID_EXECUTED_EXTRACT_ERROR error code, 351
ER_GRP_RPL_GTID_MODE_OFF error code, 371
ER_GRP_RPL_GTID_PURGED_EXTRACT_ERROR error code, 566
ER_GRP_RPL_GTID_SET_EXTRACT_ERROR error code, 351
ER_GRP_RPL_GTID_SET_EXTRACT_ERROR_DURING_RECO error code, 552
ER_GRP_RPL_HAS_STARTED error code, 634
ER_GRP_RPL_INCORRECT_TYPE_SET_FOR_PARALLEL_API error code, 372
ER_GRP_RPL_INIT_CERTIFICATION_INFO_FAILURE error code, 347
ER_GRP_RPL_INTERNAL_QUERY error code, 357
ER_GRP_RPL_INVALID_BINLOG_FORMAT error code, 360

ER_GRP_RPL_INVALID_COMMUNICATION_PROTOCOL error code, 558
ER_GRP_RPL_INVALID_DEBUG_OPTIONS error code, 377
ER_GRP_RPL_INVALID_GTID_SET error code, 346
ER_GRP_RPL_INVALID_SSL_RECOVERY_STRING error code, 373
ER_GRP_RPL_INVALID_TRANS_WRITE_SET_EXTRACTION_VALUE error code, 371
ER_GRP_RPL_IS_STARTING error code, 582
ER_GRP_RPL_IS_STOPPED error code, 368
ER_GRP_RPL_IS_STOPPING error code, 367
ER_GRP_RPL_JOINER_EXIT_WHEN_GROUP_ACTION_RUNNING error code, 539
ER_GRP_RPL_JOIN_WHEN_GROUP_ACTION_RUNNING error code, 539
ER_GRP_RPL_KILLED_FAILED_ID error code, 357
ER_GRP_RPL_KILLED_SESSION_ID error code, 357
ER_GRP_RPL_LOCAL_GTID_SETS_PROCESS_ERROR error code, 352
ER_GRP_RPL_LOG_REPLICA_UPDATES_NOT_SET error code, 371
ER_GRP_RPL_LOG_SLAVE_UPDATES_NOT_SET error code, 371
ER_GRP_RPL_LOWER_CASE_TABLE_NAMES_DIFF_FROM_GRP error code, 527
ER_GRP_RPL_MASTER_INFO_REPO_MUST_BE_TABLE error code, 371
ER_GRP_RPL_MAXIMUM_CONNECTION_RETRIES_REACHED error code, 358
ER_GRP_RPL_MEMBER_ACTIONS_RESET error code, 600
ER_GRP_RPL_MEMBER_ACTION_DEFAULT_CONFIGURATION error code, 600
ER_GRP_RPL_MEMBER_ACTION_DISABLED error code, 600
ER_GRP_RPL_MEMBER_ACTION_ENABLED error code, 600
ER_GRP_RPL_MEMBER_ACTION_FAILURE error code, 599
ER_GRP_RPL_MEMBER_ACTION_FAILURE_IGNORE error code, 599
ER_GRP_RPL_MEMBER_ACTION_GET_EXCHANGEABLE_DATA error code, 599
ER_GRP_RPL_MEMBER_ACTION_INVALID_ACTIONS_ON_MEMBER error code, 600
ER_GRP_RPL_MEMBER_ACTION_PARSE_ON_MEMBER_JOIN error code, 600
ER_GRP_RPL_MEMBER_ACTION_PARSE_ON_RECEIVE error code, 599
ER_GRP_RPL_MEMBER_ACTION_TRIGGERED error code, 599
ER_GRP_RPL_MEMBER_ACTION_UNABLE_TO_SET_DEFAULT_CONFIGURATION error code, 600
ER_GRP_RPL_MEMBER_ACTION_UPDATE_ACTIONS error code, 599
ER_GRP_RPL_MEMBER_ACTION_UPDATE_ACTIONS_ON_MEMB error code, 600
ER_GRP_RPL_MEMBER_ADDED error code, 349
ER_GRP_RPL_MEMBER_ALREADY_EXISTS error code, 350
ER_GRP_RPL_MEMBER_CFG_INCOMPATIBLE_WITH_GRP_CFG error code, 352
ER_GRP_RPL_MEMBER_CHANGE error code, 349
ER_GRP_RPL_MEMBER_CONF_INFO error code, 367
ER_GRP_RPL_MEMBER_CONTACT_RESTORED error code, 348
ER_GRP_RPL_MEMBER_EXIT_PLUGIN_ERROR error code, 349
ER_GRP_RPL_MEMBER_EXPELLED error code, 349
ER_GRP_RPL_MEMBER_INFO_DOES_NOT_EXIST error code, 641
ER_GRP_RPL_MEMBER_LEFT_GRP error code, 349
ER_GRP_RPL_MEMBER_NOT_FOUND error code, 358
ER_GRP_RPL_MEMBER_REMOVED error code, 349
ER_GRP_RPL_MEMBER_SERVER_UUID_IS_INCOMPATIBLE_WIT error code, 366
ER_GRP_RPL_MEMBER_STATS_INFO error code, 378
ER_GRP_RPL_MEMBER_STOP_RPL_CHANNELS_ERROR error code, 352
ER_GRP_RPL_MEMBER_TRANS_GREATER_THAN_GRP error code, 352
ER_GRP_RPL_MEMBER_VERSION_LOWER_THAN_GRP error code, 351
ER_GRP_RPL_MEMBER_VER_INCOMPATIBLE error code, 351
ER_GRP_RPL_MEMBER_VER_READ_COMPATIBLE error code, 563
ER_GRP_RPL_MEM_ONLINE error code, 348
ER_GRP_RPL_MEM_REACHABLE error code, 348
ER_GRP_RPL_MEM_UNREACHABLE error code, 348
ER_GRP_RPL_MESSAGE_SERVICE_FATAL_ERROR error code, 570
ER_GRP_RPL_MESSAGE_SERVICE_INIT_FAILURE error code, 132
ER_GRP_RPL_MISSING_GRP_RPL_ACTION_COORDINATOR error code, 539
ER_GRP_RPL_MISSING_GRP_RPL_APPLIER error code, 347
ER_GRP_RPL_MODULE_TERMINATE_ERROR error code, 372
ER_GRP_RPL_MSG_DISCARDED error code, 347
ER_GRP_RPL_MSG_TOO_LONG_BROADCASTING_TRANS_FAIL error code, 363
ER_GRP_RPL_MULTIPLE_CACHE_TYPE_NOT_SUPPORTED_FO error code, 361
ER_GRP_RPL_NETWORK_PROVIDER_CLIENT_ERROR_ error code, 605

ER_GRP_RPL_MYSQL_NETWORK_PROVIDER_CLIENT_ERROR error code, 605
ER_GRP_RPL_NEEDS_INNODB_TABLE error code, 354
ER_GRP_RPL_NEW_PRIMARY_ELECTED error code, 349
ER_GRP_RPL_NOTIFY_CERTIFICATION_OUTCOME_FAILED error code, 356
ER_GRP_RPL_NO_POSSIBLE_RECOVERY error code, 567
ER_GRP_RPL_NO_STAGE_SERVICE error code, 541
ER_GRP_RPL_NO_SUITABLE_PRIMARY_MEM error code, 350
ER_GRP_RPL_NO_VALID_DONOR error code, 358
ER_GRP_RPL_NULL_PACKET error code, 346
ER_GRP_RPL_ONLY_ONE_SERVER_ALIVE error code, 364
ER_GRP_RPL_OOM_FAILED_TO_GENERATE_IDENTIFICATION_HASH error code, 360
ER_GRP_RPL_PAXOS_SINGLE_LEADER_DIFF_FROM_GRP error code, 611
ER_GRP_RPL_PAXOS_SINGLE_LEADER_DIFF_FROM_ORC error code, 632
ER_GRP_RPL_PIPELINE_CREATE_FAILED error code, 378
ER_GRP_RPL_PIPELINE_FLUSH_FAIL error code, 378
ER_GRP_RPL_PIPELINE_REINIT_FAILED_READ error code, 378
ER_GRP_RPL_PIPELINE_REINIT_FAILED_WRITE error code, 378
ER_GRP_RPL_PLUGIN_ABORT error code, 536
ER_GRP_RPL_PLUGIN_STRUCT_INIT_NOT_POSSIBLE_ON_SERVER_START error code, 366
ER_GRP_RPL_PREV_REC_SESSION_RUNNING error code, 364
ER_GRP_RPL_PRIMARY_ELECTION_PROCESS_ERROR error code, 540
ER_GRP_RPL_PRIMARY_ELECTION_STOP_ERROR error code, 541
ER_GRP_RPL_PRIMARY_KEY_NOT_DEFINED error code, 354
ER_GRP_RPL_PRIMARY_MEMBER_LEFT_GRP error code, 349
ER_GRP_RPL_PROCESS_GTID_SET_ERROR error code, 346
ER_GRP_RPL_PROCESS_INTERSECTION_GTID_SET_ERROR error code, 346
ER_GRP_RPL_PURGE_APPLIER_LOGS error code, 352
ER_GRP_RPL_PURGE_REC error code, 359
ER_GRP_RPL_QUERY_FAIL error code, 358
ER_GRP_RPL_READ_UNABLE_FOR_READ_ONLY_SUPER_READ_ONLY error code, 365
ER_GRP_RPL_READ_UNABLE_FOR_SUPER_READ_ONLY error code, 365
ER_GRP_RPL_RECEIVED_SET_MISSING_GTIDS error code, 346
ER_GRP_RPL_RECOVERY_CHANNEL_STILL_RUNNING error code, 145
ER_GRP_RPL_RECOVERY_ENDPOINT_FORMAT error code, 582
ER_GRP_RPL_RECOVERY_ENDPOINT_INTERFACES_IPS error code, 583
ER_GRP_RPL_RECOVERY_ENDPOINT_INVALID error code, 582
ER_GRP_RPL_RECOVERY_ENDPOINT_INVALID_DONOR_EN error code, 583
ER_GRP_RPL_RECOVERY_EVAL_ERROR error code, 567
ER_GRP_RPL_RECOVERY_MODULE_TERMINATION_TIMED_ error code, 368
ER_GRP_RPL_RECOVERY_STRAT_CHOICE error code, 567
ER_GRP_RPL_RECOVERY_STRAT_CLONE_PURGED error code, 567
ER_GRP_RPL_RECOVERY_STRAT_CLONE_THRESHOLD error code, 567
ER_GRP_RPL_RECOVERY_STRAT_FALLBACK error code, 567
ER_GRP_RPL_RECOVERY_STRAT_NO_FALLBACK error code, 568
ER_GRP_RPL_REGISTER_TRX_TO_WAIT_FOR_DEPENDENC error code, 551
ER_GRP_RPL_REGISTER_TRX_TO_WAIT_FOR_GROUP_PRE error code, 551
ER_GRP_RPL_REGISTER_TRX_TO_WAIT_FOR_SYNC_BEFO error code, 551
ER_GRP_RPL_REINIT_OF_COMMIT_CACHE_FOR_WRITE_FA error code, 364
ER_GRP_RPL_REINIT_OF_INTERNAL_CACHE_FOR_READ_F error code, 362
ER_GRP_RPL_REINIT_OF_INTERNAL_CACHE_FOR_WRITE_ error code, 363
ER_GRP_RPL_RELAY_LOG_INFO_REPO_MUST_BE_TABLE error code, 371
ER_GRP_RPL_RELEASE_BEGIN_TRX_AFTER_DEPENDENCI error code, 551
ER_GRP_RPL_RELEASE_BEGIN_TRX_AFTER_WAIT_FOR_SY error code, 552
ER_GRP_RPL_RELEASE_COMMIT_AFTER_GROUP_PREPAR error code, 550
ER_GRP_RPL_REPLICA_APPLIER_THREAD_ERROR_OUT error code, 380
ER_GRP_RPL_REPLICA_APPLIER_THREAD_UNBLOCKED error code, 379
ER_GRP_RPL_REPLICA_IO_THD_PRIMARY_UNKNOWN error code, 353

ER_GRP_RPL_REPLICA_IO_THREAD_ERROR_OUT error code, 379
ER_GRP_RPL_REPLICA_IO_THREAD_UNBLOCKED error code, 379
ER_GRP_RPL_REPLICA_PRESERVE_COMMIT_ORDER_NOT_SET error code, 372
ER_GRP_RPL_REPLICA_SQL_THD_ON_SECONDARY_MEMBER error code, 354
ER_GRP_RPL_REPLICA_SQL_THD_PRIMARY_UNKNOWN error code, 354
ER_GRP_RPL_REPLICA_THREAD_ERROR_ON_CLONE error code, 568
ER_GRP_RPL_REPLICA_THREAD_ERROR_ON_SECONDARY_MEMBER error code, 607
ER_GRP_RPL_REQUESTING_NON_MEMBER_SERVER_TO_LEAVE error code, 367
ER_GRP_RPL_RESET_APPLIER_MODULE_LOGS_ERROR error code, 353
ER_GRP_RPL_SALVE_IO_THD_ON_SECONDARY_MEMBER error code, 353
ER_GRP_RPL_SEND_STATS_ERROR error code, 377
ER_GRP_RPL_SEND_TRX_PREPARED_MESSAGE_FAILED error code, 550
ER_GRP_RPL_SEND_TRX_SYNC_BEFORE_EXECUTION_FAILED error code, 552
ER_GRP_RPL_SERVER_ALREADY_LEFT error code, 367
ER_GRP_RPL_SERVER_CONN_ERROR error code, 344
ER_GRP_RPL_SERVER_IS_ALREADY_LEAVING error code, 367
ER_GRP_RPL_SERVER_SET_TO_OFFLINE_MODE_DUE_TO_ERRORS error code, 569
ER_GRP_RPL_SERVER_SET_TO_READ_ONLY_DUE_TO_ERRORS error code, 376
ER_GRP_RPL_SERVER_UDF_ERROR error code, 541
ER_GRP_RPL_SERVER_WORKING_AS_SECONDARY error code, 365
ER_GRP_RPL_SESSION_OPEN_FAILED error code, 349
ER_GRP_RPL_SET_GRP_COMMUNICATION_ENG_LOGGER_FAILED error code, 376
ER_GRP_RPL_SET_MULTI_CONSENSUS_LEADER error code, 611
ER_GRP_RPL_SET_SINGLE_CONSENSUS_LEADER error code, 611
ER_GRP_RPL_SET_STABLE_TRANS_ERROR error code, 346
ER_GRP_RPL_SIDNO_FETCH_ERROR error code, 343
ER_GRP_RPL_SINGLE_PRIM_MODE_NOT_ALLOWED_WITH_UPDATE_EVERYWHERE error code, 372
ER_GRP_RPL_SKIP_COMPUTATION_TRANS_COMMITTED error code, 346
ER_GRP_RPL_SLAVE_APPLIER_THREAD_ERROR_OUT error code, 379
ER_GRP_RPL_SLAVE_APPLIER_THREAD_UNBLOCKED error code, 379
ER_GRP_RPL_SLAVE_IO_THD_PRIMARY_UNKNOWN error code, 353
ER_GRP_RPL_SLAVE_IO_THREAD_ERROR_OUT error code, 379
ER_GRP_RPL_SLAVE_IO_THREAD_UNBLOCKED error code, 379
ER_GRP_RPL_SLAVE_PRESERVE_COMMIT_ORDER_NOT_SET error code, 372
ER_GRP_RPL_SLAVE_SQL_THD_ON_SECONDARY_MEMBER error code, 354
ER_GRP_RPL_SLAVE_SQL_THD_PRIMARY_UNKNOWN error code, 354
ER_GRP_RPL_SLAVE_THREAD_ERROR_ON_CLONE error code, 568
ER_GRP_RPL_SLAVE_THREAD_ERROR_ON_SECONDARY_MEM error code, 607
ER_GRP_RPL_SQL_SERVICE_COMM_SESSION_NOT_INITIALIZE error code, 375
ER_GRP_RPL_SQL_SERVICE_FAILED_TO_FETCH_SECURITY_C error code, 375
ER_GRP_RPL_SQL_SERVICE_FAILED_TO_INIT_SESSION_THRE error code, 375
ER_GRP_RPL_SQL_SERVICE_FAILED_TO_RUN_SQL_QUERY error code, 375
ER_GRP_RPL_SQL_SERVICE_MAX_CONN_ERROR_FROM_SERV error code, 376
ER_GRP_RPL_SQL_SERVICE_RETRIES_EXCEEDED_ON_SESSIO error code, 375
ER_GRP_RPL_SQL_SERVICE_SERVER_ACCESS_DENIED_FOR_ error code, 375
ER_GRP_RPL_SQL_SERVICE_SERVER_ERROR_ON_CONN error code, 376
ER_GRP_RPL_SQL_SERVICE_SERVER_INTERNAL_FAILURE error code, 375
ER_GRP_RPL_SQL_SERVICE_SERVER_SESSION_KILLED error code, 375
ER_GRP_RPL_SRV_BLOCKED error code, 348
ER_GRP_RPL_SRV_BLOCKED_FOR_SECS error code, 348
ER_GRP_RPL_SRV_GTID_WAIT_ERROR error code, 561
ER_GRP_RPL_SRV_NOT_ONLINE error code, 347
ER_GRP_RPL_SRV_ONLINE error code, 347
ER_GRP_RPL_SRV_PRIMARY_MEM error code, 350
ER_GRP_RPL_SRV_SECONDARY_MEM error code, 350
ER_GRP_RPL_SRV_WAIT_TIME_OUT error code, 357
ER_GRP_RPL_SSL_DISABLED error code, 370
ER_GRP_RPL_STARTED_AUTO_REJOIN error code, 558

ER_GRP_RPL_STARTING_GRP_REC error code, 359
ER_GRP_RPL_START_FAILED error code, 351
ER_GRP_RPL_START_GRP_RPL_FAILED error code, 357
ER_GRP_RPL_STOPPING_GRP_REC error code, 359
ER_GRP_RPL_STOP_REP_CHANNEL error code, 378
ER_GRP_RPL_SUPER_READ_OFF error code, 357
ER_GRP_RPL_SUPER_READ_ON error code, 357
ER_GRP_RPL_SUPER_READ_ONLY_ACTIVATE_ERROR error code, 350
ER_GRP_RPL_SUPPORTS_ONLY_ONE_FORCE_MEMBERS_SET error code, 373
ER_GRP_RPL_TIMEOUT_ON_VIEW_AFTER_JOINING_GRP error code, 366
ER_GRP_RPL_TIMEOUT_RECEIVED_VC_LEAVE_ON_REJOIN error code, 590
ER_GRP_RPL_TIMEOUT_RECEIVED_VC_ON_REJOIN error code, 558
ER_GRP_RPL_TIMEOUT_RECEIVING_VIEW_CHANGE_ON_SHUTDOWN error code, 367
ER_GRP_RPL_TRANS_GREATER_THAN_GRP error code, 351
ER_GRP_RPL_TRANS_NOT_PRESENT_IN_GRP error code, 351
ER_GRP_RPL_TRANS_SIZE_EXCEEDS_LIMIT error code, 362
ER_GRP_RPL_TRANS_WRITE_SET_EXTRACTION_NOT_SET error code, 361
ER_GRP_RPL_TRANS_WRITE_SET_EXTRACT_DIFF_FROM_GRP error code, 352
ER_GRP_RPL_TRX_ALREADY_EXISTS_ON_TCM_ON_ALREADY_RECEIVED error code, 550
ER_GRP_RPL_TRX_DOES_NOT_EXIST_ON_TCM_ON_HANDLE_REMOTE_PREPARE error code, 551
ER_GRP_RPL_TRX_WAIT_FOR_GROUP_GTID_EXECUTED error code, 552
ER_GRP_RPL_TRX_WAIT_FOR_GROUP_PREPARE_FAILED error code, 551
ER_GRP_RPL_TRX_WAIT_FOR_SYNC_BEFORE_EXECUTION_FAILED error code, 552
ER_GRP_RPL_UDF_ERROR error code, 131
ER_GRP_RPL_UDF_REGISTER_ERROR error code, 541
ER_GRP_RPL_UDF_REGISTER_SERVICE_ERROR error code, 541
ER_GRP_RPL_UDF_UNREGISTER_ERROR error code, 541
ER_GRP_RPL_UNABLE_TO_CERTIFY_PLUGIN_TRANS error code, 365
ER_GRP_RPL_UNABLE_TO_CONVERT_EVENT_TO_PACKET error code, 378
ER_GRP_RPL_UNABLE_TO_CONVERT_PACKET_TO_EVENT error code, 378
ER_GRP_RPL_UNABLE_TO_ENSURE_EXECUTION_REC error code, 364
ER_GRP_RPL_UNABLE_TO_EVALUATE_APPLIER_STATUS error code, 364
ER_GRP_RPL_UNABLE_TO_INIT_COMMUNICATION_ENGINE error code, 370
ER_GRP_RPL_UNABLE_TO_KILL_CONN_REC_DONOR_APPL error code, 360
ER_GRP_RPL_UNABLE_TO_KILL_CONN_REC_DONOR_FAIL error code, 360
ER_GRP_RPL_UNABLE_TO_RESET_SERVER_READ_MODE error code, 365
ER_GRP_RPL_UNBLOCK_CERTIFIED_TRANS error code, 365
ER_GRP_RPL_UNBLOCK_WAITING_THD error code, 343
ER_GRP_RPL_UNKNOWN_GRP_RPL_APPLIER_PIPELINE_RE error code, 374
ER_GRP_RPL_UNREACHABLE_MAJORITY_TIMEOUT_FOR_M error code, 376
ER_GRP_RPL_UNSUPPORTED_TRANS_ISOLATION error code, 361
ER_GRP_RPL_UPDATE_GRPGTID_EXECUTED_ERROR error code, 344
ER_GRP_RPL_UPDATE_GRPGTID_VIEW_CHANGE_UUID_EX error code, 602
ER_GRP_RPL_UPDATE_GTID_SET_ERROR error code, 346
ER_GRP_RPL_UPDATE_LAST_CONFLICT_FREE_TRANS_ERR error code, 345
ER_GRP_RPL_USE_CERTIFICATE_SERV_CERTIFICATE_FAILED error code, 356
ER_GRP_RPL_WAIT_REMOTE_PREPARE_TRANS_SNAPSHOT_REF_VER_ERR error code, 345
ER_GRP_RPL_UPDATE_TRANS_SNAPSHOT_VER_ERROR error code, 343
ER_GRP_RPL_VIEW_CHANGE_UUID_DIFF_FROM_GRP error code, 602
ER_GRP_RPL_VIEW_CHANGE_UUID_FAIL_GET_VARIABLE error code, 147
ER_GRP_RPL_VIEW_CHANGE_UUID_INVALID error code, 601
ER_GRP_RPL_VIEW_CHANGE_UUID_IS_SAME_AS_ANONYM error code, 601
ER_GRP_RPL_VIEW_CHANGE_UUID_PARSE_ERROR error code, 602
ER_GRP_RPL_VIEW_CHANGE_UUID_SAME_AS_GROUP_NA error code, 601
ER_GRP_RPL_WAITING_FOR_VIEW_UPDATE error code, 367
ER_GRP_RPL_WAIT_FOR_DEPENDENCIES_FAILED error code, 551
ER_GRP_RPL_WHILE_SENDING_MSG_REC error code, 364

ER_GRP_RPL_WHILE_STOPPING_REP_CHANNEL error code, 364
ER_GRP_RPL_WRITE_IDENT_HASH_BASE64_ENCODING_FAILED error code, 360
ER_GRP_RPL_WRITE_TO_BINLOG_CACHE_FAILED error code, 363
ER_GRP_RPL_WRITE_TO_TRANSACTION_MESSAGE_FAILED error code, 363
ER_GRP_TRX_CONSISTENCY_AFTER_ON_TRX_BEGIN error code, 118
ER_GRP_TRX_CONSISTENCY_BEFORE error code, 118
ER_GRP_TRX_CONSISTENCY_BEGIN_NOT_ALLOWED error code, 118
ER_GRP_TRX_CONSISTENCY_NOT_ALLOWED error code, 118
ER_GR_ELECTED_PRIMARY_GTID_INFORMATION error code, 574
ER_GR_HOLD_KILLED error code, 116
ER_GR_HOLD_MEMBER_STATUS_ERROR error code, 117
ER_GR_HOLD_WAIT_TIMEOUT error code, 116
ER_GTID_ALREADY_ADDED_BY_USER error code, 204
ER_GTID_EXECUTED_WAS_CHANGED error code, 63
ER_GTID_EXECUTED_WAS_UPDATED error code, 279
ER_GTID_MODE_CAN_ONLY_CHANGE_ONE_STEP_AT_A_TIME error code, 58
ER_GTID_MODE_OFF error code, 74
ER_GTID_MODE_ON_REQUIRES_ENFORCE_GTID_CONSISTENCY_ON error code, 58
ER_GTID_NEXT_CANT_BE_AUTOMATIC_IF_GTID_NEXT_LIST_IS_NON_NULL error code, 57
ER_GTID_NEXT_TYPE_UNDEFINED_GROUP error code, 63
ER_GTID_NEXT_TYPE_UNDEFINED_GTID error code, 63
ER_GTID_PURGED_WAS_CHANGED error code, 63
ER_GTID_PURGED_WAS_UPDATED error code, 279
ER_GTID_UNSAFE_ALTER_ADD_COL_WITH_DEFAULT_EXPRESSION error code, 116
ER_GTID_UNSAFE_BINLOG_SPLITTABLE_STATEMENT_AND_ASSIGNED_GTID error code, 67
ER_GTID_UNSAFE_BINLOG_SPLITTABLE_STATEMENT_AND_GTID_GROUP error code, 67
ER_GTID_UNSAFE_CREATE_DROP_TEMPORARY_TABLE_IN_TRANSACTION error code, 58
ER_GTID_UNSAFE_CREATE_SELECT error code, 58
ER_GTID_UNSAFE_NON_TRANSACTIONAL_TABLE error code, 58
ER_HANDLERTON_OOM error code, 188
ER_HANDSHAKE_ERROR error code, 6
ER_HEALTH_ERROR error code, 594
ER_HEALTH_INFO error code, 594
ER_HEALTH_WARNING error code, 594
ER_HEALTH_WARNING_DISK_USAGE_LEVEL_1 error code, 595
ER_HEALTH_WARNING_DISK_USAGE_LEVEL_2 error code, 595
ER_HEALTH_WARNING_DISK_USAGE_LEVEL_3 error code, 595
ER_HEALTH_WARNING_MEMORY_USAGE_LEVEL_1 error code, 610
ER_HEALTH_WARNING_MEMORY_USAGE_LEVEL_2 error code, 610
ER_HEALTH_WARNING_MEMORY_USAGE_LEVEL_3 error code, 610
ER_HOSTNAME error code, 35
ER_HOSTNAME_DOESNT_RESOLVE_TO error code, 168
ER_HOSTNAME_RESEMBLES_IPV4 error code, 168
ER_HOSTNAME_TOO_LONG error code, 138
ER_HOSTNAME_TRUNKATED error code, 584
ER_HOST_IS_BLOCKED error code, 12
ER_HOST_NOT_PRIVILEGED error code, 12
ER_HYPERGRAPH_NOT_SUPPORTED_YET error code, 142
ER_IB_BUFFER_POOL_FULL error code, 628
ER_IB_BUFFER_POOL_OVERUSE error code, 628
ER_IB_BULK_FLUSHER_INFO error code, 628
ER_IB_BULK_LOAD_MERGE_FAIL error code, 631
ER_IB_BULK_LOAD_SUBTREE_INFO error code, 628
ER_IB_BULK_LOAD_THREAD_FAIL error code, 631
ER_IB_CANT_UPGRADE_WITH_DISCARDED_TABLESPACES error code, 584
ER_IB_CLONE_GTID_PERSIST error code, 406
ER_IB_CLONE_INTERNAL error code, 404
ER_IB_CLONE_NON_INNODB_TABLE error code, 566
ER_IB_CLONE_OPERATION error code, 566
ER_IB_CLONE_PUNCH_HOLE error code, 405
ER_IB_CLONE_RESTART error code, 566
ER_IB_CLONE_SQL error code, 405
ER_IB_CLONE_START_STOP error code, 566
ER_IB_CLONE_STATUS_FILE error code, 405
ER_IB_CLONE_TIMEOUT error code, 405
ER_IB_CLONE_VALIDATE_DATA error code, 566
ER_IB_CLONE_VALIDATE error code, 405
ER_IB_DBLWR_BYTES_INFO error code, 615
ER_IB_DBLWR_DECOMPRESS_FAILED error code, 591
ER_IB_DBLWR_DECRYPT_FAILED error code, 591
ER_IB_DBLWR_KEY_MISSING error code, 591
ER_IB_DDL_CONVERT_HEAP_NOT_FOUND error code, 640
ER_IB_DICT_INVALID_COLUMN_POSITION error code, 632
ER_IB_DICT_LOG_TABLE_INFO error code, 633

ER_IB_DUPLICATE_KEY error code, 628
ER_IB_ERR_DDL_LOG_INSERT_FAILURE error code, 585
ER_IB_ERR_FOUND_N_DUPLICATE_KEYS error code, 588
ER_IB_ERR_FOUND_N_RECORDS_WRONG_ORDER error code, 588
ER_IB_ERR_INDEX_DUPLICATE_KEY error code, 588
ER_IB_ERR_INDEX_RECORDS_WRONG_ORDER error code, 588
ER_IB_ERR_LOG_PARSING_BUFFER_OVERFLOW error code, 587
ER_IB_ERR_NOT_ENOUGH_MEMORY_FOR_PARSE_BUFFER error code, 587
ER_IB_ERR_PAGE_ARCH_DBLWR_INIT_FAILED error code, 604
ER_IB_ERR_PAGE_ARCH_INVALID_DOUBLE_WRITE_BUF error code, 581
ER_IB_ERR_PAGE_ARCH_INVALID_FORMAT error code, 581
ER_IB_ERR_PAGE_ARCH_RECOVERY_FAILED error code, 581
ER_IB_ERR_PAGE_DIRTY_AT_SHUTDOWN error code, 398
ER_IB_ERR_PARALLEL_READ_OOM error code, 588
ER_IB_ERR_RECOVERY_REDO_DISABLED error code, 583
ER_IB_ERR_SCHED_SETAFFNINITY_FAILED error code, 587
ER_IB_ERR_TEMP_TABLESPACE_DIR_CONTAINS_SEMICOLON error code, 586
ER_IB_ERR_TEMP_TABLESPACE_DIR_DOESNT_EXIST error code, 586
ER_IB_ERR_TEMP_TABLESPACE_DIR_EMPTY error code, 586
ER_IB_ERR_TEMP_TABLESPACE_DIR_SUBDIR_OF_DATADIR error code, 586
ER_IB_ERR_UNKNOWN_PAGE_FETCH_MODE error code, 587
ER_IB_ERR_ZLIB_BUF_ERROR error code, 587
ER_IB_ERR_ZLIB_DATA_ERROR error code, 588
ER_IB_ERR_ZLIB_MEM_ERROR error code, 588
ER_IB_ERR_ZLIB_UNCOMPRESS_FAILED error code, 587
ER_IB_ERR_ZLIB_UNKNOWN_ERROR error code, 588
ER_IB_FAILED_TO_DELETE_TABLESPACE_FILE error code, 586
ER_IB_HIDDEN_NAME_CONFLICT error code, 632
ER_IB_INDEX_BUILDER_DONE error code, 634
ER_IB_INDEX_BUILDER_INIT error code, 634
ER_IB_INDEX_LOADER_DONE error code, 633
ER_IB_INDEX_LOG_VERSION_MISMATCH error code, 634
ER_IB_INDEX_PART_TOO_LONG error code, 642
ER_IB_INNODB_TBSP_OUT_OF_SPACE error code, 595
ER_IB_INSTANT_ADD_DROP_COLUMN_NOT_ALLOWED error code, 643
ER_IB_INSTANT_ADD_NOT_POSSIBLE error code, 643
ER_IB_LOAD_BULK_CONCURRENCY_REDUCED error code, 631
ER_IB_LOB_ROLLBACK_INDEX_LEN error code, 572
ER_IB_LOCK_VALIDATE_LATCH_ORDER_VIOLATION error code, 585
ER_IB_LONG_AHI_DISABLE_WAIT error code, 408
ER_IB_MSG_0 error code, 389
ER_IB_MSG_1 error code, 389
ER_IB_MSG_10 error code, 390
ER_IB_MSG_100 error code, 399
ER_IB_MSG_1000 error code, 494
ER_IB_MSG_1001 error code, 494
ER_IB_MSG_1002 error code, 494
ER_IB_MSG_1003 error code, 494
ER_IB_MSG_1004 error code, 494
ER_IB_MSG_1005 error code, 494
ER_IB_MSG_1006 error code, 494
ER_IB_MSG_1007 error code, 495
ER_IB_MSG_1008 error code, 495
ER_IB_MSG_1009 error code, 495
ER_IB_MSG_101 error code, 400
ER_IB_MSG_1010 error code, 495
ER_IB_MSG_1011 error code, 495
ER_IB_MSG_1012 error code, 495
ER_IB_MSG_1013 error code, 495
ER_IB_MSG_1014 error code, 495
ER_IB_MSG_1015 error code, 495
ER_IB_MSG_1016 error code, 495
ER_IB_MSG_1017 error code, 496
ER_IB_MSG_1018 error code, 496
ER_IB_MSG_1019 error code, 496
ER_IB_MSG_102 error code, 400
ER_IB_MSG_1020 error code, 496
ER_IB_MSG_1021 error code, 496
ER_IB_MSG_1022 error code, 496
ER_IB_MSG_1023 error code, 496
ER_IB_MSG_1024 error code, 496
ER_IB_MSG_1025 error code, 496
ER_IB_MSG_1026 error code, 496
ER_IB_MSG_1027 error code, 497
ER_IB_MSG_1028 error code, 497
ER_IB_MSG_1029 error code, 497
ER_IB_MSG_103 error code, 400
ER_IB_MSG_1030 error code, 497
ER_IB_MSG_1031 error code, 497
ER_IB_MSG_1032 error code, 497
ER_IB_MSG_1033 error code, 497
ER_IB_MSG_1034 error code, 497

ER_IB_MSG_1035 error code, 497
ER_IB_MSG_1036 error code, 497
ER_IB_MSG_1037 error code, 498
ER_IB_MSG_1038 error code, 498
ER_IB_MSG_1039 error code, 498
ER_IB_MSG_104 error code, 400
ER_IB_MSG_1040 error code, 498
ER_IB_MSG_1041 error code, 498
ER_IB_MSG_1042 error code, 498
ER_IB_MSG_1043 error code, 498
ER_IB_MSG_1044 error code, 498
ER_IB_MSG_1045 error code, 498
ER_IB_MSG_1046 error code, 498
ER_IB_MSG_1047 error code, 499
ER_IB_MSG_1048 error code, 499
ER_IB_MSG_1049 error code, 499
ER_IB_MSG_105 error code, 400
ER_IB_MSG_1050 error code, 499
ER_IB_MSG_1051 error code, 499
ER_IB_MSG_1052 error code, 499
ER_IB_MSG_1053 error code, 499
ER_IB_MSG_1054 error code, 499
ER_IB_MSG_1055 error code, 499
ER_IB_MSG_1056 error code, 500
ER_IB_MSG_1057 error code, 500
ER_IB_MSG_1058 error code, 500
ER_IB_MSG_1059 error code, 500
ER_IB_MSG_106 error code, 400
ER_IB_MSG_1060 error code, 500
ER_IB_MSG_1061 error code, 500
ER_IB_MSG_1062 error code, 500
ER_IB_MSG_1063 error code, 500
ER_IB_MSG_1064 error code, 501
ER_IB_MSG_1065 error code, 501
ER_IB_MSG_1066 error code, 501
ER_IB_MSG_1067 error code, 501
ER_IB_MSG_1068 error code, 501
ER_IB_MSG_1069 error code, 501
ER_IB_MSG_107 error code, 400
ER_IB_MSG_1070 error code, 502
ER_IB_MSG_1071 error code, 502
ER_IB_MSG_1072 error code, 502
ER_IB_MSG_1073 error code, 502
ER_IB_MSG_1074 error code, 502
ER_IB_MSG_1075 error code, 502
ER_IB_MSG_1076 error code, 502
ER_IB_MSG_1077 error code, 502
ER_IB_MSG_1078 error code, 502
ER_IB_MSG_1079 error code, 503
ER_IB_MSG_108 error code, 400
ER_IB_MSG_1080 error code, 503
ER_IB_MSG_1081 error code, 503
ER_IB_MSG_1082 error code, 503
ER_IB_MSG_1083 error code, 503
ER_IB_MSG_1084 error code, 503
ER_IB_MSG_1085 error code, 503
ER_IB_MSG_1086 error code, 503
ER_IB_MSG_1087 error code, 504
ER_IB_MSG_1088 error code, 504
ER_IB_MSG_1089 error code, 504
ER_IB_MSG_109 error code, 400
ER_IB_MSG_1090 error code, 504
ER_IB_MSG_1091 error code, 504
ER_IB_MSG_1092 error code, 504
ER_IB_MSG_1093 error code, 504
ER_IB_MSG_1094 error code, 504
ER_IB_MSG_1095 error code, 504
ER_IB_MSG_1096 error code, 504
ER_IB_MSG_1097 error code, 505
ER_IB_MSG_1098 error code, 505
ER_IB_MSG_1099 error code, 505
ER_IB_MSG_11 error code, 390
ER_IB_MSG_110 error code, 400
ER_IB_MSG_1100 error code, 505
ER_IB_MSG_1101 error code, 505
ER_IB_MSG_1102 error code, 505
ER_IB_MSG_1103 error code, 505
ER_IB_MSG_1104 error code, 505
ER_IB_MSG_1105 error code, 505
ER_IB_MSG_1106 error code, 505
ER_IB_MSG_1107 error code, 506
ER_IB_MSG_1108 error code, 506
ER_IB_MSG_1109 error code, 506
ER_IB_MSG_111 error code, 401
ER_IB_MSG_1110 error code, 506
ER_IB_MSG_1111 error code, 506
ER_IB_MSG_1112 error code, 506
ER_IB_MSG_1113 error code, 506
ER_IB_MSG_1114 error code, 506
ER_IB_MSG_1115 error code, 506
ER_IB_MSG_1116 error code, 507
ER_IB_MSG_1117 error code, 507
ER_IB_MSG_1118 error code, 507
ER_IB_MSG_1119 error code, 507
ER_IB_MSG_112 error code, 401
ER_IB_MSG_1120 error code, 507
ER_IB_MSG_1121 error code, 507
ER_IB_MSG_1122 error code, 507
ER_IB_MSG_1123 error code, 507
ER_IB_MSG_1124 error code, 507
ER_IB_MSG_1125 error code, 508
ER_IB_MSG_1126 error code, 508
ER_IB_MSG_1127 error code, 508
ER_IB_MSG_1128 error code, 508
ER_IB_MSG_1129 error code, 508
ER_IB_MSG_113 error code, 401
ER_IB_MSG_1130 error code, 508
ER_IB_MSG_1131 error code, 508

ER_IB_MSG_1132 error code, 508
ER_IB_MSG_1133 error code, 508
ER_IB_MSG_1134 error code, 509
ER_IB_MSG_1135 error code, 509
ER_IB_MSG_1136 error code, 509
ER_IB_MSG_1137 error code, 509
ER_IB_MSG_1138 error code, 509
ER_IB_MSG_1139 error code, 510
ER_IB_MSG_114 error code, 401
ER_IB_MSG_1140 error code, 510
ER_IB_MSG_1141 error code, 510
ER_IB_MSG_1142 error code, 510
ER_IB_MSG_1143 error code, 510
ER_IB_MSG_1144 error code, 510
ER_IB_MSG_1145 error code, 511
ER_IB_MSG_1146 error code, 511
ER_IB_MSG_1147 error code, 511
ER_IB_MSG_1148 error code, 511
ER_IB_MSG_1149 error code, 511
ER_IB_MSG_115 error code, 401
ER_IB_MSG_1150 error code, 511
ER_IB_MSG_1151 error code, 511
ER_IB_MSG_1152 error code, 511
ER_IB_MSG_1153 error code, 511
ER_IB_MSG_1154 error code, 512
ER_IB_MSG_1155 error code, 512
ER_IB_MSG_1156 error code, 512
ER_IB_MSG_1157 error code, 512
ER_IB_MSG_1158 error code, 512
ER_IB_MSG_1159 error code, 512
ER_IB_MSG_116 error code, 401
ER_IB_MSG_1160 error code, 512
ER_IB_MSG_1161 error code, 512
ER_IB_MSG_1162 error code, 512
ER_IB_MSG_1163 error code, 512
ER_IB_MSG_1164 error code, 513
ER_IB_MSG_1165 error code, 513
ER_IB_MSG_1166 error code, 513
ER_IB_MSG_1167 error code, 513
ER_IB_MSG_1168 error code, 513
ER_IB_MSG_1169 error code, 513
ER_IB_MSG_117 error code, 401
ER_IB_MSG_1170 error code, 513
ER_IB_MSG_1171 error code, 514
ER_IB_MSG_1172 error code, 514
ER_IB_MSG_1173 error code, 514
ER_IB_MSG_1174 error code, 514
ER_IB_MSG_1175 error code, 514
ER_IB_MSG_1176 error code, 514
ER_IB_MSG_1177 error code, 515
ER_IB_MSG_1178 error code, 515
ER_IB_MSG_1179 error code, 515
ER_IB_MSG_118 error code, 401
ER_IB_MSG_1180 error code, 515
ER_IB_MSG_1181 error code, 515
ER_IB_MSG_1182 error code, 515
ER_IB_MSG_1183 error code, 515
ER_IB_MSG_1184 error code, 515
ER_IB_MSG_1185 error code, 515
ER_IB_MSG_1186 error code, 515
ER_IB_MSG_1187 error code, 516
ER_IB_MSG_1188 error code, 516
ER_IB_MSG_1189 error code, 516
ER_IB_MSG_119 error code, 401
ER_IB_MSG_1190 error code, 516
ER_IB_MSG_1191 error code, 516
ER_IB_MSG_1192 error code, 516
ER_IB_MSG_1193 error code, 516
ER_IB_MSG_1194 error code, 516
ER_IB_MSG_1195 error code, 516
ER_IB_MSG_1196 error code, 517
ER_IB_MSG_1197 error code, 517
ER_IB_MSG_1198 error code, 517
ER_IB_MSG_1199 error code, 517
ER_IB_MSG_12 error code, 391
ER_IB_MSG_120 error code, 401
ER_IB_MSG_1200 error code, 517
ER_IB_MSG_1201 error code, 517
ER_IB_MSG_1202 error code, 517
ER_IB_MSG_1203 error code, 517
ER_IB_MSG_1204 error code, 517
ER_IB_MSG_1205 error code, 517
ER_IB_MSG_1206 error code, 518
ER_IB_MSG_1207 error code, 518
ER_IB_MSG_1208 error code, 518
ER_IB_MSG_1209 error code, 518
ER_IB_MSG_121 error code, 402
ER_IB_MSG_1210 error code, 518
ER_IB_MSG_1211 error code, 518
ER_IB_MSG_1212 error code, 518
ER_IB_MSG_1213 error code, 518
ER_IB_MSG_1214 error code, 518
ER_IB_MSG_1215 error code, 518
ER_IB_MSG_1216 error code, 519
ER_IB_MSG_1217 error code, 519
ER_IB_MSG_1218 error code, 519
ER_IB_MSG_1219 error code, 519
ER_IB_MSG_122 error code, 402
ER_IB_MSG_1220 error code, 519
ER_IB_MSG_1221 error code, 519
ER_IB_MSG_1222 error code, 519
ER_IB_MSG_1223 error code, 519
ER_IB_MSG_1224 error code, 520
ER_IB_MSG_1225 error code, 520
ER_IB_MSG_1226 error code, 520
ER_IB_MSG_1227 error code, 520
ER_IB_MSG_1228 error code, 520
ER_IB_MSG_1229 error code, 520

ER_IB_MSG_123 error code, 402
ER_IB_MSG_1230 error code, 520
ER_IB_MSG_1231 error code, 520
ER_IB_MSG_1232 error code, 520
ER_IB_MSG_1233 error code, 520
ER_IB_MSG_1234 error code, 521
ER_IB_MSG_1235 error code, 521
ER_IB_MSG_1236 error code, 521
ER_IB_MSG_1237 error code, 521
ER_IB_MSG_1238 error code, 521
ER_IB_MSG_1239 error code, 521
ER_IB_MSG_124 error code, 402
ER_IB_MSG_1240 error code, 522
ER_IB_MSG_1241 error code, 522
ER_IB_MSG_1242 error code, 522
ER_IB_MSG_1243 error code, 522
ER_IB_MSG_1244 error code, 522
ER_IB_MSG_1245 error code, 522
ER_IB_MSG_1246 error code, 522
ER_IB_MSG_1247 error code, 522
ER_IB_MSG_1248 error code, 523
ER_IB_MSG_1249 error code, 523
ER_IB_MSG_125 error code, 402
ER_IB_MSG_1250 error code, 523
ER_IB_MSG_1251 error code, 523
ER_IB_MSG_1252 error code, 523
ER_IB_MSG_1253 error code, 523
ER_IB_MSG_1254 error code, 523
ER_IB_MSG_1255 error code, 523
ER_IB_MSG_1256 error code, 523
ER_IB_MSG_1257 error code, 524
ER_IB_MSG_1258 error code, 524
ER_IB_MSG_1259 error code, 524
ER_IB_MSG_126 error code, 402
ER_IB_MSG_1260 error code, 524
ER_IB_MSG_1261 error code, 524
ER_IB_MSG_1262 error code, 524
ER_IB_MSG_1263 error code, 524
ER_IB_MSG_1264 error code, 524
ER_IB_MSG_1265 error code, 524
ER_IB_MSG_1266 error code, 525
ER_IB_MSG_1267 error code, 525
ER_IB_MSG_1268 error code, 525
ER_IB_MSG_1269 error code, 525
ER_IB_MSG_127 error code, 402
ER_IB_MSG_1270 error code, 525
ER_IB_MSG_1271 error code, 535
ER_IB_MSG_1272 error code, 535
ER_IB_MSG_1273 error code, 536
ER_IB_MSG_1274 error code, 537
ER_IB_MSG_1275 error code, 537
ER_IB_MSG_1276 error code, 537
ER_IB_MSG_1277 error code, 538
ER_IB_MSG_1278 error code, 538
ER_IB_MSG_1279 error code, 538
ER_IB_MSG_128 error code, 402
ER_IB_MSG_1280 error code, 538
ER_IB_MSG_1281 error code, 538
ER_IB_MSG_1282 error code, 538
ER_IB_MSG_1283 error code, 538
ER_IB_MSG_1284 error code, 538
ER_IB_MSG_1285 error code, 563
ER_IB_MSG_129 error code, 402
ER_IB_MSG_13 error code, 391
ER_IB_MSG_130 error code, 402
ER_IB_MSG_131 error code, 403
ER_IB_MSG_132 error code, 403
ER_IB_MSG_133 error code, 403
ER_IB_MSG_134 error code, 403
ER_IB_MSG_135 error code, 403
ER_IB_MSG_1357 error code, 585
ER_IB_MSG_1358 error code, 585
ER_IB_MSG_1359 error code, 585
ER_IB_MSG_136 error code, 403
ER_IB_MSG_137 error code, 403
ER_IB_MSG_1372 error code, 587
ER_IB_MSG_1373 error code, 587
ER_IB_MSG_1374 error code, 587
ER_IB_MSG_1375 error code, 587
ER_IB_MSG_138 error code, 403
ER_IB_MSG_1381 error code, 588
ER_IB_MSG_139 error code, 403
ER_IB_MSG_14 error code, 391
ER_IB_MSG_140 error code, 403
ER_IB_MSG_141 error code, 404
ER_IB_MSG_142 error code, 404
ER_IB_MSG_143 error code, 404
ER_IB_MSG_144 error code, 404
ER_IB_MSG_145 error code, 404
ER_IB_MSG_146 error code, 404
ER_IB_MSG_147 error code, 404
ER_IB_MSG_148 error code, 404
ER_IB_MSG_149 error code, 404
ER_IB_MSG_15 error code, 391
ER_IB_MSG_150 error code, 405
ER_IB_MSG_151 error code, 405
ER_IB_MSG_152 error code, 405
ER_IB_MSG_153 error code, 405
ER_IB_MSG_154 error code, 405
ER_IB_MSG_155 error code, 406
ER_IB_MSG_156 error code, 406
ER_IB_MSG_157 error code, 406
ER_IB_MSG_158 error code, 406
ER_IB_MSG_159 error code, 406
ER_IB_MSG_16 error code, 391
ER_IB_MSG_160 error code, 406
ER_IB_MSG_161 error code, 406
ER_IB_MSG_162 error code, 406

ER_IB_MSG_163 error code, 406
ER_IB_MSG_164 error code, 407
ER_IB_MSG_165 error code, 407
ER_IB_MSG_166 error code, 407
ER_IB_MSG_167 error code, 407
ER_IB_MSG_168 error code, 407
ER_IB_MSG_169 error code, 407
ER_IB_MSG_17 error code, 391
ER_IB_MSG_170 error code, 407
ER_IB_MSG_171 error code, 407
ER_IB_MSG_172 error code, 407
ER_IB_MSG_173 error code, 407
ER_IB_MSG_174 error code, 408
ER_IB_MSG_175 error code, 408
ER_IB_MSG_176 error code, 408
ER_IB_MSG_177 error code, 408
ER_IB_MSG_178 error code, 408
ER_IB_MSG_179 error code, 408
ER_IB_MSG_18 error code, 391
ER_IB_MSG_180 error code, 408
ER_IB_MSG_181 error code, 408
ER_IB_MSG_182 error code, 408
ER_IB_MSG_183 error code, 409
ER_IB_MSG_184 error code, 409
ER_IB_MSG_185 error code, 409
ER_IB_MSG_186 error code, 409
ER_IB_MSG_187 error code, 409
ER_IB_MSG_188 error code, 409
ER_IB_MSG_189 error code, 409
ER_IB_MSG_19 error code, 391
ER_IB_MSG_190 error code, 409
ER_IB_MSG_191 error code, 409
ER_IB_MSG_192 error code, 409
ER_IB_MSG_193 error code, 410
ER_IB_MSG_194 error code, 410
ER_IB_MSG_195 error code, 410
ER_IB_MSG_196 error code, 410
ER_IB_MSG_197 error code, 410
ER_IB_MSG_198 error code, 410
ER_IB_MSG_199 error code, 410
ER_IB_MSG_2 error code, 390
ER_IB_MSG_20 error code, 391
ER_IB_MSG_200 error code, 410
ER_IB_MSG_201 error code, 410
ER_IB_MSG_202 error code, 410
ER_IB_MSG_203 error code, 411
ER_IB_MSG_204 error code, 411
ER_IB_MSG_205 error code, 411
ER_IB_MSG_206 error code, 411
ER_IB_MSG_207 error code, 411
ER_IB_MSG_208 error code, 411
ER_IB_MSG_209 error code, 411
ER_IB_MSG_21 error code, 391
ER_IB_MSG_210 error code, 411
ER_IB_MSG_211 error code, 411
ER_IB_MSG_212 error code, 411
ER_IB_MSG_213 error code, 412
ER_IB_MSG_214 error code, 412
ER_IB_MSG_215 error code, 412
ER_IB_MSG_216 error code, 412
ER_IB_MSG_217 error code, 412
ER_IB_MSG_218 error code, 412
ER_IB_MSG_219 error code, 412
ER_IB_MSG_22 error code, 392
ER_IB_MSG_220 error code, 412
ER_IB_MSG_221 error code, 412
ER_IB_MSG_222 error code, 412
ER_IB_MSG_223 error code, 413
ER_IB_MSG_224 error code, 413
ER_IB_MSG_225 error code, 413
ER_IB_MSG_226 error code, 413
ER_IB_MSG_227 error code, 413
ER_IB_MSG_228 error code, 413
ER_IB_MSG_229 error code, 413
ER_IB_MSG_23 error code, 392
ER_IB_MSG_230 error code, 413
ER_IB_MSG_231 error code, 413
ER_IB_MSG_232 error code, 413
ER_IB_MSG_233 error code, 414
ER_IB_MSG_234 error code, 414
ER_IB_MSG_235 error code, 414
ER_IB_MSG_236 error code, 414
ER_IB_MSG_237 error code, 414
ER_IB_MSG_238 error code, 414
ER_IB_MSG_239 error code, 414
ER_IB_MSG_24 error code, 392
ER_IB_MSG_240 error code, 414
ER_IB_MSG_241 error code, 414
ER_IB_MSG_242 error code, 414
ER_IB_MSG_243 error code, 415
ER_IB_MSG_244 error code, 415
ER_IB_MSG_245 error code, 415
ER_IB_MSG_246 error code, 415
ER_IB_MSG_247 error code, 415
ER_IB_MSG_248 error code, 415
ER_IB_MSG_249 error code, 415
ER_IB_MSG_25 error code, 392
ER_IB_MSG_250 error code, 415
ER_IB_MSG_251 error code, 415
ER_IB_MSG_252 error code, 415
ER_IB_MSG_253 error code, 416
ER_IB_MSG_254 error code, 416
ER_IB_MSG_255 error code, 416
ER_IB_MSG_256 error code, 416
ER_IB_MSG_257 error code, 416
ER_IB_MSG_258 error code, 416
ER_IB_MSG_259 error code, 416
ER_IB_MSG_26 error code, 392

ER_IB_MSG_260 error code, 416
ER_IB_MSG_261 error code, 416
ER_IB_MSG_262 error code, 416
ER_IB_MSG_263 error code, 417
ER_IB_MSG_264 error code, 417
ER_IB_MSG_265 error code, 417
ER_IB_MSG_266 error code, 417
ER_IB_MSG_267 error code, 417
ER_IB_MSG_268 error code, 417
ER_IB_MSG_269 error code, 417
ER_IB_MSG_27 error code, 392
ER_IB_MSG_270 error code, 417
ER_IB_MSG_271 error code, 417
ER_IB_MSG_272 error code, 417
ER_IB_MSG_273 error code, 418
ER_IB_MSG_274 error code, 418
ER_IB_MSG_275 error code, 418
ER_IB_MSG_276 error code, 418
ER_IB_MSG_277 error code, 418
ER_IB_MSG_278 error code, 418
ER_IB_MSG_279 error code, 418
ER_IB_MSG_28 error code, 392
ER_IB_MSG_280 error code, 418
ER_IB_MSG_281 error code, 418
ER_IB_MSG_282 error code, 418
ER_IB_MSG_283 error code, 419
ER_IB_MSG_284 error code, 419
ER_IB_MSG_285 error code, 419
ER_IB_MSG_286 error code, 419
ER_IB_MSG_287 error code, 419
ER_IB_MSG_288 error code, 419
ER_IB_MSG_289 error code, 419
ER_IB_MSG_29 error code, 392
ER_IB_MSG_290 error code, 419
ER_IB_MSG_291 error code, 420
ER_IB_MSG_292 error code, 420
ER_IB_MSG_293 error code, 420
ER_IB_MSG_294 error code, 420
ER_IB_MSG_295 error code, 420
ER_IB_MSG_296 error code, 420
ER_IB_MSG_297 error code, 420
ER_IB_MSG_298 error code, 420
ER_IB_MSG_299 error code, 420
ER_IB_MSG_3 error code, 390
ER_IB_MSG_30 error code, 392
ER_IB_MSG_300 error code, 421
ER_IB_MSG_301 error code, 421
ER_IB_MSG_302 error code, 421
ER_IB_MSG_303 error code, 421
ER_IB_MSG_304 error code, 421
ER_IB_MSG_305 error code, 421
ER_IB_MSG_306 error code, 421
ER_IB_MSG_307 error code, 422
ER_IB_MSG_308 error code, 422
ER_IB_MSG_309 error code, 422
ER_IB_MSG_31 error code, 392
ER_IB_MSG_310 error code, 422
ER_IB_MSG_311 error code, 422
ER_IB_MSG_312 error code, 422
ER_IB_MSG_313 error code, 422
ER_IB_MSG_314 error code, 422
ER_IB_MSG_315 error code, 422
ER_IB_MSG_316 error code, 422
ER_IB_MSG_317 error code, 423
ER_IB_MSG_318 error code, 423
ER_IB_MSG_319 error code, 423
ER_IB_MSG_32 error code, 393
ER_IB_MSG_320 error code, 423
ER_IB_MSG_321 error code, 423
ER_IB_MSG_322 error code, 423
ER_IB_MSG_323 error code, 423
ER_IB_MSG_324 error code, 423
ER_IB_MSG_325 error code, 423
ER_IB_MSG_326 error code, 423
ER_IB_MSG_327 error code, 424
ER_IB_MSG_328 error code, 424
ER_IB_MSG_329 error code, 424
ER_IB_MSG_33 error code, 393
ER_IB_MSG_330 error code, 424
ER_IB_MSG_331 error code, 424
ER_IB_MSG_332 error code, 424
ER_IB_MSG_333 error code, 424
ER_IB_MSG_334 error code, 424
ER_IB_MSG_335 error code, 424
ER_IB_MSG_336 error code, 424
ER_IB_MSG_337 error code, 425
ER_IB_MSG_338 error code, 425
ER_IB_MSG_339 error code, 425
ER_IB_MSG_34 error code, 393
ER_IB_MSG_340 error code, 425
ER_IB_MSG_341 error code, 425
ER_IB_MSG_342 error code, 425
ER_IB_MSG_343 error code, 425
ER_IB_MSG_344 error code, 425
ER_IB_MSG_345 error code, 425
ER_IB_MSG_346 error code, 425
ER_IB_MSG_347 error code, 426
ER_IB_MSG_348 error code, 426
ER_IB_MSG_349 error code, 426
ER_IB_MSG_35 error code, 393
ER_IB_MSG_350 error code, 426
ER_IB_MSG_351 error code, 426
ER_IB_MSG_352 error code, 426
ER_IB_MSG_353 error code, 426
ER_IB_MSG_354 error code, 426
ER_IB_MSG_355 error code, 426
ER_IB_MSG_356 error code, 427
ER_IB_MSG_357 error code, 427

ER_IB_MSG_358 error code, 427
ER_IB_MSG_359 error code, 427
ER_IB_MSG_36 error code, 393
ER_IB_MSG_360 error code, 427
ER_IB_MSG_361 error code, 427
ER_IB_MSG_362 error code, 427
ER_IB_MSG_363 error code, 427
ER_IB_MSG_364 error code, 427
ER_IB_MSG_365 error code, 427
ER_IB_MSG_366 error code, 428
ER_IB_MSG_367 error code, 428
ER_IB_MSG_368 error code, 428
ER_IB_MSG_369 error code, 428
ER_IB_MSG_37 error code, 393
ER_IB_MSG_370 error code, 428
ER_IB_MSG_371 error code, 428
ER_IB_MSG_372 error code, 428
ER_IB_MSG_373 error code, 428
ER_IB_MSG_374 error code, 428
ER_IB_MSG_375 error code, 429
ER_IB_MSG_376 error code, 429
ER_IB_MSG_377 error code, 429
ER_IB_MSG_378 error code, 429
ER_IB_MSG_379 error code, 429
ER_IB_MSG_38 error code, 393
ER_IB_MSG_380 error code, 429
ER_IB_MSG_381 error code, 429
ER_IB_MSG_382 error code, 429
ER_IB_MSG_383 error code, 429
ER_IB_MSG_384 error code, 429
ER_IB_MSG_385 error code, 430
ER_IB_MSG_386 error code, 430
ER_IB_MSG_387 error code, 430
ER_IB_MSG_388 error code, 430
ER_IB_MSG_389 error code, 430
ER_IB_MSG_39 error code, 393
ER_IB_MSG_390 error code, 430
ER_IB_MSG_391 error code, 430
ER_IB_MSG_392 error code, 430
ER_IB_MSG_393 error code, 431
ER_IB_MSG_394 error code, 431
ER_IB_MSG_395 error code, 431
ER_IB_MSG_396 error code, 431
ER_IB_MSG_397 error code, 431
ER_IB_MSG_398 error code, 431
ER_IB_MSG_399 error code, 431
ER_IB_MSG_4 error code, 390
ER_IB_MSG_40 error code, 393
ER_IB_MSG_400 error code, 431
ER_IB_MSG_401 error code, 431
ER_IB_MSG_402 error code, 431
ER_IB_MSG_403 error code, 432
ER_IB_MSG_404 error code, 432
ER_IB_MSG_405 error code, 432
ER_IB_MSG_406 error code, 432
ER_IB_MSG_407 error code, 432
ER_IB_MSG_408 error code, 432
ER_IB_MSG_409 error code, 432
ER_IB_MSG_41 error code, 393
ER_IB_MSG_410 error code, 432
ER_IB_MSG_411 error code, 432
ER_IB_MSG_412 error code, 432
ER_IB_MSG_413 error code, 433
ER_IB_MSG_414 error code, 433
ER_IB_MSG_415 error code, 433
ER_IB_MSG_416 error code, 433
ER_IB_MSG_417 error code, 433
ER_IB_MSG_418 error code, 433
ER_IB_MSG_419 error code, 433
ER_IB_MSG_42 error code, 394
ER_IB_MSG_420 error code, 433
ER_IB_MSG_421 error code, 433
ER_IB_MSG_422 error code, 433
ER_IB_MSG_423 error code, 434
ER_IB_MSG_424 error code, 434
ER_IB_MSG_425 error code, 434
ER_IB_MSG_426 error code, 434
ER_IB_MSG_427 error code, 434
ER_IB_MSG_428 error code, 434
ER_IB_MSG_429 error code, 434
ER_IB_MSG_43 error code, 394
ER_IB_MSG_430 error code, 434
ER_IB_MSG_431 error code, 434
ER_IB_MSG_432 error code, 434
ER_IB_MSG_433 error code, 435
ER_IB_MSG_434 error code, 435
ER_IB_MSG_435 error code, 435
ER_IB_MSG_436 error code, 435
ER_IB_MSG_437 error code, 435
ER_IB_MSG_438 error code, 435
ER_IB_MSG_439 error code, 435
ER_IB_MSG_44 error code, 394
ER_IB_MSG_440 error code, 435
ER_IB_MSG_441 error code, 435
ER_IB_MSG_442 error code, 435
ER_IB_MSG_443 error code, 436
ER_IB_MSG_444 error code, 436
ER_IB_MSG_445 error code, 436
ER_IB_MSG_446 error code, 436
ER_IB_MSG_447 error code, 436
ER_IB_MSG_448 error code, 436
ER_IB_MSG_449 error code, 436
ER_IB_MSG_45 error code, 394
ER_IB_MSG_450 error code, 436
ER_IB_MSG_451 error code, 436
ER_IB_MSG_452 error code, 436
ER_IB_MSG_453 error code, 437
ER_IB_MSG_454 error code, 437

ER_IB_MSG_455 error code, 437
ER_IB_MSG_456 error code, 437
ER_IB_MSG_457 error code, 437
ER_IB_MSG_458 error code, 437
ER_IB_MSG_459 error code, 437
ER_IB_MSG_46 error code, 394
ER_IB_MSG_460 error code, 437
ER_IB_MSG_461 error code, 437
ER_IB_MSG_462 error code, 437
ER_IB_MSG_463 error code, 438
ER_IB_MSG_464 error code, 438
ER_IB_MSG_465 error code, 438
ER_IB_MSG_466 error code, 438
ER_IB_MSG_467 error code, 438
ER_IB_MSG_468 error code, 438
ER_IB_MSG_469 error code, 438
ER_IB_MSG_47 error code, 394
ER_IB_MSG_470 error code, 438
ER_IB_MSG_471 error code, 438
ER_IB_MSG_472 error code, 438
ER_IB_MSG_473 error code, 439
ER_IB_MSG_474 error code, 439
ER_IB_MSG_475 error code, 439
ER_IB_MSG_476 error code, 439
ER_IB_MSG_477 error code, 439
ER_IB_MSG_478 error code, 439
ER_IB_MSG_479 error code, 439
ER_IB_MSG_48 error code, 394
ER_IB_MSG_480 error code, 439
ER_IB_MSG_481 error code, 439
ER_IB_MSG_482 error code, 439
ER_IB_MSG_483 error code, 440
ER_IB_MSG_484 error code, 440
ER_IB_MSG_485 error code, 440
ER_IB_MSG_486 error code, 440
ER_IB_MSG_487 error code, 440
ER_IB_MSG_488 error code, 440
ER_IB_MSG_489 error code, 440
ER_IB_MSG_49 error code, 394
ER_IB_MSG_490 error code, 440
ER_IB_MSG_491 error code, 440
ER_IB_MSG_492 error code, 440
ER_IB_MSG_493 error code, 441
ER_IB_MSG_494 error code, 441
ER_IB_MSG_495 error code, 441
ER_IB_MSG_496 error code, 441
ER_IB_MSG_497 error code, 441
ER_IB_MSG_498 error code, 441
ER_IB_MSG_499 error code, 441
ER_IB_MSG_5 error code, 390
ER_IB_MSG_50 error code, 394
ER_IB_MSG_500 error code, 441
ER_IB_MSG_501 error code, 441
ER_IB_MSG_502 error code, 441
ER_IB_MSG_503 error code, 442
ER_IB_MSG_504 error code, 442
ER_IB_MSG_505 error code, 442
ER_IB_MSG_506 error code, 442
ER_IB_MSG_507 error code, 442
ER_IB_MSG_508 error code, 442
ER_IB_MSG_509 error code, 442
ER_IB_MSG_51 error code, 394
ER_IB_MSG_510 error code, 442
ER_IB_MSG_511 error code, 442
ER_IB_MSG_512 error code, 442
ER_IB_MSG_513 error code, 443
ER_IB_MSG_514 error code, 443
ER_IB_MSG_515 error code, 443
ER_IB_MSG_516 error code, 443
ER_IB_MSG_517 error code, 443
ER_IB_MSG_518 error code, 443
ER_IB_MSG_519 error code, 443
ER_IB_MSG_52 error code, 395
ER_IB_MSG_520 error code, 443
ER_IB_MSG_521 error code, 443
ER_IB_MSG_522 error code, 443
ER_IB_MSG_523 error code, 444
ER_IB_MSG_524 error code, 444
ER_IB_MSG_525 error code, 444
ER_IB_MSG_526 error code, 444
ER_IB_MSG_527 error code, 444
ER_IB_MSG_528 error code, 444
ER_IB_MSG_529 error code, 444
ER_IB_MSG_53 error code, 395
ER_IB_MSG_530 error code, 444
ER_IB_MSG_531 error code, 444
ER_IB_MSG_532 error code, 444
ER_IB_MSG_533 error code, 445
ER_IB_MSG_534 error code, 445
ER_IB_MSG_535 error code, 445
ER_IB_MSG_536 error code, 445
ER_IB_MSG_537 error code, 445
ER_IB_MSG_538 error code, 445
ER_IB_MSG_539 error code, 445
ER_IB_MSG_54 error code, 395
ER_IB_MSG_540 error code, 445
ER_IB_MSG_541 error code, 445
ER_IB_MSG_542 error code, 445
ER_IB_MSG_543 error code, 446
ER_IB_MSG_544 error code, 446
ER_IB_MSG_545 error code, 446
ER_IB_MSG_546 error code, 446
ER_IB_MSG_547 error code, 446
ER_IB_MSG_548 error code, 446
ER_IB_MSG_549 error code, 446
ER_IB_MSG_55 error code, 395
ER_IB_MSG_550 error code, 446
ER_IB_MSG_551 error code, 446

ER_IB_MSG_552 error code, 446
ER_IB_MSG_553 error code, 447
ER_IB_MSG_554 error code, 447
ER_IB_MSG_555 error code, 447
ER_IB_MSG_556 error code, 447
ER_IB_MSG_557 error code, 447
ER_IB_MSG_558 error code, 447
ER_IB_MSG_559 error code, 447
ER_IB_MSG_56 error code, 395
ER_IB_MSG_560 error code, 447
ER_IB_MSG_561 error code, 447
ER_IB_MSG_562 error code, 447
ER_IB_MSG_563 error code, 448
ER_IB_MSG_564 error code, 448
ER_IB_MSG_565 error code, 448
ER_IB_MSG_566 error code, 448
ER_IB_MSG_567 error code, 448
ER_IB_MSG_568 error code, 448
ER_IB_MSG_569 error code, 448
ER_IB_MSG_57 error code, 395
ER_IB_MSG_570 error code, 448
ER_IB_MSG_571 error code, 448
ER_IB_MSG_572 error code, 449
ER_IB_MSG_573 error code, 449
ER_IB_MSG_574 error code, 449
ER_IB_MSG_575 error code, 449
ER_IB_MSG_576 error code, 449
ER_IB_MSG_577 error code, 449
ER_IB_MSG_578 error code, 449
ER_IB_MSG_579 error code, 449
ER_IB_MSG_57_STAT_SPACE_DELETE_FAIL error code, 580
ER_IB_MSG_57_UNDO_SPACE_DELETE_FAIL error code, 576
ER_IB_MSG_58 error code, 395
ER_IB_MSG_580 error code, 449
ER_IB_MSG_581 error code, 449
ER_IB_MSG_582 error code, 450
ER_IB_MSG_583 error code, 450
ER_IB_MSG_584 error code, 450
ER_IB_MSG_585 error code, 450
ER_IB_MSG_586 error code, 450
ER_IB_MSG_587 error code, 450
ER_IB_MSG_588 error code, 450
ER_IB_MSG_589 error code, 450
ER_IB_MSG_59 error code, 395
ER_IB_MSG_590 error code, 450
ER_IB_MSG_591 error code, 450
ER_IB_MSG_592 error code, 451
ER_IB_MSG_593 error code, 451
ER_IB_MSG_594 error code, 451
ER_IB_MSG_595 error code, 451
ER_IB_MSG_596 error code, 451
ER_IB_MSG_597 error code, 451
ER_IB_MSG_598 error code, 451
ER_IB_MSG_599 error code, 451
ER_IB_MSG_6 error code, 390
ER_IB_MSG_60 error code, 395
ER_IB_MSG_600 error code, 451
ER_IB_MSG_601 error code, 451
ER_IB_MSG_602 error code, 452
ER_IB_MSG_603 error code, 452
ER_IB_MSG_604 error code, 452
ER_IB_MSG_605 error code, 452
ER_IB_MSG_606 error code, 452
ER_IB_MSG_607 error code, 452
ER_IB_MSG_608 error code, 452
ER_IB_MSG_609 error code, 452
ER_IB_MSG_61 error code, 395
ER_IB_MSG_610 error code, 452
ER_IB_MSG_611 error code, 452
ER_IB_MSG_612 error code, 453
ER_IB_MSG_613 error code, 453
ER_IB_MSG_614 error code, 453
ER_IB_MSG_615 error code, 453
ER_IB_MSG_616 error code, 453
ER_IB_MSG_617 error code, 453
ER_IB_MSG_618 error code, 453
ER_IB_MSG_619 error code, 453
ER_IB_MSG_62 error code, 396
ER_IB_MSG_620 error code, 453
ER_IB_MSG_621 error code, 453
ER_IB_MSG_622 error code, 454
ER_IB_MSG_623 error code, 454
ER_IB_MSG_624 error code, 454
ER_IB_MSG_625 error code, 454
ER_IB_MSG_626 error code, 454
ER_IB_MSG_627 error code, 454
ER_IB_MSG_628 error code, 454
ER_IB_MSG_629 error code, 454
ER_IB_MSG_63 error code, 396
ER_IB_MSG_630 error code, 454
ER_IB_MSG_631 error code, 454
ER_IB_MSG_632 error code, 455
ER_IB_MSG_633 error code, 455
ER_IB_MSG_634 error code, 455
ER_IB_MSG_635 error code, 455
ER_IB_MSG_636 error code, 455
ER_IB_MSG_637 error code, 455
ER_IB_MSG_638 error code, 455
ER_IB_MSG_639 error code, 455
ER_IB_MSG_64 error code, 396
ER_IB_MSG_640 error code, 455
ER_IB_MSG_641 error code, 456
ER_IB_MSG_642 error code, 456
ER_IB_MSG_643 error code, 456
ER_IB_MSG_644 error code, 456
ER_IB_MSG_645 error code, 456

ER_IB_MSG_646 error code, 456
ER_IB_MSG_647 error code, 456
ER_IB_MSG_648 error code, 456
ER_IB_MSG_649 error code, 456
ER_IB_MSG_65 error code, 396
ER_IB_MSG_650 error code, 456
ER_IB_MSG_651 error code, 457
ER_IB_MSG_652 error code, 457
ER_IB_MSG_653 error code, 457
ER_IB_MSG_654 error code, 457
ER_IB_MSG_655 error code, 457
ER_IB_MSG_656 error code, 457
ER_IB_MSG_657 error code, 457
ER_IB_MSG_658 error code, 457
ER_IB_MSG_659 error code, 457
ER_IB_MSG_66 error code, 396
ER_IB_MSG_660 error code, 458
ER_IB_MSG_661 error code, 458
ER_IB_MSG_662 error code, 458
ER_IB_MSG_663 error code, 458
ER_IB_MSG_664 error code, 458
ER_IB_MSG_665 error code, 458
ER_IB_MSG_666 error code, 458
ER_IB_MSG_667 error code, 458
ER_IB_MSG_668 error code, 458
ER_IB_MSG_669 error code, 459
ER_IB_MSG_67 error code, 396
ER_IB_MSG_670 error code, 459
ER_IB_MSG_671 error code, 459
ER_IB_MSG_672 error code, 459
ER_IB_MSG_673 error code, 459
ER_IB_MSG_674 error code, 459
ER_IB_MSG_675 error code, 459
ER_IB_MSG_676 error code, 459
ER_IB_MSG_677 error code, 459
ER_IB_MSG_678 error code, 459
ER_IB_MSG_679 error code, 460
ER_IB_MSG_68 error code, 396
ER_IB_MSG_680 error code, 460
ER_IB_MSG_681 error code, 460
ER_IB_MSG_682 error code, 460
ER_IB_MSG_683 error code, 460
ER_IB_MSG_684 error code, 460
ER_IB_MSG_685 error code, 460
ER_IB_MSG_686 error code, 460
ER_IB_MSG_687 error code, 460
ER_IB_MSG_688 error code, 460
ER_IB_MSG_689 error code, 461
ER_IB_MSG_69 error code, 396
ER_IB_MSG_690 error code, 461
ER_IB_MSG_691 error code, 461
ER_IB_MSG_692 error code, 461
ER_IB_MSG_693 error code, 461
ER_IB_MSG_694 error code, 461
ER_IB_MSG_695 error code, 461
ER_IB_MSG_696 error code, 461
ER_IB_MSG_697 error code, 461
ER_IB_MSG_698 error code, 462
ER_IB_MSG_699 error code, 462
ER_IB_MSG_7 error code, 390
ER_IB_MSG_70 error code, 396
ER_IB_MSG_700 error code, 462
ER_IB_MSG_701 error code, 462
ER_IB_MSG_702 error code, 462
ER_IB_MSG_703 error code, 462
ER_IB_MSG_704 error code, 463
ER_IB_MSG_705 error code, 463
ER_IB_MSG_706 error code, 463
ER_IB_MSG_707 error code, 463
ER_IB_MSG_708 error code, 463
ER_IB_MSG_709 error code, 463
ER_IB_MSG_71 error code, 396
ER_IB_MSG_710 error code, 463
ER_IB_MSG_711 error code, 464
ER_IB_MSG_712 error code, 464
ER_IB_MSG_713 error code, 464
ER_IB_MSG_714 error code, 464
ER_IB_MSG_715 error code, 464
ER_IB_MSG_716 error code, 464
ER_IB_MSG_717 error code, 464
ER_IB_MSG_718 error code, 464
ER_IB_MSG_719 error code, 464
ER_IB_MSG_72 error code, 397
ER_IB_MSG_720 error code, 464
ER_IB_MSG_721 error code, 465
ER_IB_MSG_722 error code, 465
ER_IB_MSG_723 error code, 465
ER_IB_MSG_724 error code, 465
ER_IB_MSG_725 error code, 465
ER_IB_MSG_726 error code, 465
ER_IB_MSG_727 error code, 465
ER_IB_MSG_728 error code, 465
ER_IB_MSG_729 error code, 466
ER_IB_MSG_73 error code, 397
ER_IB_MSG_730 error code, 466
ER_IB_MSG_731 error code, 466
ER_IB_MSG_732 error code, 466
ER_IB_MSG_733 error code, 466
ER_IB_MSG_734 error code, 467
ER_IB_MSG_735 error code, 467
ER_IB_MSG_736 error code, 467
ER_IB_MSG_737 error code, 467
ER_IB_MSG_738 error code, 467
ER_IB_MSG_739 error code, 468
ER_IB_MSG_74 error code, 397
ER_IB_MSG_740 error code, 468
ER_IB_MSG_741 error code, 468
ER_IB_MSG_742 error code, 468

ER_IB_MSG_743 error code, 468
ER_IB_MSG_744 error code, 468
ER_IB_MSG_745 error code, 468
ER_IB_MSG_746 error code, 468
ER_IB_MSG_747 error code, 468
ER_IB_MSG_748 error code, 468
ER_IB_MSG_749 error code, 469
ER_IB_MSG_75 error code, 397
ER_IB_MSG_750 error code, 469
ER_IB_MSG_751 error code, 469
ER_IB_MSG_752 error code, 469
ER_IB_MSG_753 error code, 469
ER_IB_MSG_754 error code, 469
ER_IB_MSG_755 error code, 469
ER_IB_MSG_756 error code, 469
ER_IB_MSG_757 error code, 469
ER_IB_MSG_758 error code, 469
ER_IB_MSG_759 error code, 470
ER_IB_MSG_76 error code, 397
ER_IB_MSG_760 error code, 470
ER_IB_MSG_761 error code, 470
ER_IB_MSG_762 error code, 470
ER_IB_MSG_763 error code, 470
ER_IB_MSG_764 error code, 470
ER_IB_MSG_765 error code, 470
ER_IB_MSG_766 error code, 470
ER_IB_MSG_767 error code, 470
ER_IB_MSG_768 error code, 470
ER_IB_MSG_769 error code, 471
ER_IB_MSG_77 error code, 397
ER_IB_MSG_770 error code, 471
ER_IB_MSG_771 error code, 471
ER_IB_MSG_772 error code, 471
ER_IB_MSG_773 error code, 471
ER_IB_MSG_774 error code, 471
ER_IB_MSG_775 error code, 471
ER_IB_MSG_776 error code, 471
ER_IB_MSG_777 error code, 471
ER_IB_MSG_778 error code, 471
ER_IB_MSG_779 error code, 472
ER_IB_MSG_78 error code, 397
ER_IB_MSG_780 error code, 472
ER_IB_MSG_781 error code, 472
ER_IB_MSG_782 error code, 472
ER_IB_MSG_783 error code, 472
ER_IB_MSG_784 error code, 472
ER_IB_MSG_785 error code, 472
ER_IB_MSG_786 error code, 472
ER_IB_MSG_787 error code, 472
ER_IB_MSG_788 error code, 472
ER_IB_MSG_789 error code, 473
ER_IB_MSG_79 error code, 397
ER_IB_MSG_790 error code, 473
ER_IB_MSG_791 error code, 473
ER_IB_MSG_792 error code, 473
ER_IB_MSG_793 error code, 473
ER_IB_MSG_794 error code, 473
ER_IB_MSG_795 error code, 473
ER_IB_MSG_796 error code, 473
ER_IB_MSG_797 error code, 473
ER_IB_MSG_798 error code, 473
ER_IB_MSG_799 error code, 474
ER_IB_MSG_8 error code, 390
ER_IB_MSG_80 error code, 397
ER_IB_MSG_800 error code, 474
ER_IB_MSG_801 error code, 474
ER_IB_MSG_802 error code, 474
ER_IB_MSG_803 error code, 474
ER_IB_MSG_804 error code, 474
ER_IB_MSG_805 error code, 474
ER_IB_MSG_806 error code, 474
ER_IB_MSG_807 error code, 474
ER_IB_MSG_808 error code, 474
ER_IB_MSG_809 error code, 475
ER_IB_MSG_81 error code, 397
ER_IB_MSG_810 error code, 475
ER_IB_MSG_811 error code, 475
ER_IB_MSG_812 error code, 475
ER_IB_MSG_813 error code, 475
ER_IB_MSG_814 error code, 475
ER_IB_MSG_815 error code, 475
ER_IB_MSG_816 error code, 475
ER_IB_MSG_817 error code, 475
ER_IB_MSG_818 error code, 475
ER_IB_MSG_819 error code, 476
ER_IB_MSG_82 error code, 398
ER_IB_MSG_820 error code, 476
ER_IB_MSG_821 error code, 476
ER_IB_MSG_822 error code, 476
ER_IB_MSG_823 error code, 476
ER_IB_MSG_824 error code, 476
ER_IB_MSG_825 error code, 476
ER_IB_MSG_826 error code, 476
ER_IB_MSG_827 error code, 476
ER_IB_MSG_828 error code, 476
ER_IB_MSG_829 error code, 477
ER_IB_MSG_83 error code, 398
ER_IB_MSG_830 error code, 477
ER_IB_MSG_831 error code, 477
ER_IB_MSG_832 error code, 477
ER_IB_MSG_833 error code, 477
ER_IB_MSG_834 error code, 477
ER_IB_MSG_835 error code, 477
ER_IB_MSG_836 error code, 477
ER_IB_MSG_837 error code, 477
ER_IB_MSG_838 error code, 477
ER_IB_MSG_839 error code, 478
ER_IB_MSG_84 error code, 398

ER_IB_MSG_840 error code, 478
ER_IB_MSG_841 error code, 478
ER_IB_MSG_842 error code, 478
ER_IB_MSG_843 error code, 478
ER_IB_MSG_844 error code, 478
ER_IB_MSG_845 error code, 478
ER_IB_MSG_846 error code, 478
ER_IB_MSG_847 error code, 479
ER_IB_MSG_848 error code, 479
ER_IB_MSG_849 error code, 479
ER_IB_MSG_85 error code, 398
ER_IB_MSG_850 error code, 479
ER_IB_MSG_851 error code, 479
ER_IB_MSG_852 error code, 479
ER_IB_MSG_853 error code, 479
ER_IB_MSG_854 error code, 479
ER_IB_MSG_855 error code, 479
ER_IB_MSG_856 error code, 479
ER_IB_MSG_857 error code, 480
ER_IB_MSG_858 error code, 480
ER_IB_MSG_859 error code, 480
ER_IB_MSG_86 error code, 398
ER_IB_MSG_860 error code, 480
ER_IB_MSG_861 error code, 480
ER_IB_MSG_862 error code, 480
ER_IB_MSG_863 error code, 480
ER_IB_MSG_864 error code, 480
ER_IB_MSG_865 error code, 480
ER_IB_MSG_866 error code, 480
ER_IB_MSG_867 error code, 481
ER_IB_MSG_868 error code, 481
ER_IB_MSG_869 error code, 481
ER_IB_MSG_87 error code, 398
ER_IB_MSG_870 error code, 481
ER_IB_MSG_871 error code, 481
ER_IB_MSG_872 error code, 481
ER_IB_MSG_873 error code, 481
ER_IB_MSG_874 error code, 481
ER_IB_MSG_875 error code, 481
ER_IB_MSG_876 error code, 481
ER_IB_MSG_877 error code, 482
ER_IB_MSG_878 error code, 482
ER_IB_MSG_879 error code, 482
ER_IB_MSG_88 error code, 398
ER_IB_MSG_880 error code, 482
ER_IB_MSG_881 error code, 482
ER_IB_MSG_882 error code, 482
ER_IB_MSG_883 error code, 482
ER_IB_MSG_884 error code, 482
ER_IB_MSG_885 error code, 482
ER_IB_MSG_886 error code, 482
ER_IB_MSG_887 error code, 483
ER_IB_MSG_888 error code, 483
ER_IB_MSG_889 error code, 483
ER_IB_MSG_89 error code, 398
ER_IB_MSG_890 error code, 483
ER_IB_MSG_891 error code, 483
ER_IB_MSG_892 error code, 483
ER_IB_MSG_893 error code, 483
ER_IB_MSG_894 error code, 483
ER_IB_MSG_895 error code, 483
ER_IB_MSG_896 error code, 483
ER_IB_MSG_897 error code, 484
ER_IB_MSG_898 error code, 484
ER_IB_MSG_899 error code, 484
ER_IB_MSG_9 error code, 390
ER_IB_MSG_90 error code, 398
ER_IB_MSG_900 error code, 484
ER_IB_MSG_901 error code, 484
ER_IB_MSG_902 error code, 484
ER_IB_MSG_903 error code, 484
ER_IB_MSG_904 error code, 484
ER_IB_MSG_905 error code, 484
ER_IB_MSG_906 error code, 484
ER_IB_MSG_907 error code, 485
ER_IB_MSG_908 error code, 485
ER_IB_MSG_909 error code, 485
ER_IB_MSG_91 error code, 399
ER_IB_MSG_910 error code, 485
ER_IB_MSG_911 error code, 485
ER_IB_MSG_912 error code, 485
ER_IB_MSG_913 error code, 485
ER_IB_MSG_914 error code, 485
ER_IB_MSG_915 error code, 485
ER_IB_MSG_916 error code, 485
ER_IB_MSG_917 error code, 486
ER_IB_MSG_918 error code, 486
ER_IB_MSG_919 error code, 486
ER_IB_MSG_92 error code, 399
ER_IB_MSG_920 error code, 486
ER_IB_MSG_921 error code, 486
ER_IB_MSG_922 error code, 486
ER_IB_MSG_923 error code, 486
ER_IB_MSG_924 error code, 486
ER_IB_MSG_925 error code, 486
ER_IB_MSG_926 error code, 486
ER_IB_MSG_927 error code, 487
ER_IB_MSG_928 error code, 487
ER_IB_MSG_929 error code, 487
ER_IB_MSG_93 error code, 399
ER_IB_MSG_930 error code, 487
ER_IB_MSG_931 error code, 487
ER_IB_MSG_932 error code, 487
ER_IB_MSG_933 error code, 487
ER_IB_MSG_934 error code, 487
ER_IB_MSG_935 error code, 487
ER_IB_MSG_936 error code, 487
ER_IB_MSG_937 error code, 488

ER_IB_MSG_938 error code, 488
ER_IB_MSG_939 error code, 488
ER_IB_MSG_94 error code, 399
ER_IB_MSG_940 error code, 488
ER_IB_MSG_941 error code, 488
ER_IB_MSG_942 error code, 488
ER_IB_MSG_943 error code, 488
ER_IB_MSG_944 error code, 488
ER_IB_MSG_945 error code, 488
ER_IB_MSG_946 error code, 488
ER_IB_MSG_947 error code, 489
ER_IB_MSG_948 error code, 489
ER_IB_MSG_949 error code, 489
ER_IB_MSG_95 error code, 399
ER_IB_MSG_950 error code, 489
ER_IB_MSG_951 error code, 489
ER_IB_MSG_952 error code, 489
ER_IB_MSG_953 error code, 489
ER_IB_MSG_954 error code, 489
ER_IB_MSG_955 error code, 489
ER_IB_MSG_956 error code, 489
ER_IB_MSG_957 error code, 490
ER_IB_MSG_958 error code, 490
ER_IB_MSG_959 error code, 490
ER_IB_MSG_96 error code, 399
ER_IB_MSG_960 error code, 490
ER_IB_MSG_961 error code, 490
ER_IB_MSG_962 error code, 490
ER_IB_MSG_963 error code, 490
ER_IB_MSG_964 error code, 490
ER_IB_MSG_965 error code, 490
ER_IB_MSG_966 error code, 490
ER_IB_MSG_967 error code, 491
ER_IB_MSG_968 error code, 491
ER_IB_MSG_969 error code, 491
ER_IB_MSG_97 error code, 399
ER_IB_MSG_970 error code, 491
ER_IB_MSG_971 error code, 491
ER_IB_MSG_972 error code, 491
ER_IB_MSG_973 error code, 491
ER_IB_MSG_974 error code, 491
ER_IB_MSG_975 error code, 491
ER_IB_MSG_976 error code, 491
ER_IB_MSG_977 error code, 492
ER_IB_MSG_978 error code, 492
ER_IB_MSG_979 error code, 492
ER_IB_MSG_98 error code, 399
ER_IB_MSG_980 error code, 492
ER_IB_MSG_981 error code, 492
ER_IB_MSG_982 error code, 492
ER_IB_MSG_983 error code, 492
ER_IB_MSG_984 error code, 492
ER_IB_MSG_985 error code, 492
ER_IB_MSG_986 error code, 492
ER_IB_MSG_987 error code, 493
ER_IB_MSG_988 error code, 493
ER_IB_MSG_989 error code, 493
ER_IB_MSG_99 error code, 399
ER_IB_MSG_990 error code, 493
ER_IB_MSG_991 error code, 493
ER_IB_MSG_992 error code, 493
ER_IB_MSG_993 error code, 493
ER_IB_MSG_994 error code, 493
ER_IB_MSG_995 error code, 493
ER_IB_MSG_996 error code, 493
ER_IB_MSG_997 error code, 494
ER_IB_MSG_998 error code, 494
ER_IB_MSG_999 error code, 494
ER_IB_MSG_ABORTING_LOG_ARCHIVER error code, 643
ER_IB_MSG_BAD_DBLWR_FILE_NAME error code, 577
ER_IB_MSG_BTREE_LEVEL_LIMIT_EXCEEDED error code, 566
ER_IB_MSG_BUF_PENDING_IO error code, 506
ER_IB_MSG_BUF_PENDING_IO_ON_SHUTDOWN error code, 523
ER_IB_MSG_BUF_POOL_RESIZE_CODE_STATUS error code, 627
ER_IB_MSG_BUF_POOL_RESIZE_COMPLETE_CUR_CODE error code, 627
ER_IB_MSG_BUF_POOL_RESIZE_PROGRESS_UPDATE error code, 627
ER_IB_MSG_CANNOT_FIND_DD_UNDO_SPACE error code, 582
ER_IB_MSG_CANNOT_OPEN_57_UNDO error code, 503
ER_IB_MSG_CANT_DECRYPT_REDO_LOG error code, 478
ER_IB_MSG_CANT_ENCRYPT_REDO_LOG_DATA error code, 478
ER_IB_MSG_CLEAR_INSTANT_DROP_COLUMN_METADATA error code, 626
ER_IB_MSG_CLOCK_GETTIME_FAILED error code, 563
ER_IB_MSG_CLOCK_MONOTONIC_UNSUPPORTED error code, 563
ER_IB_MSG_CLONE_DDL_APPLY error code, 607
ER_IB_MSG_CLONE_DDL_INVALIDATE error code, 607
ER_IB_MSG_CLONE_DDL_NTFN error code, 607
ER_IB_MSG_CREATED_UNDO_SPACE error code, 591
ER_IB_MSG_CREATE_LOG_FILE error code, 580
ER_IB_MSG_DATA_DIRECTORY_NOT_INITIALIZED_OR_COR error code, 509
ER_IB_MSG_DBLWR_1285 error code, 576
ER_IB_MSG_DBLWR_1286 error code, 576

ER_IB_MSG_DBLWR_1287 error code, 576
ER_IB_MSG_DBLWR_1288 error code, 576
ER_IB_MSG_DBLWR_1290 error code, 576
ER_IB_MSG_DBLWR_1291 error code, 576
ER_IB_MSG_DBLWR_1292 error code, 577
ER_IB_MSG_DBLWR_1293 error code, 577
ER_IB_MSG_DBLWR_1294 error code, 577
ER_IB_MSG_DBLWR_1295 error code, 577
ER_IB_MSG_DBLWR_1296 error code, 577
ER_IB_MSG_DBLWR_1297 error code, 577
ER_IB_MSG_DBLWR_1298 error code, 577
ER_IB_MSG_DBLWR_1300 error code, 577
ER_IB_MSG_DBLWR_1301 error code, 577
ER_IB_MSG_DBLWR_1304 error code, 578
ER_IB_MSG_DBLWR_1305 error code, 578
ER_IB_MSG_DBLWR_1306 error code, 578
ER_IB_MSG_DBLWR_1307 error code, 578
ER_IB_MSG_DBLWR_1308 error code, 578
ER_IB_MSG_DBLWR_1309 error code, 578
ER_IB_MSG_DBLWR_1310 error code, 578
ER_IB_MSG_DBLWR_1311 error code, 578
ER_IB_MSG_DBLWR_1312 error code, 578
ER_IB_MSG_DBLWR_1313 error code, 578
ER_IB_MSG_DBLWR_1314 error code, 579
ER_IB_MSG_DBLWR_1315 error code, 579
ER_IB_MSG_DBLWR_1316 error code, 579
ER_IB_MSG_DBLWR_1317 error code, 579
ER_IB_MSG_DBLWR_1318 error code, 579
ER_IB_MSG_DBLWR_1319 error code, 579
ER_IB_MSG_DBLWR_1320 error code, 579
ER_IB_MSG_DBLWR_1321 error code, 579
ER_IB_MSG_DBLWR_1322 error code, 579
ER_IB_MSG_DBLWR_1323 error code, 579
ER_IB_MSG_DBLWR_1324 error code, 580
ER_IB_MSG_DBLWR_1325 error code, 580
ER_IB_MSG_DBLWR_1326 error code, 580
ER_IB_MSG_DBLWR_1327 error code, 580
ER_IB_MSG_DDL_FAIL_NO_BUILDER error code, 641
ER_IB_MSG_DDL_LOG_DELETE_BY_ID_OK error code, 457
ER_IB_MSG_DDL_LOG_DELETE_BY_ID_TMCT error code, 560
ER_IB_MSG_DDL_LOG_FAIL_POST_DDL error code, 560
ER_IB_MSG_DEPRECATED_INNODB_UNDO_TABLESPACES error code, 546
ER_IB_MSG_DICT_PARTITION_NOT_FOUND error code, 575
ER_IB_MSG_DIR_DOES_NOT_EXIST error code, 546
ER_IB_MSG_DOWNGRADE_PARTITION_FILE error code, 574
ER_IB_MSG_DROPPED_UNDO_SPACE error code, 591
ER_IB_MSG_ERROR_OPENING_NEW_UNDO_SPACE error code, 544
ER_IB_MSG_FAILED_SDI_Z_BUF_ERROR error code, 544
ER_IB_MSG_FAILED_SDI_Z_MEM_ERROR error code, 544
ER_IB_MSG_FAILED_TO_ALLOCATE_WAIT error code, 544
ER_IB_MSG_FAILED_TO_FINISH_TRUNCATE error code, 545
ER_IB_MSG_FAIL_TO_SAVE_SPACE_STATE error code, 544
ER_IB_MSG_FILE_RESIZE error code, 500
ER_IB_MSG_FIL_STATE_MOVED_CHANGED_NAME error code, 574
ER_IB_MSG_FIL_STATE_MOVED_CHANGED_PATH error code, 574
ER_IB_MSG_FIL_STATE_MOVED_CORRECTED error code, 574
ER_IB_MSG_FIL_STATE_MOVED_PREV error code, 642
ER_IB_MSG_FIL_STATE_MOVED_PREV_OR_HAS_DATADIR error code, 642
ER_IB_MSG_FIL_STATE_MOVED_TOO_MANY error code, 574
ER_IB_MSG_FOUND_WRONG_UNDO_SPACE error code, 545
ER_IB_MSG_GENERAL_TABLESPACE_UNDER_DATADIR error code, 430
ER_IB_MSG_GTID_FLUSH_AT_SHUTDOWN error code, 580
ER_IB_MSG_IGNORE_SCAN_PATH error code, 428
ER_IB_MSG_IMPLICIT_TABLESPACE_IN_DATADIR error code, 430
ER_IB_MSG_INCORRECT_SIZE error code, 590
ER_IB_MSG_INJECT_CRASH error code, 589
ER_IB_MSG_INJECT_FAILURE error code, 589
ER_IB_MSG_INNODB_END_INITIALIZE error code, 581
ER_IB_MSG_INNODB_START_INITIALIZE error code, 581
ER_IB_MSG_INVALID_LOCATION_FOR_TABLE error code, 448
ER_IB_MSG_INVALID_LOCATION_FOR_TABLESPACE error code, 582
ER_IB_MSG_INVALID_LOCATION_WRONG_DB error code, 582
ER_IB_MSG_INVALID_PAGE_TYPE error code, 628
ER_IB_MSG_LOCK_FREE_HASH_USAGE_STATS error code, 546
ER_IB_MSG_LOG_CHECKPOINT_FOUND error code, 618
ER_IB_MSG_LOG_CORRUPT error code, 462
ER_IB_MSG_LOG_FILES_CANNOT_ENCRYPT_IN_READ_ONLY error code, 522

ER_IB_MSG_LOG_FILES_CAPACITY_CHANGED error code, 619
ER_IB_MSG_LOG_FILES_CREATED_BY_CLONE error code, 466
ER_IB_MSG_LOG_FILES_CREATED_BY_CLONE_AND_READ_ONLY_MODE error code, 616
ER_IB_MSG_LOG_FILES_CREATED_BY_MEB error code, 466
ER_IB_MSG_LOG_FILES_CREATED_BY_MEB_AND_READ_ONLY_MODE error code, 466
ER_IB_MSG_LOG_FILES_CREATED_BY_UNKNOWN_CREATOR error code, 620
ER_IB_MSG_LOG_FILES_CREATE_AND_READ_ONLY_MODE error code, 501
ER_IB_MSG_LOG_FILES_DIFFERENT_SIZES error code, 509
ER_IB_MSG_LOG_FILES_ENCRYPTION_INIT_FAILED error code, 522
ER_IB_MSG_LOG_FILES_FOUND_MISSING error code, 620
ER_IB_MSG_LOG_FILES_INITIALIZED error code, 501
ER_IB_MSG_LOG_FILES_INVALID_SET error code, 509
ER_IB_MSG_LOG_FILES_RESIZE_CANCELLED error code, 619
ER_IB_MSG_LOG_FILES_RESIZE_FINISHED error code, 619
ER_IB_MSG_LOG_FILES_RESIZE_ON_START error code, 519
ER_IB_MSG_LOG_FILES_RESIZE_ON_START_FAILED_UNEXPECTED error code, 618
ER_IB_MSG_LOG_FILES_RESIZE_ON_START_IN_READ_ONLY_MODE error code, 510
ER_IB_MSG_LOG_FILES_RESIZE_REQUESTED error code, 619
ER_IB_MSG_LOG_FILES_REWRITING error code, 510
ER_IB_MSG_LOG_FILES_UPGRADE error code, 619
ER_IB_MSG_LOG_FILE_DIFFERENT_FORMATS error code, 620
ER_IB_MSG_LOG_FILE_FOREIGN_UUID error code, 618
ER_IB_MSG_LOG_FILE_FORMAT_TOO_NEW error code, 620
ER_IB_MSG_LOG_FILE_FORMAT_TOO_OLD error code, 620
ER_IB_MSG_LOG_FILE_FORMAT_UNKNOWN error code, 463
ER_IB_MSG_LOG_FILE_HEADER_INVALID_CHECKSUM error code, 524
ER_IB_MSG_LOG_FILE_HEADER_READ_FAILED error code, 615
ER_IB_MSG_LOG_FILE_INVALID_LSN_RANGES error code, 618
ER_IB_MSG_LOG_FILE_INVALID_START_LSN error code, 618
ER_IB_MSG_LOG_FILE_IS_EMPTY error code, 615
ER_IB_MSG_LOG_FILE_MARK_AS_UNUSED_FAILED error code, 621
ER_IB_MSG_LOG_FILE_MARK_CURRENT_AS_INCOMPLETE error code, 619
ER_IB_MSG_LOG_FILE_MISSING_FOR_ID error code, 618
ER_IB_MSG_LOG_FILE_OPEN_FAILED error code, 502
ER_IB_MSG_LOG_FILE_OS_CREATE_FAILED error code, 500
ER_IB_MSG_LOG_FILE_PREPARE_ON_CREATE_FAILED error code, 501
ER_IB_MSG_LOG_FILE_REMOVE_FAILED error code, 619
ER_IB_MSG_LOG_FILE_RENAME_ON_CREATE_FAILED error code, 619
ER_IB_MSG_LOG_FILE_RESIZE_FAILED error code, 501
ER_IB_MSG_LOG_FILE_SIZE_INVALID error code, 509
ER_IB_MSG_LOG_FILE_TOO_BIG error code, 615
ER_IB_MSG_LOG_FILE_TOO_SMALL error code, 615
ER_IB_MSG_LOG_FILE_TRUNCATE error code, 621
ER_IB_MSG_LOG_FILE_UNUSED_MARK_AS_IN_USE_FAILED error code, 621
ER_IB_MSG_LOG_FILE_UNUSED_REMOVE_FAILED error code, 621
ER_IB_MSG_LOG_FILE_UNUSED_RENAME_FAILED error code, 621
ER_IB_MSG_LOG_FILE_UNUSED_RESIZE_FAILED error code, 621
ER_IB_MSG_LOG_FORMAT_BEFORE_5_7_9 error code, 525
ER_IB_MSG_LOG_FORMAT_BEFORE_8_0_30 error code, 463
ER_IB_MSG_LOG_FORMAT_NOT_SUPPORTED error code, 466
ER_IB_MSG_LOG_FORMAT_OLD error code, 466
ER_IB_MSG_LOG_FORMAT_OLD_AND_LOG_CORRUPTED error code, 462
ER_IB_MSG_LOG_FORMAT_OLD_AND_NO_CLEAN_SHUTDO error code, 462
ER_IB_MSG_LOG_INIT_DIR_LIST_FAILED error code, 616
ER_IB_MSG_LOG_INIT_DIR_MISSING_SUBDIR error code, 616
ER_IB_MSG_LOG_INIT_DIR_NOT_EMPTY_WONT_INITIALIZE error code, 616
ER_IB_MSG_LOG_PARAMS_CONCURRENCY_MARGIN_UNSA error code, 525
ER_IB_MSG_LOG_PARAMS_DEDICATED_SERVER_IGNORED error code, 621

ER_IB_MSG_LOG_PARAMS_FILE_SIZE_UNUSED error code, 617
ER_IB_MSG_LOG_PARAMS_LEGACY_USAGE error code, 621
ER_IB_MSG_LOG_PARAMS_N_FILES_UNUSED error code, 617
ER_IB_MSG_LOG_PFS_ACQUIRE_SERVICES_FAILED error code, 620
ER_IB_MSG_LOG_PFS_CREATE_TABLES_FAILED error code, 620
ER_IB_MSG_LOG_PRE_8_0_30_MISSING_FILE0 error code, 620
ER_IB_MSG_LOG_UPGRADE_CLONED_DB error code, 617
ER_IB_MSG_LOG_UPGRADE_CORRUPTION__UNEXPECTED error code, 617
ER_IB_MSG_LOG_UPGRADE_FLUSH_FAILED__UNEXPECTED error code, 618
ER_IB_MSG_LOG_UPGRADE_FORCED_RECV error code, 617
ER_IB_MSG_LOG_UPGRADE_IN_READ_ONLY_MODE error code, 617
ER_IB_MSG_LOG_UPGRADE_NON_PERSISTED_DD_METADATA_UNRECOVERED error code, 618
ER_IB_MSG_LOG_UPGRADE_UNINITIALIZED_FILES error code, 617
ER_IB_MSG_LOG_WRITER_ABORTS_LOG_ARCHIVER error code, 521
ER_IB_MSG_LOG_WRITER_ENTERED_EXTRA_MARGIN error code, 616
ER_IB_MSG_LOG_WRITER_EXITED_EXTRA_MARGIN error code, 617
ER_IB_MSG_LOG_WRITER_OUT_OF_SPACE error code, 521
ER_IB_MSG_LOG_WRITER_WAITING_FOR_ARCHIVER error code, 521
ER_IB_MSG_LOG_WRITER_WAIT_ON_CONSUMER error code, 625
ER_IB_MSG_LOG_WRITER_WAIT_ON_NEW_LOG_FILE error code, 616
ER_IB_MSG_LOG_WRITER_WRITE_FAILED error code, 616
ER_IB_MSG_MADVISE_FAILED error code, 543
ER_IB_MSG_MADV_DONTDUMP_UNSUPPORTED error code, 543
ER_IB_MSG_MASTER_KEY_ROTATED error code, 591
ER_IB_MSG_MAX_UNDO_SPACES_REACHED error code, 544
ER_IB_MSG_NOT_END_WITH_IBU error code, 545
ER_IB_MSG_NO_ENCRYPT_PROGRESS_FOUND error code, 538
ER_IB_MSG_NUM_POOLS error code, 544
ER_IB_MSG_PAGE_ARCH_NO_RESET_POINTS error code, 581
ER_IB_MSG_PARSE_OLD_REDO_INDEX_VERSION error code, 625
ER_IB_MSG_PAR_RSEG_INIT_COMPLETE_MSG error code, 605
ER_IB_MSG_PAR_RSEG_INIT_TIME_MSG error code, 605
ER_IB_MSG_POST_RECOVER_DDL_LOG_RECOVER error code, 560
ER_IB_MSG_POST_RECOVER_POST_TS_ENCRYPT error code, 560
ER_IB_MSG_RECOVERY_CHECKPOINT_FROM_BEFORE_CLEAN error code, 467
ER_IB_MSG_RECOVERY_CHECKPOINT_NOT_FOUND error code, 463
ER_IB_MSG_RECOVERY_CHECKPOINT_OUTSIDE_LOG_FILE error code, 616
ER_IB_MSG_RECOVERY_CORRUPT error code, 510
ER_IB_MSG_RECOVERY_IN_READ_ONLY error code, 467
ER_IB_MSG_RECOVERY_IS_NEEDED error code, 467
ER_IB_MSG_RECOVERY_NO_SPACE_IN_REDO_LOG__SKIP_IBU error code, 604
ER_IB_MSG_RECOVERY_NO_SPACE_IN_REDO_LOG__UNEXPEC error code, 604
ER_IB_MSG_RECOVERY_SKIPPED_IN_READ_ONLY_MODE error code, 465
ER_IB_MSG_REENCRYPTED_GENERAL_TABLESPACE_KEY error code, 604
ER_IB_MSG_REENCRYPTED_TABLESPACE_KEY error code, 604
ER_IB_MSG_RESUME_OP_FOR_SPACE error code, 538
ER_IB_MSG_SCANNING_TEMP_TABLESPACE_DIR error code, 586
ER_IB_MSG_SDI_Z_STREAM_ERROR error code, 544
ER_IB_MSG_SDI_Z_UNKNOWN_ERROR error code, 545
ER_IB_MSG_SKIP_HIDDEN_DIR error code, 572
ER_IB_MSG_STATS_SAMPLING_TOO_LARGE error code, 596
ER_IB_MSG_THREAD_CONCURRENCY_CHANGED error code, 525
ER_IB_MSG_TOO_LONG_PATH error code, 562
ER_IB_MSG_TRX_RECOVERY_ROLLBACK_COMPLETED error code, 516
ER_IB_MSG_TRX_RECOVERY_ROLLBACK_NOT_COMPLETED error code, 584
ER_IB_MSG_TRYING_TO_OPEN_FILE_FOR_LONG_TIME error code, 612
ER_IB_MSG_UNDO_ALTERED_ACTIVE error code, 589
ER_IB_MSG_UNDO_ALTERED_INACTIVE error code, 589

ER_IB_MSG_UNDO_ENCRYPTION_INFO_LOADED error code, 607
ER_IB_MSG_UNDO_INJECT_CRASH error code, 589
ER_IB_MSG_UNDO_INJECT_FAILURE error code, 589
ER_IB_MSG_UNDO_MARKED_ACTIVE error code, 588
ER_IB_MSG_UNDO_MARKED_EMPTY error code, 589
ER_IB_MSG_UNDO_MARKED_FOR_TRUNCATE error code, 513
ER_IB_MSG_UNDO_TRUNCATE_COMPLETE error code, 514
ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_CLONE error code, 589
ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_FAILURE error code, 514
ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_LOG_CREATE error code, 514
ER_IB_MSG_UNDO_TRUNCATE_DELAY_BY_MDL error code, 589
ER_IB_MSG_UNDO_TRUNCATE_FAIL_TO_READ_LOG_FILE error code, 513
ER_IB_MSG_UNDO_TRUNCATE_START error code, 513
ER_IB_MSG_UNDO_TRUNCATE_TOO_OFTEN error code, 582
ER_IB_MSG_UNDO_TRUNC_BEFORE_UNDO_LOGGING error code, 545
ER_IB_MSG_UNDO_TRUNC_BEFOR_DD_UPDATE error code, 545
ER_IB_MSG_UNDO_TRUNC_EMPTY_FILE error code, 545
ER_IB_MSG_UNDO_TRUNK_BEFORE_RSEG error code, 545
ER_IB_MSG_UNEXPECTED_FILE_EXISTS error code, 421
ER_IB_MSG_UNPROTECTED_LOCATION_ALLOWED error code, 426
ER_IB_MSG_UPGRADE_PARTITION_FILE error code, 574
ER_IB_MSG_UPGRADE_PARTITION_FILE_IMPORT error code, 574
ER_IB_MSG_USING_UNDO_SPACE error code, 544
ER_IB_MSG_WAITING_ON_LAGGING_REDO_LOG_CONSUMER error code, 643
ER_IB_MSG_WAIT_FOR_ENCRYPT_THREAD error code, 537
ER_IB_MSG_WRONG_TABLESPACE_DIR error code, 546
ER_IB_PARALLEL_READER_WORKER_INFO error code, 628
ER_IB_PRIMARY_KEY_IS_INSTANT error code, 632
ER_IB_RDBLWR_BYTES_INFO error code, 615
ER_IB_RECV_FIRST_REC_GROUP_INVALID error code, 562
ER_IB_RELOCK_LATCH_ORDER_VIOLATION error code, 585
ER_IB_RESURRECT_ACQUIRE_TABLE_LOCK error code, 635
ER_IB_RESURRECT_IDENTIFY_TABLE_TO_LOCK error code, 635
ER_IB_RESURRECT_RECORD_COMPLETE error code, 636
ER_IB_RESURRECT_RECORD_PROGRESS error code, 636
ER_IB_RESURRECT_TRX_INSERT error code, 635
ER_IB_RESURRECT_TRX_INSERT_COMPLETE error code, 636
ER_IB_RESURRECT_TRX_UPDATE error code, 635
ER_IB_RESURRECT_TRX_UPDATE_COMPLETE error code, 636
ER_IB_SELECT_COUNT_STAR error code, 634
ER_IB_TABLESPACE_PATH_VALIDATION_SKIPPED error code, 584
ER_IB_TMP_TABLESPACE_CANNOT_CREATE_DIRECTORY error code, 586
ER_IB_UNABLE_TO_EXPAND_TEMPORARY_TABLESPACE_P error code, 586
ER_IB_WARN_ACCESSING_NONEXISTINC_SPACE error code, 419
ER_IB_WARN_MANY_NON_LRU_FILES_OPENED error code, 612
ER_IB_WARN_OPEN_PARTITION_FILE error code, 574
ER_IB_WRN_ENCRYPTION_INFO_SIZE_MISMATCH error code, 608
ER_IB_WRN_FAILED_TO_ACQUIRE_SERVICE error code, 598
ER_IB_WRN_FAST_SHUTDOWN_REDO_DISABLED error code, 583
ER_IB_WRN_IGNORE_REDO_LOG_CAPACITY error code, 632
ER_IB_WRN_OLD_GEOMETRY_TYPE error code, 599
ER_IB_WRN_PAGE_ARCH_FLUSH_DATA error code, 581
ER_IB_WRN_REDO_DISABLED error code, 583
ER_IB_WRN_REDO_ENABLED error code, 584
ER_IDENTIFIED_BY_UNSUPPORTED error code, 149
ER_IDENT_CAUSES_TOO_LONG_PATH error code, 65
ER_IDENT_CAUSES_TOO_LONG_PATH_IN_UPGRADE error code, 568
ER_IF_NOT_EXISTS_UNSUPPORTED_TRG_EXISTS_ON_DIFF error code, 155
ER_IF_NOT_EXISTS_UNSUPPORTED_UDF_NATIVE_FCT_NA error code, 155
ER_ILLEGAL_GRANT_FOR_TABLE error code, 13
ER_ILLEGAL_HA error code, 5
ER_ILLEGAL_HA_CREATE_OPTION error code, 36
ER_ILLEGAL_PRIVILEGE_LEVEL error code, 98

ER_ILLEGAL_REFERENCE error code, 21
ER_ILLEGAL_USER_VAR error code, 74
ER_ILLEGAL_VALUE_FOR_TYPE error code, 29
ER_IMPLICIT_COMPARISON_FOR_JSON error code, 140
ER_IMPOSSIBLE_STRING_CONVERSION error code, 140
ER_IMP_INCOMPATIBLE_CFG_VERSION error code, 135
ER_IMP_INCOMPATIBLE_DD_VERSION error code, 98
ER_IMP_INCOMPATIBLE_MYSQLD_VERSION error code, 97
ER_IMP_INCOMPATIBLE_SDI_VERSION error code, 98
ER_IMP_NO_FILES_MATCHED error code, 97
ER_IMP_SCHEMA_DOES_NOT_EXIST error code, 97
ER_IMP_TABLE_ALREADY_EXISTS error code, 97
ER_INCONSISTENT_ERROR error code, 528
ER_INCONSISTENT_PARTITION_INFO_ERROR error code, 37
ER_INCONSISTENT_TYPE_OF_FUNCTIONS_ERROR error code, 37
ER_INCORRECT_CURRENT_PASSWORD error code, 129
ER_INCORRECT_GLOBAL_LOCAL_VAR error code, 21
ER_INCORRECT_TYPE error code, 74
ER_INDEX_COLUMN_TOO_LONG error code, 51
ER_INDEX_CORRUPT error code, 52
ER_INDEX_OTHER_THAN_PK error code, 158
ER_INDEX_TYPE_NOT_SUPPORTED_FOR_SPATIAL_INDEX error code, 110
ER_INFORMATION_SCHEMA_VERSION_CHANGE error code, 641
ER_INIT_BOOTSTRAP_COMPLETE error code, 215
ER_INIT_CANT_OPEN_BOOTSTRAP_FILE error code, 215
ER_INIT_CREATING_DD error code, 215
ER_INIT_DATADIR_EXISTS_AND_NOT_WRITABLE_WONT_INITIALIZE error code, 215
ER_INIT_DATADIR_EXISTS_AND_PATH_TOO_LONG_WONT_INITIALIZE error code, 215
ER_INIT_DATADIR_EXISTS_WONT_INITIALIZE error code, 215
ER_INIT_DATADIR_NOT_EMPTY_WONT_INITIALIZE error code, 215
ER_INIT_FAILED_TO_GENERATE_ROOT_PASSWORD error code, 571
ER_INIT_GENERATING_TEMP_PASSWORD_FOR_ROOT error code, 215
ER_INIT_ROOT_WITHOUT_PASSWORD error code, 215
ER_INNODB_ACTIVE_INDEX_CHANGE_FAILED error code, 294
ER_INNODB_AUTOEXTEND_SIZE_OUT_OF_RANGE error code, 145
ER_INNODB_CANNOT_BE_IGNORED error code, 107
ER_INNODB_CANNOT_CREATE_TABLE error code, 295
ER_INNODB_CANT_BUILD_INDEX_XLATION_TABLE_FOR error code, 274
ER_INNODB_CANT_FIND_INDEX_IN_INNODB_DD error code, 274
ER_INNODB_CANT_OPEN_TABLE error code, 274
ER_INNODB_CLOSING_CONNECTION_ROLLS_BACK error code, 274
ER_INNODB_CLUSTERED_INDEX_PRIVATE error code, 275
ER_INNODB_COMPRESSION_FAILURE error code, 146
ER_INNODB_DIFF_IN_REF_LEN error code, 295
ER_INNODB_DIRTY_WATER_MARK_NOT_LOW error code, 273
ER_INNODB_ERROR_LOGGER_FATAL_MSG error code, 297
ER_INNODB_ERROR_LOGGER_MSG error code, 297
ER_INNODB_FAILED_TO_FIND_IDX error code, 294
ER_INNODB_FAILED_TO_FIND_IDX_FROM_DICT_CACHE error code, 294
ER_INNODB_FAILED_TO_FIND_IDX_WITH_KEY_NO error code, 294
ER_INNODB_FILES_SAME error code, 274
ER_INNODB_FORCED_RECOVERY error code, 67
ER_INNODB_FT_AUX_NOT_HEX_ID error code, 67
ER_INNODB_FT_LIMIT error code, 59
ER_INNODB_FT_WRONG_DOCID_COLUMN error code, 59
ER_INNODB_FT_WRONG_DOCID_INDEX error code, 60
ER_INNODB_IDX_CNT_FEWER_THAN_DEFINED_IN_MYSQL error code, 295
ER_INNODB_IDX_CNT_MORE_THAN_DEFINED_IN_MYSQL error code, 295
ER_INNODB_INDEX_COLUMN_CNT_DIFF error code, 295
ER_INNODB_ILLEGAL_COLON_IN_POOL error code, 273
ER_INNODB_IMPORT_ERROR error code, 61
ER_INNODB_INCOMPATIBLE_WITH_TABLESPACE error code, 145
ER_INNODB_INDEX_COLUMN_INFO_UNLIKE_MYSQLS error code, 274
ER_INNODB_INDEX_CORRUPT error code, 61
ER_INNODB_INSTANT_ADD_DROP_NOT_SUPPORTED_MAX_SIZ error code, 161
ER_INNODB_INSTANT_ADD_NOT_SUPPORTED_MAX_FIELDS error code, 161
ER_INNODB_INSTANT_ADD_NOT_SUPPORTED_MAX_SIZE error code, 154

ER_INNODB_INTERNAL_INDEX error code, 295
ER_INNODB_INVALID_AUTOEXTEND_SIZE_VALUE error code, 145
ER_INNODB_INVALID_INNODB_UNDO_DIRECTORY error code, 273
ER_INNODB_INVALID_INNODB_UNDO_DIRECTORY_LOCATION error code, 547
ER_INNODB_INVALID_LOG_GROUP_HOME_DIR error code, 273
ER_INNODB_INVALID_MONITOR_COUNTER_NAME error code, 296
ER_INNODB_INVALID_PAGE_SIZE error code, 273
ER_INNODB_IO_CAPACITY_EXCEEDS_MAX error code, 274
ER_INNODB_IO_WRITE_ERROR_RETRYING error code, 592
ER_INNODB_IO_WRITE_FAILED error code, 592
ER_INNODB_MANDATORY error code, 171
ER_INNODB_MAX_ROW_VERSION error code, 153
ER_INNODB_MONITOR_DEFAULT_VALUE_NOT_DEFINED error code, 296
ER_INNODB_MONITOR_IS_ENABLED error code, 296
ER_INNODB_NO_FT_TEMP_TABLE error code, 59
ER_INNODB_ONLINE_LOG_TOO_BIG error code, 60
ER_INNODB_OUT_OF_RESOURCES error code, 575
ER_INNODB_PARTITION_TABLE_LOWERCASED error code, 275
ER_INNODB_PK_NOT_IN_MYSQL error code, 275
ER_INNODB_PK_ONLY_IN_MYSQL error code, 275
ER_INNODB_READ_ONLY error code, 66
ER_INNODB_REDO_ARCHIVING_ENABLED error code, 140
ER_INNODB_REDO_DISABLED error code, 140
ER_INNODB_REDO_LOG_ARCHIVE_ACTIVE error code, 124
ER_INNODB_REDO_LOG_ARCHIVE_DIRS_INVALID error code, 123
ER_INNODB_REDO_LOG_ARCHIVE_DIR_CLASH error code, 124
ER_INNODB_REDO_LOG_ARCHIVE_DIR_EMPTY error code, 123
ER_INNODB_REDO_LOG_ARCHIVE_DIR_PERMISSIONS error code, 124
ER_INNODB_REDO_LOG_ARCHIVE_FAILED error code, 124
ER_INNODB_REDO_LOG_ARCHIVE_FILE_CREATE error code, 124
ER_INNODB_REDO_LOG_ARCHIVE_INACTIVE error code, 124
ER_INNODB_REDO_LOG_ARCHIVE_LABEL_NOT_FOUND error code, 123
ER_INNODB_REDO_LOG_ARCHIVE_NO_SUCH_DIR error code, 124
ER_INNODB_REDO_LOG_ARCHIVE_SESSION error code, 124
ER_INNODB_REDO_LOG_ARCHIVE_START_SUBDIR_PATH error code, 123
ER_INNODB_REDO_LOG_ARCHIVE_START_TIMEOUT error code, 123
ER_INNODB_TRX_XLATION_TABLE_OOM error code, 274
ER_INNODB_UNABLE_TO_ACQUIRE_DD_OBJECT error code, 581
ER_INNODB_UNDO_LOG_FULL error code, 70
ER_INNODB_UNKNOWN_COLLATION error code, 273
ER_INNODB_UNREGISTERED_TRX_ACTIVE error code, 274
ER_INNODB_USE_MONITOR_GROUP_NAME error code, 295
ER_INSECURE_CHANGE_MASTER error code, 56
ER_INSECURE_CHANGE_SOURCE error code, 56
ER_INSECURE_PLAIN_TEXT error code, 56
ER_INSERT_INFO error code, 9
ER_INSIDE_TRANSACTION_PREVENTS_SWITCH_BINLOG_D error code, 49
ER_INSIDE_TRANSACTION_PREVENTS_SWITCH_BINLOG_F error code, 49
ER_INSIDE_TRANSACTION_PREVENTS_SWITCH_SQL_LOG_ error code, 50
ER_INSTALL_COMPONENT_SET_NULL_VALUE error code, 161
ER_INSTALL_COMPONENT_SET_UNUSED_VALUE error code, 161
ER_INSTALL_PLUGIN_CONFLICT_CLIENT error code, 148
ER_INSTALL_PLUGIN_CONFLICT_LOG error code, 603
ER_INTERNAL_ERROR error code, 61
ER_INTERSECT_ALL_MAX_DUPLICATES_EXCEEDED error code, 157
ER_INVALID_ADMIN_ADDRESS error code, 549
ER_INVALID_ARGUMENT_FOR_LOGARITHM error code, 70
ER_INVALID_ASSIGNMENT_TARGET error code, 148
ER_INVALID_AUTHENTICATION_POLICY error code, 608
ER_INVALID_BITWISE_AGGREGATE_OPERANDS_SIZE error code, 88
ER_INVALID_BITWISE_OPERANDS_SIZE error code, 88
ER_INVALID_CAST error code, 141
ER_INVALID_CAST_POLYGON_RING_DIRECTION error code, 146
ER_INVALID_CAST_TO_GEOMETRY error code, 146
ER_INVALID_CAST_TO_JSON error code, 82
ER_INVALID_CHARACTER_STRING error code, 25

ER_INVALID_CHARSET_AND_DEFAULT_IS_MB error code, 199
ER_INVALID_COLLATION_FOR_CHARSET error code, 281
ER_INVALID_DD_OBJECT error code, 88
ER_INVALID_DD_OBJECT_ID error code, 88
ER_INVALID_DD_OBJECT_NAME error code, 88
ER_INVALID_DEFAULT error code, 8
ER_INVALID_DEFAULT_UTF8MB4_COLLATION error code, 109
ER_INVALID_ENCRYPTION_OPTION error code, 85
ER_INVALID_ENCRYPTION_REQUEST error code, 121
ER_INVALID_ERROR_LOG_NAME error code, 182
ER_INVALID_FIELD_SIZE error code, 69
ER_INVALID_GEOJSON_CRS_NOT_TOP_LEVEL error code, 104
ER_INVALID_GEOJSON_MISSING_MEMBER error code, 74
ER_INVALID_GEOJSON_UNSPECIFIED error code, 74
ER_INVALID_GEOJSON_WRONG_TYPE error code, 74
ER_INVALID_GROUP_FUNC_USE error code, 11
ER_INVALID_INFO_IN_FRM error code, 200
ER_INVALID_INSTRUMENT error code, 171
ER_INVALID_JSON_ATTRIBUTE error code, 139
ER_INVALID_JSON_BINARY_DATA error code, 82
ER_INVALID_JSON_CHARSET error code, 82
ER_INVALID_JSON_CHARSET_IN_FUNCTION error code, 82
ER_INVALID_JSON_DATA error code, 74
ER_INVALID_JSON_PATH error code, 82
ER_INVALID_JSON_PATH_ARRAY_CELL error code, 84
ER_INVALID_JSON_PATH_CHARSET error code, 82
ER_INVALID_JSON_PATH_WILDCARD error code, 82
ER_INVALID_JSON_TEXT error code, 82
ER_INVALID_JSON_TEXT_IN_PARAM error code, 82
ER_INVALID_JSON_TYPE error code, 124
ER_INVALID_JSON_VALUE_FOR_CAST error code, 83
ER_INVALID_JSON_VALUE_FOR_FUNC_INDEX error code, 130
ER_INVALID_MFA_OPERATIONS_FOR_PASSWORDLESS_USER error code, 150
ER_INVALID_MFA_PLUGIN_SPECIFIED error code, 149
ER_INVALID_MULTIPLE_CLAUSES error code, 122
ER_INVALID_NAMED_PIPE_FULL_ACCESS_GROUP error code, 556
ER_INVALID_NO_OF_ARGS error code, 96
ER_INVALID_ON_UPDATE error code, 25
ER_INVALID_OPTION_CHARACTERS error code, 92
ER_INVALID_OPTION_END_CHARACTER error code, 92
ER_INVALID_OPTION_KEY error code, 91
ER_INVALID_OPTION_KEY_VALUE_PAIR error code, 92
ER_INVALID_OPTION_START_CHARACTER error code, 92
ER_INVALID_OPTION_VALUE error code, 92
ER_INVALID_OR_OLD_TABLE_OR_DB_NAME error code, 223
ER_INVALID_PARAMETER_USE error code, 141
ER_INVALID_PLUGIN_FOR_REGISTRATION error code, 149
ER_INVALID_PROPERTY_KEY error code, 552
ER_INVALID_REPLICATION_TIMESTAMPS error code, 283
ER_INVALID_RPL_WILD_TABLE_FILTER_PATTERN error code, 74
ER_INVALID_SERVER_DOWNGRADE_NOT_PATCH error code, 640
ER_INVALID_SERVER_UPGRADE_NOT_LTS error code, 640
ER_INVALID_THREAD_ID error code, 103
ER_INVALID_THREAD_PRIORITY error code, 102
ER_INVALID_TIME_ZONE_INTERVAL error code, 141
ER_INVALID_TLS_VERSION error code, 613
ER_INVALID_TYPE_FOR_JSON error code, 82
ER_INVALID_USER_ATTRIBUTE_JSON error code, 139
ER_INVALID_USER_FOR_REGISTRATION error code, 150
ER_INVALID_USE_OF_FORCE_OPTION error code, 103
ER_INVALID_USE_OF_NULL error code, 13
ER_INVALID_VALUE_FOR_ENFORCE_GTID_CONSISTENCY error code, 166
ER_INVALID_VALUE_OF_BIND_ADDRESSES error code, 539
ER_INVALID_VCPU_ID error code, 102
ER_INVALID_VCPU_RANGE error code, 102
ER_INVALID_XPLUGIN_SOCKET_SAME_AS_SERVER error code, 581
ER_INVALID_YEAR_COLUMN_LENGTH error code, 62
ER_IO_ERR_LOG_INDEX_READ error code, 30
ER_IO_READ_ERROR error code, 61
ER_IO_WRITE_ERROR error code, 61
ER_IPSOCK_ERROR error code, 9
ER_IS_QUERY_INVALID_CLAUSE error code, 91
ER_I_S_SKIPPED_TABLESPACE error code, 101
ER_JSON_BAD_ONE_OR_ALL_ARG error code, 83
ER_JSON_DOCUMENT_NULL_KEY error code, 83
ER_JSON_DOCUMENT_TOO_DEEP error code, 83
ER_JSON_KEY_TOO_BIG error code, 82
ER_JSON_PARSE_ERROR error code, 185
ER_JSON_SCHEMA_VALIDATION_ERROR_WITH_DETAILED_REP error code, 134
ER_JSON_USED_AS_KEY error code, 83

ER_JSON_VACUOUS_PATH error code, 83
ER_JSON_VALUE_OUT_OF_RANGE_FOR_FUNC_INDEX error code, 130
ER_JSON_VALUE_TOO_BIG error code, 82
ER_JT_MAX_NESTED_PATH error code, 104
ER_JT_VALUE_OUT_OF_RANGE error code, 104
ER_KERBEROS_CREATE_USER error code, 148
ER_KEYCACHE_OOM error code, 174
ER_KEYRING_ACCESS_DENIED_ERROR error code, 86
ER_KEYRING_AWS_CMK_ID_NOT_SET error code, 340
ER_KEYRING_AWS_FAILED_TO_ACCESS_DATA_FILE error code, 340
ER_KEYRING_AWS_FAILED_TO_ACCESS_KEY_FROM_CONF_FILE error code, 339
ER_KEYRING_AWS_FAILED_TO_ACCESS_KEY_ID_FROM_CONF_FILE error code, 339
ER_KEYRING_AWS_FAILED_TO_ACCESS_OR_CREATE_KEYRING_DIR error code, 340
ER_KEYRING_AWS_FAILED_TO_ACCESS_OR_CREATE_KEYRING_FILE error code, 339
ER_KEYRING_AWS_FAILED_TO_CONNECT_KMS error code, 341
ER_KEYRING_AWS_FAILED_TO_DECRYPT_KEY error code, 342
ER_KEYRING_AWS_FAILED_TO_ENCRYPT_KEY error code, 342
ER_KEYRING_AWS_FAILED_TO_FLUSH_KEYRING_TO_FILE error code, 341
ER_KEYRING_AWS_FAILED_TO_GENERATE_KEY_DUE_TO_INTERNAL_ERROR error code, 341
ER_KEYRING_AWS_FAILED_TO_GENERATE_NEW_KEY error code, 341
ER_KEYRING_AWS_FAILED_TO_GET_KMS_CREDENTIALS_FROM_CONF_FILE error code, 340
ER_KEYRING_AWS_FAILED_TO_INIT_DUE_TO_INTERNAL_ERROR error code, 340
ER_KEYRING_AWS_FAILED_TO_INIT_DUE_TO_PLUGIN_ERROR error code, 340
ER_KEYRING_AWS_FAILED_TO_OPEN_CONF_FILE error code, 339
ER_KEYRING_AWS_FAILED_TO_RESTORE_FROM_BACKUP_FILE error code, 341
ER_KEYRING_AWS_FAILED_TO_RE_ENCRYPT_KEY error code, 342
ER_KEYRING_AWS_FAILED_TO_ROTATE_CMK error code, 342
ER_KEYRING_AWS_FAILED_TO_SET_CMK_ID error code, 338
ER_KEYRING_AWS_FAILED_TO_SET_REGION error code, 339
ER_KEYRING_AWS_FOUND_MALFORMED_BACKUP_FILE error code, 341
ER_KEYRING_AWS_INCORRECT_FILE error code, 341
ER_KEYRING_AWS_INCORRECT_PROXY error code, 569
ER_KEYRING_AWS_INCORRECT_REGION error code, 341
ER_KEYRING_AWS_INIT_FAILURE error code, 340
ER_KEYRING_AWS_INVALID_CONF_FILE_PATH error code, 339
ER_KEYRING_AWS_INVALID_DATA_FILE_PATH error code, 339
ER_KEYRING_AWS_INVALID_KEY_LENGTH_FOR_CIPHER error code, 340
ER_KEYRING_AWS_UDF_AWS_KMS_ERROR error code, 35
ER_KEYRING_CHECK_KEY_FAILED_DUE_TO_EMPTY_KEY_I error code, 332
ER_KEYRING_CHECK_KEY_FAILED_DUE_TO_INVALID_KEY error code, 332
ER_KEYRING_COMPONENT_EXCEPTION error code, 597
ER_KEYRING_COMPONENT_MEMORY_ALLOCATION_ERROR error code, 597
ER_KEYRING_COMPONENT_NOT_INITIALIZED error code, 597
ER_KEYRING_ENCRYPTED_FILE_DECRYPTION_FAILED error code, 337
ER_KEYRING_ENCRYPTED_FILE_ENCRYPTION_FAILED error code, 337
ER_KEYRING_ENCRYPTED_FILE_FAILED_TO_CREATE_KEYI error code, 338
ER_KEYRING_ENCRYPTED_FILE_FAILED_TO_FLUSH_KEYRI error code, 337
ER_KEYRING_ENCRYPTED_FILE_FAILED_TO_RESTORE_KE error code, 337
ER_KEYRING_ENCRYPTED_FILE_FOUND_MALFORMED_BAC error code, 337
ER_KEYRING_ENCRYPTED_FILE_GEN_KEY_FAILED_DUE_T error code, 338
ER_KEYRING_ENCRYPTED_FILE_INCORRECT_KEYRING_FIL error code, 337
ER_KEYRING_ENCRYPTED_FILE_INIT_FAILED_DUE_TO_INT error code, 338
ER_KEYRING_ENCRYPTED_FILE_INIT_FAILURE error code, 338
ER_KEYRING_ENCRYPTED_FILE_INVALID_KEYRING_DIR error code, 338
ER_KEYRING_ENCRYPTED_FILE_PASSWORD_IS_INVALID error code, 338
ER_KEYRING_ENCRYPTED_FILE_PASSWORD_IS_TOO_LON error code, 338
ER_KEYRING_FAILED_TO_CREATE_KEYRING_DIR error code, 331

ER_KEYRING_FAILED_TO_FLUSH_KEYRING_TO_FILE error code, 332
ER_KEYRING_FAILED_TO_FLUSH_KEYS_TO_KEYRING error code, 333
ER_KEYRING_FAILED_TO_FLUSH_KEYS_TO_KEYRING_BACKUP error code, 333
ER_KEYRING_FAILED_TO_GENERATE_KEY error code, 332
ER_KEYRING_FAILED_TO_GET_FILE_STAT error code, 332
ER_KEYRING_FAILED_TO_LOAD_KEYRING_CONTENT error code, 333
ER_KEYRING_FAILED_TO_REMOVE_FILE error code, 333
ER_KEYRING_FAILED_TO_REMOVE_KEY_DUE_TO_EMPTY_ID error code, 334
ER_KEYRING_FAILED_TO_RESTORE_FROM_BACKUP_FILE error code, 332
ER_KEYRING_FAILED_TO_SET_KEYRING_FILE_DATA error code, 333
ER_KEYRING_FAILED_TO_TRUNCATE_FILE error code, 333
ER_KEYRING_FILE_INIT_FAILED error code, 331
ER_KEYRING_FILE_IO_ERROR error code, 333
ER_KEYRING_FOUND_MALFORMED_BACKUP_FILE error code, 332
ER_KEYRING_INCORRECT_FILE error code, 332
ER_KEYRING_INTERNAL_EXCEPTION_FAILED_FILE_INIT error code, 331
ER_KEYRING_INVALID_KEY_LENGTH error code, 331
ER_KEYRING_INVALID_KEY_TYPE error code, 331
ER_KEYRING_KEY_FETCH_FAILED_DUE_TO_EMPTY_KEY_ID error code, 333
ER_KEYRING_LOGGER_ERROR_MSG error code, 314
ER_KEYRING_MIGRATE_FAILED error code, 527
ER_KEYRING_MIGRATION_EXTRA_OPTIONS error code, 389
ER_KEYRING_MIGRATION_FAILED error code, 299
ER_KEYRING_MIGRATION_FAILURE error code, 86
ER_KEYRING_MIGRATION_STATUS error code, 86
ER_KEYRING_MIGRATION_SUCCESSFUL error code, 299
ER_KEYRING_OCI_HTTP_REQUEST error code, 627
ER_KEYRING_OCI_INVALID_JSON error code, 627
ER_KEYRING_OCI_PARSE_JSON error code, 627
ER_KEYRING_OKV_CONNECTION_TO_SERVER_FAILED error code, 335
ER_KEYRING_OKV_FAILED_TO_ACTIVATE_KEYS error code, 336
ER_KEYRING_OKV_FAILED_TO_ADD_ATTRIBUTE error code, 335
ER_KEYRING_OKV_FAILED_TO_FETCH_KEY error code, 336
ER_KEYRING_OKV_FAILED_TO_FIND_SERVER_ENTRY error code, 334
ER_KEYRING_OKV_FAILED_TO_FIND_STANDBY_SERVER_ENTR error code, 335
ER_KEYRING_OKV_FAILED_TO_GENERATE_KEY error code, 336
ER_KEYRING_OKV_FAILED_TO_GENERATE_KEY_DUE_TO_INTE error code, 334
ER_KEYRING_OKV_FAILED_TO_INIT_CLIENT error code, 335
ER_KEYRING_OKV_FAILED_TO_INIT_SSL_LAYER error code, 335
ER_KEYRING_OKV_FAILED_TO_LOAD_KEY_UID error code, 335
ER_KEYRING_OKV_FAILED_TO_LOAD_SSL_TRUST_STORE error code, 336
ER_KEYRING_OKV_FAILED_TO_PARSE_CONF_FILE error code, 335
ER_KEYRING_OKV_FAILED_TO_REMOVE_KEY error code, 335
ER_KEYRING_OKV_FAILED_TO_RETRIEVE_KEY error code, 336
ER_KEYRING_OKV_FAILED_TO_RETRIEVE_KEY_SIGNATURE error code, 336
ER_KEYRING_OKV_FAILED_TO_SET_CERTIFICATE_FILE error code, 336
ER_KEYRING_OKV_FAILED_TO_SET_KEY_FILE error code, 337
ER_KEYRING_OKV_FAILED_TO_STORE_KEY error code, 336
ER_KEYRING_OKV_FAILED_TO_STORE_OR_GENERATE_KEY error code, 336
ER_KEYRING_OKV_INCORRECT_KEY_VAULT_CONFIGURED error code, 334
ER_KEYRING_OKV_INIT_FAILED_DUE_TO_INCORRECT_CONF error code, 334
ER_KEYRING_OKV_INIT_FAILED_DUE_TO_INTERNAL_ERROR error code, 334
ER_KEYRING_OKV_INVALID_KEY_LENGTH_FOR_CIPHER error code, 334
ER_KEYRING_OKV_INVALID_KEY_TYPE error code, 334
ER_KEYRING_OKV_KEY_MISMATCH error code, 337
ER_KEYRING_OKV_STANDBY_SERVER_COUNT_EXCEEDED error code, 613
ER_KEYRING_OPERATION_FAILED_DUE_TO_INTERNAL_ERROR error code, 332
ER_KEYRING_UDF_KEYRING_SERVICE_ERROR error code, 85
ER_KEYRING_UNKNOWN_ERROR error code, 333
ER_KEY_COLUMN_DOES_NOT_EXITS error code, 8
ER_KEY_DOES_NOT_EXITS error code, 15
ER_KEY_NOT_FOUND error code, 5
ER_KEY_PART_0 error code, 30

ER_KEY_REF_DO_NOT_MATCH_TABLE_REF error code, 21
ER_KILLED_THREADS_OF_PLUGIN error code, 217
ER_KILLING_THREAD error code, 216
ER_KILL_DENIED_ERROR error code, 10
ER_LATITUDE_OUT_OF_RANGE error code, 98
ER_LCTN_CHANGED error code, 299
ER_LCTN_NOT_FOUND error code, 527
ER_LDAP_AUTH_CERTIFICATE_NAME error code, 382
ER_LDAP_AUTH_COMMUNICATION_HOST_INFO error code, 385
ER_LDAP_AUTH_CONNECTION_CREATOR_ENTER error code, 385
ER_LDAP_AUTH_CONNECTION_GET_LDAP_INFO_NULL error code, 385
ER_LDAP_AUTH_CONNECTION_POOL_INIT_FAILED error code, 383
ER_LDAP_AUTH_CONNECTION_POOL_REINIT_ENTER error code, 387
ER_LDAP_AUTH_CONNECTION_PUSHED_TO_POOL error code, 385
ER_LDAP_AUTH_CONN_POOL_DEINITIALIZING error code, 381
ER_LDAP_AUTH_CONN_POOL_INITIALIZING error code, 381
ER_LDAP_AUTH_CONN_POOL_NOT_CREATED error code, 381
ER_LDAP_AUTH_CREATE_CONNECTION_KEY error code, 385
ER_LDAP_AUTH_CREATING_LDAP_CONNECTION error code, 384
ER_LDAP_AUTH_DEINIT_FAILED error code, 380
ER_LDAP_AUTH_DELETING_CONNECTION_KEY error code, 385
ER_LDAP_AUTH_DISTINGUISHED_NAME error code, 386
ER_LDAP_AUTH_FAILED_TO_CREATE_LDAP_CONNECTION error code, 387
ER_LDAP_AUTH_FAILED_TO_CREATE_LDAP_OBJECT error code, 380
ER_LDAP_AUTH_FAILED_TO_CREATE_LDAP_OBJECT_CREATOR error code, 380
ER_LDAP_AUTH_FAILED_TO_CREATE_OR_GET_CONNECTION error code, 380
ER_LDAP_AUTH_FAILED_TO_DEINITIALIZE_NOT_READY_POOL error code, 383
ER_LDAP_AUTH_FAILED_TO_DEINITIALIZE_POOL_IN_RECONSTRUCT error code, 383
ER_LDAP_AUTH_FAILED_TO_ESTABLISH_TLS_CONNECTION error code, 387
ER_LDAP_AUTH_FAILED_TO_GET_CONNECTION_AS_PLUGIN_NOT_READY error code, 383
ER_LDAP_AUTH_FAILED_TO_INITIALIZE_POOL_IN_DEINIT_STATE error code, 383
ER_LDAP_AUTH_FAILED_TO_INITIALIZE_POOL_IN_INIT_STATE error code, 383
ER_LDAP_AUTH_FAILED_TO_INITIALIZE_POOL_IN_RECONSTRUCT error code, 383
ER_LDAP_AUTH_FAILED_TO_POOL_DEINIT error code, 383
ER_LDAP_AUTH_FAILED_TO_SEARCH_DN error code, 387
ER_LDAP_AUTH_FAILED_TO_WRITE_PACKET error code, 381
ER_LDAP_AUTH_FREEING_CONNECTION error code, 385
ER_LDAP_AUTH_GETTING_CONNECTION_FROM_POOL error code, 384
ER_LDAP_AUTH_GRP_DN_PARSING_FAILED error code, 554
ER_LDAP_AUTH_GRP_INCORRECT_ATTRIBUTE error code, 554
ER_LDAP_AUTH_GRP_INFO_FOUND_IN_MANY_OBJECTS error code, 554
ER_LDAP_AUTH_GRP_IS_FULL_DN error code, 382
ER_LDAP_AUTH_GRP_NULL_ATTRIBUTE_VALUE error code, 554
ER_LDAP_AUTH_GRP_OBJECT_HAS_USER_INFO error code, 554
ER_LDAP_AUTH_GRP_SEARCH_NOT_SPECIAL_HDL error code, 553
ER_LDAP_AUTH_GRP_SEARCH_SPECIAL_HDL error code, 382
ER_LDAP_AUTH_GRP_USER_OBJECT_HAS_GROUP_INFO error code, 554
ER_LDAP_AUTH_INFO_FOR_USER error code, 381
ER_LDAP_AUTH_INIT_FAILED error code, 386
ER_LDAP_AUTH_LDAPS error code, 554
ER_LDAP_AUTH_LDAP_INFO_NULL error code, 384
ER_LDAP_AUTH_MAX_ALLOWED_CONNECTION_LIMIT_HIT error code, 384
ER_LDAP_AUTH_MAX_POOL_SIZE_SET_FAILED error code, 384
ER_LDAP_AUTH_METHOD_TO_CLIENT error code, 386
ER_LDAP_AUTH_OBJECT_CREATE_TIMESTAMP error code, 382
ER_LDAP_AUTH_OR_GROUP_RETRIEVAL_FAILED error code, 386
ER_LDAP_AUTH_PLUGIN_FAILED_TO_READ_PACKET error code, 384
ER_LDAP_AUTH_POOLED_CONNECTION_KEY error code, 385
ER_LDAP_AUTH_POOL_DISABLE_MAX_SIZE_ZERO error code, 380
ER_LDAP_AUTH_POOL_GET_FAILED_TO_CREATE_CONNECTION error code, 387

ER_LDAP_AUTH_POOL_REINITIALIZING error code, 381
ER_LDAP_AUTH_RETURNING_CONNECTION_TO_POOL error code, 384
ER_LDAP_AUTH_SASL_BIND_SUCCESS_INFO error code, 386
ER_LDAP_AUTH_SASL_PROCESS_SASL error code, 386
ER_LDAP_AUTH_SASL_REQUEST_FROM_CLIENT error code, 386
ER_LDAP_AUTH_SEARCHED_USER_GRP_NAME error code, 382
ER_LDAP_AUTH_SEARCH_USER_GROUP_ATTR_NOT_FOUND error code, 384
ER_LDAP_AUTH_SETTING_USERNAME error code, 381
ER_LDAP_AUTH_SKIPPING_USER_GROUP_SEARCH error code, 380
ER_LDAP_AUTH_STARTED_FOR_USER error code, 386
ER_LDAP_AUTH_STARTING_TLS error code, 385
ER_LDAP_AUTH_TLS_CONF error code, 380
ER_LDAP_AUTH_TLS_CONNECTION error code, 380
ER_LDAP_AUTH_USER_AUTH_DATA error code, 381
ER_LDAP_AUTH_USER_BIND_FAILED error code, 387
ER_LDAP_AUTH_USER_FOUND_IN_MANY_GRPS error code, 382
ER_LDAP_AUTH_USER_GROUP_SEARCH_FAILED error code, 386
ER_LDAP_AUTH_USER_GROUP_SEARCH_INFO error code, 382
ER_LDAP_AUTH_USER_GROUP_SEARCH_ROOT_BIND error code, 542
ER_LDAP_AUTH_USER_HAS_MULTIPLE_GRP_NAMES error code, 382
ER_LDAP_AUTH_USER_NOT_FOUND_IN_ANY_GRP error code, 382
ER_LDAP_AUTH_ZERO_MAX_POOL_SIZE_UNCHANGED error code, 381
ER_LDAP_EMPTY_USERDN_PASSWORD error code, 565
ER_LDAP_MAPPING_CHECK_DELIMI_QUOTE error code, 555
ER_LDAP_MAPPING_EMPTY_MAPPING error code, 555
ER_LDAP_MAPPING_GETTING_NEXT_MAPPING error code, 556
ER_LDAP_MAPPING_GET_USER_PROXY error code, 554
ER_LDAP_MAPPING_INFO error code, 555
ER_LDAP_MAPPING_IS_QUOTE error code, 556
ER_LDAP_MAPPING_NON_DESIRED_STATE error code, 556
ER_LDAP_MAPPING_NO_SEPEARATOR_END_OF_GROUP error code, 555
ER_LDAP_MAPPING_PARSING_CURRENT_STATE error code, 556
ER_LDAP_MAPPING_PARSING_ERROR error code, 556
ER_LDAP_MAPPING_PARSING_MAPPING_INFO error code, 556
ER_LDAP_MAPPING_PROCESS_DELIMITER error code, 555
ER_LDAP_MAPPING_PROCESS_DELIMITER_COMMA_NOT_FOU error code, 555
ER_LDAP_MAPPING_PROCESS_DELIMITER_EQUAL_NOT_FOUN error code, 555
ER_LDAP_MAPPING_PROCESS_DELIMITER_TRY_COMMA error code, 555
ER_LDAP_MAPPING_PROCESS_MAPPING error code, 555
ER_LDAP_MAPPING_TRIMMING_SPACES error code, 556
ER_LDAP_MAPPING_USER_DONT_BELONG_GROUP error code, 554
ER_LIMITED_PART_RANGE error code, 39
ER_LOAD_BULK_DATA_FAILED error code, 160
ER_LOAD_BULK_DATA_UNSORTED error code, 158
ER_LOAD_BULK_DATA_WARN_NULL_TO_NOTNULL error code, 161
ER_LOAD_BULK_DATA_WARN_NULL_TO_NOTNULL_LOG error code, 631
ER_LOAD_BULK_DATA_WRONG_VALUE_FOR_FIELD error code, 161
ER_LOAD_BULK_DATA_WRONG_VALUE_FOR_FIELD_LOG error code, 631
ER_LOAD_DATA_INFILE_FAILED_IN_UNEXPECTED_WAY error code, 185
ER_LOAD_FROM_FIXED_SIZE_ROWS_TO_VAR error code, 32
ER_LOAD_INFO error code, 9
ER_LOCAL_VARIABLE error code, 20
ER_LOCKING_SERVICE_DEADLOCK error code, 81
ER_LOCKING_SERVICE_TIMEOUT error code, 81
ER_LOCKING_SERVICE_WRONG_NAME error code, 81
ER_LOCK_ABORTED error code, 50
ER_LOCK_DEADLOCK error code, 18
ER_LOCK_NOWAIT error code, 93
ER_LOCK_ORDER_DEPENDENCIES_SYNTAX error code, 565
ER_LOCK_ORDER_FAILED_READ_FILE error code, 565
ER_LOCK_ORDER_FAILED_WRITE_FILE error code, 565
ER_LOCK_ORDER_INIT_FAILED error code, 563
ER_LOCK_ORDER_MESSAGE error code, 565

ER_LOCK_ORDER_SCANNER_SYNTAX error code, 565
ER_LOCK_OR_ACTIVE_TRANSACTION error code, 16
ER_LOCK_REFUSED_BY_ENGINE error code, 84
ER_LOCK_TABLE_FULL error code, 18
ER_LOCK_WAIT_TIMEOUT error code, 18
ER_LOG_BIN_BETTER_WITH_NAME error code, 179
ER_LOG_CANNOT_PURGE_BINLOG_WITH_BACKUP_LOCK error code, 639
ER_LOG_CANNOT_WRITE error code, 164
ER_LOG_CANNOT_WRITE_EXTENDED error code, 569
ER_LOG_COMPONENT_CANNOT_INIT error code, 592
ER_LOG_COMPONENT_FLUSH_FAILED error code, 604
ER_LOG_FILES_GIVEN_LOG_OUTPUT_IS_TABLE error code, 179
ER_LOG_FILE_CANNOT_OPEN error code, 322
ER_LOG_FILE_INVALID error code, 179
ER_LOG_GENERAL_CANNOT_OPEN error code, 164
ER_LOG_IN_USE error code, 30
ER_LOG_OUTPUT_CONTRADICTORY error code, 178
ER_LOG_PRINTF_MSG error code, 297
ER_LOG_PRIV_CHECKS_REQUIRE_ROW_FORMAT_NOT_SET error code, 573
ER_LOG_PURGE_NO_FILE error code, 44
ER_LOG_PURGE_UNKNOWN_ERR error code, 30
ER_LOG_SLOW_CANNOT_OPEN error code, 163
ER_LOG_SYSLOG_CANNOT_OPEN error code, 163
ER_LOG_SYSLOG_FACILITY_FAIL error code, 163
ER_LONGITUDE_OUT_OF_RANGE error code, 98
ER_LOWER_CASE_TABLE_NAMES_CS_DD_ON_CI_FS_UNSUPPORTED error code, 179
ER_LOWER_CASE_TABLE_NAMES_USING_0 error code, 179
ER_LOWER_CASE_TABLE_NAMES_USING_2 error code, 179
ER_MALFORMED_GTID_SET_ENCODING error code, 57
ER_MALFORMED_GTID_SET_SPECIFICATION error code, 57
ER_MALFORMED_GTID_SPECIFICATION error code, 57
ER_MALFORMED_PACKET error code, 63
ER_MANDATORY_ROLE error code, 99
ER_MASTER error code, 16
ER_MASTER_DELAY_VALUE_OUT_OF_RANGE error code, 53
ER_MASTER_FATAL_ERROR_READING_BINLOG error code, 20
ER_MASTER_HAS_PURGED_REQUIRED_GTIDS error code, 59
ER_MASTER_INFO error code, 17
ER_MASTER_KEY_ROTATION_BINLOG_FAILED error code, 85
ER_MASTER_KEY_ROTATION_NOT_SUPPORTED_BY_SE error code, 85
ER_MASTER_KEY_ROTATION_SE_UNAVAILABLE error code, 85
ER_MASTER_NET_READ error code, 16
ER_MASTER_NET_WRITE error code, 16
ER_MAXVALUE_IN_VALUES_IN error code, 47
ER_MAX_PREPARED_STMT_COUNT_REACHED error code, 35
ER_MDL_OUT_OF_RESOURCES error code, 140
ER_MECAB_CHARSET_LOADED error code, 303
ER_MECAB_CREATE_LATTICE_FAILED error code, 303
ER_MECAB_CREATING_MODEL error code, 303
ER_MECAB_FAILED_TO_CREATE_MODEL error code, 303
ER_MECAB_FAILED_TO_CREATE_TRIGGER error code, 303
ER_MECAB_NOT_SUPPORTED error code, 303
ER_MECAB_NOT_VERIFIED error code, 303
ER_MECAB_OOM_WHILE_PARSING_TEXT error code, 303
ER_MECAB_PARSE_FAILED error code, 303
ER_MECAB_UNSUPPORTED_CHARSET error code, 303
ER_MESSAGE_AND_STATEMENT error code, 48
ER_MFA_METHODS_IDENTICAL error code, 150
ER_MFA_METHODS_INVALID_ORDER error code, 150
ER_MFA_METHOD_EXISTS error code, 149
ER_MFA_METHOD_NOT_EXISTS error code, 149
ER_MFA_PLUGIN_NOT_LOADED error code, 611
ER_MFA_USER_ATTRIBUTES_CORRUPT error code, 611
ER_MICROSECOND_TIMER_IS_NOT_AVAILABLE error code, 294
ER_MIGRATE_TABLE_TO_DD_OOM error code, 576
ER_MISPLACED_INTO error code, 136
ER_MISSING_ACL_SYSTEM_TABLE error code, 285
ER_MISSING_CURRENT_PASSWORD error code, 129
ER_MISSING_GRANT_SYSTEM_TABLE error code, 285
ER_MISSING_HA_CREATE_OPTION error code, 69
ER_MISSING_JSON_TABLE_VALUE error code, 103
ER_MISSING_JSON_VALUE error code, 137
ER_MISSING_KEY error code, 68
ER_MISSING_SKIP_REPLICA error code, 24
ER_MISSING_SKIP_SLAVE error code, 23
ER_MISSING_TABLESPACE_FILE error code, 99
ER_MIXING_NOT_ALLOWED error code, 19
ER_MIX_HANDLER_ERROR error code, 37
ER_MIX_OF_GROUP_FUNC_AND_FIELDS error code, 13

ER_MIX_OF_GROUP_FUNC_AND_FIELDS_V2 error code, 77
ER_MTA_CANT_PARALLEL error code, 55
ER_MTA_CHANGE_SOURCE_CANT_RUN_WITH_GAPS error code, 60
ER_MTA_EVENT_BIGGER_PENDING_JOBS_SIZE_MAX error code, 65
ER_MTA_FEATURE_IS_NOT_SUPPORTED error code, 55
ER_MTA_INCONSISTENT_DATA error code, 56
ER_MTA_RECOVERY_FAILURE error code, 60
ER_MTA_RESET_WORKERS error code, 60
ER_MTA_UPDATED_DBS_GREATER_MAX error code, 55
ER_MTR_MSG_1 error code, 605
ER_MTS_CANT_PARALLEL error code, 55
ER_MTS_CHANGE_MASTER_CANT_RUN_WITH_GAPS error code, 60
ER_MTS_EVENT_BIGGER_PENDING_JOBS_SIZE_MAX error code, 65
ER_MTS_FEATURE_IS_NOT_SUPPORTED error code, 55
ER_MTS_INCONSISTENT_DATA error code, 55
ER_MTS_RECOVERY_FAILURE error code, 60
ER_MTS_RESET_WORKERS error code, 60
ER_MTS_UPDATED_DBS_GREATER_MAX error code, 55
ER_MULTIPLE_CONSTRAINTS_WITH_SAME_NAME error code, 134
ER_MULTIPLE_DEF_CONST_IN_LIST_PART_ERROR error code, 37
ER_MULTIPLE_INTO_CLAUSES error code, 136
ER_MULTIPLE_JSON_VALUES error code, 138
ER_MULTIPLE_PRI_KEY error code, 8
ER_MULTI_UPDATE_KEY_CONFLICT error code, 51
ER_MUST_CHANGE_EXPIRED_PASSWORD error code, 280
ER_MUST_CHANGE_PASSWORD error code, 62
ER_MUST_CHANGE_PASSWORD_LOGIN error code, 65
ER_MYINIT_FAILED error code, 177
ER_MYISAM_CHECK_METHOD_ERROR error code, 296
ER_MYISAM_CRASHED_ERROR error code, 297
ER_MYISAM_CRASHED_ERROR_IN error code, 188
ER_MYISAM_CRASHED_ERROR_IN_THREAD error code, 187
ER_MYSQLBACKUP_CLIENT_MSG error code, 153
ER_MYSQLBACKUP_MSG error code, 570
ER_MYSQL_NATIVE_PASSWORD_SECOND_PASSWORD_USED error code, 550
ER_MY_MALLOC_GETPROCADDRESS_FAILED error code, 614
ER_MY_MALLOC_LOADLIBRARY_FAILED error code, 614
ER_MY_MALLOC_USING_JEMALLOC error code, 614
ER_MY_MALLOC_USING_STD_MALLOC error code, 614
ER_MY_NET_WRITE_FAILED_FALLING_BACK_ON_STDERR error code, 258
ER_M_BIGGER_THAN_D error code, 33
ER_NAME_BECOMES_EMPTY error code, 36
ER_NANOSECOND_TIMER_IS_NOT_AVAILABLE error code, 294
ER_NATIVE_FCT_NAME_COLLISION error code, 42
ER_NDBINFO_NOT_UPGRADING_SCHEMA error code, 580
ER_NDBINFO_UPGRADING_SCHEMA error code, 580
ER_NDBINFO_UPGRADING_SCHEMA_FAIL error code, 580
ER_NDB_BINLOG_BLOB_REQUIRES_PK error code, 249
ER_NDB_BINLOG_CANT_COMMIT_TO_NDB_BINLOG_INDEX error code, 247
ER_NDB_BINLOG_CANT_CREATE_BLOB error code, 250
ER_NDB_BINLOG_CANT_CREATE_EVENT_IN_DB error code, 249
ER_NDB_BINLOG_CANT_CREATE_EVENT_IN_DB_AND_CANT_D error code, 249
ER_NDB_BINLOG_CANT_CREATE_EVENT_IN_DB_DROPPED error code, 249
ER_NDB_BINLOG_CANT_CREATE_PURGE_THD error code, 273
ER_NDB_BINLOG_CANT_DISCOVER_TABLE_FROM_SCHEMA_EV error code, 244
ER_NDB_BINLOG_CANT_DROP_EVENT_FROM_DB error code, 250
ER_NDB_BINLOG_CANT_INJECT_APPLY_STATUS_WRITE_ROW error code, 252
ER_NDB_BINLOG_CANT_LOCK_NDB_BINLOG_INDEX error code, 247
ER_NDB_BINLOG_CANT_RELEASE_SLOCK error code, 244
ER_NDB_BINLOG_CANT_REOPEN_SHADOW_TABLE error code, 245
ER_NDB_BINLOG_CANT_WRITE_TO_NDB_BINLOG_INDEX error code, 247
ER_NDB_BINLOG_CLEANING_UP_SETUP_LEFTOVERS error code, 243
ER_NDB_BINLOG_CLUSTER_FAILURE error code, 250
ER_NDB_BINLOG_CLUSTER_HAS_RECONNECTED error code, 250
ER_NDB_BINLOG_CLUSTER_RESTARTED_RESET_MASTER_SU error code, 251
ER_NDB_BINLOG_CREATE_TABLE_EVENT error code, 220

ER_NDB_BINLOG_CREATE_TABLE_EVENT_FAILED error code, 249
ER_NDB_BINLOG_CREATE_TABLE_EVENT_INFO error code, 249
ER_NDB_BINLOG_CREATING_NDBEVENTOPERATION_FAILED error code, 250
ER_NDB_BINLOG_DISCOVER_REUSING_OLD_EVENT_OPS error code, 250
ER_NDB_BINLOG_DISCOVER_TABLE_EVENT_INFO error code, 249
ER_NDB_BINLOG_ERROR_DURING_GCI_COMMIT error code, 253
ER_NDB_BINLOG_ERROR_DURING_GCI_ROLLBACK error code, 252
ER_NDB_BINLOG_ERROR_HANDLING_SCHEMA_EVENT error code, 252
ER_NDB_BINLOG_ERROR_INFO_FROM_DA error code, 219
ER_NDB_BINLOG_FAILED_CREATE_EVENT_OPERATIONS error code, 220
ER_NDB_BINLOG_FAILED_CREATE_TABLE_EVENT_OPERATIONS error code, 220
ER_NDB_BINLOG_FAILED_TO_GET_TABLE error code, 248
ER_NDB_BINLOG_FORMAT_CHANGED_FROM_STMT_TO_MIXED error code, 221
ER_NDB_BINLOG_GENERIC_MESSAGE error code, 248
ER_NDB_BINLOG_GOT_DIST_PRIV_EVENT_FLUSHING_PRIVILEGES error code, 246
ER_NDB_BINLOG_GOT_SCHEMA_EVENT error code, 246
ER_NDB_BINLOG_INJECTING_RANDOM_WRITE_FAILURE error code, 247
ER_NDB_BINLOG_INJECTOR_DISCARDING_ROW_EVENT_METADATA error code, 251
ER_NDB_BINLOG_LATEST_TRX_IN_EPOCH_NOT_IN_BINLOG error code, 253
ER_NDB_BINLOG_LOST_SCHEMA_CONNECTION_CONTINUING error code, 252
ER_NDB_BINLOG_LOST_SCHEMA_CONNECTION_WAITING error code, 252
ER_NDB_BINLOG_NDBEVENT_EXECUTE_FAILED error code, 250
ER_NDB_BINLOG_NDB_LOG_APPLY_STATUS_FORCING_FULL_USE_WRITE error code, 248
ER_NDB_BINLOG_NDB_LOG_TRANSACTION_ID_REQUIRES_V2_ROW_EVENTS error code, 248
ER_NDB_BINLOG_NDB_TABLES_INITIALLY_READ_ONLY error code, 222
ER_NDB_BINLOG_NDB_TABLES_WRITABLE error code, 252
ER_NDB_BINLOG_NOT_LOGGING error code, 249
ER_NDB_BINLOG_ONLINE_ALTER_RENAME error code, 245
ER_NDB_BINLOG_ONLINE_ALTER_RENAME_COMPLETE error code, 245
ER_NDB_BINLOG_OPENING_INDEX error code, 247
ER_NDB_BINLOG_RELEASING_EXTRA_SHARE_REFERENCE error code, 253
ER_NDB_BINLOG_REMAINING_OPEN_TABLES error code, 253
ER_NDB_BINLOG_REMAINING_OPEN_TABLE_INFO error code, 253
ER_NDB_BINLOG_RENAME_EVENT error code, 220
ER_NDB_BINLOG_REPLY_TO error code, 244
ER_NDB_BINLOG_SERVER_SHUTDOWN_DURING_NDB_CLU error code, 251
ER_NDB_BINLOG_SHUTDOWN_DETECTED error code, 252
ER_NDB_BINLOG_SIGNALLING_UNKNOWN_VALUE error code, 244
ER_NDB_BINLOG_SKIPPING_DROP_OF_DB_CONTAINING_L error code, 246
ER_NDB_BINLOG_SKIPPING_DROP_OF_LOCAL_TABLE error code, 245
ER_NDB_BINLOG_SKIPPING_LOCAL_TABLE error code, 245
ER_NDB_BINLOG_SKIPPING_OLD_SCHEMA_OPERATION error code, 246
ER_NDB_BINLOG_SKIPPING_RENAME_OF_LOCAL_TABLE error code, 246
ER_NDB_BINLOG_STARTING_LOG_AT_EPOCH error code, 252
ER_NDB_BINLOG_UNHANDLED_ERROR_FOR_TABLE error code, 250
ER_NDB_BINLOG_UNKNOWN_NON_DATA_EVENT error code, 251
ER_NDB_BINLOG_USING_SERVER_ID_0_SLAVES_WILL_NOT error code, 247
ER_NDB_BINLOG_WRITE_TO_NDB_BINLOG_INDEX_FAILED_ error code, 247
ER_NDB_BINLOG_WRITING_TO_NDB_BINLOG_INDEX error code, 247
ER_NDB_CANT_ALLOC_GLOBAL_NDB_CLUSTER_CONNECT error code, 263
ER_NDB_CANT_ALLOC_GLOBAL_NDB_OBJECT error code, 264
ER_NDB_CANT_ALLOC_NDB_CLUSTER_CONNECTION error code, 264
ER_NDB_CANT_FIND_TABLE error code, 245
ER_NDB_CANT_PARSE_NDB_CLUSTER_CONNECTION_POO error code, 263
ER_NDB_CANT_START_CONNECT_THREAD error code, 264
ER_NDB_CLEANING_STRAY_TABLES error code, 242
ER_NDB_CLEAR_SLOCK_INFO error code, 245

ER_NDB_CLUSTER_FAILURE error code, 246
ER_NDB_CLUSTER_FIND_ALL_DBS_FAIL error code, 242
ER_NDB_CLUSTER_FIND_ALL_DBS_RETRY error code, 242
ER_NDB_CLUSTER_FREE_SHARE_INFO error code, 221
ER_NDB_CLUSTER_GENERIC_MESSAGE error code, 207
ER_NDB_CLUSTER_GET_SHARE_INFO error code, 221
ER_NDB_CLUSTER_MARK_SHARE_DROPPED_DESTROYING_SHARE error code, 222
ER_NDB_CLUSTER_MARK_SHARE_DROPPED_INFO error code, 221
ER_NDB_CLUSTER_OOM_THD_NDB error code, 222
ER_NDB_CLUSTER_REAL_FREE_SHARE_DROP_FAILED error code, 221
ER_NDB_CLUSTER_REAL_FREE_SHARE_INFO error code, 221
ER_NDB_CLUSTER_SCHEMA_INFO error code, 207
ER_NDB_CLUSTER_WRONG_NUMBER_OF_FUNCTION_ARGUMENTS error code, 207
ER_NDB_COLUMN_DEFAULTS_DIFFER error code, 218
ER_NDB_COLUMN_INFO error code, 218
ER_NDB_COLUMN_SHOULD_NOT_HAVE_NATIVE_DEFAULT error code, 218
ER_NDB_CONFLICT_FN_PARSE_ERROR error code, 248
ER_NDB_CONFLICT_FN_SETUP_ERROR error code, 248
ER_NDB_CONFLICT_GENERIC_MESSAGE error code, 248
ER_NDB_COULD_NOT_GET_APPLY_STATUS_SHARE error code, 251
ER_NDB_CPU_MASK_TOO_SHORT error code, 264
ER_NDB_CREATE_EVENT_OPS_LOGGING_INFO error code, 250
ER_NDB_CREATING_SHARE_IN_OPEN error code, 220
ER_NDB_CREATING_TABLE error code, 242
ER_NDB_DISCARDING_EVENT_ID_VERSION_MISMATCH error code, 245
ER_NDB_DISCARDING_EVENT_NO_OBJ error code, 245
ER_NDB_DISCONNECT_INFO error code, 218
ER_NDB_DISCOVERED_MISSING_DB error code, 242
ER_NDB_DISCOVERED_REMAINING_DB error code, 242
ER_NDB_DISTRIBUTED_INFO error code, 243
ER_NDB_DISTRIBUTING_ERR error code, 276
ER_NDB_DISTRIBUTION_COMPLETE error code, 244
ER_NDB_DUPLICATE_NODEID_IN_NDB_CLUSTER_CONNECTION error code, 263
ER_NDB_EMPTY_NODEID_IN_NDB_CLUSTER_CONNECTION_PO error code, 262
ER_NDB_ERROR_IN_GET_AUTO_INCREMENT error code, 220
ER_NDB_ERROR_IN_READAUTOINCREMENTVALUE error code, 219
ER_NDB_FAILED_TO_SET_UP_TABLE error code, 243
ER_NDB_FIELD_INFO error code, 218
ER_NDB_FLUSHING_TABLE_INFO error code, 242
ER_NDB_FOUND_UNCOMMITTED_AUTOCOMMIT error code, 219
ER_NDB_GENERIC_ERROR error code, 264
ER_NDB_HANDLE_TRAILING_SHARE_INFO error code, 221
ER_NDB_IGNORING_UNKNOWN_EVENT error code, 246
ER_NDB_ILLEGAL_VALUE_FOR_NDB_RECV_THREAD_CPU_MAS error code, 222
ER_NDB_INFO_FAILED_TO_CREATE_NDBINFO error code, 207
ER_NDB_INFO_FAILED_TO_INIT_NDBINFO error code, 207
ER_NDB_INFO_FOUND_UNEXPECTED_FIELD_TYPE error code, 207
ER_NDB_INITIALIZE_GIVEN_CLUSTER_PLUGIN_DISABLED error code, 220
ER_NDB_INVALID_NODEID_IN_NDB_CLUSTER_CONNECTION_P error code, 263
ER_NDB_LOG_ENTRY error code, 273
ER_NDB_LOG_ENTRY_WITH_PREFIX error code, 273
ER_NDB_MISMATCH_IN_FRM_DISCOVERING error code, 243
ER_NDB_MISSING_FRM_DISCOVERING error code, 243
ER_NDB_NODEID_NOT_FIRST_IN_NDB_CLUSTER_CONNECTION error code, 263
ER_NDB_NODE_ID_AND_MANAGEMENT_SERVER_INFO error code, 217
ER_NDB_NODE_INFO error code, 264
ER_NDB_NOT_WAITING_FOR_DISTRIBUTING error code, 243
ER_NDB_NUMBER_OF_CHANNELS error code, 276
ER_NDB_OOM_GET_NDB_BLOBS_VALUE error code, 241
ER_NDB_OOM_IN_FIX_UNIQUE_INDEX_ATTR_ORDER error code, 218
ER_NDB_POOL_SIZE_MUST_MATCH_NDB_CLUSTER_CONNECT error code, 263
ER_NDB_QUERY_FAILED error code, 216
ER_NDB_REMAINING_OPEN_TABLES error code, 251
ER_NDB_REMAINING_OPEN_TABLE_INFO error code, 251

ER_NDB_REPLICATION_SCHEMA_ERROR error code, 45
ER_NDB_SCHEMA_DISTRIBUTION_FAILED error code, 244
ER_NDB_SCHEMA_DISTRIBUTION_REPORTS_SUBSCRIBE error code, 244
ER_NDB_SCHEMA_DISTRIBUTION_REPORTS_UNSUBSCRIBE error code, 244
ER_NDB_SCHEMA_GENERIC_MESSAGE error code, 214
ER_NDB_SERVER_ID_RESERVED_OR_TOO_LARGE error code, 248
ER_NDB_SHARE_ALREADY_EXISTS error code, 221
ER_NDB_SKIPPING_SETUP_TABLE error code, 242
ER_NDB_SLAVE_BINLOG_MISSING_INFO_FOR_CONFLICT_DETECTION error code, 219
ER_NDB_SLAVE_CANT_ALLOCATE_TABLE_SHARE error code, 219
ER_NDB_SLAVE_CONFLICT_DETECTION_REQUIRES_TRANSACTION error code, 219
ER_NDB_SLAVE_CONFLICT_FUNCTION_REQUIRES_ROLE error code, 218
ER_NDB_SLAVE_ERROR_IN_UPDATE_CREATE_INFO error code, 219
ER_NDB_SLAVE_LOGGING_EXCEPTIONS_TO error code, 206
ER_NDB_SLAVE_LOW_EPOCH_RESOLUTION error code, 206
ER_NDB_SLAVE_MALFORMED_EVENT_RECEIVED_ON_TABLE error code, 218
ER_NDB_SLAVE_MAX_REPLICATED_EPOCH_SET_TO error code, 217
ER_NDB_SLAVE_MAX_REPLICATED_EPOCH_UNKNOWN error code, 217
ER_NDB_SLAVE_MISSING_DATA_FOR_TIMESTAMP_COLUMN error code, 206
ER_NDB_SLAVE_PARALLEL_WORKERS error code, 276
ER_NDB_SLAVE_PREVIOUS_EPOCH_NOT_COMMITTED error code, 206
ER_NDB_SLAVE_SAW_ALREADY_COMMITTED_EPOCH error code, 206
ER_NDB_SLAVE_SAW_EPOCH_LOWER_THAN_PREVIOUS error code, 206
ER_NDB_SLAVE_SAW_EPOCH_LOWER_THAN_PREVIOUS_ON_START error code, 206
ER_NDB_SLAVE_TOO_MANY_RETRIES error code, 219
ER_NDB_STARTING_CONNECT_THREAD error code, 264
ER_NDB_TABLES_INITIALLY_READ_ONLY_ON_RECONNECT error code, 246
ER_NDB_TABLES_NOT_READY error code, 182
ER_NDB_TABLE_IS_NOT_DISTRIBUTED error code, 242
ER_NDB_TABLE_OPENED_READ_ONLY error code, 220
ER_NDB_THREAD_TIMED_OUT error code, 242
ER_NDB_TIMED_OUT_IN_DROP_TABLE error code, 250
ER_NDB_TIMEOUT_WHILE_DISTRIBUTING error code, 243
ER_NDB_TOO_MANY_CPUS_IN_NDB_RECV_THREAD_CPU_I error code, 222
ER_NDB_TRAILING_SHARE_RELEASED_BY_CLOSE_CACHE error code, 221
ER_NDB_TRANS_DEPENDENCY_TRACKER_ERROR error code, 248
ER_NDB_UNEXPECTED_RENAME_TYPE error code, 220
ER_NDB_USING_NODEID error code, 263
ER_NDB_USING_NODEID_LIST error code, 264
ER_NDB_UTIL_THREAD_OOM error code, 222
ER_NDB_WAITING_INFO error code, 243
ER_NDB_WAITING_INFO_WITH_MAP error code, 243
ER_NEED_FILE_INSTEAD_OF_DIR error code, 179
ER_NEED_LOG_BIN error code, 179
ER_NEED_REPREPARE error code, 44
ER_NETWORK_NAMESPACES_NOT_SUPPORTED error code, 561
ER_NETWORK_NAMESPACE_FILE_PATH_TOO_LONG error code, 562
ER_NETWORK_NAMESPACE_NOT_ALLOWED_FOR_WILDCA error code, 561
ER_NETWORK_READ_EVENT_CHECKSUM_FAILURE error code, 528
ER_NET_ERROR_ON_WRITE error code, 14
ER_NET_FCNTL_ERROR error code, 14
ER_NET_OK_PACKET_TOO_LARGE error code, 74
ER_NET_PACKETS_OUT_OF_ORDER error code, 14
ER_NET_PACKET_TOO_LARGE error code, 14
ER_NET_READ_ERROR error code, 14
ER_NET_READ_ERROR_FROM_PIPE error code, 14
ER_NET_READ_INTERRUPTED error code, 14
ER_NET_UNCOMPRESS_ERROR error code, 14
ER_NET_WAIT_ERROR error code, 562
ER_NET_WAIT_ERROR2 error code, 599
ER_NET_WRITE_INTERRUPTED error code, 14
ER_NEW_ABORTING_CONNECTION error code, 16
ER_NO error code, 3
ER_NONEXISTING_GRANT error code, 13
ER_NONEXISTING_PROC_GRANT error code, 31
ER_NONEXISTING_TABLE_GRANT error code, 13
ER_NONPOSITIVE_RADIUS error code, 108
ER_NONUNIQ_TABLE error code, 8
ER_NONUPDATEABLE_COLUMN error code, 28

ER_NON_BOOLEAN_EXPR_FOR_CHECK_CONSTRAINT error code, 120
ER_NON_DEFAULT_VALUE_FOR_GENERATED_COLUMN error code, 79
ER_NON_GROUPING_FIELD_USED error code, 35
ER_NON_INSERTABLE_TABLE error code, 36
ER_NON_RO_SELECT_DISABLE_TIMER error code, 71
ER_NON_UNIQ_ERROR error code, 6
ER_NON_UPDATABLE_TABLE error code, 24
ER_NORMAL_SERVER_SHUTDOWN error code, 527
ER_NORMAL_SHUTDOWN error code, 8
ER_NOTE_COMPONENT_KEYRING_OCI_MISSING_NAME_OR_TYPE error code, 626
ER_NOTE_COMPONENT_SLOT_DEREGISTRATION_SUCCESS error code, 635
ER_NOTE_COMPONENT_SLOT_REGISTRATION_SUCCESS error code, 635
ER_NOTE_KEYRING_COMPONENT_AES_DATA_IDENTIFIER_EMPTY error code, 597
ER_NOTE_KEYRING_COMPONENT_AES_INVALID_KEY error code, 597
ER_NOTE_KEYRING_COMPONENT_AES_INVALID_MODE error code, 597
ER_NOTE_KEYRING_COMPONENT_AES_OPERATION_ERROR error code, 597
ER_NOTE_KEYRING_COMPONENT_GENERATE_FAILED error code, 598
ER_NOTE_KEYRING_COMPONENT_INITIALIZED error code, 597
ER_NOTE_KEYRING_COMPONENT_KEYS_METADATA_ITERATOR_FAILED error code, 598
ER_NOTE_KEYRING_COMPONENT_METADATA_ITERATOR_INVALIDATED error code, 598
ER_NOTE_KEYRING_COMPONENT_READ_DATA_NOT_FOUND error code, 598
ER_NOTE_KEYRING_COMPONENT_REMOVE_FAILED error code, 598
ER_NOTE_KEYRING_COMPONENT_STORE_FAILED error code, 598
ER_NOTE_KEYRING_COMPONENT_WRITE_MAXIMUM_DATA_LENGTH_EXCEEDED error code, 598
ER_NOT_ALLOWED_COMMAND error code, 13
ER_NOT_ALLOWED_WITH_START_TRANSACTION error code, 139
ER_NOT_FORM_FILE error code, 5
ER_NOT_HINT_UPDATABLE_VARIABLE error code, 100
ER_NOT_IMPLEMENTED_FOR_CARTESIAN_SRS error code, 107
ER_NOT_IMPLEMENTED_FOR_GEOGRAPHIC_SRS error code, 98
ER_NOT_IMPLEMENTED_FOR_PROJECTED_SRS error code, 108
ER_NOT_IMPLEMENTED_GET_TABLESPACE_STATISTICS error code, 322
ER_NOT_KEYFILE error code, 5
ER_NOT_RIGHT_NOW error code, 176
ER_NOT_SUPPORTED_AUTH_MODE error code, 21
ER_NOT_SUPPORTED_YET error code, 20
ER_NOT_VALID_PASSWORD error code, 62
ER_NO_ACCESS_TO_NATIVE_FCT error code, 92
ER_NO_BINARY_LOGGING error code, 30
ER_NO_BINLOG_ERROR error code, 39
ER_NO_CSV_NO_LOG_TABLES error code, 178
ER_NO_DB_ERROR error code, 6
ER_NO_DEFAULT error code, 20
ER_NO_DEFAULT_FOR_FIELD error code, 29
ER_NO_DEFAULT_FOR_VIEW_FIELD error code, 32
ER_NO_ERROR_LOG_PARSER_CONFIGURED error code, 591
ER_NO_FORMAT_DESCRIPTION_EVENT_BEFORE_BINLOG_STATEMENT error code, 42
ER_NO_FT_MATERIALIZED_SUBQUERY error code, 70
ER_NO_PARTITION_FOR_GIVEN_VALUE error code, 89
ER_NO_PARTITION_FOR_GIVEN_VALUE_SILENT error code, 43
ER_NO_PARTS_ERROR error code, 38
ER_NO_PATH_FOR_SHARED_LIBRARY error code, 536
ER_NO_PERMISSION_TO_CREATE_USER error code, 18
ER_NO_REFERENCED_ROW error code, 19
ER_NO_REFERENCED_ROW_2 error code, 34
ER_NO_SECURE_TRANSPORTS_CONFIGURED error code, 83
ER_NO_SESSION_TEMP error code, 128
ER_NO_SUCH_DB error code, 87
ER_NO_SUCH_INDEX error code, 9
ER_NO_SUCH_TABLE error code, 13
ER_NO_SUCH_THREAD error code, 10
ER_NO_SUCH_USER error code, 34
ER_NO_SUPER_WITHOUT_USER_PLUGIN error code, 196
ER_NO_SYSTEM_SCHEMA_ACCESS error code, 91
ER_NO_SYSTEM_TABLESPACE_ACCESS error code, 91
ER_NO_SYSTEM_TABLE_ACCESS error code, 91
ER_NO_SYSTEM_TABLE_ACCESS_FOR_DICTIONARY_TABLE error code, 91
ER_NO_SYSTEM_TABLE_ACCESS_FOR_SYSTEM_TABLE error code, 91
ER_NO_SYSTEM_TABLE_ACCESS_FOR_TABLE error code, 91
ER_NO_SYSTEM_VIEW_ACCESS error code, 98
ER_NO_TABLES_USED error code, 10

ER_NO_THD_NO_UUID error code, 170
ER_NO_TRIGGERS_ON_SYSTEM_SCHEMA error code, 35
ER_NO_UNIQUE_LOGFILE error code, 10
ER_NPIPE_CANT_CREATE error code, 275
ER_NPIPE_FAILED_TO_INIT_SECURITY_DESCRIPTOR error code, 205
ER_NPIPE_FAILED_TO_SET_SECURITY_DESCRIPTOR error code, 205
ER_NPIPE_PIPE_ALREADY_IN_USE error code, 205
ER_NULL_COLUMN_IN_INDEX error code, 12
ER_NULL_IN_VALUES_LESS_THAN error code, 41
ER_NUMERIC_JSON_VALUE_OUT_OF_RANGE error code, 83
ER_OBSOLETE_FILE_PRIVILEGE_FOR_REPLICATION_CHECK error code, 571
ER_OBSOLETE_REQUIRE_ROW_FORMAT_VIOLATION error code, 573
ER_OLD_FILE_FORMAT error code, 35
ER_OLD_KEYFILE error code, 5
ER_OLD_PASSWORDS_NO_MIDDLE_GROUND error code, 171
ER_OLD_TEMPORALS_UPGRADED error code, 67
ER_ONLY_FD_AND_RBR_EVENTS_ALLOWED_IN_BINLOG_STATEMENT error code, 53
ER_ONLY_IMPLEMENTED_FOR_SRID_0_AND_4326 error code, 105
ER_ONLY_INTEGERS_ALLOWED error code, 42
ER_ONLY_ON_RANGE_LIST_PARTITION error code, 38
ER_OOM error code, 176
ER_OOM_SAVE_GTIDS error code, 527
ER_OPEN_AS_READONLY error code, 5
ER_OPEN_ROLE_TABLES error code, 89
ER_OPERAND_COLUMNS error code, 21
ER_OPERATION_NOT_ALLOWED_ON_GR_SECONDARY error code, 148
ER_OPERATION_NOT_ALLOWED_WHILE_PRIMARY_CHANGE_IS_RUNNING error code, 154
ER_OPTION_PREVENTS_STATEMENT error code, 24
ER_OPT_WRONG_TREE error code, 163
ER_OUTOFMEMORY error code, 5
ER_OUT_OF_RESOURCES error code, 6
ER_OUT_OF_SORTMEMORY error code, 5
ER_PAGE_TRACKING_CANNOT_PURGE error code, 119
ER_PAGE_TRACKING_NOT_STARTED error code, 119
ER_PAGE_TRACKING_RANGE_NOT_TRACKED error code, 119
ER_PARSER_TRACE error code, 162
ER_PARSE_ERROR error code, 7
ER_PARSE_ERROR_IN_DIGEST_FN error code, 104
ER_PARSING_VIEW error code, 169
ER_PARTIAL_REVOKES_EXIST error code, 129
ER_PARTIAL_REVOKE_AND_DB_GRANT_BOTH_EXISTS error code, 130
ER_PARTITIONS_MUST_BE_DEFINED_ERROR error code, 37
ER_PARTITION_CLAUSE_ON_NONPARTITIONED error code, 54
ER_PARTITION_COLUMN_LIST_ERROR error code, 47
ER_PARTITION_CONST_DOMAIN_ERROR error code, 41
ER_PARTITION_ENTRY_ERROR error code, 37
ER_PARTITION_EXCHANGE_DIFFERENT_OPTION error code, 53
ER_PARTITION_EXCHANGE_FOREIGN_KEY error code, 54
ER_PARTITION_EXCHANGE_PART_TABLE error code, 53
ER_PARTITION_EXCHANGE_TEMP_TABLE error code, 54
ER_PARTITION_FIELDS_TOO_LONG error code, 47
ER_PARTITION_FUNCTION_FAILURE error code, 39
ER_PARTITION_FUNCTION_IS_NOT_ALLOWED error code, 41
ER_PARTITION_FUNC_NOT_ALLOWED_ERROR error code, 37
ER_PARTITION_HANDLER_ADMIN_MSG error code, 296
ER_PARTITION_INSTEAD_OF_SUBPARTITION error code, 54
ER_PARTITION_MAXVALUE_ERROR error code, 36
ER_PARTITION_MERGE_ERROR error code, 41
ER_PARTITION_MGMT_ON_NONPARTITIONED error code, 38
ER_PARTITION_MOVE_CREATED_DUPLICATE_ROW_PLEAS error code, 275
ER_PARTITION_NAME error code, 45
ER_PARTITION_NOT_DEFINED_ERROR error code, 37
ER_PARTITION_NO_TEMPORARY error code, 41
ER_PARTITION_REQUIRES_VALUES_ERROR error code, 36
ER_PARTITION_WRONG_NO_PART_ERROR error code, 36
ER_PARTITION_WRONG_NO_SUBPART_ERROR error code, 36
ER_PARTITION_WRONG_VALUES_ERROR error code, 36
ER_PART_EXPR_TOO_LONG error code, 99
ER_PASSWORD_ANONYMOUS_USER error code, 12
ER_PASSWORD_CANNOT_BE_RETAINED_ON_PLUGIN_CHA error code, 129
ER_PASSWORD_EXPIRATION_NOT_SUPPORTED_BY_AUTH error code, 104

ER_PASSWORD_EXPIRE_ANONYMOUS_USER error code, 69
ER_PASSWORD_FORMAT error code, 62
ER_PASSWORD_NOT_ALLOWED error code, 12
ER_PASSWORD_NO_MATCH error code, 12
ER_PATH_IN_DATADIR error code, 100
ER_PATH_LENGTH error code, 49
ER_PERFORMANCE_SCHEMA_VERSION_CHANGE error code, 641
ER_PERFSCHEMA_COMPONENTS_INFRASTRUCTURE_BOOTSTRAP error code, 281
ER_PERFSCHEMA_COMPONENTS_INFRASTRUCTURE_SHUTDOWN error code, 281
ER_PERFSCHEMA_INIT_FAILED error code, 180
ER_PERFSCHEMA_TABLES_INIT_FAILED error code, 283
ER_PERSISTED_VARIABLES_DECRYPTION_FAILED error code, 614
ER_PERSISTED_VARIABLES_ENCRYPTION_FAILED error code, 614
ER_PERSISTED_VARIABLES_KEYRING_SUPPORT_REQUIRED error code, 613
ER_PERSISTED_VARIABLES_LACK_KEYRING_SUPPORT error code, 614
ER_PERSISTED_VARIABLES_MASTER_KEY_CANNOT_BE_GENERATED error code, 614
ER_PERSISTED_VARIABLES_MASTER_KEY_NOT_FOUND error code, 613
ER_PERSISTENT_PRIVILEGES_BOOTSTRAP error code, 282
ER_PERSIST_ONLY_ACCESS_DENIED_ERROR error code, 99
ER_PERSIST_OPTION_HOST_TRUNCATED error code, 562
ER_PERSIST_OPTION_STATUS error code, 322
ER_PERSIST_OPTION_USER_TRUNCATED error code, 562
ER_PER_CHANNEL_RPL_FILTER_CONF_FOR_GRP_RPL error code, 293
ER_PFS_MALLOC_ARRAY_OOM error code, 294
ER_PFS_MALLOC_ARRAY_OVERFLOW error code, 294
ER_PFS_NOTIFICATION_FUNCTION_REGISTER_FAILED error code, 286
ER_PID_FILEPATH_LOCATIONS_INACCESSIBLE error code, 536
ER_PID_FILE_PRIV_DIRECTORY_INSECURE error code, 388
ER_PK_INDEX_CANT_BE_INVISIBLE error code, 89
ER_PLUGGABLE_PROTOCOL_COMMAND_NOT_SUPPORTED error code, 81
ER_PLUGIN_BAD_OPTIONS error code, 258
ER_PLUGIN_CANNOT_BE_UNINSTALLED error code, 67
ER_PLUGIN_CANT_LOAD error code, 257
ER_PLUGIN_CANT_OPEN_PLUGIN_TABLE error code, 257
ER_PLUGIN_CANT_SET_PERSISTENT_OPTIONS error code, 258
ER_PLUGIN_COMMON_FAILED_TO_OPEN_FILTER_TABLES error code, 320
ER_PLUGIN_COMMON_FAILED_TO_OPEN_TABLE error code, 320
ER_PLUGIN_DELETE_BUILTIN error code, 44
ER_PLUGIN_DID_NOT_DEINITIALIZE_THREADS error code, 257
ER_PLUGIN_DISABLED error code, 258
ER_PLUGIN_EXCEPTION_OPERATION_FAILED error code, 631
ER_PLUGIN_FAILED_DEINITIALIZATION error code, 256
ER_PLUGIN_FAILED_TO_OPEN_TABLE error code, 533
ER_PLUGIN_FAILED_TO_OPEN_TABLES error code, 533
ER_PLUGIN_FORCING_SHUTDOWN error code, 257
ER_PLUGIN_HAS_CONFLICTING_SYSTEM_VARIABLES error code, 258
ER_PLUGIN_HAS_NONZERO_REFCOUNT_AFTER_DEINITIALIZATION error code, 256
ER_PLUGIN_HAS_NONZERO_REFCOUNT_AFTER_SHUTDOWN error code, 257
ER_PLUGIN_INIT_FAILED error code, 184
ER_PLUGIN_INSTALL_ERROR error code, 542
ER_PLUGIN_INVALID_TABLE_DEFINITION error code, 603
ER_PLUGIN_IS_NOT_LOADED error code, 39
ER_PLUGIN_IS_PERMANENT error code, 51
ER_PLUGIN_LOAD_OPTIONS_IGNORED error code, 572
ER_PLUGIN_LOAD_PARAMETER_TOO_LONG error code, 257
ER_PLUGIN_NOT_EARLY error code, 123
ER_PLUGIN_NOT_EARLY_DUP error code, 563
ER_PLUGIN_NO_INSTALL error code, 52
ER_PLUGIN_NO_INSTALL_DUP error code, 563
ER_PLUGIN_NO_UNINSTALL error code, 52
ER_PLUGIN_OOM error code, 258
ER_PLUGIN_PARSING_OPTIONS_FAILED error code, 258
ER_PLUGIN_REGISTRATION_DONE error code, 149
ER_PLUGIN_REGISTRATION_FAILED error code, 257
ER_PLUGIN_REQUIRES_REGISTRATION error code, 149
ER_PLUGIN_SHUTTING_DOWN_PLUGIN error code, 257
ER_PLUGIN_UNINSTALL_ERROR error code, 542

ER_PLUGIN_UNKNOWN_VARIABLE_TYPE error code, 257
ER_PLUGIN_VARIABLE_MISSING_NAME error code, 257
ER_PLUGIN_VARIABLE_NOT_ALLOCATED_THREAD_LOCAL error code, 258
ER_PLUGIN_VARIABLE_SET_READ_ONLY error code, 257
ER_POINTLESS_WITHOUT_SLOWLOG error code, 171
ER_POLYGON_TOO_LARGE error code, 110
ER_PREPARE_FOR_PRIMARY_ENGINE error code, 605
ER_PREPARE_FOR_SECONDARY_ENGINE error code, 556
ER_PREVENTS_VARIABLE_WITHOUT_RBR error code, 78
ER_PRIMARY_CANT_HAVE_NULL error code, 15
ER_PRIVILEGE_DEREGISTRATION error code, 637
ER_PRIVILEGE_REGISTRATION error code, 637
ER_PRIVILEGE_SYSTEM_INIT_FAILED error code, 282
ER_PROCACCESS_DENIED_ERROR error code, 29
ER_PROC_AUTO_GRANT_FAIL error code, 31
ER_PROC_AUTO_REVOKE_FAIL error code, 31
ER_PROTOCOL_COMPRESSION_RESET_LOG error code, 570
ER_PS_MANY_PARAM error code, 30
ER_PS_NO_RECURSION error code, 34
ER_QUERY_CACHE_DISABLED error code, 47
ER_QUERY_INTERRUPTED error code, 26
ER_QUERY_ON_FOREIGN_DATA_SOURCE error code, 33
ER_QUERY_TIMEOUT error code, 70
ER_RANGE_NOT_INCREASING_ERROR error code, 37
ER_READING_TABLE_FAILED error code, 184
ER_READY error code, 8
ER_READ_LOG_EVENT_FAILED error code, 291
ER_READ_ONLY_MODE error code, 63
ER_READ_ONLY_TRANSACTION error code, 18
ER_REALLY_RUN_AS_ROOT error code, 175
ER_RECORD_FILE_FULL error code, 11
ER_RECOVERING_TABLE error code, 259
ER_REDUCED_DBLWR_FILE_CORRUPTED error code, 639
ER_REDUCED_DBLWR_PAGE_FOUND error code, 639
ER_REFERENCED_TRG_DOES_NOT_EXIST error code, 69
ER_REGEXP_BAD_ESCAPE_SEQUENCE error code, 106
ER_REGEXP_BAD_INTERVAL error code, 106
ER_REGEXP_BUFFER_OVERFLOW error code, 105
ER_REGEXP_ERROR error code, 13
ER_REGEXP_ILLEGAL_ARGUMENT error code, 105
ER_REGEXP_INDEX_OUTOFBOUNDS_ERROR error code, 106
ER_REGEXP_INTERNAL_ERROR error code, 106
ER_REGEXP_INVALID_BACK_REF error code, 106
ER_REGEXP_INVALID_CAPTURE_GROUP_NAME error code, 128
ER_REGEXP_INVALID_FLAG error code, 130
ER_REGEXP_INVALID_RANGE error code, 107
ER_REGEXP_LOOK_BEHIND_LIMIT error code, 106
ER_REGEXP_MAX_LT_MIN error code, 106
ER_REGEXP_MISMATCHED_PAREN error code, 106
ER_REGEXP_MISSING_CLOSE_BRACKET error code, 107
ER_REGEXP_MISSING_FILE error code, 152
ER_REGEXP_MISSING_ICU_DATADIR error code, 612
ER_REGEXP_MISSING_RESOURCE error code, 152
ER_REGEXP_PATTERN_TOO_BIG error code, 107
ER_REGEXP_RULE_SYNTAX error code, 106
ER_REGEXP_STACK_OVERFLOW error code, 107
ER_REGEXP_STRING_NOT_TERMINATED error code, 105
ER_REGEXP_TIME_OUT error code, 107
ER_REGEXP_UNIMPLEMENTED error code, 106
ER_REGEX_NUMBER_TOO_BIG error code, 142
ER_RELAY_LOG_FAIL error code, 30
ER_RELAY_LOG_INIT error code, 30
ER_RELAY_LOG_SPACE_LIMIT_DISABLED error code, 539
ER_RELOAD_KEYRING_FAILURE error code, 146
ER_REMOVED_SPACES error code, 35
ER_RENAMED_NAME error code, 45
ER_RENAME_ROLE error code, 89
ER_REORG_HASH_ONLY_ON_SAME_NO error code, 38
ER_REORG_NO_PARAM_ERROR error code, 38
ER_REORG_OUTSIDE_RANGE error code, 39
ER_REORG_PARTITION_NOT_EXIST error code, 38
ER_REPLACE_INACCESSIBLE_ROWS error code, 74
ER_REPLICATION_INCOMPATIBLE_TABLE_WITH_GIPK error code, 629
ER_REPLICA_AM_INIT_REPOSITORY error code, 66
ER_REPLICA_ANONYMOUS_TO_GTID_UUID_SAME_AS_GRO error code, 594
ER_REPLICA_ANON_TO_GTID_IS_LOCAL_OR_UUID_AND_G error code, 594
ER_REPLICA_CANT_CREATE_CONVERSION error code, 49
ER_REPLICA_CANT_USE_TEMPDIR error code, 240
ER_REPLICA_CHANGE_SOURCE_TO_EXECUTED error code, 239
ER_REPLICA_CHANNEL_DOES_NOT_EXIST error code, 75
ER_REPLICA_CHANNEL_IO_THREAD_MUST_STOP error code, 70

ER_REPLICA_CHANNEL_MUST_STOP error code, 76
ER_REPLICA_CHANNEL_NAME_INVALID_OR_TOO_LONG error code, 75
ER_REPLICA_CHANNEL_NOT_RUNNING error code, 76
ER_REPLICA_CHANNEL_OPERATION_NOT_ALLOWED error code, 82
ER_REPLICA_CHANNEL_SQL_SKIP_COUNTER error code, 77
ER_REPLICA_CHANNEL_SQL_THREAD_MUST_STOP error code, 77
ER_REPLICA_CHANNEL_WAS_NOT_RUNNING error code, 76
ER_REPLICA_CHANNEL_WAS_RUNNING error code, 76
ER_REPLICA_CM_INIT_REPOSITORY error code, 66
ER_REPLICA_CONFIGURATION error code, 59
ER_REPLICA_CORRUPT_EVENT error code, 44
ER_REPLICA_CREATE_EVENT_FAILURE error code, 528
ER_REPLICA_FATAL_ERROR error code, 528
ER_REPLICA_HAS_MORE_GTIDS_THAN_SOURCE error code, 68
ER_REPLICA_HEARTBEAT_FAILURE error code, 529
ER_REPLICA_HEARTBEAT_VALUE_OUT_OF_RANGE error code, 45
ER_REPLICA_HEARTBEAT_VALUE_OUT_OF_RANGE_MAX error code, 51
ER_REPLICA_HEARTBEAT_VALUE_OUT_OF_RANGE_MIN error code, 51
ER_REPLICA_IGNORED_SSL_PARAMS error code, 23
ER_REPLICA_IGNORED_TABLE error code, 20
ER_REPLICA_IGNORE_SERVER_IDS error code, 46
ER_REPLICA_INCIDENT error code, 529
ER_REPLICA_KILLED_AFTER_RECONNECT error code, 292
ER_REPLICA_MAX_CHANNELS_EXCEEDED error code, 76
ER_REPLICA_MULTIPLE_CHANNELS_CMD error code, 75
ER_REPLICA_NEW_CHANNEL_WRONG_REPOSITORY error code, 75
ER_REPLICA_NOT_RUNNING error code, 17
ER_REPLICA_NOT_STARTED_ON_SOME_CHANNELS error code, 292
ER_REPLICA_POSSIBLY_DIVERGED_AFTER_DDL error code, 110
ER_REPLICA_RECONNECT_FAILED error code, 292
ER_REPLICA_RELAY_LOG_PURGE_FAILED error code, 284
ER_REPLICA_RELAY_LOG_READ_FAILURE error code, 529
ER_REPLICA_RELAY_LOG_TRUNCATE_INFO error code, 283
ER_REPLICA_RELAY_LOG_WRITE_FAILURE error code, 529
ER_REPLICA_SILENT_RETRY_TRANSACTION error code, 61
ER_REPLICA_SOURCE_COM_FAILURE error code, 529
ER_REPLICA_SQL_THREAD_MUST_STOP error code, 70
ER_REPLICA_SQL_THREAD_STOPPED_AFTER_GTIDS_REACHE error code, 204
ER_REPLICA_SQL_THREAD_STOPPED_BEFORE_GTIDS_ALREA error code, 203
ER_REPLICA_SQL_THREAD_STOPPED_BEFORE_GTIDS_REACH error code, 204
ER_REPLICA_SQL_THREAD_STOPPED_GAP_TRX_PROCESSED error code, 204
ER_REPLICA_SQL_THREAD_STOPPED_UNTIL_CONDITION_BAD error code, 203
ER_REPLICA_SQL_THREAD_STOPPED_UNTIL_POSITION_REAC error code, 203
ER_REPLICA_THREAD error code, 18
ER_REPLICA_WORKER_STOPPED_PREVIOUS_THD_ERROR error code, 71
ER_REQUIRES_PRIMARY_KEY error code, 15
ER_REQUIRE_ROW_FORMAT_INVALID_VALUE error code, 135
ER_REQUIRE_TABLE_PRIMARY_KEY_CHECK_GENERATE_WITH error code, 161
ER_REQUIRE_TABLE_PRIMARY_KEY_CHECK_GENERATE_WITH error code, 632
ER_RESERVED_SYNTAX error code, 30
ER_RESERVED_TABLESPACE_NAME error code, 109
ER_RESET_MASTER_TO_VALUE_OUT_OF_RANGE error code, 92
ER_RESET_SOURCE_TO_VALUE_OUT_OF_RANGE error code, 92
ER_RESIGNAL_WITHOUT_ACTIVE_HANDLER error code, 46
ER_RESOURCE_GROUP_BIND_FAILED error code, 103
ER_RESOURCE_GROUP_BUSY error code, 102
ER_RESOURCE_GROUP_DISABLED error code, 102
ER_RESOURCE_GROUP_EXISTS error code, 102
ER_RESOURCE_GROUP_IS_DISABLED error code, 286
ER_RESOURCE_GROUP_METADATA_UPDATE_SKIPPED error code, 285
ER_RESOURCE_GROUP_NOT_EXISTS error code, 102
ER_RESOURCE_GROUP_POST_INIT_FAILED error code, 282
ER_RESOURCE_GROUP_SUBSYSTEM_INIT_FAILED error code, 282

ER_RESOURCE_GROUP_VALIDATION_FAILED error code, 286
ER_RESTART_RECEIVED_INFO error code, 299
ER_RESTART_SERVER_FAILED error code, 108
ER_RES_GRP_FAILED_DETERMINE_CPU_COUNT error code, 287
ER_RES_GRP_FAILED_TO_DETERMINE_NICE_CAPABILITY error code, 287
ER_RES_GRP_FAILED_TO_GET_THREAD_HANDLE error code, 287
ER_RES_GRP_FAILED_TO_SWITCH_RESOURCE_GROUP error code, 625
ER_RES_GRP_FEATURE_NOT_AVAILABLE error code, 287
ER_RES_GRP_GET_THREAD_PRIO_NOT_SUPPORTED error code, 287
ER_RES_GRP_INVALID_THREAD_PRIORITY error code, 288
ER_RES_GRP_INVALID_VCPU_ID error code, 298
ER_RES_GRP_INVALID_VCPU_RANGE error code, 298
ER_RES_GRP_SET_THREAD_PRIORITY_FAILED error code, 287
ER_RES_GRP_SET_THR_AFFINITY_FAILED error code, 287
ER_RES_GRP_SET_THR_AFFINITY_TO_CPUS_FAILED error code, 287
ER_RES_GRP_SOLARIS_PROCESSOR_AFFINITY_FAILED error code, 288
ER_RES_GRP_SOLARIS_PROCESSOR_BIND_TO_CPUID_FAILED error code, 288
ER_RES_GRP_SOLARIS_PROCESSOR_BIND_TO_THREAD_FAILED error code, 288
ER_RES_GRP_SWITCH_FAILED_COULD_NOT_ACQUIRE_LOCK error code, 626
ER_RES_GRP_SWITCH_FAILED_COULD_NOT_ACQUIRE_LOCK error code, 626
ER_RES_GRP_SWITCH_FAILED_UNABLE_TO_APPLY_RES_GRP error code, 626
ER_RES_GRP_THD_UNBIND_FROM_CPU_FAILED error code, 287
ER_RETRYING_REPAIR_WITHOUT_QUICK error code, 258
ER_RETRYING_REPAIR_WITH_KEYCACHE error code, 259
ER_REVOKE_GRANTS error code, 22
ER_REWRITER_LOAD_FAILED error code, 322
ER_REWRITER_OOM error code, 322
ER_REWRITER_QUERY_ERROR_MSG error code, 318
ER_REWRITER_QUERY_FAILED error code, 318
ER_REWRITER_READ_FAILED error code, 322
ER_REWRITER_TABLE_MALFORMED_ERROR error code, 322
ER_ROLE_GRANTED_TO_ITSELF error code, 145
ER_ROLE_NOT_GRANTED error code, 89
ER_ROW_DATA_TOO_BIG_TO_WRITE_IN_BINLOG error code, 291
ER_ROW_DOES_NOT_MATCH_GIVEN_PARTITION_SET error code, 54
ER_ROW_DOES_NOT_MATCH_PARTITION error code, 54
ER_ROW_IN_WRONG_PARTITION error code, 65
ER_ROW_IN_WRONG_PARTITION_PLEASE_REPAIR error code, 187
ER_ROW_IS_REFERENCED error code, 19
ER_ROW_IS_REFERENCED_2 error code, 34
ER_ROW_SINGLE_PARTITION_FIELD_ERROR error code, 47
ER_RPL_AM_INIT_INFO_MSG error code, 296
ER_RPL_ASYNC_CHANNEL_CANT_CONNECT error code, 592
ER_RPL_ASYNC_CHANNEL_CANT_CONNECT_NO_QUORUM error code, 592
ER_RPL_ASYNC_CHANNEL_STOPPED_QUORUM_LOST error code, 592
ER_RPL_ASYNC_EXECUTING_QUERY error code, 592
ER_RPL_ASYNC_MANAGED_NAME_ADDED error code, 593
ER_RPL_ASYNC_MANAGED_NAME_REMOVED error code, 593
ER_RPL_ASYNC_NEXT_FAILOVER_CHANNEL_SELECTED error code, 633
ER_RPL_ASYNC_READ_FAILOVER_TABLE error code, 593
ER_RPL_ASYNC_RECONNECT_AUTO_POSITION_OFF error code, 141
ER_RPL_ASYNC_RECONNECT_FAIL_NO_SOURCE error code, 590
ER_RPL_ASYNC_RECONNECT_GTID_MODE_OFF error code, 140
ER_RPL_ASYNC_RECONNECT_GTID_MODE_OFF_CHANNEL error code, 595
ER_RPL_ASYNC_SENDER_ADDED error code, 592
ER_RPL_ASYNC_SENDER_REMOVED error code, 592
ER_RPL_BINLOG_FILTERS_OOM error code, 174
ER_RPL_BINLOG_MASTER_SENDS_HEARTBEAT error code, 216
ER_RPL_BINLOG_MASTER_USES_CHECKSUM_AND_SLAVE error code, 216
ER_RPL_BINLOG_RELAY_DELEGATES_INIT_FAILED error code, 184
ER_RPL_BINLOG_SKIPPING_REMAINING_HEARTBEAT_INFO error code, 216
ER_RPL_BINLOG_SOURCE_SENDS_HEARTBEAT error code, 216
ER_RPL_BINLOG_SOURCE_USES_CHECKSUM_AND_REPLIC error code, 216
ER_RPL_BINLOG_STARTING_DUMP error code, 216

ER_RPL_BINLOG_STORAGE_DELEGATES_INIT_FAILED error code, 184
ER_RPL_BINLOG_TRANSMIT_DELEGATES_INIT_FAILED error code, 184
ER_RPL_CANNOT_OPEN_RELAY_LOG error code, 609
ER_RPL_CANT_ADD_DO_TABLE error code, 177
ER_RPL_CANT_ADD_IGNORE_TABLE error code, 177
ER_RPL_CANT_CREATE_REPLICA_THREAD error code, 227
ER_RPL_CANT_CREATE_SLAVE_THREAD error code, 227
ER_RPL_CANT_FIND_FOLLOWUP_FILE error code, 234
ER_RPL_CANT_HAVE_SAME_BASENAME error code, 278
ER_RPL_CANT_INITIALIZE_GTID_SETS_IN_AM_INIT_INFO error code, 241
ER_RPL_CANT_INITIALIZE_GTID_SETS_IN_RLI_INIT_INFO error code, 241
ER_RPL_CANT_MAKE_PATHS error code, 180
ER_RPL_CANT_OPEN_INFO_TABLE error code, 207
ER_RPL_CANT_OPEN_LOG_IN_AM_INIT_INFO error code, 241
ER_RPL_CANT_OPEN_LOG_IN_RLI_INIT_INFO error code, 241
ER_RPL_CANT_SCAN_INFO_TABLE error code, 207
ER_RPL_CANT_STOP_REPLICA_WHILE_LOCKED_BACKUP error code, 125
ER_RPL_CANT_STOP_SLAVE_WHILE_LOCKED_BACKUP error code, 125
ER_RPL_CHANGING_APPLIER_METADATA_REPO_TYPE_FAILED error code, 209
ER_RPL_CHANGING_RELAY_LOG_INFO_REPO_TYPE_FAILED error code, 209
ER_RPL_CHANNELS_REQUIRE_NON_ZERO_SERVER_ID error code, 208
ER_RPL_CHANNELS_REQUIRE_TABLES_AS_INFO_REPOSITORIES error code, 208
ER_RPL_CORRUPTED_INFO_TABLE error code, 207
ER_RPL_CORRUPTED_KEYS_IN_INFO_TABLE error code, 208
ER_RPL_ENCRYPTION_CANNOT_ROTATE_BINLOG_MASTER_KEY error code, 119
ER_RPL_ENCRYPTION_FAILED_TO_ENCRYPT error code, 119
ER_RPL_ENCRYPTION_FAILED_TO_FETCH_KEY error code, 117
ER_RPL_ENCRYPTION_FAILED_TO_GENERATE_KEY error code, 117
ER_RPL_ENCRYPTION_FAILED_TO_REMOVE_KEY error code, 117
ER_RPL_ENCRYPTION_FAILED_TO_ROTATE_LOGS error code, 117
ER_RPL_ENCRYPTION_FAILED_TO_STORE_KEY error code, 117
ER_RPL_ENCRYPTION_HEADER_ERROR error code, 117
ER_RPL_ENCRYPTION_KEYRING_INVALID_KEY error code, 117
ER_RPL_ENCRYPTION_KEY_EXISTS_UNEXPECTED error code, 117
ER_RPL_ENCRYPTION_KEY_NOT_FOUND error code, 117
ER_RPL_ENCRYPTION_MASTER_KEY_RECOVERY_FAILED error code, 118
ER_RPL_ENCRYPTION_UNABLE_TO_CHANGE_OPTION error code, 118
ER_RPL_ERROR_CHANGING_APPLIER_METADATA_REPO_TYPE error code, 210
ER_RPL_ERROR_CHANGING_CONNECTION_METADATA_REPO_ error code, 209
ER_RPL_ERROR_CHANGING_MASTER_INFO_REPO_TYPE error code, 209
ER_RPL_ERROR_CHANGING_RELAY_LOG_INFO_REPO_TYPE error code, 209
ER_RPL_ERROR_CHECKING_REPOSITORY error code, 210
ER_RPL_ERROR_CREATING_APPLIER_METADATA error code, 209
ER_RPL_ERROR_CREATING_CONNECTION_METADATA error code, 209
ER_RPL_ERROR_CREATING_MASTER_INFO error code, 208
ER_RPL_ERROR_CREATING_RELAY_LOG_INFO error code, 209
ER_RPL_ERROR_LOOKING_FOR_LOG error code, 234
ER_RPL_ERROR_READING_MASTER_CONFIGURATION error code, 256
ER_RPL_ERROR_READING_REPLICA_WORKER_CONFIGURATIO error code, 254
ER_RPL_ERROR_READING_SLAVE_WORKER_CONFIGURATION error code, 254
ER_RPL_ERROR_READING_SOURCE_CONFIGURATION error code, 256
ER_RPL_ERROR_WRITING_MASTER_CONFIGURATION error code, 256
ER_RPL_ERROR_WRITING_RELAY_LOG_CONFIGURATION error code, 241
ER_RPL_ERROR_WRITING_SLAVE_WORKER_CONFIGURATION error code, 254
ER_RPL_ERROR_WRITING_SOURCE_CONFIGURATION error code, 256
ER_RPL_FAILED_TO_CREATE_CACHE_FOR_INFO_FILE error code, 212
ER_RPL_FAILED_TO_CREATE_NEW_INFO_FILE error code, 212

ER_RPL_FAILED_TO_DELETE_FROM_REPLICA_WORKERS_INFO_REPOSITORY error code, 210
ER_RPL_FAILED_TO_DELETE_FROM_SLAVE_WORKERS_INFO_REPOSITORY error code, 210
ER_RPL_FAILED_TO_OPEN_INFO_FILE error code, 212
ER_RPL_FAILED_TO_OPEN_RELAY_LOG error code, 254
ER_RPL_FAILED_TO_RESET_STATE_IN_REPLICA_INFO_REPOSITORY error code, 210
ER_RPL_FAILED_TO_RESET_STATE_IN_SLAVE_INFO_REPOSITORY error code, 210
ER_RPL_FAILED_TO_STAT_LOG_IN_INDEX error code, 240
ER_RPL_FILTERS_NOT_ATTACHED_TO_CHANNEL error code, 293
ER_RPL_FILTER_ADD_WILD_DO_TABLE_FAILED error code, 282
ER_RPL_FILTER_ADD_WILD_IGNORE_TABLE_FAILED error code, 282
ER_RPL_GTID_LOG_EVENT_IN_STREAM error code, 213
ER_RPL_GTID_MEMORY_FINALLY_AVAILABLE error code, 212
ER_RPL_GTID_MODE_REQUIRES_ENFORCE_GTID_CONSISTENCY_ON error code, 278
ER_RPL_GTID_TABLE_CANNOT_OPEN error code, 164
ER_RPL_GTID_UNSAFE_ALTER_ADD_COL_WITH_DEFAULT_EXPRESSION error code, 542
ER_RPL_GTID_UNSAFE_STMT_CREATE_SELECT error code, 526
ER_RPL_GTID_UNSAFE_STMT_ON_NON_TRANS_TABLE error code, 526
ER_RPL_GTID_UNSAFE_STMT_ON_TEMPORARY_TABLE error code, 526
ER_RPL_INCOMPATIBLE_DECIMAL_IN_RBR error code, 214
ER_RPL_INCONSISTENT_SEQUENCE_NO_IN_TRX error code, 208
ER_RPL_INCONSISTENT_TIMESTAMPS_IN_TRX error code, 208
ER_RPL_INCREMENTING_MEMBER_ACTION_VERSION error code, 607
ER_RPL_INFINITY_DENIED error code, 182
ER_RPL_INFINITY_IGNORED error code, 182
ER_RPL_INFO_DATA_TOO_LONG error code, 54
ER_RPL_IO_THREAD_KILLED error code, 292
ER_RPL_KILL_OLD_DUMP_THREAD_ENCOUNTERED error code, 642
ER_RPL_LOG_ENTRY_EXCEEDS_REPLICA_MAX_ALLOWED_PACKET error code, 232
ER_RPL_LOG_ENTRY_EXCEEDS_SLAVE_MAX_ALLOWED_PACKET error code, 232
ER_RPL_LOG_NOT_FOUND_WHILE_COUNTING_RELAY_LOG error code, 240
ER_RPL_MEA_ALLOW_COMMIT_OUT_OF_ORDER error code, 642
ER_RPL_MTA_AUTOMATIC_RECOVERY_FAILED error code, 227
ER_RPL_MTA_CHECKPOINT_PERIOD_DIFFERS_FROM_CNT error code, 234
ER_RPL_MTA_GROUP_RECOVERY_APPLIER_METADATA error code, 234
ER_RPL_MTA_GROUP_RECOVERY_APPLIER_METADATA_FO error code, 234
ER_RPL_MTA_RECOVERY_CANT_OPEN_RELAY_LOG error code, 227
ER_RPL_MTA_RECOVERY_COMPLETE error code, 231
ER_RPL_MTA_RECOVERY_FAILED_TO_START_COORDINAT error code, 226
ER_RPL_MTA_RECOVERY_STARTING_COORDINATOR error code, 226
ER_RPL_MTA_RECOVERY_SUCCESSFUL error code, 227
ER_RPL_MTA_REPLICA_COORDINATOR_HAS_WAITED error code, 255
ER_RPL_MTA_STATISTICS error code, 231
ER_RPL_MTS_AUTOMATIC_RECOVERY_FAILED error code, 227
ER_RPL_MTS_CHECKPOINT_PERIOD_DIFFERS_FROM_CNT error code, 234
ER_RPL_MTS_GROUP_RECOVERY_RELAY_LOG_INFO error code, 234
ER_RPL_MTS_GROUP_RECOVERY_RELAY_LOG_INFO_FOR error code, 233
ER_RPL_MTS_RECOVERY_CANT_OPEN_RELAY_LOG error code, 227
ER_RPL_MTS_RECOVERY_COMPLETE error code, 231
ER_RPL_MTS_RECOVERY_FAILED_TO_START_COORDINAT error code, 226
ER_RPL_MTS_RECOVERY_STARTING_COORDINATOR error code, 226
ER_RPL_MTS_RECOVERY_SUCCESSFUL error code, 227
ER_RPL_MTS_SLAVE_COORDINATOR_HAS_WAITED error code, 255
ER_RPL_MTS_STATISTICS error code, 230
ER_RPL_MULTISOURCE_REQUIRES_TABLE_TYPE_REPOSIT error code, 211
ER_RPL_OPEN_INDEX_FILE_FAILED error code, 241
ER_RPL_PLEASE_USE_OPTION_RELAY_LOG error code, 241
ER_RPL_PLUGIN_FUNCTION_FAILED error code, 184
ER_RPL_RECOVERY_ERROR error code, 225

ER_RPL_RECOVERY_ERROR_FREEING_IO_CACHE error code, 225
ER_RPL_RECOVERY_ERROR_READ_RELAY_LOG error code, 225
ER_RPL_RECOVERY_FILE_MASTER_POS_INFO error code, 226
ER_RPL_RECOVERY_FILE_SOURCE_POS_INFO error code, 226
ER_RPL_RECOVERY_IO_ERROR_READING_RELAY_LOG_INDEX error code, 226
ER_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_MASTER error code, 225
ER_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_SOURCE error code, 225
ER_RPL_RECOVERY_REPLICATE_SAME_SERVER_ID_REQUIRES_POSITION error code, 226
ER_RPL_RECOVERY_SKIPPED_GROUP_REPLICATION_CHANNEL error code, 225
ER_RPL_RELAY_LOG_INDEX_NEEDS_FILE_NOT_DIRECTORY error code, 240
ER_RPL_RELAY_LOG_NEEDS_FILE_NOT_DIRECTORY error code, 240
ER_RPL_RELAY_LOG_RECOVERY_GTID_ONLY error code, 613
ER_RPL_RELAY_LOG_RECOVERY_INFO_AFTER_CLONE error code, 576
ER_RPL_REPLICA_ADDITIONAL_ERROR_INFO_FROM_DA error code, 236
ER_RPL_REPLICA_AUTO_POSITION_IS_1_AND_GTID_MODE_IS_OFF error code, 224
ER_RPL_REPLICA_CANT_FLUSH_CONNECTION_METADATA_REPOS error code, 229
ER_RPL_REPLICA_CANT_INITIALIZE_REPLICA_WORKER error code, 233
ER_RPL_REPLICA_CANT_INIT_RELAY_LOG_POSITION error code, 231
ER_RPL_REPLICA_CANT_START_REPLICA_FOR_CHANNEL error code, 224
ER_RPL_REPLICA_CANT_STOP_REPLICA_FOR_CHANNEL error code, 225
ER_RPL_REPLICA_CANT_USE_CHARSET error code, 238
ER_RPL_REPLICA_CONNECTED_TO_SOURCE_REPLICATION_RESUMED error code, 238
ER_RPL_REPLICA_CONNECTED_TO_SOURCE_RPL_START_REPLICA_FILE_BASED error code, 633
ER_RPL_REPLICA_CONNECTED_TO_SOURCE_RPL_START_REPLICA_GTID_BASED error code, 633
ER_RPL_REPLICA_COULD_NOT_CREATE_CHANNEL_LIST error code, 211
ER_RPL_REPLICA_DUMP_THREAD_KILLED_BY_SOURCE error code, 230
ER_RPL_REPLICA_ERROR_INFO_FROM_DA error code, 236
ER_RPL_REPLICA_ERROR_LOADING_USER_DEFINED_LIBRARY error code, 236
ER_RPL_REPLICA_ERROR_READING_FROM_SERVER error code, 230
ER_RPL_REPLICA_ERROR_READING_RELAY_LOG_EVENTS error code, 239
ER_RPL_REPLICA_ERROR_REQUESTING_BINLOG_DUMP error code, 232
ER_RPL_REPLICA_ERROR_RETRYING error code, 230
ER_RPL_REPLICA_ERROR_RUNNING_QUERY error code, 237
ER_RPL_REPLICA_FAILED_TO_CREATE_CHANNEL_FROM_CON error code, 212
ER_RPL_REPLICA_FAILED_TO_CREATE_OR_RECOVER_INFO_R error code, 224
ER_RPL_REPLICA_FAILED_TO_INIT_A_CONNECTION_METADAT error code, 211
ER_RPL_REPLICA_FAILED_TO_INIT_CONNECTION_METADATA_ error code, 211
ER_RPL_REPLICA_FAILED_TO_INIT_PARTITIONS_HASH error code, 235
ER_RPL_REPLICA_FILTER_CREATE_FAILED error code, 284
ER_RPL_REPLICA_FORCING_TO_RECONNECT_IO_THREAD error code, 232
ER_RPL_REPLICA_GENERIC_MESSAGE error code, 210
ER_RPL_REPLICA_GLOBAL_FILTERS_COPY_FAILED error code, 284
ER_RPL_REPLICA_INCORRECT_CHANNEL error code, 277
ER_RPL_REPLICA_INSECURE_CHANGE_SOURCE error code, 276
ER_RPL_REPLICA_IO_THREAD_ABORTED_WAITING_FOR_RELA error code, 233
ER_RPL_REPLICA_IO_THREAD_CANT_REGISTER_ON_SOURCE error code, 232
ER_RPL_REPLICA_IO_THREAD_DETECTED_UNEXPECTED_EVE error code, 238
ER_RPL_REPLICA_IO_THREAD_EXITING error code, 233
ER_RPL_REPLICA_IO_THREAD_KILLED error code, 231
ER_RPL_REPLICA_IO_THREAD_STOP_CMD_EXEC_TIMEOUT error code, 526
ER_RPL_REPLICA_IO_THREAD_WAS_KILLED error code, 228
ER_RPL_REPLICA_MONITOR_IO_THREAD_EXITING error code, 593
ER_RPL_REPLICA_MONITOR_IO_THREAD_RECONNECT_CHANN error code, 593
ER_RPL_REPLICA_NEW_C_M_NEEDS_REPOS_TYPE_OTHER_TI error code, 240

ER_RPL_REPLICA_NEXT_LOG_IS_ACTIVE error code, 238
ER_RPL_REPLICA_NEXT_LOG_IS_INACTIVE error code, 239
ER_RPL_REPLICA_QUEUE_EVENT_FAILED_INVALID_CONFIGURATION error code, 237
ER_RPL_REPLICA_QUEUE_EVENT_FAILED_INVALID_NON_ROW_FORMAT error code, 573
ER_RPL_REPLICA_READ_INVALID_EVENT_FROM_SOURCE error code, 237
ER_RPL_REPLICA_REPORT_HOST_TOO_LONG error code, 229
ER_RPL_REPLICA_REPORT_PASSWORD_TOO_LONG error code, 229
ER_RPL_REPLICA_REPORT_USER_TOO_LONG error code, 229
ER_RPL_REPLICA_RESET_FILTER_OPTIONS error code, 284
ER_RPL_REPLICA_SECONDS_BEHIND_SOURCE_DUBIOUS error code, 228
ER_RPL_REPLICA_SKIP_COUNTER_EXECUTED error code, 236
ER_RPL_REPLICA_SOURCE_UUID_HAS_CHANGED_HOST_PORT_SAME error code, 633
ER_RPL_REPLICA_SOURCE_UUID_HAS_NOT_CHANGED error code, 633
ER_RPL_REPLICA_SOURCE_UUID_HOST_PORT_HAS_CHANGED error code, 633
ER_RPL_REPLICA_SQL_THREAD_DETECTED_UNEXPECTED_EVENT_SEQUENCE error code, 573
ER_RPL_REPLICA_SQL_THREAD_EXITING error code, 237
ER_RPL_REPLICA_SQL_THREAD_IO_ERROR_READING_EVENT error code, 239
ER_RPL_REPLICA_SQL_THREAD_STARTING error code, 235
ER_RPL_REPLICA_SQL_THREAD_STARTING_WITH_PRIVILEGE_CHECKS error code, 571
ER_RPL_REPLICA_SQL_THREAD_STOP_CMD_EXEC_TIMEOUT error code, 526
ER_RPL_REPLICA_STOPPING_AS_SOURCE_OOM error code, 233
ER_RPL_REPLICA_USES_CHECKSUM_AND_SOURCE_PRE_50 error code, 228
ER_RPL_REPLICA_WORKER_THREAD_CREATION_FAILED error code, 235
ER_RPL_REPLICA_WORKER_THREAD_CREATION_FAILED_WITH_ERRNO error code, 235
ER_RPL_REPO_HAS_GAPS error code, 166
ER_RPL_REPO_SHOULD_BE_TABLE error code, 208
ER_RPL_REWRITEDB_EMPTY_FROM error code, 178
ER_RPL_REWRITEDB_EMPTY_TO error code, 178
ER_RPL_REWRITEDB_MISSING_ARROW error code, 178
ER_RPL_RLI_INIT_INFO_MSG error code, 296
ER_RPL_SERVER_ID_MISSING error code, 227
ER_RPL_SLAVE_ADDITIONAL_ERROR_INFO_FROM_DA error code, 236
ER_RPL_SLAVE_APPLY_LOG_EVENT_FAILED_INVALID_NON error code, 573
ER_RPL_SLAVE_AUTO_POSITION_IS_1_AND_GTID_MODE_IS error code, 224
ER_RPL_SLAVE_CANT_FLUSH_MASTER_INFO_FILE error code, 229
ER_RPL_SLAVE_CANT_INITIALIZE_SLAVE_WORKER error code, 233
ER_RPL_SLAVE_CANT_INIT_RELAY_LOG_POSITION error code, 231
ER_RPL_SLAVE_CANT_START_SLAVE_FOR_CHANNEL error code, 224
ER_RPL_SLAVE_CANT_STOP_SLAVE_FOR_CHANNEL error code, 225
ER_RPL_SLAVE_CANT_USE_CHARSET error code, 238
ER_RPL_SLAVE_CONNECTED_TO_MASTER_REPLICATION_ error code, 238
ER_RPL_SLAVE_CONNECTED_TO_MASTER_REPLICATION_S error code, 231
ER_RPL_SLAVE_COULD_NOT_CREATE_CHANNEL_LIST error code, 211
ER_RPL_SLAVE_DUMP_THREAD_KILLED_BY_MASTER error code, 230
ER_RPL_SLAVE_ERROR_INFO_FROM_DA error code, 236
ER_RPL_SLAVE_ERROR_LOADING_USER_DEFINED_LIBRAR error code, 236
ER_RPL_SLAVE_ERROR_READING_FROM_SERVER error code, 230
ER_RPL_SLAVE_ERROR_READING_RELAY_LOG_EVENTS error code, 239
ER_RPL_SLAVE_ERROR_REQUESTING_BINLOG_DUMP error code, 232
ER_RPL_SLAVE_ERROR_RETRYING error code, 230
ER_RPL_SLAVE_ERROR_RUNNING_QUERY error code, 237
ER_RPL_SLAVE_FAILED_TO_CREATE_CHANNEL_FROM_MA error code, 211
ER_RPL_SLAVE_FAILED_TO_CREATE_OR_RECOVER_INFO_ error code, 224
ER_RPL_SLAVE_FAILED_TO_INIT_A_MASTER_INFO_STRUCT error code, 211
ER_RPL_SLAVE_FAILED_TO_INIT_MASTER_INFO_STRUCTU error code, 211
ER_RPL_SLAVE_FAILED_TO_INIT_PARTITIONS_HASH error code, 235
ER_RPL_SLAVE_FILTER_CREATE_FAILED error code, 284

ER_RPL_SLAVE_FLUSH_RELAY_LOGS_NOT_ALLOWED error code, 277
ER_RPL_SLAVE_FORCING_TO_RECONNECT_IO_THREAD error code, 232
ER_RPL_SLAVE_GENERIC_MESSAGE error code, 210
ER_RPL_SLAVE_GLOBAL_FILTERS_COPY_FAILED error code, 284
ER_RPL_SLAVE_INCORRECT_CHANNEL error code, 277
ER_RPL_SLAVE_INSECURE_CHANGE_MASTER error code, 276
ER_RPL_SLAVE_IO_THREAD_ABORTED_WAITING_FOR_RELAY_LOG_SPACE error code, 233
ER_RPL_SLAVE_IO_THREAD_CANT_REGISTER_ON_MASTER error code, 232
ER_RPL_SLAVE_IO_THREAD_DETECTED_UNEXPECTED_EVENT_SEQUENCE error code, 238
ER_RPL_SLAVE_IO_THREAD_EXITING error code, 233
ER_RPL_SLAVE_IO_THREAD_KILLED error code, 231
ER_RPL_SLAVE_IO_THREAD_STOP_CMD_EXEC_TIMEOUT error code, 526
ER_RPL_SLAVE_IO_THREAD_WAS_KILLED error code, 228
ER_RPL_SLAVE_MASTER_UUID_HAS_CHANGED error code, 228
ER_RPL_SLAVE_NDB_TABLES_NOT_AVAILABLE error code, 235
ER_RPL_SLAVE_NEW_MASTER_INFO_NEEDS_REPOS_IF_RPL_UNEXPECTED_HEARTBEAT error code, 240
ER_RPL_SLAVE_NEXT_LOG_IS_ACTIVE error code, 238
ER_RPL_SLAVE_NEXT_LOG_IS_INACTIVE error code, 238
ER_RPL_SLAVE_QUEUE_EVENT_FAILED_INVALID_CONFIGURATION error code, 237
ER_RPL_SLAVE_QUEUE_EVENT_FAILED_INVALID_NON_ROW_FORMAT error code, 573
ER_RPL_SLAVE_READ_INVALID_EVENT_FROM_MASTER error code, 237
ER_RPL_SLAVE_REPORT_HOST_TOO_LONG error code, 229
ER_RPL_SLAVE_REPORT_PASSWORD_TOO_LONG error code, 229
ER_RPL_SLAVE_REPORT_USER_TOO_LONG error code, 229
ER_RPL_SLAVE_RESET_FILTER_OPTIONS error code, 284
ER_RPL_SLAVE_SECONDS_BEHIND_MASTER_DUBIOUS error code, 228
ER_RPL_SLAVE_SKIP_COUNTER_EXECUTED error code, 236
ER_RPL_SLAVE_SQL_THREAD_DETECTED_UNEXPECTED_EVENT_SEQUENCE error code, 573
ER_RPL_SLAVE_SQL_THREAD_EXITING error code, 237
ER_RPL_SLAVE_SQL_THREAD_IO_ERROR_READING_EVENT error code, 239
ER_RPL_SLAVE_SQL_THREAD_STARTING error code, 235
ER_RPL_SLAVE_SQL_THREAD_STARTING_WITH_PRIVILEGE_CH error code, 571
ER_RPL_SLAVE_SQL_THREAD_STOP_CMD_EXEC_TIMEOUT error code, 525
ER_RPL_SLAVE_STOPPING_AS_MASTER_OOM error code, 233
ER_RPL_SLAVE_USES_CHECKSUM_AND_MASTER_PRE_50 error code, 228
ER_RPL_SLAVE_WORKER_THREAD_CREATION_FAILED error code, 234
ER_RPL_SLAVE_WORKER_THREAD_CREATION_FAILED_WITH_ error code, 235
ER_RPL_SSL_INFO_IN_CONNECTION_METADATA_IGNORED error code, 256
ER_RPL_SSL_INFO_IN_MASTER_INFO_IGNORED error code, 256
ER_RPL_TIMESTAMPS_RETURNED_TO_NORMAL error code, 283
ER_RPL_TRX_DELEGATES_INIT_FAILED error code, 184
ER_RPL_UNEXPECTED_BEGIN_IN_STREAM error code, 214
ER_RPL_UNEXPECTED_COMMIT_ROLLBACK_OR_XID_LOG_EVE error code, 214
ER_RPL_UNEXPECTED_XA_ROLLBACK_IN_STREAM error code, 214
ER_RPL_UNSUPPORTED_UNIGNORABLE_EVENT_IN_STREAM error code, 213
ER_RPL_WORKER_CANT_FIND_NEXT_RELAY_LOG error code, 255
ER_RPL_WORKER_CANT_READ_RELAY_LOG error code, 254
ER_RPL_WORKER_ID_IS error code, 208
ER_RPL_ZOMBIE_ENCOUNTERED error code, 164
ER_RUNNING_APPLIER_PREVENTS_SWITCH_GLOBAL_BINLOG_ error code, 112
ER_RUN_HOOK_ERROR error code, 78
ER_SAME_NAME_PARTITION error code, 38
ER_SAME_NAME_PARTITION_FIELD error code, 47
ER_SCHEDULER_KILLING error code, 168
ER_SCHEDULER_STARTED error code, 168
ER_SCHEDULER_STOPPED error code, 167
ER_SCHEDULER_STOPPING_FAILED_TO_CREATE_WORKER error code, 168
ER_SCHEDULER_STOPPING_FAILED_TO_GET_EVENT error code, 168
ER_SCHEDULER_WAITING error code, 168
ER_SCHEMA_DIR_CREATE_FAILED error code, 105

ER_SCHEMA_DIR_EXISTS error code, 105
ER_SCHEMA_DIR_MISSING error code, 105
ER_SCHEMA_DIR_UNKNOWN error code, 105
ER_SCHEMA_NAME_IN_UPPER_CASE_NOT_ALLOWED error code, 575
ER_SCHEMA_NAME_IN_UPPER_CASE_NOT_ALLOWED_FOR_GC error code, 575
ER_SCHEMA_READ_ONLY error code, 140
ER_SDI_GET_KEYS_INVALID_TABLESPACE error code, 146
ER_SDI_OPERATION_FAILED error code, 103
ER_SDI_OPERATION_FAILED_MISSING_RECORD error code, 136
ER_SECONDARY_ENGINE error code, 128
ER_SECONDARY_ENGINE_DDL error code, 129
ER_SECONDARY_ENGINE_DDL_FAILED error code, 639
ER_SECONDARY_ENGINE_PLUGIN error code, 127
ER_SECOND_PASSWORD_CANNOT_BE_EMPTY error code, 127
ER_SECURE_AUTH_VALUE_UNSUPPORTED error code, 171
ER_SECURE_TRANSPORT_REQUIRED error code, 83
ER_SEC_FILE_PRIV_ARGUMENT_TOO_LONG error code, 173
ER_SEC_FILE_PRIV_CANT_ACCESS_DIR error code, 172
ER_SEC_FILE_PRIV_CANT_STAT error code, 173
ER_SEC_FILE_PRIV_DIRECTORY_INSECURE error code, 173
ER_SEC_FILE_PRIV_DIRECTORY_PERMISSIONS error code, 173
ER_SEC_FILE_PRIV_EMPTY error code, 172
ER_SEC_FILE_PRIV_IGNORED error code, 172
ER_SEC_FILE_PRIV_NULL error code, 173
ER_SELECT_REDUCED error code, 21
ER_SEMISYNC_ADD_ACK_TO_SLOT error code, 308
ER_SEMISYNC_BINLOG_REPLY_IS_AHEAD error code, 307
ER_SEMISYNC_BINLOG_WRITE_OUT_OF_ORDER error code, 304
ER_SEMISYNC_CLEARED_ACTIVE_TRANSACTION_TILL_POS error code, 305
ER_SEMISYNC_CLEARED_ALL_ACTIVE_TRANSACTIONS_SEEN error code, 305
ER_SEMISYNC_DISABLED_ON_MASTER error code, 306
ER_SEMISYNC_DISABLED_ON_SOURCE error code, 306
ER_SEMISYNC_EXECUTION_FAILED_ON_MASTER error code, 312
ER_SEMISYNC_EXECUTION_FAILED_ON_SOURCE error code, 312
ER_SEMISYNC_FAILED_REGISTER_REPLICA_TO_RECEIVER error code, 309
ER_SEMISYNC_FAILED_REGISTER_SLAVE_TO_RECEIVER error code, 309
ER_SEMISYNC_FAILED_TO_ALLOCATE_TRX_NODE error code, 304
ER_SEMISYNC_FAILED_TO_INSERT_TRX_NODE error code, 308
ER_SEMISYNC_FAILED_TO_START_ACK_RECEIVER_THD error code, 309
ER_SEMISYNC_FAILED_TO_STOP_ACK_RECEIVER_THD error code, 312
ER_SEMISYNC_FAILED_TO_WAIT_ON_DUMP_SOCKET error code, 309
ER_SEMISYNC_FORCED_SHUTDOWN error code, 306
ER_SEMISYNC_FUNCTION_CALLED_TWICE error code, 305
ER_SEMISYNC_INIT_WAIT_POS error code, 307
ER_SEMISYNC_INSERT_LOG_INFO_IN_ENTRY error code, 304
ER_SEMISYNC_MASTER_FAILED_ON_NET_FLUSH error code, 308
ER_SEMISYNC_MASTER_GOT_REPLY_AT_POS error code, 306
ER_SEMISYNC_MASTER_OOM error code, 306
ER_SEMISYNC_MASTER_SIGNAL_ALL_WAITING_THREADS error code, 306
ER_SEMISYNC_MASTER_TRX_WAIT_POS error code, 307
ER_SEMISYNC_MISSING_MAGIC_NO_FOR_SEMISYNC_PKT error code, 311
ER_SEMISYNC_MOVE_BACK_WAIT_POS error code, 307
ER_SEMISYNC_NOT_SUPPORTED_BY_MASTER error code, 312
ER_SEMISYNC_NOT_SUPPORTED_BY_SOURCE error code, 312
ER_SEMISYNC_NO_SPACE_IN_THE_PKT error code, 308
ER_SEMISYNC_PROBE_LOG_INFO_IN_ENTRY error code, 304
ER_SEMISYNC_RECEIVED_ACK_IS_SMALLER error code, 308
ER_SEMISYNC_REPLICA_NET_FLUSH_REPLY_FAILED error code, 311
ER_SEMISYNC_REPLICA_REPLY error code, 311
ER_SEMISYNC_REPLICA_REPLY_WITH_BINLOG_INFO error code, 311
ER_SEMISYNC_REPLICA_SEND_REPLY_FAILED error code, 312
ER_SEMISYNC_REPLICA_SET_FAILED error code, 312
ER_SEMISYNC_REPLICA_START error code, 311

ER_SEMISYNC_REPLY_BINLOG_FILE_TOO_LARGE error code, 305
ER_SEMISYNC_REPLY_MAGIC_NO_ERROR error code, 305
ER_SEMISYNC_REPLY_PKT_LENGTH_TOO_SMALL error code, 305
ER_SEMISYNC_RPL_ENABLED_ON_MASTER error code, 305
ER_SEMISYNC_RPL_ENABLED_ON_SOURCE error code, 305
ER_SEMISYNC_RPL_INIT_FOR_TRX error code, 304
ER_SEMISYNC_RPL_SWITCHED_OFF error code, 307
ER_SEMISYNC_RPL_SWITCHED_ON error code, 307
ER_SEMISYNC_SERVER_REPLY error code, 305
ER_SEMISYNC_SLAVE_NET_FLUSH_REPLY_FAILED error code, 311
ER_SEMISYNC_SLAVE_REPLY error code, 310
ER_SEMISYNC_SLAVE_REPLY_WITH_BINLOG_INFO error code, 311
ER_SEMISYNC_SLAVE_SEND_REPLY_FAILED error code, 311
ER_SEMISYNC_SLAVE_SET_FAILED error code, 312
ER_SEMISYNC_SLAVE_START error code, 311
ER_SEMISYNC_SOCKET_FD_TOO_LARGE error code, 310
ER_SEMISYNC_SOURCE_FAILED_ON_NET_FLUSH error code, 308
ER_SEMISYNC_SOURCE_GOT_REPLY_AT_POS error code, 306
ER_SEMISYNC_SOURCE_OOM error code, 306
ER_SEMISYNC_SOURCE_SIGNAL_ALL_WAITING_THREADS error code, 306
ER_SEMISYNC_SOURCE_TRX_WAIT_POS error code, 307
ER_SEMISYNC_STARTING_ACK_RECEIVER_THD error code, 309
ER_SEMISYNC_START_BINLOG_DUMP_TO_REPLICA error code, 310
ER_SEMISYNC_START_BINLOG_DUMP_TO_SLAVE error code, 309
ER_SEMISYNC_STOPPING_ACK_RECEIVER_THREAD error code, 309
ER_SEMISYNC_STOP_BINLOG_DUMP_TO_REPLICA error code, 310
ER_SEMISYNC_STOP_BINLOG_DUMP_TO_SLAVE error code, 310
ER_SEMISYNC_SYNC_HEADER_UPDATE_INFO error code, 308
ER_SEMISYNC_TRACE_ENTER_FUNC error code, 304
ER_SEMISYNC_TRACE_EXIT error code, 304
ER_SEMISYNC_TRACE_EXIT_WITH_BOOL_EXIT_CODE error code, 304
ER_SEMISYNC_TRACE_EXIT_WITH_INT_EXIT_CODE error code, 304
ER_SEMISYNC_TRX_SKIPPED_AT_POS error code, 308
ER_SEMISYNC_UNREGISTERED_REPLICATOR error code, 310
ER_SEMISYNC_UNREGISTER_BINLOG_STORAGE_OBSERVER_ error code, 310
ER_SEMISYNC_UNREGISTER_BINLOG_TRANSMIT_OBSERVER_ error code, 310
ER_SEMISYNC_UNREGISTER_TRX_OBSERVER_FAILED error code, 310
ER_SEMISYNC_UPDATE_EXISTING_REPLICA_ACK error code, 309
ER_SEMISYNC_UPDATE_EXISTING_SLAVE_ACK error code, 308
ER_SEMISYNC_WAIT_FOR_BINLOG_TIMEDOUT error code, 307
ER_SEMISYNC_WAIT_TIME_ASSESSMENT_FOR_COMMIT_TRX_ error code, 307
ER_SEMISYNC_WAIT_TIME_FOR_BINLOG_SENT error code, 307
ER_SERVERID_TOO_LARGE error code, 182
ER_SERVER_ACL_TABLE_ERROR error code, 532
ER_SERVER_BINLOG_MASTER_KEY_RECOVERY_OUT_OF_COM error code, 557
ER_SERVER_BINLOG_MASTER_KEY_ROTATION_FAIL_TO_CLEA error code, 557
ER_SERVER_BINLOG_UNSAFE_SYSTEM_FUNCTION error code, 561
ER_SERVER_CANNOT_LOAD_FROM_TABLE_V2 error code, 531
ER_SERVER_CANT_OPEN_FILE error code, 531
ER_SERVER_COL_COUNT_DOESNT_MATCH_CORRUPTED_V2 error code, 532
ER_SERVER_COL_COUNT_DOESNT_MATCH_PLEASE_UPDATE_ error code, 532
ER_SERVER_COST_FAILED_TO_READ error code, 213
ER_SERVER_COST_INVALID_COST_CONSTANT error code, 212
ER_SERVER_COST_UNKNOWN_COST_CONSTANT error code, 212
ER_SERVER_DISK_FULL_NOWAIT error code, 531
ER_SERVER_DOWNGRADE_FROM_VERSION error code, 640
ER_SERVER_DOWNGRADE_STATUS error code, 640
ER_SERVER_FILE_NOT_FOUND error code, 531
ER_SERVER_FILE_USED error code, 531
ER_SERVER_GTID_UNSAFE_CREATE_DROP_TEMP_TABLE_IN_ error code, 542
ER_SERVER_HANDLER_ERROR error code, 531
ER_SERVER_INIT_COMPILED_IN_COMMANDS error code, 296
ER_SERVER_ISNT_AVAILABLE error code, 84

ER_SERVER_IS_IN_SECURE_AUTH_MODE error code, 23
ER_SERVER_MASTER_FATAL_ERROR_READING_BINLOG error code, 528
ER_SERVER_NET_PACKET_TOO_LARGE error code, 530
ER_SERVER_NEW_ABORTING_CONNECTION error code, 531
ER_SERVER_NOT_FORM_FILE error code, 531
ER_SERVER_NO_SESSION_TO_SEND_TO error code, 530
ER_SERVER_NO_SYSTEM_TABLE_ACCESS error code, 530
ER_SERVER_OFFLINE_MODE error code, 71
ER_SERVER_OUTOFMEMORY error code, 281
ER_SERVER_OUT_OF_RESOURCES error code, 280
ER_SERVER_OUT_OF_SORTMEMORY error code, 531
ER_SERVER_RECORD_FILE_FULL error code, 531
ER_SERVER_REPLICA_AM_INIT_REPOSITORY error code, 530
ER_SERVER_REPLICA_CM_INIT_REPOSITORY error code, 530
ER_SERVER_REPLICA_CONVERSION_FAILED error code, 532
ER_SERVER_REPLICA_IGNORED_TABLE error code, 533
ER_SERVER_REPLICA_INIT_QUERY_FAILED error code, 532
ER_SERVER_RPL_ENCRYPTION_FAILED_TO_ENCRYPT error code, 552
ER_SERVER_RPL_ENCRYPTION_FAILED_TO_FETCH_KEY error code, 547
ER_SERVER_RPL_ENCRYPTION_FAILED_TO_GENERATE_KEY error code, 548
ER_SERVER_RPL_ENCRYPTION_FAILED_TO_REMOVE_KEY error code, 548
ER_SERVER_RPL_ENCRYPTION_FAILED_TO_ROTATE_LOGS error code, 548
ER_SERVER_RPL_ENCRYPTION_FAILED_TO_STORE_KEY error code, 548
ER_SERVER_RPL_ENCRYPTION_HEADER_ERROR error code, 548
ER_SERVER_RPL_ENCRYPTION_IGNORE_ROTATE_MASTER_KEY error code, 549
ER_SERVER_RPL_ENCRYPTION_KEYRING_INVALID_KEY error code, 548
ER_SERVER_RPL_ENCRYPTION_KEY_EXISTS_UNEXPECTED error code, 548
ER_SERVER_RPL_ENCRYPTION_KEY_NOT_FOUND error code, 547
ER_SERVER_RPL_ENCRYPTION_MASTER_KEY_RECOVERY_FAILED error code, 548
ER_SERVER_RPL_ENCRYPTION_UNABLE_TO_INITIALIZE error code, 549
ER_SERVER_RPL_ENCRYPTION_UNABLE_TO_ROTATE_MASTER_KEY error code, 549
ER_SERVER_SHUTDOWN error code, 7
ER_SERVER_SHUTDOWN_COMPLETE error code, 278
ER_SERVER_SHUTDOWN_INFO error code, 535
ER_SERVER_SLAVE_CONVERSION_FAILED error code, 532
ER_SERVER_SLAVE_IGNORED_TABLE error code, 533
ER_SERVER_SLAVE_INIT_QUERY_FAILED error code, 532
ER_SERVER_SLAVE_MI_INIT_REPOSITORY error code, 530
ER_SERVER_SLAVE_RLI_INIT_REPOSITORY error code, 530
ER_SERVER_SOURCE_FATAL_ERROR_READING_BINLOG error code, 528
ER_SERVER_STARTUP_ADMIN_INTERFACE error code, 549
ER_SERVER_STARTUP_MSG error code, 280
ER_SERVER_TABLE_CHECK_FAILED error code, 532
ER_SERVER_TEST_MESSAGE error code, 533
ER_SERVER_UNKNOWN_ERROR error code, 530
ER_SERVER_UNKNOWN_SYSTEM_VARIABLE error code, 530
ER_SERVER_UPGRADE_CHECKING_DB error code, 560
ER_SERVER_UPGRADE_EMPTY_SYS error code, 559
ER_SERVER_UPGRADE_FAILED error code, 558
ER_SERVER_UPGRADE_FROM_VERSION error code, 553
ER_SERVER_UPGRADE_HELP_TABLE_STATUS error code, 561
ER_SERVER_UPGRADE_INFO_FILE error code, 559
ER_SERVER_UPGRADE_MYSQL_TABLES error code, 559
ER_SERVER_UPGRADE_NO_SYS_VERSION error code, 559
ER_SERVER_UPGRADE_OFF error code, 558
ER_SERVER_UPGRADE_PENDING error code, 558
ER_SERVER_UPGRADE_REPAIR_REQUIRED error code, 559
ER_SERVER_UPGRADE_REPAIR_STATUS error code, 559
ER_SERVER_UPGRADE_SKIP error code, 558
ER_SERVER_UPGRADE_STATUS error code, 559
ER_SERVER_UPGRADE_SYSTEM_TABLES error code, 559
ER_SERVER_UPGRADE_SYS_SCHEMA error code, 559

ER_SERVER_UPGRADE_SYS_SCHEMA_OBJECT_COUNT error code, 560
ER_SERVER_UPGRADE_SYS_SCHEMA_OUTDATED error code, 560
ER_SERVER_UPGRADE_SYS_SCHEMA_UP_TO_DATE error code, 560
ER_SERVER_UPGRADE_SYS_VERSION_EMPTY error code, 559
ER_SERVER_UPGRADE_VERSION_NOT_SUPPORTED error code, 553
ER_SERVER_WARN_DEPRECATED error code, 556
ER_SERVER_WRONG_VALUE_FOR_VAR error code, 541
ER_SESSION_WAS_KILLED error code, 84
ER_SETNS_FAILED error code, 562
ER_SET_CONSTANTS_ONLY error code, 18
ER_SET_EVENT_FAILED error code, 536
ER_SET_PASSWORD_AUTH_PLUGIN error code, 50
ER_SET_PASSWORD_AUTH_PLUGIN_ERROR error code, 155
ER_SET_STATEMENT_CANNOT_INVOKE_FUNCTION error code, 57
ER_SE_TYPECODE_CONFLICT error code, 188
ER_SHA256_PASSWORD_SECOND_PASSWORD_USED_28 error code, 550
ER_SHAPE_PRIDICTION_UDF error code, 157
ER_SHARED_TABLESPACE_USED_BY_PARTITIONED_TABLE error code, 543
ER_SHA_PWD_AUTH_REQUIRES_RSA_OR_SSL error code, 320
ER_SHA_PWD_FAILED_TO_GENERATE_MULTI_ROUNDS_HASH error code, 320
ER_SHA_PWD_FAILED_TO_PARSE_AUTH_STRING error code, 319
ER_SHA_PWD_RSA_KEY_TOO_LONG error code, 320
ER_SHA_PWD_SALT_FOR_USER_CORRUPT error code, 320
ER_SHUTDOWN_COMPLETE error code, 8
ER_SHUTTING_DOWN_REPLICA_THREADS error code, 175
ER_SHUTTING_DOWN_SLAVE_THREADS error code, 175
ER_SIGNAL_BAD_CONDITION_TYPE error code, 46
ER_SIGNAL_EXCEPTION error code, 46
ER_SIGNAL_NOT_FOUND error code, 46
ER_SIGNAL_WARN error code, 46
ER_SIZE_OVERFLOW_ERROR error code, 39
ER_SKIP_UPDATING_METADATA_IN_SE_RO_MODE error code, 291
ER_SLAVE_ANONYMOUS_TO_GTID_IS_LOCAL_OR_UUID error code, 593
ER_SLAVE_CANT_CREATE_CONVERSION error code, 49
ER_SLAVE_CANT_USE_TEMPDIR error code, 240
ER_SLAVE_CHANGE_MASTER_TO_EXECUTED error code, 239
ER_SLAVE_CHANNEL_DOES_NOT_EXIST error code, 75
ER_SLAVE_CHANNEL_IO_THREAD_MUST_STOP error code, 70
ER_SLAVE_CHANNEL_MUST_STOP error code, 76
ER_SLAVE_CHANNEL_NAME_INVALID_OR_TOO_LONG error code, 75
ER_SLAVE_CHANNEL_NOT_RUNNING error code, 76
ER_SLAVE_CHANNEL_OPERATION_NOT_ALLOWED error code, 82
ER_SLAVE_CHANNEL_SQL_SKIP_COUNTER error code, 77
ER_SLAVE_CHANNEL_SQL_THREAD_MUST_STOP error code, 77
ER_SLAVE_CHANNEL_WAS_NOT_RUNNING error code, 76
ER_SLAVE_CHANNEL_WAS_RUNNING error code, 76
ER_SLAVE_CONFIGURATION error code, 59
ER_SLAVE_CONVERSION_FAILED error code, 49
ER_SLAVE_CORRUPT_EVENT error code, 43
ER_SLAVE_CREATE_EVENT_FAILURE error code, 528
ER_SLAVE_FATAL_ERROR error code, 528
ER_SLAVE_HAS_MORE_GTIDS_THAN_MASTER error code, 568
ER_SLAVE_HEARTBEAT_FAILURE error code, 529
ER_SLAVE_HEARTBEAT_VALUE_OUT_OF_RANGE error code, 44
ER_SLAVE_HEARTBEAT_VALUE_OUT_OF_RANGE_MAX error code, 51
ER_SLAVE_HEARTBEAT_VALUE_OUT_OF_RANGE_MIN error code, 51
ER_SLAVE_IGNORED_SSL_PARAMS error code, 23
ER_SLAVE_IGNORED_TABLE error code, 20
ER_SLAVE_IGNORE_SERVER_IDS error code, 46
ER_SLAVE_INCIDENT error code, 529
ER_SLAVE_KILLED_AFTER_RECONNECT error code, 292
ER_SLAVE_MASTER_COM_FAILURE error code, 529
ER_SLAVE_MAX_CHANNELS_EXCEEDED error code, 76
ER_SLAVE_MI_INIT_REPOSITORY error code, 66
ER_SLAVE_MULTIPLE_CHANNELS_CMD error code, 75
ER_SLAVE_NEW_CHANNEL_WRONG_REPOSITORY error code, 75
ER_SLAVE_NOT_RUNNING error code, 17
ER_SLAVE_NOT_STARTED_ON_SOME_CHANNELS error code, 292
ER_SLAVE_POSSIBLY_DIVERGED_AFTER_DDL error code, 110
ER_SLAVE_RECONNECT_FAILED error code, 292

ER_SLAVE_RELAY_LOG_PURGE_FAILED error code, 284
ER_SLAVE_RELAY_LOG_READ_FAILURE error code, 529
ER_SLAVE_RELAY_LOG_TRUNCATE_INFO error code, 283
ER_SLAVE_RELAY_LOG_WRITE_FAILURE error code, 529
ER_SLAVE_RLI_INIT_REPOSITORY error code, 66
ER_SLAVE_SILENT_RETRY_TRANSACTION error code, 61
ER_SLAVE_SQL_THREAD_MUST_STOP error code, 70
ER_SLAVE_SQL_THREAD_STOPPED_AFTER_GTIDS_REACHED error code, 204
ER_SLAVE_SQL_THREAD_STOPPED_BEFORE_GTIDS_ARE_COMMITTED error code, 203
ER_SLAVE_SQL_THREAD_STOPPED_BEFORE_GTIDS_REACHED error code, 203
ER_SLAVE_SQL_THREAD_STOPPED_GAP_TRX_PROCESSED error code, 204
ER_SLAVE_SQL_THREAD_STOPPED_UNTIL_CONDITION_BAD error code, 203
ER_SLAVE_SQL_THREAD_STOPPED_UNTIL_POSITION_REACHED error code, 203
ER_SLAVE_THREAD error code, 17
ER_SLAVE_WORKER_STOPPED_PREVIOUS_THD_ERROR error code, 71
ER_SLOW_LOG_MODE_IGNORED_WHEN_NOT_LOGGING_TO_FILE error code, 118
ER_SOURCE error code, 16
ER_SOURCE_DELAY_VALUE_OUT_OF_RANGE error code, 53
ER_SOURCE_FATAL_ERROR_READING_BINLOG error code, 20
ER_SOURCE_HAS_PURGED_REQUIRED_GTIDS error code, 59
ER_SOURCE_NET_READ error code, 16
ER_SOURCE_NET_WRITE error code, 16
ER_SPATIAL_CANT_HAVE_NULL error code, 21
ER_SPATIAL_FUNCTIONAL_INDEX error code, 114
ER_SPATIAL_MUST_HAVE_GEOM_COL error code, 49
ER_SPATIAL_UNIQUE_INDEX error code, 110
ER_SPECIFIC_ACCESS_DENIED_ERROR error code, 20
ER_SPVAR_NONINTEGER_TYPE error code, 143
ER_SP_ALREADY_EXISTS error code, 25
ER_SP_BADRETURN error code, 26
ER_SP_BADSELECT error code, 26
ER_SP_BADSTATEMENT error code, 26
ER_SP_BAD_CURSOR_QUERY error code, 26
ER_SP_BAD_CURSOR_SELECT error code, 26
ER_SP_BAD_SQLSTATE error code, 31
ER_SP_BAD_VAR_SHADOW error code, 34
ER_SP_CANT_ALTER error code, 27
ER_SP_CANT_SET_AUTOCOMMIT error code, 34
ER_SP_CASE_NOT_FOUND error code, 28
ER_SP_COND_MISMATCH error code, 26
ER_SP_CURSOR_AFTER_HANDLER error code, 27
ER_SP_CURSOR_ALREADY_OPEN error code, 27
ER_SP_CURSOR_MISMATCH error code, 27
ER_SP_CURSOR_NOT_OPEN error code, 27
ER_SP_DOES_NOT_EXIST error code, 25
ER_SP_DROP_FAILED error code, 25
ER_SP_DUP_COND error code, 27
ER_SP_DUP_CURS error code, 27
ER_SP_DUP_HANDLER error code, 32
ER_SP_DUP_PARAM error code, 27
ER_SP_DUP_VAR error code, 27
ER_SP_FETCH_NO_DATA error code, 27
ER_SP_LABEL_MISMATCH error code, 26
ER_SP_LABEL_REDEFINE error code, 26
ER_SP_LILABEL_MISMATCH error code, 25
ER_SP_LOAD_FAILED error code, 88
ER_SP_NORETURN error code, 26
ER_SP_NORETURNEND error code, 26
ER_SP_NOT_VAR_ARG error code, 32
ER_SP_NO_AGGREGATE error code, 35
ER_SP_NO_DROP_SP error code, 29
ER_SP_NO_RECURSION error code, 32
ER_SP_NO_RECURSIVE_CREATE error code, 25
ER_SP_NO_RETSET error code, 32
ER_SP_RECURSION_LIMIT error code, 35
ER_SP_STORE_FAILED error code, 25
ER_SP_SUBSELECT_NYI error code, 27
ER_SP_UNDECLARED_VAR error code, 27
ER_SP_UNINIT_VAR error code, 26
ER_SP_VARCOND_AFTER_CURSHNDLR error code, 27
ER_SP_WRONG_NAME error code, 35
ER_SP_WRONG_NO_OF_ARGS error code, 26
ER_SP_WRONG_NO_OF_FETCH_ARGS error code, 27
ER_SQLTHREAD_WITH_SECURE_REPLICA error code, 56
ER_SQLTHREAD_WITH_SECURE_SLAVE error code, 56
ER_SQL_AUTHOR_DEFAULT_ROLES_FAIL error code, 187
ER_SQL_HA_READ_FAILED error code, 184
ER_SQL_MODE_MERGED error code, 81
ER_SQL_MODE_MERGED_WITH_STRICT_MODE error code, 279
ER_SQL_REPLICA_SKIP_COUNTER_USED_WITH_GTID_MOD error code, 144
ER_SQL_SLAVE_SKIP_COUNTER_NOT_SETTABLE_IN_GTID_ error code, 65

ER_SQL_SLAVE_SKIP_COUNTER_USED_WITH_GTID_MODE_ON error code, 144
ER_SQL_USER_TABLE_ALTER_WARNING error code, 187
ER_SQL_USER_TABLE_CREATE_WARNING error code, 187
ER_SRS_ATTRIBUTE_STRING_TOO_LONG error code, 109
ER_SRS_GEOGCS_INVALID_AXES error code, 111
ER_SRS_ID_ALREADY_EXISTS error code, 108
ER_SRS_INVALID_ANGULAR_UNIT error code, 111
ER_SRS_INVALID_CHARACTER_IN_ATTRIBUTE error code, 109
ER_SRS_INVALID_HEIGHT error code, 157
ER_SRS_INVALID_INVERSE_FLATTENING error code, 111
ER_SRS_INVALID_LATITUDE_OF_ORIGIN error code, 155
ER_SRS_INVALID_LATITUDE_POLAR_STERE_VAR_A error code, 158
ER_SRS_INVALID_LONGITUDE_OF_ORIGIN error code, 155
ER_SRS_INVALID_PRIME_MERIDIAN error code, 111
ER_SRS_INVALID_SCALING error code, 157
ER_SRS_INVALID_SEMI_MAJOR_AXIS error code, 111
ER_SRS_INVALID_ZONE_WIDTH error code, 157
ER_SRS_MISSING_MANDATORY_ATTRIBUTE error code, 108
ER_SRS_MULTIPLE_ATTRIBUTE_DEFINITIONS error code, 108
ER_SRS_NAME_CANT_BE_EMPTY_OR_WHITESPACE error code, 108
ER_SRS_NOT_CARTESIAN error code, 89
ER_SRS_NOT_CARTESIAN_UNDEFINED error code, 89
ER_SRS_NOT_FOUND error code, 91
ER_SRS_NOT_GEOGRAPHIC error code, 110
ER_SRS_ORGANIZATION_CANT_BE_EMPTY_OR_WHITESPACE error code, 108
ER_SRS_PARSE_ERROR error code, 88
ER_SRS_PROJ_PARAMETER_MISSING error code, 88
ER_SRS_UNUSED_PROJ_PARAMETER_PRESENT error code, 155
ER_SR_BOGUS_VALUE error code, 184
ER_SR_INVALID_CONTEXT error code, 184
ER_SSL_FIPS_MODE_ERROR error code, 322
ER_SSL_LIBRARY_ERROR error code, 170
ER_SSL_MEMORY_INSTRUMENTATION_INIT_FAILED error code, 543
ER_SSL_SERVER_CERT_VERIFY_FAILED error code, 562
ER_SSL_TRYING_DATADIR_DEFAULTS error code, 181
ER_STACKSIZE_UNEXPECTED error code, 180
ER_STACK_BACKTRACE error code, 627
ER_STACK_OVERRUN error code, 11
ER_STACK_OVERRUN_NEED_MORE error code, 33
ER_STARTING_AS error code, 174
ER_STARTING_INIT error code, 535
ER_STARTING_REPLICA_MONITOR_IO_THREAD error code, 143
ER_STARTUP error code, 31
ER_STATEMENT_NOT_ALLOWED_AFTER_START_TRANSACTIO error code, 139
ER_STD_BAD_ALLOC_ERROR error code, 72
ER_STD_DOMAIN_ERROR error code, 72
ER_STD_INVALID_ARGUMENT error code, 73
ER_STD_LENGTH_ERROR error code, 73
ER_STD_LOGIC_ERROR error code, 73
ER_STD_OUT_OF_RANGE_ERROR error code, 73
ER_STD_OVERFLOW_ERROR error code, 73
ER_STD_RANGE_ERROR error code, 73
ER_STD_REGEX_ERROR error code, 124
ER_STD_RUNTIME_ERROR error code, 73
ER_STD_UNDERFLOW_ERROR error code, 73
ER_STD_UNKNOWN_EXCEPTION error code, 73
ER_STMT_CACHE_FULL error code, 51
ER_STMT_HAS_NO_OPEN_CURSOR error code, 32
ER_STMT_NOT_ALLOWED_IN_SF_OR_TRG error code, 27
ER_STOP_REPLICA_IO_THREAD_DISK_SPACE error code, 321
ER_STOP_REPLICA_IO_THREAD_TIMEOUT error code, 67
ER_STOP_REPLICA_MONITOR_IO_THREAD_TIMEOUT error code, 143
ER_STOP_REPLICA_SQL_THREAD_TIMEOUT error code, 66
ER_STOP_SLAVE_IO_THREAD_DISK_SPACE error code, 321
ER_STOP_SLAVE_IO_THREAD_TIMEOUT error code, 66
ER_STOP_SLAVE_SQL_THREAD_TIMEOUT error code, 66
ER_STORAGE_ENGINE_NOT_LOADED error code, 68
ER_STORED_FUNCTION_PREVENTS_SWITCH_BINLOG_DIRECT error code, 49
ER_STORED_FUNCTION_PREVENTS_SWITCH_BINLOG_FORMA error code, 41
ER_STORED_FUNCTION_PREVENTS_SWITCH_SQL_LOG_BIN error code, 50
ER_SUBPARTITION_ERROR error code, 37
ER_SUBPARTITION_NAME error code, 45
ER_SUBQUERY_NO_1_ROW error code, 21
ER_SUBQUERY_TRANSFORM_REJECTED error code, 138
ER_SWITCH_TMP_ENGINE error code, 94
ER_SYNTAX_ERROR error code, 14

ER_SYSTEMD_NOTIFY_CONNECT_FAILED error code, 387
ER_SYSTEMD_NOTIFY_DEBUG error code, 625
ER_SYSTEMD_NOTIFY_PATH_TOO_LONG error code, 387
ER_SYSTEMD_NOTIFY_WRITE_FAILED error code, 387
ER_SYSTEM_SCHEMA_NOT_FOUND error code, 164
ER_SYSTEM_TABLES_NOT_SUPPORTED_BY_STORAGE_ENGINE error code, 280
ER_SYSTEM_TABLE_NOT_TRANSACTIONAL error code, 255
ER_SYSTEM_VIEW_INIT_FAILED error code, 281
ER_SYSVAR_CHANGE_DURING_QUERY error code, 131
ER_SYS_VAR_COMPONENT_FAILED_TO_MAKE_VARIABLE_PERSISTENT error code, 321
ER_SYS_VAR_COMPONENT_FAILED_TO_PARSE_VARIABLE_OPTIONS error code, 321
ER_SYS_VAR_COMPONENT_OOM error code, 321
ER_SYS_VAR_COMPONENT_UNKNOWN_VARIABLE_TYPE error code, 321
ER_SYS_VAR_COMPONENT_VARIABLE_SET_READ_ONLY error code, 321
ER_SYS_VAR_DEREGISTRATION error code, 637
ER_SYS_VAR_NOT_FOUND error code, 537
ER_SYS_VAR_REGISTRATION error code, 637
ER_TABLEACCESS_DENIED_ERROR error code, 13
ER_TABLENAME_NOT_ALLOWED_HERE error code, 21
ER_TABLESPACE_AUTO_EXTEND_ERROR error code, 39
ER_TABLESPACE_CANNOT_BE_DECRYPTED error code, 122
ER_TABLESPACE_CANNOT_BE_ENCRYPTED error code, 122
ER_TABLESPACE_CANNOT_ENCRYPT error code, 85
ER_TABLESPACE_DISCARDED error code, 61
ER_TABLESPACE_DUP_FILENAME error code, 97
ER_TABLESPACE_ENGINE_MISMATCH error code, 101
ER_TABLESPACE_EXISTS error code, 61
ER_TABLESPACE_IS_NOT_EMPTY error code, 80
ER_TABLESPACE_MISSING error code, 61
ER_TABLESPACE_MISSING_WITH_NAME error code, 88
ER_TABLESPACE_TYPE_UNKNOWN error code, 122
ER_TABLES_DIFFERENT_METADATA error code, 54
ER_TABLE_CANT_HANDLE_AUTO_INCREMENT error code, 14
ER_TABLE_CANT_HANDLE_BLOB error code, 14
ER_TABLE_CANT_HANDLE_FT error code, 19
ER_TABLE_CANT_HANDLE_SPKEYS error code, 35
ER_TABLE_CHECK_INTACT error code, 183
ER_TABLE_CORRUPT error code, 67
ER_TABLE_CREATED_WITH_DIFFERENT_VERSION error code, 200
ER_TABLE_DEF_CHANGED error code, 32
ER_TABLE_EXISTS_ERROR error code, 6
ER_TABLE_HAS_NO_FT error code, 57
ER_TABLE_INCOMPATIBLE_DECIMAL_FIELD error code, 199
ER_TABLE_INCOMPATIBLE_YEAR_FIELD error code, 199
ER_TABLE_IN_FK_CHECK error code, 53
ER_TABLE_IN_SHARED_TABLESPACE error code, 158
ER_TABLE_IN_SYSTEM_TABLESPACE error code, 61
ER_TABLE_MUST_HAVE_A_VISIBLE_COLUMN error code, 148
ER_TABLE_MUST_HAVE_COLUMNS error code, 11
ER_TABLE_NAME error code, 45
ER_TABLE_NAME_CAUSES_TOO_LONG_PATH error code, 131
ER_TABLE_NAME_IN_UPPER_CASE_NOT_ALLOWED error code, 575
ER_TABLE_NAME_IN_UPPER_CASE_NOT_ALLOWED_FOR_R error code, 575
ER_TABLE_NEEDS_DUMP_UPGRADE error code, 299
ER_TABLE_NEEDS_REBUILD error code, 51
ER_TABLE_NEEDS_UPGRADE error code, 35
ER_TABLE_NOT_EMPTY error code, 158
ER_TABLE_NOT_LOCKED error code, 10
ER_TABLE_NOT_LOCKED_FOR_WRITE error code, 10
ER_TABLE_NO_PRIMARY_KEY error code, 158
ER_TABLE_REFERENCED error code, 86
ER_TABLE_SCHEMA_MISMATCH error code, 61
ER_TABLE_UPGRADE_REQUIRED error code, 279
ER_TABLE_VALUE_CONSTRUCTOR_CANNOT_HAVE_DEFAU error code, 135
ER_TABLE_VALUE_CONSTRUCTOR_MUST_HAVE_COLUMNS error code, 135
ER_TABLE_WITHOUT_PK error code, 113
ER_TABLE_WRONG_KEY_DEFINITION error code, 199
ER_TARGET_TABLESPACE_UNENCRYPTED error code, 122
ER_TARGET_TS_UNENCRYPTED error code, 537
ER_TC_BAD_MAGIC_IN_TC_LOG error code, 223
ER_TC_CANT_AUTO_RECOVER_WITH_TC_HEURISTIC_REC error code, 223
ER_TC_HEURISTIC_RECOVERY_FAILED error code, 223
ER_TC_HEURISTIC_RECOVERY_MODE error code, 223
ER_TC_NEED_N_SE_SUPPORTING_2PC_FOR_RECOVERY error code, 223
ER_TC_RECOVERING_AFTER_CRASH_USING error code, 223

ER_TC_RECOVERY_FAILED_THESE_ARE_YOUR_OPTIONS error code, 223
ER_TC_RESTART_WITHOUT_TC_HEURISTIC_RECOVER error code, 224
ER_TEMPORARY_NAME error code, 45
ER_TEMP_FILE_WRITE_FAILURE error code, 67
ER_TEMP_TABLE_PREVENTS_SWITCH_GLOBAL_BINLOG_FORMAT error code, 112
ER_TEMP_TABLE_PREVENTS_SWITCH_OUT_OF_RBR error code, 41
ER_TEMP_TABLE_PREVENTS_SWITCH_SESSION_BINLOG_FORMAT error code, 112
ER_TEXTFILE_NOT_READABLE error code, 9
ER_TF_FORBIDDEN_JOIN_TYPE error code, 104
ER_TF_MUST_HAVE_ALIAS error code, 103
ER_THE_USER_ABIDES error code, 177
ER_THREAD_HANDLING_OOM error code, 172
ER_THREAD_POOL_ALGORITHM_INVALID error code, 301
ER_THREAD_POOL_BUFFER_TOO_SMALL error code, 302
ER_THREAD_POOL_CANNOT_REGISTER_DYNAMIC_PRIVILEGE error code, 625
ER_THREAD_POOL_CANNOT_SET_THREAD_SPECIFIC_DATA error code, 301
ER_THREAD_POOL_CONNECTION_REPORT error code, 639
ER_THREAD_POOL_CON_HANDLER_INIT_FAILED error code, 301
ER_THREAD_POOL_DEDICATED_LISTENERS_INVALID error code, 615
ER_THREAD_POOL_FAILED_PROCESS_CONNECT_EVENT error code, 302
ER_THREAD_POOL_FAILED_TO_CREATE_CONNECT_HANDLER_THD error code, 302
ER_THREAD_POOL_FAILED_TO_CREATE_POOL error code, 302
ER_THREAD_POOL_FAILED_TO_CREATE_THD_AND_AUTH_CONN error code, 302
ER_THREAD_POOL_IDLE_CONNECTION_CLOSED error code, 632
ER_THREAD_POOL_INIT_FAILED error code, 301
ER_THREAD_POOL_INVALID_PRIO_KICKUP_TIMER error code, 301
ER_THREAD_POOL_INVALID_STALL_LIMIT error code, 301
ER_THREAD_POOL_LOW_LEVEL_REARM_FAILED error code, 302
ER_THREAD_POOL_MAX_UNUSED_THREADS_INVALID error code, 301
ER_THREAD_POOL_NOT_SUPPORTED_ON_PLATFORM error code, 300
ER_THREAD_POOL_PFS_TABLES_ADD_FAILED error code, 547
ER_THREAD_POOL_PFS_TABLES_INIT_FAILED error code, 547
ER_THREAD_POOL_PLUGIN_STARTED error code, 615
ER_THREAD_POOL_QUERY_THREADS_PER_GROUP_INVALID error code, 627
ER_THREAD_POOL_QUERY_THRS_PER_GRP_EXCEEDS_TXN_T error code, 628
ER_THREAD_POOL_RATE_LIMITED_ERROR_MSGS error code, 302
ER_THREAD_POOL_SIZE_TOO_HIGH error code, 301
ER_THREAD_POOL_SIZE_TOO_LOW error code, 301
ER_THREAD_POOL_SYSVAR_CHANGE error code, 627
ER_THREAD_PRIORITY_IGNORED error code, 277
ER_TLS_CONFIGURATION_REUSED error code, 584
ER_TLS_CONFIGURED_FOR_CHANNEL error code, 584
ER_TMPDIR_PATH_TOO_LONG error code, 590
ER_TMP_SESSION_FOR_VAR error code, 625
ER_TOO_BIG_DISPLAYWIDTH error code, 33
ER_TOO_BIG_ENUM error code, 87
ER_TOO_BIG_FIELDLENGTH error code, 8
ER_TOO_BIG_FOR_UNCOMPRESS error code, 22
ER_TOO_BIG_PRECISION error code, 33
ER_TOO_BIG_ROWSIZE error code, 11
ER_TOO_BIG_SCALE error code, 33
ER_TOO_BIG_SELECT error code, 10
ER_TOO_BIG_SET error code, 10
ER_TOO_HIGH_LEVEL_OF_NESTING_FOR_SELECT error code, 36
ER_TOO_LONG_BODY error code, 33
ER_TOO_LONG_FIELD_COMMENT error code, 45
ER_TOO_LONG_IDENT error code, 7
ER_TOO_LONG_INDEX_COMMENT error code, 50
ER_TOO_LONG_KEY error code, 8
ER_TOO_LONG_ROUTINE_COMMENT error code, 88
ER_TOO_LONG_SET_ENUM_VALUE error code, 88
ER_TOO_LONG_STRING error code, 14
ER_TOO_LONG_TABLESPACE_COMMENT error code, 97
ER_TOO_LONG_TABLE_COMMENT error code, 45
ER_TOO_LONG_TABLE_PARTITION_COMMENT error code, 59
ER_TOO_MANY_CONCURRENT_CLONES error code, 100
ER_TOO_MANY_CONCURRENT_TRXS error code, 45
ER_TOO_MANY_FIELDS error code, 11
ER_TOO_MANY_KEYS error code, 8
ER_TOO_MANY_KEY_PARTS error code, 8
ER_TOO_MANY_PARTITIONS_ERROR error code, 37
ER_TOO_MANY_PARTITION_FUNC_FIELDS_ERROR error code, 47
ER_TOO_MANY_ROWS error code, 15

ER_TOO_MANY_STORAGE_ENGINES error code, 188
ER_TOO_MANY_TABLES error code, 11
ER_TOO_MANY_USER_CONNECTIONS error code, 18
ER_TOO_MANY_VALUES_ERROR error code, 47
ER_TOO_MANY_WINDOWS error code, 153
ER_TP_QUERY_THRS_PER_GRP_EXCEEDS_TXN_THR_LMT error code, 157
ER_TRACK_VARIABLES_BOGUS error code, 178
ER_TRANSACTION_ROLLBACK_DURING_COMMIT error code, 78
ER_TRANSFORM_SOURCE_SRS_MISSING_TOWGS84 error code, 112
ER_TRANSFORM_SOURCE_SRS_NOT_SUPPORTED error code, 112
ER_TRANSFORM_TARGET_SRS_MISSING_TOWGS84 error code, 112
ER_TRANSFORM_TARGET_SRS_NOT_SUPPORTED error code, 112
ER_TRANSPORTS_WHAT_TRANSPORTS error code, 175
ER_TRANS_CACHE_FULL error code, 17
ER_TREE_CORRUPT_2_CONSECUTIVE_REDS error code, 253
ER_TREE_CORRUPT_INCORRECT_BLACK_COUNT error code, 254
ER_TREE_CORRUPT_PARENT_SHOULD_POINT_AT_PARENT error code, 253
ER_TREE_CORRUPT_RIGHT_IS_LEFT error code, 254
ER_TREE_CORRUPT_ROOT_SHOULD_BE_BLACK error code, 253
ER_TRG_ALREADY_EXISTS error code, 29
ER_TRG_CANT_CHANGE_ROW error code, 29
ER_TRG_CANT_OPEN_TABLE error code, 43
ER_TRG_CANT_PARSE error code, 183
ER_TRG_CORRUPTED_FILE error code, 43
ER_TRG_CREATION_CTX_NOT_SET error code, 279
ER_TRG_DOES_NOT_EXIST error code, 29
ER_TRG_INVALID_CREATION_CTX error code, 43
ER_TRG_IN_WRONG_SCHEMA error code, 33
ER_TRG_NO_CLIENT_CHARSET error code, 169
ER_TRG_NO_CREATION_CTX error code, 43
ER_TRG_NO_DEFINER error code, 35
ER_TRG_NO_SUCH_ROW_IN_TRG error code, 29
ER_TRG_ON_VIEW_OR_TEMP_TABLE error code, 29
ER_TRG_WITHOUT_DEFINER error code, 169
ER_TRG_WRONG_ORDER error code, 553
ER_TRHEAD_POOL_LOW_LEVEL_INIT_FAILED error code, 302
ER_TRIGGER_INVALID_VALUE error code, 163
ER_TRUNCATED_WRONG_VALUE error code, 24
ER_TRUNCATED_WRONG_VALUE_FOR_FIELD error code, 29
ER_TRUNCATE_ILLEGAL_FK error code, 50
ER_TRX_GTID_COLLECT_REJECT error code, 187
ER_TRX_WRITE_SET_OOM error code, 188
ER_TURNING_LOGGING_OFF_FOR_THE_DURATION error code, 272
ER_TURNING_ON_PARTIAL_REVOKES error code, 557
ER_TX_EXTRACTION_ALGORITHM_FOR_BINLOG_TX_DEPED error code, 283
ER_TZ_CANT_BUILD_MKTIME_MAP error code, 202
ER_TZ_CANT_FIND_DESCRIPTION_FOR_TIME_ZONE error code, 201
ER_TZ_CANT_FIND_DESCRIPTION_FOR_TIME_ZONE_ID error code, 201
ER_TZ_CANT_OPEN_AND_LOCK_TIME_ZONE_TABLE error code, 201
ER_TZ_ERROR_LOADING_LEAP_SECOND_TABLE error code, 201
ER_TZ_NO_TRANSITION_TYPES_IN_TIME_ZONE error code, 202
ER_TZ_OOM_INITIALIZING_TIME_ZONES error code, 200
ER_TZ_OOM_LOADING_LEAP_SECOND_TABLE error code, 201
ER_TZ_OOM_LOADING_TIME_ZONE_DESCRIPTION error code, 202
ER_TZ_OOM_WHILE_LOADING_TIME_ZONE error code, 202
ER_TZ_OOM_WHILE_SETTING_TIME_ZONE error code, 203
ER_TZ_TOO_MANY_LEAPS_IN_LEAP_SECOND_TABLE error code, 201
ER_TZ_TRANSITION_TABLE_BAD_TRANSITION_TYPE error code, 202
ER_TZ_TRANSITION_TABLE_LOAD_ERROR error code, 202
ER_TZ_TRANSITION_TABLE_TOO_MANY_TRANSITIONS error code, 202
ER_TZ_TRANSITION_TYPE_TABLE_ABBREVIATIONS_EXCEE error code, 202
ER_TZ_TRANSITION_TYPE_TABLE_LOAD_ERROR error code, 202
ER_TZ_TRANSITION_TYPE_TABLE_TYPE_TOO_LARGE error code, 201
ER_TZ_UNKNOWN_OR_ILLEGAL_DEFAULT_TIME_ZONE error code, 201
ER_UDF_ALREADY_EXISTS error code, 536
ER_UDF_CANT_ALLOC_FOR_FUNCTION error code, 185
ER_UDF_CANT_ALLOC_FOR_STRUCTURES error code, 185
ER_UDF_CANT_OPEN_FUNCTION_TABLE error code, 186
ER_UDF_DEREGISTRATION error code, 637
ER_UDF_DROP_DYNAMICALLY_REGISTERED error code, 99

ER_UDF_ERROR error code, 86
ER_UDF_EXEC_FAILURE error code, 637
ER_UDF_EXEC_FAILURE_REASON error code, 637
ER_UDF_EXISTS error code, 12
ER_UDF_INVALID_ROW_IN_FUNCTION_TABLE error code, 186
ER_UDF_NO_PATHS error code, 12
ER_UDF_REGISTER_ERROR error code, 590
ER_UDF_REGISTER_SERVICE_ERROR error code, 590
ER_UDF_REGISTRATION error code, 637
ER_UDF_UNREGISTER_ERROR error code, 590
ER_UKNOWN_AUTH_ID_OR_ACCESS_DENIED_FOR_GRANT_AS error code, 123
ER_UNABLE_TO_BUILD_HISTOGRAM error code, 99
ER_UNABLE_TO_COLLECT_LOG_STATUS error code, 109
ER_UNABLE_TO_DROP_COLUMN_STATISTICS error code, 99
ER_UNABLE_TO_RESOLVE_HOSTNAME error code, 168
ER_UNABLE_TO_RESOLVE_IP error code, 168
ER_UNABLE_TO_SET_OPTION error code, 110
ER_UNABLE_TO_STORE_COLUMN_STATISTICS error code, 99
ER_UNABLE_TO_STORE_STATISTICS error code, 91
ER_UNABLE_TO_UPDATE_COLUMN_STATISTICS error code, 99
ER_UNDISCLOSED_PARSE_ERROR_IN_DIGEST_FN error code, 105
ER_UNDO_RECORD_TOO_BIG error code, 52
ER_UNEXPECTED_GEOMETRY_TYPE error code, 88
ER_UNIQUE_KEY_NEED_ALL_FIELDS_IN_PF error code, 38
ER_UNIT_NOT_FOUND error code, 130
ER_UNKNOWN_ALTER_ALGORITHM error code, 60
ER_UNKNOWN_ALTER_LOCK error code, 60
ER_UNKNOWN_AUTHID error code, 89
ER_UNKNOWN_AUTH_ID_IN_MANDATORY_ROLE error code, 285
ER_UNKNOWN_CHARACTER_SET error code, 11
ER_UNKNOWN_COLLATION error code, 23
ER_UNKNOWN_COM_ERROR error code, 6
ER_UNKNOWN_ERROR error code, 10
ER_UNKNOWN_ERROR_DETECTED_IN_SE error code, 291
ER_UNKNOWN_ERROR_NUMBER error code, 185
ER_UNKNOWN_EXPLAIN_FORMAT error code, 59
ER_UNKNOWN_KEY_CACHE error code, 24
ER_UNKNOWN_LOCALE error code, 46
ER_UNKNOWN_NETWORK_NAMESPACE error code, 561
ER_UNKNOWN_PARTITION error code, 54
ER_UNKNOWN_PROCEDURE error code, 10
ER_UNKNOWN_STMT_HANDLER error code, 21
ER_UNKNOWN_STORAGE_ENGINE error code, 24
ER_UNKNOWN_SYSTEM_VARIABLE error code, 16
ER_UNKNOWN_TABLE error code, 11
ER_UNKNOWN_TABLESPACE_TYPE error code, 543
ER_UNKNOWN_TABLE_IN_UPGRADE error code, 568
ER_UNKNOWN_TARGET_BINLOG error code, 30
ER_UNKNOWN_TIME_ZONE error code, 25
ER_UNKNOWN_UNSUPPORTED_STORAGE_ENGINE error code, 170
ER_UNKNOWN_VARIABLE_IN_PERSISTED_CONFIG_FILE error code, 537
ER_UNRESOLVED_HINT_NAME error code, 80
ER_UNRESOLVED_TABLE_LOCK error code, 93
ER_UNSUPORTED_LOG_ENGINE error code, 42
ER_UNSUPPORTED_ACTION_ON_DEFAULT_VAL_GENERATED error code, 115
ER_UNSUPPORTED_ACTION_ON_GENERATED_COLUMN error code, 79
ER_UNSUPPORTED_ALTER_ENCRYPTION_INPLACE error code, 85
ER_UNSUPPORTED_ALTER_INPLACE_ON_VIRTUAL_COLUMN error code, 79
ER_UNSUPPORTED_ALTER_ONLINE_ON_VIRTUAL_COLUMN error code, 85
ER_UNSUPPORTED_DATE error code, 174
ER_UNSUPPORTED_ENGINE error code, 53
ER_UNSUPPORTED_EXTENSION error code, 11
ER_UNSUPPORTED_INDEX_ALGORITHM error code, 87
ER_UNSUPPORTED_PS error code, 25
ER_UNSUPPORTED_SQL_MODE error code, 130
ER_UNSUPPORTED_USE_OF_GRANT_AS error code, 123
ER_UNSUPPORT_COMPRESSED_TEMPORARY_TABLE error code, 87
ER_UNTIL_COND_IGNORED error code, 24
ER_UPDATE_GTID_PURGED_WITH_GR error code, 131
ER_UPDATE_INFO error code, 12
ER_UPDATE_LOG_DEPRECATED_IGNORED error code, 26
ER_UPDATE_LOG_DEPRECATED_TRANSLATED error code, 26
ER_UPDATE_TABLE_USED error code, 9
ER_UPDATE_WITHOUT_KEY_IN_SAFE_MODE error code, 15
ER_UPDATING_DD_TABLE error code, 88
ER_UPGRADE_NONEXISTENT_SCHEMA error code, 591
ER_UPGRADE_PARSE_ERROR error code, 542
ER_UPGRADE_WITH_PARTITIONED_TABLES_REJECTED error code, 569

ER_USAGE_DEPRECATION_COUNTER error code, 641
ER_USERNAME error code, 35
ER_USERNAME_TRUNKATED error code, 584
ER_USER_ACCESS_DENIED_FOR_USER_ACCOUNT_BLOCKED_BY_PASSWORD_LOCK error code, 136
ER_USER_ALREADY_EXISTS error code, 83
ER_USER_COLUMN_OLD_LENGTH error code, 85
ER_USER_DOES_NOT_EXIST error code, 83
ER_USER_LIMIT_REACHED error code, 19
ER_USER_LOCK_DEADLOCK error code, 74
ER_USER_LOCK_OVERLONG_NAME error code, 162
ER_USER_LOCK_WRONG_NAME error code, 73
ER_USER_NOT_IN_EXTRA_USERS_BINLOG_POSSIBLY_INCOMPLETE error code, 198
ER_USER_REFERENCED_AS_DEFINER error code, 142
ER_USER_REGISTRATION_FAILED error code, 150
ER_USER_REQUIRES_ROOT error code, 175
ER_USER_WHAT_USER error code, 175
ER_USING_ASSIGN_GTIDS_TO_ANONYMOUS_TRANSACTIONS_AS_LOCAL_OR_UUID error code, 144
ER_UUID_INVALID error code, 170
ER_UUID_IS error code, 170
ER_UUID_SALT error code, 170
ER_UUID_SCRUB error code, 170
ER_VALGRIND_COUNT_LEAKS error code, 185
ER_VALGRIND_DO_QUICK_LEAK_CHECK error code, 185
ER_VALIDATE_PASSWORD_INSUFFICIENT_CHANGED_CHARACTERS error code, 162
ER_VALIDATE_PWD_CONVERT_TO_BUFFER_FAILED error code, 389
ER_VALIDATE_PWD_COULD_BE_NULL error code, 388
ER_VALIDATE_PWD_DICT_FILE_NOT_LOADED error code, 318
ER_VALIDATE_PWD_DICT_FILE_NOT_SPECIFIED error code, 317
ER_VALIDATE_PWD_DICT_FILE_OPEN_FAILED error code, 388
ER_VALIDATE_PWD_DICT_FILE_TOO_BIG error code, 318
ER_VALIDATE_PWD_FAILED_TO_GET_FLD_FROM_SECURITY_CTX error code, 318
ER_VALIDATE_PWD_FAILED_TO_GET_SECURITY_CTX error code, 318
ER_VALIDATE_PWD_FAILED_TO_READ_DICT_FILE error code, 318
ER_VALIDATE_PWD_LENGTH_CHANGED error code, 318
ER_VALIDATE_PWD_STATUS_VAR_REGISTRATION_FAILED error code, 388
ER_VALIDATE_PWD_STATUS_VAR_UNREGISTRATION_FAILED error code, 388
ER_VALIDATE_PWD_STRING_CONV_TO_BUFFER_FAILED error code, 388
ER_VALIDATE_PWD_STRING_CONV_TO_LOWERCASE_FAILED error code, 388
ER_VALIDATE_PWD_STRING_HANDLER_MEM_ALLOCATION error code, 389
ER_VALIDATE_PWD_STRONG_POLICY_DICT_FILE_UNSPECIFIED error code, 389
ER_VALIDATE_PWD_VARIABLE_REGISTRATION_FAILED error code, 389
ER_VALIDATE_PWD_VARIABLE_UNREGISTRATION_FAILED error code, 389
ER_VALUES_IS_NOT_INT_TYPE_ERROR error code, 50
ER_VALUE_OUT_OF_RANGE error code, 152
ER_VARIABLE_IS_NOT_STRUCT error code, 23
ER_VARIABLE_IS_READONLY error code, 44
ER_VARIABLE_NOT_PERSISTED error code, 91
ER_VARIABLE_NOT_SETTABLE_IN_SF_OR_TRIGGER error code, 57
ER_VARIABLE_NOT_SETTABLE_IN_SP error code, 63
ER_VARIABLE_NOT_SETTABLE_IN_TRANSACTION error code, 57
ER_VAR_CANT_BE_READ error code, 20
ER_VAR_DOES_NOT_EXIST error code, 98
ER_VERBOSE_HINT error code, 178
ER_VERBOSE_REQUIRES_HELP error code, 171
ER_VIEW_CHECKSUM error code, 30
ER_VIEW_CHECK_FAILED error code, 29
ER_VIEW_CREATION_CTX_NOT_SET error code, 279
ER_VIEW_DELETE_MERGE_VIEW error code, 31
ER_VIEW_FRM_NO_USER error code, 34
ER_VIEW_INVALID error code, 29
ER_VIEW_INVALID_CREATION_CTX error code, 43
ER_VIEW_MULTIUPDATE error code, 30
ER_VIEW_NONUPD_CHECK error code, 29
ER_VIEW_NO_CREATION_CTX error code, 43
ER_VIEW_NO_EXPLAIN error code, 28
ER_VIEW_NO_INSERT_FIELD_LIST error code, 31
ER_VIEW_OTHER_USER error code, 34
ER_VIEW_PREVENT_UPDATE error code, 34
ER_VIEW_RECURSIVE error code, 35
ER_VIEW_SELECT_CLAUSE error code, 28
ER_VIEW_SELECT_TMPTABLE error code, 28
ER_VIEW_SELECT_VARIABLE error code, 28
ER_VIEW_UNKNOWN_CHARSET_OR_COLLATION error code, 164
ER_VIEW_UNPARSABLE error code, 200
ER_VIEW_WRONG_LIST error code, 28
ER_VTOKEN_PLUGIN_TOKEN_MISMATCH error code, 81

ER_VTOKEN_PLUGIN_TOKEN_NOT_FOUND error code, 81
ER_WAITING_FOR_NO_CONNECTIONS error code, 641
ER_WAITING_FOR_NO_THDS error code, 641
ER_WAITPID_FAILED error code, 297
ER_WARNING_AUTHCACHE_INVALID_USER_ATTRIBUTES error code, 550
ER_WARNING_DISCARD_OLD_PASSWORD_CLAUSE_VOID error code, 549
ER_WARNING_NOT_COMPLETE_ROLLBACK error code, 17
ER_WARNING_NOT_COMPLETE_ROLLBACK_WITH_CREATED_TEMP_TABLE error code, 55
ER_WARNING_NOT_COMPLETE_ROLLBACK_WITH_DROPPED_TEMP_TABLE error code, 55
ER_WARNING_PASSWORD_HISTORY_CLAUSES_VOID error code, 101
ER_WARNING_RETAIN_CURRENT_PASSWORD_CLAUSE_VOID error code, 549
ER_WARN_ADUIT_LOG_MAX_SIZE_AND_PRUNE_SECONDS error code, 147
ER_WARN_ADUIT_LOG_MAX_SIZE_AND_PRUNE_SECONDS_WRN error code, 603
ER_WARN_ADUIT_LOG_MAX_SIZE_CLOSE_TO_ROTATE_ON_WRITE error code, 147
ER_WARN_ADUIT_LOG_MAX_SIZE_CLOSE_TO_ROTATE_ON_WRITE_WRN error code, 603
ER_WARN_ALLOWED_PACKET_OVERFLOWED error code, 25
ER_WARN_ASYNC_CONN_FAILOVER_NETWORK_NAMESPACE error code, 146
ER_WARN_AUDIT_LOG_DISABLED error code, 612
ER_WARN_AUDIT_LOG_FORMAT_UNIX_TIMESTAMP_ONLY error code, 148
ER_WARN_AUDIT_LOG_FORMAT_UNIX_TIMESTAMP_ONLY_WRN error code, 605
ER_WARN_AUTH_ID_WITH_SYSTEM_USER_PRIV_IN_MANDATORY_ROLES error code, 572
ER_WARN_BAD_MAX_EXECUTION_TIME error code, 80
ER_WARN_BINLOG_PARTIAL_UPDATES_DISABLED error code, 101
ER_WARN_BINLOG_PARTIAL_UPDATES_SUGGESTS_PARTIAL_IMAGES error code, 101
ER_WARN_BINLOG_V1_ROW_EVENTS_DISABLED error code, 101
ER_WARN_CANNOT_FREE_COMPONENT_DATA_DEALLOCATION_FAILED error code, 635
ER_WARN_CANNOT_PERSIST_SENSITIVE_VARIABLES error code, 613
ER_WARN_CANNOT_SECURELY_PERSIST_SENSITIVE_VARIABLES error code, 154
ER_WARN_CANT_DROP_DEFAULT_KEYCACHE error code, 33
ER_WARN_CLIENT_DEPRECATED_PARTITION_PREFIX_KEY error code, 138
ER_WARN_COMPONENTS_INFRASTRUCTURE_MANIFEST_MULT error code, 634
ER_WARN_COMPONENTS_INFRASTRUCTURE_MANIFEST_NOT_ error code, 596
ER_WARN_COMPONENT_KEYRING_OCI_DUPLICATE_KEY error code, 627
ER_WARN_CONFLICTING_HINT error code, 80
ER_WARN_C_DISABLE_GTID_ONLY_WITH_SOURCE_AUTO_POS error code, 151
ER_WARN_DATA_OUT_OF_RANGE error code, 22
ER_WARN_DATA_OUT_OF_RANGE_FUNCTIONAL_INDEX error code, 113
ER_WARN_DATA_TRUNCATED_FUNCTIONAL_INDEX error code, 113
ER_WARN_DA_PRIVILEGE_NOT_REGISTERED error code, 133
ER_WARN_DEPRECATED_CHARSET_OPTION error code, 612
ER_WARN_DEPRECATED_CLIENT_NO_SCHEMA_OPTION error code, 158
ER_WARN_DEPRECATED_COLLATION error code, 152
ER_WARN_DEPRECATED_COLLATION_OPTION error code, 612
ER_WARN_DEPRECATED_DATETIME_DELIMITER error code, 154
ER_WARN_DEPRECATED_FLOAT_AUTO_INCREMENT error code, 125
ER_WARN_DEPRECATED_FLOAT_DIGITS error code, 125
ER_WARN_DEPRECATED_FLOAT_UNSIGNED error code, 125
ER_WARN_DEPRECATED_FOUND_ROWS error code, 137
ER_WARN_DEPRECATED_IDENT error code, 157
ER_WARN_DEPRECATED_INNER_INTO error code, 137
ER_WARN_DEPRECATED_INTEGER_DISPLAY_WIDTH error code, 125
ER_WARN_DEPRECATED_JSON_TABLE_ON_ERROR_ON_EMPT error code, 137
ER_WARN_DEPRECATED_NESTED_COMMENT_SYNTAX error code, 116
ER_WARN_DEPRECATED_OR_BLOCKED_CIPHER error code, 641
ER_WARN_DEPRECATED_SQLMODE error code, 77
ER_WARN_DEPRECATED_SQL_CALC_FOUND_ROWS error code, 137
ER_WARN_DEPRECATED_SUPERFLUOUS_DELIMITER error code, 154

ER_WARN_DEPRECATED_SYNTAX error code, 24
ER_WARN_DEPRECATED_SYNTAX_NO_REPLACEMENT error code, 49
ER_WARN_DEPRECATED_SYNTAX_WITH_VER error code, 40
ER_WARN_DEPRECATED_SYSVAR_UPDATE error code, 77
ER_WARN_DEPRECATED_TLS_VERSION_FOR_CHANNEL error code, 601
ER_WARN_DEPRECATED_TLS_VERSION_FOR_CHANNEL_CLI error code, 147
ER_WARN_DEPRECATED_USER_DEFINED_COLLATIONS error code, 162
ER_WARN_DEPRECATED_USER_DEFINED_COLLATIONS_OPTION error code, 634
ER_WARN_DEPRECATED_USER_SET_EXPR error code, 116
ER_WARN_DEPRECATED_UTF8MB3_CHARSET_OPTION error code, 543
ER_WARN_DEPRECATED_UTF8MB3_COLLATION error code, 116
ER_WARN_DEPRECATED_UTF8MB3_COLLATION_OPTION error code, 543
ER_WARN_DEPRECATED_UTF8_ALIAS_OPTION error code, 543
ER_WARN_DEPRECATED_VALUES_FUNCTION_ALWAYS_NULL error code, 137
ER_WARN_DEPRECATED_WITH_NOTE error code, 162
ER_WARN_DEPRECATED_YEAR_UNSIGNED error code, 136
ER_WARN_DEPRECATED_ZEROFILL error code, 126
ER_WARN_ENGINE_TRANSACTION_ROLLBACK error code, 44
ER_WARN_FIELD_RESOLVED error code, 23
ER_WARN_FUNC_INDEX_NOT_APPLICABLE error code, 131
ER_WARN_GRP_RPL_VIEW_CHANGE_UUID_FAIL_GET_VARIABLE error code, 603
ER_WARN_GTID_THRESHOLD_BREACH error code, 594
ER_WARN_HOSTNAME_WONT_WORK error code, 24
ER_WARN_HYPERGRAPH_EXPERIMENTAL error code, 142
ER_WARN_INCORRECT_PRIVILEGE_FOR_DB_RESTRICTIONS error code, 557
ER_WARN_INDEX_NOT_APPLICABLE error code, 54
ER_WARN_INVALID_DB_RESTRICTIONS error code, 557
ER_WARN_INVALID_HINT error code, 98
ER_WARN_INVALID_TIMESTAMP error code, 25
ER_WARN_I_S_SKIPPED_TABLE error code, 49
ER_WARN_LEGACY_SYNTAX_CONVERTED error code, 69
ER_WARN_LOG_DEPRECATED_PARTITION_PREFIX_KEY error code, 582
ER_WARN_LOG_PRIVILEGE_CHECKS_USER_CORRUPT error code, 570
ER_WARN_LOG_PRIVILEGE_CHECKS_USER_DOES_NOT_EX error code, 570
ER_WARN_LOG_PRIVILEGE_CHECKS_USER_NEEDS_RPL_A error code, 571
ER_WARN_L_DISABLE_GTID_ONLY_WITH_SOURCE_AUTO_I error code, 609
ER_WARN_MIGRATION_EMPTY_SOURCE_KEYRING error code, 613
ER_WARN_NO_KEYRING_COMPONENT_SERVICE_FOUND error code, 596
ER_WARN_NO_SERVERID_SPECIFIED error code, 278
ER_WARN_NO_SPACE_VERSION_COMMENT error code, 162
ER_WARN_NULL_TO_NOTNULL error code, 22
ER_WARN_ONLY_MASTER_LOG_FILE_NO_POS error code, 70
ER_WARN_ONLY_SOURCE_LOG_FILE_NO_POS error code, 70
ER_WARN_ON_MODIFYING_GTID_EXECUTED_TABLE error code, 81
ER_WARN_OPEN_TEMP_TABLES_MUST_BE_ZERO error code, 70
ER_WARN_OPTIMIZER_HINT_SYNTAX_ERROR error code, 80
ER_WARN_PARTIAL_REVOKE_AND_DB_GRANT error code, 557
ER_WARN_PROPERTY_STRING_PARSE_FAILED error code, 552
ER_WARN_PURGE_LOG_IN_USE error code, 65
ER_WARN_PURGE_LOG_IS_ACTIVE error code, 65
ER_WARN_QC_RESIZE error code, 24
ER_WARN_REGEXP_USING_DEFAULT error code, 152
ER_WARN_REMOVED_SQL_MODE error code, 544
ER_WARN_REPLICA_ANONYMOUS_TO_GTID_UUID_SAME_A error code, 602
ER_WARN_REPLICA_GTID_ONLY_AND_GTID_MODE_NOT_O error code, 609
ER_WARN_RESERVED_SRID_RANGE error code, 109
ER_WARN_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_M error code, 572
ER_WARN_RPL_RECOVERY_NO_ROTATE_EVENT_FROM_S error code, 572
ER_WARN_SCHEDULED_TASK_RUN_FAILED error code, 639
ER_WARN_SF_UDF_NAME_COLLISION error code, 153
ER_WARN_SQL_AFTER_MTS_GAPS_GAP_NOT_CALCULATE error code, 148

ER_WARN_SRS_ID_ALREADY_EXISTS error code, 108
ER_WARN_SRS_NOT_FOUND error code, 89
ER_WARN_SRS_NOT_FOUND_AXIS_ORDER error code, 92
ER_WARN_TLS_CHANNEL_INITIALIZATION_ERROR error code, 583
ER_WARN_TOO_FEW_RECORDS error code, 22
ER_WARN_TOO_MANY_RECORDS error code, 22
ER_WARN_TRG_ALREADY_EXISTS error code, 154
ER_WARN_TRIGGER_DOESNT_HAVE_CREATED error code, 69
ER_WARN_UNKNOWN_KEYRING_AWS_REGION error code, 570
ER_WARN_UNKNOWN_QB_NAME error code, 80
ER_WARN_UNLOAD_THE_NOT_PERSISTED error code, 90
ER_WARN_UNSUPPORTED_HINT error code, 88
ER_WARN_UNSUPPORTED_MAX_EXECUTION_TIME error code, 80
ER_WARN_USING_OTHER_HANDLER error code, 22
ER_WARN_VAR_VALUE_CHANGE_NOT_SUPPORTED error code, 141
ER_WARN_VIEW_MERGE error code, 28
ER_WARN_VIEW_WITHOUT_KEY error code, 29
ER_WARN_WRONG_COMPRESSION_ALGORITHM_LOG error code, 570
ER_WARN_WRONG_COMPRESSION_LEVEL_LOG error code, 570
ER_WASTEFUL_NET_BUFFER_SIZE error code, 171
ER_WILDCARD_NOT_ALLOWED_FOR_MULTIADDRESS_BRD error code, 562
ER_WINDOW_CIRCULARITY_IN_WINDOW_GRAPH error code, 94
ER_WINDOW_DUPLICATE_NAME error code, 95
ER_WINDOW_EXPLAIN_JSON error code, 96
ER_WINDOW_FRAME_END_ILLEGAL error code, 94
ER_WINDOW_FRAME_ILLEGAL error code, 95
ER_WINDOW_FRAME_START_ILLEGAL error code, 94
ER_WINDOW_FUNCTION_IGNORES_FRAME error code, 96
ER_WINDOW_ILLEGAL_ORDER_BY error code, 95
ER_WINDOW_INVALID_WINDOW_FUNC_ALIAS_USE error code, 95
ER_WINDOW_INVALID_WINDOW_FUNC_USE error code, 95
ER_WINDOW_NESTED_WINDOW_FUNC_USE_IN_WINDOW_SPEC error code, 96
ER_WINDOW_NO_CHILD_PARTITIONING error code, 94
ER_WINDOW_NO_GROUP_ORDER error code, 96
ER_WINDOW_NO_GROUP_ORDER_UNUSED error code, 96
ER_WINDOW_NO_INHERIT_FRAME error code, 94
ER_WINDOW_NO_REDEFINE_ORDER_BY error code, 94
ER_WINDOW_NO_SUCH_WINDOW error code, 94
ER_WINDOW_RANGE_BOUND_NOT_CONSTANT error code, 95
ER_WINDOW_RANGE_FRAME_NUMERIC_TYPE error code, 95
ER_WINDOW_RANGE_FRAME_ORDER_TYPE error code, 95
ER_WINDOW_RANGE_FRAME_TEMPORAL_TYPE error code, 95
ER_WINDOW_ROWS_INTERVAL_USE error code, 96
ER_WINDOW_SE_NOT_ACCEPTABLE error code, 96
ER_WIN_LISTEN_BUT_HOW error code, 176
ER_WIN_LOAD_LIBRARY_FAILED error code, 296
ER_WL9236_NOW_UNUSED error code, 96
ER_WRITABLE_CONFIG_REMOVED error code, 174
ER_WRITE_ROW_TO_PARTITION_FAILED error code, 285
ER_WRITE_SET_EXCEEDS_LIMIT error code, 87
ER_WRONG_ARGUMENTS error code, 18
ER_WRONG_AUTO_KEY error code, 8
ER_WRONG_COLUMN_NAME error code, 14
ER_WRONG_COMPRESSION_ALGORITHM_CLIENT error code, 132
ER_WRONG_COMPRESSION_LEVEL_CLIENT error code, 132
ER_WRONG_COUNT_FOR_KEY error code, 254
ER_WRONG_COUNT_FOR_ORIGIN error code, 254
ER_WRONG_COUNT_OF_ELEMENTS error code, 254
ER_WRONG_DATETIME_SPEC error code, 174
ER_WRONG_DB_NAME error code, 10
ER_WRONG_EXPR_IN_PARTITION_FUNC_ERROR error code, 36
ER_WRONG_FIELD_SPEC error code, 7
ER_WRONG_FIELD_TERMINATORS error code, 9
ER_WRONG_FIELD_WITH_GROUP error code, 7
ER_WRONG_FIELD_WITH_GROUP_V2 error code, 77
ER_WRONG_FILE_NAME error code, 80
ER_WRONG_FK_DEF error code, 21
ER_WRONG_FK_OPTION_FOR_GENERATED_COLUMN error code, 79
ER_WRONG_GROUP_FIELD error code, 7
ER_WRONG_JSON_TABLE_VALUE error code, 103
ER_WRONG_KEY_COLUMN error code, 15
ER_WRONG_KEY_COLUMN_FUNCTIONAL_INDEX error code, 114
ER_WRONG_LOCK_OF_SYSTEM_TABLE error code, 33
ER_WRONG_MRG_TABLE error code, 15
ER_WRONG_MVI_VALUE error code, 130
ER_WRONG_NAME_FOR_CATALOG error code, 24
ER_WRONG_NAME_FOR_INDEX error code, 24

ER_WRONG_NATIVE_TABLE_STRUCTURE error code, 49
ER_WRONG_NUMBER_OF_COLUMNS_IN_SELECT error code, 19
ER_WRONG_OBJECT error code, 28
ER_WRONG_OUTER_JOIN error code, 11
ER_WRONG_OUTER_JOIN_UNUSED error code, 11
ER_WRONG_PARAMCOUNT_TO_NATIVE_FCT error code, 42
ER_WRONG_PARAMCOUNT_TO_PROCEDURE error code, 10
ER_WRONG_PARAMETERS_TO_NATIVE_FCT error code, 42
ER_WRONG_PARAMETERS_TO_PROCEDURE error code, 10
ER_WRONG_PARAMETERS_TO_STORED_FCT error code, 42
ER_WRONG_PARTITION_NAME error code, 41
ER_WRONG_PERFSCHEMA_USAGE error code, 49
ER_WRONG_SIZE_NUMBER error code, 39
ER_WRONG_SPVAR_TYPE_IN_LIMIT error code, 50
ER_WRONG_SRID_FOR_COLUMN error code, 101
ER_WRONG_STRING_LENGTH error code, 36
ER_WRONG_SUB_KEY error code, 9
ER_WRONG_SUM_SELECT error code, 7
ER_WRONG_TABLESPACE_NAME error code, 80
ER_WRONG_TABLE_NAME error code, 10
ER_WRONG_TYPE_COLUMN_VALUE_ERROR error code, 47
ER_WRONG_TYPE_FOR_COLUMN_PREFIX_IDX_FLD error code, 295
ER_WRONG_TYPE_FOR_VAR error code, 20
ER_WRONG_USAGE error code, 19
ER_WRONG_VALUE error code, 39
ER_WRONG_VALUE_COUNT error code, 7
ER_WRONG_VALUE_COUNT_ON_ROW error code, 13
ER_WRONG_VALUE_FOR_TYPE error code, 32
ER_WRONG_VALUE_FOR_VAR error code, 20
ER_WRONG_VALUE_FOR_VAR_PLUS_ACTIONABLE_PART error code, 139
ER_X509_CANT_CHMOD_KEY error code, 193
ER_X509_CANT_CREATE_CERT error code, 194
ER_X509_CANT_READ_CA_CERT error code, 194
ER_X509_CANT_READ_CA_KEY error code, 193
ER_X509_CANT_WRITE_CERT error code, 194
ER_X509_CANT_WRITE_KEY error code, 193
ER_X509_CIPHERS_MISMATCH error code, 193
ER_X509_ISSUER_MISMATCH error code, 193
ER_X509_NEEDS_RSA_PRIVKEY error code, 193
ER_X509_SUBJECT_MISMATCH error code, 193
ER_XAER_DUPID error code, 34
ER_XAER_INVAL error code, 31
ER_XAER_NOTA error code, 31
ER_XAER_OUTSIDE error code, 31
ER_XAER_RMERR error code, 31
ER_XAER_RMFAIL error code, 31
ER_XA_CANT_CREATE_MDL_BACKUP error code, 568
ER_XA_COMMITTING_XID error code, 186
ER_XA_IGNORING_XID error code, 186
ER_XA_NO_MULTI_2PC_HEURISTIC_RECOVER error code, 186
ER_XA_RBDEADLOCK error code, 44
ER_XA_RBROLLBACK error code, 31
ER_XA_RBTIMEOUT error code, 44
ER_XA_RECOVERY_DONE error code, 187
ER_XA_RECOVER_EXPLANATION error code, 187
ER_XA_RECOVER_FOUND_TRX_IN_SE error code, 186
ER_XA_RECOVER_FOUND_XA_TRX error code, 186
ER_XA_REPLICATION_FILTERS error code, 129
ER_XA_RETRY error code, 86
ER_XA_ROLLING_BACK_XID error code, 186
ER_XA_STARTING_RECOVERY error code, 186
ER_XA_TEMP_TABLE error code, 153
ER_XPLUGIN_ALL_IO_INTERFACES_DISABLED error code, 326
ER_XPLUGIN_BUFFER_PAGE_ALLOC_FAILED error code, 324
ER_XPLUGIN_CAPABILITY_CLIENT_INTERACTIVE_FAILED error code, 331
ER_XPLUGIN_CAPABILITY_EXPIRED_PASSWORD error code, 330
ER_XPLUGIN_CLIENT_KILL_MSG error code, 329
ER_XPLUGIN_CLIENT_RELEASE_TRIGGERED error code, 328
ER_XPLUGIN_CLIENT_SSL_HANDSHAKE_FAILED error code, 325
ER_XPLUGIN_CLOSING_CLIENTS_ON_SHUTDOWN error code, 326
ER_XPLUGIN_COMPRESSION_ERROR error code, 570
ER_XPLUGIN_DETECTED_HANGING_CLIENTS error code, 324
ER_XPLUGIN_EMPTY_ADMIN_CMD error code, 329
ER_XPLUGIN_ERROR_MSG error code, 319
ER_XPLUGIN_ERROR_READING_SOCKET error code, 327
ER_XPLUGIN_ERROR_WRITING_TO_CLIENT error code, 327
ER_XPLUGIN_EXCEPTION_IN_EVENT_LOOP error code, 325
ER_XPLUGIN_EXCEPTION_IN_TASK_SCHEDULER error code, 325
ER_XPLUGIN_EXISTING_USER_ACCOUNT_WITH_INCOMPLE error code, 328
ER_XPLUGIN_FAILED_AT_SSL_CONF error code, 325

ER_XPLUGIN_FAILED_TO_ACCEPT_CLIENT error code, 324
ER_XPLUGIN_FAILED_TO_BIND_INTERFACE_ADDRESS error code, 583
ER_XPLUGIN_FAILED_TO_CLOSE_SQL_SESSION error code, 329
ER_XPLUGIN_FAILED_TO_CREATE_SESSION_FOR_CONN error code, 326
ER_XPLUGIN_FAILED_TO_EXECUTE_ADMIN_CMD error code, 329
ER_XPLUGIN_FAILED_TO_GET_CREATION_STMT error code, 330
ER_XPLUGIN_FAILED_TO_GET_ENGINE_INFO error code, 330
ER_XPLUGIN_FAILED_TO_GET_SECURITY_CTX error code, 329
ER_XPLUGIN_FAILED_TO_GET_SYS_VAR error code, 329
ER_XPLUGIN_FAILED_TO_INITIALIZE_SESSION error code, 326
ER_XPLUGIN_FAILED_TO_INTERRUPT_SESSION error code, 328
ER_XPLUGIN_FAILED_TO_OPEN_INTERNAL_SESSION error code, 330
ER_XPLUGIN_FAILED_TO_PREPARE_IO_INTERFACES error code, 324
ER_XPLUGIN_FAILED_TO_RESET_IPV6_V6ONLY_FLAG error code, 331
ER_XPLUGIN_FAILED_TO_SCHEDULE_CLIENT error code, 324
ER_XPLUGIN_FAILED_TO_SET_MIN_NUMBER_OF_WORKER_THREADS error code, 326
ER_XPLUGIN_FAILED_TO_SET_SO_REUSEADDR_FLAG error code, 330
ER_XPLUGIN_FAILED_TO_STOP_SERVICES error code, 528
ER_XPLUGIN_FAILED_TO_SWITCH_CONTEXT error code, 330
ER_XPLUGIN_FAILED_TO_SWITCH_SECURITY_CTX error code, 542
ER_XPLUGIN_FAILED_TO_SWITCH_SECURITY_CTX_TO_LOCAL_IO error code, 329
ER_XPLUGIN_FAILED_TO_UNREGISTER_UDF error code, 330
ER_XPLUGIN_FAILED_TO_USE_SSL_CONF error code, 319
ER_XPLUGIN_FAILED_TO_VALIDATE_ADDRESS error code, 583
ER_XPLUGIN_FAIL_TO_GET_RESULT_DATA error code, 330
ER_XPLUGIN_FORCE_STOP_CLIENT error code, 323
ER_XPLUGIN_GET_PEER_ADDRESS_FAILED error code, 331
ER_XPLUGIN_INVALID_AUTH_METHOD error code, 327
ER_XPLUGIN_INVALID_MSG_DURING_CLIENT_INIT error code, 326
ER_XPLUGIN_IPv6_AVAILABLE error code, 329
ER_XPLUGIN_LISTENER_SETUP_FAILED error code, 325
ER_XPLUGIN_LISTENER_STATUS_MSG error code, 328
ER_XPLUGIN_LISTENER_SYS_VARIABLE_ERROR error code, 327
ER_XPLUGIN_MAX_AUTH_ATTEMPTS_REACHED error code, 323
ER_XPLUGIN_MESSAGE_TOO_LONG error code, 326
ER_XPLUGIN_PEER_DISCONNECTED_WHILE_READING_MSG_B error code, 327
ER_XPLUGIN_READ_FAILED_CLOSING_CONNECTION error code, 327
ER_XPLUGIN_REFERENCE_TO_SECURE_CONN_WITH_XPLUGIN error code, 319
ER_XPLUGIN_REFERENCE_TO_USER_ACCOUNT_DOC_SECTIO error code, 324
ER_XPLUGIN_RETRYING_BIND_ON_PORT error code, 328
ER_XPLUGIN_SCHEDULER_STARTED error code, 327
ER_XPLUGIN_SCHEDULER_STOPPED error code, 327
ER_XPLUGIN_SERVER_EXITED error code, 319
ER_XPLUGIN_SERVER_EXITING error code, 319
ER_XPLUGIN_SERVER_STARTS_HANDLING_CONNECTIONS error code, 328
ER_XPLUGIN_SERVER_STOPPED_HANDLING_CONNECTIONS error code, 328
ER_XPLUGIN_SHUTDOWN_TRIGGERED error code, 328
ER_XPLUGIN_SRV_SESSION_INIT_THREAD_FAILED error code, 324
ER_XPLUGIN_SSL_HANDSHAKE_WITH_SERVER_FAILED error code, 325
ER_XPLUGIN_STARTUP_FAILED error code, 318
ER_XPLUGIN_TASK_SCHEDULING_FAILED error code, 325
ER_XPLUGIN_UNABLE_TO_ACCEPT_CONNECTION error code, 326
ER_XPLUGIN_UNABLE_TO_USE_USER_SESSION_ACCOUNT error code, 324
ER_XPLUGIN_UNEXPECTED_EXCEPTION_DISPATCHING_CMD error code, 325
ER_XPLUGIN_UNEXPECTED_MSG_DURING_AUTHENTICATION error code, 327
ER_XPLUGIN_UNINITIALIZED_MESSAGE error code, 326
ER_XPLUGIN_UNIX_SOCKET_NOT_CONFIGURED error code, 329

ER_XPLUGIN_USER_ACCOUNT_WITH_ALL_PERMISSIONS
error code, 328
ER_XPLUGIN_USING_SSL_CONF_FROM_MYSQLX
error code, 319
ER_XPLUGIN_USING_SSL_CONF_FROM_SERVER
error code, 319
ER_XPLUGIN_USING_SSL_FOR_TLS_CONNECTION
error code, 319
ER_XPLUING_NET_STARTUP_FAILED error code, 325
ER_YES error code, 3
ER_ZLIB_Z_BUF_ERROR error code, 22
ER_ZLIB_Z_DATA_ERROR error code, 22
ER_ZLIB_Z_MEM_ERROR error code, 22

W

WARN_AES_KEY_SIZE error code, 87
WARN_COND_ITEM_TRUNCATED error code, 46
WARN_DATA_TRUNCATED error code, 22
WARN_DATA_TRUNCATED_FUNCTIONAL_INDEX
error code, 113
WARN_NAMED_PIPE_ACCESS_EVERYONE error
code, 68
WARN_NON_ASCII_SEPARATOR_NOT_IMPLEMENTED
error code, 46
WARN_NO_CONNECTION_METADATA error code, 44
WARN_NO_MASTER_INFO error code, 44
WARN_ON_BLOCKHOLE_IN_RBR error code, 66
WARN_OPTION_BELOW_LIMIT error code, 51
WARN_OPTION_IGNORED error code, 44
WARN_PLUGIN_BUSY error code, 44
WARN_UNENCRYPTED_TABLE_IN_ENCRYPTED_DB
error code, 121
WARN_UNSUPPORTED_ACL_TABLES_READ error
code, 143
WARN_USELESS_SPATIAL_INDEX error code, 104