

#### Status of MACRO PMT pressure tests at SAB

Logan Lebanowski, Shih-Kai Lin



#### pressure test results

- ▶ As of September 23, we have passed 47 of 50 PMTs.
- ▶ 11 PMTs were tested during the past week (September 16 September 22). PMT 8870 had a hole in the cable jacket. It was fixed and tested again.

SN	mass (g)	pressure (psig)	test time (h:m)	result
7851	564	12.1	14:48	PASS <sup>1</sup>
7127	582	12.2	8:51	PASS <sup>2</sup>
7820	595.5	12.0	14:44	PASS <sup>3</sup>
7267	643.5	12.0	8:44	PASS <sup>2</sup>
7934	609	12.0	14:48	FAIL <sup>4</sup>
8430	554	12.0	47:23	FAIL <sup>5</sup>
8870	587.5	12.0	7:27	PASS <sup>2</sup>
7899	566	12.0	16:24	PASS <sup>3</sup>
7765	573	12.1	7:05	PASS <sup>3</sup>
7471	601	12.0	14:56	PASS <sup>1</sup>
6873	601.5	12.2	8:20	PASS <sup>1</sup>

Table 1: pressure test result: For PASS/FAIL reasons, please see the table in the next slide.



## PASS/FAIL reasons

number	reason
1	Cable dry. No leaks or cracks.
2	1+Some water penetrated the mastic tape seal of the cable
	strain relief plug, but did not penetrate the UW cable plug.
3	Moisture on the SHV end in the sealing tube. Conductivity
	test performed.
4	Acrylic cap contains much water.(see photo)
5	A big crack and a little hole in the PMT. Photocathode was
	gone.(see photo)

Table 2: PASS/FAIL reasons



# photos: PMT 7934



# photos: PMT 8430



## signal test results

SN	Rate	DGUT rate	Rise time	<b>DGUT</b> rise
	(kHz)	(kHz)	(ns)	time (ns)
6494	9.5	0.84	4.8	5.5
7357	5.0	0.45	4.8	7.4
6238	2.0	0.45	6.1	5.2
7278	3.0	0.38	5.2	7.5
7945	1.8	0.5	5.6	5.7
7379	1.5	0.63	5.0	5.3
8356	5.0	1.21	5.5	5.9
7520	9.0	0.37	5.0	4.8
7343	4.3	0.7	5.0	4.4
8756	5.0	0.56	4.5	4.5



## signal test results (cont.)

SN	Rate	DGUT rate	Rise time	DGUT rise
	(kHz)	(kHz)	(ns)	time (ns)
7692	2.3	0.41	5.8	5.6
8870	10.0	4.42	5.1	3.6
8901	4.0	0.89	5.1	6.4
6659	2.4	0.58	7.3	5.4
6432	20.0	3.04	5.0	5.5
7851	1.5	1.08	5.4	6.0
7127	9.0	0.84	4.3	4.4
7820	7.0	0.49	4.9	5.8
7267	12.0	3.58	4.9	4.1

