Preparatory processes

1. The correct weaving preparatory sequence is

A) Warping → Winding → Sizing → Denting

B) Winding → Warping → Sizing → Drawing-in/Denting

C) Sizing → Winding → Warping → Drawing-in

D) Winding → Sizing → Warping → Denting

Answer: B) Winding → Warping → Sizing → Drawing-in/Denting

2. Which is NOT an objective of weaving preparation?

A) Improve yarn strength

B) Reduce yarn hairiness

C) Reduce warp breakages

D) Dye the yarn

Answer: D) Dye the yarn

3. In "Strength–Smoothness–Arrangement–Protection", "Arrangement" refers to

A) Reducing hairiness

B) Correct number, order and spacing of warp yarns

C) Improving abrasion resistance

D) Withstanding tension

Answer: B) Correct number, order and spacing of warp yarns

Winding

4. Winding is the transfer of yarn

A) From a package to a fabric

B) From one package to another of suitable shape and size

C) From beam to loom

D) From loom to cloth roll

Answer: B) From one package to another of suitable shape and size

5. In drum winding, the package is driven by

A) Gears

B) Belt

C) Friction with the grooved drum

D) Compressed air

Answer: C) Friction with the grooved drum

6. Precision winding produces

A) A loose package

B) A dense and compact package

C) A tapered package only

D) A package without control

Answer: B) A dense and compact package

7. Pirn winding is mainly used for

A) Warp yarn in sizing

B) Weft in shuttle looms

C) Knitting yarn

D) Jacquard cards

Answer: B) Weft in shuttle looms

8. A yarn clearer removes

A) Moisture

B) Size

C) Thick places and slubs

D) Colour

Answer: C) Thick places and slubs

9. If winding tension is too low, the package becomes

A) Loose

B) Hard

C) Brittle

D) Thin

Answer: A) Loose

10. The disadvantage of a knot in yarn is

A) It is too smooth

B) It produces a thicker portion in the yarn

C) It reduces hairiness

D) It improves appearance

Answer: B) It produces a thicker portion in the yarn

11. A splicer joins yarn ends

A) By a conventional knot

B) By gumming

C) Without a conventional knot

D) By sewing

Answer: C) Without a conventional knot

12. A pneumatic splicer uses

A) Water

B) Compressed air

C) Steam

D) Oil

Answer: B) Compressed air

13. Yarn clearers are classified as

A) Direct and sectional

B) Mechanical and electronic

C) Drum and precision

D) Magazine and non-magazine

Answer: B) Mechanical and electronic

Warping

14. Warping is winding a predetermined number of ends

A) Perpendicular to each other

B) Parallel to each other onto a warp beam

C) Onto a pirn

D) Onto a cloth roll

Answer: B) Parallel to each other onto a warp beam

15. In direct warping, yarn is wound

A) Onto a drum first

B) Section by section

C) Directly onto the warp beam

D) Onto a cone

Answer: C) Directly onto the warp beam

16. Sectional warping is suitable for

A) Very long single-colour runs

B) Patterned and multi-coloured warps

C) Weft preparation

D) Knitted fabrics

Answer: B) Patterned and multi-coloured warps

17. Sectional warping uses

A) A warping drum

B) A pirn

C) A jacquard

D) A reed

Answer: A) A warping drum

18. A creel is used to

A) Hold yarn supply packages

B) Beat up the weft

C) Apply size

D) Form the shed

Answer: A) Hold yarn supply packages

19. A magazine creel has

A) No packages

B) Reserve packages along with working packages

C) Only one package

D) A drum

Answer: B) Reserve packages along with working packages

20. Direct warping is best suited for

A) Short runs

B) Multi-colour patterns

C) Long production runs

D) Sample production

Answer: C) Long production runs

21. A good creel should provide

A) High yarn friction

B) Easy package replacement

C) Non-uniform delivery

D) Hidden yarn ends

Answer: B) Easy package replacement

22. Sizing is applying size paste to

A) Weft yarn

B) Warp yarn

C) Fabric

D) Pirn

Answer: B) Warp yarn

Sizing

23. The main ingredient of size is

A) Wetting agent

B) Antiseptic

C) Adhesive (film former)

D) Defoamer

Answer: C) Adhesive (film former)

24. The principal size material for cotton is

A) Starch

B) Acrylic only

C) Wax

D) Water

Answer: A) Starch

25. PVA stands for

A) Poly vinyl acetate

B) Polyvinyl alcohol

C) Poly viscose acid

D) Pure vinyl adhesive

Answer: B) Polyvinyl alcohol

26. CMC stands for

A) Cotton Mixed Cellulose

B) Carboxymethyl cellulose

C) Calcium Methyl Chloride

D) Carbon Mixed Compound

Answer: B) Carboxymethyl cellulose

27. A softener or lubricant in size

A) Increases stiffness

B) Reduces friction and gives flexibility

C) Stops foam

D) Kills bacteria

Answer: B) Reduces friction and gives flexibility

28. An antistatic agent is especially needed for

A) Cotton

B) Polyester

C) Jute

D) Wool

Answer: B) Polyester

29. A wetting agent helps the size to

A) Dry faster

B) Wet and penetrate the yarn

C) Foam

D) Harden

Answer: B) Wet and penetrate the yarn

30. An antiseptic in size paste

A) Prevents bacterial and fungal growth

B) Reduces static

C) Increases foam

D) Lubricates yarn

Answer: A) Prevents bacterial and fungal growth

31. A defoaming agent

A) Increases foam

B) Reduces excessive foam

C) Adds colour

D) Adds strength only

Answer: B) Reduces excessive foam

32. For cotton–viscose sizing, the important consideration is that viscose

A) Is hydrophobic

B) Has lower wet strength than cotton

C) Is a protein fibre

D) Has high static

Answer: B) Has lower wet strength than cotton

Drawing-in and denting

33. In drawing-in, the warp end is passed through the

A) Reed dent

B) Heald eye

C) Temple

D) Shuttle

Answer: B) Heald eye

34. In denting, the warp end is passed through the

A) Reed dent

B) Heald eye

C) Creel

D) Pirn

Answer: A) Reed dent

35. Denting controls

A) Shed formation

B) Warp spacing and fabric width

C) Weft colour

D) Take-up

Answer: B) Warp spacing and fabric width

36. With a denting plan of 2 ends per dent, dent 3 contains

A) 1 end

B) 2 ends

C) 3 ends

D) 6 ends

Answer: B) 2 ends

37. The drafting plan shows

A) The reed count

B) The order of drawing ends through heald eyes

C) The size recipe

D) Picks per inch

Answer: B) The order of drawing ends through heald eyes

Loom motions

38. The primary motions of a loom are

A) Take-up, let-off, beat-up

B) Shedding, picking, beat-up

C) Warp stop, weft stop, brake

D) Shedding, let-off, brake

Answer: B) Shedding, picking, beat-up

39. The secondary motions are

A) Shedding and picking

B) Take-up and let-off

C) Beat-up and brake

D) Warp stop and weft stop

Answer: B) Take-up and let-off

40. Beat-up is performed by the

A) Shuttle

B) Heald

C) Reed

D) Temple

Answer: C) Reed

41. Take-up motion controls

A) Warp tension only

B) Shed height

C) Picks per unit length

D) Shuttle speed

Answer: C) Picks per unit length

42. Let-off motion

A) Winds fabric on the cloth roll

B) Delivers warp from the warp beam

C) Inserts weft

D) Stops the loom

Answer: B) Delivers warp from the warp beam

43. The warp stop motion stops the loom when

A) A weft breaks

B) A warp yarn breaks

C) The fabric is complete

D) The reed is damaged

Answer: B) A warp yarn breaks

44. One complete loom cycle in a timing diagram corresponds to

A) 90°

B) 180°

C) 270°

D) 360°

Answer: D) 360°

Shedding

45. Which is an auxiliary motion?

A) Picking

B) Brake motion

C) Shedding

D) Take-up

Answer: B) Brake motion

46. Tappet shedding uses

A) Cams

B) Punched cards

C) Air jets

D) Rapiers

Answer: A) Cams

47. Dobby shedding is suitable for

A) Simple plain weave only

B) Small and medium designs

C) Large figured designs

D) Terry fabrics

Answer: B) Small and medium designs

48. Jacquard shedding controls

A) Heald shafts only

B) Individual warp ends

C) Only the reed

D) The shuttle box

Answer: B) Individual warp ends

49. Damask and brocade are produced using

A) Tappet

B) Dobby

C) Jacquard

D) Drop box

Answer: C) Jacquard

50. Plain weave and twill are commonly produced by

A) Jacquard

B) Tappet shedding

C) Terry mechanism

D) Water jet

Answer: B) Tappet shedding

Special mechanisms

51. The drop box mechanism is used to

A) Form terry loops

B) Change shuttles of different weft colours

C) Beat up the weft

D) Control warp tension

Answer: B) Change shuttles of different weft colours

52. The terry mechanism produces

A) Pile loops for towels

B) Figured damask

C) Plain selvedge

D) Leno weave

Answer: A) Pile loops for towels

53. Terry fabric has

A) Only one warp system

B) Ground warp and pile warp

C) No warp

D) Only weft pile

Answer: B) Ground warp and pile warp

54. A feature of an automatic loom is

A) Manual weft replenishment

B) Automatic weft replenishment

C) No stop motion

D) Lower production

Answer: B) Automatic weft replenishment

Shuttleless looms

55. In a projectile loom, the weft is carried by

A) Air

B) Water

C) A small projectile

D) A rapier

Answer: C) A small projectile

56. In a double-rapier loom,

A) One rapier carries weft to the centre and the other receives and carries it onward

B) Water carries the weft

C) The shuttle crosses the shed

D) Only one side has a rapier

Answer: A) One rapier carries weft to the centre and the other receives and carries it onward

57. In an air-jet loom, weft insertion uses

A) Main nozzle and relay nozzles

B) Projectiles

C) Rapier heads

D) Pirns

Answer: A) Main nozzle and relay nozzles

58. A water-jet loom is mainly suitable for

A) Cotton

B) Hydrophobic synthetic yarns

C) Wool

D) Absorbent yarns

Answer: B) Hydrophobic synthetic yarns

Fabric defects

59. A common cause of floats is

A) Excess oil

B) Broken heald or incorrect shedding

C) Reed spacing only

D) Bright light

Answer: B) Broken heald or incorrect shedding

60. A reed mark is caused by

A) Incorrect denting or damaged reed

B) Slubs in the yarn

C) Oil leakage

D) Empty weft package

Answer: A) Incorrect denting or damaged reed