




5 sites × 0.19 μm

```
# NangateOpenCellLibrary.tech.lef
LAYER metal1
  TYPE ROUTING ;
  SPACING 0.065 ;
  WIDTH 0.07 ;
  PITCH 0.14 ; ← routing pitch
  DIRECTION HORIZONTAL ; ← preferred direction
  OFFSET 0.095 0.07 ;
  RESISTANCE RPERSQ 0.38 ;
  THICKNESS 0.13 ;
  HEIGHT 0.37 ;
  CAPACITANCE CPERSQDIST 7.7161e-05 ;
  EDGECAPACITANCE 2.7365e-05 ;
END metal1
```