

ABLUSOFT ACSK-P

ABLUSOFT ACSK-P combines the smooth hand, good draping qualities and rapid exhaust of cationic softeners with the very low-yellowing.

1. General Properties:

Nature : Aliphatic quaternary compound Appearance : Light yellowish white pastille

Ionic : Cationic pH (1%aq) : 3 - 4

Solubility : Can disperse completely in $40 \sim 50$ °C water

2. Application:

Dissolving method:

ABLUSOFT ACSK-P	10 kg
warm water(40~50°C)	40 kg
cold water	50 kg
Total	100 kg

- 1. Add 10 kg **ABLUSOFT ACSK-P** and 40 kg warm water $(40 \sim 50 \circ C)$ into a tank and agitate for 20-30 minutes until completely dissolved.
- 2. Then add 50 kg cold water into the tank and agitate for 5-10 minutes.

ABLUSOFT ACSK-P can be applied to the textiles by dipping, exhausting and padding. A suitable treating temperature is about 50 $^{\circ}$ C. The treating concentration depends upon the kind of textiles and their uses. Ordinarily, **ABLUSOFT ACSK-P** is applied at 0.2 - 0.5 % o.w.f.

3. Packing: ABLUSOFT ACSK-P is supplied in 25 kg bag.



Head Office: 8Fl., No.11, Sec.1, Chung Shan North Road, Taipei, Taiwan Phone: (02)2541-0022 Fax: (02)2542-3773

1st Factory: No.514, Cheng-Kung Road, Sec.1, Kwang-Inn Industrial Area, Taoyuan Country, Taiwan

Phone: (03)483-9421~3 Fax: (03)483-9140