9.2.3.2 Combustible solids: MHB (CB)

In 9.2.3.2.2, replace the word "33.2.1.4.3.1" with the word "33.2.4.3.1".

9.2.3.3 Self-heating solids: MHB (SH)

In 9.2.3.3.2, replace the word "33.3.1.6" with the word "33.4.6".

In 9.2.3.3.3, replace the word "33.4.1.4.3.5" with the word "33.5.4.3.5".

9.2.3.4 Solids that evolve flammable gas when wet: MHB (WF)

In 9.2.3.4.2, replace the word "33.4.1" with the word "33.5".

9.2.3.5 Solids that evolve toxic gas when wet: MHB (WT)

SOURCE: MSC.500(105).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.500(105).pdf
In 9.2.3.4.2, replace the word "33.4.1" with the word "33.5".

9.2.3.5 Solids that evolve toxic gas when wet: MHB (WT)

In 9.2.3.5.2, replace the word "33.4.1" with the word "33.5".

9.2.3.7 Corrosive solids: MHB (CR)

In 9.2.3.7.3, replace the existing text with the following:

"A material shall be classified as MHB when the corros ion rate on a steel surface is between 4 mm and 6.25 mm a year at a test temperature of 55°C. For the purposes of testing steel, type S235JR+CR (1.0037 resp. St 37 -2), S275J2G3+CR (1.0144 resp. St 44 -3), ISO 3574:1999, Unified Numbering Systems (UNS) G1020 0 or SAE 1020 shall be used. An acceptable test is prescribed in the United Nations Manual of Tests and Criteria, part III, section 37. A representative sample of the cargo shall be tested at typical as -shipped cargo conditions, including moisture content by mass, bulk density, particle size distribution and atmospheric conditions.

SOURCE: MSC.500(105).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.500(105).pdf
mass, bulk density, particle size distribution and atmospheric conditions.
The assessment of localized corrosion occurring upon the steel surface shall be performed using national or international standards. The test shall be conducted taking into account the guidance developed by the Organization.",

APPENDIX 1

INDIVIDUAL SCHEDULES OF SOLID BULK CARGOES

Amendments to existing individual schedules

Amend the following individual schedules as indicated below:

ALFALFA

In the individual schedule for "ALFALFA", in the section for "Characteristics", in the table, replace the words "Fine Powder" with the words "Fine powder".

RESOLUTION MSC.500(105) (adopted on 28 April 2022)
AMENDMENTS TO THE INTERNATIONAL MARITIME SOLID BULK CARGOES (IMSBC) CODE
- 6 -

ALUMINIUM NITRATE UN 1438

In the individual schedule for "ALUMINIUM NITRATE UN 1438", in the section for "Emergency procedures", in the table, replace the word "overalls" with the word "coveralls".

SOURCE: MSC.500(105).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.500(105).pdf
procedures", in the table, replace the word "overalls" with the word "coveralls".

AMMONIUM NITRATE UN 1942

In the individual schedule for "AMMONIUM NITRATE UN 1942", in the section for "Description", in the "Note", replace the word " UN" by the word "UN". In the section for "Loading", delete the word "intrinsically".

AMMONIUM NITRATE BASED FERTILIZER UN 2067

In the individual schedule for "AMMONIUM NITRATE BASED FERTILIZER UN 2067", in the section for "Loading", delete the word "intrinsically".

AMMONIUM NITRATE BASED FERTILIZER UN 2071

In the individual schedule for "AMMONIUM NITRATE BASED FERTILIZER UN 2071", under the BCSN, replace the word " UN" by the word "UN". In the section for "Loading", delete the word "intrinsically".

AMMONIUM NITRATE BASED FERTILIZER (non-hazardous)

Delete the individual schedule for "AMMONIUM NITRATE BASED FERTILIZER (non-hazardous)".

BARIUM NITRATE UN 1446

SOURCE: MSC.500(105).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.500(105).pdf
Delete the individual schedule for "AMMONIUM NITRATE BASED FERTILIZER (non-hazardous)".

BARIUM NITRATE UN 1446

In the individual schedule for "BARIUM NITRATE UN 1446", in the section for "Emergency procedures", in the table, replace the word "overalls" with the word "coveralls".

CASTOR BEANS or CASTOR MEAL or CASTOR POMACE or CASTOR FLAKE UN 2969

In the individual schedule for "CASTOR BEANS or CASTOR MEAL or CASTOR POMACE or CASTOR FLAKE UN 2969", move the sentence "Castor meal, castor pomace and castor flakes shall not be carried in bulk." from the section for "Precautions" to underneath the BCSN.

COAL TAR PITCH

In the individual schedule for "COAL TAR PITCH", under the section for "Description", replace the words "Coal Tar" with the words "coal tar" and replace the word "Cokes" with the word "cokes".

CRUSHED CARBON ANODES

In the individual schedule for "CRUSHED CARBON ANODES", under the section for
---
SOURCE: MSC.500(105).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.500(105).pdf
"cokes".

CRUSHED CARBON ANODES

In the individual schedule for "CRUSHED CARBON ANODES", under the section for "Description", replace the words "Crushed Car bon Anodes" with the words "Crushed carbon anodes".

FISH MEAL (FISH SCRAP), STABILIZED UN 2216 Anti-oxidant treated

In the individual schedule for "FISH MEAL (FISH SCRAP), STABILIZED UN 2216 Anti-oxidant treated", under the BCSN, replace the word "fishmeal" with the words "fish meal".

IRON ORE FINES

In the individual schedule for "IRON ORE FINES", in the table for "Characteristics", regarding bulk density, replace the words "1,500 to 3,000" with the words "1,500 to 3,500".

METAL SULPHIDE CONCENTRATES, CORROSIVE UN 1759

In the individual schedule for "METAL SULPHIDE CONCENTRATES, CORROSIVE UN 1759",
---
SOURCE: MSC.500(105).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.500(105).p

df
METAL SULPHIDE CONCENTRATES, CORROSIVE UN 1759

In the individual schedule for "METAL SULPHIDE CONCENTRATES, CORROSIVE UN 1759", under the BCSN, replace the words "Packing Group" with the words "packing group".

METAL SULPHIDE CONCENTRATES, SELF-HEATING UN 3190

In the individual schedule for "METAL SULPHIDE CONCENTRATES, SELF -HEATING UN 3190", under the BCSN, replace the words "Packing Group" with the words "packing group".

Mineral concentrates

In the individual schedule for "Mineral concentrates", replace the words "NEFELENE SYENITE (mineral)" with the words "NEPHELINE SYENITE (mineral)".

PITCH PRILL

In the individual schedule for " PITCH PRILL", in the section for "Emergency procedures", in the table, replace the word "overalls" with the word "coveralls".

SUPERPHOSPHATE (triple, granular)

Delete the individual schedule for "SUPERPHOSPHATE (triple, granular)".

SYNTHETIC CALCIUM FLUORIDE

SOURCE: MSC.500(105).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.500(105).pdf
SUPERPHOSPHATE (triple, granular)

Delete the individual schedule for "SUPERPHOSPHATE (triple, granular)".

SYNTHETIC CALCIUM FLUORIDE