(4-Bromobiphenyl)

---CHUNK---

SOURCE: MEPC.197(62).pdf
Other mercury compounds -
Polybrominated
biphenyls (PBBs)
and
polybrominated
diphenyl ethers
(PBDEs)
Bromobiphenyl and its ethers
2052-07-5
(2-Bromobiphenyl)
2113-57-7
(3-Bromobiphenyl
92-66-0
(4-Bromobiphenyl)
101-55-3 (ether)
Decabromobiphenyl and its ethers 13654-09-6 1163-19-5 (ether)
Dibromobiphenyl and its ethers 92-86-4 2050-47-7 (ether)
Heptabromobiphenylether 68928-80-3
Hexabromobiphenyl and its ethers
59080-40-9
36355-01-8 (hexabromo-
1,1-biphenyl)
67774-32-7
(Firemaster FF-1)
36483-60-0 (ether)
Nonabromobiphenylether 63936-56-1
Octabromobiphenyl and its ethers 61288-13-9 32536-52-0 (ether)
Pentabromobidphenyl ether (note: commercially available
PeBDPO is a complex reaction mixture containing a
variety of brominated diphenyloxides.
32534-81-9 (CAS number
used for commercial
grades of PeBDPO)
Polybrominated biphenyls 59536-65-1
Tetrabromobiphenyl and its ethers 40088-45-7 40088-47-9 (ether)
Tribromobiphenyl ether 49690-94-0
Polychlorinated
naphthalenes
Polychlorinated naphthalenes 70776-03-3
Other polychlorinated naphthalenes -
RESOLUTION MEPC.197(62)
Adopted on 15 July 2011

---CHUNK---

SOURCE: MEPC.197(62).pdf
Tribromobiphenyl ether 49690-94-0
Polychlorinated
naphthalenes

Polychlorinated naphthalenes 70776-03-3
Other polychlorinated naphthalenes -

*This list is developed with reference to Joint Industry Guide No.101.
* This list is not exhaustive; it represents examples of chemicals with known CAS numbers and may require periodical updating.

Table Material Category Substances CAS Numbers
Radioactive
substances
Uranium -
Plutonium -
Radon -
Americium -
Thorium -
Cesium 7440-46-2
Strontium 7440-24-6
Other radioactive substances -
Certain shortchain
chlorinated
paraffins (with
carbon length of
10-13 atoms)
Chlorinated paraffins (C10-13) 85535-84-8
Other short chain chlorinated paraffins -

APPENDIX 9

SPECIFIC TEST METHODS

1 Asbestos

---CHUNK---

SOURCE: MEPC.197(62).pdf
RESOLUTION MEPC.197(62)
Adopted on 15 July 2011
2011 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY

I:\MEPC\62\24.doc
APPENDIX 9

SPECIFIC TEST METHODS

1 Asbestos

Types to test for : as per resolution MEPC.179(59); Actinolite CAS 77536-66-4 Amosite (Grunerite) CAS 12172-73-5 Anthophyllite CAS 77536-67-5 Chrysotile CAS 12001-29-5 Crocidolite CAS 12001-28-4 Asbestos Tremolite CAS 77536-68-6.

Specific testing techniques : Polarized Light Microscopy (PLM), electron microscope techniques and/or X-Ray Diffraction (XRD) as applicable.

Specific reporting information : The presence/no presence of asbestos, indicate the concentration range, and state the type when necessary.

Notes:

.1 The suggested three kinds of testing techniques are most commonly used methods when analysing asbestos and each of them has its limitation. Laboratories should choose the most suitable methods to determine, and in most cases, two or more techniques should be utilized together.

.2 The quantification of asbestos is difficult at this stage, although the XRD

---CHUNK---

SOURCE: MEPC.197(62).pdf
Laboratories should choose the most suitable methods to determine, and in most cases, two or more techniques should be utilized together.

.2 The quantification of asbestos is difficult at this stage, although the XRD technique is applicable. Only a few laboratories conduct the quantification rather than the qualification, especially when a precise number is required. Considering the demand from the operators and ship recycling parties, the precise concentration is not strictly required. Thereby, the concentration range is recommended to report, and the recommended range division according to standard VDI 3866 is as follows:

Asbestos not detected
Traces of asbestos detected
Asbestos content approx. 1% to 15% by mass
Asbestos content approx. 15% to 40% by mass
Asbestos content greater than 40% by mass

Results that specified more precisely must be provided with a reasoned statement on the uncertainty.

.3 As to the asbestos types, to disti nguish all six different types is time consuming and in some cases not feasible by current techniques; while on the practical side, the treatment of different types of asbestos is the same.

---CHUNK---

SOURCE: MEPC.197(62).pdf
.3 As to the asbestos types, to disti nguish all six different types is time consuming and in some cases not feasible by current techniques; while on the practical side, the treatment of different types of asbestos is the same. Therefore, it is suggested to report the type when necessary.

2 Polychlorinated biphenyls (PCBs)

Note: there are 209 different congeners (forms) of PCB of it is impracticable to test for all. Various organizations have developed lists of PCBs to test for as indicators. In this instance two alternative approaches are recommended. Method 1 identifies the seven congeners used by the International Council for the Exploration of the Sea (ICES). Method 2 identifies 19 congeners and 7 types of aroclor (PCB mixtures commonly found in solid shipboard materials containing PCBs). Laboratories should be familiar with the requirements and consequences for each of these lists.
RESOLUTION MEPC.197(62)
Adopted on 15 July 2011