I:\MEPC\62\24.doc
Types to test for: Method 1: ICES7 congeners (28, 52, 101, 118, 138, 153, 180). Method 2:

---CHUNK---

SOURCE: MEPC.197(62).pdf
Adopted on 15 July 2011
2011 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY
OF HAZARDOUS MATERIALSMEPC 62/24
Annex 3, page 49

I:\MEPC\62\24.doc
Types to test for: Method 1: ICES7 congeners (28, 52, 101, 118, 138, 153, 180). Method 2:
19 congeners and 7 types of aroclor, using the US EPA 8082a test.

Specific testing technique : GC-MS (congener specific) or GC-ECD or GC-ELCD for applicable mixtures such as aroclors. Note: standard samples must be used for each type.

Sample Preparation: It is important to properly prepare PCB samples prior to testing. For solid materials (cables, rubber, paint, etc.), it is especially critical to select the proper extraction procedure in order to release PCBs since they are chemically bound within the product.

Specific reporting information : PCB congener, ppm per congener in sample, and for Method 2, ppm per aroclor in sample should also be reported.

Notes:

1 Certain field or indicator tests are suitable for detecting PCBs in liquids or surfaces. However, there are currently no such tests that can accurately identify PCBs in solid shipboard materials. It is also noted that many of

---CHUNK---

SOURCE: MEPC.197(62).pdf
Notes:

1 Certain field or indicator tests are suitable for detecting PCBs in liquids or surfaces. However, there are currently no such tests that can accurately identify PCBs in solid shipboard materials. It is also noted that many of
these tests rely on the identification of free chlorine ions and are thus highly susceptible to chlorine contamination and false readings in a marine environment where all surfaces are highly contaminated with chlorine ions from the sea water and atmosphere.

2 Several congeners are tested for as "indicator" congeners. They are used because their presence often indicates the likelihood of other congeners in greater quantities (many PCBs are mixes, many mixes use a limited

number of PCBs in small quantities, therefore the presence of these small quantities indicates the potential for a mix containing far higher quantities of other PCBs).

3 Many reports refer to "total PCB", which is often a scaled figure to represent likely total PCBs based on the sample and the common ratios of PCB mixes. Where this is done the exact scaling technique must be stated, and is for information only and does not form part of the specific

---CHUNK---

SOURCE: MEPC.197(62).pdf
represent likely total PCBs based on the sample and the common ratios of PCB mixes. Where this is done the exact scaling technique must be stated, and is for information only and does not form part of the specific technique.

3 Ozone Depleting Substances

Types to test for: as per appendix 8 of these guidelines all the listed CFCs, Halons, HCFCs and other listed substance as required by Montreal Protocol.

Specific testing technique : Gas Chromatography-Mass Spectrometry (GC-MS), coupled Electron Capture Detectors (GC-ECD) and Electrolytic Conductivity Detectors (GC-ELCD).

Specific reporting information: Type and concentration of ODS.

4 Anti-fouling systems containing organotin compounds as a biocide

Types to test for : Anti-fouling compounds and systems regulated under Annex I to the International Convention on the Control of Ha rmful Anti-fouling Systems on Ships, 2001 (AFS Convention), including: Tributyl tins (TBT), Triphenyl tins (TPT) and Tributyl tin oxide (TBTO).

---CHUNK---

SOURCE: MEPC.197(62).pdf
(TBTO).

RESOLUTION MEPC.197(62)
Adopted on 15 July 2011
2011 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY
OF HAZARDOUS MATERIALSMEPC 62/24
Annex 3, page 50

I:\MEPC\62\24.doc
Specific testing technique: As per resolution MEPC.104(49) (Guidelines for Brief Sampling of Anti-Fouling Systems on Ships), adopted 18 July 2003, using ICPOES, ICP, AAS, XRF, GC-MS as applicable.

Specific reporting information: Type and concentration of organotin compound.

Note: For "field" or "indicative" testing it may be acceptable to simply identify presence of tin, due to the expected good documentation on anti fouling systems.

***
RESOLUTION MEPC.197(62)
Adopted on 15 July 2011
2011 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY OF HAZARDOUS MATERIALSRESOLUTION MEPC.197(62)
Adopted on 15 July 2011
2011 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY OF HAZARDOUS MATERIALS

---CHUNK---

SOURCE: MEPC.269(68).pdf
RESOLUTION MEPC.269(68)
(adopted on 15 May 2015)
2015 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY OF HAZARDOUS MATERIALSMEPC 68/21/Add.1
Annex 17, page 1

https://edocs.imo.org/Final Documents/English/MEPC 68-21-ADD.1 (E).doc
ANNEX 17

RESOLUTION MEPC.269(68)
(adopted on 15 May 2015)

2015 GUIDELINES FOR THE DEVELOPMENT OF THE INVENTORY OF HAZARDOUS MATERIALS

THE MARINE ENVIRONMENT PROTECTION COMMITTEE,

RECALLING Article 38(a) of the Convention on the International Maritime Organization concerning the functions of the Marine Environment Protection Committee conferred upon it by international conventions for the prevention and control of marine pollution from ships,

RECALLING ALSO that the International Conference on the Safe and Environmentally Sound Recycling of Ships held in May 2009 adopted the Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (the Hong Kong Convention) together with six Conference resolutions,

NOTING that regulations 5.1 and 5.2 of the annex to the Hong Kong Convention require that ships shall have on board an Inventory of Hazardous Materials which shall be prepared and

---CHUNK---

SOURCE: MEPC.269(68).pdf
Kong Convention) together with six Conference resolutions,

NOTING that regulations 5.1 and 5.2 of the annex to the Hong Kong Convention require that ships shall have on board an Inventory of Hazardous Materials which shall be prepared and verified taking into account guidelines, including any threshold values and exemptions contained in those guidelines, developed by the Organization,

NOTING ALSO resolution MEPC.197(62) by which it adopted Guidelines for the development of the Inventory of Hazardous Materials (the guidelines) and resolved to keep them under review,

RECOGNIZING the need to improve the guidance on threshold values and exemptions, as contained in the aforementioned guidelines,

HAVING CONSIDERED, at its sixty-eighth session, the recommendation made by the Sub-Committee on Pollution Prevention and Response, at its second session,

1 ADOPTS the 2015 Guidelines for the development of the Inventory of Hazardous Materials as set out in the annex to this resolution;