cargo with a stowage factor of 0.56 m3/t or l
ess.
IMDG
Code means the International Maritime Dangerous Goods (IMDG) Code adopted by the Maritime Safety Committee of the Organization by resolution MSC.122(75), as may be amended by the Organization.
Inc
ompatible materials means materials that may react dangerously when mixed. They are subject to the segregation requirements of 9.3 and the schedules for individual cargoes classified in grou
p B.
Int
ernational Ship and Port Facility Security (ISPS) Code means the International Code for the Security of Ships and of Port Facilities, consisting of Part A (the provisions of which shall b
e treated
as mandatory) and Part B (the provisions of which shall be treated as recommendatory), as adopt
ed,

SOURCE: MSC.539(107).pdf
URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResoluti
ons/MSC.539(107).pdf
as mandatory) and Part B (the provisions of which shall be treated as recommendatory), as adopt
ed,
on 12 December 2002, by resolution 2 of the Conference of Contracting Governments to the International Convention for the Safety of Life at Sea, 1974, as may be amended by the Organiza
tion.
Man
ual of Tests and Criteria means the seventh revised edition of the United Nations publication entitled Manual of Tests and Criteria (ST/SG/AC.10/11/Rev.7 and Amendment 1).
Mat
erials hazardous only in bulk (MHB) means materials which may possess chemical hazards when carried in bulk other than materials classified as dangerous goods in the IMDG Code.
Moi
sture content means that portion of a representative sample consisting of water, ice or other liquid expressed as a percentage of the total wet mass of that sample.
Moi
sture migration means the movement of moisture contained in a cargo by settling and
---
SOURCE: MSC.539(107).pdf
URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResoluti
ons/MSC.539(107).pdf
Moi
sture migration means the movement of moisture contained in a cargo by settling and consolidation of the cargo due to vibration and ship’s motion. Water is progressively displaced
,
which may result in some portions or all of the cargo developing a flow state.
Non
-cohesive material means dry materials that readily shift due to sliding during transport, as l
isted
in appendix 3, paragraph 1, “Properties of dry bulk cargoes”.
Pot
ential sources of ignition means, but is not limited to, open fires, machinery exhausts, galley uptakes, electrical outlets and electrical equipment unless they are of certified safe type.
Rep
resentative test sample means a sample of sufficient quantity for the purpose of testing the physical and chemical properties of the consignment to meet specified requirements.
Ship
per means any person by whom or in whose name, or on whose behalf, a contract of carriage
---
SOURCE: MSC.539(107).pdf
URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResoluti
ons/MSC.539(107).pdf
Ship
per means any person by whom or in whose name, or on whose behalf, a contract of carriage of goods by sea has been concluded with a carrier, or any person by whom or in whose name, or on whose behalf, the goods are actually delivered to the carrier in relation to the contract of
carriage
by sea.
Sol
id bulk cargo means any cargo, other than a liquid or a gas, consisting of a combination of particles, granules or any larger pieces of material generally uniform in composition which is
loaded
directly into the cargo spaces of a ship without any intermediate form of containment.
Sour
ces of heat means heated ship structures, where the surface temperature is liable to exceed 55ºC. Examples of such heated structures are steam pipes, heating coils, top or side walls of h
eated
fuel and cargo tanks, and bulkheads of machinery spaces.

Stow
age factor means the figure which expresses the number of cubic metres which one tonne of cargo will occupy.
Tra

SOURCE