K CARGOES (IMSBC) CODE

Non-c

ommercial use only

High

-density solid bulk cargo means a solid bulk cargo with a stowage factor of 0.56 m3/t or l

ess.

IMDG

Code means the International Maritime Dangerous Goods (IMDG) Code adopted by the

Maritime Safety Committee of the Organization by resolution MSC.122(75), as may be amended by

the Organization.

Inc

ompatible materials means materials that may react dangerously when mixed. They are subject to

the segregation requirements of 9.3 and the schedules for individual cargoes classified in group B.

Int

ernational Ship and Port Facility Security (ISPS) Code means the International Code for the

Security of Ships and of Port Facilities, consisting of Part A (the provisions of which shall be treated

as mandatory) and Part B (the provisions of which shall be treated as recommendatory), as adopted,

---

URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf

as mandatory) and Part B (the provisions of which shall be treated as recommendatory), as adopted,

on 12 December 2002, by resolution 2 of the Conference of Contracting Governments to the

International Convention for the Safety of Life at Sea, 1974, as may be amended by the Organization.

Man

ual of Tests and Criteria means the seventh revised edition of the United Nations publication

entitled Manual of Tests and Criteria (ST/SG/AC.10/11/Rev.7 and Amendment 1).

Mat

erials hazardous only in bulk (MHB) means materials which may possess chemical hazards

when carried in bulk other than materials classified as dangerous goods in the IMDG Code.

Moi

sture content means that portion of a representative sample consisting of water, ice or other

liquid expressed as a percentage of the total wet mass of that sample.

Moi

sture migration means the movement of moisture contained in a cargo by settling and

---

URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf

Moi

sture migration means the movement of moisture contained in a cargo by settling and

consolidation of the cargo due to vibration and ship’s motion. Water is progressively displaced,

which may result in some portions or all of the cargo developing a flow state.

Non

-cohesive material means dry materials that readily shift due to sliding during transport, as listed

in appendix 3, paragraph 1, “Properties of dry bulk cargoes”.

Pot

ential sources of ignition means, but is not limited to, open fires, machinery exhausts, galley

uptakes, electrical outlets and electrical equipment unless they are of certified safe type.

Rep

resentative test sample means a sample of sufficient quantity for the purpose of testing the

physical and chemical properties of the consignment to meet specified requirements.

Ship

per means any person by whom or in whose name, or on whose behalf, a contract of carriage

---

URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf

Ship

per means any person by whom or in whose name, or on whose behalf, a contract of carriage

of goods by sea has been concluded with a carrier, or any person by whom or in whose name, or

on whose behalf, the goods are actually delivered to the carrier in relation to the contract of carriage

by sea.

Sol

id bulk cargo means any cargo, other than a liquid or a gas, consisting of a combination of

particles, granules or any larger pieces of material generally uniform in composition which is loaded

directly into the cargo spaces of a ship without any intermediate form of containment.

Sour

ces of heat means heated ship structures, where the surface temperature is liable to exceed

55ºC. Examples of such heated structures are steam pipes, heating coils, top or side walls of heated

fuel and cargo tanks, and bulkheads of machinery spaces.

Stow

age factor means the figure which expresses the number of cubic metres which one tonne of

cargo will occupy.

Tra

URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf

Stow

age factor means the figure which expresses the number of cubic metres which one tonne of cargo will occupy.

Tra

nsportable moisture limit (TML) of a group A cargo means the maximum moisture content of the cargo which is considered safe for carriage in ships not complying with the special provisions

of 7 .3.2. It is determined by the test procedures, approved by a competent authority, such as those

specified in paragraph 1 of appendix 2.