# Fernhill Bakery

Brand color specification | 2026-09-28

**Kiln Terracotta**
primary
#B5532A

**Harbour Teal**
secondary
#0083A8

**Fern Green**
tertiary
#5B7F3A

## Colors at a glance

| Color | Hex | CMYK, GRACoL coated | CMYK, GRACoL uncoated | Pantone coated (approx.) | Pantone uncoated (approx.) | On white |
|---|---|---|---|---|---|---|
| Kiln Terracotta (primary) | #B5532A | 3 / 71 / 83 / 26 | 0 / 73 / 99 / 23 | Sample Terracotta C (approx.), dE00 1.4 | Sample Rust U (approx.), dE00 1.3 | 4.96:1 |
| Harbour Teal (secondary) | #0083A8 | 81 / 25 / 13 / 13 | 87 / 22 / 11 / 12 | Sample Teal C (approx.), dE00 0.7 | Sample Teal U (approx.), dE00 2.7 | 4.36:1 |
| Fern Green (tertiary) | #5B7F3A | 54 / 11 / 84 / 38 | 56 / 11 / 90 / 32 | Sample Teal C (approx.), dE00 39.1 | Sample Teal U (approx.), dE00 36.7 | 4.62:1 |

## Status

**Accessibility** 1 WCAG 2.2 failure is accepted with a note (listed below).

**Locked** Kiln Terracotta

**Print gamut** Kiln Terracotta is outside the GRACoL 2013 uncoated (CRPC3) gamut (dE00 8.7); the press neighbor differs visibly from the screen color. Kiln Terracotta is outside the PSO Uncoated v3 (FOGRA52) gamut (dE00 8.7); the press neighbor differs visibly from the screen color. Harbour Teal is outside the GRACoL 2013 uncoated (CRPC3) gamut (dE00 2.9); the press neighbor differs visibly from the screen color. Harbour Teal is outside the PSO Uncoated v3 (FOGRA52) gamut (dE00 2.7); the press neighbor differs visibly from the screen color. Fern Green is outside the GRACoL 2013 uncoated (CRPC3) gamut (dE00 5.5); the press neighbor differs visibly from the screen color. Fern Green is outside the PSO Uncoated v3 (FOGRA52) gamut (dE00 5.7); the press neighbor differs visibly from the screen color.

**Print** North America: GRACoL 2013 coated (CRPC6); SWOP 2013 (CRPC5); GRACoL 2013 uncoated (CRPC3). Europe: PSO Coated v3 (FOGRA51); PSO Uncoated v3 (FOGRA52); Coated FOGRA39L (VIGC 260). relative colorimetric + black point compensation. The swatches in the print columns are approximations, not proofs.

**Spot** 6 values pasted by the designer (Lab D50); matches are approximate and not checked against a physical guide.

## Decisions and exceptions

**Light | outline on surface (UI) | 2.07:1, needs 3:1 | nearest passing tone 60 (#A08D86)**

Softer outline for card borders and dividers on the menu pages. These are decorative, so WCAG 1.4.11 does not require 3:1. Do not use this color for form field borders or focus rings; use the primary role for those.

**Role overrides (colors the designer set)**

light outline #B9AEA8

PRIMARY

# Kiln Terracotta

#B5532A | the designer's own color | locked

**Screen (sRGB)**

#B5532A

**Press neighbor, GRACoL 2013 coated**

#B6542A (an approximation, not a proof)



| 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 95 | 98 | 99 | 100 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 000000 | 370E00 | 5A1B00 | 7F2B03 | 9E421A | BE5A30 | DE7247 | FF8C5E | FFB59A | FFDBCE | FFEDE7 | FFF8F6 | FFFBFF | FFFFFF |

Tonal palette (primary)

## Rationale

> Fired clay and the inside of a brick oven. Chosen by the client before the project began, so it is locked and the rest of the palette is built around it.

## Screen values

| | | | |
|---|---|---|---|
| **Hex** | #B5532A | **HCT** | hue 39, chroma 53, tone 47.2 |
| **sRGB** | 181, 83, 42 | **Lab D50** | 47.8, 38.8, 42.7 |
| **OKLCH** | oklch(0.56 0.139 42) | **Beyond sRGB** | No |

## Print values

| Profile | C / M / Y / K (%) | Total ink | Print gamut | Press neighbor |
|---|---|---|---|---|
| GRACoL 2013 coated (CRPC6) | 3 / 71 / 83 / 26 | 183% of 320% | in gamut (dE00 0.3) | #B6542A |
| SWOP 2013 (CRPC5) | 3 / 70 / 86 / 31 | 190% of 300% | in gamut (dE00 0.7) | #B7552C |
| GRACoL 2013 uncoated (CRPC3) | 0 / 73 / 99 / 23 | 194% of 280% | **OUT of gamut (dE00 8.7)** | #B66553 |
| PSO Coated v3 (FOGRA51) | 12 / 70 / 80 / 21 | 183% of 300% | in gamut (dE00 0.1) | #B5532A |
| PSO Uncoated v3 (FOGRA52) | 6 / 72 / 92 / 17 | 187% of 300% | **OUT of gamut (dE00 8.7)** | #C26951 |
| Coated FOGRA39L (VIGC 260) | 1 / 69 / 81 / 30 | 181% of 260% | in gamut (dE00 0.1) | #B5532A |

## Spot color, approximate

| Book | Name | dE00 | Match | Values from | Check |
|---|---|---|---|---|---|
| Coated | Sample Terracotta C (approx.) | 1.4 | Close | Lab entered by the designer | not checked |
| Coated | Sample Rust C (approx.) | 3.8 | Loose | Lab entered by the designer | not checked |
| Coated | Sample Teal C (approx.) | 53.8 | No good match | Lab entered by the designer | not checked |
| Uncoated | Sample Rust U (approx.) | 1.3 | Close | Lab entered by the designer | not checked |
| Uncoated | Sample Terracotta U (approx.) | 2.3 | Acceptable | Lab entered by the designer | not checked |
| Uncoated | Sample Teal U (approx.) | 52.2 | No good match | Lab entered by the designer | not checked |

## Accessibility

| | | | |
|---|---|---|---|
| **On white** | 4.96:1, passes AA for text | **APCA (advisory)** | Lc 73.7 on white, -28 on black. Web only; never applied to print. |
| **On black** | 4.24:1, large text and UI only | **Color-blind** | Compared with the other colors in the role checks. |

Print values: North America: GRACoL 2013 coated (CRPC6); SWOP 2013 (CRPC5); GRACoL 2013 uncoated (CRPC3). Europe: PSO Coated v3 (FOGRA51); PSO Uncoated v3 (FOGRA52); Coated FOGRA39L (VIGC 260); relative colorimetric + black point compensation; lookup tables built with LittleCMS. Swatches on screen and on paper are approximations, not proofs. Spot names are approximate, from values pasted by the designer (6 entries, Lab D50) and not checked against a physical guide; verify under D50 light before a client commits. Pantone is a trademark of its owner.

## Evidence

**Tier: designer's choice (no evidence tier)**

Color supplied by the designer. No research claim is attached to it.

SECONDARY

# Harbour Teal

#0083A8 | from the complementary harmony lens | not locked

**Screen (sRGB)**

#0083A8

**Press neighbor, GRACoL 2013 coated**

#0083A8 (an approximation, not a proof)



| 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 95 | 98 | 99 | 100 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 000000 | 001F2A | 003546 | 004D64 | 006684 | 0081A5 | 359BC1 | 56B6DD | 75D2FA | BEE9FF | E0F4FF | F4FAFF | FAFCFF | FFFFFF |

Tonal palette (secondary)

## Rationale

> Complement of the terracotta, used sparingly for links and focus states. The complement rule is low-confidence evidence; it was kept because it reads clearly against the warm seed.

## Screen values

| | | | |
|---|---|---|---|
| **Hex** | #0083A8 | **HCT** | hue 229, chroma 44, tone 50.8 |
| **sRGB** | 0, 131, 168 | **Lab D50** | 50.3, -20.7, -28.8 |
| **OKLCH** | oklch(0.57 0.109 226) | **Beyond sRGB** | No |

## Print values

| Profile | C / M / Y / K (%) | Total ink | Print gamut | Press neighbor |
|---|---|---|---|---|
| GRACoL 2013 coated (CRPC6) | 81 / 25 / 13 / 13 | 132% of 320% | in gamut (dE00 0.0) | #0083A8 |
| SWOP 2013 (CRPC5) | 82 / 26 / 14 / 17 | 138% of 300% | in gamut (dE00 0.0) | #0083A8 |
| GRACoL 2013 uncoated (CRPC3) | 87 / 22 / 11 / 12 | 132% of 280% | **OUT of gamut (dE00 2.9)** | #3486AA |
| PSO Coated v3 (FOGRA51) | 78 / 23 / 12 / 17 | 130% of 300% | in gamut (dE00 0.0) | #0183A8 |
| PSO Uncoated v3 (FOGRA52) | 83 / 16 / 8 / 14 | 121% of 300% | **OUT of gamut (dE00 2.7)** | #3187A9 |
| Coated FOGRA39L (VIGC 260) | 77 / 20 / 12 / 23 | 132% of 260% | in gamut (dE00 0.1) | #0083A8 |

## Spot color, approximate

| Book | Name | dE00 | Match | Values from | Check |
|---|---|---|---|---|---|
| Coated | Sample Teal C (approx.) | 0.7 | Near-identical | Lab entered by the designer | not checked |
| Coated | Sample Terracotta C (approx.) | 53.5 | No good match | Lab entered by the designer | not checked |
| Coated | Sample Rust C (approx.) | 54.3 | No good match | Lab entered by the designer | not checked |
| Uncoated | Sample Teal U (approx.) | 2.7 | Acceptable | Lab entered by the designer | not checked |
| Uncoated | Sample Terracotta U (approx.) | 52.4 | No good match | Lab entered by the designer | not checked |
| Uncoated | Sample Rust U (approx.) | 52.8 | No good match | Lab entered by the designer | not checked |

## Accessibility

| | | | |
|---|---|---|---|
| **On white** | 4.36:1, large text and UI only | **APCA (advisory)** | Lc 69.6 on white, -32 on black. Web only; never applied to print. |
| **On black** | 4.81:1, passes AA for text | **Color-blind** | Stays distinct from the seed under protan, deutan and tritan views. |

Print values: North America: GRACoL 2013 coated (CRPC6); SWOP 2013 (CRPC5); GRACoL 2013 uncoated (CRPC3). Europe: PSO Coated v3 (FOGRA51); PSO Uncoated v3 (FOGRA52); Coated FOGRA39L (VIGC 260); relative colorimetric + black point compensation; lookup tables built with LittleCMS. Swatches on screen and on paper are approximations, not proofs. Spot names are approximate, from values pasted by the designer (6 entries, Lab D50) and not checked against a physical guide; verify under D50 light before a client commits. Pantone is a trademark of its owner.

## Evidence

### Tier: low confidence

Complementary lens on the OKLCH hue wheel, offset +180°. Classical color-wheel geometry does not predict harmony in lab studies (Schloss & Palmer); useful as designer vocabulary and for emphasis roles. [low confidence]

Sources: Schloss & Palmer (2011) https://pmc.ncbi.nlm.nih.gov/articles/PMC3037488

Harmony score against the seed -0.74: advisory only; the model (Ou & Luo 2006) was fitted on color patches on gray ($R^2$ 0.71), not brand contexts.

TERTIARY

# Fern Green

#5B7F3A | the designer's own color | not locked

**Screen (sRGB)**

#5B7F3A

**Press neighbor, GRACoL 2013 coated**

#5B7F3A (an approximation, not a proof)



| 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 95 | 98 | 99 | 100 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 000000 | 0D2000 | 1B3700 | 2E4F0F | 456826 | 5D813C | 769C53 | 90B76B | AAD384 | C6EF9D | D4FEAA | EFFFDA | F8FFEA | FFFFFF |

Tonal palette (tertiary)

## Rationale

> Named after the street. Used for success states and the seasonal menu.

## Screen values

| | | | |
|---|---|---|---|
| **Hex** | #5B7F3A | **HCT** | hue 134, chroma 41, tone 49.1 |
| **sRGB** | 91, 127, 58 | **Lab D50** | 49.3, -22.7, 32.8 |
| **OKLCH** | oklch(0.55 0.106 132) | **Beyond sRGB** | No |

## Print values

| Profile | C / M / Y / K (%) | Total ink | Print gamut | Press neighbor |
|---|---|---|---|---|
| GRACoL 2013 coated (CRPC6) | 54 / 11 / 84 / 38 | 186% of 320% | in gamut (dE00 0.1) | #5B7F3A |
| SWOP 2013 (CRPC5) | 56 / 9 / 87 / 41 | 192% of 300% | in gamut (dE00 0.5) | #5C803B |
| GRACoL 2013 uncoated (CRPC3) | 56 / 11 / 90 / 32 | 188% of 280% | **OUT of gamut (dE00 5.5)** | #688655 |
| PSO Coated v3 (FOGRA51) | 58 / 18 / 81 / 30 | 187% of 300% | in gamut (dE00 0.0) | #5B7F3A |
| PSO Uncoated v3 (FOGRA52) | 54 / 11 / 89 / 26 | 180% of 300% | **OUT of gamut (dE00 5.7)** | #6A8855 |
| Coated FOGRA39L (VIGC 260) | 55 / 7 / 81 / 41 | 184% of 260% | in gamut (dE00 0.1) | #5B7F3A |

## Spot color, approximate

| Book | Name | dE00 | Match | Values from | Check |
|---|---|---|---|---|---|
| Coated | Sample Teal C (approx.) | 39.1 | No good match | Lab entered by the designer | not checked |
| Coated | Sample Terracotta C (approx.) | 42.8 | No good match | Lab entered by the designer | not checked |
| Coated | Sample Rust C (approx.) | 43.6 | No good match | Lab entered by the designer | not checked |
| Uncoated | Sample Teal U (approx.) | 36.7 | No good match | Lab entered by the designer | not checked |
| Uncoated | Sample Terracotta U (approx.) | 42.0 | No good match | Lab entered by the designer | not checked |
| Uncoated | Sample Rust U (approx.) | 42.2 | No good match | Lab entered by the designer | not checked |

## Accessibility

| | | | |
|---|---|---|---|
| **On white** | 4.62:1, passes AA for text | **APCA (advisory)** | Lc 72 on white, -29.7 on black. Web only; never applied to print. |
| **On black** | 4.54:1, passes AA for text | **Color-blind** | Collapses against the seed: deutan (dE00 3.4) |

Print values: North America: GRACoL 2013 coated (CRPC6); SWOP 2013 (CRPC5); GRACoL 2013 uncoated (CRPC3). Europe: PSO Coated v3 (FOGRA51); PSO Uncoated v3 (FOGRA52); Coated FOGRA39L (VIGC 260); relative colorimetric + black point compensation; lookup tables built with LittleCMS. Swatches on screen and on paper are approximations, not proofs. Spot names are approximate, from values pasted by the designer (6 entries, Lab D50) and not checked against a physical guide; verify under D50 light before a client commits. Pantone is a trademark of its owner.

## Evidence

### Tier: designer's choice (no evidence tier)

Color supplied by the designer. No research claim is attached to it.

Harmony score against the seed -0.90: advisory only; the model (Ou & Luo 2006) was fitted on color patches on gray ($R^2$ 0.71), not brand contexts.

# Roles, light and dark

Material 3 (2021 role tones). The brand color stays its own token; the primary role sits 7.2 tone steps darker in light mode (#9E421A).

## Light

| | |
|---|---|
| primary | #9E421A |
| onPrimary | #FFFFFF |
| primaryContainer | #FFDBCE |
| onPrimaryContainer | #7F2B03 |
| secondary | #006684 |
| onSecondary | #FFFFFF |
| secondaryContainer | #BEE9FF |
| onSecondaryContainer | #004D64 |
| tertiary | #456826 |
| onTertiary | #FFFFFF |
| tertiaryContainer | #C6EF9D |
| onTertiaryContainer | #2E4F0F |
| error | #BA1A1A |
| onError | #FFFFFF |
| errorContainer | #FFDAD6 |
| onErrorContainer | #93000A |
| surface | #FFF8F6 |
| surfaceContainerLow | #FFF1EC |
| surfaceContainer | #FCEAE4 |
| surfaceContainerHigh | #F7E4DF |
| onSurface | #231A16 |
| surfaceVariant | #F5DED6 |
| onSurfaceVariant | #53433E |
| outline | #B9AEA8 |
| outlineVariant | #D8C2BB |
| background | #FFF8F6 |
| onBackground | #231A16 |
| inverseSurface | #392E2A |
| inverseOnSurface | #FFEDE7 |

## Dark

| | |
|---|---|
| primary | #FFB59A |
| onPrimary | #5A1B00 |
| primaryContainer | #7F2B03 |
| onPrimaryContainer | #FFDBCE |
| secondary | #75D2FA |
| onSecondary | #003546 |
| secondaryContainer | #004D64 |
| onSecondaryContainer | #BEE9FF |
| tertiary | #AAD384 |
| onTertiary | #1B3700 |
| tertiaryContainer | #2E4F0F |
| onTertiaryContainer | #C6EF9D |
| error | #FFB4AB |
| onError | #690005 |
| errorContainer | #93000A |
| onErrorContainer | #FFDAD6 |
| surface | #1A110E |
| surfaceContainerLow | #231A16 |
| surfaceContainer | #271E1A |
| surfaceContainerHigh | #322824 |
| onSurface | #F1DFD9 |
| surfaceVariant | #53433E |
| onSurfaceVariant | #D8C2BB |
| outline | #A08D86 |
| outlineVariant | #53433E |
| background | #1A110E |
| onBackground | #F1DFD9 |
| inverseSurface | #F1DFD9 |
| inverseOnSurface | #392E2A |

Print values: North America: GRACoL 2013 coated (CRPC6); SWOP 2013 (CRPC5); GRACoL 2013 uncoated (CRPC3). Europe: PSO Coated v3 (FOGRA51); PSO Uncoated v3 (FOGRA52); Coated FOGRA39L (VIGC 260); relative colorimetric + black point compensation; lookup tables built with LittleCMS. Swatches on screen and on paper are approximations, not proofs. Spot names are approximate, from values pasted by the designer (6 entries, Lab D50) and not checked against a physical guide; verify under D50 light before a client commits. Pantone is a trademark of its owner.

# Role-pair checks

WCAG 2.2 AA is the pass/fail gate. APCA is advisory, web only, never applied to print. Color-blind views: Machado et al. 2009, full severity; roles collapse below Delta E00 10.

## Light

| Pair | Ratio | Needs | Result |
|---|---|---|---|
| `onPrimary on primary` | 6.47:1 | 4.5:1 | pass |
| `onPrimaryContainer on primaryContainer` | 7.24:1 | 4.5:1 | pass |
| `onSecondary on secondary` | 6.49:1 | 4.5:1 | pass |
| `onSecondaryContainer on secondaryContainer` | 7.25:1 | 4.5:1 | pass |
| `onTertiary on tertiary` | 6.44:1 | 4.5:1 | pass |
| `onTertiaryContainer on tertiaryContainer` | 7.24:1 | 4.5:1 | pass |
| `onError on error` | 6.46:1 | 4.5:1 | pass |
| `onErrorContainer on errorContainer` | 7.24:1 | 4.5:1 | pass |
| `onSurface on surface` | 16.26:1 | 4.5:1 | pass |
| `onSurface on surfaceContainer` | 14.65:1 | 4.5:1 | pass |
| `onSurface on surfaceContainerHigh` | 13.91:1 | 4.5:1 | pass |
| `onSurfaceVariant on surface` | 8.93:1 | 4.5:1 | pass |
| `onSurfaceVariant on surfaceVariant` | 7.28:1 | 4.5:1 | pass |
| `onBackground on background` | 16.26:1 | 4.5:1 | pass |
| `inverseOnSurface on inverseSurface` | 11.59:1 | 4.5:1 | pass |
| `primary on surface` | 6.16:1 | 4.5:1 | pass |
| `outline on surface (UI)` | 2.07:1 | 3:1 | **accepted with a note** |
| `primary on surface (UI)` | 6.16:1 | 3:1 | pass |

Color-blind collapse (light): primary and tertiary under protan (dE00 7.5); primary and tertiary under deutan (dE00 2.8); primary and error under deutan (dE00 7.7); tertiary and error under deutan (dE00 7.0); primary and error under tritan (dE00 8.5). Do not rely on these roles differing by color alone (WCAG 1.4.1).

## Dark

| Pair | Ratio | Needs | Result |
|---|---|---|---|
| `onPrimary on primary` | 7.75:1 | 4.5:1 | pass |
| `onPrimaryContainer on primaryContainer` | 7.24:1 | 4.5:1 | pass |
| `onSecondary on secondary` | 7.73:1 | 4.5:1 | pass |
| `onSecondaryContainer on secondaryContainer` | 7.25:1 | 4.5:1 | pass |
| `onTertiary on tertiary` | 7.76:1 | 4.5:1 | pass |
| `onTertiaryContainer on tertiaryContainer` | 7.24:1 | 4.5:1 | pass |
| `onError on error` | 7.72:1 | 4.5:1 | pass |
| `onErrorContainer on errorContainer` | 7.24:1 | 4.5:1 | pass |
| `onSurface on surface` | 14.42:1 | 4.5:1 | pass |
| `onSurface on surfaceContainer` | 12.66:1 | 4.5:1 | pass |
| `onSurface on surfaceContainerHigh` | 11.13:1 | 4.5:1 | pass |
| `onSurfaceVariant on surface` | 10.93:1 | 4.5:1 | pass |
| `onSurfaceVariant on surfaceVariant` | 5.51:1 | 4.5:1 | pass |
| `onBackground on background` | 14.42:1 | 4.5:1 | pass |

Print values: North America: GRACoL 2013 coated (CRPC6); SWOP 2013 (CRPC5); GRACoL 2013 uncoated (CRPC3). Europe: PSO Coated v3 (FOGRA51); PSO Uncoated v3 (FOGRA52); Coated FOGRA39L (VIGC 260); relative colorimetric + black point compensation; lookup tables built with LittleCMS. Swatches on screen and on paper are approximations, not proofs. Spot names are approximate, from values pasted by the designer (6 entries, Lab D50) and not checked against a physical guide; verify under D50 light before a client commits. Pantone is a trademark of its owner.

| Pair | Ratio | Needs | Result |
|---|---|---|---|
| `inverseOnSurface on inverseSurface` | 10.20:1 | 4.5:1 | pass |
| `primary on surface` | 10.91:1 | 4.5:1 | pass |
| `outline on surface (UI)` | 5.88:1 | 3:1 | pass |
| `primary on surface (UI)` | 10.91:1 | 3:1 | pass |

Color-blind collapse (dark): primary and tertiary under protan (dE00 8.9); primary and error under protan (dE00 5.8); primary and tertiary under deutan (dE00 3.6); primary and error under deutan (dE00 4.3); tertiary and error under deutan (dE00 7.8); primary and error under tritan (dE00 1.3). Do not rely on these roles differing by color alone (WCAG 1.4.1).