US 20240237390A9

(19) **United States**

(12) **Patent Application Publication**

JIA et al.

(10) **Pub. No.: US 2024/0237390 A9**

(48) **Pub. Date: Jul. 11, 2024**

CORRECTED PUBLICATION

(54) **ORGANIC LIGHT-EMITTING DIODE, METHOD OF MANUFACTURING THE SAME AND ORGANIC LIGHT-EMITTING DIODE DISPLAY APPARATUS**

(71) Applicant: **BOE TECHNOLOGY GROUP CO., LTD.**, Beijing (CN)

(72) Inventors: **Congcong JIA**, Beijing (CN); **Lei CHEN**, Beijing (CN); **Kun MA**, Beijing (CN)

(21) Appl. No.: **17/768,265**

(22) PCT Filed: **May 21, 2021**

(86) PCT No.: **PCT/CN2021/095150**

§ 371 (c)(1),
(2) Date: **Apr. 12, 2022**

Prior Publication Data

(15) Correction of US 2024/0138180 A1 Apr. 25, 2024
See (22) PCT Filed
See (86) PCT No.
See (30) Foreign Application Data

(65) US 2024/0138180 A1 Apr. 25, 2024

(30) **Foreign Application Priority Data**

Jun. 10, 2020 (CN) 202010524270.8

Publication Classification

(51) **Int. Cl.**

H10K 50/18	(2006.01)
C09K 11/02	(2006.01)
C09K 11/06	(2006.01)
H10K 50/17	(2006.01)
H10K 71/12	(2006.01)
H10K 85/10	(2006.01)
H10K 85/30	(2006.01)
H10K 85/60	(2006.01)

(52) **U.S. Cl.**

CPC ***H10K 50/181*** (2023.02); ***C09K 11/02*** (2013.01); ***C09K 11/06*** (2013.01); ***H10K 50/17*** (2023.02); ***H10K 71/12*** (2023.02); ***H10K 85/111*** (2023.02); ***H10K 85/311*** (2023.02); ***H10K 85/324*** (2023.02); ***H10K 85/60*** (2023.02); ***H10K 85/615*** (2023.02); ***H10K 85/631*** (2023.02); ***H10K 85/654*** (2023.02); ***H10K 85/6572*** (2023.02); *H10K 2102/351* (2023.02)

(57) **ABSTRACT**

The present disclosure provides an organic light-emitting diode, a method of manufacturing the same, and an organic light-emitting diode display apparatus. The organic light-emitting diode includes an anode; a hole injection layer; a hole transport layer; an electron blocking layer; an organic luminescent layer; a hole blocking layer; an electron transport layer; and a cathode, wherein a first composite layer is provided between the electron blocking layer and the organic luminescent layer, and the first composite layer includes a material of the electron blocking layer and a host material of the organic luminescent layer.