



US 20240251584A1

(19) **United States**

(12) **Patent Application Publication**

Kim et al.

(10) **Pub. No.: US 2024/0251584 A1**

(43) **Pub. Date: Jul. 25, 2024**

(54) **LIGHT-EMITTING DEVICE, ELECTRONIC
DEVICE INCLUDING THE SAME, AND
ELECTRONIC APPARATUS INCLUDING
THE LIGHT-EMITTING DEVICE**

H10K 85/40 (2006.01)

H10K 85/60 (2006.01)

H10K 101/30 (2006.01)

H10K 101/40 (2006.01)

(71) Applicant: **Samsung Display Co., Ltd.**, Yongin-si
(KR)

(52) **U.S. Cl.**

CPC *H10K 50/121* (2023.02); *H10K 59/38*

(2023.02); *H10K 59/40* (2023.02); *H10K*

85/342 (2023.02); *H10K 85/40* (2023.02);

H10K 85/622 (2023.02); *H10K 85/633*

(2023.02); *H10K 85/6572* (2023.02); *H10K*

85/6574 (2023.02); *H10K 85/6576* (2023.02);

H10K 85/658 (2023.02); *H10K 2101/30*

(2023.02); *H10K 2101/40* (2023.02)

(72) Inventors: **Gyeongheon Kim**, Yongin-si (KR);
Eunhwa Jang, Yongin-si (KR); **Sohae**
Kim, Yongin-si (KR); **Jihye Kim**,
Yongin-si (KR); **Saerom Park**,
Yongin-si (KR); **Dongsun Yoo**,
Yongin-si (KR); **Jintaek Cho**, Yongin-si
(KR)

(57)

ABSTRACT

(21) Appl. No.: **18/398,075**

(22) Filed: **Dec. 27, 2023**

(30) **Foreign Application Priority Data**

Dec. 30, 2022 (KR) 10-2022-0191074

Dec. 21, 2023 (KR) 10-2023-0187956

Publication Classification

(51) **Int. Cl.**

H10K 50/12 (2006.01)

H10K 59/38 (2006.01)

H10K 59/40 (2006.01)

H10K 85/30 (2006.01)

A light-emitting device includes a first electrode, a second electrode facing the first electrode, and an interlayer between the first electrode and the second electrode. The interlayer includes a hole transport region and an emission layer, the hole transport region is between the first electrode and the emission layer, the hole transport region includes a first layer in direct contact with the emission layer, the emission layer includes a first host and a first emitter. The first emitter is to emit first light having a peak emission wavelength of about 610 nm to about 720 nm. The first layer includes a first material. Both an absolute value of a highest occupied molecular orbital (HOMO) energy level of the first material and an absolute value of the HOMO energy level of the first emitter are greater than an absolute value of a HOMO energy level of the first host.

10

150

130

110