

(19) United States

(12) Patent Application Publication (10) Pub. No.: US 2023/0231085 A1 BYUN et al.

Jul. 20, 2023 (43) **Pub. Date:**

(54) WIDE COLOR GAMUT LIGHT-EMITTING **ELEMENT**

(71) Applicant: Seoul Semiconductor Co., Ltd, Ansan-si (KR)

Inventors: Ho Jun BYUN, Ansan-si (KR); Bo Yong Han, Ansan-si (KR)

Appl. No.: 18/123,953

(22) Filed: Mar. 20, 2023

Related U.S. Application Data

(63) Continuation of application No. 17/022,070, filed on Sep. 15, 2020, now Pat. No. 11,611,020, which is a continuation of application No. 16/066,401, filed on Jun. 27, 2018, now abandoned.

(30)Foreign Application Priority Data

Dec. 28, 2015 (KR) 10-2015-0187839

Publication Classification

(51) **Int. Cl.** H01L 33/50 (2010.01)H01L 25/075 (2006.01)

H01L 33/48	(2010.01)
C09K 11/77	(2006.01)
C09K 11/64	(2006.01)
H01L 33/56	(2010.01)

(52) U.S. Cl. CPC H01L 33/502 (2013.01); H01L 25/0753 (2013.01); H01L 33/483 (2013.01); C09K 11/7734 (2013.01); C09K 11/643 (2013.01); H01L 33/56 (2013.01); H01L 33/504 (2013.01); H01L 33/486 (2013.01)

(57)**ABSTRACT**

A light emitting device including a housing including walls defining a cavity having one side thereof opened, a light emitter to emit light having a peak wavelength in a blue wavelength band and including first and second light emitting chips, a reflective region in the housing to reflect light, and a wavelength conversion layer disposed on the light emitter and including a first wavelength converter and a second wavelength converter to emit light having different peak wavelengths from each other, in which the first wavelength converter has a first excitation peak wavelength and the second wavelength converter has a second excitation peak wavelength, and the second wavelength converter includes a fluoride-based red phosphor represented by A₂MF₆:Mn⁴⁺, where A is one of Li, Na, K, Ba, Rb, Cs, Mg, Ca, Se, and Zn, and M is one of Ti, Si, Zr, Sn, and Ge.

