

(19) United States

(12) Patent Application Publication (10) Pub. No.: US 2024/0213455 A1 Jo et al.

Jun. 27, 2024 (43) **Pub. Date:**

(54) COMPOSITE CATHODE ACTIVE MATERIAL, CATHODE AND LITHIUM BATTERY INCLUDING THE COMPOSITE CATHODE ACTIVE MATERIAL, AND METHOD OF PREPARING THE COMPOSITE **CATHODE ACTIVE MATERIAL**

(71) Applicant: Samsung SDI Co., Ltd., Yongin-si (KR)

Inventors: Sungnim Jo, Yongin-si (KR); Inhyuk Son, Yongin-si (KR); Sangkook Mah, Yongin-si (KR); Kyueun Shim, Yongin-si (KR)

(21) Appl. No.: 18/477,186

(22)Filed: Sep. 28, 2023

(30)Foreign Application Priority Data

Dec. 14, 2022 (KR) 10-2022-0174987

Publication Classification

(51) Int. Cl. H01M 4/36 (2006.01)H01M 4/131 (2006.01)

H01M 4/133	(2006.01)
H01M 4/48	(2006.01)
H01M 4/525	(2006.01)
H01M 4/583	(2006.01)
H01M 4/66	(2006.01)

(52) U.S. Cl.

CPC H01M 4/366 (2013.01); H01M 4/131 (2013.01); H01M 4/133 (2013.01); H01M 4/364 (2013.01); H01M 4/483 (2013.01); H01M 4/525 (2013.01); H01M 4/583 (2013.01); H01M 4/661 (2013.01); H01M 4/667 (2013.01); H01M 2004/028 (2013.01)

(57)ABSTRACT

A composite cathode active material may include a 1st core including a first lithium transition metal oxide, a 2^{nd} core including a second lithium transition metal oxide, and a shell conforming to a surface of at least one of the 1st core or the 2^{nd} core, wherein the shell may include first metal oxide, a first carbon-based material, and a second carbon-based material, the first metal oxide may be provided within a matrix of the first carbon-based material, the first metal oxide may be represented by M_aO_b , wherein $0 \le a \le 3$ and 0<b<4, if a is 1, 2, or 3, b is not an integer, and M may be at least one metal selected from among Groups 2 to 13, 15, and 16 of the periodic table of elements.

