

(19) United States

(12) Patent Application Publication (10) Pub. No.: US 2024/0244932 A1 WANG et al.

Jul. 18, 2024 (43) **Pub. Date:**

(54) DISPLAY SUBSTRATES AND THEIR MANUFACTURING METHODS, AND DISPLAY DEVICES

(71) Applicants: BOE Technology Group Co., Ltd., Beijing (CN); Chengdu BOE Optoelectronics Technology Co., Ltd., Chengdu, Sichuan (CN)

(72) Inventors: Yunhao WANG, Beijing (CN); Peng

HOU, Beijing (CN); Yongzhan HAN, Beijing (CN); Yuan HE, Beijing (CN); Can HUANG, Beijing (CN); Zhen LI, Beijing (CN); Yulin WANG, Beijing (CN); Jiandong BAO, Beijing (CN); Pengcheng ZHAO, Beijing (CN); Yide

DU, Beijing (CN)

(21) Appl. No.: 17/779,799

(22) PCT Filed: May 19, 2021

(86) PCT No.: PCT/CN2021/094496

§ 371 (c)(1),

(2) Date: May 25, 2022

Publication Classification

(51) Int. Cl. H10K 59/80 (2006.01)H10K 59/12 (2006.01)

| H10K 59/122 | (2006.01) |
|-------------|-----------|
| H10K 59/126 | (2006.01) |
| H10K 59/35 | (2006.01) |
| H10K 59/38 | (2006.01) |

(52) U.S. Cl.

CPC H10K 59/8731 (2023.02); H10K 59/1201 (2023.02); H10K 59/122 (2023.02); H10K 59/126 (2023.02); H10K 59/352 (2023.02); H10K 59/353 (2023.02); H10K 59/38 (2023.02); H10K 59/8792 (2023.02)

(57)**ABSTRACT**

The present application provides display substrates and their manufacturing methods, and display devices. A display substrate includes a base substrate, an encapsulation layer, a filter layer and optical film layers. The encapsulation layer is located on the base substrate. The filter layer is located in the encapsulation layer. The filter layer includes black matrixes. The black matrixes include black matrix openings. The optical film layers are located on a side of the encapsulation layer away from the base substrate. The optical film layers are configured to transmit part of incident light and absorb part of the incident light. A light transmittance of the optical film layers is larger than that of the black matrixes. The optical film layers include optical film layer openings. Projections of the optical film layer openings on the base substrate are located within projections of the black matrix openings on the base substrate.

