

Veridian Petrochemicals
Bharuch Complex

Document no: SOP-HDT-REACTOR-STARTUP Revision: B
Title: Start-up of the hydrotreating reactor R-2101
Owner: Lata Deshmukh
Issued: 06 September 2025

Primary equipment: R-2101, Hydrotreating reactor

Purpose. Start-up of the hydrotreating reactor R-2101.

Method. Dry out the reactor with nitrogen, sulphide the catalyst at the rate of 25 degC per hour and hold bed 1 and bed 2 temperatures within 10 degC of each other. Hydrogen purity must be above 85 percent before feed is introduced. Never exceed a reactor inlet pressure of 98 barg.