



INSPECTION STANDARD (HT LAB)





Page 01 of 01

134

☐ Prototype	☒ Pre-Launch	☐ Production	Date (Original)	27/5/2023			
Part Name:- Planet Gear-27T		Part No.:- 458/L6859		Inspection Standard Number		SIP/21000/260	
Customer :- JCB		Change Level.:-00		Part Stage		HT Lab	
Sr.No.	Parameter	Special Char. Class	Methods				Reaction Plan
			Product Specification	Inspection Method	Inspection Frequency	Control Method	
1.	Surface Hardness	*	59-63 HRC	Rockwell Hardness Tester	3Pc/Lot	HT Lab Report	A
2.	Core Hardness to be check at RCD of gear	*	450 HV at 5kg (45 HRC Max.)	Vicker hardness Tester / Rockwell Hardness Tester	3Pc/Lot	HT Lab Report	A
3.	ECD (Cut off 540HV) to be check at PCD of gear	*	0.75-1.0 mm (After Gear Grinding)	Micro Vicker/ Vicker Hardness Tester	3Pc/Lot	HT Lab Report	A
4.	ECD in Bore after Grinding (Cut off 540HV)	*	0.50 mm min.	Micro Vicker/ Vicker Hardness Tester	3Pc/Lot	HT Lab Report	A
5.	Micro Case	*	Tempered Martensite+ RA<10%	Microscope	3Pc/Lot	HT Lab Report	A
6.	Micro Core	*	LCTM+Bainitic Structure	Microscope	3Pc/Lot	HT Lab Report	A

COMPONENT SKETCH:-

Carburizing According
JCB STD00012 Standard.



Reaction Plan: A-यदि Inspection करते समय कम्पोनेट खराब मिले तो खराब कम्पोनेट को Rejection का टैग लगाकर Rejection टेबल पर रखें और उसके बारे में Department के Incharge को बतायें ।

Legends: ☒ Special Characteristics as Per Drawing ☒ Special Characteristics For Process ☒ Special Characteristics For Safety

Change Details

Date	Rev. No.	Change	Reason for Change	Date	Rev. No.	Change	Reason for Change
------	----------	--------	-------------------	------	----------	--------	-------------------

Prepared By: *[Signature]* Checked By: *[Signature]* Approved By: *[Signature]*