


PDB title: Crystal structure of the sars-cov-2 helicase in complex with amp-pnp (3.0Å)

ID	Res.	Metal	Occupancy	B factor (env.) ¹	Ligands	Valence ²	nVECSUM ³	Geometry ^{1,4}	gRMSD(°) ¹	Vacancy ¹	Bidentate	Alt. metal
A:702	ZN	Zn	1	58.3 (46.4)	N ₂ S ₂	2.1	0.097	Tetrahedral	8.4°	0	0	
A:703	ZN	Zn	1	61 (74.9)	S ₄	2.1	0.079	Tetrahedral	5.4°	0	0	
A:704	ZN	Zn	1	74.3 (64.2)	N ₁ S ₃	2	0.14	Tetrahedral	13.3°	0	0	
A:705	MG	Mg	1	39.8 (37.8)	O ₆	2.2	0.17	Octahedral	16.2°	0	0	
B:702	ZN	Zn	1	39.9 (32.8)	N ₂ S ₂	2.2	0.082	Tetrahedral	6.6°	0	0	
B:703	ZN	Zn	1	39.7 (44.4)	S ₄	2.1	0.092	Tetrahedral	7.1°	0	0	
B:704	ZN	Zn	1	37.9 (38.1)	N ₁ S ₃	2	0.081	Tetrahedral	11°	0	0	
C:701	ZN	Zn	1	76.9 (69.2)	N ₂ S ₂	2.1	0.072	Tetrahedral	8.1°	0	0	
C:702	ZN	Zn	1	95.2 (93.9)	S ₄	2.1	0.057	Tetrahedral	5.6°	0	0	
C:703	ZN	Zn	1	73.5 (75.4)	N ₁ S ₃	2	0.087	Tetrahedral	10.3°	0	0	
D:701	ZN	Zn	1	60.6 (58.4)	N ₂ S ₂	2	0.071	Tetrahedral	8°	0	0	
D:702	ZN	Zn	1	77.3 (81.5)	S ₄	2.1	0.076	Tetrahedral	6.8°	0	0	
D:703	ZN	Zn	1	66.9 (64.7)	N ₁ S ₃	2	0.1	Tetrahedral	14.6°	0	0	
Legend:			Not applicable	Outlier	Borderline	Acceptable						

Column	Description
Occupancy	Occupancy of ion under consideration
B factor (env.) ¹	Metal ion B factor, with valence-weighted environmental average B factor in parenthesis
Ligands	Elemental composition of the coordination sphere
Valence ²	Summation of bond valence values for an ion binding site. <i>Valence</i> accounts for metal-ligand distances
nVECSUM ³	Summation of ligand vectors, weighted by bond valence values and normalized by overall valence. Increase when the coordination sphere is not symmetrical due to incompleteness.
Geometry ^{1,4}	Arrangement of ligands around the ion, as defined by the <i>NEIGHBORHOOD</i> algorithm
gRMSD(°) ¹	R.M.S. Deviation of observed geometry angles (L-M-L angles) compared to ideal geometry, in degrees
Vacancy ¹	Percentage of unoccupied sites in the coordination sphere for the given geometry
Bidentate	Number of residues that form a bidentate interaction instead of being considered as multiple ligands
Alt. metal	A list of alternative metal(s) is proposed in descending order of confidency, assuming metal environment is accurately determined. This feature is still experimental. It requires user discrimination and cannot be blindly accepted

Metal-ligand distance distributions for pdb7nn0.ent in comparison with CSD



(1) Zheng H, Chordia MD, Cooper DR, Chruszcz M, Müller P, Sheldrick GM, Minor W (2014) *Nature Protocols*, 9(1), 156-70.

(2) Brown ID (2009) *Chem. Rev.*, 109, 6858-6919.

(3) Müller P, Köpke S, Sheldrick GM (2003) *Acta Crystallogr. D Biol. Crystallogr.*, 59, 32-37.

(4) Kuppuraj G, Dudev M, Lim C (2009) *J. Phys. Chem. B*, 113, 2952-2960.

(5) *CSD: Cambridge Structural Database*

Maintained by: Heping Zheng <dust@iwonka.med.virginia.edu>

Citing CheckMyMetal (CMM):

Validation of metal-binding sites in macromolecular structures with the CheckMyMetal web server. Zheng,H., Chordia,M.D., Cooper,D.R., Chruszcz,M., Müller,P., Sheldrick,G.M., Minor,W. (2014) *Nature Protocols*, 9(1), 156-70.