

ProFab® TfNSW Specifications

Australian and New Zealand Road Authority Specifications

ProFab® Characteristic Value Product Conformance

Transport for NSW (TfNSW) Specification R63
Department of Transport and Main Roads (QLD) Specification MRTS27
New Zealand Transport Agency Specification TNZ F/7

General

ProFab® is a nonwoven staple fibre geotextile made from highly durable polypropylene fibres. The product is highly needed to produce an engineering textile that is suitable for a wide range of geotechnical applications involving filtration, drainage, protection and separation. The product has been manufactured to meet the specification requirements of the roading authorities referenced.

The product is available in roll widths to 6m.

The ProFab® product range is produced in ISO accredited quality factories to the highest manufacturing standards for both local and international markets. The product is wrapped in a highly UV stable outer wrap such that the product may be left outside, onsite for later use provided the wrapper is not removed prior to deployment and use. For details on storage speak to your Global Synthetic office.

Product Conformance to Specification

QLD MRTS27 & NSW TfNSW R63 & NZTA F/7						
ProFab® Grade	Strength Class	Grab Tensile Strength	Trapezoidal Tear Strength	G Rating	EOS Pore Size-O ₉₅	Flow Rate (Q ₁₀₀)
		N	N	-	µm	l/m²/s
		AS 3706.2 Q Value	AS 3706.3 Q Value	AUSTROADS 90 Q Value	AS 3706.7 Mean Value	AS3706.9 Mean Value
AS401	A	> 500	> 180	>900	≤120	>50
AS501	B	> 700	> 250	>1350	≤120	>50
AS801	C	> 900	> 350	>2000	≤120	>50
AS1071	D	> 1200	> 450	>3000	≤120	>50
AS1601	E	> 1600	> 650	>4500	≤120	>50

Notes

- The characteristic value is defined within each specification of each roading authority. The symbol to denote the characteristic value is Q. The determination of the characteristic value for each required property value of the geotextile (Q) = Mean - 0.83 (Standard Deviation) - for the lot tested.
- All grades of ProFab® meet the following filtration classes:
 Filtration Class I-VIII for Department of Transport and Main Roads (QLD) - MRTS27
 Filtration Class 1-5 for TfNSW - R63
 Filtration Class 1-4 for NZTA F/7



New South Wales

P: (02) 9725 4321

North Qld

P: (04) 5921 1692

Victoria/ Tasmania

P: (03) 9791 1772

Queensland

P: (07) 3865 7000

South Australia

P: (08) 8384 8894

Western Australia

P: (08) 9459 4300

E: info@globalsynthetics.com.au

W: globalsynthetics.com.au