



Rapid Repair™ GP25 Pavement Patch Solution

Specification Sheet – Rapid Repair™ GP25 Pavement Patch Solution

Specifications for Use			
Property	Test Method	Metric	Imperial
Grab Tensile Strength (MD x XD)	ASTM D4632	889 x 889 N	200 x 200 lbs
Grab Tensile Elongation	ASTM D4632	7%	7%
Thickness	ASTM D1777	1.21 mm	48 mils
Mass/Unit Area	ASTM D3776	1,186.7 gsm	35 oz/yd ²
Puncture Strength	ASTM E154	329 N	74 lbs
Strip Tensile	ASTM D882	8.8 kN/m	50 lbs/in.
Pliability	ASTM D146	No cracks in fabric or rubberized asphalt	
Cold Flexibility	ASTM D146 32F/OC	Pass	
Roll Dimensions (Width x Length)		0.3 m x 60.9 m	1 ft x 200 ft
		0.6 m x 30.4 m	2 ft x 100 ft
		1.2 m x 15.2 m	4 ft x 50 ft
Material	Fiberglass paving mat attached to a polymer modified bitumen adhesive layer specifically engineered for asphalt overlays		

The values and tolerances given are obtained in our laboratories and in accredited testing institutions. All imperial values are approximate. The information given in this data sheet is to the best of our knowledge true and correct. However new research and practical experience can make revisions necessary. We reserve the right to make changes at any time. Statements concerning possible use of our product are not intended as recommendations for their use in the infringement of any patent. No patent warranty of any kind, expressed or implied, is made or intended.

Tensar®

Tensar International Corporation
2500 Northwinds Parkway
Suite 500
Alpharetta, GA 30009
TensarCorp.com
800-TENSAR-1

Rapid Repair™ is distributed in the United States of America, Canada and certain other countries by Tensar International Corporation (Tensar). Inasmuch as Saint-Gobain ADFORS and Tensar have no control over installation design, installation workmanship, accessory materials, or conditions of application, Saint-Gobain ADFORS and Tensar do not warrant the performance or results of any installation or use of Rapid Repair™. This warranty disclaimer includes all implied warranties, statutory or otherwise, including the warranty of merchantability and of fitness for a particular purpose.

©2016, Tensar International Corporation

Exclusive distributors in the Americas for:



RR_MPDS_GP25_06.16