



PRODUCT DATA SHEET

WINFAB® 2700HP

WINFAB® 2700HP geotextile fabric is manufactured using high tenacity polypropylene yarns that are woven to form a dimensionally stable network, which allows the yarns to maintain their relative position.

WINFAB® 2700HP geotextile fabric resists ultraviolet deterioration, rotting, and biological degradation and is inert to commonly encountered soil chemicals.



STABILIZATION



FILTRATION



SEPARATION



CONFINEMENT



REINFORCEMENT

PROPERTY	TEST METHOD	MARV ENGLISH	MARV METRIC
Tensile Strength (Grab)	ASTM D4632	295 x 250 lbs	1312 x 1112 N
Elongation (Grab)	ASTM D4632	13% x 12%	13% x 12%
CBR Puncture	ASTM D6241	1150 lbs	5115 N
Wide Width Tensile	ASTM D4595	2640 x 2460 lbs/ft	38.5 x 35.9 kN/m
Wide Width Tensile @ 2% Strain	ASTM D4595	600 x 650 lbs/ft	8.8 x 9.5 kN/m
Wide Width Tensile @ 5% Strain	ASTM D4595	1272 x 1440 lbs/ft	18.6 x 21 kN/m
UV Resistance (500 hrs)	ASTM D4355	80%	80%
Apparent Opening Size*	ASTM D4751	30 US Std. Sieve	0.60 mm
Permittivity	ASTM D4491	0.60 sec ⁻¹	0.60 sec ⁻¹
Water Flow Rate	ASTM D4491	40 gpm/ft ²	1630 lpm/m ²

*Maximum Average Roll Value

PROPERTY	TEST METHOD	TYPICAL ENGLISH	TYPICAL METRIC
Roll Dimensions	Measured	15 ft x 300 ft 17 ft x 300 ft	4.6 m x 91.5 m 5.2 m x 91.4 m
Roll Area	Measured	500 yd ² 567 yd ²	418 m ² 474 m ²

Disclaimer: WINFAB assumes no liability for the completeness or accuracy of this information or the ultimate use of this information. WINFAB disclaims any and all implied, expressed, or statutory standards, guarantees, or warranties. This includes without limitation any implied warranty as to merchantability or fitness for a particular purpose or arising from a course of dealing or usage of trade as to equipment, materials, or information furnished herewith. This document should not be construed as engineering advice. Always consult the project engineer for project specific requirements. The end user assumes sole responsibility for the use of this information and product. The information listed above are subject to change without notice.

WINFAB® &  WINFAB® are trademarks of Willacoochee Industrial Fabrics, Inc.

©2022 Willacoochee Industrial Fabrics Inc.

WINFAB | www.winfabusa.com
1 Nashville Mills Rd. Nashville GA 31639
Ph: (912) 534-5757 • Fax: (912) 534-5533

