




PRODUCT DATA SHEET

WINFAB® 3300HP

WINFAB® 3300HP geotextile fabric is manufactured using high tenacity polypropylene yarns that are woven to form a dimensionally stable network, which allows the yarns to maintain their relative position.

WINFAB® 3300HP geotextile fabric resists ultraviolet deterioration, rotting, and biological degradation and are inert to commonly encountered soil chemicals.



PROPERTY	TEST METHOD	MARV ENGLISH	MARV METRIC
Tensile Strength (Grab)	ASTM D4632	400 x 300 lbs	1,779.3 x 1,334.5 N
Elongation (Grab)	ASTM D4632	10% x 6%	10% x 6%
Trapezoidal Tear Strength	ASTM D4533	135 x 125 lbs	600.5 x 556.03 N
CBR Puncture	ASTM D6241	1,450 lbs	6,449.9 N
Wide Width Tensile	ASTM D4595	3,600 x 3,240 lbs/ft	52.5 x 47.3 kN/m
Wide Width Tensile @ 2% Strain	ASTM D4595	540 x 540 lbs/ft	7.9 x 7.9 kN/m
Wide Width Tensile @ 5% Strain	ASTM D4595	1,500 x 1,560 lbs/ft	21.9 x 22.8 kN/m
UV Resistance (500 hrs)	ASTM D4355	80%	80%
Apparent Opening Size*	ASTM D4751	30 US Std. Sieve	0.60 mm
Permittivity	ASTM D4491	0.9 sec ⁻¹	0.9 sec ⁻¹
Water Flow Rate	ASTM D4491	60 gpm/ft ²	2,444 lpm/m ²

*Maximum Average Roll Value

PROPERTY	TEST METHOD	TYPICAL ENGLISH	TYPICAL METRIC
Roll Dimensions	Measured	15 ft x 300 ft	4.6 m x 91.4 m
Roll Area	Measured	500 yd ²	418 m ²

Disclaimer: WINFAB assumes no liability for the completeness or accuracy of this information or the ultimate use of this information. WINFAB disclaims any and all implied, expressed, or statutory standards, guarantees, or warranties. This includes without limitation any implied warranty as to merchantability or fitness for a particular purpose or arising from a course of dealing or usage of trade as to equipment, materials, or information furnished herewith. This document should not be construed as engineering advice. Always consult the project engineer for project specific requirements. The end user assumes sole responsibility for the use of this information and product. The information listed above are subject to change without notice.

WINFAB® &  WINFAB® are trademarks of Willacoochee Industrial Fabrics, Inc.

©2023 Willacoochee Industrial Fabrics Inc.

WINFAB | www.winfabusa.com
1 Nashville Mills Rd. Nashville GA 31639
Ph: (912) 534-5757 • Fax: (912) 534-5533

