



WINFAB Diamondback 4031 is a fully synthetic, UV stable high performance turf reinforcement mat (HP-TRM) manufactured in the USA by weaving continuous, synthetic thread elements by way of proprietary process to form a lofty, three-dimensional pattern. **WINFAB Diamondback 4031** is resistant to environmental and climatic conditions, provides high strength, durability

and turf reinforcement performance. **WINFAB Diamondback 4031** is constructed using UV stabilized high tenacity monofilament yarns in a very consistent configuration which resists ultraviolet deterioration, rotting, biological degradation, and is inert to commonly encountered soil chemicals.

PROPERTY	TEST METHOD	ENGLISH
PHYSICAL/MECHANICAL/ENDURANCE¹		
Mass/ Unit Area	ASTM D6566	9.2 oz/yd ²
Tensile Strength ² (MD x CD)	ASTM D6818	4,000 x 3,000 lb/ft
Elongation ² (MD x CD)	ASTM D6818	25 x 20 %
Thickness ²	ASTM D6525	0.3 in
UV Stability ³	ASTM G154/ D4355/ D7238	100% (500hr) 90% (6000hr)
Color	-	Green
PERFORMANCE		
Shear Stress (Vegetated) ^{3,4}	Large Scale	17.0 lb/ft ²
Velocity (Vegetated) ^{3,4}	Large Scale	25 ft/sec
Manning's n (Unvegetated) ^{3,4,5}	Calculated	0.026 - 0.036
DIMENSIONS		
Roll Dimensions	Measured	8 x 135 ft
Roll Area	Measured	1,080 ft ²

1. The property values listed above are effective 12.10.2022 and are subject to change without notice. Values represent testing at the time of manufacturing.

2. Minimum Average Roll Value (MARV)

3. Typical Value

4. Recommended Design Values are based on results of standardized industry full-scale testing and may not be applicable for all field conditions.

5. Manning's n will vary depending on flow depth.

Disclaimer: WINFAB assumes no liability for the completeness or accuracy of this information or the ultimate use of this information. WINFAB disclaims any and all implied, expressed, or statutory standards, guarantees, or warranties. This includes without limitation any implied warranty as to merchantability or fitness for a particular purpose or arising from a course of dealing or usage of trade as to equipment, materials, or information furnished herewith. This document should not be construed as engineering advice. Always consult the project engineer for project specific requirements. The end user assumes sole responsibility for the use of this information and product. The property values listed

WINFAB | www.winfabusa.com

1 Nashville Mills Rd • Nashville, GA 31639

Ph: (912) 534-5757 • Fax: (912) 534-5533

