




REINFORCING SUCCESS

WINFAB® 1550 is manufactured using high tenacity polypropylene yarns that are woven to form a dimensionally stable network, which allows the yarns to maintain their relative position. The fabric is then needle punched with staple fiber that allows it to better conserve soil moisture.

WINFAB® 1550 resists ultraviolet deterioration, rotting, and biological degradation and is inert to commonly encountered soil chemicals.

PRODUCT DATA SHEET WINFAB 1550



PROPERTY	TEST METHOD	MARV ENGLISH	MARV METRIC
Fabric Color	-	Black	Black
Stripe Coor (Every 12 in)	-	Yellow	Yellow
Weight	ASTM D3776	5 oz/yd ²	170 g/m ²
Thickness	ASTM D1777	32 mils	0.81 mm
Tensile Strength (Grab)	ASTM D4632	125 x 70 lbs	556.03 x 311.38 N
Elongation (Grab)	ASTM D4632	12% x 12%	12% x 12%
Trapezoidal Tear Strength	ASTM D4533	50 x 30 lbs	222.4 x 133.4 N
Mullen Burst	ASTM D3786	260 psi	1,792.6 kPa
UV Resistance (500 hrs)	ASTM D4355	70%	70%
Apparent Opening Size*	ASTM D4751	40 US Std. Sieve	0.425 mm
Water Flow Rate	ASTM D4491	12 gpm/ft ²	489.6 lpm/m ²

*Maximum Typical Roll Value

PROPERTY	TEST METHOD	TYPICAL ENGLISH	TYPICAL METRIC
Roll Dimensions	Measured	3 ft x 250 ft 4 ft x 250 ft 6 ft x 250 ft 12 ft x 250 ft	0.914 m x 76.2 m 1.22 m x 76.2 m 1.83 m x 76.2 m 3.66 m x 76.2 m

Disclaimer: WINFAB assumes no liability for the completeness or accuracy of this information or the ultimate use of this information. WINFAB disclaims any and all implied, expressed, or statutory standards, guarantees, or warranties. This includes without limitation any implied warranty as to merchantability or fitness for a particular purpose or arising from a course of dealing or usage of trade as to equipment, materials, or information furnished herewith. This document should not be construed as engineering advice. Always consult the project engineer for project specific requirements. The end user assumes sole responsibility for the use of this information and product. The property values listed above are subject to change without notice.

WINFAB® &  are trademarks of Willacoochee Industrial Fabrics, Inc.

©2021 Willacoochee Industrial Fabrics Inc.

WINFAB | www.winfabusa.com
1 Nashville Mills Rd. Nashville GA 31639
Ph: (912) 534-5757 • Fax: (912) 534-5533

