

| Part #    | Name                                | Process       | Qty |
|-----------|-------------------------------------|---------------|-----|
| A1        | Frame                               | Assemble      | 1   |
| A1-3D1    | Frame Endcap                        | 3D Print      | 16  |
| A1-3D2    | Specialty Corner Bracket            | 3D Print      | 66  |
| A1-LAS2   | Cover Panel A                       | Lasercut      | 1   |
| A1-LAS3   | Cover Panel B                       | Lasercut      | 1   |
| A1-LAS4   | Cover Panel C                       | Lasercut      | 1   |
| A1-P1     | 19in 1x1 Aluminum Tube              | Saw           | 8   |
| A1-P2     | 27in 1x1 Aluminum Tube              | Saw           | 4   |
| A1-P3     | 4in 1x1 Aluminum Tube               | Saw           | 12  |
| A1-P4     | 9in 1x1 Aluminum Tube               | Saw           | 8   |
| A1-P5     | Belly Pan                           | Waterjet      | 1   |
| A1-SA1    | Roller Assembly                     | Assemble      | 8   |
| A1-SA1-P1 | Bearing Plate                       | Waterjet+Mill | 1   |
| PC1       | Roller                              | Purchased     | 1   |
| PC5       | 8-32 Thin Locknut                   | Purchased     | 2   |
| PC8       | 8-32x0.5 BH Screw                   | Purchased     | 2   |
| A1-SA2    | Fan Panel Assembly                  | Assemble      | 1   |
| A1-LAS1   | Cover Fan Panel                     | Lasercut      | 1   |
| PC5       | 8-32 Thin Locknut                   | Purchased     | 6   |
| PC6       | IEC320-C14                          | Purchased     | 1   |
| PC7       | Fan                                 | Purchased     | 1   |
| PC8       | 8-32x0.5 BH Screw                   | Purchased     | 6   |
| PC10      | 5-32 Rivet (Pulled)                 | Purchased     | 164 |
| PC11      | 5-32 Long Rivet (Pulled)            | Purchased     | 72  |
| PC2       | 0.25-20x1.75 BH Screw               | Purchased     | 16  |
| PC3       | 0.25-20 Locknut                     | Purchased     | 16  |
| PC41      | 500 Round Flanged Bearing           | Purchased     | 5   |
| A1-3D4    | Corner Cover                        | 3D Print      | 4   |
| A1-3D3    | Foot                                | 3D Print      | 4   |
| A2        | Arm Assembly                        | Assemble      | 4   |
| A2-SA1    | Arm Base                            | Assemble      | 1   |
| PC12      | LMDCE421 NEMA 17 Integrated Stepper | Purchased     | 1   |
| PC13      | M3x8mm BH Screw                     | Purchased     | 4   |
| PC14      | 8-32x0.75 BH Screw                  | Purchased     | 4   |
| PC15      | 60T-65T HTD Timing Belt (5mm pitch) | Purchased     | 1   |

|           |                                     |           |    |
|-----------|-------------------------------------|-----------|----|
| PC16      | 6-32x0.5 SHC Screw                  | Purchased | 2  |
| PC17      | 500 Hex Flanged Bearing             | Purchased | 2  |
| PC19      | 15T 5mm HTD Timing Pulley           | Purchased | 1  |
| PC20      | 30T x 9mm Wide Pulley (HTD 5mm, 500 | Purchased | 1  |
| PC5       | 8-32 Thin Locknut                   | Purchased | 4  |
| PC8       | 8-32x0.5 BH Screw                   | Purchased | 4  |
| A2-SA1-P1 | Arm Base Plate                      | Waterjet  | 1  |
| A2-SA1-P2 | Arm Extension Plate                 | Waterjet  | 1  |
| A2-SA1-P3 | Arm Extension Spacer                | Turn      | 4  |
| A2-SA1-P5 | Arm Shaft                           | Turn      | 1  |
| A2-SA1-P6 | Arm Motor Tension Plate             | Waterjet  | 1  |
| A2-SA2    | Arm Gantry                          | Assemble  | 1  |
| PC13      | M3x8mm BH Screw                     | Purchased | 4  |
| PC14      | 8-32x0.75 BH Screw                  | Purchased | 7  |
| PC16      | 6-32x0.5 SHC Screw                  | Purchased | 4  |
| PC18      | 3in Turntable                       | Purchased | 1  |
| PC23      | 17HS13-0404S1                       | Purchased | 1  |
| PC24      | 0.5in Hex Bore Aluminum VersaHub    | Purchased | 1  |
| PC25      | 1in Bearing Pad for T-Slot Frame    | Purchased | 3  |
| PC26      | 2GT-pulley_Standard                 | Purchased | 1  |
| PC28      | 8-32x0.375 BH Screw                 | Purchased | 6  |
| PC29      | 8-32x0.375 PH Screw                 | Purchased | 6  |
| PC31      | M3x22mm BH Screw                    | Purchased | 2  |
| PC32      | M3 Thin Locknut                     | Purchased | 2  |
| PC33      | Small_Flanged_bearing               | Purchased | 4  |
| PC34      | Switch SV-166-1C25                  | Purchased | 1  |
| PC4       | 8-32x2 BH Screw                     | Purchased | 2  |
| PC52      | 8-32x1.25 BH Screw                  | Purchased | 2  |
| PC57      | M4x50mm SHC Screw                   | Purchased | 2  |
| PC59      | M4 Locknut                          | Purchased | 2  |
| PC5       | 8-32 Thin Locknut                   | Purchased | 10 |
| PC8       | 8-32x0.5 BH Screw                   | Purchased | 5  |
| A2-SA2-P1 | Gantry Bottom Plate                 | Waterjet  | 1  |
| A2-SA2-P2 | Gantry Left Plate                   | Waterjet  | 1  |
| A2-SA3-P3 | Gantry Right Plate                  | Waterjet  | 1  |
| A2-SA2-P4 | Gantry Top Plate                    | Waterjet  | 1  |

|                |                              |           |   |
|----------------|------------------------------|-----------|---|
| A2-SA2-P5      | Gantry Motor Buffer Plate    | Waterjet  | 1 |
| A2-SA2-P6      | Gantry Motor Buffer Standoff | Turn      | 6 |
| A2-SA2-P7      | Gantry Standoff              | Turn      | 2 |
| A2-SA2-P8      | Gantry Belt Pulley Standoff  | Turn      | 2 |
| A2-SA2-P9      | Gantry Right Bracket         | Mill      | 1 |
| A2-SA2-P10     | Gantry Left Bracket          | Mill      | 1 |
| A2-SA2-3D1     | Arm Cover                    | 3D Print  | 1 |
| A2-SA2-3D2     | Arm Cover Filler Piece       | 3D Print  | 1 |
| A2-SA3         | End Effector                 | Assemble  | 1 |
| A2-SA3-3D1     | EM Coil Cap                  | 3D Print  | 1 |
| A2-SA3-3D2     | EM Coil Cap Top              | 3D Print  | 1 |
| A2-SA3-3D3     | EM Coil Wrap                 | 3D Print  | 1 |
| A2-SA3-3D6     | EM Pulley Holder             | 3D Print  | 1 |
| A2-SA3-SA1     | Tensioner                    | Assemble  | 1 |
| A2-SA3-SA1-3D1 | Tensioner Outer Block        | 3D Print  | 1 |
| A2-SA3-SA1-3D2 | Tensioner Inner Block        | 3D Print  | 1 |
| A2-SA3-SA1-3D3 | Tensioner Side Plate         | 3D Print  | 2 |
| A2-SA3-3D8     | End Effector Support L       | 3D Print  | 1 |
| A2-SA3-3D9     | End Effector Support R       | 3D Print  | 1 |
| A2-SA3-3D10    | Magnet Holder                | 3D Print  | 1 |
| A2-SA3-3D11    | Pen Capsule                  | 3D Print  | 1 |
| A2-SA3-P1      | EM Hollow Iron Core          | Turn      | 1 |
| PC32           | M3 Thin Locknut              | Purchased | 4 |
| PC33           | Small_Flanged_bearing        | Purchased | 2 |
| PC45           | Shortened Pen                | Purchased | 1 |
| PC46           | 1x1x18 Aluminum Extrusion    | Purchased | 1 |
| PC47           | 4-40x0.375 BH Screw          | Purchased | 8 |
| PC48           | 4-40 Hex Nut                 | Purchased | 4 |
| PC49           | 10-24x0.5 BH Screw           | Purchased | 2 |
| PC51           | 5mmx3mm Magnet (AMAZON)      | Purchased | 2 |
| PC55           | M3x35mm SHC Screw            | Purchased | 4 |
| PC57           | M4x50mm SHC Screw            | Purchased | 1 |
| PC59           | M4 Locknut                   | Purchased | 1 |
| PC8            | 8-32x0.5 BH Screw            | Purchased | 4 |
| PC71           | LM20UU Linear Bearing        | Purchased | 1 |
| A3             | Canvas Assembly              | Assemble  | 1 |

|             |                                       |           |    |
|-------------|---------------------------------------|-----------|----|
| A3-SA1      | Canvas Base                           | Assemble  | 1  |
| PC14        | 8-32x0.75 BH Screw                    | Purchased | 10 |
| PC19        | 15T 5mm HTD Timing Pulley (StandIn)   | Purchased | 1  |
| PC20        | 30T x 9mm Wide Pulley (HTD 5mm, 500   | Purchased | 1  |
| PC50        | NEMA 23 Integrated Stepper Motor      | Purchased | 1  |
| PC5         | 8-32 Thin Locknut                     | Purchased | 8  |
| PC60        | .500 Hex High Strength Clamping Shaft | Purchased | 2  |
| PC61        | 500 Hex ID 1.125 OD Flanged Bearing   | Purchased | 2  |
| A3-SA1-P1   | Canvas Axle                           | Turn      | 1  |
| A3-SA1-P2   | Canvas Turntable Mount Plate          | Waterjet  | 1  |
| A3-SA1-P3   | Canvas Motor Mount Plate              | Waterjet  | 1  |
| A3-SA1-P4   | Canvas Motor Tension Plate            | Waterjet  | 1  |
| A3-SA2      | Canvas Top                            | Assemble  | 1  |
| A3-SA2-LAS1 | 0.25in Acrylic Canvas Mount           | Lasercut  | 1  |
| A3-SA2-P1   | 0.625in Steel Canvas                  | Waterjet  | 1  |
| PC24        | 0.5in Hex Bore Aluminum VersaHub      | Purchased | 1  |
| PC28        | 8-32x0.375 BH Screw                   | Purchased | 6  |
| PC43        | 6in Turntable                         | Purchased | 1  |
| PC5         | 8-32 Thin Locknut                     | Purchased | 6  |
| PC2         | 0.25-20x1.75 BH Screw                 | Purchased | 4  |
| PC3         | 0.25-20 Locknut                       | Purchased | 4  |
| A3-P1       | Canvas Turntable Extension Standoff   | Turn      | 4  |
| PC14        | 8-32x0.75 BH Screw                    | Purchased | 12 |
| PC2         | 0.25-20x1.75 BH Screw                 | Purchased | 24 |
| PC3         | 0.25-20 Locknut                       | Purchased | 24 |
| PC44        | M2.5 Locknut                          | Purchased | 26 |
| PC4         | 8-32x2 BH Screw                       | Purchased | 12 |
| PC56        | M2.5x20mm SHC Screw                   | Purchased | 26 |
| PC5         | 8-32 Thin Locknut                     | Purchased | 24 |
| A2-SA1-P4   | Arm Base Spacer                       | Turn      | 24 |
| PC64        | DM542T(V4.0)                          | Purchased | 4  |
| PC63        | Dummy Fuse Module                     | Purchased | 1  |
| PC62        | Power Supply                          | Purchased | 1  |
| PC69        | TP-Link TL-SG108                      | Purchased | 1  |
| A4-SA3      | Encoder Assembly                      | Assemble  | 2  |
| PC44        | M2.5 Locknut                          | Purchased | 4  |

|            |                       |           |   |
|------------|-----------------------|-----------|---|
| PC54       | M2.5x10mm SHC Screw   | Purchased | 4 |
| A4-SA3-3D1 | Encoder Mount         | Assemble  | 1 |
| PC67       | L298N Motor Driver    | Purchased | 1 |
| A4-SA1     | Raspberry Pi Assembly | Assemble  | 1 |
| A4-SA1-3D1 | Raspberry Pi Case     | 3D Print  | 1 |
| PC65       | RaspberryPi5          | Purchased | 1 |
| A4-SA2     | Pi Hat Assembly       | Assemble  | 1 |
| A4-SA2-3D1 | Pi Hat Case           | 3D Print  | 1 |
| PC66       | Pi Hat                | Purchased | 1 |

| Part Number                           | Process         | Total QTY | Drawing?                            | Mastercam,               |                          |  | In Stock?                |
|---------------------------------------|-----------------|-----------|-------------------------------------|--------------------------|--------------------------|--|--------------------------|
|                                       |                 |           |                                     | STL, or DXF?             | Ordered?                 |  |                          |
| (A1) - Frame                          | Assemble        | 1         | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-3D1) - Frame Endcap               | 3D Print        | 16        | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-3D2) - Specialty Corner Bracket   | 3D Print        | 66        | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-3D3) - Foot                       | 3D Print        | 4         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-3D4) - Corner Cover               | 3D Print        | 4         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-LAS1) - Fan Panel                 | Lasercut        | 1         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-LAS2) - Cover Panel A             | Lasercut        | 1         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-LAS3) - Cover Panel B             | Lasercut        | 1         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-LAS4) - Cover Panel C             | Lasercut        | 1         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-P1) - 19in 1x1 Aluminum Tube      | Saw             | 8         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-P2) - 27in 1x1 Aluminum Tube      | Saw             | 4         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-P3) - 4in 1x1 Aluminum Tube       | Saw             | 12        | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-P4) - 9in 1x1 Aluminum Tube       | Saw             | 8         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-P5) - Belly Pan                   | Waterjet        | 1         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-SA1) - Roller Assembly            | Assemble        | 8         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-SA1-P1) - Bearing Plate           | Waterjet + Mill | 8         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A1-SA2) - Fan Panel Assembly         | Assemble        | 1         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A2) - Arms                           | Assemble        | 4         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A2-SA1) - Arm Base                   | Assemble        | 4         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A2-SA1-P1) - Arm Base Plate          | Waterjet        | 4         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A2-SA1-P2) - Arm Extension Plate     | Waterjet        | 4         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A2-SA1-P3) - Arm Extension Spacer    | Turn            | 16        | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A2-SA1-P4) - Arm Base Spacer         | Turn            | 24        | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A2-SA1-P5) - Arm Shaft               | Turn            | 4         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |
| (A2-SA1-P6) - Arm Motor Tension Plate | Waterjet        | 4         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |  | <input type="checkbox"/> |

|                                               |          |    |                                     |                          |                          |                          |
|-----------------------------------------------|----------|----|-------------------------------------|--------------------------|--------------------------|--------------------------|
| (A2-SA2) - Arm Gantry                         | Assemble | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA2-3D1) - Gantry Cover                   | 3D Print | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA2-3D2) - Gantry Cover Filler Piece      | 3D Print | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA2-P1) - Gantry Bottom Plate             | Waterjet | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA2-P10) - Gantry Left Bracket            | Mill     | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA2-P2) - Gantry Left Plate               | Waterjet | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA2-P3) - Gantry Right Plate              | Waterjet | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA2-P4) - Gantry Top Plate                | Waterjet | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA2-P5) - Gantry Motor Buffer Plate       | Waterjet | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA2-P6) - Gantry Motor Buffer Standoff    | Turn     | 24 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA2-P7) - Gantry Standoff                 | Turn     | 8  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA2-P8) - Gantry Belt Pulley Standoff     | Turn     | 8  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA2-P9) - Gantry Right Bracket            | Mill     | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA3) - Arm End Effector                   | Assemble | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA3-3D1) - EM Coil Cap                    | 3D Print | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA3-3D2) - EM Coil Cap Top                | 3D Print | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA3-3D3) - EM Coil Wrap                   | 3D Print | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA3-3D6) - EM Pulley Holder               | 3D Print | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA3-SA1) - Tensioner                      | Assemble | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA3-SA1-3D1) - Tensioner Outer Block      | 3D Print | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA3-SA1-3D2) - Tensioner Inner Block      | 3D Print | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA3-SA1-3D3) - Tensioner Side Plate       | 3D Print | 8  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA3-3D8) - End Effector Support L         | 3D Print | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA3-3D9) - End Effector Support R         | 3D Print | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA3-3D10) - Magnet Holder                 | 3D Print | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA3-3D11) - Pen Capsule                   | 3D Print | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A2-SA3-P1) - EM Hollow Iron Core             | Turn     | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A3) - Canvas                                 | Assemble | 1  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A3-P1) - Canvas Turntable Extension Standoff | Turn     | 4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

|                                                               |           |     |                                     |                          |                          |                          |
|---------------------------------------------------------------|-----------|-----|-------------------------------------|--------------------------|--------------------------|--------------------------|
| (A3-SA1) - Canvas Base                                        | Assemble  | 1   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A3-SA1-P1) - Canvas Axle                                     | Turn      | 1   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A3-SA1-P2) - Canvas Turntable Mount Plate                    | Waterjet  | 1   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A3-SA1-P3) - Canvas Motor Mount Plate                        | Waterjet  | 1   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A3-SA1-P4) - Canvas Motor Tension Plate                      | Waterjet  | 1   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A3-SA2) - Canvas Top                                         | Assemble  | 1   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A3-SA2-LAS1) - 0.25in Acrylic Canvas Mount                   | Lasercut  | 1   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A4-SA3) - Encoder Assembly                                   | Assemble  | 2   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (A4-SA3-3D1) - Encoder Mount                                  | 3D Print  | 2   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC1_MC5674K1) - Roller                                       | Purchased | 8   | <input checked="" type="checkbox"/> | N/A                      | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC10_MC97447A040) - 5-32 Rivet                               | Purchased | 164 | <input checked="" type="checkbox"/> | N/A                      | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC11_MC97447A041) - 5-32 Long Rivet                          | Purchased | 72  | <input checked="" type="checkbox"/> | N/A                      | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC12) - LMDCE421 NEMA 17 Integratted Stepper Motor (NOVANTA) | Purchased | 4   | N/A                                 | N/A                      | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC13_MC92095A181) - M3x8mm BH Screw                          | Purchased | 32  | <input checked="" type="checkbox"/> | N/A                      | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC14_MC92949A197) - 8-32x0.75 BH Screw                       | Purchased | 66  | <input checked="" type="checkbox"/> | N/A                      | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC15_AM-5209) - 60T-65T HTD Timing Belt (5mm pitch)          | Purchased | 4   | N/A                                 | N/A                      | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC16_MC92196A148) - 6-32x0.5 SHC Screw                       | Purchased | 24  | <input checked="" type="checkbox"/> | N/A                      | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC17_AM-2986) - 500 Hex Flanged Bearing                      | Purchased | 8   | N/A                                 | N/A                      | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC18_MC6031K16) - 3in Turntable                              | Purchased | 4   | <input checked="" type="checkbox"/> | N/A                      | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC19) - 15T 5mm HTD Timing Pulley (StandIn)                  | Purchased | 5   | N/A                                 | N/A                      | <input type="checkbox"/> | <input type="checkbox"/> |



|                                                           |           |    |                                     |     |                          |                          |
|-----------------------------------------------------------|-----------|----|-------------------------------------|-----|--------------------------|--------------------------|
| (PC2_MC92949A548) - 0.25-20x1.75 BH Screw                 | Purchased | 44 | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC20_MC5454N13) 30T x 9mm Wide Pulley (HTD 5mm, 500 Hex) | Purchased | 5  | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC23_17HS13-0404S1) - Linear Arm Stepper                 | Purchased | 4  | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC24_217-2592) - 0.5in Hex Bore Aluminum VersaHub        | Purchased | 5  | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC25_MC47065T774) - 1in Bearing Pad for T-Slot Frame     | Purchased | 12 | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC26) - 2GT-pulley_Standard                              | Purchased | 4  | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC28_MC92949A192) - 8-32x0.375 BH Screw                  | Purchased | 30 | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC29_MC92210A192) - 8-32x0.375 PH Screw                  | Purchased | 24 | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC3_MC90630A110) - 0.25-20 Locknut                       | Purchased | 44 | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC31_MC92095A473) - M3x22mm BH Screw                     | Purchased | 8  | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC32_MC90453A111) - M3 Locknut                           | Purchased | 24 | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC33) - Small_Flanged_bearing                            | Purchased | 24 | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC34) - Switch SV-166-1C25                               | Purchased | 4  | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC4_MC92949A207) - 8-32x2 BH Screw                       | Purchased | 20 | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC41_AM-0030) - 500 Round Flanged Bearing                | Purchased | 5  | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC43_MC6031K18) - 6in Turntable                          | Purchased | 1  | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC44_MC90576A161) - M2.5 Locknut                         | Purchased | 34 | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |

|                                                               |           |     |                                     |     |                          |                          |
|---------------------------------------------------------------|-----------|-----|-------------------------------------|-----|--------------------------|--------------------------|
| (PC45) - Pen                                                  | Purchased | 4   | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC46_MC47065T801) - 1x1x18 Aluminum Extrusion                | Purchased | 4   | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC47_MC92949A108) - 4-40 0.375 BH Hex Drive Screw            | Purchased | 32  | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC48_MC90480A005) - 4-40 Hex Nut                             | Purchased | 16  | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC49_MC92949A242) - 10-24x0.5 BH Hex Drive Screw             | Purchased | 8   | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC5_MC90633A009) - 8-32 Locknut                              | Purchased | 116 | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC50_LMDCE571) - NEMA 23 Integrated Stepper Motor (NOVANTA)  | Purchased | 1   | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC51) - 5mmx3mm Magnet                                       | Purchased | 12  | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC52_MC92949A201) - 8-32x1.25 BH Screw                       | Purchased | 8   | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC54_MC91290A103) - M2.5x10mm SHC Screw                      | Purchased | 8   | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC55_MC91290A135) - M3x35mm SHC Screw                        | Purchased | 16  | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC56_MC91290A108) - M2.5x20mm SHC Screw                      | Purchased | 26  | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC57_91290A193) - M4x50mm SHC Screw                          | Purchased | 12  | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC59_90453A112) - M4 Locknut                                 | Purchased | 12  | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC6) - IEC320-C14                                            | Purchased | 1   | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC60_217-2737) - 500 Hex High Strength Clamping Shaft Collar | Purchased | 2   | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC61) - 500 Hex ID 1.125 OD Flanged Bearing                  | Purchased | 2   | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |

|                                       |           |    |                                     |     |                          |                          |
|---------------------------------------|-----------|----|-------------------------------------|-----|--------------------------|--------------------------|
| (PC62) - Power Supply                 | Purchased | 1  | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC63) - Fuse Module                  | Purchased | 1  | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC64) - DM542T(V4.0)                 | Purchased | 4  | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC65) - Raspberry Pi 5               | Purchased | 1  | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC66) - Pi Hat                       | Purchased | 1  | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC67) - L298N Motor Driver           | Purchased | 2  | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC69) - TP Link TL-SG108             | Purchased | 1  | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC7) - Fan                           | Purchased | 1  | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC70) - 0.625in Steel Canvas         | Purchased | 1  | N/A                                 | N/A | <input type="checkbox"/> | <input type="checkbox"/> |
| (PC8_MC92949A194) - 8-32x0.5 BH Screw | Purchased | 74 | <input checked="" type="checkbox"/> | N/A | <input type="checkbox"/> | <input type="checkbox"/> |