



*Las páginas contienen parches de prueba con características esenciales de PDF/X-4 (ISO 15930-7).
Los errores se identifican con una cruz o con una desviación de las imágenes de referencia integradas.*

Las páginas de prueba personalizadas son necesarias para la certificación de conformidad de Ghent PDF Output Suite 5.0!!!

GWG 23.0 - 4 different Grays

DeviceGray DeviceCMYK Separation DeviceN

25% 0/0/0/75 75 75

Rendering Intent: Relative Colorimetric with Black Point Compensation
Output Intent: ISO Coated v2 300% (ECI)

If an **X** (or half of an **X**) appears, the defined color space is treated differently than DeviceCMYK

12 Apr 2016 Ghent PDF Workgroup © www.gwg.org 23.0

GWG 13.0 - ICC Source Profile

RGB Vector RGB Image CMYK Vector CMYK Image

a b c d

Rendering Intent: Perceptual
Output Intent: ISO Coated v2 300% (ECI)

If a red **X** appears, then the Source ICC Profile is not respected.
In as a faint green **X** is shown, the rendering intent is not respected.

03 Mai 2016 Ghent PDF Workgroup © www.gwg.org **PDF/X-4-ICC** 13.0

GWG 13.2 - ICC based CMYK Overprint

ICCbasedCMYK white ICCbasedCMYK green

ICCbasedCMYK objects must never overprint other CMYK objects, despite Overprint is enabled

In case of an **X**, the CMYK color was converted while preserving the Overprint Mode

02 Mai 2016 Ghent PDF Workgroup © www.gwg.org **PDF/X-4-ICC** 13.2

GWG 13.3 - ICC based RGB Overprint

ICCbasedRGB white ICCbasedRGB green

ICCbasedRGB objects must never overprint other CMYK objects, despite Overprint is enabled and Overprint Mode is 1

In case of an **X**, the RGB color was converted to CMYK while preserving the Overprint Mode

27 Apr 2016 Ghent PDF Workgroup © www.gwg.org **PDF/X-4-ICC** 13.3

GWG 16.1 - Transparency Basic Blend Modes (ICCbasedRGB)

Darken Multiply Color Burn Lighten Screen Color Dodge Overlay Soft Light

Hard Light Difference Exclusion Hue Saturation Color Luminosity Opacity (0%)

PDF/X output intent ISO coated v2 300% (ECI)
Page group blending color space DeviceCMYK
Upper object ICCbasedRGB (sRGB)
Lower object ICCbasedRGB (sRGB)
Rendering intent Saturation
All group color spaces DeviceCMYK
All groups Non isolated, non knockout

A faint **X** is due to differences in the CM and does not indicate a failure.

A clearly visible **X** indicates that this blend mode is not supported properly which is a failure.

14 July 2016 © Ghent Workgroup, www.gwg.org **PDF/X-4-ICC** 16.1

GWG 16.4 - Transparency Basic Blend Modes (ICCBasedCMYK)

Darken Multiply Color Burn Lighten Screen Color Dodge Overlay Soft Light

Hard Light Difference Exclusion Hue Saturation Color Luminosity Opacity (0%)

If an **X** appears, rendering of Non-knockout Transparency Groups (a transparency effect) is not performed correctly.

PDF/X Output Intent	ISO Coated v2 300% (ECI)
Page Level TBCS*	Non Knockout (Blend Mode Normal), TBCS*: DeviceCMYK
Upper (object): Type, TBCS*	ICCbased CMYK (FOGRA39), using defined Blend Mode
Lower (object): Type, TBCS*	DeviceCMYK

* TBCS = Transparency Blending Color Space

15 Oct 2015 © Ghent Workgroup, www.gwg.org **PDF/X-4-ICC** 16.4

GWG 16.7 – Image Softmasks (ICCBasedRGB)

Actual test object Reference Image

If a solid black contour appears at the edges of the left image, the Image Softmask (a transparency effect) is not rendered correctly.

19 Mar 2012 © Ghent Workgroup, www.gwg.org **PDF/X-4-ICC** 16.7

GWG 17.2 - JPEG2000 compression (ICCBasedRGB)

No **X** must be visible when rendered correctly.


11 Nov 2015 © Ghent Workgroup, www.gwg.org **PDF/X-4-ICC** 17.2



*Le pagine contengono patch di prova con caratteristiche essenziali di PDF/X-4 (ISO 15930-7).
Gli errori sono identificati da una croce o da una deviazione dalle immagini di riferimento integrate.*

Le pagine di prova personalizzate sono necessarie per la certificazione di conformità di Ghent PDF Output Suite 5.0!!!

GWG 18.3 - 16Bit Image (DeviceGray)



Colorspace: DeviceGray
Reference image (cross): 8Bit, ZIP
Test image: 16 Bit, ZIP

No **X** must be visible when rendered correctly.

12 Nov 2015 **PDF/X-4** © Ghent Workgroup, www.gwg.org 18.3

GWG 18.2 - 16Bit Image (ICCbasedGray)



Profile: Schwarze Druckfarbe - ISO Coated v2 (ECI)
Reference image (cross): 8Bit, ZIP
Test image: 16 Bit, ZIP

No **X** must be visible when rendered correctly.

8 Feb 2016 © Ghent Workgroup, www.gwg.org **PDF/X-4-ICC** 18.2

GWG 18.4 - 16Bit Image (ICCbasedCMYK)



Profile: ISO Coated V2 (ECI)
Reference image (cross): 8Bit, ZIP
Test image: 16 Bit, ZIP

No **X** must be visible when rendered correctly.

12 Nov 2015 © Ghent Workgroup, www.gwg.org **PDF/X-4-ICC** 18.4

GWG 18.0 - 16Bit Image (ICCbasedRGB)



Profile: eciRGB v2
Reference image (cross): 8Bit, ZIP
Test image: 16 Bit, ZIP

No **X** must be visible when rendered correctly.

12 Nov 2015 © Ghent Workgroup, www.gwg.org **PDF/X-4-ICC** 18.0

GWG 20.5 – CMYK Image with ICC V4 profile

CMYK image with ICC V4 profile
Output intent has an ICC V2 profile




If a red cross appears instead of the image or the image turns negative the ICC V4 profile is not supported by this viewer/output workflow.
There might be other effects if the ICC V4 profile is not supported properly.

27 November 2015 © Ghent Workgroup, www.gwg.org **PDF/X-4-ICC** 20.5

GWG 20.6 – RGB Image with ICC V4 profile

RGB image with ICC V4 profile
Output intent has an ICC V2 profile



If a red cross appears instead of the image or the image turns negative the ICC V4 profile is not supported by this viewer/output workflow.
There might be other effects if the ICC V4 profile is not supported properly.

27 November 2015 © Ghent Workgroup, www.gwg.org **PDF/X-4-ICC** 20.6

GWG 22.0 – Color Conversion Indicator



If an **X** is visible a color conversion or an ink saving operation have been applied to the PDF.
Certain transparency blend modes (e.g. Hard Light) can deliver a completely different result after a color conversion.

14 Oct 2015 **PDF/X-4** © Ghent Workgroup, www.gwg.org 22.0

GWG 22.1 – OutPutIntent Change Indicator



If an **X** is visible the Output Intent of the PDF (ISO Coated v2 300% (ECI)) has been changed.

23 Dec 2016 © Ghent Workgroup, www.gwg.org **PDF/X-4-ICC** 22.1