

NUMERICAL COMPUTATIONS FOR AN EFFECTIVE MODEL OF TWISTED BILAYER GRAPHENE

ÉRIC CANCÈS, DAVID GONTIER AND LOUIS GARRIGUE

1. STANDARD MONOLAYER

We recall that

$$a_1 = a \begin{pmatrix} \frac{\sqrt{3}}{2} \\ \frac{1}{2} \end{pmatrix}, \quad a_2 = a \begin{pmatrix} \frac{\sqrt{3}}{2} \\ -\frac{1}{2} \end{pmatrix}, \quad a_1^* = \frac{2\pi}{a} \begin{pmatrix} \frac{1}{\sqrt{3}} \\ 1 \end{pmatrix}, \quad a_2^* = \frac{2\pi}{a} \begin{pmatrix} \frac{1}{\sqrt{3}} \\ -1 \end{pmatrix}$$

In reduced coordinates, with

$$\mathcal{M} : \mathbb{T}^2 \simeq [0, 1]^2 \rightarrow \Omega,$$

$$\mathcal{M} := \frac{a}{2} \begin{pmatrix} \sqrt{3} & \sqrt{3} \\ 1 & -1 \end{pmatrix} = (a_1 \quad a_2), \quad \mathcal{M}^{-1} = \frac{1}{a} \begin{pmatrix} \frac{1}{\sqrt{3}} & 1 \\ \frac{1}{\sqrt{3}} & -1 \end{pmatrix}$$

and

$$2\pi (\mathcal{M}^{-1})^* = (a_1^* \quad a_2^*) = \frac{2\pi}{a} \begin{pmatrix} \frac{1}{\sqrt{3}} & \frac{1}{\sqrt{3}} \\ 1 & -1 \end{pmatrix} =: S$$

1.1. Fourier conventions. We will manipulate functions which are Ω -periodic in \mathbf{x} , but not in z , our Fourier transform conventions will be

$$(\mathcal{F}f)_G(k_z) := \frac{1}{2\pi |\Omega|} \int_{\Omega \times \mathbb{R}} e^{-i(k\mathbf{x} + k_z z)} f(\mathbf{x}, z) d\mathbf{x} dz$$

hence any function can be decomposed as

$$f(\mathbf{x}, z) = \sum_{\mathbf{G} \in \mathbf{*}} \int_{\mathbb{R}} e^{i(\mathbf{G}\mathbf{x} + k_z z)} f_{\mathbf{G}}(k_z) dk_z$$

We also recall that $\int_{\mathbb{R}} e^{ipz} dz = 2\pi \delta(p)$.

Now we consider that f and g are L -periodic in z ,

$$f(\mathbf{x}, z) = \sum_{\mathbf{G}, G_z} e^{i(\mathbf{G}\mathbf{x} + G_z z)} \widehat{f}_{\mathbf{G}, G_z}$$

or, in reduced coordinates,

$$f(\mathbf{x}, z) = \sum_{\substack{\mathbf{m} \in \mathbb{Z}^2 \\ m_z \in \mathbb{Z}}} e^{i(\mathbf{m}\mathbf{a}^* \cdot \mathbf{x} + m_z \frac{2\pi}{L} z)} \widehat{f}_{\mathbf{m}, m_z}$$

(1)

We define the scalar product

$$\langle f, g \rangle := \int_{\Omega \times [0, L]} \overline{f} g$$

and compute Plancherel's formula

$$\langle f, g \rangle = L |\Omega| \sum_{\substack{\mathbf{m} \in \mathbb{Z}^2 \\ m_z \in \mathbb{Z}}} \overline{\widehat{f}_{\mathbf{m}, m_z}} \widehat{g}_{\mathbf{m}, m_z}. \quad (2)$$

Hence, as a verification, we test that the normalization of the \widehat{u}_j 's is the right one by checking that $\|u_j\|_{L^2}^2 = 1$ via (2).

1.2. Rotation action. We know that $R_{\frac{2\pi}{3}}(ma^*) = \left(R_{\frac{2\pi}{3}}^{\text{red}} m\right) a^*$ where

$$R_{\frac{2\pi}{3}}^{\text{red}} = S^{-1} R_{\frac{2\pi}{3}} S = \mathcal{M}^* R_{\frac{2\pi}{3}} (\mathcal{M}^*)^{-1} = \begin{pmatrix} -1 & 1 \\ -1 & 0 \end{pmatrix}, \quad R_{-\frac{2\pi}{3}}^{\text{red}} = \begin{pmatrix} 0 & -1 \\ 1 & -1 \end{pmatrix}$$

and

$$\mathcal{R}_{\frac{2\pi}{3}} f(x) = \sum_m f_m e^{i \left(R_{\frac{2\pi}{3}}^{\text{red}} m\right) a^* \cdot x} = \sum_m f_{R_{\frac{2\pi}{3}}^{\text{red}} m} e^{i m a^* \cdot x}$$

2. COMPUTATION OF V_{int}

For $\mathbf{s} \in \Omega := [0, 1] \mathbf{a}_1 + [0, 1] \mathbf{a}_2$, we denote by $V_{\mathbf{s}}^{(2)}$ the true Kohn-Sham mean-field potential for the configuration where the two sheets are aligned (no angle), but with the upper one shifted by a vector \mathbf{s} . We set

$$\begin{aligned} V_{\text{int}, \mathbf{s}}(z) &:= \frac{1}{|\Omega|} \int_{\Omega} \left(V_{\mathbf{s}}^{(2)}(\mathbf{x}, z) - V(\mathbf{x}, z + \frac{d}{2}) - V(\mathbf{x} - \mathbf{s}, z - \frac{d}{2}) \right) d\mathbf{x} \\ &= \frac{1}{|\Omega|} \sum_{\substack{\mathbf{m} \in \mathbb{Z}^2 \\ m_z \in \mathbb{Z}}} \int_{\Omega} e^{i(\mathbf{m} \mathbf{a}^* \cdot \mathbf{x} + m_z \frac{2\pi}{L} z)} \\ &\quad \times \left(\widehat{\left(V_{\mathbf{s}}^{(2)} \right)}_{\mathbf{m}, m_z} - \widehat{V}_{\mathbf{m}, m_z} e^{i m_z \frac{2\pi}{L} \frac{d}{2}} - \widehat{V}_{\mathbf{m}, m_z} e^{-i(\mathbf{m} \mathbf{a}^* \cdot \mathbf{s} + m_z \frac{2\pi}{L} \frac{d}{2})} \right) d\mathbf{x} \\ &= \sum_{m_z \in \mathbb{Z}} e^{i m_z \frac{2\pi}{L} z} \left(\widehat{\left(V_{\mathbf{s}}^{(2)} \right)}_{0, m_z} - 2 \widehat{V}_{0, m_z} \cos \left(m_z \frac{\pi d}{L} \right) \right) \end{aligned}$$

and we obtain the Fourier coefficients

$$\left(\widehat{V_{\text{int}, \mathbf{s}}} \right)_{m_z} = \left(\widehat{V_{\mathbf{s}}^{(2)}} \right)_{0, m_z} - 2 \widehat{V}_{0, m_z} \cos \left(m_z \frac{\pi d}{L} \right)$$

We then compute

$$V_{\text{int}}(z) := \frac{1}{|\Omega|} \int_{\Omega} V_{\text{int}, \mathbf{s}}(z) d\mathbf{s} = \frac{1}{N^2} \sum_{s_x, s_y \in \llbracket 1, N \rrbracket} V_{\text{int}, (s_x, s_y)}^{\text{array}}(z)$$

and finally obtain the Fourier coefficients

$$\boxed{\left(\widehat{V_{\text{int}}} \right)_{m_z} = \frac{1}{N^2} \sum_{s_x, s_y \in \llbracket 1, N \rrbracket} \left(\widehat{V_{\text{int}, \mathbf{s}}} \right)_{m_z}}$$

and we expect $V_{\text{int},\mathbf{s}}$ not to depend too much on \mathbf{s} , that is we expect that

$$\begin{aligned}\delta_{V_{\text{int}}} &:= \frac{\int_{\Omega \times \mathbb{R}} |V_{\text{int},\mathbf{s}}(z) - V_{\text{int}}(z)|^2 d\mathbf{s} dz}{|\Omega| \int_{\mathbb{R}} V_{\text{int}}(z)^2 dz} \\ &= \frac{\sum_{m_z} \int_{\Omega} \left| \widehat{V_{\text{int},\mathbf{s}}} \Big|_{m_z} - \widehat{V_{\text{int}}} \Big|_{m_z} \right|^2 d\mathbf{s}}{|\Omega| \sum_{m_z} \left(\widehat{V_{\text{int}}} \Big|_{m_z} \right)^2} \\ &= \frac{\sum_{s_x, s_y, m_z} \left| \widehat{V_{\text{int},(s_x, s_y)}} \Big|_{m_z} - \widehat{V_{\text{int}}} \Big|_{m_z} \right|^2}{N^2 \sum_{m_z} \left(\widehat{V_{\text{int}}} \Big|_{m_z} \right)^2}\end{aligned}$$

is small. We also verify that $V_{\text{int}}(-z) = V_{\text{int}}(z)$.

3. EFFECTIVE POTENTIALS

We defined

$$((f, g))^{\eta, \eta'}(\mathbf{X}) := \frac{1}{|\Omega|} \int_{\Omega \times \mathbb{R}} \bar{f}(x - \eta J\mathbf{X}, z - \eta \frac{d}{2}) g(x - \eta' J\mathbf{X}, z - \eta' \frac{d}{2}) dx dz$$

and

$$\begin{aligned}\langle\langle f, g \rangle\rangle^{\eta, \eta'}(\mathbf{X}) \\ &:= \frac{e^{i(\eta - \eta')\mathbf{K} \cdot J\mathbf{X}}}{|\Omega|} \int_{\Omega \times \mathbb{R}} \bar{f}(x - \eta J\mathbf{X}, z - \eta \frac{d}{2}) g(x - \eta' J\mathbf{X}, z - \eta' \frac{d}{2}) dx dz\end{aligned}$$

so $\langle\langle f, g \rangle\rangle^{\eta, \eta'} = e^{i(\eta - \eta')\mathbf{K} \cdot J\mathbf{X}} ((f, g))^{\eta, \eta'}$. Now we make the approximation

$$\int_{\Omega \times \mathbb{R}} \simeq \int_{\Omega \times [0, L]}$$

The situation is drawn on Figure 3. The functions are defined on $[-L/2, L/2]$ but we need to integrate on the common segment, which is $[-\frac{L-d}{2}, \frac{L-d}{2}]$, so on $[-L/2, L/2]$ to recover the initial domain.

Firstly, using the Fourier decomposition (1),


$$\begin{aligned}((f, g))^{\eta, \eta'} &= L \sum_{\mathbf{m} \in \mathbb{Z}^2} e^{i(\eta - \eta')\mathbf{m} a^* \cdot J\mathbf{X}} \sum_{m_z \in \mathbb{Z}} e^{i(\eta - \eta') \frac{2\pi}{L} m_z \frac{d}{2}} \overline{\widehat{f}_{m, m_z}} \widehat{g}_{m, m_z} \\ &= \sum_{\mathbf{m} \in \mathbb{Z}^2} e^{i(\eta - \eta')\mathbf{m} a^* \cdot J\mathbf{X}} C_{\mathbf{m}}\end{aligned}$$

where

$$C_{\mathbf{m}} := L \sum_{m_z \in \mathbb{Z}} e^{i(\eta - \eta') \frac{d\pi}{L} m_z} \overline{\widehat{f}_{m, m_z}} \widehat{g}_{m, m_z}$$

Then,

$$\langle\langle f, g \rangle\rangle^{\eta, \eta'} = e^{i(\eta - \eta')\mathbf{K} \cdot J\mathbf{X}} ((f, g))^{\eta, \eta'} = \sum_{\mathbf{m} \in \mathbb{Z}^2} e^{i(\eta - \eta')(m + m_K) a^* \cdot J\mathbf{X}} C_{\mathbf{m}}$$


$$\left((f, g)\right)^{+-}\left(-\frac{3}{2} J \mathbf{X}\right)=\sum_{\mathbf{m} \in \mathbb{Z}^2} e^{i 3 m a^{*} \cdot \mathbf{X}} C_{\mathbf{m}}=\sum_{\mathbf{m} \in \mathbb{Z}^2} e^{i m a^{*} \cdot \mathbf{X}} C_{\frac{\mathbf{m}}{3}},$$
$$\langle\langle f, g \rangle\rangle^{+-} \left(-\frac{3}{2}J\mathbf{X}\right) = \sum_{\mathbf{m} \in \mathbb{Z}^2} e^{i3(m+m_k)a^* \cdot \mathbf{X}} C_{\mathbf{m}} = \sum_{\mathbf{m} \in \mathbb{Z}^2} e^{ima^* \cdot \mathbf{X}} C_{\frac{\mathbf{m}-3\mathbf{m}_K}{3}}$$

For the potentials, we finally need to implement

If $f(z) = \varepsilon f(-z)$, then $\widehat{f}_{-m_z} = \varepsilon \widehat{f}_{m_z}$, from this we see that $\overline{C_{\mathbf{m}}^{u_{j'}, u_j}} = C_{\mathbf{m}}^{u_j, u_{j'}}$ and hence $\mathbb{V}(-X)^* = \mathbb{V}(X)$

$$(-i\nabla_{\mathbf{x}} + \mathbf{K})g = \sum_{\mathbf{m}, m_z} (\mathbf{m} + \mathbf{m}_K) \mathbf{a}^* e^{i(\mathbf{m} \cdot \mathbf{x} + m_z \frac{2\pi}{L} z)} \hat{f}_{\mathbf{m}, m_z}$$

so

$$\langle\langle f, (-i\nabla_{\mathbf{x}} + \mathbf{K})g \rangle\rangle^{+-}(\mathbf{X}) = \sum_{\mathbf{m} \in \mathbb{Z}^2} (\mathbf{m} + \mathbf{m}_K) \mathbf{a}^* C_{\mathbf{m}} e^{2i(\mathbf{m} + \mathbf{m}_K)\mathbf{a}^* \cdot J\mathbf{X}}$$

and

$$\langle\langle f, (-i\nabla_{\mathbf{x}} + \mathbf{K})g \rangle\rangle^{+-}(-\tfrac{3}{2}J\mathbf{X}) = \sum_{\mathbf{m} \in \mathbb{Z}^2} (\mathbf{m} + \mathbf{m}_K) \mathbf{a}^* C_{\mathbf{m}} e^{i3(\mathbf{m} + \mathbf{m}_K)\mathbf{a}^* \cdot \mathbf{X}}$$

so

$$\boxed{\langle\langle f, (-i\nabla_{\mathbf{x}} + \mathbf{K})g \rangle\rangle^{+-}(-\tfrac{3}{2}J\mathbf{X}) = \frac{1}{3} \sum_{\mathbf{m} \in \mathbb{Z}^2} \mathbf{m} \mathbf{a}^* C_{\frac{\mathbf{m} - 3\mathbf{m}_K}{3}} e^{i\mathbf{m} \mathbf{a}^* \cdot \mathbf{X}}}$$

so we can implement

$$\mathcal{A}_{j,j'}(-\tfrac{3}{2}J\mathbf{X}) = \langle\langle u_j, (-i\nabla_{\mathbf{x}} + \mathbf{K})u_{j'} \rangle\rangle^{+-}(-\tfrac{3}{2}J\mathbf{X})$$

3.2. W's V_{int} term. We write $V_{\text{int}}(z) = \sum_{M_z \in \mathbb{Z}} \widehat{V}_{\text{int}}^{M_z} e^{i\frac{2\pi}{L}M_z z}$ hence

$$\begin{aligned} \langle u_j, V_{\text{int}} u_{j'} \rangle &= \sum_{\substack{\mathbf{m} \in \mathbb{Z}^2 \\ m_z, m'_z, M_z \in \mathbb{Z}}} \left(\widehat{\bar{u}}_j \right)_{\mathbf{m}, m_z} \left(\widehat{u}_{j'} \right)_{\mathbf{m}, m'_z} \left(\widehat{V}_{\text{int}} \right)_{M_z} \int_z e^{iz\frac{2\pi}{L}(M_z + m'_z - m_z)} \\ &= L \sum_{\substack{\mathbf{m} \in \mathbb{Z}^2 \\ m_z, m'_z \in \mathbb{Z}}} \left(\widehat{\bar{u}}_j \right)_{\mathbf{m}, m_z} \left(\widehat{u}_{j'} \right)_{\mathbf{m}, m'_z} \left(\widehat{V}_{\text{int}} \right)_{m_z - m'_z} \end{aligned}$$

and the matrix $M_{j,j'} := \langle u_j, V_{\text{int}} u_{j'} \rangle$ is such that $M^* = M$ and $M_{11} = M_{22}$.

4. BM CONFIGURATION

From [1], the BM Hamiltonian is

$$H = \begin{pmatrix} -i\sigma\nabla & T^c(x) \\ T^c(x)^* & -i\sigma\nabla \end{pmatrix},$$

where

$$\boxed{T_1 = \begin{pmatrix} w_0 & w_1 \\ w_1 & w_0 \end{pmatrix}, \quad T_2 = \begin{pmatrix} w_0 & w_1 e^{-i\phi} \\ w_1 e^{i\phi} & w_0 \end{pmatrix}, \quad T_3 = \begin{pmatrix} w_0 & w_1 e^{-i2\phi} \\ w_1 e^{i2\phi} & w_0 \end{pmatrix}}$$

and where, for $x \in \mathbb{R}^2$,

$$T^c(x) := \sum_{j=1}^3 T_j e^{-iq_j^c \cdot x}, \quad \widehat{T}_p = \sum_{j=1}^3 T_j \delta_{p, q_j^c}$$

and

$$q_1 = \frac{4\pi}{a\sqrt{3}} \begin{pmatrix} 1 \\ 0 \end{pmatrix}, \quad q_2 = \frac{4\pi}{a\sqrt{3}} \begin{pmatrix} -\frac{1}{2} \\ \frac{\sqrt{3}}{2} \end{pmatrix}, \quad q_3 = \frac{4\pi}{a\sqrt{3}} \begin{pmatrix} -\frac{1}{2} \\ -\frac{\sqrt{3}}{2} \end{pmatrix},$$

where we took rotated q_j^c 's by J with respect to [1], and with a rescaling of $\frac{4\pi}{a\sqrt{3}}$.

We define the reduced dual vectors $q_j := -\mathcal{M}^* q_j^c / 2\pi$ so

$$T(x) = T^c(\mathcal{M}x) = \sum_{j=1}^3 T_j e^{-ix \cdot \mathcal{M}^* q_j^c} = \sum_{j=1}^3 T_j e^{i2\pi x \cdot q_j}$$

and we compute

$$\boxed{q_1 = \begin{pmatrix} 1 \\ 1 \end{pmatrix}, \quad q_2 = \begin{pmatrix} 0 \\ -1 \end{pmatrix}, \quad q_3 = \begin{pmatrix} -1 \\ 0 \end{pmatrix}}$$

Or

$$\boxed{T(x) = \sum_{j=1}^3 T_j e^{iq_j a^* \cdot x}}$$

Since $T_j^* = T_j$, then $T(-x)^* = T(x)$

5. OPERATORS IN BASIS

5.1. Basis. We define $e_m := \frac{1}{\sqrt{|\Omega|}} e^{ima^* \cdot x}$, and

$$e_{\alpha,m} := e_{\alpha} \otimes e_m = e_{\alpha} \frac{e^{ima^* \cdot x}}{\sqrt{|\Omega|}}, \quad \text{where } e_1 := \begin{pmatrix} 1 \\ 0 \\ 0 \\ 0 \end{pmatrix}, \dots$$

5.2. On-diagonal potential. For a general $V = \sum_m V_m e^{ima^* \cdot x}$, we have

$$\left\langle e_{\alpha,n}, \begin{pmatrix} V & 0 \\ 0 & V \end{pmatrix} e_{\beta,m} \right\rangle = \delta_{\alpha \in \{1,2\}}^{\beta \in \{1,2\}} (V_{n-m})_{\alpha_1 \beta_1} + \delta_{\alpha \in \{3,4\}}^{\beta \in \{3,4\}} (V_{n-m})_{\alpha_2 \beta_2}$$

5.3. Off-diagonal potential. For a general $W = \sum_m W_m e^{ima^* \cdot x}$, we have

$$\begin{aligned} M_{IJ} &:= \left\langle e_{\alpha,n}, \begin{pmatrix} 0 & W \\ W^* & 0 \end{pmatrix} e_{\beta,m} \right\rangle \\ &= \sum_k \left(\delta_{\alpha \in \{1,2\}}^{\beta \in \{3,4\}} \delta_{m+k-n} \langle e_{\alpha_1}, W_k e_{\beta_2} \rangle + \delta_{\alpha \in \{3,4\}}^{\beta \in \{1,2\}} \delta_{m-k-n} \langle e_{\alpha_2}, W_k^* e_{\beta_1} \rangle \right) \\ &= \delta_{\alpha \in \{1,2\}}^{\beta \in \{3,4\}} \langle e_{\alpha_1}, W_{n-m} e_{\beta_2} \rangle + \delta_{\alpha \in \{3,4\}}^{\beta \in \{1,2\}} \langle e_{\alpha_2}, W_{m-n}^* e_{\beta_1} \rangle \\ &= \delta_{\alpha \in \{1,2\}}^{\beta \in \{3,4\}} (W_{n-m})_{\alpha_1 \beta_2} + \delta_{\alpha \in \{3,4\}}^{\beta \in \{1,2\}} \overline{(W_{m-n})_{\beta_1 \alpha_2}} \end{aligned}$$

and M is also Hermitian.

5.4. Off-diagonal magnetic term. For a general $A = \begin{pmatrix} A_1 \\ A_2 \end{pmatrix}$, $A_j = \sum_k (A_j)_k e^{ika^* \cdot x}$, we compute

$$\begin{aligned} &\left\langle e_{\alpha,n}, \begin{pmatrix} 0 & A \cdot (-i\nabla) \\ A^* \cdot (-i\nabla) & 0 \end{pmatrix} e_{\beta,m} \right\rangle \\ &= \delta_{\alpha \in \{1,2\}}^{\beta \in \{3,4\}} \left((ma^*)_1 ((A_1)_{n-m})_{\alpha_1 \beta_2} + (ma^*)_2 ((A_2)_{n-m})_{\alpha_1 \beta_2} \right) \\ &\quad + \delta_{\alpha \in \{3,4\}}^{\beta \in \{1,2\}} \left((ma^*)_1 \overline{((A_1)_{m-n})_{\beta_1 \alpha_2}} + (ma^*)_2 \overline{((A_2)_{m-n})_{\beta_1 \alpha_2}} \right) \end{aligned}$$

5.5. Dirac operator. We have

$$\begin{aligned}\sigma \cdot (-i\nabla + k) &= \sigma_1 (-i\partial_1 + k_1) + \sigma_2 (-i\partial_2 + k_2) \\ &= \begin{pmatrix} 0 & -i(\partial_1 - i\partial_2) + \overline{k_{\mathbb{C}}} \\ -i(\partial_1 + i\partial_2) + k_{\mathbb{C}} & 0 \end{pmatrix}\end{aligned}$$

where

$$\sigma_1 = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix} \quad \sigma_2 = \begin{pmatrix} 0 & -i \\ i & 0 \end{pmatrix}$$

so, with $k_{\mathbb{C}} := k_1 + ik_2$,

$$\begin{aligned}\sigma \cdot (-i\nabla + k) \begin{pmatrix} 1 \\ 0 \end{pmatrix} e_m &= (ma^* + k)_{\mathbb{C}} \begin{pmatrix} 0 \\ 1 \end{pmatrix} e_m \\ \sigma \cdot (-i\nabla + k) \begin{pmatrix} 0 \\ 1 \end{pmatrix} e_m &= \overline{(ma^* + k)_{\mathbb{C}}} \begin{pmatrix} 1 \\ 0 \end{pmatrix} e_m\end{aligned}$$

Then

$$\begin{aligned}\begin{pmatrix} \sigma \cdot (-i\nabla + k) & 0 \\ 0 & \sigma \cdot (-i\nabla + k) \end{pmatrix} e_{1,m} &= (ma^* + k)_{\mathbb{C}} e_{2,m} \\ \begin{pmatrix} \sigma \cdot (-i\nabla + k) & 0 \\ 0 & \sigma \cdot (-i\nabla + k) \end{pmatrix} e_{2,m} &= \overline{(ma^* + k)_{\mathbb{C}}} e_{1,m} \\ \begin{pmatrix} \sigma \cdot (-i\nabla + k) & 0 \\ 0 & \sigma \cdot (-i\nabla + k) \end{pmatrix} e_{3,m} &= (ma^* + k)_{\mathbb{C}} e_{4,m} \\ \begin{pmatrix} \sigma \cdot (-i\nabla + k) & 0 \\ 0 & \sigma \cdot (-i\nabla + k) \end{pmatrix} e_{4,m} &= \overline{(ma^* + k)_{\mathbb{C}}} e_{3,m}\end{aligned}$$

6. SYMMETRIES

6.1. Particle-hole. We define

$$\mathcal{S}u(x) := i \begin{pmatrix} 0 & -\mathbb{1}_{2 \times 2} \\ \mathbb{1}_{2 \times 2} & 0 \end{pmatrix} u(-x)$$

We have

$$\mathcal{S} \begin{pmatrix} 0 & B \\ B^* & 0 \end{pmatrix} \mathcal{S} = - \begin{pmatrix} 0 & B^*(-x) \\ B(-x) & 0 \end{pmatrix}$$

We have $T(-x)^* = T(x)$ hence we should have that

$$\mathcal{S}H\mathcal{S} = -H$$

We compute

$$\begin{aligned}\mathcal{S}_{IJ} &= \langle e_{\alpha,n}, \mathcal{S}e_{\beta,m} \rangle = i \left\langle e_{\alpha,n}, \begin{pmatrix} -e_{\beta_2,-m} \\ e_{\beta_1,-m} \end{pmatrix} \right\rangle \\ &= i\delta_{m+n} \left(\delta_{\alpha \in \{3,4\}}^{\beta \in \{1,2\}} \delta_{\beta_1 - \alpha_2} - \delta_{\alpha \in \{1,2\}}^{\beta \in \{3,4\}} \delta_{\beta_2 - \alpha_1} \right)\end{aligned}$$

6.2. **Mirror.** First, for any function B , we have $\sigma_1 B^* \sigma_1 = \begin{pmatrix} \overline{B_{22}} & \overline{B_{12}} \\ \overline{B_{21}} & \overline{B_{11}} \end{pmatrix}$.

The mirror operator for the BM Hamiltonian is

$$\mathcal{M}u(\mathbf{X}) := \begin{pmatrix} 0 & \sigma_1 \\ \sigma_1 & 0 \end{pmatrix} u(\overline{\mathbf{X}})$$

where $\overline{\mathbf{X}} := (X_1, -X_2) =: M\mathbf{X}$, it satisfies $\mathcal{M} = \mathcal{M}^{-1} = \mathcal{M}^*$.

Next,

$$\mathcal{M} \begin{pmatrix} 0 & B(\mathbf{X}) \\ B(\mathbf{X})^* & 0 \end{pmatrix} \mathcal{M} = \begin{pmatrix} 0 & \sigma_1 B^*(\overline{\mathbf{X}}) \sigma_1 \\ \sigma_1 B(\overline{\mathbf{X}}) \sigma_1 & 0 \end{pmatrix}$$

In cartesian coordinates, we have

$$T(M\mathbf{X}) = \sum_{j=1}^3 T_j e^{ix \cdot M^* q_j^c} = \sum_{j=1}^3 T_j e^{ix \cdot M q_j^c}$$

because $M^* = M$. But

$$\begin{aligned} \sigma_1 T^*(M\mathbf{X}) \sigma_1 &= \begin{pmatrix} w_0 \left(\sum_{j=1}^3 e^{ix \cdot M q_j} \right) & w_1 \left(e^{ix \cdot M q_1} + e^{i\phi} e^{ix \cdot M q_2} + e^{i2\phi} e^{ix \cdot M q_3} \right) \\ \cdot & \cdot \end{pmatrix} \\ &= \begin{pmatrix} w_0 \left(\sum_{j=1}^3 e^{ix \cdot q_j} \right) & w_1 \left(e^{ix \cdot q_1} + e^{-i\phi} e^{ix \cdot q_2} + e^{-i2\phi} e^{ix \cdot q_3} \right) \\ \cdot & \cdot \end{pmatrix} = T(\mathbf{X}) \end{aligned}$$

where we used that $M q_1^c = q_1^c$, $M q_2^c = q_3^c$ and $M q_3^c = q_2^c$.

We search the action on reduced Fourier coefficients. We have

$$f(Mx) = \sum_m e^{ix \cdot M(ma^*)} = \sum_m e^{ix \cdot (M^r m)a^*}$$

where $M = \begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix}$,

$$M^r = S^{-1} M S = \mathcal{M}^* M (\mathcal{M}^*)^{-1} = \sigma_1$$

7. EIGENVALUE EQUATION

We have $H\psi = ES\psi$ is equivalent to $S^{-\frac{1}{2}} H S^{-\frac{1}{2}} \psi = E\psi$

REFERENCES

- [1] S. BECKER, M. EMBREE, J. WITTSTEN, AND M. ZWORSKI, *Spectral characterization of magic angles in twisted bilayer graphene*, Phys. Rev. B, 103 (2021), p. 165113.