
layout: post title: zabbix 监控mongodb description: zabbix 监控mongodb
tagline: image: date: 2017/03/06 categories: [linux] tags:
[linux,zabbix,mongodb]

zabbix 监控mongodb

环境

Linux服务器

1. 配置

- mongodb监控也是使用脚本监控，主要用的是mongo的命令。监控脚本mongodb.sh

```
#!/bin/bash
index=$(echo $@ | tr " " ".")

status=$(echo "db.serverStatus().${index}" | /usr/local/mongodb/bin/mongo
admin | sed -n '3p')

#check if the output contains "NumberLong"
if [[ "$status" =~ "NumberLong" ]];then
    echo $status|sed -n 's/NumberLong(//p'|sed -n 's/)//p'
else
    echo $status
fi
```

- 新建一个mongodb.conf文件

```
UserParameter=mongodb.status[*],/etc/zabbix/script/mongodb.sh $1 $2 $3 $4 $5
```

放到zabbix_agentd.conf.d目录下

2. 监控

在frontend中导入模板 内容如下：

```
<?xml version="1.0" encoding="UTF-8"?>
<zabbix_export>
  <version>3.0</version>
  <date>2017-03-24T08:13:52Z</date>
  <groups>
    <group>
      <name>Templates</name>
```

```

    </group>
  </groups>
  <templates>
    <template>
      <template>Template App MongoDB</template>
      <name>Template App MongoDB</name>
      <description>Netkiller MongoDB Template -
http://www.netkiller.cn/</description>
      <groups>
        <group>
          <name>Templates</name>
        </group>
      </groups>
      <applications>
        <application>
          <name>MongoDB</name>
        </application>
      </applications>
      <items>
        <item>
          <name>MongoDB Background average_ms</name>
          <type>0</type>
          <snmp_community/>
          <multiplier>0</multiplier>
          <snmp_oid/>
          <key>mongodb.status[backgroundFlushing,average_ms]</key>
          <delay>30</delay>
          <history>90</history>
          <trends>365</trends>
          <status>0</status>
          <value_type>3</value_type>
          <allowed_hosts/>
          <units/>
          <delta>0</delta>
          <snmpv3_contextname/>
          <snmpv3_securityname/>
          <snmpv3_securitylevel>0</snmpv3_securitylevel>
          <snmpv3_authprotocol>0</snmpv3_authprotocol>
          <snmpv3_authpassphrase/>
          <snmpv3_privprotocol>0</snmpv3_privprotocol>
          <snmpv3_privpassphrase/>
          <formula>1</formula>
          <delay_flex/>
          <params/>
          <ipmi_sensor/>

```

```

    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>MongoDB</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>MongoDB Background flushes</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[backgroundFlushing,flushes]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>

```

```

    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description>MongoDB Background Flushing</description>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>MongoDB</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>MongoDB Background last_ms</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[backgroundFlushing,last_ms]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>

```

```

    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB Background total_ms</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[backgroundFlushing,total_ms]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>

```

```

    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>MongoDB</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>MongoDB Connections available</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[connections,available]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>

```

```

<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>MongoDB</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>MongoDB Connections current</name>
  <type>0</type>
  <snmp_community/>
  <multiplier>0</multiplier>
  <snmp_oid/>
  <key>mongodb.status[connections,current]</key>
  <delay>30</delay>
  <history>90</history>
  <trends>365</trends>
  <status>0</status>
  <value_type>3</value_type>
  <allowed_hosts/>
  <units/>
  <delta>0</delta>
  <snmpv3_contextname/>
  <snmpv3_securityname/>
  <snmpv3_securitylevel>0</snmpv3_securitylevel>
  <snmpv3_authprotocol>0</snmpv3_authprotocol>
  <snmpv3_authpassphrase/>
  <snmpv3_privprotocol>0</snmpv3_privprotocol>
  <snmpv3_privpassphrase/>
  <formula>1</formula>
  <delay_flex/>
  <params/>
  <ipmi_sensor/>
  <data_type>0</data_type>
  <authtype>0</authtype>
  <username/>
  <password/>
  <publickey/>
  <privatekey/>
  <port/>
  <description/>
  <inventory_link>0</inventory_link>
  <applications>

```

```

        <application>
            <name>MongoDB</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>MongoDB Connections totalCreated</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[connections,totalCreated]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>MongoDB</name>

```

```

        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>MongoDB DUR commitsInWriteLock</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[dur,commitsInWriteLock]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>MongoDB</name>
        </application>
    </applications>
</item>

```

```

        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>MongoDB DUR commits</name>
        <type>0</type>
        <snmp_community/>
        <multiplier>0</multiplier>
        <snmp_oid/>
        <key>mongodb.status[dur,commits]</key>
        <delay>30</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units/>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params/>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>MongoDB</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>

```

```

</item>
<item>
  <name>MongoDB DUR compression</name>
  <type>0</type>
  <snmp_community/>
  <multiplier>0</multiplier>
  <snmp_oid/>
  <key>mongodb.status[dur,compression]</key>
  <delay>30</delay>
  <history>90</history>
  <trends>365</trends>
  <status>0</status>
  <value_type>3</value_type>
  <allowed_hosts/>
  <units/>
  <delta>0</delta>
  <snmpv3_contextname/>
  <snmpv3_securityname/>
  <snmpv3_securitylevel>0</snmpv3_securitylevel>
  <snmpv3_authprotocol>0</snmpv3_authprotocol>
  <snmpv3_authpassphrase/>
  <snmpv3_privprotocol>0</snmpv3_privprotocol>
  <snmpv3_privpassphrase/>
  <formula>1</formula>
  <delay_flex/>
  <params/>
  <ipmi_sensor/>
  <data_type>0</data_type>
  <authtype>0</authtype>
  <username/>
  <password/>
  <publickey/>
  <privatekey/>
  <port/>
  <description/>
  <inventory_link>0</inventory_link>
  <applications>
    <application>
      <name>MongoDB</name>
    </application>
  </applications>
  <valuemap/>
  <logtimefmt/>
</item>
<item>

```

```

<name>MongoDB DUR earlyCommits</name>
<type>0</type>
<snmp_community/>
<multiplier>0</multiplier>
<snmp_oid/>
<key>mongodb.status[dur,earlyCommits]</key>
<delay>30</delay>
<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params/>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>MongoDB</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>MongoDB DUR journaledMB</name>
  <type>0</type>

```

```

    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[dur,journaledMB]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units>MB</units>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB DUR writeToDataFilesMB</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>

```

```

    <snmp_oid/>
    <key>mongodb.status[dur,writeToDataFilesMB]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units>MB</units>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB globalLock activeClients readers</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[globalLock,activeClients,readers]</key>

```

```

    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB globalLock activeClients total</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[globalLock,activeClients,total]</key>
    <delay>30</delay>
    <history>90</history>

```

```

    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>MongoDB</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>MongoDB globalLock activeClients writers</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[globalLock,activeClients,writers]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>

```

```

    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB globalLock currentQueue readers</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[globalLock,currentQueue,readers]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>

```

```

<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params/>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>MongoDB</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>MongoDB globalLock currentQueue total</name>
  <type>0</type>
  <snmp_community/>
  <multiplier>0</multiplier>
  <snmp_oid/>
  <key>mongodb.status[globalLock,currentQueue,total]</key>
  <delay>30</delay>
  <history>90</history>
  <trends>365</trends>
  <status>0</status>
  <value_type>3</value_type>
  <allowed_hosts/>
  <units/>
  <delta>0</delta>

```

```

    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB globalLock currentQueue writers</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[globalLock,currentQueue,writers]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>

```

```

    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>MongoDB</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>MongoDB globalLock lockTime</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[globalLock,lockTime]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>

```

```

    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB globalLock totalTime</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[globalLock,totalTime]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>

```

```

    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB indexCounters accesses</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[indexCounters,accesses]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>

```

```

        <delay_flex/>
        <params/>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>MongoDB</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>MongoDB indexCounters hits</name>
        <type>0</type>
        <snmp_community/>
        <multiplier>0</multiplier>
        <snmp_oid/>
        <key>mongodb.status[indexCounters,hits]</key>
        <delay>30</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units/>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params/>

```

```

        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>MongoDB</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>MongoDB indexCounters misses</name>
        <type>0</type>
        <snmp_community/>
        <multiplier>0</multiplier>
        <snmp_oid/>
        <key>mongodb.status[indexCounters,misses]</key>
        <delay>30</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units/>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params/>
        <ipmi_sensor/>
        <data_type>0</data_type>

```

```

    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB indexCounters missRatio</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[indexCounters,missRatio]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units>%</units>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>

```

```

    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>MongoDB</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>MongoDB indexCounters resets</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[indexCounters,resets]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>

```

```

    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB Memory mappedWithJournal</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[mem,mappedWithJournal]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>

```

```

        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>MongoDB</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>MongoDB Memory mapped</name>
        <type>0</type>
        <snmp_community/>
        <multiplier>0</multiplier>
        <snmp_oid/>
        <key>mongodb.status[mem,mapped]</key>
        <delay>30</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units/>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params/>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>

```

```

        <applications>
            <application>
                <name>MongoDB</name>
            </application>
        </applications>
    </valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>MongoDB Memory resident</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[mem,resident]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>

```

```

        <name>MongoDB</name>
    </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
    <name>MongoDB Memory virtual</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[mem,virtual]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>MongoDB</name>
        </application>
    </applications>

```

```

        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>MongoDB metrics document deleted</name>
        <type>0</type>
        <snmp_community/>
        <multiplier>0</multiplier>
        <snmp_oid/>
        <key>mongodb.status[metrics,document,deleted]</key>
        <delay>30</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units/>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params/>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>MongoDB</name>
            </application>
        </applications>
        <valuemap/>
    </item>

```

```

        <logtimefmt/>
    </item>
    <item>
        <name>MongoDB metrics document inserted</name>
        <type>0</type>
        <snmp_community/>
        <multiplier>0</multiplier>
        <snmp_oid/>
        <key>mongodb.status[metrics,document,inserted]</key>
        <delay>30</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units/>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params/>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>MongoDB</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>

```

```

<item>
  <name>MongoDB metrics document returned</name>
  <type>0</type>
  <snmp_community/>
  <multiplier>0</multiplier>
  <snmp_oid/>
  <key>mongodb.status[metrics,document,returned]</key>
  <delay>30</delay>
  <history>90</history>
  <trends>365</trends>
  <status>0</status>
  <value_type>3</value_type>
  <allowed_hosts/>
  <units/>
  <delta>0</delta>
  <snmpv3_contextname/>
  <snmpv3_securityname/>
  <snmpv3_securitylevel>0</snmpv3_securitylevel>
  <snmpv3_authprotocol>0</snmpv3_authprotocol>
  <snmpv3_authpassphrase/>
  <snmpv3_privprotocol>0</snmpv3_privprotocol>
  <snmpv3_privpassphrase/>
  <formula>1</formula>
  <delay_flex/>
  <params/>
  <ipmi_sensor/>
  <data_type>0</data_type>
  <authtype>0</authtype>
  <username/>
  <password/>
  <publickey/>
  <privatekey/>
  <port/>
  <description/>
  <inventory_link>0</inventory_link>
  <applications>
    <application>
      <name>MongoDB</name>
    </application>
  </applications>
  <valuemap/>
  <logtimefmt/>
</item>
<item>
  <name>MongoDB metrics document updated</name>

```

```

<type>0</type>
<snmp_community/>
<multiplier>0</multiplier>
<snmp_oid/>
<key>mongodb.status[metrics,document,updated]</key>
<delay>30</delay>
<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units/>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params/>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>MongoDB</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>MongoDB network bytesIn</name>
  <type>0</type>
  <snmp_community/>

```

```

    <multiplier>1</multiplier>
    <snmp_oid/>
    <key>mongodb.status[network,bytesIn]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units>B</units>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>0.001</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB network bytesOut</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>1</multiplier>
    <snmp_oid/>

```

```

<key>mongodb.status[network,bytesOut]</key>
<delay>30</delay>
<history>90</history>
<trends>365</trends>
<status>0</status>
<value_type>3</value_type>
<allowed_hosts/>
<units>B</units>
<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>0.001</formula>
<delay_flex/>
<params/>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>MongoDB</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>MongoDB network numRequests</name>
  <type>0</type>
  <snmp_community/>
  <multiplier>0</multiplier>
  <snmp_oid/>
  <key>mongodb.status[network,numRequests]</key>
  <delay>30</delay>

```

```

    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB opcounters command</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[opcounters,command]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>

```

```

    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB opcounters delete</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[opcounters,delete]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>

```

```

    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB opcounters getmore</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[opcounters,getmore]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>

```

```

<delta>0</delta>
<snmpv3_contextname/>
<snmpv3_securityname/>
<snmpv3_securitylevel>0</snmpv3_securitylevel>
<snmpv3_authprotocol>0</snmpv3_authprotocol>
<snmpv3_authpassphrase/>
<snmpv3_privprotocol>0</snmpv3_privprotocol>
<snmpv3_privpassphrase/>
<formula>1</formula>
<delay_flex/>
<params/>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>MongoDB</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>MongoDB opcounters insert</name>
  <type>0</type>
  <snmp_community/>
  <multiplier>0</multiplier>
  <snmp_oid/>
  <key>mongodb.status[opcounters,insert]</key>
  <delay>30</delay>
  <history>90</history>
  <trends>365</trends>
  <status>0</status>
  <value_type>3</value_type>
  <allowed_hosts/>
  <units/>
  <delta>0</delta>
  <snmpv3_contextname/>

```

```

    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB opcounters query</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[opcounters,query]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>

```

```

    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB opcounters update</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[opcounters,update]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>

```

```

        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
        <formula>1</formula>
        <delay_flex/>
        <params/>
        <ipmi_sensor/>
        <data_type>0</data_type>
        <authtype>0</authtype>
        <username/>
        <password/>
        <publickey/>
        <privatekey/>
        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>MongoDB</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
    <item>
        <name>MongoDB opcountersRepl command</name>
        <type>0</type>
        <snmp_community/>
        <multiplier>0</multiplier>
        <snmp_oid/>
        <key>mongodb.status[opcountersRepl,command]</key>
        <delay>30</delay>
        <history>90</history>
        <trends>365</trends>
        <status>0</status>
        <value_type>3</value_type>
        <allowed_hosts/>
        <units/>
        <delta>0</delta>
        <snmpv3_contextname/>
        <snmpv3_securityname/>
        <snmpv3_securitylevel>0</snmpv3_securitylevel>
        <snmpv3_authprotocol>0</snmpv3_authprotocol>
        <snmpv3_authpassphrase/>
        <snmpv3_privprotocol>0</snmpv3_privprotocol>
        <snmpv3_privpassphrase/>
    </item>

```

```

<formula>1</formula>
<delay_flex/>
<params/>
<ipmi_sensor/>
<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>MongoDB</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>MongoDB opcountersRepl delete</name>
  <type>0</type>
  <snmp_community/>
  <multiplier>0</multiplier>
  <snmp_oid/>
  <key>mongodb.status[opcountersRepl,delete]</key>
  <delay>30</delay>
  <history>90</history>
  <trends>365</trends>
  <status>0</status>
  <value_type>3</value_type>
  <allowed_hosts/>
  <units/>
  <delta>0</delta>
  <snmpv3_contextname/>
  <snmpv3_securityname/>
  <snmpv3_securitylevel>0</snmpv3_securitylevel>
  <snmpv3_authprotocol>0</snmpv3_authprotocol>
  <snmpv3_authpassphrase/>
  <snmpv3_privprotocol>0</snmpv3_privprotocol>
  <snmpv3_privpassphrase/>
  <formula>1</formula>
  <delay_flex/>

```

```

    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>MongoDB</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>MongoDB opcountersRepl getmore</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[opcountersRepl,getmore]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>

```

```

<data_type>0</data_type>
<authtype>0</authtype>
<username/>
<password/>
<publickey/>
<privatekey/>
<port/>
<description/>
<inventory_link>0</inventory_link>
<applications>
  <application>
    <name>MongoDB</name>
  </application>
</applications>
<valuemap/>
<logtimefmt/>
</item>
<item>
  <name>MongoDB opcountersRepl insert</name>
  <type>0</type>
  <snmp_community/>
  <multiplier>0</multiplier>
  <snmp_oid/>
  <key>mongodb.status[opcountersRepl,insert]</key>
  <delay>30</delay>
  <history>90</history>
  <trends>365</trends>
  <status>0</status>
  <value_type>3</value_type>
  <allowed_hosts/>
  <units/>
  <delta>0</delta>
  <snmpv3_contextname/>
  <snmpv3_securityname/>
  <snmpv3_securitylevel>0</snmpv3_securitylevel>
  <snmpv3_authprotocol>0</snmpv3_authprotocol>
  <snmpv3_authpassphrase/>
  <snmpv3_privprotocol>0</snmpv3_privprotocol>
  <snmpv3_privpassphrase/>
  <formula>1</formula>
  <delay_flex/>
  <params/>
  <ipmi_sensor/>
  <data_type>0</data_type>
  <authtype>0</authtype>

```

```

    <username/>
    <password/>
    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
        <application>
            <name>MongoDB</name>
        </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
</item>
<item>
    <name>MongoDB opcountersRepl query</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[opcountersRepl,query]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>

```

```

    <publickey/>
    <privatekey/>
    <port/>
    <description/>
    <inventory_link>0</inventory_link>
    <applications>
      <application>
        <name>MongoDB</name>
      </application>
    </applications>
    <valuemap/>
    <logtimefmt/>
  </item>
  <item>
    <name>MongoDB opcountersRepl update</name>
    <type>0</type>
    <snmp_community/>
    <multiplier>0</multiplier>
    <snmp_oid/>
    <key>mongodb.status[opcountersRepl,update]</key>
    <delay>30</delay>
    <history>90</history>
    <trends>365</trends>
    <status>0</status>
    <value_type>3</value_type>
    <allowed_hosts/>
    <units/>
    <delta>0</delta>
    <snmpv3_contextname/>
    <snmpv3_securityname/>
    <snmpv3_securitylevel>0</snmpv3_securitylevel>
    <snmpv3_authprotocol>0</snmpv3_authprotocol>
    <snmpv3_authpassphrase/>
    <snmpv3_privprotocol>0</snmpv3_privprotocol>
    <snmpv3_privpassphrase/>
    <formula>1</formula>
    <delay_flex/>
    <params/>
    <ipmi_sensor/>
    <data_type>0</data_type>
    <authtype>0</authtype>
    <username/>
    <password/>
    <publickey/>
    <privatekey/>

```

```

        <port/>
        <description/>
        <inventory_link>0</inventory_link>
        <applications>
            <application>
                <name>MongoDB</name>
            </application>
        </applications>
        <valuemap/>
        <logtimefmt/>
    </item>
</items>
<discovery_rules/>
<macros/>
<templates/>
<screens/>
</template>
</templates>
<graphs>
    <graph>
        <name>MongoDB Background Flushing</name>
        <width>900</width>
        <height>200</height>
        <yaxismin>0.0000</yaxismin>
        <yaxismax>100.0000</yaxismax>
        <show_work_period>1</show_work_period>
        <show_triggers>1</show_triggers>
        <type>0</type>
        <show_legend>1</show_legend>
        <show_3d>0</show_3d>
        <percent_left>0.0000</percent_left>
        <percent_right>0.0000</percent_right>
        <ymin_type_1>0</ymin_type_1>
        <ymin_type_1>0</ymin_type_1>
        <ymin_item_1>0</ymin_item_1>
        <ymin_item_1>0</ymin_item_1>
        <graph_items>
            <graph_item>
                <sortorder>0</sortorder>
                <drawtype>0</drawtype>
                <color>1A7C11</color>
                <yaxisside>0</yaxisside>
                <calc_fnc>2</calc_fnc>
                <type>0</type>
            </item>

```

```

        <host>Template App MongoDB</host>
        <key>mongodb.status[backgroundFlushing,flushes]</key>
    </item>
</graph_item>
<graph_item>
    <sortorder>1</sortorder>
    <drawtype>0</drawtype>
    <color>F63100</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
        <host>Template App MongoDB</host>
        <key>mongodb.status[backgroundFlushing,last_ms]</key>
    </item>
</graph_item>
<graph_item>
    <sortorder>2</sortorder>
    <drawtype>0</drawtype>
    <color>2774A4</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
        <host>Template App MongoDB</host>
        <key>mongodb.status[backgroundFlushing,average_ms]
</key>
    </item>
</graph_item>
<graph_item>
    <sortorder>3</sortorder>
    <drawtype>0</drawtype>
    <color>A54F10</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
        <host>Template App MongoDB</host>
        <key>mongodb.status[backgroundFlushing,total_ms]</key>
    </item>
</graph_item>
</graph_items>
</graph>
<graph>
    <name>MongoDB Connections</name>

```

```

<width>900</width>
<height>200</height>
<yaxismin>0.0000</yaxismin>
<yaxismax>100.0000</yaxismax>
<show_work_period>1</show_work_period>
<show_triggers>1</show_triggers>
<type>0</type>
<show_legend>1</show_legend>
<show_3d>0</show_3d>
<percent_left>0.0000</percent_left>
<percent_right>0.0000</percent_right>
<ymin_type_1>0</ymin_type_1>
<ymin_type_1>0</ymin_type_1>
<ymin_item_1>0</ymin_item_1>
<ymin_item_1>0</ymin_item_1>
<graph_items>
  <graph_item>
    <sortorder>0</sortorder>
    <drawtype>0</drawtype>
    <color>1A7C11</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template App MongoDB</host>
      <key>mongodb.status[connections,available]</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>1</sortorder>
    <drawtype>0</drawtype>
    <color>F63100</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template App MongoDB</host>
      <key>mongodb.status[connections,current]</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>2</sortorder>
    <drawtype>0</drawtype>
    <color>2774A4</color>
    <yaxisside>0</yaxisside>

```

```

        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[connections,totalCreated]</key>
        </item>
    </graph_item>
</graph_items>
</graph>
<graph>
    <name>MongoDB DUR</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>1</show_work_period>
    <show_triggers>1</show_triggers>
    <type>0</type>
    <show_legend>1</show_legend>
    <show_3d>0</show_3d>
    <percent_left>0.0000</percent_left>
    <percent_right>0.0000</percent_right>
    <ymin_type_1>0</ymin_type_1>
    <ymin_type_1>0</ymin_type_1>
    <ymin_item_1>0</ymin_item_1>
    <ymin_item_1>0</ymin_item_1>
    <graph_items>
        <graph_item>
            <sortorder>0</sortorder>
            <drawtype>0</drawtype>
            <color>1A7C11</color>
            <yaxisside>0</yaxisside>
            <calc_fnc>2</calc_fnc>
            <type>0</type>
            <item>
                <host>Template App MongoDB</host>
                <key>mongodb.status[dur,commits]</key>
            </item>
        </graph_item>
    </graph_items>
    <graph_item>
        <sortorder>1</sortorder>
        <drawtype>0</drawtype>
        <color>F63100</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
    </graph_item>

```

```

    <type>0</type>
    <item>
        <host>Template App MongoDB</host>
        <key>mongodb.status[dur,commitsInWriteLock]</key>
    </item>
</graph_item>
<graph_item>
    <sortorder>2</sortorder>
    <drawtype>0</drawtype>
    <color>2774A4</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
        <host>Template App MongoDB</host>
        <key>mongodb.status[dur,compression]</key>
    </item>
</graph_item>
<graph_item>
    <sortorder>3</sortorder>
    <drawtype>0</drawtype>
    <color>A54F10</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
        <host>Template App MongoDB</host>
        <key>mongodb.status[dur,earlyCommits]</key>
    </item>
</graph_item>
<graph_item>
    <sortorder>4</sortorder>
    <drawtype>0</drawtype>
    <color>FC6EA3</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
        <host>Template App MongoDB</host>
        <key>mongodb.status[dur,journaledMB]</key>
    </item>
</graph_item>
<graph_item>
    <sortorder>5</sortorder>
    <drawtype>0</drawtype>

```

```

        <color>6C59DC</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[dur,writeToDataFilesMB]</key>
        </item>
    </graph_item>
</graph_items>
</graph>
<graph>
    <name>MongoDB globalLock</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>1</show_work_period>
    <show_triggers>1</show_triggers>
    <type>0</type>
    <show_legend>1</show_legend>
    <show_3d>0</show_3d>
    <percent_left>0.0000</percent_left>
    <percent_right>0.0000</percent_right>
    <ymin_type_1>0</ymin_type_1>
    <ymin_type_1>0</ymin_type_1>
    <ymin_item_1>0</ymin_item_1>
    <ymin_item_1>0</ymin_item_1>
    <graph_items>
        <graph_item>
            <sortorder>0</sortorder>
            <drawtype>0</drawtype>
            <color>1A7C11</color>
            <yaxisside>0</yaxisside>
            <calc_fnc>2</calc_fnc>
            <type>0</type>
            <item>
                <host>Template App MongoDB</host>
                <key>mongodb.status[globalLock,activeClients,readers]
</key>
            </item>
        </graph_item>
    <graph_item>
        <sortorder>1</sortorder>
        <drawtype>0</drawtype>

```

```

        <color>F63100</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[globalLock,activeClients,total]
</key>

        </item>
    </graph_item>
    <graph_item>
        <sortorder>2</sortorder>
        <drawtype>0</drawtype>
        <color>2774A4</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[globalLock,activeClients,writers]
</key>

        </item>
    </graph_item>
    <graph_item>
        <sortorder>3</sortorder>
        <drawtype>0</drawtype>
        <color>A54F10</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[globalLock,currentQueue,readers]
</key>

        </item>
    </graph_item>
    <graph_item>
        <sortorder>4</sortorder>
        <drawtype>0</drawtype>
        <color>FC6EA3</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template App MongoDB</host>

```

```

        <key>mongodb.status[globalLock,currentQueue,total]
</key>

        </item>
    </graph_item>
    <graph_item>
        <sortorder>5</sortorder>
        <drawtype>0</drawtype>
        <color>6C59DC</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[globalLock,currentQueue,writers]
</key>

        </item>
    </graph_item>
</graph_items>
</graph>
<graph>
    <name>MongoDB globalLock time</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>1</show_work_period>
    <show_triggers>1</show_triggers>
    <type>0</type>
    <show_legend>1</show_legend>
    <show_3d>0</show_3d>
    <percent_left>0.0000</percent_left>
    <percent_right>0.0000</percent_right>
    <ymin_type_1>0</ymin_type_1>
    <ymin_type_1>0</ymin_type_1>
    <ymin_item_1>0</ymin_item_1>
    <ymin_item_1>0</ymin_item_1>
    <graph_items>
        <graph_item>
            <sortorder>0</sortorder>
            <drawtype>0</drawtype>
            <color>1A7C11</color>
            <yaxisside>0</yaxisside>
            <calc_fnc>2</calc_fnc>
            <type>0</type>
            <item>

```

```

        <host>Template App MongoDB</host>
        <key>mongodb.status[globalLock,lockTime]</key>
    </item>
</graph_item>
<graph_item>
    <sortorder>1</sortorder>
    <drawtype>0</drawtype>
    <color>F63100</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
        <host>Template App MongoDB</host>
        <key>mongodb.status[globalLock,totalTime]</key>
    </item>
</graph_item>
</graph_items>
</graph>
<graph>
    <name>MongoDB indexCounters</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>1</show_work_period>
    <show_triggers>1</show_triggers>
    <type>0</type>
    <show_legend>1</show_legend>
    <show_3d>0</show_3d>
    <percent_left>0.0000</percent_left>
    <percent_right>0.0000</percent_right>
    <ymin_type_1>0</ymin_type_1>
    <ymin_type_1>0</ymin_type_1>
    <ymin_item_1>0</ymin_item_1>
    <ymin_item_1>0</ymin_item_1>
    <graph_items>
        <graph_item>
            <sortorder>0</sortorder>
            <drawtype>0</drawtype>
            <color>1A7C11</color>
            <yaxisside>0</yaxisside>
            <calc_fnc>2</calc_fnc>
            <type>0</type>
            <item>
                <host>Template App MongoDB</host>

```

```

        <key>mongodb.status[indexCounters,accesses]</key>
    </item>
</graph_item>
<graph_item>
    <sortorder>1</sortorder>
    <drawtype>0</drawtype>
    <color>F63100</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
        <host>Template App MongoDB</host>
        <key>mongodb.status[indexCounters,hits]</key>
    </item>
</graph_item>
<graph_item>
    <sortorder>2</sortorder>
    <drawtype>0</drawtype>
    <color>2774A4</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
        <host>Template App MongoDB</host>
        <key>mongodb.status[indexCounters,misses]</key>
    </item>
</graph_item>
<graph_item>
    <sortorder>3</sortorder>
    <drawtype>0</drawtype>
    <color>A54F10</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
        <host>Template App MongoDB</host>
        <key>mongodb.status[indexCounters,missRatio]</key>
    </item>
</graph_item>
<graph_item>
    <sortorder>4</sortorder>
    <drawtype>0</drawtype>
    <color>FC6EA3</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>

```

```

        <type>0</type>
        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[indexCounters,resets]</key>
        </item>
    </graph_item>
</graph_items>
</graph>
<graph>
    <name>MongoDB Memory</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>0</show_work_period>
    <show_triggers>0</show_triggers>
    <type>1</type>
    <show_legend>1</show_legend>
    <show_3d>0</show_3d>
    <percent_left>0.0000</percent_left>
    <percent_right>0.0000</percent_right>
    <ymin_type_1>0</ymin_type_1>
    <ymin_type_1>0</ymin_type_1>
    <ymin_item_1>0</ymin_item_1>
    <ymin_item_1>0</ymin_item_1>
    <graph_items>
        <graph_item>
            <sortorder>0</sortorder>
            <drawtype>0</drawtype>
            <color>1A7C11</color>
            <yaxisside>0</yaxisside>
            <calc_fnc>2</calc_fnc>
            <type>0</type>
            <item>
                <host>Template App MongoDB</host>
                <key>mongodb.status[mem,mapped]</key>
            </item>
        </graph_item>
        <graph_item>
            <sortorder>1</sortorder>
            <drawtype>0</drawtype>
            <color>F63100</color>
            <yaxisside>0</yaxisside>
            <calc_fnc>2</calc_fnc>
            <type>0</type>

```

```

        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[mem,resident]</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>2</sortorder>
        <drawtype>0</drawtype>
        <color>2774A4</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[mem,virtual]</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>3</sortorder>
        <drawtype>0</drawtype>
        <color>A54F10</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[mem,mappedWithJournal]</key>
        </item>
    </graph_item>
</graph_items>
</graph>
<graph>
    <name>MongoDB metrics document</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>1</show_work_period>
    <show_triggers>1</show_triggers>
    <type>0</type>
    <show_legend>1</show_legend>
    <show_3d>0</show_3d>
    <percent_left>0.0000</percent_left>
    <percent_right>0.0000</percent_right>
    <ymin_type_1>0</ymin_type_1>

```

```

<ymax_type_1>0</ymax_type_1>
<ymin_item_1>0</ymin_item_1>
<ymax_item_1>0</ymax_item_1>
<graph_items>
  <graph_item>
    <sortorder>0</sortorder>
    <drawtype>0</drawtype>
    <color>1A7C11</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template App MongoDB</host>
      <key>mongodb.status[metrics,document,deleted]</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>1</sortorder>
    <drawtype>0</drawtype>
    <color>F63100</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template App MongoDB</host>
      <key>mongodb.status[metrics,document,inserted]</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>2</sortorder>
    <drawtype>0</drawtype>
    <color>2774A4</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template App MongoDB</host>
      <key>mongodb.status[metrics,document,returned]</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>3</sortorder>
    <drawtype>0</drawtype>
    <color>A54F10</color>
    <yaxisside>0</yaxisside>

```

```

        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[metrics,document,updated]</key>
        </item>
    </graph_item>
</graph_items>
</graph>
<graph>
    <name>MongoDB Networks</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>1</show_work_period>
    <show_triggers>1</show_triggers>
    <type>1</type>
    <show_legend>1</show_legend>
    <show_3d>0</show_3d>
    <percent_left>0.0000</percent_left>
    <percent_right>0.0000</percent_right>
    <ymin_type_1>0</ymin_type_1>
    <ymin_type_1>0</ymin_type_1>
    <ymin_item_1>0</ymin_item_1>
    <ymin_item_1>0</ymin_item_1>
    <graph_items>
        <graph_item>
            <sortorder>0</sortorder>
            <drawtype>0</drawtype>
            <color>1A7C11</color>
            <yaxisside>0</yaxisside>
            <calc_fnc>2</calc_fnc>
            <type>0</type>
            <item>
                <host>Template App MongoDB</host>
                <key>mongodb.status[network,bytesIn]</key>
            </item>
        </graph_item>
        <graph_item>
            <sortorder>1</sortorder>
            <drawtype>0</drawtype>
            <color>F63100</color>
            <yaxisside>0</yaxisside>
            <calc_fnc>2</calc_fnc>

```

```

        <type>0</type>
        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[network,bytesOut]</key>
        </item>
    </graph_item>
</graph_items>
</graph>
<graph>
    <name>MongoDB Networks numRequests</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>
    <yaxismax>100.0000</yaxismax>
    <show_work_period>1</show_work_period>
    <show_triggers>1</show_triggers>
    <type>1</type>
    <show_legend>1</show_legend>
    <show_3d>0</show_3d>
    <percent_left>0.0000</percent_left>
    <percent_right>0.0000</percent_right>
    <ymin_type_1>0</ymin_type_1>
    <ymin_type_1>0</ymin_type_1>
    <ymin_item_1>0</ymin_item_1>
    <ymin_item_1>0</ymin_item_1>
    <graph_items>
        <graph_item>
            <sortorder>0</sortorder>
            <drawtype>0</drawtype>
            <color>1A7C11</color>
            <yaxisside>0</yaxisside>
            <calc_fnc>2</calc_fnc>
            <type>0</type>
            <item>
                <host>Template App MongoDB</host>
                <key>mongodb.status[network,numRequests]</key>
            </item>
        </graph_item>
    </graph_items>
</graph>
<graph>
    <name>MongoDB opcounters</name>
    <width>900</width>
    <height>200</height>
    <yaxismin>0.0000</yaxismin>

```

```

<yaxismax>100.0000</yaxismax>
<show_work_period>1</show_work_period>
<show_triggers>1</show_triggers>
<type>0</type>
<show_legend>1</show_legend>
<show_3d>0</show_3d>
<percent_left>0.0000</percent_left>
<percent_right>0.0000</percent_right>
<ymin_type_1>0</ymin_type_1>
<ymin_type_1>0</ymin_type_1>
<ymin_item_1>0</ymin_item_1>
<ymin_item_1>0</ymin_item_1>
<graph_items>
  <graph_item>
    <sortorder>0</sortorder>
    <drawtype>0</drawtype>
    <color>1A7C11</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template App MongoDB</host>
      <key>mongodb.status[opcounters,command]</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>1</sortorder>
    <drawtype>0</drawtype>
    <color>F63100</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template App MongoDB</host>
      <key>mongodb.status[opcounters,delete]</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>2</sortorder>
    <drawtype>0</drawtype>
    <color>2774A4</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>

```

```

        <host>Template App MongoDB</host>
        <key>mongodb.status[opcounters,getmore]</key>
    </item>
</graph_item>
<graph_item>
    <sortorder>3</sortorder>
    <drawtype>0</drawtype>
    <color>A54F10</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
        <host>Template App MongoDB</host>
        <key>mongodb.status[opcounters,insert]</key>
    </item>
</graph_item>
<graph_item>
    <sortorder>4</sortorder>
    <drawtype>0</drawtype>
    <color>FC6EA3</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
        <host>Template App MongoDB</host>
        <key>mongodb.status[opcounters,query]</key>
    </item>
</graph_item>
<graph_item>
    <sortorder>5</sortorder>
    <drawtype>0</drawtype>
    <color>6C59DC</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
        <host>Template App MongoDB</host>
        <key>mongodb.status[opcounters,update]</key>
    </item>
</graph_item>
</graph_items>
</graph>
<graph>
    <name>MongoDB opcountersRepl</name>
    <width>900</width>

```

```

<height>200</height>
<yaxismin>0.0000</yaxismin>
<yaxismax>100.0000</yaxismax>
<show_work_period>1</show_work_period>
<show_triggers>1</show_triggers>
<type>0</type>
<show_legend>1</show_legend>
<show_3d>0</show_3d>
<percent_left>0.0000</percent_left>
<percent_right>0.0000</percent_right>
<ymin_type_1>0</ymin_type_1>
<ymax_type_1>0</ymax_type_1>
<ymin_item_1>0</ymin_item_1>
<ymax_item_1>0</ymax_item_1>
<graph_items>
  <graph_item>
    <sortorder>0</sortorder>
    <drawtype>0</drawtype>
    <color>1A7C11</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template App MongoDB</host>
      <key>mongodb.status[opcountersRepl,command]</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>1</sortorder>
    <drawtype>0</drawtype>
    <color>F63100</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>
    <type>0</type>
    <item>
      <host>Template App MongoDB</host>
      <key>mongodb.status[opcountersRepl,delete]</key>
    </item>
  </graph_item>
  <graph_item>
    <sortorder>2</sortorder>
    <drawtype>0</drawtype>
    <color>2774A4</color>
    <yaxisside>0</yaxisside>
    <calc_fnc>2</calc_fnc>

```

```

        <type>0</type>
        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[opcountersRepl,getmore]</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>3</sortorder>
        <drawtype>0</drawtype>
        <color>A54F10</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[opcountersRepl,insert]</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>4</sortorder>
        <drawtype>0</drawtype>
        <color>FC6EA3</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[opcountersRepl,query]</key>
        </item>
    </graph_item>
    <graph_item>
        <sortorder>5</sortorder>
        <drawtype>0</drawtype>
        <color>6C59DC</color>
        <yaxisside>0</yaxisside>
        <calc_fnc>2</calc_fnc>
        <type>0</type>
        <item>
            <host>Template App MongoDB</host>
            <key>mongodb.status[opcountersRepl,update]</key>
        </item>
    </graph_item>
</graph_items>
</graph>
</graphs>

```

```
</zabbix_export>
```

新建一个host，链接到这个模板就可以了。