DEMO-ONLY · invented data · made from the Batchwright demo screens on 25 Oct 2026 · not a print-out of the system (the system has no readable full-record print yet)

Batch record RAB26002

Rabeprazole sodium 20 mg gastro-resistant tablets · processing record RAB26002 and packaging record RAB26002/P02 · every stage, step, value, person, time and signature

How to read it: each step shows the **values** recorded (with who and when), the **entries** made on the floor, the **signatures** (✍) and any **exceptions** (⚠). Times are India time (IST). The demo runs fast, so durations such as drying or blending times are seconds, not real process times.

Processing record (making the tablets): batch RAB26002

Product	Rabeprazole sodium 20 mg gastro-resistant tablets (invented, DEMO-ONLY) (RAB-GR-20, 20 mg)
Master batch record	RAB-WG-DEMO version 1 revision 2
Markets	IN
Status	Execution complete; review: qa reviewed
Size of this record	6 stage(s), 52 steps, 45 exceptions

Stages at a glance

Stage	Steps	Result	Signed off by	When
1. Dispensing	5	completed per mbr, 9 exceptions	Sanjay Kulkarni	25-OCT-2026 15:23:33
2. Granulation and drying	9	completed per mbr, 3 exceptions	Sanjay Kulkarni	25-OCT-2026 15:27:40
3. Blending and lubrication	7	completed per mbr, 2 exceptions	Sanjay Kulkarni	25-OCT-2026 15:31:54
4. Compression	11	completed per mbr, 10 exceptions	Sanjay Kulkarni	25-OCT-2026 15:37:32
5. Enteric film coating	14	completed per mbr, 20 exceptions	Sanjay Kulkarni	25-OCT-2026 15:48:03
6. Inspection and release for packing	6	completed per mbr, 1 exceptions	Sanjay Kulkarni	25-OCT-2026 15:50:30

Stage 1: Dispensing

1.1.1 Dispensing: room clearance, verified, room occupied

Completed

Room DISP-1 · EQC-BAL Balance, platform, calibrated

Entry	What was recorded	By	When
Area occupancy	Area code: DISP-1; Recorded by: Arjun Das	Arjun Das	25-OCT-2026 15:20:50

✍ **Line clearance performed by** Arjun Das, 25-OCT-2026 15:20:54 · ✍ **Line clearance verified by** Kavya Reddy, 25-OCT-2026 15:21:00

1.1.2 Dispensing: equipment status and use

Completed

Room DISP-1 · EQC-BAL Balance, platform, calibrated

Entry	What was recorded	By	When
Equipment use	Recorded by: Arjun Das; Equipment ref: BAL; Equipment code: BAL-DISP-01	Arjun Das	25-OCT-2026 15:21:12

✍ **Performed by** Arjun Das, 25-OCT-2026 15:21:15

1.2.1 Potency-adjusted dispensing of the active and the compensating excipient

Completed

Room DISP-1 · EQC-BAL Balance, platform, calibrated

Recorded value	Value	How	By	When
Exemplazine sodium dispensed (potency-adjusted)	**3.037 kg**	computed by the system	Pooja Venkatesh	25-OCT-2026 15:21:30

Microcrystalline cellulose dispensed (compensating)	**4.464 kg**	computed by the system	Pooja Venkatesh	25-OCT-2026 15:21:30

Entry	What was recorded	By	When
Potency calculation	Lot RAB-API-0001: assay 99.4 % (dry basis), water 0.6 % → as-is potency 98.8036 %. Active standard 3.000000 kg → **target 3.037 kg** (calculated 3.036327, rounded up to 0.001 kg). Compensating excipient (BOM-MCC): standard 4.5 kg → **target 4.464 kg**. Total 7.501 kg (standard 7.500000 kg).	Pooja Venkatesh	25-OCT-2026 15:21:22
Container weighing	Container RAB26002/C1: lot RAB-API-0001, net 3.037 kg (gross 4.037 kg, tare 1.000 kg) on BAL-DISP-01, keyed by hand (balance not named: the room's one balance booked for the batch)	Pooja Venkatesh	25-OCT-2026 15:21:25
Container weighing	Container RAB26002/C2: lot RTW-MCC-001, net 4.464 kg (gross 5.464 kg, tare 1.000 kg) on BAL-DISP-01, keyed by hand (balance not named: the room's one balance booked for the batch)	Pooja Venkatesh	25-OCT-2026 15:21:28

✍ **Performed by** Pooja Venkatesh, 25-OCT-2026 15:21:31 · ✍ **Dispensed container checked by** Kavya Reddy, 25-OCT-2026 15:21:35

⚠ EX-1: A weight for Exemplazine sodium dispensed (potency-adjusted) at step 1.2.1 Potency-adjusted dispensing of the active and the compensating excipient was keyed by hand instead of taken from the balance interface; the step now needs a second person — dispositioned
⚠ EX-2: A weight for Microcrystalline cellulose dispensed (compensating) at step 1.2.1 Potency-adjusted dispensing of the active and the compensating excipient was keyed by hand instead of taken from the balance interface; the step now needs a second person — dispositioned

1.2.2 Dispensing of the other materials

Completed

Room DISP-1 · EQC-BAL Balance, platform, calibrated

Recorded value	Value	How	By	When
Lactose monohydrate dispensed	**9.000 kg**	computed by the system	Pooja Venkatesh	25-OCT-2026 15:22:03
Povidone K30 dispensed	**0.900 kg**	computed by the system	Pooja Venkatesh	25-OCT-2026 15:22:03
Isopropyl alcohol dispensed	**0.900 kg**	computed by the system	Pooja Venkatesh	25-OCT-2026 15:22:03
Croscarmellose sodium dispensed	**0.900 kg**	computed by the system	Pooja Venkatesh	25-OCT-2026 15:22:03
Colloidal silicon dioxide dispensed	**0.150 kg**	computed by the system	Pooja Venkatesh	25-OCT-2026 15:22:03
Magnesium stearate dispensed	**0.300 kg**	computed by the system	Pooja Venkatesh	25-OCT-2026 15:22:03
Film-coating system dispensed	**2.800 kg**	computed by the system	Pooja Venkatesh	25-OCT-2026 15:22:03

Entry	What was recorded	By	When
Container weighing	Container RAB26002/C3: lot RTW-LAC-001, net 9.000 kg (gross 10.000 kg, tare 1.000 kg) on BAL-DISP-01, keyed by hand (balance not named: the room's one balance booked for the batch)	Pooja Venkatesh	25-OCT-2026 15:21:43
Container weighing	Container RAB26002/C4: lot RTW-PVP-001, net 0.900 kg (gross 1.900 kg, tare 1.000 kg) on BAL-DISP-01, keyed by hand (balance not named: the room's one balance booked for the batch)	Pooja Venkatesh	25-OCT-2026 15:21:46
Container weighing	Container RAB26002/C5: lot RTW-IPA-001, net 0.900 kg (gross 1.900 kg, tare 1.000 kg) on BAL-DISP-01, keyed by hand (balance not named: the room's one balance booked for the batch)	Pooja Venkatesh	25-OCT-2026 15:21:48
Container weighing	Container RAB26002/C6: lot RTW-CCS-001, net 0.900 kg (gross 1.900 kg, tare 1.000 kg) on BAL-DISP-01, keyed by hand (balance not named: the room's one balance booked for the batch)	Pooja Venkatesh	25-OCT-2026 15:21:51
Container weighing	Container RAB26002/C7: lot RTW-SIO-001, net 0.150 kg (gross 1.150 kg, tare 1.000 kg) on BAL-DISP-01, keyed by hand (balance not named: the room's one balance booked for the batch)	Pooja Venkatesh	25-OCT-2026 15:21:54
Container weighing	Container RAB26002/C8: lot RTW-MGS-001, net 0.300 kg (gross 1.300 kg, tare 1.000 kg) on BAL-DISP-01, keyed by hand (balance not named: the room's one balance booked for the batch)	Pooja Venkatesh	25-OCT-2026 15:21:57
Container weighing	Container RAB26002/C9: lot RTW-ECS-001, net 2.800 kg (gross 3.800 kg, tare 1.000 kg) on BAL-DISP-01, keyed by hand (balance not named: the room's one balance booked for the batch)	Pooja Venkatesh	25-OCT-2026 15:21:59

✍ **Performed by** Pooja Venkatesh, 25-OCT-2026 15:22:03 · ✍ **Dispensed container checked by** Kavya Reddy, 25-OCT-2026 15:22:08

⚠ EX-3: A weight for Lactose monohydrate dispensed at step 1.2.2 Dispensing of the other materials was keyed by hand instead of taken from the balance interface; the step now needs a second person — dispositioned
⚠ EX-4: A weight for Povidone K30 dispensed at step 1.2.2 Dispensing of the other materials was keyed by hand instead of taken from the balance interface; the step now needs a second person — dispositioned

⚠ EX-5: A weight for Isopropyl alcohol dispensed at step 1.2.2 Dispensing of the other materials was keyed by hand instead of taken from the balance interface; the step now needs a second person — dispositioned
⚠ EX-6: A weight for Croscarmellose sodium dispensed at step 1.2.2 Dispensing of the other materials was keyed by hand instead of taken from the balance interface; the step now needs a second person — dispositioned
⚠ EX-7: A weight for Colloidal silicon dioxide dispensed at step 1.2.2 Dispensing of the other materials was keyed by hand instead of taken from the balance interface; the step now needs a second person — dispositioned
⚠ EX-8: A weight for Magnesium stearate dispensed at step 1.2.2 Dispensing of the other materials was keyed by hand instead of taken from the balance interface; the step now needs a second person — dispositioned
⚠ EX-9: A weight for Film-coating system dispensed at step 1.2.2 Dispensing of the other materials was keyed by hand instead of taken from the balance interface; the step now needs a second person — dispositioned

1.2.3 Dispensing reconciliation

Completed

Room DISP-1 · EQC-BAL Balance, platform, calibrated

Recorded value	Value	How	By	When
Standard to dispense (form of the active at 100 %, the other materials per tablet)	**22.45 kg**	computed by the system	Arjun Das	25-OCT-2026 15:22:13
Dispensed in total	**22.451 kg**	computed by the system	Arjun Das	25-OCT-2026 15:22:13
Dispensing reconciliation	**≈ 100.004 %**	computed by the system	Arjun Das	25-OCT-2026 15:22:13

✍ **Performed by** Arjun Das, 25-OCT-2026 15:22:16 · ✍ **Yield verified by** Kavya Reddy, 25-OCT-2026 15:22:20

Stage 1 signed off: **Stage signed off by** Sanjay Kulkarni, 25-OCT-2026 15:23:33

Stage 2: Granulation and drying

2.1.1 Granulation: room clearance, verified, room occupied

Completed

Room GRAN-1 · EQC-BAL Balance, platform, calibrated, EQC-RMG Rapid mixer granulator, EQC-FBD Fluid-bed dryer, EQC-MILL Co-mill with screens

Entry	What was recorded	By	When
Area occupancy	Area code: GRAN-1; Recorded by: Arjun Das	Arjun Das	25-OCT-2026 15:23:54

✍ **Line clearance performed by** Arjun Das, 25-OCT-2026 15:23:57 · ✍ **Line clearance verified by** Kavya Reddy, 25-OCT-2026 15:24:02

2.1.2 Granulation: equipment status and use

Completed

Room GRAN-1 · EQC-BAL Balance, platform, calibrated, EQC-RMG Rapid mixer granulator, EQC-FBD Fluid-bed dryer, EQC-MILL Co-mill with screens

Entry	What was recorded	By	When
Equipment use	Recorded by: Arjun Das; Equipment ref: BAL; Equipment code: BAL-GRAN-01	Arjun Das	25-OCT-2026 15:24:12
Equipment use	Recorded by: Arjun Das; Equipment ref: RMG; Equipment code: RMG-01	Arjun Das	25-OCT-2026 15:24:15
Equipment use	Recorded by: Arjun Das; Equipment ref: FBD; Equipment code: FBD-01	Arjun Das	25-OCT-2026 15:24:18
Equipment use	Recorded by: Arjun Das; Equipment ref: MILL; Equipment code: MILL-01	Arjun Das	25-OCT-2026 15:24:21

✍ **Performed by** Arjun Das, 25-OCT-2026 15:24:24

2.2.1 Binder solution (povidone in purified water and isopropyl alcohol)

Completed

Room GRAN-1 · EQC-BAL Balance, platform, calibrated, EQC-RMG Rapid mixer granulator, EQC-FBD Fluid-bed dryer, EQC-MILL Co-mill with screens

Entry	What was recorded	By	When
Prepared	Use by: 25-OCT-2026 19:24; Quantity: 1.800 kg; Appearance: COMPLIES; Prepared by: Arjun Das; Prepared at: 25-OCT-2026 15:24	Arjun Das	25-OCT-2026 15:24:31

✍ **Performed by** Arjun Das, 25-OCT-2026 15:24:34 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:24:38

2.2.2 Extra isopropyl alcohol to the wet mass (the supervisor chose it)

Not applicable

Room GRAN-1 · EQC-BAL Balance, platform, calibrated, EQC-RMG Rapid mixer granulator, EQC-FBD Fluid-bed dryer, EQC-MILL Co-mill with screens

2.2.3 Wet granulation (high shear) to the end point

Completed

Room GRAN-1 · EQC-BAL Balance, platform, calibrated, EQC-RMG Rapid mixer granulator, EQC-FBD Fluid-bed dryer, EQC-MILL Co-mill with screens

Entry	What was recorded	By	When
Recipe check	Recipe: RCP-RTW-GRAN; Matches: yes; Checked by: Arjun Das; Recipe version: 1	Arjun Das	25-OCT-2026 15:24:50
Massing start	Started by: Arjun Das	Arjun Das	25-OCT-2026 15:24:52
Binder addition	Added by: Arjun Das; Quantity: 1.800 kg; Preparation: EN-18	Arjun Das	25-OCT-2026 15:24:55
Actual	Tag: granulator.power_kW; Unit: kW; Value: 12.50; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:24:58
End point	Unit: s; Value: 31.6; Criterion: TIME; Recorded by: Arjun Das; Within range: yes	Arjun Das	25-OCT-2026 15:25:24

✍ **Performed by** Arjun Das, 25-OCT-2026 15:25:27 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:25:31

⚠ EX-10: granulator.power_kW at step 2.2.3 Wet granulation (high shear) to the end point was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned

2.2.4 (iteration 1) Fluid-bed drying with the LOD check

Completed

Room GRAN-1 · EQC-BAL Balance, platform, calibrated, EQC-RMG Rapid mixer granulator, EQC-FBD Fluid-bed dryer, EQC-MILL Co-mill with screens

Recorded value	Value	How	By	When
Loss on drying of the granules	**2.8 %**	typed	Arjun Das	25-OCT-2026 15:25:58

Entry	What was recorded	By	When
Bag check	Bag: FBD-01-BAG-1; When: BEFORE; New bag: yes; Result: INTACT; Checked by: Arjun Das	Arjun Das	25-OCT-2026 15:25:38
Recipe check	Recipe: RCP-RTW-DRY; Matches: yes; Checked by: Arjun Das; Recipe version: 1	Arjun Das	25-OCT-2026 15:25:41
Drying start	Started by: Arjun Das	Arjun Das	25-OCT-2026 15:25:44
Actual	Tag: dryer.inlet_temp_C; Unit: degC; Value: 60.0; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:25:47
Drying end	Ended by: Arjun Das; Drying seconds: 8 s	Arjun Das	25-OCT-2026 15:25:52
Lod sample	Analyser: MA-GRAN-01; Sampled by: Arjun Das; Sample mass: 5.012 g	Arjun Das	25-OCT-2026 15:25:55
Bag check	Bag: FBD-01-BAG-1; When: AFTER; Result: INTACT; Checked by: Arjun Das	Arjun Das	25-OCT-2026 15:26:01

✍ **Performed by** Arjun Das, 25-OCT-2026 15:26:04 · ✍ **Witnessed by** Kavya Reddy, 25-OCT-2026 15:26:09

⚠ EX-11: dryer.inlet_temp_C at step 2.2.4 (iteration 1) Fluid-bed drying with the LOD check was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned

2.2.5 Dried granules milled through the checked screen

Completed

Room GRAN-1 · EQC-BAL Balance, platform, calibrated, EQC-RMG Rapid mixer granulator, EQC-FBD Fluid-bed dryer, EQC-MILL Co-mill with screens

Entry	What was recorded	By	When

Screen check	When: BEFORE; Result: INTACT; Screen: SCR-RW-10; Aperture: 1.0 mm; Checked by: Arjun Das	Arjun Das	25-OCT-2026 15:26:19
Material pass	Screen: SCR-RW-10; Material: Dried granules; Oversize: 0.050 kg; Quantity in: 17.300 kg; Recorded by: Arjun Das; Quantity out: 17.250 kg; Foreign matter: no	Arjun Das	25-OCT-2026 15:26:22
Screen check	When: AFTER; Result: INTACT; Screen: SCR-RW-10; Aperture: 1.0 mm; Checked by: Arjun Das	Arjun Das	25-OCT-2026 15:26:25

✍ **Performed by** Arjun Das, 25-OCT-2026 15:26:28 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:26:32

2.2.6 Dried granules of the sub-lot into containers

Completed

Room GRAN-1 · EQC-BAL Balance, platform, calibrated, EQC-RMG Rapid mixer granulator, EQC-FBD Fluid-bed dryer, EQC-MILL Co-mill with screens

Recorded value	Value	How	By	When
Dried granules (net)	**17.250 kg**	computed by the system	Arjun Das	25-OCT-2026 15:26:42

Entry	What was recorded	By	When
Output container	Container RAB26002/C10 of I-GRAN: net 17.250 kg (gross 18.250 kg, tare 1.000 kg) on BAL-GRAN-01, keyed by hand (balance not named: the room's one balance booked for the batch)	Arjun Das	25-OCT-2026 15:26:39

✍ **Performed by** Arjun Das, 25-OCT-2026 15:26:43 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:26:47

⚠ EX-12: A weight for Dried granules (net) at step 2.2.6 Dried granules of the sub-lot into containers was keyed by hand instead of taken from the balance interface; the step now needs a second person — dispositioned

2.2.7 Granulation yield

Completed

Room GRAN-1 · EQC-BAL Balance, platform, calibrated, EQC-RMG Rapid mixer granulator, EQC-FBD Fluid-bed dryer, EQC-MILL Co-mill with screens

Recorded value	Value	How	By	When
Intragranular solids dispensed (theoretical granulation input)	**17.401 kg**	computed by the system	Arjun Das	25-OCT-2026 15:27:01
Dried granules	**17.25 kg**	computed by the system	Arjun Das	25-OCT-2026 15:27:01
Granulation yield	**≈ 99.132 %**	computed by the system	Arjun Das	25-OCT-2026 15:27:01

✍ **Performed by** Arjun Das, 25-OCT-2026 15:27:04 · ✍ **Yield verified by** Kavya Reddy, 25-OCT-2026 15:27:09

Stage 2 signed off: **Stage signed off by** Sanjay Kulkarni, 25-OCT-2026 15:27:40

Stage 3: Blending and lubrication

3.1.1 Blending: room clearance, verified, room occupied

Completed

Room BLEND-1 · EQC-BAL Balance, platform, calibrated, EQC-BLENDER Octagonal blender

Entry	What was recorded	By	When
Area occupancy	Area code: BLEND-1; Recorded by: Arjun Das	Arjun Das	25-OCT-2026 15:28:10

✍ **Line clearance performed by** Arjun Das, 25-OCT-2026 15:28:13 · ✍ **Line clearance verified by** Kavya Reddy, 25-OCT-2026 15:28:17

3.1.2 Blending: equipment status and use

Completed

Room BLEND-1 · EQC-BAL Balance, platform, calibrated, EQC-BLENDER Octagonal blender

Entry	What was recorded	By	When
Equipment use	Recorded by: Arjun Das; Equipment ref: BAL; Equipment code: BAL-BLEND-01	Arjun Das	25-OCT-2026 15:28:27
Equipment use	Recorded by: Arjun Das; Equipment ref: BLENDER; Equipment code: BLD-01	Arjun Das	25-OCT-2026 15:28:30

✍ **Performed by** Arjun Das, 25-OCT-2026 15:28:34

3.2.1 No milled rejects added (0.000 kg recorded)

Completed

Room BLEND-1 · EQC-BAL Balance, platform, calibrated, EQC-BLENDER Octagonal blender

Recorded value	Value	How	By	When
Milled rejects added (net)	**0.000 kg**	typed	Arjun Das	25-OCT-2026 15:28:44

✍ **Performed by** Arjun Das, 25-OCT-2026 15:28:48 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:28:52

⚠ EX-13: Milled rejects added (net) was keyed by hand although it is configured for automation capture; the step now needs a second person — dispositioned

3.2.2 Reprocessing addition of milled rejects (case 2)

Not applicable

Room BLEND-1 · EQC-BAL Balance, platform, calibrated, EQC-BLENDER Octagonal blender

3.2.3 Blending and lubrication

Completed

Room BLEND-1 · EQC-BAL Balance, platform, calibrated, EQC-BLENDER Octagonal blender

Recorded value	Value	How	By	When
Main blend time	**66.249005 s**	computed by the system	Arjun Das	25-OCT-2026 15:30:46
Lubrication time	**35.576081 s**	computed by the system	Arjun Das	25-OCT-2026 15:30:46

Entry	What was recorded	By	When
Blend start	Started by: Arjun Das	Arjun Das	25-OCT-2026 15:28:59
Blend end	Seconds: 66 s; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:30:05
Lubricant added	Added by: Arjun Das; Quantity: 0.300 kg	Arjun Das	25-OCT-2026 15:30:08
Lubrication end	Seconds: 36 s; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:30:43

✍ **Performed by** Arjun Das, 25-OCT-2026 15:30:47 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:30:51

3.2.4 Lubricated blend into containers

Completed

Room BLEND-1 · EQC-BAL Balance, platform, calibrated, EQC-BLENDER Octagonal blender

Recorded value	Value	How	By	When
Lubricated blend discharged (net)	**18.500 kg**	computed by the system	Arjun Das	25-OCT-2026 15:31:02

Entry	What was recorded	By	When
Output container	Container RAB26002/C11 of I-BLEND: net 18.500 kg (gross 19.500 kg, tare 1.000 kg) on BAL-BLEND-01, keyed by hand (balance not named: the room's one balance booked for the batch)	Arjun Das	25-OCT-2026 15:30:59

✍ **Performed by** Arjun Das, 25-OCT-2026 15:31:03 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:31:07

⚠ EX-14: A weight for Lubricated blend discharged (net) at step 3.2.4 Lubricated blend into containers was keyed by hand instead of taken from the balance interface; the step now needs a second person — dispositioned

3.2.5 Blending yield

Completed

Room BLEND-1 · EQC-BAL Balance, platform, calibrated, EQC-BLENDER Octagonal blender

Recorded value	Value	How	By	When
Blend input (granules, extragranular excipients, milled rejects)	**18.6 kg**	computed by the system	Arjun Das	25-OCT-2026 15:31:21
Blending yield	**≈ 99.462 %**	computed by the system	Arjun Das	25-OCT-2026 15:31:21

✍ **Performed by** Arjun Das, 25-OCT-2026 15:31:25 · ✍ **Yield verified by** Kavya Reddy, 25-OCT-2026 15:31:29

Stage 3 signed off: **Stage signed off by** Sanjay Kulkarni, 25-OCT-2026 15:31:54

Stage 4: Compression

4.1.1 Compression: room clearance, verified, room occupied

Completed

Room COMP-1 · EQC-BAL Balance, platform, calibrated, EQC-PRESS-GBT Double-rotary tablet press, EQC-HT Tablet hardness and thickness tester, EQC-FRB Friability tester

Entry	What was recorded	By	When
Area occupancy	Area code: COMP-1; Recorded by: Arjun Das	Arjun Das	25-OCT-2026 15:32:19

✍ **Line clearance performed by** Arjun Das, 25-OCT-2026 15:32:22 · ✍ **Line clearance verified by** Kavya Reddy, 25-OCT-2026 15:32:27

4.1.2 Compression: equipment status and use

Completed

Room COMP-1 · EQC-BAL Balance, platform, calibrated, EQC-PRESS-GBT Double-rotary tablet press, EQC-HT Tablet hardness and thickness tester, EQC-FRB Friability tester

Entry	What was recorded	By	When
Equipment use	Recorded by: Arjun Das; Equipment ref: BAL; Equipment code: BAL-COMP-01	Arjun Das	25-OCT-2026 15:32:37
Equipment use	Recorded by: Arjun Das; Equipment ref: PRESS; Equipment code: PRESS-01	Arjun Das	25-OCT-2026 15:32:39
Equipment use	Recorded by: Arjun Das; Equipment ref: HT; Equipment code: HT-01	Arjun Das	25-OCT-2026 15:32:45
Equipment use	Recorded by: Arjun Das; Equipment ref: FRB; Equipment code: FRB-01	Arjun Das	25-OCT-2026 15:32:50

✍ **Performed by** Arjun Das, 25-OCT-2026 15:32:54

4.2.1 Tooling issue and inspection

Completed

Room COMP-1 · EQC-BAL Balance, platform, calibrated, EQC-PRESS-GBT Double-rotary tablet press, EQC-HT Tablet hardness and thickness tester, EQC-FRB Friability tester

Entry	What was recorded	By	When
Tooling inspected	Set: TS-RAB-DEMO; When: BEFORE; Result: PASS; Inspected by: Arjun Das	Arjun Das	25-OCT-2026 15:33:04
Tooling issued	Set: TS-RAB-DEMO; Press: PRESS-01; Issued by: Arjun Das; Inspection: EN-48	Arjun Das	25-OCT-2026 15:33:09

✍ **Performed by** Arjun Das, 25-OCT-2026 15:33:12 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:33:17

4.2.2 Press set-up and first-off approval

Completed

Room COMP-1 · EQC-BAL Balance, platform, calibrated, EQC-PRESS-GBT Double-rotary tablet press, EQC-HT Tablet hardness and thickness tester, EQC-FRB Friability tester

Entry	What was recorded	By	When
Press setup	Press: PRESS-01; Set up by: Arjun Das	Arjun Das	25-OCT-2026 15:33:24
Pre use checklist	All ok: yes; Items: Ok yes; Item DUST_EXTRACTION | Ok yes; Item NOZZLES_CLEAN_NO_LEAK | Ok yes; Item CALIBRATED_BALANCE; Checked by: Arjun Das	Arjun Das	25-OCT-2026 15:33:27
Hopper charge	Charged by: Arjun Das	Arjun Das	25-OCT-2026 15:33:32
First off	Result: PASS; Recorded by: Arjun Das	Arjun Das	25-OCT-2026 15:33:35

✍ **Performed by** Arjun Das, 25-OCT-2026 15:33:38 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:33:43

4.2.3 Compression run with left and right IPC

Completed

Room COMP-1 · EQC-BAL Balance, platform, calibrated, EQC-PRESS-GBT Double-rotary tablet press, EQC-HT Tablet hardness and thickness tester, EQC-FRB Friability tester

Entry	What was recorded	By	When
Run start	Press: PRESS-01; Recorded by: Arjun Das	Arjun Das	25-OCT-2026 15:33:50
Station sweep	Result: PASS; Stream: L; Stations: Weight 124.8; Station 1 | Weight 125.4; Station 2 | Weight 125.9; Station 3 | Weight 124.6; Station 4; Instrument: BAL-COMP-01; Recorded by: Arjun Das; Sampled at: 25-OCT-2026 15:33	Arjun Das	25-OCT-2026 15:33:53
Station sweep	Result: PASS; Stream: R; Stations: Weight 124.8; Station 1 | Weight 125.4; Station 2 | Weight 125.9; Station 3 | Weight 124.6; Station 4; Instrument: BAL-COMP-01; Recorded by: Arjun Das; Sampled at: 25-OCT-2026 15:33	Arjun Das	25-OCT-2026 15:33:56
Run end	Recorded by: Arjun Das	Arjun Das	25-OCT-2026 15:34:04
Weight check	GROUP weight check, stream L: PASS (n 20, mean 125.0500 mg)	Arjun Das	25-OCT-2026 15:34:13
Weight check	GROUP weight check, stream R: PASS (n 20, mean 124.9500 mg)	Arjun Das	25-OCT-2026 15:34:23

✍ **Performed by** Arjun Das, 25-OCT-2026 15:34:26 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:34:30

⚠ EX-15: The station sweep at step 4.2.3 Compression run with left and right IPC was keyed by hand instead of taken from the instrument interface; the step now needs a second person — dispositioned
⚠ EX-16: The station sweep at step 4.2.3 Compression run with left and right IPC was keyed by hand instead of taken from the instrument interface; the step now needs a second person — dispositioned
⚠ EX-17: The weight check at step 4.2.3 Compression run with left and right IPC was keyed by hand instead of taken from the instrument interface; the step now needs a second person — dispositioned
⚠ EX-18: The weight check at step 4.2.3 Compression run with left and right IPC was keyed by hand instead of taken from the instrument interface; the step now needs a second person — dispositioned

4.2.4 Weight of the cores (group of 20)

Completed

Room COMP-1 · EQC-BAL Balance, platform, calibrated, EQC-PRESS-GBT Double-rotary tablet press, EQC-HT Tablet hardness and thickness tester, EQC-FRB Friability tester

Entry	What was recorded	By	When
Weight check	GROUP weight check, stream : PASS (n 20, mean 125.1000 mg)	Arjun Das	25-OCT-2026 15:34:38

✍ **Performed by** Arjun Das, 25-OCT-2026 15:34:41 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:34:46

⚠ EX-19: The weight check at step 4.2.4 Weight of the cores (group of 20) was keyed by hand instead of taken from the instrument interface; the step now needs a second person — dispositioned

4.2.5 Thickness and breaking force of the cores

Completed

Room COMP-1 · EQC-BAL Balance, platform, calibrated, EQC-PRESS-GBT Double-rotary tablet press, EQC-HT Tablet hardness and thickness tester, EQC-FRB Friability tester

Entry	What was recorded	By	When
Physical check	Result: PASS; Tablets: Hardness 95; Thickness 5.10 | Hardness 98; Thickness 5.12 | Hardness 92; Thickness 5.08; Instrument: HT-01; Recorded by: Arjun Das; Sampled at: 25-OCT-2026 15:34	Arjun Das	25-OCT-2026 15:34:53

✍ **Performed by** Arjun Das, 25-OCT-2026 15:34:56 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:35:01

⚠ EX-20: The physical check at step 4.2.5 Thickness and breaking force of the cores was keyed by hand instead of taken from the instrument interface; the step now needs a second person — dispositioned

4.2.6 Friability of the cores

Completed

Room COMP-1 · EQC-BAL Balance, platform, calibrated, EQC-PRESS-GBT Double-rotary tablet press, EQC-HT Tablet hardness and thickness tester, EQC-FRB Friability tester

Entry	What was recorded	By	When
Friability run	Rpm: 25.0; Run: 1; Loss: 0.2; Limit: 1; Broken: no; Result: PASS; Tablets: 52; Reported: 0.2; Final mass: 6.495; Rotations: 100; Instrument: FRB-01; Recorded by: Arjun Das; Initial mass: 6.510; Sampled at: 25-OCT-2026 15:35; Average weight: 125.19	Arjun Das	25-OCT-2026 15:35:09

✍ **Performed by** Arjun Das, 25-OCT-2026 15:35:13 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:35:17

⚠ EX-21: Friability run 1 at step 4.2.6 Friability of the cores was keyed by hand instead of taken from the instrument interface; the step now needs a second person — dispositioned

4.2.7 Tooling return and inspection after use

Completed

Room COMP-1 · EQC-BAL Balance, platform, calibrated, EQC-PRESS-GBT Double-rotary tablet press, EQC-HT Tablet hardness and thickness tester, EQC-FRB Friability tester

Entry	What was recorded	By	When
Tooling returned	Set: TS-RAB-DEMO; Strokes: 148500; Returned by: Arjun Das; Stroke source: MANUAL; Count mismatch: no; Limit exceeded: no	Arjun Das	25-OCT-2026 15:35:27
Tooling inspected	Set: TS-RAB-DEMO; When: AFTER; Result: PASS; Inspected by: Arjun Das	Arjun Das	25-OCT-2026 15:35:33

✍ **Performed by** Arjun Das, 25-OCT-2026 15:35:36 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:35:41

4.2.8 Compression yield and accountability

Completed

Room COMP-1 · EQC-BAL Balance, platform, calibrated, EQC-PRESS-GBT Double-rotary tablet press, EQC-HT Tablet hardness and thickness tester, EQC-FRB Friability tester

Recorded value	Value	How	By	When
Good cores (A)	**18.400 kg**	typed	Arjun Das	25-OCT-2026 15:35:48
Reusable residue of compression (B)	**0.100 kg**	typed	Arjun Das	25-OCT-2026 15:35:50
Compression rejects for destruction	**0.050 kg**	typed	Arjun Das	25-OCT-2026 15:35:53
Theoretical compression output T (core batch dispensed plus milled rejects added)	**18.751 kg**	computed by the system	Arjun Das	25-OCT-2026 15:35:45
Good-output yield A/T	**≈ 98.128 %**	computed by the system	Arjun Das	25-OCT-2026 15:35:48
Yield with the reusable residue (A + B)/T	**≈ 98.661 %**	computed by the system	Arjun Das	25-OCT-2026 15:35:50
Compression accountability against the blend	**≈ 100.270 %**	computed by the system	Arjun Das	25-OCT-2026 15:35:53

✍ **Performed by** Arjun Das, 25-OCT-2026 15:35:57 · ✍ **Yield verified by** Kavya Reddy, 25-OCT-2026 15:36:02

⚠ EX-22: Good cores (A) was keyed by hand although it is configured for device capture; the step now needs a second person — dispositioned
⚠ EX-23: Reusable residue of compression (B) was keyed by hand although it is configured for device capture; the step now needs a second person — dispositioned
⚠ EX-24: Compression rejects for destruction was keyed by hand although it is configured for device capture; the step now needs a second person — dispositioned

4.2.9 Cores approved for coating

Completed

Room COMP-1 · EQC-BAL Balance, platform, calibrated, EQC-PRESS-GBT Double-rotary tablet press, EQC-HT Tablet hardness and thickness tester, EQC-FRB Friability tester · instruction: Cores approved for coating: QA decides (APPROVED or NOT_APPROVED).

✍ **Hold point released by** Fatima Sheikh, 25-OCT-2026 15:36:08

Stage 4 signed off: **Stage signed off by** Sanjay Kulkarni, 25-OCT-2026 15:37:32

Stage 5: Enteric film coating

5.1.1 Coating: room clearance, verified, room occupied

Completed

Room COAT-1 · EQC-BAL Balance, platform, calibrated, EQC-COATER Perforated coating pan, EQC-DT Disintegration tester

Entry	What was recorded	By	When
Area occupancy	Area code: COAT-1; Recorded by: Arjun Das	Arjun Das	25-OCT-2026 15:37:56

✍ **Line clearance performed by** Arjun Das, 25-OCT-2026 15:37:59 · ✍ **Line clearance verified by** Kavya Reddy, 25-OCT-2026 15:38:04

5.1.2 Coating: equipment status and use

Completed

Room COAT-1 · EQC-BAL Balance, platform, calibrated, EQC-COATER Perforated coating pan, EQC-DT Disintegration tester

Entry	What was recorded	By	When
Equipment use	Recorded by: Arjun Das; Equipment ref: BAL; Equipment code: BAL-COAT-01	Arjun Das	25-OCT-2026 15:38:14
Equipment use	Recorded by: Arjun Das; Equipment ref: COATER; Equipment code: COATER-01	Arjun Das	25-OCT-2026 15:38:16
Equipment use	Recorded by: Arjun Das; Equipment ref: DT; Equipment code: DT-01	Arjun Das	25-OCT-2026 15:38:22

✍ **Performed by** Arjun Das, 25-OCT-2026 15:38:25

5.2.1 Seal: suspension

Completed

Room COAT-1 · EQC-BAL Balance, platform, calibrated, EQC-COATER Perforated coating pan, EQC-DT Disintegration tester

Entry	What was recorded	By	When
Prepared	Use by: 25-OCT-2026 19:38; Quantity: 2.500 kg; Appearance: COMPLIES; Prepared by: Arjun Das; Prepared at: 25-OCT-2026 15:38	Arjun Das	25-OCT-2026 15:38:32

✍ **Performed by** Arjun Das, 25-OCT-2026 15:38:35 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:38:40

5.2.2 Seal: tablets, room and pan load before coating

Completed

Room COAT-1 · EQC-BAL Balance, platform, calibrated, EQC-COATER Perforated coating pan, EQC-DT Disintegration tester

Recorded value	Value	How	By	When
Core mean weight before the seal	**125.000000 mg**	computed by the system	Arjun Das	25-OCT-2026 15:38:56

Entry	What was recorded	By	When
Room check	Humidity: 45; Checked by: Arjun Das; Filtered air: yes; Temperature: 23.0; Within limits: yes	Arjun Das	25-OCT-2026 15:38:47
Pan load	Quantity: 18.400 kg; Recorded by: Arjun Das; Within range: yes	Arjun Das	25-OCT-2026 15:38:50
Core sample	Unit: g; Count: 20; Total: 2.5; Mean mg: 125.0; Total mg: 2500; Weighing: GROUP; Instrument: BAL-COAT-01; Recorded by: Arjun Das	Arjun Das	25-OCT-2026 15:38:53

✍ **Performed by** Arjun Das, 25-OCT-2026 15:38:57 · ✍ **Witnessed by** Kavya Reddy, 25-OCT-2026 15:39:03

5.2.3 (iteration 1) Seal to its weight gain

Completed

Room COAT-1 · EQC-BAL Balance, platform, calibrated, EQC-COATER Perforated coating pan, EQC-DT Disintegration tester

Recorded value	Value	How	By	When
Weight gain of the seal	**2.0000 %**	computed by the system	Arjun Das	25-OCT-2026 15:39:38

Entry	What was recorded	By	When
Recipe check	Recipe: RCP-RTW-COAT; Matches: yes; Checked by: Arjun Das; Recipe version: 1	Arjun Das	25-OCT-2026 15:39:10
Spray start	Started by: Arjun Das	Arjun Das	25-OCT-2026 15:39:13
Actual	Tag: inlet.temp_C; Unit: degC; Value: 55.0; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:39:16
Actual	Tag: exhaust.temp_C; Unit: degC; Value: 42.0; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:39:19
Actual	Tag: bed.temp_C; Unit: degC; Value: 41.5; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:39:22
Actual	Tag: spray.rate_g_min; Unit: g/min; Value: 120.0; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:39:24
Actual	Tag: pan.speed_rpm; Unit: rpm; Value: 5.0; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:39:27

Spray end	Ended by: Arjun Das; Spraying seconds: 17 s	Arjun Das	25-OCT-2026 15:39:30
Suspension used	Used by: Arjun Das; Quantity: 2.300 kg; Preparation: EN-69	Arjun Das	25-OCT-2026 15:39:33
Weight check	weight check, stream :	Arjun Das	25-OCT-2026 15:39:35

✍ **Performed by** Arjun Das, 25-OCT-2026 15:39:39 · ✍ **Witnessed by** Kavya Reddy, 25-OCT-2026 15:39:44

⚠ EX-25: inlet.temp_C at step 5.2.3 (iteration 1) Seal to its weight gain was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned
⚠ EX-26: exhaust.temp_C at step 5.2.3 (iteration 1) Seal to its weight gain was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned
⚠ EX-27: bed.temp_C at step 5.2.3 (iteration 1) Seal to its weight gain was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned
⚠ EX-28: spray.rate_g_min at step 5.2.3 (iteration 1) Seal to its weight gain was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned
⚠ EX-29: pan.speed_rpm at step 5.2.3 (iteration 1) Seal to its weight gain was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned

5.2.4 Enteric coating suspension

Completed

Room COAT-1 · EQC-BAL Balance, platform, calibrated, EQC-COATER Perforated coating pan, EQC-DT Disintegration tester

Entry	What was recorded	By	When
Prepared	Use by: 26-OCT-2026 03:39; Quantity: 9.000 kg; Appearance: COMPLIES; Prepared by: Arjun Das; Prepared at: 25-OCT-2026 15:39	Arjun Das	25-OCT-2026 15:39:54

✍ **Performed by** Arjun Das, 25-OCT-2026 15:39:58 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:40:03

5.2.5 Cores, room and pan load before coating

Completed

Room COAT-1 · EQC-BAL Balance, platform, calibrated, EQC-COATER Perforated coating pan, EQC-DT Disintegration tester

Recorded value	Value	How	By	When
Core mean weight	**127.500000 mg**	computed by the system	Arjun Das	25-OCT-2026 15:40:20

Entry	What was recorded	By	When
Room check	Humidity: 45; Checked by: Arjun Das; Filtered air: yes; Temperature: 23.0; Within limits: yes	Arjun Das	25-OCT-2026 15:40:12
Pan load	Quantity: 18.400 kg; Recorded by: Arjun Das; Within range: yes	Arjun Das	25-OCT-2026 15:40:15
Core sample	Unit: g; Count: 20; Total: 2.5; Mean mg: 127.5; Total mg: 2550; Weighing: GROUP; Instrument: BAL-COAT-01; Recorded by: Arjun Das	Arjun Das	25-OCT-2026 15:40:18

✍ **Performed by** Arjun Das, 25-OCT-2026 15:40:22 · ✍ **Witnessed by** Kavya Reddy, 25-OCT-2026 15:40:26

5.2.6 (iteration 1) Enteric film coating to the weight gain

Completed

Room COAT-1 · EQC-BAL Balance, platform, calibrated, EQC-COATER Perforated coating pan, EQC-DT Disintegration tester

Recorded value	Value	How	By	When
Coating weight gain	**9.0000 %**	computed by the system	Arjun Das	25-OCT-2026 15:41:02

Entry	What was recorded	By	When
Recipe check	Recipe: RCP-RTW-COAT; Matches: yes; Checked by: Arjun Das; Recipe version: 1	Arjun Das	25-OCT-2026 15:40:34
Spray start	Started by: Arjun Das	Arjun Das	25-OCT-2026 15:40:37
Actual	Tag: inlet.temp_C; Unit: degC; Value: 55.0; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:40:40
Actual	Tag: exhaust.temp_C; Unit: degC; Value: 42.0; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:40:42
Actual	Tag: bed.temp_C; Unit: degC; Value: 41.5; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:40:45

Actual	Tag: spray.rate_g_min; Unit: g/min; Value: 120.0; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:40:48
Actual	Tag: pan.speed_rpm; Unit: rpm; Value: 5.0; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:40:51
Spray end	Ended by: Arjun Das; Spraying seconds: 17 s	Arjun Das	25-OCT-2026 15:40:54
Suspension used	Used by: Arjun Das; Quantity: 8.500 kg; Preparation: EN-83	Arjun Das	25-OCT-2026 15:40:56
Weight check	weight check, stream :	Arjun Das	25-OCT-2026 15:40:59

✍ **Performed by** Arjun Das, 25-OCT-2026 15:41:03 · ✍ **Witnessed by** Kavya Reddy, 25-OCT-2026 15:41:09

⚠ EX-30: inlet.temp_C at step 5.2.6 (iteration 1) Enteric film coating to the weight gain was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned
⚠ EX-31: exhaust.temp_C at step 5.2.6 (iteration 1) Enteric film coating to the weight gain was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned
⚠ EX-32: bed.temp_C at step 5.2.6 (iteration 1) Enteric film coating to the weight gain was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned
⚠ EX-33: spray.rate_g_min at step 5.2.6 (iteration 1) Enteric film coating to the weight gain was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned
⚠ EX-34: pan.speed_rpm at step 5.2.6 (iteration 1) Enteric film coating to the weight gain was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned

5.2.7 Top: suspension

Completed

Room COAT-1 · EQC-BAL Balance, platform, calibrated, EQC-COATER Perforated coating pan, EQC-DT Disintegration tester

Entry	What was recorded	By	When
Prepared	Use by: 25-OCT-2026 19:41; Quantity: 3.500 kg; Appearance: COMPLIES; Prepared by: Arjun Das; Prepared at: 25-OCT-2026 15:41	Arjun Das	25-OCT-2026 15:41:19

✍ **Performed by** Arjun Das, 25-OCT-2026 15:41:23 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:41:27

5.2.8 Top: tablets, room and pan load before coating

Completed

Room COAT-1 · EQC-BAL Balance, platform, calibrated, EQC-COATER Perforated coating pan, EQC-DT Disintegration tester

Recorded value	Value	How	By	When
Core mean weight before the top	**138.975000 mg**	computed by the system	Arjun Das	25-OCT-2026 15:41:44

Entry	What was recorded	By	When
Room check	Humidity: 45; Checked by: Arjun Das; Filtered air: yes; Temperature: 23.0; Within limits: yes	Arjun Das	25-OCT-2026 15:41:36
Pan load	Quantity: 18.400 kg; Recorded by: Arjun Das; Within range: yes	Arjun Das	25-OCT-2026 15:41:38
Core sample	Unit: g; Count: 20; Total: 2.8; Mean mg: 139.0; Total mg: 2779.5; Weighing: GROUP; Instrument: BAL-COAT-01; Recorded by: Arjun Das	Arjun Das	25-OCT-2026 15:41:41

✍ **Performed by** Arjun Das, 25-OCT-2026 15:41:45 · ✍ **Witnessed by** Kavya Reddy, 25-OCT-2026 15:41:51

5.2.9 (iteration 1) Top to its weight gain

Completed

Room COAT-1 · EQC-BAL Balance, platform, calibrated, EQC-COATER Perforated coating pan, EQC-DT Disintegration tester

Recorded value	Value	How	By	When
Weight gain of the top	**3.0005 %**	computed by the system	Arjun Das	25-OCT-2026 15:42:26

Entry	What was recorded	By	When
Recipe check	Recipe: RCP-RTW-COAT; Matches: yes; Checked by: Arjun Das; Recipe version: 1	Arjun Das	25-OCT-2026 15:41:58
Spray start	Started by: Arjun Das	Arjun Das	25-OCT-2026 15:42:01
Actual	Tag: inlet.temp_C; Unit: degC; Value: 55.0; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:42:04

Actual	Tag: exhaust.temp_C; Unit: degC; Value: 42.0; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:42:07
Actual	Tag: bed.temp_C; Unit: degC; Value: 41.5; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:42:09
Actual	Tag: spray.rate_g_min; Unit: g/min; Value: 120.0; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:42:12
Actual	Tag: pan.speed_rpm; Unit: rpm; Value: 5.0; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:42:15
Spray end	Ended by: Arjun Das; Spraying seconds: 16 s	Arjun Das	25-OCT-2026 15:42:18
Suspension used	Used by: Arjun Das; Quantity: 3.200 kg; Preparation: EN-97	Arjun Das	25-OCT-2026 15:42:21
Weight check	weight check, stream :	Arjun Das	25-OCT-2026 15:42:23

✍ **Performed by** Arjun Das, 25-OCT-2026 15:42:27 · ✍ **Witnessed by** Kavya Reddy, 25-OCT-2026 15:42:33

⚠ EX-35: inlet.temp_C at step 5.2.9 (iteration 1) Top to its weight gain was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned
⚠ EX-36: exhaust.temp_C at step 5.2.9 (iteration 1) Top to its weight gain was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned
⚠ EX-37: bed.temp_C at step 5.2.9 (iteration 1) Top to its weight gain was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned
⚠ EX-38: spray.rate_g_min at step 5.2.9 (iteration 1) Top to its weight gain was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned
⚠ EX-39: pan.speed_rpm at step 5.2.9 (iteration 1) Top to its weight gain was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned

5.2.10 Coated tablets into containers

Completed

Room COAT-1 · EQC-BAL Balance, platform, calibrated, EQC-COATER Perforated coating pan, EQC-DT Disintegration tester

Recorded value	Value	How	By	When
Coated tablets (net)	**21.070 kg**	computed by the system	Arjun Das	25-OCT-2026 15:42:46

Entry	What was recorded	By	When
Output container	Container RAB26002/C12 of I-COATED: net 21.070 kg (gross 22.070 kg, tare 1.000 kg) on MANUAL, keyed by hand	Arjun Das	25-OCT-2026 15:42:43

✍ **Performed by** Arjun Das, 25-OCT-2026 15:42:48 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:42:53

⚠ EX-40: A weight for Coated tablets (net) at step 5.2.10 Coated tablets into containers was keyed by hand instead of taken from the balance interface; the step now needs a second person — dispositioned

5.2.11 Disintegration of the coated tablets: acid stage, then buffer stage

Completed

Room COAT-1 · EQC-BAL Balance, platform, calibrated, EQC-COATER Perforated coating pan, EQC-DT Disintegration tester

Entry	What was recorded	By	When
Dt start	Stage: ACID; Units: 6; Instrument: DT-01; Recorded by: Arjun Das; Sampled at: 25-OCT-2026 15:43; Temperature: Max 39; Min 35; Limit seconds: 60 s; Bath temperature: 37.0	Arjun Das	25-OCT-2026 15:43:11
Dt end	Stage: ACID; Start: EN-112; Units: Disintegrated no | Disintegrated no | Disintegrated no | Disintegrated no | Disintegrated no | Disintegrated no; Passed: 6; Result: BUFFER; Recorded by: Arjun Das; Elapsed seconds: 64 s	Arjun Das	25-OCT-2026 15:44:15
Dt start	Stage: BUFFER; Units: 6; After acid: EN-113; Instrument: DT-01; Recorded by: Arjun Das; Sampled at: 25-OCT-2026 15:44; Temperature: Max 39; Min 35; Limit seconds: 3600 s; Bath temperature: 37.0	Arjun Das	25-OCT-2026 15:44:18
Dt end	Stage: BUFFER; Start: EN-114; Units: Disintegrated yes | Disintegrated yes | Disintegrated yes | Disintegrated yes | Disintegrated yes | Disintegrated yes; Passed: 6; Result: PASS; Recorded by: Arjun Das; Elapsed seconds: 34 s	Arjun Das	25-OCT-2026 15:44:51

✍ **Performed by** Arjun Das, 25-OCT-2026 15:44:55 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:44:59

⚠ EX-41: The disintegration start at step 5.2.11 Disintegration of the coated tablets: acid stage, then buffer stage was keyed by hand instead of taken from the instrument interface; the step now needs a second person — dispositioned

⚠ EX-42: The disintegration (acid stage) at step 5.2.11 Disintegration of the coated tablets: acid stage, then buffer stage was keyed by hand instead of taken from the instrument interface; the step now needs a second person — dispositioned
⚠ EX-43: The disintegration start at step 5.2.11 Disintegration of the coated tablets: acid stage, then buffer stage was keyed by hand instead of taken from the instrument interface; the step now needs a second person — dispositioned
⚠ EX-44: The disintegration (buffer stage) at step 5.2.11 Disintegration of the coated tablets: acid stage, then buffer stage was keyed by hand instead of taken from the instrument interface; the step now needs a second person — dispositioned

5.2.12 Coating weight gain of the batch

Completed

Room COAT-1 · EQC-BAL Balance, platform, calibrated, EQC-COATER Perforated coating pan, EQC-DT Disintegration tester

Recorded value	Value	How	By	When
Coating weight gain of the batch	**≈ 14.511 %**	computed by the system	Arjun Das	25-OCT-2026 15:45:06

✍ **Performed by** Arjun Das, 25-OCT-2026 15:45:10 · ✍ **Yield verified by** Kavya Reddy, 25-OCT-2026 15:45:14

Stage 5 signed off: **Stage signed off by** Sanjay Kulkarni, 25-OCT-2026 15:48:03

Stage 6: Inspection and release for packing

6.1.1 Inspection: room clearance, verified, room occupied

Completed

Room INSP-1 · EQC-BAL Balance, platform, calibrated

Entry	What was recorded	By	When
Area occupancy	Area code: INSP-1; Recorded by: Arjun Das	Arjun Das	25-OCT-2026 15:48:27

✍ **Line clearance performed by** Arjun Das, 25-OCT-2026 15:48:30 · ✍ **Line clearance verified by** Kavya Reddy, 25-OCT-2026 15:48:36

6.1.2 Inspection: equipment status and use

Completed

Room INSP-1 · EQC-BAL Balance, platform, calibrated

Entry	What was recorded	By	When
Equipment use	Recorded by: Arjun Das; Equipment ref: BAL; Equipment code: BAL-INSP-01	Arjun Das	25-OCT-2026 15:48:47

✍ **Performed by** Arjun Das, 25-OCT-2026 15:48:50

6.2.1 Visual inspection, sorting and AQL

Completed

Room INSP-1 · EQC-BAL Balance, platform, calibrated

Recorded value	Value	How	By	When
Inspected tablets accepted (net)	**20.955 kg**	typed	Arjun Das	25-OCT-2026 15:49:30

Entry	What was recorded	By	When
Inspection start	Inspector: Arjun Das	Arjun Das	25-OCT-2026 15:49:16
Inspection end	Inspector: Arjun Das; Inspection seconds: 6 s	Arjun Das	25-OCT-2026 15:49:22
Sort result	Defects: Code CHIPPED; Count 500 | Code COLOUR-SPOT; Count 300; Rejects: Mass 0.043 kg; Count 300; Category DESTRUCTION; Container OC-RAB26002-0006 | Mass 0.072 kg; Count 500; Category REUSABLE_RESIDUE; Container OC-RAB26002-0007; Accepted: Mass 20.955 kg; Count 146300; Inspected: Mass 21.070 kg; Count 147100; Recorded by: Arjun Das; Reject count: 800; Defects by class: Major 500; Minor 300; Critical 0; Unaccounted mass: 0 kg	Arjun Das	25-OCT-2026 15:49:24
Aql result	Level: II; Letter: N; Result: ACCEPTED; Scheme: AQL-SINGLE-SAMPLING; Classes: Major N 500; Ac 7; Re 8; Aql 0.65; Found 0; Letter N; Accepted yes; Minor N 500; Ac 21; Re 22; Aql 2.5; Found 1; Letter N; Accepted yes; Critical Ac 0; Re 1; Found 0; Accepted yes; Lot size: 146300; Severity: NORMAL; Recorded by: Arjun Das; Sample size: 500; Scheme version: 1	Arjun Das	25-OCT-2026 15:49:27

✍ **Performed by** Arjun Das, 25-OCT-2026 15:49:33 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:49:39

⚠ EX-45: Inspected tablets accepted (net) was keyed by hand although it is configured for device capture; the step now needs a second person — dispositioned

6.2.2 Witnessed destruction of the inspection rejects

Completed

Room INSP-1 · EQC-BAL Balance, platform, calibrated

Entry	What was recorded	By	When
Disposal	Kind: DISPOSAL; Method: Incineration; Category: DESTRUCTION; Material: Coated tablets rejected at inspection; Quantity: 0.043 kg; Container: OC-RAB26002-0006; Batch coded: no	Arjun Das	25-OCT-2026 15:49:46

✍ **Performed by** Arjun Das, 25-OCT-2026 15:49:50 · ✍ **Witnessed by** Kavya Reddy, 25-OCT-2026 15:49:54

6.2.3 Inspection yield

Completed

Room INSP-1 · EQC-BAL Balance, platform, calibrated

Recorded value	Value	How	By	When
Inspection yield	**≈ 99.454 %**	computed by the system	Arjun Das	25-OCT-2026 15:49:59

✍ **Performed by** Arjun Das, 25-OCT-2026 15:50:03 · ✍ **Yield verified by** Kavya Reddy, 25-OCT-2026 15:50:09

6.2.4 Bulk released for packing

Completed

Room INSP-1 · EQC-BAL Balance, platform, calibrated · instruction: Bulk released for packing: QA decides (APPROVED or NOT_APPROVED).

✍ **Hold point released by** Fatima Sheikh, 25-OCT-2026 15:50:14

Stage 6 signed off: **Stage signed off by** Sanjay Kulkarni, 25-OCT-2026 15:50:30

Containers made

Container	Stage	Net	Closed by	Net verified by	State
OC-RAB26002-0001	granulation	17.250 kg	Arjun Das, 25-OCT-2026 15:26:53	Kavya Reddy	closed
OC-RAB26002-0002	blending	18.500 kg	Arjun Das, 25-OCT-2026 15:31:13	Kavya Reddy	closed
OC-RAB26002-0003	compression	9.200 kg	Arjun Das, 25-OCT-2026 15:34:07	Kavya Reddy	closed
OC-RAB26002-0004	compression	9.200 kg	Arjun Das, 25-OCT-2026 15:34:16	Kavya Reddy	closed
OC-RAB26002-0005	coating	21.070 kg	Arjun Das, 25-OCT-2026 15:43:00	Kavya Reddy	closed
OC-RAB26002-0006	inspection	0.043 kg	Arjun Das, 25-OCT-2026 15:48:56	Kavya Reddy	closed
OC-RAB26002-0007	inspection	0.072 kg	Arjun Das, 25-OCT-2026 15:49:05	Kavya Reddy	closed
OC-RAB26002-0008	inspection	1000 units	Arjun Das, 25-OCT-2026 15:50:39	Kavya Reddy	closed

Exceptions and how they were closed (45)

No.	Step	What happened	Floor decision	QA review
EX-1	1.2.1	A weight for Exemplazine sodium dispensed (potency-adjusted)	no impact by Fatima Sheikh	accepted
EX-10	2.2.3	granulator.power_kW	no impact by Fatima Sheikh	accepted
EX-11	2.2.4 (iteration 1)	dryer.inlet_temp_C	no impact by Fatima Sheikh	accepted
EX-12	2.2.6	A weight for Dried granules (net)	no impact by Fatima Sheikh	accepted
EX-13	3.2.1	Milled rejects added (net) was keyed by hand although it is configured for automation capture; the step now needs a second person	no impact by Fatima Sheikh	accepted
EX-14	3.2.4	A weight for Lubricated blend discharged (net)	no impact by Fatima Sheikh	accepted

EX-15	4.2.3	The station sweep	no impact by Fatima Sheikh	accepted
EX-16	4.2.3	The station sweep	no impact by Fatima Sheikh	accepted
EX-17	4.2.3	The weight check	no impact by Fatima Sheikh	accepted
EX-18	4.2.3	The weight check	no impact by Fatima Sheikh	accepted
EX-19	4.2.4	The weight check	no impact by Fatima Sheikh	accepted
EX-2	1.2.1	A weight for Microcrystalline cellulose dispensed (compensating)	no impact by Fatima Sheikh	accepted
EX-20	4.2.5	The physical check	no impact by Fatima Sheikh	accepted
EX-21	4.2.6	Friability run 1	no impact by Fatima Sheikh	accepted
EX-22	4.2.8	Good cores (A) was keyed by hand although it is configured for device capture; the step now needs a second person	no impact by Fatima Sheikh	accepted
EX-23	4.2.8	Reusable residue of compression (B) was keyed by hand although it is configured for device capture; the step now needs a second person	no impact by Fatima Sheikh	accepted
EX-24	4.2.8	Compression rejects for destruction was keyed by hand although it is configured for device capture; the step now needs a second person	no impact by Fatima Sheikh	accepted
EX-25	5.2.3 (iteration 1)	inlet.temp_C	no impact by Fatima Sheikh	accepted
EX-26	5.2.3 (iteration 1)	exhaust.temp_C	no impact by Fatima Sheikh	accepted
EX-27	5.2.3 (iteration 1)	bed.temp_C	no impact by Fatima Sheikh	accepted
EX-28	5.2.3 (iteration 1)	spray.rate_g_min	no impact by Fatima Sheikh	accepted
EX-29	5.2.3 (iteration 1)	pan.speed_rpm	no impact by Fatima Sheikh	accepted
EX-3	1.2.2	A weight for Lactose monohydrate dispensed	no impact by Fatima Sheikh	accepted
EX-30	5.2.6 (iteration 1)	inlet.temp_C	no impact by Fatima Sheikh	accepted
EX-31	5.2.6 (iteration 1)	exhaust.temp_C	no impact by Fatima Sheikh	accepted
EX-32	5.2.6 (iteration 1)	bed.temp_C	no impact by Fatima Sheikh	accepted
EX-33	5.2.6 (iteration 1)	spray.rate_g_min	no impact by Fatima Sheikh	accepted
EX-34	5.2.6 (iteration 1)	pan.speed_rpm	no impact by Fatima Sheikh	accepted
EX-35	5.2.9 (iteration 1)	inlet.temp_C	no impact by Fatima Sheikh	accepted
EX-36	5.2.9 (iteration 1)	exhaust.temp_C	no impact by Fatima Sheikh	accepted
EX-37	5.2.9 (iteration 1)	bed.temp_C	no impact by Fatima Sheikh	accepted
EX-38	5.2.9 (iteration 1)	spray.rate_g_min	no impact by Fatima Sheikh	accepted
EX-39	5.2.9 (iteration 1)	pan.speed_rpm	no impact by Fatima Sheikh	accepted
EX-4	1.2.2	A weight for Povidone K30 dispensed	no impact by Fatima Sheikh	accepted

EX-40	5.2.10	A weight for Coated tablets (net)	no impact by Fatima Sheikh	accepted
EX-41	5.2.11	The disintegration start	no impact by Fatima Sheikh	accepted
EX-42	5.2.11	The disintegration (acid stage)	no impact by Fatima Sheikh	accepted
EX-43	5.2.11	The disintegration start	no impact by Fatima Sheikh	accepted
EX-44	5.2.11	The disintegration (buffer stage)	no impact by Fatima Sheikh	accepted
EX-45	6.2.1	Inspected tablets accepted (net) was keyed by hand although it is configured for device capture; the step now needs a second person	no impact by Fatima Sheikh	accepted
EX-5	1.2.2	A weight for Isopropyl alcohol dispensed	no impact by Fatima Sheikh	accepted
EX-6	1.2.2	A weight for Croscarmellose sodium dispensed	no impact by Fatima Sheikh	accepted
EX-7	1.2.2	A weight for Colloidal silicon dioxide dispensed	no impact by Fatima Sheikh	accepted
EX-8	1.2.2	A weight for Magnesium stearate dispensed	no impact by Fatima Sheikh	accepted
EX-9	1.2.2	A weight for Film-coating system dispensed	no impact by Fatima Sheikh	accepted

Review signatures

Act	By	When
Production approved (cycle 1)	Lakshmi Iyengar	25-OCT-2026 15:57:47
Audit trail reviewed (cycle 1)	Divya Menon	25-OCT-2026 16:00:21
Qa reviewed (cycle 1)	Arvind Rao	25-OCT-2026 16:00:25

Packaging record (packing the tablets): batch RAB26002/P02

Product	Rabeprazole sodium 20 mg gastro-resistant tablets (invented, DEMO-ONLY) (RAB-GR-20, 20 mg)
Master batch record	RAB-CF-DEMO version 1 revision 1
Markets	IN
Status	Execution complete; review:
Size of this record	1 stage(s), 11 steps, 4 exceptions

Stages at a glance

Stage	Steps	Result	Signed off by	When
1. Cold-form blister packaging	11	completed per mbr, 4 exceptions	Sanjay Kulkarni	25-OCT-2026 15:57:02

Stage 1: Cold-form blister packaging

1.1.1 Cold-form line clearance for the order and its artwork, verified, line occupied

Completed

Room PL-2 · EQC-BAL Balance, platform, calibrated, EQC-COLDFORM Cold-form blister machine, EQC-CARTONER Cartoner with checkweigher

Entry	What was recorded	By	When
Area occupancy	Area code: PL-2; Recorded by: Arjun Das	Arjun Das	25-OCT-2026 15:51:39

✍ **Line clearance performed by** Arjun Das, 25-OCT-2026 15:51:43 · ✍ **Line clearance verified by** Kavya Reddy, 25-OCT-2026 15:51:47

1.1.2 Cold-form line: equipment status and use

Completed

Room PL-2 · EQC-BAL Balance, platform, calibrated, EQC-COLDFORM Cold-form blister machine, EQC-CARTONER Cartoner with checkweigher

Entry	What was recorded	By	When
Equipment use	Recorded by: Arjun Das; Equipment ref: BAL; Equipment code: BAL-PL-02	Arjun Das	25-OCT-2026 15:51:56
Equipment use	Recorded by: Arjun Das; Equipment ref: BLISTER; Equipment code: CFORM-01	Arjun Das	25-OCT-2026 15:51:59
Equipment use	Recorded by: Arjun Das; Equipment ref: CARTONER; Equipment code: CTN-03	Arjun Das	25-OCT-2026 15:52:02

✍ **Performed by** Arjun Das, 25-OCT-2026 15:52:05

1.2.1 Cold-form laminate issued by weight

Completed

Room PL-2 · EQC-BAL Balance, platform, calibrated, EQC-COLDFORM Cold-form blister machine, EQC-CARTONER Cartoner with checkweigher

Recorded value	Value	How	By	When
Cold-form laminate issued	**0.500 kg**	computed by the system	Pooja Venkatesh	25-OCT-2026 15:52:15

Entry	What was recorded	By	When
Container weighing	Container RAB26002/P02/C1: lot RTW-ACF-001, net 0.500 kg (gross 1.500 kg, tare 1.000 kg) on BAL-PL-02, keyed by hand (balance not named: the room's one balance booked for the batch)	Pooja Venkatesh	25-OCT-2026 15:52:12

✍ **Performed by** Pooja Venkatesh, 25-OCT-2026 15:52:16 · ✍ **Dispensed container checked by** Kavya Reddy, 25-OCT-2026 15:52:20

⚠ EX-1: A weight for Cold-form laminate issued at step 1.2.1 Cold-form laminate issued by weight was keyed by hand instead of taken from the balance interface; the step now needs a second person — dispositioned

1.3.1 Printed foil and cartons: issue, coding and reconciliation

Completed

Room PL-2 · EQC-BAL Balance, platform, calibrated, EQC-COLDFORM Cold-form blister machine, EQC-CARTONER Cartoner with checkweigher

Entry	What was recorded	By	When
Issue	Lot: RAB-FOIL-0001 (MAT-RAB-FOIL); Item: FOIL; Artwork: ART-RAB-FOIL-1; Counting: ROLL_COUNTER; Issued by: Arjun Das; Quantity: 110	Arjun Das	25-OCT-2026 15:52:37

Issue	Lot: RAB-CTN-0001 (MAT-RAB-CTN); Item: CARTON; Artwork: ART-RAB-CTN-1; Counting: MANUAL_COUNT; Issued by: Arjun Das; Quantity: 12	Arjun Das	25-OCT-2026 15:52:40
Reconciliation	Item: FOIL; Unit: 1; Used: 105; Issued: 110; Counted: TYPED; Damaged: 0; Specimens: 0; Setup waste: 2; Unexplained: 0; Reconciled by: Arjun Das; Within limits: yes; Coded destroyed: 0; Uncoded returned: 3	Arjun Das	25-OCT-2026 15:54:02
Reconciliation	Item: CARTON; Unit: 1; Used: 10; Issued: 12; Counted: TYPED; Damaged: 0; Specimens: 1; Setup waste: 0; Unexplained: 0; Reconciled by: Arjun Das; Within limits: yes; Coded destroyed: 1; Uncoded returned: 0	Arjun Das	25-OCT-2026 15:54:05

✍ **Performed by** Arjun Das, 25-OCT-2026 15:54:19 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:54:23

1.3.2 Cold-form line set-up and independent line check

Completed

Room PL-2 · EQC-BAL Balance, platform, calibrated, EQC-COLDFORM Cold-form blister machine, EQC-CARTONER Cartoner with checkweigher

Entry	What was recorded	By	When
Line setup	Reels: Lot RTW-ACF-001; Role FORMING_FILM; Material MAT-ALU-CF | Lot RAB-FOIL-0001; Item FOIL; Role LIDDING_FOIL; Material MAT-RAB-FOIL; Machine: CFORM-01; Set up by: Arjun Das; Materials: Lot RTW-ACF-001; Role FORMING_FILM; Material MAT-ALU-CF | Lot RAB-FOIL-0001; Role LIDDING_FOIL; Material MAT-RAB-FOIL; Artwork set: FOIL:ART-RAB-FOIL-1,CARTON:ART-RAB-CTN-1; Change parts: CF-TOOL-RTW, SEAL-PLATE-RTW	Arjun Das	25-OCT-2026 15:52:48
Equipment check	Result: PASS; Checked by: Arjun Das; Rogue removed: yes; Change parts fitted: yes; Empty pocket detector: PASS	Arjun Das	25-OCT-2026 15:52:51

✍ **Performed by** Arjun Das, 25-OCT-2026 15:52:54 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:52:58

1.3.3 Cold forming and sealing run with defect checks

Completed

Room PL-2 · EQC-BAL Balance, platform, calibrated, EQC-COLDFORM Cold-form blister machine, EQC-CARTONER Cartoner with checkweigher

Entry	What was recorded	By	When
Run start	Machine: CFORM-01; Started by: Arjun Das	Arjun Das	25-OCT-2026 15:53:04
Recipe check	Recipe: RCP-CF-RTW; Matches: yes; Checked by: Arjun Das; Recipe version: 1	Arjun Das	25-OCT-2026 15:53:12
Actual	Tag: blister.seal_temp_C; Unit: degC; Value: 175.0; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:53:15
Actual	Tag: blister.seal_pressure_bar; Unit: bar; Value: 4.00; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:53:18
Actual	Tag: blister.seal_dwell_s; Unit: s; Value: 1.00; Recorded by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:53:20
Defect check	Result: PASS; Examined: 20; Checked by: Arjun Das; Defect total: 0; Defect counts: Foil cut 0; Misprint 0; Improper seal 0; Missing tablet 0	Arjun Das	25-OCT-2026 15:53:23
Run end	Ended by: Arjun Das	Arjun Das	25-OCT-2026 15:53:37
Count	Good: 100; Formed: 105; Rejects: 0; Samples: 2; Good units: 1000; Recorded by: Arjun Das; Setup waste: 3; Unexplained: 0	Arjun Das	25-OCT-2026 15:53:40

✍ **Performed by** Arjun Das, 25-OCT-2026 15:54:27 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:54:31

⚠ EX-2: blister.seal_temp_C at step 1.3.3 Cold forming and sealing run with defect checks was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned
⚠ EX-3: blister.seal_pressure_bar at step 1.3.3 Cold forming and sealing run with defect checks was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned
⚠ EX-4: blister.seal_dwell_s at step 1.3.3 Cold forming and sealing run with defect checks was keyed by hand under the MBR's fallback path; the step now needs a second person — dispositioned

1.3.4 Leak tests of the cold-form blisters

Completed

Room PL-2 · EQC-BAL Balance, platform, calibrated, EQC-COLDFORM Cold-form blister machine, EQC-CARTONER Cartoner with checkweigher

Entry	What was recorded	By	When
Run start	Machine: CFORM-01; Started by: Arjun Das	Arjun Das	25-OCT-2026 15:53:07

Leak test	Track: T1; Result: PASS; Tested: 10; Vacuum: 70; Leaking: 0; Tested by: Arjun Das; Hold seconds: 45 s	Arjun Das	25-OCT-2026 15:53:09
Run end	Ended by: Arjun Das	Arjun Das	25-OCT-2026 15:53:42
Leak test	Track: T1; Result: PASS; Tested: 10; Vacuum: 70; Leaking: 0; Tested by: Arjun Das; Hold seconds: 45 s	Arjun Das	25-OCT-2026 15:53:45

✍ **Performed by** Arjun Das, 25-OCT-2026 15:54:35 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:54:38

1.3.5 Cartoning, finished-pack examination and shippers

Completed

Room PL-2 · EQC-BAL Balance, platform, calibrated, EQC-COLDFORM Cold-form blister machine, EQC-CARTONER Cartoner with checkweigher

Entry	What was recorded	By	When
Challenge	Device: CW; Result: PASS; Trigger: START; Challenged by: Arjun Das	Arjun Das	25-OCT-2026 15:53:26
Atd check	Result: PASS; Stream: ATD; Examined: 5; Checked by: Arjun Das; Defective: 0	Arjun Das	25-OCT-2026 15:53:29
Examination	Result: PASS; Stream: EXAM; Timing: IN_RUN; Examined: 2; Checked by: Arjun Das; Defective: 0; Label correct: yes	Arjun Das	25-OCT-2026 15:53:31
Packs made	Packs: 10; Recorded by: Arjun Das	Arjun Das	25-OCT-2026 15:53:34
Shipper	Part: no; Sscc: 089012345000000064; Packs: 10; Labelled by: Arjun Das	Arjun Das	25-OCT-2026 15:53:51
Examination	Result: PASS; Stream: EXAM; Timing: END; Examined: 5; Checked by: Arjun Das; Defective: 0; Label correct: yes	Arjun Das	25-OCT-2026 15:53:53
Challenge	Device: CW; Result: PASS; Trigger: END; Challenged by: Arjun Das	Arjun Das	25-OCT-2026 15:53:56
Reconciliation	Made: 10; Rejects: 0; Samples: 0; Shipped: 10; Set aside: 0; Re entered: 0; Unexplained: 0; Reconciled by: Arjun Das; Within limits: yes	Arjun Das	25-OCT-2026 15:53:59

✍ **Performed by** Arjun Das, 25-OCT-2026 15:54:42 · ✍ **Verified by** Kavya Reddy, 25-OCT-2026 15:54:46

1.3.6 Witnessed destruction of coded surplus and rejects

Completed

Room PL-2 · EQC-BAL Balance, platform, calibrated, EQC-COLDFORM Cold-form blister machine, EQC-CARTONER Cartoner with checkweigher

Entry	What was recorded	By	When
Disposal	Kind: DISPOSAL; Method: Shredding; Category: DESTRUCTION; Material: MAT-RAB-CTN; Quantity: 1; Batch coded: yes	Arjun Das	25-OCT-2026 15:54:07

✍ **Performed by** Arjun Das, 25-OCT-2026 15:54:50 · ✍ **Witnessed by** Kavya Reddy, 25-OCT-2026 15:54:54

1.3.7 Tablets issued and packed

Completed

Room PL-2 · EQC-BAL Balance, platform, calibrated, EQC-COLDFORM Cold-form blister machine, EQC-CARTONER Cartoner with checkweigher

Recorded value	Value	How	By	When
Tablets issued from bulk (counted)	**1000 tablets**	typed	Arjun Das	25-OCT-2026 15:56:04
Tablets packed in good packs	**1000 tablets**	typed	Arjun Das	25-OCT-2026 15:56:07

✍ **Performed by** Arjun Das, 25-OCT-2026 15:56:10 · ✍ **Witnessed by** Kavya Reddy, 25-OCT-2026 15:56:14

1.3.8 Packaging yield

Completed

Room PL-2 · EQC-BAL Balance, platform, calibrated, EQC-COLDFORM Cold-form blister machine, EQC-CARTONER Cartoner with checkweigher

Recorded value	Value	How	By	When
Packaging yield	**100 %**	computed by the system	Arjun Das	25-OCT-2026 15:56:18

✍ **Performed by** Arjun Das, 25-OCT-2026 15:56:21 · ✍ **Yield verified by** Kavya Reddy, 25-OCT-2026 15:56:25

Stage 1 signed off: **Stage signed off by** Sanjay Kulkarni, 25-OCT-2026 15:57:02