Alliance FTM Error Codes

Page Information

Last updated: 10.08.2016

Table of Contents

FTMEXEC – RUN FTP SESSION

ERROR CODE	REASON	RESOLUTION
0001	Error retrieving global options, or error retrieving the FTP definition	Use option `1` on the Configuration menu to be sure that you have defined global options. Use the configuration option to `Work With FTP Definitions` to verify that you have defined an FTP definition.
0002	Error retrieving the FTP Definition	Create an FTP definition for this session.
0002	Error creating a work library	Review the job log to determine the cause of this error. The job user may not have authority to create the library.
0003	The FTP Definition is not active	Change the status of the FTP Definition to active.
0003	Error creating work file	An error occurred attempting to create a temporary work file. Display the job log to determine the cause. The job user may not have enough authority to create files.

ERROR CODE	REASON	RESOLUTION
0004	Error copying data to a work file with CPYF	An error occurred with a work file copy operation. Review the job log. The job user may not have authority to the `CPYF` command, or may not have authority to the file.
0005	Error copying to an IFS stream file	An error occurred copying data to an IFS file. See the job log for more information. The job user may not have authority to the IFS directory.
0005	An error occurred running the FTP session with default translation tables	See the job log for more information. The job user may not have authority to the FTP command.
0006	An error occurred running the FTP session with a default input table	See the job log for more information. The job user may not have authority to the FTP command.
0007	An error occurred running the FTP session with a default output table	See the job log for more information. The job user may not have authority to the FTP command.
0008	An error occurred running the FTP session with no default tables	See the job log for more information. The job user may not have authority to the FTP command.
0009	Error in GZIP or ZIP compression	An error occurred in the process of compressing a file with GZIP or ZIP. See the job log for more information.

ERROR CODE	REASON	RESOLUTION
0010	Error copying to a work file	An error occurred when copying information to a work file. See the job log for more information.
0011	Error creating FTP work script for FTP session	An error occurred when attempting to add a member to the work script file. See the job log for more information.
0012	Error copying FTP base script to work file	An error occurred on the copy command. See the job log for more information.
0013	Unsuccessful PING attempt on remote FTP server.	The server may be off line, or there may be a network failure.
0013	Error extracting file name.	An error occurred extracting the file, library and member from the file path provided. Review the documentation on the format of the file name.
0013	Error extracting record length from file	An error occurred attempting to extract the record length of the file. Verify that no other processes have locked the file or records in the file.
0014	Error copying file to IFS for PGP encryption	An error occurred copying a file to an IFS directory for PGP encryption. See the job log for details. The job user may not have authority to the target IFS directory.
0015	PGP encryption error	View the PGP application log in the Inquiry menu to determine the cause.
0016	Not authorized to PGP files.	Ask your security administrator to authorize you to PGP.
0018	Error removing nulls before transfer.	An error was encountered removing null characters (x'00') before a file transfer. This may be caused by an I/O error on the file. Check to see if other processes have locked records in the file.

ERROR CODE	REASON	RESOLUTION
0018	Error calling program AN6079E to add carriage return to PGP file.	Review the job log. The job user may not be authorized to the program.
0019	Error adding carriage return to PGP encrypted file	Review the job log. The file could not be opened, or was in use by another application.
0022	An AES encryption error occurred because program AESXAM does not exist	Be sure you have installed the proper options for AES encryption.
0023	Error calling program AN6075E to copy to IFS with ASCII conversion	Review the job log to determine the problem. The job user may not be authorized to the program.
0024	An error occurred when copying a file to IFS with ASCII conversion	The file may be locked by another process.
0025	An error occurred retrieving the record length of the file	The file may be locked, or a record in the file may be locked, by another process.
0026	An error occurred creating the work library	See the job log for more information. The job user may not be authorized to the `CRTLIB` command

ERROR CODE	REASON	RESOLUTION
0027	Error creating work file during AES encryption	Review the job log for more information. The job user may not be authorized to create files.
0028	Error copying data to a work file during AES encryption	Review the job log for more information. The job user may not be authorized to the `CPYF` command.
0029	Error on copy to IFS file during AES encryption	Review the job log for more information. The job user may not be authorized to an IFS directory.
0030	Unknown error during copy to IFS file for AES encryption	Review the job log to determine the cause of the error.
0030	Error retrieving record length	An error occurred retrieving the record length of the file. The file may be empty, or the records in the file may be locked.
0031	Error creating work library ALLFTM100W during AES encryption	An error occurred creating the library. The job user may not be authorized to the `CRTLIB` command
0032	Error creating work file during AES encryption	The user may not be authorized to the `CRTPF` command
0033	Error copying data to a temporary work file for AES encryption	The job user may not be authorized to the `CPY` command. See the job log for more information.
0034	Error on copy of data to an IFS file	The job user may not be authorized to the IFS directory. See the job log for more information.

ERROR CODE	REASON	RESOLUTION
0035	Unknown error on copy to IFS stream file	See the job log for more information. The job user may not be authorized to the IFS directory
0036	Error converting pass phrase to ASCII for AES encryption	The pass phrase may be longer than 2048 characters, or the translation table may not exist.
0037	Error converting pass phrase to hex string	The pass phrase may be longer than 2048 characters, or the translation table may not exist.
0038	An error occurred in AES encryption	See the job log for information on the return code from AES encryption.
0039	Error retrieving key for AES encryption	Review the key name that you are using. Create the key if needed.
0040	Invalid AES password length	AES passwords must not be greater than 32 characters.
0099	Unmonitored exception in program	See the job log for the cause of the problem.

FTMEXECD – RUN FTP SESSION FOR IFS FILE

ERROR CODE	REASON	RESOLUTION
0001	Error retrieving global options, or error retrieving the FTP definition	Use option `1` on the Configuration menu to be sure that you have defined global options. Use the configuration option to Work With FTP Definitions to verify that you have defined an FTP definition.

ERROR CODE	REASON	RESOLUTION
0002	Error retrieving the FTP Definition	Create an FTP definition for this session.
0002	Error removing nulls before transfer.	An error was encountered removing null characters (x'00') before a file transfer. This may be caused by an I/O error on the file. Check to see if other processes have locked records in the file.
0003	The FTP Definition is not active	Change the status of the FTP Definition to active.
0005	An error occurred running the FTP session with default translation tables	See the job log for more information. The job user may not have authority to the **`FTP`** command.
0006	An error occurred running the FTP session with a default input table	See the job log for more information. The job user may not have authority to the **`FTP`** command.
0007	An error occurred running the FTP session with a default output table	See the job log for more information. The job user may not have authority to the **`FTP`** command.
0008	An error occurred running the FTP session with no default tables	See the job log for more information. The job user may not have authority to the **`FTP`** command.
0010	Error copying to a work file	An error occurred when copying information to a work file. See the job log for more information.

ERROR CODE	REASON	RESOLUTION
0011	Error creating FTP work script for FTP session	An error occurred when attempting to add a member to the work script file. See the job log for more information.
0012	Error copying FTP base script to work file	An error occurred on the copy command. See the job log for more information.
0013	Unsuccessful PING attempt on remote FTP server.	The server may be off line, or there may be a network failure.
0013	Error extracting record length from file	An error occurred attempting to extract the record length of the file. Verify that no other processes have locked the file or records in the file.
0015	PGP encryption error	View the PGP application log in the Inquiry menu to determine the cause.
0016	Not authorized to PGP	Ask your security administrator to authorize you to PGP.
0018	Error calling program AN6079E to add carriage return to PGP file.	Review the job log. The job user may not be authorized to the program.
0019	Error adding carriage return to PGP encrypted file	Review the job log. The file could not be opened, or was in use by another application.
0022	An AES encryption error occurred because program AESXAM does not exist	Be sure you have installed the proper options for AES encryption.

ERROR CODE	REASON	RESOLUTION
0036	Error converting pass phrase to ASCII for AES encryption	The pass phrase may be longer than 2048 characters, or the translation table may not exist.
0037	Error converting pass phrase to hex string	The pass phrase may be longer than 2048 characters, or the translation table may not exist.
0038	An error occurred in AES encryption	See the job log for information on the return code from AES encryption.
0039	Error retrieving key for AES encryption	Review the key name that you are using. Create the key if needed.
0040	Invalid AES password length	AES passwords must not be greater than 32 characters.
0099	Unmonitored exception in program	See the job log for the cause of the problem.

FTMEXECDL – RUN FTP SESSION FOR IFS FILE WITH LONG NAME

ERROR CODE	REASON	RESOLUTION
0001	Error retrieving global options, or error retrieving the FTP definition	Use option `1` on the Configuration menu to be sure that you have defined global options. Use the configuration option to Work With FTP Definitions to verify that you have defined an FTP definition.
0002	Error retrieving the FTP Definition	Create an FTP definition for this session.

ERROR CODE	REASON	RESOLUTION
0002	Error removing nulls before transfer.	An error was encountered removing null characters (x'00') before a file transfer. This may be caused by an I/O error on the file. Check to see if other processes have locked records in the file.
0003	The FTP Definition is not active	Change the status of the FTP Definition to active.
0005	An error occurred running the FTP session with default translation tables	See the job log for more information. The job user may not have authority to the **`FTP`** command.
0006	An error occurred running the FTP session with a default input table	See the job log for more information. The job user may not have authority to the **`FTP`** command.
0007	An error occurred running the FTP session with a default output table	See the job log for more information. The job user may not have authority to the **`FTP`** command.
0008	An error occurred running the FTP session with no default tables	See the job log for more information. The job user may not have authority to the **`FTP`** command.
0010	Error copying to a work file	An error occurred when copying information to a work file. See the job log for more information.

ERROR CODE	REASON	RESOLUTION
0011	Error creating FTP work script for FTP session	An error occurred when attempting to add a member to the work script file. See the job log for more information.
0012	Error copying FTP base script to work file	An error occurred on the copy command. See the job log for more information.
0013	Unsuccessful PING attempt on remote FTP server.	The server may be off line, or there may be a network failure.
0015	PGP encryption error	View the PGP application log in the Inquiry menu to determine the cause.
0016	Not authorized to PGP	Ask your security administrator to authorize you to PGP.
0018	Error calling program AN6079E for ASCII conversion	Review the job log. The job user may not be authorized to the program.
0019	Error converting file to ASCII character set	Review the job log. The file could not be opened, or was in use by another application.
0022	An AES encryption error occurred because program AESXAM does not exist	Be sure you have installed the proper options for AES encryption.
0036	Error converting pass phrase to ASCII for AES encryption	The pass phrase may be longer than 2048 characters, or the translation table may not exist.

ERROR CODE	REASON	RESOLUTION
0037	Error converting pass phrase to hex string	The pass phrase may be longer than 2048 characters, or the translation table may not exist.
0038	An error occurred in AES encryption	See the job log for information on the return code from AES encryption.
0039	Error retrieving key for AES encryption	Review the key name that you are using. Create the key if needed.
0040	Invalid AES password length	AES passwords must not be greater than 32 characters.
0099	Unmonitored exception in program	See the job log for the cause of the problem.

FTMEXECF – RUN FTP SESSION WITH DATABASE FILE

ERROR CODE	REASON	RESOLUTION
0001	Error retrieving global options, or error retrieving the FTP definition	Use option `1` on the Configuration menu to be sure that you have defined global options. Use the configuration option to Work With FTP Definitions to verify that you have defined an FTP definition.
0002	Error retrieving the FTP Definition	Create an FTP definition for this session.
0002	Error creating a work library	Review the job log to determine the cause of this error. The job user may not have authority to create the library.

ERROR CODE	REASON	RESOLUTION
0003	The FTP Definition is not active	Change the status of the FTP Definition to active.
0003	Error creating work file	An error occurred attempting to create a temporary work file. Display the job log to determine the cause. The job user may not have enough authority to create files.
0004	Error copying data to a work file with CPYF	An error occurred with a work file copy operation. Review the job log. The job user may not have authority to the **CPYF** command, or may not have authority to the file.
0005	Error copying to an IFS stream file	An error occurred copying data to an IFS file. See the job log for more information. The job user may not have authority to the IFS directory.
0005	An error occurred running the FTP session with default translation tables	See the job log for more information. The job user may not have authority to the **FTP** command.
0006	An error occurred running the FTP session with a default input table	See the job log for more information. The job user may not have authority to the **FTP** command.
0007	An error occurred running the FTP session with a default output table	See the job log for more information. The job user may not have authority to the **FTP** command.

ERROR CODE	REASON	RESOLUTION
0008	An error occurred running the FTP session with no default tables	See the job log for more information. The job user may not have authority to the `FTP` command.
0009	Error in GZIP or ZIP compression	An error occurred in the process of compressing a file with GZIP or ZIP. See the job log for more information.
0010	Error copying to a work file	An error occurred when copying information to a work file. See the job log for more information.
0011	Error creating FTP work script for FTP session	An error occurred when attempting to add a member to the work script file. See the job log for more information.
0012	Error copying FTP base script to work file	An error occurred on the copy command. See the job log for more information.
0013	Unsuccessful PING attempt on remote FTP server.	The server may be off line, or there may be a network failure.
0013	Error extracting file name.	An error occurred extracting the file, library and member from the file path provided. Review the documentation on the format of the file name.
0013	Error extracting record length from file	An error occurred attempting to extract the record length of the file. Verify that no other processes have locked the file or records in the file.
0014	Error copying file to IFS for PGP encryption	An error occurred copying a file to an IFS directory for PGP encryption. See the job log for details. The job user may not have authority to the target IFS directory.

ERROR CODE	REASON	RESOLUTION
0015	PGP encryption error	View the PGP application log in the Inquiry menu to determine the cause.
0016	Not authorized to PGP files.	Ask your security administrator to authorize you to PGP.
0018	Error removing nulls before transfer.	An error was encountered removing null characters (x'00') before a file transfer. This may be caused by an I/O error on the file. Check to see if other processes have locked records in the file.
0018	Error calling program AN6079E to add carriage return to PGP file.	Review the job log. The job user may not be authorized to the program.
0019	Error adding carriage return to PGP encrypted file	Review the job log. The file could not be opened, or was in use by another application.
0022	An AES encryption error occurred because program AESXAM does not exist	Be sure you have installed the proper options for AES encryption.
0023	Error calling program AN6075E to copy to IFS with ASCII conversion	Review the job log to determine the problem. The job user may not be authorized to the program.
0024	An error occurred when copying a file to IFS with ASCII conversion	The file may be locked by another process.

ERROR CODE	REASON	RESOLUTION
0025	An error occurred retrieving the record length of the file	The file may be locked, or a record in the file may be locked, by another process.
0026	An error occurred creating the work library	See the job log for more information. The job user may not be authorized to the `CRTLIB` command
0027	Error creating work file during AES encryption	Review the job log for more information. The job user may not be authorized to create files.
0028	Error copying data to a work file during AES encryption	Review the job log for more information. The job user may not be authorized to the `CPYF` command.
0029	Error on copy to IFS file during AES encryption	Review the job log for more information. The job user may not be authorized to an IFS directory.
0030	Unknown error during copy to IFS file for AES encryption	Review the job log to determine the cause of the error.
0030	Error retrieving record length	An error occurred retrieving the record length of the file. The file may be empty, or the records in the file may be locked.
0031	Error creating work library ALLFTM100W during AES encryption	An error occurred creating the library. The job user may not be authorized to the `CRTLIB` command
0032	Error creating work file during AES encryption	The user may not be authorized to the `CRTPF` command

ERROR CODE	REASON	RESOLUTION
0033	Error copying data to a temporary work file for AES encryption	The job user may not be authorized to the `CPY` command. See the job log for more information.
0034	Error on copy of data to an IFS file	The job user may not be authorized to the IFS directory. See the job log for more information.
0035	Unknown error on copy to IFS stream file	See the job log for more information. The job user may not be authorized to the IFS directory
0036	Error converting pass phrase to ASCII for AES encryption	The pass phrase may be longer than 2048 characters, or the translation table may not exist.
0037	Error converting pass phrase to hex string	The pass phrase may be longer than 2048 characters, or the translation table may not exist.
0038	An error occurred in AES encryption	See the job log for information on the return code from AES encryption.
0039	Error retrieving key for AES encryption	Review the key name that you are using. Create the key if needed.
0040	Invalid AES password length	AES passwords must not be greater than 32 characters.
0099	Unmonitored exception in program	See the job log for the cause of the problem.

FTMEXECFM – RUN FTP SESSION WITH DATABASE FILE

AND MEMBER NAME

ERROR CODE	REASON	RESOLUTION
0001	Error retrieving global options, or error retrieving the FTP definition	Use option `1` on the Configuration menu to be sure that you have defined global options. Use the configuration option to Work With FTP Definitions to verify that you have defined an FTP definition.
0002	Error retrieving the FTP Definition	Create an FTP definition for this session.
0002	Error creating a work library	Review the job log to determine the cause of this error. The job user may not have authority to create the library.
0003	The FTP Definition is not active	Change the status of the FTP Definition to active.
0003	Error creating work file	An error occurred attempting to create a temporary work file. Display the job log to determine the cause. The job user may not have enough authority to create files.
0004	Error copying data to a work file with CPYF	An error occurred with a work file copy operation. Review the job log. The job user may not have authority to the **`CPYF`** command, or may not have authority to the file.
0005	Error copying to an IFS stream file	An error occurred copying data to an IFS file. See the job log for more information. The job user may not have authority to the IFS directory.
0005	An error occurred running the FTP session with default translation tables	See the job log for more information. The job user may not have authority to the **`FTP`** command.

ERROR CODE	REASON	RESOLUTION
0006	An error occurred running the FTP session with a default input table	See the job log for more information. The job user may not have authority to the `FTP` command.
0007	An error occurred running the FTP session with a default output table	See the job log for more information. The job user may not have authority to the `FTP` command.
0008	An error occurred running the FTP session with no default tables	See the job log for more information. The job user may not have authority to the `FTP` command.
0009	Error in GZIP or ZIP compression	An error occurred in the process of compressing a file with GZIP or ZIP. See the job log for more information.
0010	Error copying to a work file	An error occurred when copying information to a work file. See the job log for more information.
0011	Error creating FTP work script for FTP session	An error occurred when attempting to add a member to the work script file. See the job log for more information.
0012	Error copying FTP base script to work file	An error occurred on the copy command. See the job log for more information.
0013	Unsuccessful PING attempt on remote FTP server.	The server may be off line, or there may be a network failure.

ERROR CODE	REASON	RESOLUTION
0013	Error extracting file name.	An error occurred extracting the file, library and member from the file path provided. Review the documentation on the format of the file name.
0013	Error extracting record length from file	An error occurred attempting to extract the record length of the file. Verify that no other processes have locked the file or records in the file.
0014	Error copying file to IFS for PGP encryption	An error occurred copying a file to an IFS directory for PGP encryption. See the job log for details. The job user may not have authority to the target IFS directory.
0015	PGP encryption error	View the PGP application log in the Inquiry menu to determine the cause.
0016	Not authorized to PGP files.	Ask your security administrator to authorize you to PGP.
0018	Error removing nulls before transfer.	An error was encountered removing null characters (x'00') before a file transfer. This may be caused by an I/O error on the file. Check to see if other processes have locked records in the file.
0018	Error calling program AN6079E to add carriage return to PGP file.	Review the job log. The job user may not be authorized to the program.
0019	Error adding carriage return to PGP encrypted file	Review the job log. The file could not be opened, or was in use by another application.

ERROR CODE	REASON	RESOLUTION
0022	An AES encryption error occurred because program AESXAM does not exist	Be sure you have installed the proper options for AES encryption.
0023	Error calling program AN6075E to copy to IFS with ASCII conversion	Review the job log to determine the problem. The job user may not be authorized to the program.
0024	An error occurred when copying a file to IFS with ASCII conversion	The file may be locked by another process.
0025	An error occurred retrieving the record length of the file	The file may be locked, or a record in the file may be locked, by another process.
0026	An error occurred creating the work library	See the job log for more information. The job user may not be authorized to the `CRTLIB` command
0027	Error creating work file during AES encryption	Review the job log for more information. The job user may not be authorized to create files.
0028	Error copying data to a work file during AES encryption	Review the job log for more information. The job user may not be authorized to the `CPYF` command.
0029	Error on copy to IFS file during AES encryption	Review the job log for more information. The job user may not be authorized to an IFS directory.

ERROR CODE	REASON	RESOLUTION
0030	Unknown error during copy to IFS file for AES encryption	Review the job log to determine the cause of the error.
0030	Error retrieving record length	An error occurred retrieving the record length of the file. The file may be empty, or the records in the file may be locked.
0031	Error creating work library ALLFTM100W during AES encryption	An error occurred creating the library. The job user may not be authorized to the `CRTLIB` command
0032	Error creating work file during AES encryption	The user may not be authorized to the `CRTPF` command
0033	Error copying data to a temporary work file for AES encryption	The job user may not be authorized to the `CPY` command. See the job log for more information.
0034	Error on copy of data to an IFS file	The job user may not be authorized to the IFS directory. See the job log for more information.
0035	Unknown error on copy to IFS stream file	See the job log for more information. The job user may not be authorized to the IFS directory
0036	Error converting pass phrase to ASCII for AES encryption	The pass phrase may be longer than 2048 characters, or the translation table may not exist.
0037	Error converting pass phrase to hex string	The pass phrase may be longer than 2048 characters, or the translation table may not exist.

ERROR CODE	REASON	RESOLUTION
0038	An error occurred in AES encryption	See the job log for information on the return code from AES encryption.
0039	Error retrieving key for AES encryption	Review the key name that you are using. Create the key if needed.
0040	Invalid AES password length	AES passwords must not be greater than 32 characters.
0099	Unmonitored exception in program	See the job log for the cause of the problem.

FTMEXECFM2 – RUN FTP SESSION WITH DATABASE FILE AND MEMBER NAME AND EXTENSION

ERROR CODE	REASON	RESOLUTION
0001	Error retrieving global options, or error retrieving the FTP definition	Use option `1` on the Configuration menu to be sure that you have defined global options. Use the configuration option to Work With FTP Definitions to verify that you have defined an FTP definition.
0002	Error retrieving the FTP Definition	Create an FTP definition for this session.
0002	Error creating a work library	Review the job log to determine the cause of this error. The job user may not have authority to create the library.
0003	The FTP Definition is not active	Change the status of the FTP Definition to active.

ERROR CODE	REASON	RESOLUTION
0003	Error creating work file	An error occurred attempting to create a temporary work file. Display the job log to determine the cause. The job user may not have enough authority to create files.
0004	Error copying data to a work file with CPYF	An error occurred with a work file copy operation. Review the job log. The job user may not have authority to the **`CPYF`** command, or may not have authority to the file.
0005	Error copying to an IFS stream file	An error occurred copying data to an IFS file. See the job log for more information. The job user may not have authority to the IFS directory.
0005	An error occurred running the FTP session with default translation tables	See the job log for more information. The job user may not have authority to the **`FTP`** command.
0006	An error occurred running the FTP session with a default input table	See the job log for more information. The job user may not have authority to the **`FTP`** command.
0007	An error occurred running the FTP session with a default output table	See the job log for more information. The job user may not have authority to the **`FTP`** command.
0008	An error occurred running the FTP session with no default tables	See the job log for more information. The job user may not have authority to the **`FTP`** command.

ERROR CODE	REASON	RESOLUTION
0009	Error in GZIP or ZIP compression	An error occurred in the process of compressing a file with GZIP or ZIP. See the job log for more information.
0010	Error copying to a work file	An error occurred when copying information to a work file. See the job log for more information.
0011	Error creating FTP work script for FTP session	An error occurred when attempting to add a member to the work script file. See the job log for more information.
0012	Error copying FTP base script to work file	An error occurred on the copy command. See the job log for more information.
0013	Unsuccessful PING attempt on remote FTP server.	The server may be off line, or there may be a network failure.
0013	Error extracting file name.	An error occurred extracting the file, library and member from the file path provided. Review the documentation on the format of the file name.
0013	Error extracting record length from file	An error occurred attempting to extract the record length of the file. Verify that no other processes have locked the file or records in the file.
0014	Error copying file to IFS for PGP encryption	An error occurred copying a file to an IFS directory for PGP encryption. See the job log for details. The job user may not have authority to the target IFS directory.
0015	PGP encryption error	View the PGP application log in the Inquiry menu to determine the cause.
0016	Not authorized to PGP files.	Ask your security administrator to authorize you to PGP.

ERROR CODE	REASON	RESOLUTION
0018	Error removing nulls before transfer.	An error was encountered removing null characters (x'00') before a file transfer. This may be caused by an I/O error on the file. Check to see if other processes have locked records in the file.
0018	Error calling program AN6079E to add carriage return to PGP file.	Review the job log. The job user may not be authorized to the program.
0019	Error adding carriage return to PGP encrypted file	Review the job log. The file could not be opened, or was in use by another application.
0022	An AES encryption error occurred because program AESXAM does not exist	Be sure you have installed the proper options for AES encryption.
0023	Error calling program AN6075E to copy to IFS with ASCII conversion	Review the job log to determine the problem. The job user may not be authorized to the program.
0024	An error occurred when copying a file to IFS with ASCII conversion	The file may be locked by another process.
0025	An error occurred retrieving the record length of the file	The file may be locked, or a record in the file may be locked, by another process.

ERROR CODE	REASON	RESOLUTION
0026	An error occurred creating the work library	See the job log for more information. The job user may not be authorized to the `CRTLIB` command
0027	Error creating work file during AES encryption	Review the job log for more information. The job user may not be authorized to create files.
0028	Error copying data to a work file during AES encryption	Review the job log for more information. The job user may not be authorized to the `CPYF` command.
0029	Error on copy to IFS file during AES encryption	Review the job log for more information. The job user may not be authorized to an IFS directory.
0030	Unknown error during copy to IFS file for AES encryption	Review the job log to determine the cause of the error.
0030	Error retrieving record length	An error occurred retrieving the record length of the file. The file may be empty, or the records in the file may be locked.
0031	Error creating work library ALLFTM100W during AES encryption	An error occurred creating the library. The job user may not be authorized to the `CRTLIB` command
0032	Error creating work file during AES encryption	The user may not be authorized to the `CRTPF` command
0033	Error copying data to a temporary work file for AES encryption	The job user may not be authorized to the `CPY` command. See the job log for more information.

ERROR CODE	REASON	RESOLUTION
0034	Error on copy of data to an IFS file	The job user may not be authorized to the IFS directory. See the job log for more information.
0035	Unknown error on copy to IFS stream file	See the job log for more information. The job user may not be authorized to the IFS directory
0036	Error converting pass phrase to ASCII for AES encryption	The pass phrase may be longer than 2048 characters, or the translation table may not exist.
0037	Error converting pass phrase to hex string	The pass phrase may be longer than 2048 characters, or the translation table may not exist.
0038	An error occurred in AES encryption	See the job log for information on the return code from AES encryption.
0039	Error retrieving key for AES encryption	Review the key name that you are using. Create the key if needed.
0040	Invalid AES password length	AES passwords must not be greater than 32 characters.
0099	Unmonitored exception in program	See the job log for the cause of the problem.

FTMEXECI – RUN FTP SESSION WITH LONG NAMES

ERROR CODE	REASON	RESOLUTION

ERROR CODE	REASON	RESOLUTION
0001	Error retrieving global options, or error retrieving the FTP definition	Use option `1` on the Configuration menu to be sure that you have defined global options. Use the configuration option to Work With FTP Definitions to verify that you have defined an FTP definition.
0002	Error retrieving the FTP Definition	Create an FTP definition for this session.
0002	Error creating a work library	Review the job log to determine the cause of this error. The job user may not have authority to create the library.
0003	The FTP Definition is not active	Change the status of the FTP Definition to active.
0003	Error creating work file	An error occurred attempting to create a temporary work file. Display the job log to determine the cause. The job user may not have enough authority to create files.
0004	Error copying data to a work file with CPYF	An error occurred with a work file copy operation. Review the job log. The job user may not have authority to the **`CPYF`** command, or may not have authority to the file.
0005	Error copying to an IFS stream file	An error occurred copying data to an IFS file. See the job log for more information. The job user may not have authority to the IFS directory.
0005	An error occurred running the FTP session with default translation tables	See the job log for more information. The job user may not have authority to the **`FTP`** command.

ERROR CODE	REASON	RESOLUTION
0006	An error occurred running the FTP session with a default input table	See the job log for more information. The job user may not have authority to the `FTP` command.
0007	An error occurred running the FTP session with a default output table	See the job log for more information. The job user may not have authority to the `FTP` command.
0008	An error occurred running the FTP session with no default tables	See the job log for more information. The job user may not have authority to the `FTP` command.
0009	Error in GZIP or ZIP compression	An error occurred in the process of compressing a file with GZIP or ZIP. See the job log for more information.
0010	Error copying to a work file	An error occurred when copying information to a work file. See the job log for more information.
0011	Error creating FTP work script for FTP session	An error occurred when attempting to add a member to the work script file. See the job log for more information.
0012	Error copying FTP base script to work file	An error occurred on the copy command. See the job log for more information.
0013	Unsuccessful PING attempt on remote FTP server.	The server may be off line, or there may be a network failure.

ERROR CODE	REASON	RESOLUTION
0013	Error extracting file name.	An error occurred extracting the file, library and member from the file path provided. Review the documentation on the format of the file name.
0013	Error extracting record length from file	An error occurred attempting to extract the record length of the file. Verify that no other processes have locked the file or records in the file.
0014	Error copying file to IFS for PGP encryption	An error occurred copying a file to an IFS directory for PGP encryption. See the job log for details. The job user may not have authority to the target IFS directory.
0015	PGP encryption error	View the PGP application log in the Inquiry menu to determine the cause.
0016	Not authorized to PGP files.	Ask your security administrator to authorize you to PGP.
0018	Error removing nulls before transfer.	An error was encountered removing null characters (x'00') before a file transfer. This may be caused by an I/O error on the file. Check to see if other processes have locked records in the file.
0018	Error calling program AN6079E to add carriage return to PGP file.	Review the job log. The job user may not be authorized to the program.
0019	Error adding carriage return to PGP encrypted file	Review the job log. The file could not be opened, or was in use by another application.

ERROR CODE	REASON	RESOLUTION
0022	An AES encryption error occurred because program AESXAM does not exist	Be sure you have installed the proper options for AES encryption.
0023	Error calling program AN6075E to copy to IFS with ASCII conversion	Review the job log to determine the problem. The job user may not be authorized to the program.
0024	An error occurred when copying a file to IFS with ASCII conversion	The file may be locked by another process.
0025	An error occurred retrieving the record length of the file	The file may be locked, or a record in the file may be locked, by another process.
0026	An error occurred creating the work library	See the job log for more information. The job user may not be authorized to the `CRTLIB` command
0027	Error creating work file during AES encryption	Review the job log for more information. The job user may not be authorized to create files.
0028	Error copying data to a work file during AES encryption	Review the job log for more information. The job user may not be authorized to the `CPYF` command.
0029	Error on copy to IFS file during AES encryption	Review the job log for more information. The job user may not be authorized to an IFS directory.

ERROR CODE	REASON	RESOLUTION
0030	Unknown error during copy to IFS file for AES encryption	Review the job log to determine the cause of the error.
0030	Error retrieving record length	An error occurred retrieving the record length of the file. The file may be empty, or the records in the file may be locked.
0031	Error creating work library ALLFTM100W during AES encryption	An error occurred creating the library. The job user may not be authorized to the `CRTLIB` command
0032	Error creating work file during AES encryption	The user may not be authorized to the `CRTPF` command
0033	Error copying data to a temporary work file for AES encryption	The job user may not be authorized to the `CPY` command. See the job log for more information.
0034	Error on copy of data to an IFS file	The job user may not be authorized to the IFS directory. See the job log for more information.
0035	Unknown error on copy to IFS stream file	See the job log for more information. The job user may not be authorized to the IFS directory
0036	Error converting pass phrase to ASCII for AES encryption	The pass phrase may be longer than 2048 characters, or the translation table may not exist.
0037	Error converting pass phrase to hex string	The pass phrase may be longer than 2048 characters, or the translation table may not exist.

ERROR CODE	REASON	RESOLUTION
0038	An error occurred in AES encryption	See the job log for information on the return code from AES encryption.
0039	Error retrieving key for AES encryption	Review the key name that you are using. Create the key if needed.
0040	Invalid AES password length	AES passwords must not be greater than 32 characters.
0099	Unmonitored exception in program	See the job log for the cause of the problem.

FTMEXECL – RUN FTP SESSION WITH LONG NAME

ERROR CODE	REASON	RESOLUTION
0001	Error retrieving global options, or error retrieving the FTP definition	Use option `1` on the Configuration menu to be sure that you have defined global options. Use the configuration option to Work With FTP Definitions to verify that you have defined an FTP definition.
0002	Error retrieving the FTP Definition	Create an FTP definition for this session.
0002	Error creating a work library	Review the job log to determine the cause of this error. The job user may not have authority to create the library.
0003	The FTP Definition is not active	Change the status of the FTP Definition to active.

ERROR CODE	REASON	RESOLUTION
0003	Error creating work file	An error occurred attempting to create a temporary work file. Display the job log to determine the cause. The job user may not have enough authority to create files.
0004	Error copying data to a work file with CPYF	An error occurred with a work file copy operation. Review the job log. The job user may not have authority to the **CPYF** command, or may not have authority to the file.
0005	Error copying to an IFS stream file	An error occurred copying data to an IFS file. See the job log for more information. The job user may not have authority to the IFS directory.
0005	An error occurred running the FTP session with default translation tables	See the job log for more information. The job user may not have authority to the **FTP** command.
0006	An error occurred running the FTP session with a default input table	See the job log for more information. The job user may not have authority to the **FTP** command.
0007	An error occurred running the FTP session with a default output table	See the job log for more information. The job user may not have authority to the **FTP** command.
0008	An error occurred running the FTP session with no default tables	See the job log for more information. The job user may not have authority to the **FTP** command.

ERROR CODE	REASON	RESOLUTION
0009	Error in GZIP or ZIP compression	An error occurred in the process of compressing a file with GZIP or ZIP. See the job log for more information.
0010	Error copying to a work file	An error occurred when copying information to a work file. See the job log for more information.
0011	Error creating FTP work script for FTP session	An error occurred when attempting to add a member to the work script file. See the job log for more information.
0012	Error copying FTP base script to work file	An error occurred on the copy command. See the job log for more information.
0013	Unsuccessful PING attempt on remote FTP server.	The server may be off line, or there may be a network failure.
0013	Error extracting file name.	An error occurred extracting the file, library and member from the file path provided. Review the documentation on the format of the file name.
0013	Error extracting record length from file	An error occurred attempting to extract the record length of the file. Verify that no other processes have locked the file or records in the file.
0014	Error copying file to IFS for PGP encryption	An error occurred copying a file to an IFS directory for PGP encryption. See the job log for details. The job user may not have authority to the target IFS directory.
0015	PGP encryption error	View the PGP application log in the Inquiry menu to determine the cause.
0016	Not authorized to PGP files.	Ask your security administrator to authorize you to PGP.

ERROR CODE	REASON	RESOLUTION
0018	Error removing nulls before transfer.	An error was encountered removing null characters (x'00') before a file transfer. This may be caused by an I/O error on the file. Check to see if other processes have locked records in the file.
0018	Error calling program AN6079E to add carriage return to PGP file.	Review the job log. The job user may not be authorized to the program.
0019	Error adding carriage return to PGP encrypted file	Review the job log. The file could not be opened, or was in use by another application.
0022	An AES encryption error occurred because program AESXAM does not exist	Be sure you have installed the proper options for AES encryption.
0023	Error calling program AN6075E to copy to IFS with ASCII conversion	Review the job log to determine the problem. The job user may not be authorized to the program.
0024	An error occurred when copying a file to IFS with ASCII conversion	The file may be locked by another process.
0025	An error occurred retrieving the record length of the file	The file may be locked, or a record in the file may be locked, by another process.

ERROR CODE	REASON	RESOLUTION
0026	An error occurred creating the work library	See the job log for more information. The job user may not be authorized to the `CRTLIB` command
0027	Error creating work file during AES encryption	Review the job log for more information. The job user may not be authorized to create files.
0028	Error copying data to a work file during AES encryption	Review the job log for more information. The job user may not be authorized to the `CPYF` command.
0029	Error on copy to IFS file during AES encryption	Review the job log for more information. The job user may not be authorized to an IFS directory.
0030	Unknown error during copy to IFS file for AES encryption	Review the job log to determine the cause of the error.
0030	Error retrieving record length	An error occurred retrieving the record length of the file. The file may be empty, or the records in the file may be locked.
0031	Error creating work library ALLFTM100W during AES encryption	An error occurred creating the library. The job user may not be authorized to the `CRTLIB` command
0032	Error creating work file during AES encryption	The user may not be authorized to the `CRTPF` command
0033	Error copying data to a temporary work file for AES encryption	The job user may not be authorized to the `CPY` command. See the job log for more information.

ERROR CODE	REASON	RESOLUTION
0034	Error on copy of data to an IFS file	The job user may not be authorized to the IFS directory. See the job log for more information.
0035	Unknown error on copy to IFS stream file	See the job log for more information. The job user may not be authorized to the IFS directory
0036	Error converting pass phrase to ASCII for AES encryption	The pass phrase may be longer than 2048 characters, or the translation table may not exist.
0037	Error converting pass phrase to hex string	The pass phrase may be longer than 2048 characters, or the translation table may not exist.
0038	An error occurred in AES encryption	See the job log for information on the return code from AES encryption.
0039	Error retrieving key for AES encryption	Review the key name that you are using. Create the key if needed.
0040	Invalid AES password length	AES passwords must not be greater than 32 characters.
0099	Unmonitored exception in program	See the job log for the cause of the problem.

FTMEXECR – RUN FTP SESSION FOR DB FILE WITH LONG REMOTE NAME

ERROR CODE	REASON	RESOLUTION

ERROR CODE	REASON	RESOLUTION
0001	Error retrieving global options, or error retrieving the FTP definition	Use option `1` on the Configuration menu to be sure that you have defined global options. Use the configuration option to Work With FTP Definitions to verify that you have defined an FTP definition.
0002	Error retrieving the FTP Definition	Create an FTP definition for this session.
0002	Error creating a work library	Review the job log to determine the cause of this error. The job user may not have authority to create the library.
0003	The FTP Definition is not active	Change the status of the FTP Definition to active.
0003	Error creating work file	An error occurred attempting to create a temporary work file. Display the job log to determine the cause. The job user may not have enough authority to create files.
0004	Error copying data to a work file with CPYF	An error occurred with a work file copy operation. Review the job log. The job user may not have authority to the **`CPYF`** command, or may not have authority to the file.
0005	Error copying to an IFS stream file	An error occurred copying data to an IFS file. See the job log for more information. The job user may not have authority to the IFS directory.
0005	An error occurred running the FTP session with default translation tables	See the job log for more information. The job user may not have authority to the **`FTP`** command.

ERROR CODE	REASON	RESOLUTION
0006	An error occurred running the FTP session with a default input table	See the job log for more information. The job user may not have authority to the `FTP` command.
0007	An error occurred running the FTP session with a default output table	See the job log for more information. The job user may not have authority to the `FTP` command.
0008	An error occurred running the FTP session with no default tables	See the job log for more information. The job user may not have authority to the `FTP` command.
0009	Error in GZIP or ZIP compression	An error occurred in the process of compressing a file with GZIP or ZIP. See the job log for more information.
0010	Error copying to a work file	An error occurred when copying information to a work file. See the job log for more information.
0011	Error creating FTP work script for FTP session	An error occurred when attempting to add a member to the work script file. See the job log for more information.
0012	Error copying FTP base script to work file	An error occurred on the copy command. See the job log for more information.
0013	Unsuccessful PING attempt on remote FTP server.	The server may be off line, or there may be a network failure.

ERROR CODE	REASON	RESOLUTION
0013	Error extracting file name.	An error occurred extracting the file, library and member from the file path provided. Review the documentation on the format of the file name.
0013	Error extracting record length from file	An error occurred attempting to extract the record length of the file. Verify that no other processes have locked the file or records in the file.
0014	Error copying file to IFS for PGP encryption	An error occurred copying a file to an IFS directory for PGP encryption. See the job log for details. The job user may not have authority to the target IFS directory.
0015	PGP encryption error	View the PGP application log in the Inquiry menu to determine the cause.
0016	Not authorized to PGP files.	Ask your security administrator to authorize you to PGP.
0018	Error removing nulls before transfer.	An error was encountered removing null characters (x'00') before a file transfer. This may be caused by an I/O error on the file. Check to see if other processes have locked records in the file.
0018	Error calling program AN6079E to add carriage return to PGP file.	Review the job log. The job user may not be authorized to the program.
0019	Error adding carriage return to PGP encrypted file	Review the job log. The file could not be opened, or was in use by another application.

ERROR CODE	REASON	RESOLUTION
0022	An AES encryption error occurred because program AESXAM does not exist	Be sure you have installed the proper options for AES encryption.
0023	Error calling program AN6075E to copy to IFS with ASCII conversion	Review the job log to determine the problem. The job user may not be authorized to the program.
0024	An error occurred when copying a file to IFS with ASCII conversion	The file may be locked by another process.
0025	An error occurred retrieving the record length of the file	The file may be locked, or a record in the file may be locked, by another process.
0026	An error occurred creating the work library	See the job log for more information. The job user may not be authorized to the `CRTLIB` command
0027	Error creating work file during AES encryption	Review the job log for more information. The job user may not be authorized to create files.
0028	Error copying data to a work file during AES encryption	Review the job log for more information. The job user may not be authorized to the `CPYF` command.
0029	Error on copy to IFS file during AES encryption	Review the job log for more information. The job user may not be authorized to an IFS directory.

ERROR CODE	REASON	RESOLUTION
0030	Unknown error during copy to IFS file for AES encryption	Review the job log to determine the cause of the error.
0030	Error retrieving record length	An error occurred retrieving the record length of the file. The file may be empty, or the records in the file may be locked.
0031	Error creating work library ALLFTM100W during AES encryption	An error occurred creating the library. The job user may not be authorized to the `CRTLIB` command
0032	Error creating work file during AES encryption	The user may not be authorized to the `CRTPF` command
0033	Error copying data to a temporary work file for AES encryption	The job user may not be authorized to the `CPY` command. See the job log for more information.
0034	Error on copy of data to an IFS file	The job user may not be authorized to the IFS directory. See the job log for more information.
0035	Unknown error on copy to IFS stream file	See the job log for more information. The job user may not be authorized to the IFS directory
0036	Error converting pass phrase to ASCII for AES encryption	The pass phrase may be longer than 2048 characters, or the translation table may not exist.
0037	Error converting pass phrase to hex string	The pass phrase may be longer than 2048 characters, or the translation table may not exist.

ERROR CODE	REASON	RESOLUTION
0038	An error occurred in AES encryption	See the job log for information on the return code from AES encryption.
0039	Error retrieving key for AES encryption	Review the key name that you are using. Create the key if needed.
0040	Invalid AES password length	AES passwords must not be greater than 32 characters.
0099	Unmonitored exception in program	See the job log for the cause of the problem.

FTMEXECS – RUN FTP SESSION FROM SCHEDULER

EXCEPTION	REASON	RESOLUTION
ATC2477	Error calling FTMEXEC for FTP transfer	An error occurred calling the program FTMEXEC to perform the transfer. See the job log for more information.
ATC2477	Error in FTP session	An error occurred in the FTP session. See the application log for information on the actual error code. The error codes will be found in the FTMEXEC session above.
ATC2478	Unmonitored exception in program	An unmonitored error occurred during execution of the program. See the job log for details.