Bridge Bearings

Product / Application	BIS (IS)	ISO	ASTM	DIN	Other Standards
Laminated Elastomeric Bridge Bearing	IS 3400 (relevant test methods); IRC:83 (Design Specification)	ISO 22762-1 (Elastomeric Seismic-protection Isolators — Test Methods); ISO 22762-3 (Applications for Bridges and Structures)	ASTM D4014 (Plain and Steel-Laminated Elastomeric Bearings for Bridges); ASTM D412 (Tensile Properties of Rubber); ASTM D573 (Accelerated Aging of Rubber); ASTM D1149 (Ozone Cracking Resistance of Rubber)	DIN EN 1337-3 (Structural Bearings — Elastomeric Bearings); DIN ISO 37 (Tensile Properties of Rubber); DIN ISO 815-1 (Compression Set); DIN ISO 188 (Ageing Resistance)	AASHTO LRFD Bridge Design Specifications; AASHTO Guide Specifications for Seismic Isolation Design; FHWA Bridge Design Guidelines
Plain Elastomeric Bearing Pad	IS 3400 (test methods); IRC:83	ISO 22762-1 (Elastomeric Seismic-protection Isolators — Test Methods)	ASTM D4014 (Plain and Steel-Laminated Elastomeric Bearings for Bridges); ASTM D395 (Compression Set of Rubber); ASTM D2240 (Durometer Hardness of Rubber); ASTM D412 (Tensile Properties of Rubber)	DIN EN 1337-3 (Structural Bearings — Elastomeric Bearings); DIN ISO 37 (Tensile Properties); DIN ISO 48-1 (Hardness); DIN ISO 815-1 (Compression Set)	AASHTO LRFD Bridge Design Specifications; AASHTO Bridge Construction Specifications; FHWA Bridge Engineering Guidelines
Pot Bearing Elastomer Disc	IS 16749 (Pot Bearings); IS 3400 (Elastomeric Components)	ISO 22762-1 (Elastomeric Seismic-protection Isolators — Test Methods)	ASTM D4014 (Elastomeric Bridge Bearings); ASTM D412 (Tensile Properties of Rubber); ASTM D395 (Compression Set of Rubber); ASTM D573 (Heat Aging of Rubber)	DIN EN 1337-5 (Structural Bearings — Pot Bearings); DIN ISO 37 (Tensile Properties); DIN ISO 815-1 (Compression Set); DIN ISO 188 (Ageing Resistance)	AASHTO LRFD Bridge Design Specifications; FHWA Bridge Bearing Guidelines; AASHTO Seismic Design Guidelines
Seismic Isolation Bearing	IS 1893 (Seismic Design Applications); IS 16749 (Elastomeric Bearing Applications, where applicable)	ISO 22762-1 (Elastomeric Seismic-protection Isolators — Part 1: Test Methods); ISO 22762-2 (Bridge and Building Isolators — Specifications); ISO 22762-3 (Applications)	ASTM D4014 (Elastomeric Bridge Bearings); ASTM D5992 (Dynamic Properties of Seismic Isolation Systems); ASTM D412 (Tensile Properties of Rubber); ASTM D395 (Compression Set of Rubber)	DIN EN 15129 (Anti-Seismic Devices); DIN EN 1337-3 (Elastomeric Bearings); DIN ISO 37 (Tensile Properties); DIN ISO 815-1 (Compression Set)	AASHTO Guide Specifications for Seismic Isolation Design; FEMA Seismic Design Guidelines; ASCE 7 Seismic Requirements

Source field: Rubber and Rubber products