

PCBend: Light Up Your 3D Shapes With Foldable Circuit Boards [Supplemental Material]

MARCO FREIRE*, Université de Lorraine, CNRS, Inria, LORIA, France

MANAS BHARGAVA*, ISTA (Institute of Science and Technology Austria), Austria

CAMILLE SCHRECK, Université de Lorraine, CNRS, Inria, LORIA, France

PIERRE-ALEXANDRE HUGRON, Université de Lorraine, CNRS, Inria, LORIA, France

BERND BICKEL, ISTA (Institute of Science and Technology Austria), Austria

SYLVAIN LEFEBVRE, Université de Lorraine, CNRS, Inria, LORIA, France

ACM Reference Format:

Marco Freire, Manas Bhargava, Camille Schreck, Pierre-Alexandre Hugron, Bernd Bickel, and Sylvain Lefebvre. 2023. PCBend: Light Up Your 3D Shapes With Foldable Circuit Boards [Supplemental Material]. *ACM Trans. Graph.* 42, 4 (August 2023), 2 pages. <https://doi.org/10.1145/3592411>




Fig. 1. Virtual results (preview) of our *cat* model.

*Joint first authors.

Authors' addresses: Marco Freire, marco.freire@inria.fr, Université de Lorraine, CNRS, Inria, LORIA, 615, rue du Jardin Botanique, Villers-lès-Nancy, France, 54500; Manas Bhargava, manas.bhargava@ist.ac.at, ISTA (Institute of Science and Technology Austria), Am Campus 1, Klosterneuburg, Austria, 3400; Camille Schreck, camille.schreck@inria.fr, Université de Lorraine, CNRS, Inria, LORIA, 615, rue du Jardin Botanique, Villers-lès-Nancy, France, 54500; Pierre-Alexandre Hugron, pierre alexandre.hugron@inria.fr, Université de Lorraine, CNRS, Inria, LORIA, 615, rue du Jardin Botanique, Villers-lès-Nancy, France, 54500; Bernd Bickel, bernd.bickel@ist.ac.at, ISTA (Institute of Science and Technology Austria), Am Campus 1, Klosterneuburg, Austria, 3400; Sylvain Lefebvre, sylvain.lefebvre@inria.fr, Université de Lorraine, CNRS, Inria, LORIA, 615, rue du Jardin Botanique, Villers-lès-Nancy, France, 54500.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2023 Copyright held by the owner/author(s). Publication rights licensed to ACM.
0730-0301/2023/8-ART \$15.00
<https://doi.org/10.1145/3592411>




Fig. 2. Virtual results (preview) of our *icosa* model.




Fig. 3. Virtual results (preview) of our *star* model.




Fig. 4. Virtual results (preview) of our *sqtorus* model.




Fig. 5. Virtual results (preview) of our squiggly model composed of 6 *sqtorus* parts.




Fig. 6. Futuristic example: person standing under a *dome*.



Fig. 8. *batman* and *cat* model fabricated with big LEDs using the maximal density of our placement algorithm.




Fig. 7. Experimental Setup: We fabricated both full and half-hinges of varying lengths using 0.6 mm thick FR4 with two copper layers. They were slowly bent by hand on a circular dial on which the bending angle was read. We observed that damage to traces on hinges only occur when the hinge has bent to an extent that it changes its color to yellow. We recorded the angle of the first naked-eye visible change of color to yellow for each hinge. A conservative safe bending angle is derived from this value to avoid any yellowing of the hinges and is showcased in Figure 5 of the main text. This safe bending angle is further tested by performing a series of fatigue tests.