Calculation of DE94

Author - Tim Mouw

Calculation of DE94

SL = 1

SC = 1 + 0.045 * C*

SH = 1 + 0.015 * C*

kH = 1

kL and kC are user definable.

DE94 =
$$\left[\left(\frac{DL^*}{kL * SL} \right)^2 + \left(\frac{DC^*}{kC * SC} \right)^2 + \left(\frac{DH^*}{kH * SH} \right)^2 \right]^{0.5}$$