Zhongfu Shenying Carbon Fiber CO.,LTD

Address:No.6 Yunqiao Road,Dapu Industrial Zone,Lianyungang,Jiangsu

Tel:86-518-86070030 Fax:86-518-86070007

Technical Date Sheet for Carbon Fiber SYT55

Fiber Properties

Model	SPEC	Strength MPa	Modulus GPa	Elongation %	Liner density g/km	Density g/cm³	Diameter μm
SYT55	24k	5500	290	1.9	900	1.79	5

Sizing Type and Amount: Epoxy, 1.0--1.2%

Twist :never twisted

Packing:

TOW sizes	Bobbin (net weight KG)	Spools Per case	Case Net weight KG
24K	4	6	24

For more information of our carbon fiber, pls visit our website WWW.ZFSYCF.COM.CN or contact us free .