



Acuitas Performance Statistics

Release 9.4.0.0

Updated: October 2019

Inside ...

- Performance Statistics
- Key Performance Indicators (KPIs) Metrics

Affirmed Networks Inc.

35 Nagog Park
Acton, MA 01720
USA

Tel: +1-978-268-0800

www.affirmednetworks.com

Copyright© 2019 Affirmed Networks, Inc. All Rights Reserved.

AFFIRMED & DESIGN[®], ACUITAS SERVICE MANAGEMENT SYSTEM[®], AFFIRMED NETWORKS MOBILE CONTENT CLOUD[™], AFFIRMED OPEN WORKFLOW[™], AFFIRMED MOBILE CONTENT CLOUD[™] and other trademarks and designs are the registered or unregistered trademarks of Affirmed Networks, Inc. and its subsidiaries in the United States and in foreign countries. All other trademarks are the property of their respective owners. The Affirmed Networks, Inc. trademarks may not be used in connection with any product or service that is not Affirmed Networks' in any manner that is likely to cause confusion among customers or in any manner that disparages or discredits Affirmed Networks, Inc.

This document contains information that is the property of Affirmed Networks, Inc. This document may not be copied, reproduced, reduced to any electronic medium or machine readable form, or otherwise duplicated, and the information herein may not be used, disseminated or otherwise disclosed, except with the prior written consent of Affirmed Networks, Inc.

Affirmed NETWORKS, INC. SOFTWARE LICENSE AGREEMENT

AFFIRMED NETWORKS, INC. ("AFFIRMED") IS WILLING TO LICENSE THE ENCLOSED SOFTWARE AND ACCOMPANYING USER DOCUMENTATION (COLLECTIVELY, THE "PROGRAM") TO YOU ONLY UPON THE CONDITION THAT YOU ACCEPT ALL OF THE TERMS AND CONDITIONS OF THIS LICENSE AGREEMENT. PLEASE READ THE TERMS AND CONDITIONS OF THIS LICENSE AGREEMENT CAREFULLY BEFORE OPENING THE PACKAGE (S) OR USING THE AFFIRMED PRODUCTS CONTAINING THE SOFTWARE, AND BEFORE USING THE ACCOMPANYING USER DOCUMENTATION. OPENING THE PACKAGE (S) OR USING THE AFFIRMED PRODUCTS CONTAINING THE PROGRAM WILL INDICATE YOUR ACCEPTANCE OF THE TERMS OF THIS LICENSE AGREEMENT. IF YOU ARE NOT WILLING TO BE BOUND BY THE TERMS OF THIS LICENSE AGREEMENT, AFFIRMED IS UNWILLING TO LICENSE THE PROGRAM TO YOU, IN WHICH EVENT YOU SHOULD RETURN THE PROGRAM WITHIN TEN (10) DAYS FROM SHIPMENT TO THE PLACE FROM WHICH IT WAS ACQUIRED, AND YOUR LICENSE FEE WILL BE REFUNDED. THIS LICENSE AGREEMENT REPRESENTS THE ENTIRE AGREEMENT CONCERNING THE PROGRAM BETWEEN YOU AND AFFIRMED, AND IT SUPERSEDES ANY PRIOR PROPOSAL, REPRESENTATION OR UNDERSTANDING BETWEEN THE PARTIES.

License Grant

Subject to the provisions of this License, Affirmed grants to Licensee, and Licensee accepts, a non-exclusive, non-transferable license to use the object code form of the software supplied by Affirmed, including all patches, error corrections, updates and revisions thereto in machine-readable, object code form only (the "Software"), and the user documentation, including all updates and revisions thereto (the "User Documentation") for Licensee's internal business purposes (including, without limitation, in conjunction with Licensee's provision of services to its customers) on or in conjunction with the hardware product with which it was originally delivered or on a single designated computer. The Software and User Documentation are sometimes collectively referred to as the "Program". *Licensee acknowledges that certain Software provided by Affirmed may contain other restrictions and Licensee must refer to accompanying license certificates for each such Software licensed.* Licensee agrees that Licensee will not pledge, lease, rent, or share Licensee's rights under this License Agreement, and that Licensee will not, without Affirmed's prior written consent, assign or transfer Licensee's rights hereunder. Licensee agrees that Licensee may not duplicate (except as set forth below), decompile, disassemble, reverse engineer, modify, or otherwise translate the Software or permit a third party to do so and that Licensee shall not make the Program available to any other third party, or create works derivative of the Program, without Affirmed's express written consent. Licensee agrees it shall not publish in any fashion any results of benchmark tests run on the Program.

The Program is copyrighted and is only authorized to reproduce one copy of the Software and the User Documentation solely for backup purposes. Licensee is hereby prohibited from otherwise copying or translating, modifying or adapting the Program or, incorporating in whole or any part in any other product or creating derivative works based on all or any part of the Program. Licensee is not authorized to license others to reproduce any copies of the Program, except as expressly provided in this Agreement. Licensee agrees to ensure that all copyright, trademark and other proprietary notices of Affirmed affixed to or displayed on the Program will not be removed or modified. Licensee shall not decompile, disassemble or reverse engineer, the licensed software or any component thereof, except as may be permitted by applicable law, in which case Licensee must notify Affirmed in writing and Affirmed may provide review and assistance.

U.S. Government Restricted Rights. Notice - Distribution and use of products including computer programs and any related documentation and derivative works thereof, to and by the U.S. Government, are subject to the Restricted Rights provisions of FAR 52.227-19, paragraph (c)(2) as applicable, except for purchases by agencies of the Department of Defense (DOD). If the software is acquired under the terms of a Department of Defense or civilian agency contract, the software is a "commercial item" as that term is defined at 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 of the

Software License Agreement

Federal Acquisition Regulations and its successors and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995) of the DoD FAR Supplement and its successors. All U.S. Government end users acquire the software with only those rights set forth in this Agreement. Manufacturer is Affirmed Networks, Inc., 35 Nagog Park, Acton MA 01720. Unpublished - rights reserved under the copyright laws of the United States.

Affirmed's Rights

Licensee agrees that the Software and the User Documentation are proprietary, confidential products of Affirmed or Affirmed's licensor protected under U.S. copyright law and Licensee will use Licensee's best efforts to maintain their confidentiality. Licensee further acknowledges and agrees that all right, title and interest in and to the Program, including associated intellectual property rights, are and shall remain with Affirmed or Affirmed's licensor. This License Agreement does not convey to Licensee an interest in or to the Program, but only a limited right of use revocable in accordance with the terms of this License Agreement.

License Fees

The license fees paid by Licensee are paid in consideration of the license granted under this License Agreement.

Term

This License Agreement is effective upon Licensee's execution of this License Agreement and payment of the license fees and shall continue until terminated. Licensee may terminate this License Agreement at any time by returning the Program and all copies or portions thereof to Affirmed. Affirmed may terminate this License Agreement upon the breach by Licensee of any term hereof. Upon such termination by Affirmed, Licensee agrees to return to Affirmed the Program and all copies or portions thereof. Termination of this License Agreement shall not prejudice Affirmed's rights to damages or any other available remedy.

Limited Warranty

Affirmed warrants that with normal use and service each Software product shall materially conform to Affirmed's then current published specifications for the most current release of such Software product for a period of ninety (90) days from the date of shipment by Affirmed. Program media is warranted for ninety- (90) days from the date of shipment by Affirmed. Software support beyond these periods is available at additional cost under the terms of Affirmed's Annual Maintenance Service Agreement. During the warranty period, as Licensee's sole and exclusive remedy, Affirmed will correct a Software product's failure to conform to the warranty provided that Licensee has notified Affirmed in writing of the nature of the non-conformity. This warranty shall not apply if any Software product has been (i) modified or altered by anyone other than Affirmed, (ii) abused or misapplied, or (iii) used in combination with hardware or software other than the Affirmed manufactured products for which it was designed. Affirmed shall incur no liability under this warranty if Affirmed's tests disclose that the alleged defect is due to causes not within Affirmed's reasonable control, including alteration or abuse of the goods. If a Program is determined not to be defective or to have a defect due to causes not within Affirmed's reasonable control, Licensee agrees to pay for such repair at the repair price as listed in Affirmed's then current applicable price list. In no event does Affirmed warrant that the use of Software products will be error free or uninterrupted. Affirmed's sole obligation under the Software warranty shall be to provide the remedies described above.

EXCEPT FOR THE EXPRESS WARRANTIES STATED IN THIS WARRANTY, THE PROGRAM IS LICENSED "AS IS", AND Affirmed DISCLAIMS ANY AND ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY WITH RESPECT TO THE SOFTWARE PROVIDED UNDER THIS AGREEMENT, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ANY WARRANTIES OF NONINFRINGEMENT AS WELL AS ANY WARRANTIES ARISING FROM COURSE OF DEALING, USAGE OR TRADE PRACTICE.

Limitation of Liability

Affirmed's cumulative liability to Licensee or any other party for any loss or damages resulting from any claims, demands, or actions arising out of or relating to this License Agreement shall not exceed the greater of: (i) ten thousand U.S. dollars (\$10,000) or (ii) the total license fee paid to Affirmed for the use of the Program. In no event shall Affirmed be liable for any indirect, incidental, consequential, special, punitive or exemplary damages or lost profits or the loss of software or data, even if Affirmed has been

advised of the possibility of such damages. In the event that the Program contains the intellectual property of a third party pursuant to a license in favor of Affirmed, with a right to sublicense to Licensee, Affirmed hereby disclaims, to the extent permitted by law, such third party's liability of any damages, whether direct, indirect, incidental or consequential, arising out the use of the Program

Export Control

Licensee shall not export or re-export, directly or indirectly, any of the Programs (including any part of a Program or any direct product of such Program), Affirmed's Confidential Information or related technical data (a) into, or to a national resident of, any of those countries listed at the time of any shipment of the Products in the applicable U.S. export regulations as "prohibited or restricted" countries, or any other country to which such exports or re-exports may be restricted (collectively, the "Prohibited Countries") or (b) to anyone on the U.S. Treasury Department's list of Specially Designated Nations or the U.S. Commerce Department's Table of Denial Orders. At Licensee's request, Affirmed shall provide a list of the Prohibited Countries, Specially Designated Nations and/or Table of Denial Orders in order to assist Licensee to comply with such requirement.

Governing Law

This License Agreement shall be construed and governed in accordance with the laws and under the jurisdiction of the Commonwealth of Massachusetts, U.S.A. Any dispute arising out of this Agreement shall be referred to an arbitration proceeding in Boston, Massachusetts, U.S.A. by the American Arbitration Association.

Miscellaneous

If any action is brought by either party to this License Agreement against the other party regarding the subject matter hereof, the prevailing party shall be entitled to recover, in addition to any other relief granted, reasonable attorneys' fees and expenses of arbitration. Should any term of this License Agreement be declared void or unenforceable by any court of competent jurisdiction, such declaration shall have no effect on the remaining terms hereof. The failure of either party to enforce any rights granted hereunder or to take action against the other party in the event of any breach hereunder shall not be deemed a waiver by that party as to subsequent enforcement of rights or subsequent actions in the event of future breaches.

Affirmed has made no commitments or promises orally or in writing with respect to delivery of any future software features or functions. In relation to any future software features or functions, all presentations, RFP responses and/or product outlook documents, information or discussions, either prior to or following the date herein, are for informational purposes only, and Affirmed has no obligation to provide any future releases or upgrades or any features, enhancements or functions, unless specifically agreed to in writing by both parties. Reseller acknowledges that no purchasing decisions are based upon any future software features or functions.

**Third Party
Beneficiary**

If the Program incorporates or otherwise contains any intellectual Property of any third party pursuant to a license agreement in favor of Affirmed and sublicensed to Licensee, such third party shall, to the extent permitted by law, be a third party beneficiary of the terms and conditions of this Agreement.

Contents

Preface

Audience	xv
Release Information	xv
How to Use This Guide	xv
Conventions	xvi
How to Obtain Product Documentation	xvii
Technical Assistance Center	xvii

Chapter 1

Performance Statistics

ABR Rate Limiting Video Segment Statistics	1-2
ABR Rate Limiting Video Session Statistics	1-3
Access Point Name Call Performance Statistics	1-4
Acuitas Server Statistics	1-33
APN Data Plane Statistics	1-33
Bearer Usage Statistics	1-33
Content Cache Summary Statistics	1-34
Content Filter Content Categorization Statistics	1-34
Content Filter Instance Content Categorization Statistics	1-40
Content Filter Instance Summary Statistics	1-46
Content Filter Statistics	1-48
Content Filter Summary Statistics	1-49
Content HTTP Cache Statistics	1-50
Data Profile Call Performance Statistics	1-51
Deep Packet Inspection Application Statistics (pre-8.0 Acuitas versions)	1-52
Deep Packet Inspection Flow Attributes Statistics	1-53
Deep Packet Inspection Application Statistics (Acuitas 8.0 and later versions)	1-53
Deep Packet Inspection General Statistics	1-54
Deep Packet Inspection Operating Systems Statistics (Acuitas 8.0 and later versions)	1-57
Deep Packet Inspection Protocols Statistics	1-57
Deep Packet Inspection Protocols Statistics (Acuitas 8.0 and later versions)	1-58
Deep Packet Inspection Tethering Statistics	1-59
Deep Packet Web HTTP Transactions Statistics	1-60
Disk Statistics	1-60
DNS Resolution Statistics	1-61
DIAMETER Peer Statistics	1-63
EDR Bearer Statistics	1-76

EDR Flow Statistics	1-77
EDR HTTP Statistics	1-77
EDR Pilot Statistics	1-77
EDR RTT Statistics	1-78
EDR Server Statistics	1-79
EDR Session Statistics	1-80
Evolved Packet Data Gateway Access Point Name Call Performance Statistics....	1-81
Evolved Packet Data Gateway Access Point Name Session Close Call Performance Statistics	1-90
Evolved Packet Data Gateway Call Performance Statistics	1-92
Evolved Packet Data Gateway Emergency Call Performance Statistics	1-102
Evolved Packet Data Gateway HTTP Call Performance Statistics	1-103
Evolved Packet Data Gateway Session Close Call Performance Statistics	1-104
Gateway Access Point Name QCI ARP Call Performance Statistics.....	1-106
Gateway GPRS Support Node Call Performance Statistics	1-112
Gateway GPRS Support Node Procedure Statistics	1-123
Gateway QCI ARP Call Performance Statistics.....	1-125
Geo Redundancy Statistics	1-131
GPRS Tunneling Protocol Statistics.....	1-135
GTP Message Statistics	1-144
GTP Proxy Access Point Name Call Performance Statistics	1-156
GTP Proxy Call Performance Statistics	1-184
GTP Proxy Procedure Statistics	1-213
GTP Peer Statistics	1-218
HTTP Proxy Async DNS Statistics	1-219
HTTP Proxy Back End Forwarding Statistics	1-220
HTTP Proxy Compression Statistics	1-221
HTTP Proxy Connection Statistics.....	1-222
HTTP Proxy Content Insertion Script Links Statistics.....	1-225
HTTP Proxy Details Statistics	1-226
HTTP Proxy Failure Statistics	1-229
HTTP Proxy FLV Video Pacing Statistics	1-231
HTTP Proxy Fraud Detection Statistics	1-232
HTTP Proxy Header Enrichment Statistics	1-233
HTTP Proxy Latency Statistics.....	1-235
HTTP Proxy Media Type Byte Statistics	1-238
HTTP Proxy Media Type Response Statistics	1-239
HTTP Proxy Minify Statistics	1-240
HTTP Proxy MP4 Video Pacing Statistics.....	1-241
HTTP Proxy Optimization Savings Statistics.....	1-242
HTTP Proxy Overload Control Statistics	1-243
HTTP Proxy Preemptive DNS Statistics	1-244
HTTP Proxy Request Method Statistics.....	1-244
HTTP Proxy Server Summary Statistics	1-248
HTTP Proxy SPS Statistics.....	1-249
HTTP Proxy Summary Statistics	1-250
HTTP Proxy TCP Optimization Statistics	1-252
HTTP Proxy TLS Statistics	1-252
HTTP Proxy Toll Free Data Detail Statistics	1-254
HTTP Proxy Toll Free Data Summary Statistics	1-257
HTTP Proxy URL Rewrite Statistics	1-258

HTTP Proxy Video Pacing Failure Statistics.....	1-258
HTTP Proxy Video Pacing Summary Statistics	1-259
HTTP Proxy Video Statistics.....	1-260
HTTP Proxy Web Image Optimization Detail Statistics.....	1-263
HTTP Proxy Web Image Optimization Summary Statistics	1-265
HTTP Proxy WEBM Video Pacing Statistics	1-266
IKE Message Statistics.....	1-267
Interface Statistics	1-274
Interface Usage Statistics.....	1-275
IP Frag Module Statistics.....	1-276
IPSec Data Statistics	1-276
IPSec Context Network Statistics	1-284
LDAP Feature Group Statistics	1-284
LDAP Profile Statistics	1-285
LDAP Server Statistics	1-285
LDAP Service Statistics.....	1-286
Mobile Content Cloud Gi GW Call Performance Statistics	1-287
Mobile Content Cloud Gi GW Procedure Statistics	1-290
MMS Charging Statistics.....	1-291
MMS Media Adaptation Statistics.....	1-293
MMS MM1 Detail Statistics	1-295
MMS MM1 Summary Statistics	1-296
NAT Statistics	1-296
NAT Pool Statistics	1-298
Network Context Statistics.....	1-299
Network Context UE Pool Statistics	1-300
Network Context UE IP Subpool Statistics	1-302
Packet Data Network Gateway Call Performance Statistics	1-304
Packet Data Network Gateway Procedure Statistics	1-334
PCSCF Address Statistics	1-338
PDN LDAP Service Statistics	1-338
PFCP Peer Statistics.....	1-340
Port Statistics	1-344
Proxy Buffer Statistics.....	1-345
RADIUS Peer Procedure Statistics	1-346
RADIUS Procedure Statistics	1-349
SAE-PGW Gateway Procedure Statistics	1-352
SAE-SGW Gateway Procedure Statistics	1-356
Server Plugin Statistics	1-360
Service Data Container Statistics.....	1-361
Service Gateway Access Point Name Call Performance Statistics	1-362
Service Gateway Call Performance Statistics	1-381
Service Gateway Procedure Statistics	1-401
Session Learner Interface Statistics	1-405
SIP Advanced Statistics.....	1-409
SIP Basic Statistics.....	1-410
Slot Statistics	1-411
SMTP Proxy Statistics.....	1-412
STI Detail Statistics	1-414
STI Media Adaptation Statistics	1-414
System CPU Statistics	1-417

System Memory Statistics	1-418
System Node Uptime Statistics.....	1-420
System Performance Statistics	1-420
System Uptime Statistics	1-421
Task Statistics	1-421
TCP Measurement Statistics.....	1-422
TCP Measurements Server-side Statistics	1-423
TCP Optimization Statistics	1-423
TCP Performance Statistics	1-424
TCP Proxy Statistics.....	1-425
TCP Reorder Statistics	1-428
TCP Splicing Connection Statistics	1-429
TCP Splicing Detail Statistics.....	1-431
TCP Splicing DNS Statistics	1-432
TCP Splicing Failure Statistics.....	1-433
TCP Splicing Rate Limiting Statistics	1-434
TCP Splicing Summary Statistics.....	1-436
UDP Proxy Connection Statistics.....	1-436
UDP Proxy Detail Statistics	1-438
UDP Proxy DNS Statistics	1-438
UDP Proxy Failure Statistics	1-439
UDP Proxy QUIC Statistics	1-439
UDP Proxy Rate Limiting Statistics.....	1-440
UDP Proxy Summary Statistics	1-440
User Plane Service Statistics.....	1-441
Video Adaptation Statistics	1-443
Video Adaptation Offline Transcoding Detail Statistics	1-445
Video Adaptation Offline Transcoding Failure Statistics.....	1-446
Video Adaptation Offline Transcoding Summary Statistics	1-446
Video Adaptation Online Transcoding Detail Statistics.....	1-448
Video Adaptation Online Transcoding Failure Statistics	1-450
Video Adaptation Online Transcoding Summary Statistics.....	1-452
WAP Gateway Statistics.....	1-453
Wireless Access Gateway Access Point Name Call Performance Statistics	1-455
Wireless Access Gateway Call Performance Statistics	1-462
Wireless Access Gateway QCI ARP Call Performance Statistics	1-470
Workflow Statistics.....	1-474

Chapter 2

Key Performance Indicators (KPIs) Metrics

Derived Metrics	2-2
Raw Metrics	2-39

Index

List of Tables

Table 1-1	ABR Rate Limiting Video Segment Statistics	1-2
Table 1-2	ABR Rate Limiting Video Session Statistics	1-3
Table 1-3	Access Point Name Call Performance Statistics	1-4
Table 1-4	Acuitas Server Statistics	1-33
Table 1-5	APN Data Plane Statistics	1-33
Table 1-6	Bearer Usage Statistics	1-33
Table 1-7	Content Cache Summary Statistics	1-34
Table 1-8	Content Filter Content Categorization Statistics	1-34
Table 1-9	Content Filter Instance Content Categorization Statistics	1-40
Table 1-10	Content Filter Instance Summary Statistics	1-46
Table 1-11	Content Filter Statistics	1-48
Table 1-12	Content Filter Summary Statistics	1-49
Table 1-13	Content HTTP Cache Statistics	1-50
Table 1-14	Data Profile Call Performance Statistics	1-51
Table 1-15	Deep Packet Inspection Application Statistics (pre-8.0 Acuitas versions) 1-52	
Table 1-16	Deep Packet Inspection Flow Attribute Statistics	1-53
Table 1-17	Deep Packet Inspection Flow Attribute Statistics (Acuitas 8.0 and later ver- sions) 1-53	
Table 1-18	Deep Packet Inspection General Statistics	1-54
Table 1-19	Deep Packet Inspection Operating Systems Statistics (Acuitas 8.0 and later versions) 1-57	
Table 1-20	Deep Packet Inspection Protocols Statistics	1-57
Table 1-21	Deep Packet Inspection Protocols Statistics (Acuitas 8.0 and later versions) 1-58	
Table 1-22	Deep Packet Inspection Tethering Statistics	1-59
Table 1-23	Deep Packet Inspection Web HTTP Transactions Statistics	1-60
Table 1-24	Disk Statistics	1-60
Table 1-25	DNS Resolution Statistics	1-61
Table 1-26	DIAMETER Peer Statistics	1-63
Table 1-27	EDR Bearer Statistics	1-76
Table 1-28	EDR Flow Statistics	1-77
Table 1-29	EDR HTTP Statistics	1-77
Table 1-30	EDR Pilot Statistics	1-77
Table 1-31	EDR RTT Statistics	1-78
Table 1-32	EDR Server Statistics	1-79
Table 1-33	EDR Session Statistics	1-80
Table 1-34	Evolved Packet Data Gateway Access Point Name Call Performance Statis- tics 1-81	
Table 1-35	Evolved Packet Data Gateway Access Point Name Session Close Call Perfor- mance Statistics 1-90	
Table 1-36	Evolved Packet Data Gateway Call Performance Statistics	1-92
Table 1-37	Evolved Packet Data Gateway Emergency Call Performance Statistics 1-102	
Table 1-38	Evolved Packet Data Gateway HTTP Call Performance Statistics 1-103	
Table 1-39	Evolved Packet Data Gateway Session Close Call Performance Statistics 1-104	
Table 1-40	Gateway Access Point Name QCI ARP Call Performance Statistics 1-106	

Tables

Table 1-41	Gateway GPRS Support Node Call Performance Statistics.....	1-112
Table 1-42	Gateway GPRS Support Node Procedure Statistics.....	1-123
Table 1-43	Gateway QCI ARP Call Performance Statistics	1-125
Table 1-44	Geo Redundancy Statistics.....	1-131
Table 1-45	GPRS Tunneling Protocol Statistics	1-135
Table 1-46	GTP Message Statistics.....	1-144
Table 1-47	GTP Proxy Access Point Name Call Performance Statistics.....	1-156
Table 1-48	GTP Proxy Call Performance Statistics	1-184
Table 1-49	GTP Proxy Procedure Statistics	1-213
Table 1-50	GTPP Peer Statistics.....	1-218
Table 1-51	HTTP Proxy Async DNS Statistics.....	1-219
Table 1-52	HTTP Proxy Back End Forwarding Statistics.....	1-220
Table 1-53	HTTP Proxy Compression Statistics.....	1-221
Table 1-54	HTTP Proxy Connection Statistics	1-222
Table 1-55	HTTP Proxy Content Insertion Script Links Statistics	1-225
Table 1-56	HTTP Proxy Details Statistics.....	1-226
Table 1-57	HTTP Proxy Failure Statistics.....	1-229
Table 1-58	HTTP Proxy FLV Video Pacing Statistics.....	1-231
Table 1-59	HTTP Proxy Fraud Detection Statistics	1-232
Table 1-60	HTTP Proxy Header Enrichment Statistics.....	1-233
Table 1-61	HTTP Proxy Latency Statistics.....	1-235
Table 1-62	HTTP Proxy Media Type Byte Statistics.....	1-238
Table 1-63	HTTP Proxy Media Type Response Statistics	1-239
Table 1-64	HTTP Proxy Minify Statistics.....	1-240
Table 1-65	HTTP Proxy MP4 Video Pacing Statistics	1-241
Table 1-66	HTTP Proxy Optimization Savings Statistics	1-242
Table 1-67	HTTP Proxy Overload Control Statistics.....	1-243
Table 1-68	HTTP Proxy Preemptive DNS Statistics.....	1-244
Table 1-69	HTTP Proxy Request Method Statistics.....	1-244
Table 1-70	HTTP Proxy Server Summary Statistics.....	1-248
Table 1-71	HTTP Proxy SPS Statistics	1-249
Table 1-72	HTTP Proxy Summary Statistics	1-250
Table 1-73	HTTP Proxy TCP Optimization Statistics	1-252
Table 1-74	HTTP Proxy TLS Statistics.....	1-252
Table 1-75	HTTP Proxy Toll Free Data Detail Statistics.....	1-254
Table 1-76	HTTP Proxy Toll Free Data Summary Statistics	1-257
Table 1-77	HTTP Proxy URL Rewrite Statistics	1-258
Table 1-78	HTTP Proxy Video Pacing Failure Statistics.....	1-258
Table 1-79	HTTP Proxy Video Pacing Summary Statistics.....	1-259
Table 1-80	HTTP Proxy Video Statistics	1-260
Table 1-81	HTTP Proxy Web Image Optimization Detail Statistics	1-263
Table 1-82	HTTP Proxy Web Image Optimization Summary Statistics.....	1-265
Table 1-83	HTTP Proxy WEBM Video Pacing Statistics.....	1-266
Table 1-84	IKE Message Statistics.....	1-267
Table 1-85	Interface Statistics	1-274
Table 1-86	Interface Usage Statistics	1-275
Table 1-87	IP Frag Module Statistics	1-276
Table 1-88	IPSec Data Statistics.....	1-276
Table 1-89	IPSec Network Context Statistics	1-284
Table 1-90	LDAP Feature Group Statistics.....	1-284
Table 1-91	LDAP Profile Statistics	1-285

Table 1-92	LDAP Server Statistics.....	1-285
Table 1-93	LDAP Service Statistics	1-286
Table 1-94	Mobile Content Cloud Gi GW Call Performance Statistics.....	1-287
Table 1-95	Mobile Content Cloud Gi GW Procedure Statistics.....	1-290
Table 1-96	MMS Charging Statistics	1-291
Table 1-97	MMS Media Adaptation Statistics	1-293
Table 1-98	MMS MM1 Detail Statistics	1-295
Table 1-99	MMS MM1 Summary Statistics	1-296
Table 1-100	NAT Statistics	1-296
Table 1-101	NAT Pool Statistics.....	1-298
Table 1-102	Network Context Statistics.....	1-299
Table 1-103	Network Context UE Pool Statistics	1-300
Table 1-104	Network Context UE IP Subpool Statistics.....	1-302
Table 1-105	Packet Data Network Gateway Call Performance Statistics.....	1-304
Table 1-106	Packet Data Network Gateway Procedure Statistics.....	1-334
Table 1-107	PCSCF Address Statistics	1-338
Table 1-108	PDN LDAP Service Statistics	1-339
Table 1-109	PFCP Peer Statistics	1-340
Table 1-110	Port Statistics.....	1-344
Table 1-111	Proxy Buffer Statistics	1-345
Table 1-112	RADIUS Peer Procedure Statistics	1-346
Table 1-113	RADIUS Procedure Statistics	1-349
Table 1-114	SAE-PGW Gateway Procedure Statistics	1-352
Table 1-115	SAE-SGW Gateway Procedure Statistics	1-356
Table 1-116	Server Plugin Statistics.....	1-360
Table 1-117	Service Data Container Statistics	1-361
Table 1-118	Service Gateway Access Point Name Call Performance Statistics	1-362
Table 1-119	Service Gateway Call Performance Statistics	1-381
Table 1-120	Service Gateway Procedure Statistics	1-401
Table 1-121	Session Learner Interface Statistics.....	1-405
Table 1-122	SIP Advanced Statistics	1-409
Table 1-123	SIP Basic Statistics.....	1-410
Table 1-124	Slot Statistics	1-411
Table 1-125	SMTP Proxy Statistics	1-412
Table 1-126	STI Detail Statistics.....	1-414
Table 1-127	STI Media Adaptation Statistics	1-414
Table 1-128	System CPU Statistics.....	1-417
Table 1-129	System Memory Statistics.....	1-418
Table 1-130	System Node Uptime Statistics.....	1-420
Table 1-131	System Performance Statistics	1-420
Table 1-132	System Uptime Statistics.....	1-421
Table 1-133	Task Statistics.....	1-421
Table 1-134	TCP Measurement Statistics	1-422
Table 1-135	TCP Measurement Server-side Statistics	1-423
Table 1-136	TCP Optimization Statistics.....	1-423
Table 1-137	TCP Performance Statistics.....	1-424
Table 1-138	TCP Proxy Statistics.....	1-425
Table 1-139	TCP Reorder Statistics	1-428
Table 1-140	TCP Splicing Connection Statistics	1-429
Table 1-141	TCP Splicing Detail Statistics	1-431
Table 1-142	TCP Splicing DNS Statistics.....	1-432

Tables

Table 1-143	TCP Splicing Failure Statistics	1-433
Table 1-144	TCP Splicing Rate Limiting Statistics	1-434
Table 1-145	TCP Splicing Summary Statistics	1-436
Table 1-146	UDP Proxy Connection Statistics	1-436
Table 1-147	UDP Proxy Detail Statistics	1-438
Table 1-148	UDP Proxy DNS Statistics	1-438
Table 1-149	UDP Proxy Failure Statistics.....	1-439
Table 1-150	UDP Proxy QUIC Statistics	1-439
Table 1-151	UDP Proxy Rate Limiting Statistics.....	1-440
Table 1-152	UDP Proxy Summary Statistics	1-440
Table 1-153	User Plane Service Statistics	1-441
Table 1-154	Video Adaptation Statistics.....	1-443
Table 1-155	Video Adaptation Offline Transcoding Detail Statistics.....	1-445
Table 1-156	Video Adaptation Offline Transcoding Failure Statistics	1-446
Table 1-157	Video Adaptation Offline Transcoding Summary Statistics.....	1-446
Table 1-158	Video Adaptation Online Transcoding Detail Statistics	1-448
Table 1-159	Video Adaptation Online Transcoding Failure Statistics.....	1-450
Table 1-160	Video Adaptation Online Transcoding Summary Statistics	1-452
Table 1-161	WAP Gateway Statistics	1-453
Table 1-162	Wireless Access Gateway Access Point Name Call Performance Statistics 1-455	
Table 1-163	Wireless Access Gateway Call Performance Statistics.....	1-462
Table 1-164	Wireless Gateway QCI ARP Call Performance Statistics	1-470
Table 1-165	Workflow Statistics	1-474
Table 2-1	Derived Metrics.....	2-2
Table 2-2	Raw Metrics	2-39

Preface

This document lists the performance statistics viewable through the Acuitas Service Management System[®].

Audience

This guide is written for the Operator who runs Acuitas to identify current or impending performance issues that can cause problems for network users.

As a reader of this guide, you should be familiar with network management tasks such as monitoring and maintenance of acceptable network performance, and the collection and analysis of statistics critical to network performance. You should be familiar with the configuration of long-term evolution (LTE) and 3G or 4G networks.

Release Information

See the Release Notes for important information, requirements, limitations, and restrictions that apply to this release.

How to Use This Guide

This guide contains the following chapters and appendices:

Chapter/Appendix	Describes
Chapter 1, Performance Statistics	Performance statistics collected in reports.
Chapter 2, Key Performance Indicators (KPIs) Metrics	Key Performance Indicators (KPIs) Metrics

Conventions

This guide uses the following conventions, when applicable:

Description	Convention	Examples
Command names, keywords, dialog boxes, buttons, icons, menus	Times New Roman bold font	Use configure_ha to configure... Enter y . To continue, press Enter .
Selecting a menu item	Menu => Option	Select Security => Group Management .
Variable parameters for which you supply values	<i><courier bold italic blue font></i>	configure_dr convert slave --masterhost <i><host IP></i>
User input	Courier bold blue font	cd /opt/Affirmed/NMS/bin
Screen messages, system output, sample source code	Courier regular blue font	Checking for License...
Required keywords and arguments in square brackets	[]	cluster [id] node [id] reboot
Optional keywords and arguments in curly brackets	{ }	{cdr-file-name}
Keywords separated by the pipe symbol. Requires you to specify only one item from the set.		Is this correct? [y n]
Keywords representing a single element in angle brackets	< >	<i><host name></i>
Asterisk after a CLI object indicates a required object	*	name*
Variables, book and chapter titles, file path names, new terms, and emphasized text	<i>Times New Roman italic font</i>	See the <i>Acuitas User's Guide</i> . <i>Workflow</i> is an application running on the network element.



CAUTION: Proceed carefully to avoid possible equipment damage or data loss.

Note: Additional information that may apply to the subject text.

Tip: Helpful suggestions.

How to Obtain Product Documentation

Documentation is available for currently supported product releases. Documentation is available online in Adobe PDF format. You can view PDFs online using the Adobe Reader[®]. To download the latest version of the Adobe Reader software from the Adobe web site, go to <http://get.adobe.com/reader/>

You can access Affirmed Networks documentation from the SFTP server. Contact Affirmed Networks for instructions on how to access the SFTP server.

See the *Affirmed Networks Documentation Library* for a complete list of Affirmed Networks product documentation.

Technical Assistance Center

Affirmed Networks Technical Assistance Center (TAC) provides technical support 24 hours a day, 7 days a week (24 x 7) for any customer with an active maintenance contract.

To contact the TAC:



E-mail: prodsupport@affirmednetworks.com



24 x 7 Telephone support:

Local: 1-978-268-0871

Toll-free: 1-888-283-2838

Performance Statistics

This document lists the performance statistics viewable through the Acuitas Service Management System:

- Real Time statistics include Chassis and Slot statistics. Some statistics also include Grid statistics.
- Historical statistics include Grid statistics only

For instructions on viewing statistics, see the *Acuitas User's Guide*.

Note: For performance statistics for the vMME, see the *Affirmed Networks vMME Performance Management Reference Guide*.

Note: For performance statistics for the SCEF and DG, see the *Affirmed Networks Enhanced Service Capability Exposure Function Administration Guide*.

Note: For performance statistics for the vSSF, see the *Affirmed Networks Affirmed Networks vSSF User Guide*.

ABR Rate Limiting Video Segment Statistics

Table 1-1 ABR Rate Limiting Video Segment Statistics

ABRRATELIMITINGVIDEOSEGMENTSTATS CHASSIS ABRRATELIMITINGVIDEOSEGMENTSTATS SLOT	Type	Description
ABR Segment - Total	64-bit counter	Number of Total ABR segment
ABR Segment - HLS	64-bit counter	Number of Total HLS segment
ABR Segment - DASH	64-bit counter	Number of Total DASH segment
ABR Segment - HDS	64-bit counter	Number of Total HDS segment
ABR Segment - Other	64-bit counter	Number of Total OTHER segment
ABR Segment - Bitrate 0 ~ 500 kbps	64-bit counter	Total ABR video bitrate from 0 to 500 kbps
ABR Segment - Bitrate 500 ~ 1000 kbps	64-bit counter	Total ABR segment bitrate from 500 to 1,000 kbps
ABR Segment - Bitrate 1000 ~ 2500 kbps	64-bit counter	Total ABR segment bitrate from 1,000 to 2,500 kbps
ABR Segment - Bitrate 2500 kbps ~ more	64-bit counter	Total ABR bitrate greater than 2,500 kbps
ABR Segment - Enforced Bitrate Lower Than Media Bitrate	64-bit counter	Total ABR video segment that bitrate is enforced lower than media bitrate
ABR Segment Bypass - Subscriber Opt Out	64-bit counter	Total ABR video segment bypass because of subscriber opt out
ABR Segment Bypass - Applied Response Policy without ABR Optimization	64-bit counter	Total ABR video segment bypass because applied response policy without ABR optimization
ABR Segment Bypass - Subscriber Opt In Rate Limiting Req Not Met	64-bit counter	Total ABR video segment bypass because of subscriber opt in requirements are not met
ABR Segment Bypass - CP Manifest with no Max-Rate	64-bit counter	Total ABR video segment bypass because no Max-Rate in the CP Manifest
ABR Segment Bypass - CP Manifest with Invalid Max-Rate	64-bit counter	Total ABR video segment bypass because of invalid Max-Rate in the CP Manifest
ABR Segment Bypass – Savings Estimation	64-bit counter	Total ABR video segment bypass because of savings estimation process
ABR Segment Bypass – Response too short	64-bit counter	Total ABR video segment bypass because of short response
ABR Segment - Current	64-bit gauge	Total ABR segment currently rate limited
ABR Segment - CP Manifest with Max-Rate	64-bit counter	Total ABR video segment when Max-Rate in the CP Manifest

ABR Rate Limiting Video Session Statistics

Table 1-2 ABR Rate Limiting Video Session Statistics

ABRRATELIMITINGVIDEOSESSIONSTATS CHASSIS ABRRATELIMITINGVIDEOSESSIONSTATSSLOT	Type	Description
Video Session - Total	32-bit counter	Number of Total video session
Video Session - HLS	32-bit counter	Number of Total HLS video sessions
Video Session - DASH	32-bit counter	Number of Total DASH video sessions
Video Session - HDS	32-bit counter	Number of Total HDS video sessions
Video Session - Other	32-bit counter	Number of Total OTHER video sessions
Video Session - Duration Min (seconds)	32-bit minimum	Minimum ABR video duration in seconds
Video Session - Duration Avg (seconds)	32-bit average	Average ABR video duration in seconds
Video Session - Duration Max (seconds)	32-bit maximum	Maximum ABR video duration in seconds
Video Session - Bytes Total	64-bit counter	Total bytes of ABR video sessions
Video Session - Bytes HLS	64-bit counter	Total bytes of HLS video sessions
Video Session - Bytes DASH	64-bit counter	Total bytes of DASH video sessions
Video Session - Bytes HDS	64-bit counter	Total bytes of HDS video sessions
Video Session - Bytes Other	64-bit counter	Total bytes of Other sessions
Video Session - Bitrate 0 ~ 500 kbps	64-bit counter	Total ABR video bitrate from 0 to 500 kbps
Video Session - Bitrate 500 ~ 1000 kbps	64-bit counter	Total ABR video bitrate from 500 to 1,000 kbps
Video Session - Bitrate 1000 ~ 2500 kbps	64-bit counter	Total ABR video bitrate from 1,000 to 2,500 kbps
Video Session - Bitrate 2500 kbps ~ more	64-bit counter	Total ABR video bitrate greater than 2,500 kbps
Video Session - Current	64-bit gauge	Total ABR video session currently rate limited
Video Session Bypass – Savings Estimation	64-bit counter	Total ABR video session bypass because of savings estimation process

Access Point Name Call Performance Statistics

Note: These statistics are displayed when at least one PGW APN is configured and running.

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Current Sessions	32-bit gauge	Current number of sessions
Beareres	32-bit gauge	Current number of bearers
Create Session Attempts	32-bit counter	Total number of create session attempts
Create Session Accepts	32-bit counter	Total number of create session attempts accepted
Create Session Rejects	32-bit counter	Total number of create session attempts rejected
Create Session Rejects Malformed Requests	32-bit counter	Total number of create session attempts rejected - malformed request
Create Session Rejects Unknown Apn	32-bit counter	Total number of create session attempts rejected - unknown APN
Create Session Rejects Resource Unavailable	32-bit counter	Total number of create session attempts rejected - resources unavailable
Create Session Rejects Service Not Supported	32-bit counter	Total number of create session attempts rejected - service not supported
Create Session Rejects System Failure	32-bit counter	Total number of create session attempts rejected - system failure
Create Session Reject Apn Congested	32-bit counter	Total number of create session requests rejected - APN in congested state
Create Session Reject Apn Congested Critical	32-bit counter	Total number of create session requests rejected - APN in critical congested state
Create Session Reject Apn Congested Major	32-bit counter	Total number of create session requests rejected - APN in major congested state
Create Session Reject Apn Congested Minor	32-bit counter	Total number of create session requests rejected - APN in minor congested state
Create Session Rejects Misc	32-bit counter	Total number of create session attempts rejected - unclassified

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Delete Session Attempts	32-bit counter	Total number of delete session attempts received
Delete Session Accepts	32-bit counter	Total number of delete session attempts accepted
Delete Session Rejects	32-bit counter	Total number of delete session attempts rejected
UE Initiated Dedicated Bearer Activation Attempts	32-bit counter	Total number of UE initiated dedicated bearer activation attempts
UE Initiated Dedicated Bearer Activation Accepts	32-bit counter	Total number of UE initiated dedicated bearer activation attempts accepted
UE Initiated Dedicated Bearer Activation Rejects	32-bit counter	Total number of UE initiated dedicated bearer activation attempts rejected
Pgw Initiated Dedicated Bearer Activation Attempts	32-bit counter	Total number of PGW initiated dedicated bearer activation attempts accepted
Pgw Initiated Dedicated Bearer Activation Accepts	32-bit counter	Total number of PGW initiated dedicated bearer activation attempts accepted
Pgw Initiated Dedicated Bearer Activation Rejects	32-bit counter	Total number of PGW initiated dedicated bearer activation attempts rejected
Mme Initiated Dedicated Bearer Deactivation Attempts	32-bit counter	Total number of MME initiated dedicated bearer deactivation attempts
Mme Initiated Dedicated Bearer Deactivation Accepts	32-bit counter	Total number of MME initiated dedicated bearer deactivation attempts accepted
Mme Initiated Dedicated Bearer Deactivation Rejects	32-bit counter	Total number of MME initiated dedicated bearer deactivation attempts rejected
UE Initiated Dedicated Bearer Deactivation Attempts	32-bit counter	Total number of UE initiated dedicated bearer deactivation attempts
UE Initiated Dedicated Bearer Deactivation Accepts	32-bit counter	Total number of UE initiated dedicated bearer deactivation attempts accepted
UE Initiated Dedicated Bearer Deactivation Rejects	32-bit counter	Total number of UE initiated dedicated bearer deactivation attempts rejected
Pgw Initiated Dedicated Bearer Deactivation Attempts	32-bit counter	Total number of PGW initiated dedicated bearer deactivation attempts
Pgw Initiated Dedicated Bearer Deactivation Accepts	32-bit counter	Total number of PGW initiated dedicated bearer deactivation attempts accepted
Pgw Initiated Dedicated Bearer Deactivation Rejects	32-bit counter	Total number of PGW initiated dedicated bearer deactivation attempts rejected

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Modify Bearer Command Attempts	32-bit counter	Total number of modify bearer command attempts
Modify Bearer Command Rejects	32-bit counter	Total number of modify bearer command attempts rejected
Update Bearer Attempts	32-bit counter	Total number of update bearer attempts
Update Bearer Accepts	32-bit counter	Total number of update bearer attempts accepted
Update Bearer Rejects	32-bit counter	Total number of update bearer attempts rejected
Modify Bearer Attempts	32-bit counter	Total number of modify bearer attempts
Modify Bearer Accepts	32-bit counter	Total number of modify bearer attempts accepted
Modify Bearer Rejects	32-bit counter	Total number of modify bearer attempts rejected
Create Pdp Attempts	32-bit counter	Total number of create PDP context attempts
Create Pdp Accepts	32-bit counter	Total number of create PDP context attempts accepted
Create Pdp Rejects	32-bit counter	Total number of create PDP context attempts rejected
Create Pdp Rejects Malformed Requests	32-bit counter	Total number of create PDP context attempts rejected - malformed request
Create Pdp Rejects Unknown Apn	32-bit counter	Total number of create PDP context attempts rejected - unknown APN
Create Pdp Rejects Resource Unavailable	32-bit counter	Total number of create PDP context attempts rejected - resource unavailable
Create Pdp Rejects Service Not Supported	32-bit counter	Total number of create PDP context attempts rejected - service not supported
Create Pdp Rejects System Failure	32-bit counter	Total number of create PDP context attempts rejected - system failure
Create Pdp Rejects Misc	32-bit counter	Total number of create PDP context attempts rejected - unclassified
Delete Pdp Attempts	32-bit counter	Total number of delete PDP context attempts
Delete Pdp Accepts	32-bit counter	Total number of delete PDP context attempts accepted

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Delete Pdp Rejects	32-bit counter	Total number of delete PDP context attempts rejected
UE Initiated Secondary Pdp Activation Attempts	32-bit counter	Total number of UE initiated secondary PDP context activation attempts
UE Initiated Secondary Pdp Activation Accepts	32-bit counter	Total number of UE initiated secondary PDP context activation attempts accepted
UE Initiated Secondary Pdp Activation Rejects	32-bit counter	Total number of UE initiated secondary PDP context activation attempts rejected
GGSN Initiated Secondary Pdp Activation Attempts	32-bit counter	Total number of GGSN initiated secondary PDP context activation attempts
GGSN Initiated Secondary Pdp Activation Accepts	32-bit counter	Total number of GGSN initiated secondary PDP context activation attempts accepted
GGSN Initiated Secondary Pdp Activation Rejects	32-bit counter	Total number of GGSN initiated secondary PDP context activation attempts rejected
SGSN Initiated Secondary Pdp Deactivation Attempts	32-bit counter	Total number of SGSN initiated secondary PDP context deactivation attempts
SGSN Initiated Secondary Pdp Deactivation Accepts	32-bit counter	Total number of SGSN initiated secondary PDP context deactivation attempts accepted
SGSN Initiated Secondary Pdp Deactivation Rejects	32-bit counter	Total number of SGSN initiated secondary PDP context deactivation attempts rejected
UE Initiated Secondary Pdp Deactivation Attempts	32-bit counter	Total number of UE initiated secondary PDP context deactivation attempts
UE Initiated Secondary Pdp Deactivation Accepts	32-bit counter	Total number of UE initiated secondary PDP context deactivation attempts accepted
UE Initiated Secondary Pdp Deactivation Rejects	32-bit counter	Total number of UE initiated secondary PDP context deactivation attempts rejected
GGSN Initiated Secondary Pdp Deactivation Attempts	32-bit counter	Total number of GGSN initiated secondary PDP context deactivation attempts
GGSN Initiated Secondary Pdp Deactivation Accepts	32-bit counter	Total number of GGSN initiated secondary PDP context deactivation attempts accepted
GGSN Initiated Secondary Pdp Deactivation Rejects	32-bit counter	Total number of GGSN initiated secondary PDP context deactivation attempts rejected
SGSN Initiated Update Pdp Attempts	32-bit counter	Total number of SGSN initiated update PDP context attempts
SGSN Initiated Update Pdp Accepts	32-bit counter	Total number of SGSN initiated update PDP context attempts accepted

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
SGSN Initiated Update Pdp Rejects	32-bit counter	Total number of SGSN initiated update PDP context attempts rejected
GGSN Initiated Update Pdp Attempts	32-bit counter	Total number of GGSN initiated update PDP context attempts
GGSN Initiated Update Pdp Accepts	32-bit counter	Total number of GGSN initiated update PDP context attempts accepted
GGSN Initiated Update Pdp Rejects	32-bit counter	Total number of GGSN initiated update PDP context attempts rejected
Local Close Attempts	32-bit counter	Total number of session close attempts initiated internally
Local Close Attempts Accepted	32-bit counter	Total number of internally initiated session closes that were acted upon
PCRF Initiated Close Attempts	32-bit counter	Total number of PCRF initiated close attempts
OCS Initiated Close Attempts	32-bit counter	Total number of OCS initiated close attempts
Idle Session Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to IDLE duration time exceeded
Maximal Session Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to MAXIMAL duration time exceeded
Operator Initiated Closes	32-bit counter	Total number of operator initiated sessions close attempts
Num Bearer Idle Duration Exceeded Closes	32-bit counter	Total number of bearers deactivated due to IDLE duration time exceeded
Current Active Sessions	32-bit gauge	Current number of active sessions
Current Idle Sessions	32-bit gauge	Current number of idle sessions
Interval Peak Current Sessions	32-bit maximum	Interval Peak number of sessions
Interval Peak Current Active Sessions	32-bit maximum	Interval Peak number of active sessions
Interval Peak Current Idle Sessions	32-bit maximum	Interval Peak number of idle sessions
Default Bearers	32-bit gauge	Current number of default bearers
Dedicated Bearers	32-bit gauge	Current number of dedicated bearers
Interval Peak Bearers	32-bit maximum	Interval Peak number of bearers
Interval Peak Default Bearers	32-bit maximum	Interval Peak number of default bearers
Interval Peak Dedicated Bearers	32-bit maximum	Interval Peak number of dedicated bearers

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Dhcp Release Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP release
Dhcp Timeout Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address allocation timeout
Dhcp Lease Expiry Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address lease expiry
Radius Disconnect Local Closes	32-bit counter	Total number of local closes due to RADIUS disconnect from server
Num Rat Type EUTRAN Sessions	64-bit gauge	Current number of E-UTRAN sessions
Num Rat NB-IoT EUTRAN Sessions	64-bit gauge	Current number of NB-IoT-EUTRAN sessions
Num Current Sessions Gn GERAN	64-bit counter	Current number of Gn GERAN sessions
Num Current Sessions Gn UTRAN	64-bit counter	Current number of Gn UTRAN sessions
Num Current Sessions S5S8 GERAN	64-bit counter	Current number of S5S8 GERAN sessions
Num Current Sessions S5S8 UTRAN	64-bit counter	Current number of UTRAN GERAN sessions
Num Current Sessions Roaming	64-bit counter	Current number of roaming sessions
Current Sessions Using Gz	32-bit gauge	Current number sessions using Gz interface
Number of Rat Session Handovers	32-bit counter	Number of Rat session handover
Number of Sessions Setup with Default Gx Policy	32-bit counter	Number of sessions setup with default Gx policy
Number of Active Sessions with Default Gx Policy	32-bit gauge	Number of active sessions with default Gx policy and possibly awaiting PCRF rejoin
Number of Active Gx Replay Sessions Awaiting PCRF Rejoin	32-bit gauge	Number of active Gx replay sessions awaiting PCRF rejoin
Number of Successful OCS Gy Rejoin	32-bit counter	Number of successful OCS Gy rejoins
Number of Gx Replay Sessions Terminated	32-bit counter	Number of Gx replay sessions terminated
Local Close Attempts Duplicate Session	32-bit counter	Total number of local close attempts due to duplicate session
Number of Error Indications Processed	32-bit counter	Total number of error indications processed
Local Close Received Error Indication Attempts	32-bit counter	Total number of local close attempts due to receipt of error indication
Number of Error Indication Bearer Deactivation	32-bit counter	Total number of dedicated bearer deactivations due to receipt of error indication

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Number of S5u Default Bearer Error Indications Processed	64-bit counter	Total number of S5u default bearer error indications processed
Number of S5u Default Bearer Error Indication Local Close Attempts	64-bit counter	Total number of local close attempts due to receipt of error indication on S5u default bearer
Number of S5u Dedicated Bearer Error Indications Processed	64-bit counter	Total number of S5u dedicated bearer error indications processed
Number of S5u Dedicated Bearer Error Indication Bearer Deactivation	64-bit counter	Total number of bearer deactivations due to receipt of error indication on S5u dedicated bearer
Local IPv4 Alloc Successes	32-bit counter	Total number of local IPv4 allocation successes
Local IPv4 Alloc Failures	32-bit counter	Total number of local IPv4 allocation failures
Remote IPv4 Reserve Successes	32-bit counter	Total number of remote IPv4 reserve successes
Remote IPv4 Reserve Failures	32-bit counter	Total number of remote IPv4 reserve failures
Remote IPv4 Alloc Successes	32-bit counter	Total number of remote IPv4 allocation successes
Remote IPv4 Alloc Failures	32-bit counter	Total number of remote IPv4 allocation failures
Local IPv6 Alloc Successes	64-bit counter	Total number of local IPv6 allocation successes
Local IPv6 Alloc Failures	64-bit counter	Total number of local IPv6 allocation failures
Remote IPv6 Reserve Successes	64-bit counter	Total number of remote IPv6 reserve successes
Remote IPv6 Reserve Failures	64-bit counter	Total number of remote IPv6 reserve failures
Remote IPv6 Alloc Successes	32-bit counter	Total number of remote IPv6 allocation successes
Remote IPv6 Alloc Failures	32-bit counter	Total number of remote IPv6 allocation failures
Change Notification Attempts	32-bit counter	Total number of change notification attempts
Change Notification Accepts	32-bit counter	Total number of change notification attempts accepted
Change Notification Rejects	32-bit counter	Total number of change notification attempts rejected

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Change Notification Rejects Malformed Requests	32-bit counter	Total number of change notification attempts rejected due to malformed request
Change Notification Rejects Unknown APN	32-bit counter	Total number of change notification attempts rejected due to unknown APN
Change Notification Rejects Resource Unavailable	32-bit counter	Total number of change notification attempts rejected due to resources unavailable
Change Notification Rejects Service Not Supported	32-bit counter	Total number of change notification attempts rejected due to service not supported
Change Notification Rejects System Failure	32-bit counter	Total number of change notification attempts rejected due to system failure
Change Notification Rejects Misc	32-bit counter	Total number of change notification attempts rejected for miscellaneous reasons
Change Notification Requests Dropped	32-bit counter	Total number of change notification requests dropped
Local Close Attempts TEID Collision	32-bit counter	Total number of local close attempts due to TEID collision
Number of Successful PCRF Rejoin	32-bit counter	Number of sessions that successfully joined PCRF
Uplink Packets	32-bit counter	Total number of uplink packets received
Uplink Bytes	32-bit counter	Total number of uplink bytes received
Uplink Drop Packets	32-bit counter	Total number of uplink packets dropped
Uplink Drop Bytes	32-bit counter	Total number of uplink bytes dropped
Downlink Packets	32-bit counter	Total number of downlink packets received
Downlink Bytes	32-bit counter	Total number of downlink bytes received
Downlink Drop Packets	32-bit counter	Total number of downlink packets dropped
Downlink Drop Bytes	32-bit counter	Total number of downlink bytes dropped
Uplink Suspend Drop Packets	64-bit counter	Total number of uplink suspend packets dropped
Uplink Suspend Drop Bytes	64-bit counter	Total number of uplink suspend bytes dropped
Downlink Suspend Drop Packets	64-bit counter	Total number of downlink suspend packets dropped
Downlink Suspend Drop Bytes	64-bit counter	Total number of downlink suspend bytes dropped

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Bearers Setup Success	32-bit counter	Total number of bearers setup successful
Bearers Setup Fail	32-bit counter	Total number of bearers setup failed
Current Bearers QCI1	32-bit gauge	Total number of current bearers with QCI 1
Current Bearers QCI2	32-bit gauge	Total number of current bearers with QCI 2
Current Bearers QCI3	32-bit gauge	Total number of current bearers with QCI 3
Current Bearers QCI4	32-bit gauge	Total number of current bearers with QCI 4
Current Bearers QCI5	32-bit gauge	Total number of current bearers with QCI 5
Current Bearers QCI6	32-bit gauge	Total number of current bearers with QCI 6
Current Bearers QCI7	32-bit gauge	Total number of current bearers with QCI 7
Current Bearers QCI8	32-bit gauge	Total number of current bearers with QCI 8
Current Bearers QCI9	32-bit gauge	Total number of current bearers with QCI 9
Current Bearers QCI Other	32-bit gauge	Total number of current bearers with QCI Between 10 and 255
Bearer Setup Success QCI1	32-bit counter	Total number of bearers setup successful with QCI 1
Bearer Setup Success QCI2	32-bit counter	Total number of bearers setup successful with QCI 2
Bearer Setup Success QCI3	32-bit counter	Total number of bearers setup successful with QCI 3
Bearer Setup Success QCI4	32-bit counter	Total number of bearers setup successful with QCI 4
Bearer Setup Success QCI5	32-bit counter	Total number of bearers setup successful with QCI 5
Bearer Setup Success QCI6	32-bit counter	Total number of bearers setup successful with QCI 6
Bearer Setup Success QCI7	32-bit counter	Total number of bearers setup successful with QCI 7
Bearer Setup Success QCI8	32-bit counter	Total number of bearers setup successful with QCI 8
Bearer Setup Success QCI9	32-bit counter	Total number of bearers setup successful with QCI 9

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Bearer Setup Success QCI Other	32-bit counter	Total number of bearers setup successful with QCI between 10 and 255
Bearer Setup Fail QCI1	32-bit counter	Total number of bearers setup failed with QCI 1
Bearer Setup Fail QCI2	32-bit counter	Total number of bearers setup failed with QCI 2
Bearer Setup Fail QCI3	32-bit counter	Total number of bearers setup failed with QCI 3
Bearer Setup Fail QCI4	32-bit counter	Total number of bearers setup failed with QCI 4
Bearer Setup Fail QCI5	32-bit counter	Total number of bearers setup failed with QCI 5
Bearer Setup Fail QCI6	32-bit counter	Total number of bearers setup failed with QCI 6
Bearer Setup Fail QCI7	32-bit counter	Total number of bearers setup failed with QCI 7
Bearer Setup Fail QCI8	32-bit counter	Total number of bearers setup failed with QCI 8
Bearer Setup Fail QCI9	32-bit counter	Total number of bearers setup failed with QCI 9
Bearer Setup Fail QCI Other	32-bit counter	Total number of bearers setup failed with QCI between 10 and 255
Saegw Pgw Current Sessions	32-bit counter	SAEGW-PGW current number of sessions
Saegw Pgw Current Sessions S5S8 Geran	64-bit counter	SAEGW-PGW current number of S5S8 GERAN sessions
Saegw Pgw Current Sessions S5S8 Utran	64-bit counter	SAEGW-PGW current number of S5S8 UTRAN sessions
Saegw Rat Type EUTRAN Sessions	64-bit gauge	SAEGW-PGW current number of E-UTRAN sessions
Saegw Rat Type NB-IoT EUTRAN Sessions	64-bit gauge	SAEGW-PGW current number of NB-IoT E-UTRAN sessions
Non IP PDN Sessions	64-bit gauge	Current number of Non IP PDN sessions
Saegw Pgw Current Sessions EUTRAN	64-bit counter	SAEGW-PGW current number of E-UTRAN sessions
Saegw Pgw Current Bearers	32-bit counter	SAEGW-PGW current number of bearers

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Saegw Pgw Bearers Setup Success	32-bit counter	SAEGW-PGW total number of bearers setup successful
Saegw Pgw Bearers Setup Fail	32-bit counter	SAEGW-PGW total number of bearers setup failed
Saegw Pgw Current Bearers QCI1	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 1
Saegw Pgw Current Bearers QCI2	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 2
Saegw Pgw Current Bearers QCI3	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 3
Saegw Pgw Current Bearers QCI4	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 4
Saegw Pgw Current Bearers QCI5	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 5
Saegw Pgw Current Bearers QCI6	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 6
Saegw Pgw Current Bearers QCI7	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 7
Saegw Pgw Current Bearers QCI8	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 8
Saegw Pgw Current Bearers QCI9	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 9
Saegw Pgw Current Bearers QCI Other	32-bit gauge	SAEGW-PGW total number of current bearers with QCI between 10 and 255
Saegw Pgw Bearer Setup Success QCI1	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 1
Saegw Pgw Bearer Setup Success QCI2	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 2
Saegw Pgw Bearer Setup Success QCI3	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 3
Saegw Pgw Bearer Setup Success QCI4	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 4
Saegw Pgw Bearer Setup Success QCI5	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 5
Saegw Pgw Bearer Setup Success QCI6	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 6

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Saegw Pgw Bearer Setup Success QCI7	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 7
Saegw Pgw Bearer Setup Success QCI8	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 8
Saegw Pgw Bearer Setup Success QCI9	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 9
Saegw Pgw Bearer Setup Success QCI Other	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 1
Saegw Pgw Bearer Setup Fail QCI1	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI between 10 and 255
Saegw Pgw Bearer Setup Fail QCI2	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 2
Saegw Pgw Bearer Setup Fail QCI3	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 3
Saegw Pgw Bearer Setup Fail QCI4	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 4
Saegw Pgw Bearer Setup Fail QCI5	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 5
Saegw Pgw Bearer Setup Fail QCI6	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 6
Saegw Pgw Bearer Setup Fail QCI7	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 7
Saegw Pgw Bearer Setup Fail QCI8	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 8
Saegw Pgw Bearer Setup Fail QCI9	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 9
Saegw Pgw Bearer Setup Fail QCI Other	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI between 10 and 255
Local Close Await CoA Timeout Attempts	32-bit counter	Total number of local close attempts due to no CoA received within the configured timeout
L2tp Gateway Session Delete Attempts	32-bit counter	Total number of L2tp gateway delete request attempts
Num Suspend Notification	32-bit counter	Total number of suspend notification requests received
Num Suspend Notification Accepts	32-bit counter	Total number of suspend notification requests accepted

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Num Suspend Notification Rejects	32-bit counter	Total number of suspend notification requests rejected
Num Resume Notification	32-bit counter	Total number of resume notification requests received
Num Resume Notification Accepts	32-bit counter	Total number of resume notification requests accepted
Num Resume Notification Rejects	32-bit counter	Total number of resume notification requests rejected
Num Redirected Apn Subscriber	32-bit counter	Total number of Redirected Subscriber from this APN
Num Active Redirected Current Sessions	32-bit gauge	Current number of Active Redirected Subscriber from this APN
Delete PDP Context Drop Teardown Ind Missing Single Bearer Session	32-bit counter	Total number of delete PDP context dropped as teardown ind is missing in message with only one bearer in session
Delete PDP Context Drop Teardown Ind Missing For Default Bearer	32-bit counter	Total number of delete PDP context dropped as teardown ind is missing for default bearer in message
Num Sessions Setup with Default Gy Quota	32-bit counter	Number of sessions setups succeeded with default Gy quota
Num Active Sessions with Default Gy Quota	32-bit gauge	Number of active sessions setup with default quota and has not completed an OCS rejoin
Number Active Gy AP Trigger by CCRU	32-bit counter	Number of sessions currently using default quota triggered by CCR-U failure
Number Total Gy AP Trigger by CCRU	32-bit counter	Number of total sessions using default quota triggered by CCR-U failure
Num Active Gy Sessions Awaiting OCS Rejoin	32-bit gauge	Number active Gy sessions awaiting OCS rejoin, including: ■ Sessions setup with default Gy quota awaiting OCS rejoin ■ Sessions that failed CCR-Update awaiting OCS rejoin
Num OCS Gy Rejoin Success	32-bit counter	Number of successful OCS Gy Rejoins
Num Default Gy Quota Reapplied	32-bit counter	Number of times default Gy Quota was applied due to CCR-I Failure
Num Default Gy Quota Applied CCR-U Failure	32-bit counter	Number of times default Gy Quota was applied due to CCR-U Failure

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Num of Gx Sessions	32-bit gauge	Current number sessions using Gx interface
Num of Gy Sessions	32-bit gauge	Current number sessions using Gy interface
Num Gy Down Gy Rejoin Timer Started	32-bit counter	Number of times the Gy Rejoin timer was restarted because the OCS interface was down
Number Gy CCRT Write To Disk	32-bit counter	Number of record logs to disk due to CCR-T failure
Number Gy AP Trigger By Protocol Error	32-bit counter	Number of total sessions using default quota triggered by 3xx result code
Number Gy AP Trigger By Transient Failure	32-bit counter	Number of total sessions using default quota triggered by 4xx result code
Number Gy AP Trigger By Permanent Failure	32-bit counter	Number of total sessions using default quota triggered by 5xx result code
Number Gy AP Trigger By Message Timeout	32-bit counter	Number of total sessions using default quota triggered by timeout
Number Gy AP Trigger By Link Down	32-bit counter	Number of total session using default quota triggered by OCS link down
Number Gy AP Trigger By Internal Failure	32-bit counter	Number of total sessions using default quota triggered by internal error of back pressure
Num S6b Initiated Close Attempts	32-bit counter	Total number of S6b initiated close attempts
Default Gy Uplink Bytes	32-bit counter	Total uplink bytes using default Gy Quota
Default Gy Downlink Bytes	32-bit counter	Total downlink bytes using default Gy Quota
Num of Active S6b Sessions	32-bit gauge	Number of active S6b sessions
Num Ignore SPR Radius Failure Sessions	32-bit counter	Total number of sessions that ignored Radius failure
Number of Saegw Pgw Uplink Packets	64-bit counter	Total number of uplink packets for SAEGW PGW sessions
Number of Saegw Pgw Uplink Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW sessions
Number of Saegw Pgw Downlink Packets	64-bit counter	Total number of downlink packets for SAEGW PGW sessions
Number of Saegw Pgw Downlink Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW sessions
Number of Saegw Pgw Uplink Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW sessions

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Number of Saegw Pgw Uplink Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW sessions
Number of Saegw Pgw Downlink Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW sessions
Number of Saegw Pgw Downlink Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW sessions
Number of Uplink S5S8 Geran Packets	64-bit counter	Total number of uplink packets for PGW S5S8 GERAN sessions
Number of Uplink S5S8 Geran Bytes	64-bit counter	Total number of uplink bytes for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Packets	64-bit counter	Total number of downlink packets for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Bytes	64-bit counter	Total number of downlink bytes for PGW S5S8 GERAN sessions
Number of Uplink S5S8 Geran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW S5S8 GERAN sessions
Number of Uplink S5S8 Geran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW S5S8 GERAN sessions
Number of Saegw Pgw Uplink S5S8 Geran Packets	64-bit counter	Total number of uplink packets for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Uplink S5S8 Geran Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Downlink S5S8 Geran Packets	64-bit counter	Total number of downlink packets for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Downlink S5S8 Geran Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Uplink S5S8 Geran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Uplink S5S8 Geran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Downlink S5S8 Geran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW S5S8 GERAN sessions

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Number of Saegw Pgw Downlink S5S8 Geran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW S5S8 GERAN sessions
Number of Uplink S5S8 Utran Packets	64-bit counter	Total number of uplink packets for PGW S5S8 UTRAN sessions
Number of Uplink S5S8 Utran Bytes	64-bit counter	Total number of uplink bytes for PGW S5S8 UTRAN sessions
Number of Downlink S5S8 Utran Packets	64-bit counter	Total number of downlink packets for PGW S5S8 UTRAN sessions
Number of Downlink S5S8 Utran Bytes	64-bit counter	Total number of downlink bytes for PGW S5S8 UTRAN sessions
Number of Uplink S5S8 Utran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW S5S8 UTRAN sessions
Number of Uplink S5S8 Utran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW S5S8 UTRAN sessions
Number of Downlink S5S8 Utran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW S5S8 UTRAN sessions
Number of Downlink S5S8 Utran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Packets	64-bit counter	Total number of uplink packets for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Downlink S5S8 Utran Packets	64-bit counter	Total number of downlink packets for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Downlink S5S8 Utran Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Downlink S5S8 Utran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Downlink S5S8 Utran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Uplink Eutran Packets	64-bit counter	Total number of uplink packets for PGW EUTRAN sessions

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Number of Uplink Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW EUTRAN sessions
Number of Downlink Eutran Packets	64-bit counter	Total number of downlink packets for PGW EUTRAN sessions
Number of Downlink Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW EUTRAN sessions
Number of Uplink Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW EUTRAN sessions
Number of Uplink Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW EUTRAN sessions
Number of Downlink Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW EUTRAN sessions
Number of Downlink Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Uplink Eutran Packets	64-bit counter	Total number of uplink packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Uplink Eutran Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Downlink Eutran Packets	64-bit counter	Total number of downlink packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Downlink Eutran Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Uplink Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Uplink Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW EUTRAN sessions
Number of SaegwPgw Downlink Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Downlink Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW EUTRAN sessions
Number of Uplink NBIot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number of Uplink NBIot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number of Downlink NBIot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Number of Downlink NBIot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number of Uplink NBIot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number of Uplink NBIot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number of Downlink NBIot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number of Downlink NBIot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Downlink NBIot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Downlink NBIot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Downlink NBIot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Downlink NBIot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number of Uplink GnGp Geran Packets	64-bit counter	Total number of uplink GnGp GERAN packets received
Number of Uplink GnGp Geran Bytes	64-bit counter	Total number of uplink GnGp GERAN bytes received
Number of Uplink GnGp Geran Drop Packets	64-bit counter	Total number of uplink GnGp GERAN packets dropped
Number of Uplink GnGp Geran Drop Bytes	64-bit counter	Total number of uplink GnGp GERAN bytes dropped
Number of Downlink GnGp Geran Packets	64-bit counter	Total number of downlink GnGp GERAN packets received

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Number of Downlink GnGp Geran Bytes	64-bit counter	Total number of downlink GnGp GERAN bytes received
Number of Downlink GnGp Geran Drop Packets	64-bit counter	Total number of downlink GnGp GERAN packets dropped
Number of Downlink GnGp Geran Drop Bytes	64-bit counter	Total number of downlink GnGp GERAN bytes dropped
Number of Uplink GnGp Utran Packets	64-bit counter	Total number of uplink GnGp UTRAN packets received
Number of Uplink GnGp Utran Bytes	64-bit counter	Total number of uplink GnGp UTRAN bytes received
Number of Uplink GnGp Utran Drop Packets	64-bit counter	Total number of uplink GnGp UTRAN packets dropped
Number of Uplink Gn Gp Utran Drop Bytes	64-bit counter	Total number of uplink GnGp UTRAN bytes dropped
Number of Downlink GnGp Utran Packets	64-bit counter	Total number of downlink GnGp UTRAN packets received
Number of Downlink GnGp Utran Bytes	64-bit counter	Total number of downlink GnGp UTRAN bytes received
Number of Downlink GnGp Utran Drop Packets	64-bit counter	Total number of downlink GnGp UTRAN packets dropped
Number of Downlink GnGp Utran Drop Bytes	64-bit counter	Total number of downlink GnGp UTRAN bytes dropped
Number of Delete Dropped	64-bit counter	Number of delete dropped
Number of DNS Attempts	64-bit counter	DNS request attempts
Number of DNS Send Success	64-bit counter	DNS request success
Number of DNS Send Failed No Config	64-bit counter	DNS request send failed - no DNS configuration
Number of DNS Failed Misc	64-bit counter	DNS request send failed - miscellaneous
Number of DNS Responses	64-bit counter	DNS response - total received
Number of DNS Response Success	64-bit counter	DNS response success
Number of DNS Response Fail No Response	64-bit counter	DNS response failed - no response from server
Number of DNS Response Fail No Name	64-bit counter	DNS response failed - domain name not found
Number of DNS Response Fail No Data	64-bit counter	DNS response failed - no data

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Number of DNS Response Fail Misc	64-bit counter	DNS response failed - miscellaneous
Num Pco Pcsf Default Fqdn Used	64-bit counter	Total number of times default P-CSCF FQDN used for DNS lookup
Num Pco Pcsf Table Used	64-bit counter	Total number of times P-CSCF IP Address used for P-CSCF IP Address allocation
Number of SPR Authentication Request Attempts	64-bit counter	Number of SPR Authentication Request attempts
Number of SPR Authentication Requests Accepted	64-bit counter	Number of SPR Authentication Requests accepted
Number of SPR Authentication Requests Rejected	64-bit counter	Number of SPR Authentication Requests rejected
Number of SPR Authentication Request Timeouts	64-bit counter	Number of SPR Authentication Request timeouts
Number of Accounting Start Request Attempts	64-bit counter	Number of Accounting Start Request attempts
Number of Accounting Start Requests Accepted	64-bit counter	Number of Accounting Start Requests accepted
Number of Accounting Start Request Timeouts	64-bit counter	Number of Accounting Start Request timeouts
Number of Accounting Interim Update Request Attempts	64-bit counter	Number of Accounting Interim Update Request attempts
Number of Accounting Interim Update Requests Accepted	64-bit counter	Number of Accounting Interim Update Requests accepted
Number of Accounting Interim Update Request Timeouts	64-bit counter	Number of Accounting Interim Update Request timeouts
Number of Accounting Stop Request Attempts	64-bit counter	Number of Accounting Stop Request attempts
Number of Accounting Stop Requests Accepted	64-bit counter	Number of Accounting Stop Requests accepted
Number of Accounting Stop Request Timeouts	64-bit counter	Number of Accounting Stop Request timeouts
Number of UE requested IPv4 Address Reserve Successes	64-bit counter	Number of UE requested IPv4 Address Reserve successes
Number of UE requested IPv4 Address Reserve Failures	64-bit counter	Number of UE requested IPv4 Address Reserve failures
Number of UE requested IPv6 Address Reserve Successes	64-bit counter	Number of UE requested IPv6 Address Reserve successes

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Number of UE requested IPv6 Address Reserve Failures	64-bit counter	Number of UE requested IPv6 Address Reserve failures
Number of RADIUS Allocated IPv4 Address Reserve Successes	64-bit counter	Number of RADIUS Allocated IPv4 Address Reserve successes
Number of RADIUS Allocated IPv4 Address Reserve Failures	64-bit counter	Number of RADIUS Allocated IPv4 Address Reserve failures
Number of RADIUS Allocated IPv6 Address Reserve Successes	64-bit counter	Number of RADIUS Allocated IPv6 Address Reserve successes
Number of RADIUS Allocated IPv6 Address Reserve Failures	64-bit counter	Number of RADIUS Allocated IPv6 Address Reserve failures
Number of Remote DHCP Server Allocated IPv4 Address Reserve Successes	64-bit counter	Number of Remote DHCP Server Allocated IPv4 Address Reserve successes
Number of Remote DHCP Server Allocated IPv4 Address Reserve Failures	64-bit counter	Number of Remote DHCP Server Allocated IPv4 Address Reserve failures
Number of Remote DHCP Server Allocated IPv6 Address Reserve Successes	64-bit counter	Number of Remote DHCP Server Allocated IPv6 Address Reserve successes
Number of Remote DHCP Server Allocated IPv6 Address Reserve Failures	64-bit counter	Number of Remote DHCP Server Allocated IPv6 Address Reserve failures
Number of DHCP Relay Allocated IPv4 Address Reserve Successes	64-bit counter	Number of DHCP Relay Allocated IPv4 Address Reserve successes
Number of DHCP Relay Allocated IPv4 Address Reserve Failures	64-bit counter	Number of DHCP Relay Allocated IPv4 Address Reserve failures
Number of DHCP Relay Allocated IPv6 Address Reserve Successes	64-bit counter	Number of DHCP Relay Allocated IPv6 Address Reserve successes
Number of DHCP Relay Allocated IPv6 Address Reserve Failures	64-bit counter	Number of DHCP Relay Allocated IPv6 Address Reserve failures
Number TTL Excd Drop Packets	64-bit counter	Number of TTL 0 drop packets
Number TTL Excd Drop Bytes	64-bit counter	Number of TTL 0 drop bytes
Number Frag Send Packets	64-bit counter	Number of IP packets fragmented before sending on the tunnel
Number Frag Send Bytes	64-bit counter	Number of IP bytes fragmented before sending on the tunnel
Number Frag Fail Packets	64-bit counter	Number of IP packets filed in fragmentation
Number Frag Fail Bytes	64-bit counter	Number of IP bytes filed in fragmentation

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Number Uplink Acl Drop Packets	64-bit counter	Number of uplink ACL drop packets
Number Uplink Acl Drop Bytes	64-bit counter	Number of uplink ACL drop bytes
Number Downlink Acl Drop Packets	64-bit counter	Number of downlink ACL drop packets
Number Downlink Acl Drop Bytes	64-bit counter	Number of downlink ACL drop bytes
Number Bad Src Addr Drop Packets	64-bit counter	Number of bad source address drop packets
Number Bad Src Addr Drop Bytes	64-bit counter	Number of bad source address drop bytes
Number No TFT Drop Packets	64-bit counter	Number of no traffic flow template drop packets
Number No TFT Drop Bytes	64-bit counter	Number of no traffic flow template drop bytes
Number Bad UE Addr Drop Packets	64-bit counter	Number of bad UE address drop packets
Number Bad UE Addr Drop Bytes	64-bit counter	Number of bad UE address drop bytes
Number MTU Drop Packets	64-bit counter	Number of MTU drop packets
Number MTU Drop Bytes	64-bit counter	Number of MTU drop bytes
Number No Route Drop Packets	64-bit counter	Number of no route drop packets
Number No Route Drop Bytes	64-bit counter	Number of no route drop routes
Number No Egress Intf Drop Packets	64-bit counter	Number of no egress interface drop packets
Number No Egress Intf Drop Bytes	64-bit counter	Number of no egress interface drop bytes
Current Sessions Rat Type Nbiot Eutran	32-bit gauge	Current number of NBIOT-EUTRAN RAT sessions
Saegw Pgw Current Sessions Nbiot Eutran	32-bit gauge	SAEGW-PGW Current number of NBIOT E-UTRAN sessions
Number Uplink Nbiot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number Uplink Nbiot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number Uplink Nbiot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Number Uplink Nbiot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number Start Pilot Packets Sent	64-bit counter	Total number of Session Start Pilot Packets sent
Number Stop Pilot Packets Sent	64-bit counter	Total number of Session Stop Pilot Packets sent
Number RAT Change Pilot Packets Sent	64-bit counter	Total number of Rat Change Pilot Packets sent
Number Bearer Stats With No SR Stats	64-bit counter	Total number of CDRs with bearer traffic stats but no service rule stats.
Number Create Session Resp No Context	64-bit counter	Total number of create session responses from the PGW - no context found
Number Local Alloc From SubPool Successes	64-bit counter	Total number of local IP allocation from subpool successes
Number Local Alloc From SubPool Failures	64-bit counter	Total number of local IP allocation from subpool failures

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Number Remote Alloc From SubPool Successes	64-bit counter	Total number of remote IP allocation from subpool successes
Number Remote Alloc From SubPool Failures	64-bit counter	Total number of remote IP allocation from subpool failures
Number Sess Setup Success Apn Matching Exact Match	32-bit counter	Total number of create session requests accepted with APN matching type exact match
Number Sess Setup Success Apn Matching Ni Only	32-bit counter	Total number of create session requests accepted with APN matching type NI only
Number Sess Setup Success Apn Matching Ni And Malformed Oi	32-bit counter	Total number of create session requests accepted with APN matching type NI and malformed OI
Number Pdp Sess Setup Success Apn Matching Exact Match	32-bit counter	Total number of create PDP session requests accepted with APN matching type exact match
Number Pdp Sess Setup Success Apn Matching Ni Only	32-bit counter	Total number of create PDP session requests accepted with APN matching type NI only
Number Pdp Sess Setup Success Apn Matching Ni And Malformed Oi	32-bit counter	Total number of create PDP session requests accepted with APN matching type NI and malformed OI
Number Local Close Create Session Parallel PDN	32-bit counter	Total number of sessions locally closed due to parallel PDN connection setup
Number Local Close Create PDP Parallel PDN	32-bit counter	Total number of PDP context locally closed due to parallel PDN connection setup
Number Current Geo Sync Restored Sessions	32-bit gauge	Current number of PDN sessions restored from Geo Active
Minimum Control Plane Teid Reuse Duration	32-bit gauge	Minimum duration in which Control Plane TEID got reused
Minimum User Plane Teid Reuse Duration	32-bit gauge	Minimum duration in which User Plane TEID got reused
Number Stats Update For Missing SRs For Active Sessions	32-bit counter	Total number of missing Service Rule stats update for active sessions
Number Stats Update For Missing SRs For Deactivate Sessions	32-bit counter	Total number of missing Service Rule stats update for sessions in deactivate state
Number CDRs With Zero Service Data Containers	32-bit counter	Total number of CDRs generated with zero service data containers
Number Sig Info Lookup Successful And Filled Configured Values	32-bit counter	Total number of sessions filled with configured values for Signalling Information Elements

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Number Sig Info Lookup Failure	32-bit counter	Total number of sessions that did not have configured Signalling Information Elements
Number Local Delegated IPv6 Alloc Successes	64-bit counter	Total number of local delegated IPv6 allocation successes
Number Local Delegated IPv6 Alloc Failures	64-bit counter	Total number of local delegated IPv6 allocation failures
Number Remote Delegated IPv6 Reserve Successes	64-bit counter	Total number of remote delegated IPv6 allocation successes
Number Remote Delegated IPv6 Reserve Failures	64-bit counter	Total number of remote delegated IPv6 allocation failures
Number of Sessions in Local Database	32-bit counter	Total number of sessions in local database
Number of Total Sessions With Terminate Timer	32-bit counter	Number of times session terminate timer started because Gy interface was down
Number of Current Sessions With Terminate Timer	32-bit counter	Number of active sessions with session terminate timer running
Create Session Reject Session Blocked	32-bit counter	Total number of create session requests rejected due to session blocked
Local Close Attempts Session Blocked	32-bit counter	Total number of local close attempts due to session blocked
Number Local Close Terminate Service Rule	32-bit counter	Total number of local closes due to traffic through service rule with terminate action
Number Create Session Reject Tam Failure	32-bit counter	Total number of create session attempts rejected - due to TAM failure
Number Create Pdp Reject Tam Failure	32-bit counter	Total number of create PDP context attempts rejected - due to TAM failure
Number of Create Session Dropped Proc Limit	32-bit counter	Total number of create session requests rejected due to procedure limit reached
Number of Create Pdp Dropped Proc Limit	32-bit counter	Total number of create PDP context requests rejected due to procedure limit reached
Number of Delete Session Dropped Proc Limit	32-bit counter	Total number of delete session requests rejected due to procedure limit reached
Number of Delete Pdp Dropped Proc Limit	32-bit counter	Total number of delete PDP context requests rejected due to procedure limit reached
NumCreateSessionLapiAttempt	32-bit counter	Total number of create session attempts with LAPI bit set

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
NumCreateSessionLapiAccept	32-bit counter	Total number of create session with LAPI attempts accepted
NumCreateSessionLapiReject	32-bit counter	Total number of create session attempts with LAPI rejected
NumSessSetupFailuresExternalErrors	32-bit counter	Total number of session setup failures due to external errors
NumSessDeactivationsExternalErrors	32-bit counter	Total number of session deactivations due to external errors
NumSessSetupFailuresLocalErrors	32-bit counter	Total number of session setup failures due to local errors
NumSessDeactivationsLocalErrors	32-bit counter	Total number of session deactivations due to local errors
NumDnsCacheHits	32-bit counter	DNS - Records found in cache
NumDnsCacheHitsNaptr	32-bit counter	DNS - Naptr records found in cache
NumDnsCacheHitsSrv	32-bit counter	DNS - Srv records found in cache
NumDnsCacheHitsA	32-bit counter	DNS - A/AAA records found in cache
NumCreateSessionRequestsThrottledApnRateControl	32-bit counter	Number of create session requests throttled due to APN level rate control
NumCreatePDPContextRequestsThrottledApnRateControl	32-bit counter	Number of create PDP context requests throttled due to APN level rate control
Connected Device Flows	64-bit counter	Connected device flows
Connected Device Uplink Packets	64-bit counter	Connected device uplink packets
Connected Device Uplink Bytes	64-bit counter	Connected device uplink bytes
Connected Device Downlink Packets	64-bit counter	Connected device downlink packets
Connected Device Downlink Bytes	64-bit counter	Connected device downlink bytes
Tethered Device Flows	64-bit counter	Tethered device flows
Tethered Device Uplink Packets	64-bit counter	Tethered device uplink packets
Tethered Device Uplink Bytes	64-bit counter	Tethered device uplink bytes
Tethered Device Downlink Packets	64-bit counter	Tethered device downlink packets
Tethered Device Downlink Bytes	64-bit counter	Tethered device downlink bytes
Tethering Entitled Flows	64-bit counter	Total Number of tethering entitled flows

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
Tethering Entitled Uplink Packets Passed	64-bit counter	Total Number of tethering entitled uplink packets passed
Tethering Entitled Uplink Bytes Passed	64-bit counter	Total Number of tethering entitled uplink bytes passed
Tethering Entitled Downlink Packets Passed	64-bit counter	Total Number of tethering entitled downlink packets passed
Tethering Entitled Downlink Bytes Passed	64-bit counter	Total Number of tethering entitled downlink bytes passed
Tethered Flows Detected Using TTL	64-bit counter	Tethered flows detected using Ttl
Tethered Flows Detected Using User Agent	64-bit counter	Tethered flows detected using user agent
NumCreateSessionRejectTamFailure	64-bit counter	Total number of create session attempts rejected - due to TAM failure
NumCreatePdpRejectTamFailure	64-bit counter	Total number of create PDP context attempts rejected - due to TAM failure
Create Cups Session Attempts	64-bit counter	Total number of create CUPS session attempts
Create Cups Session Success	64-bit counter	Total number of create CUPS session attempts success
Create Cups Session Failure	64-bit counter	Total number of create CUPS session attempts failed
Modify Cups Session Attempts	64-bit counter	Total number of modify CUPS session attempts
Modify Cups Session Success	64-bit counter	Total number of modify CUPS session attempts success
Modify Cups Session Failure	64-bit counter	Total number of modify CUPS session attempts failed
Delete Cups Session Attempts	64-bit counter	Total number of delete CUPS session attempts
Delete Cups Session Success	64-bit counter	Total number of delete CUPS session attempts success
Delete Cups Session Failure	64-bit counter	Total number of delete CUPS session attempts failed
Num Local Close Session Monitor	64-bit counter	Number of session locally closed due to U-Plane session monitor failed
Current Cups Sessions	64-bit counter	Number of current CUPS sessions
Num PGW Triggered QoS Update	64-bit counter	Total number of PGW triggered QoS updates

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
NumSessionsEstablishedWithImsiAndApn	64-bit counter	Total number of sessions established with IMSI/APN combination for which a session is already established
NumPGWInitDedBearerActPartialAccept	64-bit counter	Total number of PGW initiated dedicated bearer activation attempts partially accepted
NumUpdateBearerPartialAccept	64-bit counter	Total number of update bearer requests partially accepted
TetheredFlowsDetectedUsingTcpIpFingerprinting	64-bit counter	Total number of tethered flows detected by TCP-IP fingerprinting
NumDnsResponseFailTimeout	32-bit counter	DNS Response Failed - Session timeout waiting for DNS
NumDnsResponseDropNoIntf	32-bit counter	DNS Response Failed - Dropped no SL interface
NumDnsResponseDropNoSession	32-bit counter	DNS Response Failed - Dropped no session
NumDnsResponseDropNoPdnSession	32-bit counter	DNS Response Failed - Dropped no PDN session
NumSessionPendedForDns	32-bit counter	Sessions pended for DNS
NumSessionPendedForDnsSuccess	32-bit counter	DNS success for pended sessions
NumSessionPendedForDnsTimeout	32-bit counter	DNS timeout for pended sessions
3gppToNon3gppDelayedHandovers	32-bit counter	Total number of 3GPP to Non-3GPP handovers delayed
3gppToNon3gppDelayedHandoverCompletedOnFirstUplinkPacket	32-bit counter	Total number of 3GPP to Non-3GPP delayed handovers completed on first uplink packet received on Non-3GPP tunnel
3gppToNon3gppDelayedHandoverCompletedOnTimerExpiry	32-bit counter	Total number of 3GPP to Non-3GPP delayed handovers completed on timer expiry
3gppToNon3gppDelayedHandoverCompletedOnBackToBackHO	32-bit counter	Total number of 3GPP to Non-3GPP delayed handovers completed on back to back handovers
3gppToNon3gppDelayedHandoverCompletedOnOtherEvent	32-bit counter	Total number of 3GPP to Non-3GPP delayed handovers completed on other application triggered events
NumApplicationStartNotificationsRcvd	32-bit counter	Number of Application Start Notifications received from fastpath
NumApplicationStopNotificationsRcvd	32-bit counter	Number of Application Stop Notifications received from fastpath

Table 1-3 Access Point Name Call Performance Statistics

APNCALLPERFSTATSGRID APNCALLPERFSTATSCHASSIS APNCALLPERFSTATSSLOT	Type	Description
NumGxApplicationStartNotificationsSuccess	32-bit counter	Number of Gx Application Start Notifications sent successfully to PCRF
NumGxApplicationStartNotificationsFailed	32-bit counter	Number of Gx Application Start Notifications send failed to PCRF
NumGxApplicationStopNotificationsSuccess	32-bit counter	Number of Gx Application Stop Notifications sent successfully to PCRF
NumGxApplicationStopNotificationsFailed	32-bit counter	Number of Gx Application Stop Notifications send failed to PCRF
NumSessionMonitorModificationsSent	32-bit counter	Number of session monitor modifications sent
NumSdApplicationStartNotificationsSuccess	32-bit counter	Number of SD application start notifications sent successfully to PCRF
NumSdApplicationStartNotificationsFailed	32-bit counter	Number of SD application start notifications send failed to PCRF
NumSdApplicationStopNotificationsSuccess	32-bit counter	Number of SD application stop notifications sent successfully to PCRF
NumSdApplicationStopNotificationsFailed	32-bit counter	Number of SD application stop notifications send failed to PCRF
NumLocalClosePerfDownSessionHoldTime	32-bit counter	Number of session locally closed due to PCRF down session hold time expiry
NumCreateSessionRejectsOverload	64-bit counter	Number of create session requests rejected due to overload
NumCreateBearerRejectsOverload	64-bit counter	Number of create bearer requests rejected due to overload
NatConnectionFailureMaxPortChunksExceeded	64-bit counter	Total number of NAT connection failures due to max port chunks exceeded
Num Manifest Server Requests Sent	64-bit counter	Number of manifest server requests sent to MFI task
Num Manifest Server Responses Received	64-bit counter	Number of manifest server responses received from MFI task
TetheredFlowsDetectedUsingGquicUserAgent	64-bit counter	Tethered flows detected using GQUIC user agent

Acuitas Server Statistics

Table 1-4 Acuitas Server Statistics

EMS_STATS	Type	Description
CPU Usage	Gauge	CPU Usage, in %
Memory Usage	Gauge	Memory Usage, in MB
Disk Usage	Gauge	Disk Usage, in GB

APN Data Plane Statistics

Table 1-5 APN Data Plane Statistics

APNDATASTATSGRID	Type	Description
Uplink Packets	64-bit counter	Uplink packets received
Uplink Bytes	64-bit counter	Uplink bytes received
Uplink Drop Packets	64-bit counter	Uplink packets dropped
Uplink Drop Bytes	64-bit counter	Uplink bytes dropped
Downlink Packets	64-bit counter	Downlink packets received
Downlink Bytes	64-bit counter	Downlink bytes received
Downlink Drop Packets	64-bit counter	Downlink packets dropped
Downlink Drop Bytes	64-bit counter	Downlink bytes dropped

Bearer Usage Statistics

Table 1-6 Bearer Usage Statistics

BEARERUSAGESTATS	Type	Description
totalUplinkBytes	64-bit counter	Total Number of Bytes Reported - Uplink
totalDownlinkBytes	64-bit counter	Total Number of Bytes Reported - Downlink
totalUplinkPackets	64-bit counter	Total Number of Packets Reported - Uplink
totalDownlinkPackets	64-bit counter	Total Number of Packets Reported - Downlink

Content Cache Summary Statistics

Table 1-7 Content Cache Summary Statistics

CONTENTCACHESUMMARYSTATSCHASSIS CONTENTCACHESUMMARYSTATSSLOT	Type	Description
Content-Cache Service - Attempts	64-bit counter	Total number of cache service attempts
Content-Cache Service - Successes	64-bit counter	Total number of cache service success
Content-Cache Service - Aborted by Client	64-bit counter	Total number of proxy cache aborted by client
Content-Cache Service - Failures	64-bit counter	Total number of cache service failed
Content-Cache Service - Successes from Disk	64-bit counter	Total number of cache service success from disk
Content-Cache Service - Successes from Memory	64-bit counter	Total number of cache service success from memory
Content-Cache Service - Bytes from Disk	64-bit counter	Total number of cache service bytes from disk
Content-Cache Service - Bytes from Memory	64-bit counter	Total number of cache service bytes from memory

Content Filter Content Categorization Statistics

Table 1-8 Content Filter Content Categorization Statistics

CONTENTFILTERCONTENT CATEGORIZATIONSTATSGRID CONTENTFILTERCONTENT CATEGORIZATIONSTATSCHASSIS CONTENTFILTERCONTENT CATEGORIZATIONSTATSSLOT	Type	Description
Content Categorization – HTTP Request Lookups	64-bit counter	Total number of HTTP Request lookups
Content Categorization – HTTP Response Lookups	64-bit counter	Total number of HTTP Response lookups
Content Categorization – HTTPS Request Lookups	64-bit counter	Total number of HTTPS Request lookups
Content Categorization – QUIC Request Lookups	64-bit counter	Total number of QUIC Request lookups
Content Categorization – Lookup Failures	64-bit counter	Total number of lookup failures
Category – Abortion	64-bit counter	Total number of Abortion Online Category requests
Category – Advertising	64-bit counter	Total number of Advertising Online Category requests

Table 1-8 Content Filter Content Categorization Statistics

CONTENTFILTERCONTENT CATEGORIZATIONSTATSGRID CONTENTFILTERCONTENT CATEGORIZATIONSTATSCHASSIS CONTENTFILTERCONTENT CATEGORIZATIONSTATSSLOT	Type	Description
Category – Alcohol	64-bit counter	Total number of Alcohol Online Category requests
Category – Anonymizer	64-bit counter	Total number of Anonymizer Online Category requests
Category – Art and Museums	64-bit counter	Total number of Art and Museums Online Category requests
Category – Art Nudes	64-bit counter	Total number of Art Nudes Online Category requests
Category – Automated Web Application	64-bit counter	Total number of Automated Web Application Online Category requests
Category – Automotive	64-bit counter	Total number of Automotive Online Category requests
Category – Bikini	64-bit counter	Total number of Bikini Online Category requests
Category – Blogging	64-bit counter	Total number of Blogging Online Category requests
Category – Business	64-bit counter	Total number of Business Online Category requests
Category – Cash Gambling	64-bit counter	Total number of Cash Gambling Online Category requests
Category – Chat	64-bit counter	Total number of Chat Online Category requests
Category – Content Delivery Network	64-bit counter	Total number of Content Delivery Network Online Category requests
Category – Criminal Skills	64-bit counter	Total number of Criminal Skills Online Category requests
Category – Cults	64-bit counter	Total number of Cults Online Category requests
Category – Drugs	64-bit counter	Total number of Drugs Online Category requests
Category – Dynamic	64-bit counter	Total number of Dynamic Online Category requests
Category – Educational	64-bit counter	Total number of Educational Online Category requests
Category – Energy	64-bit counter	Total number of Energy Online Category requests
Category – Enterprise Webmail	64-bit counter	Total number of Enterprise Webmail Online Category requests

Table 1-8 Content Filter Content Categorization Statistics

CONTENTFILTERCONTENT CATEGORIZATIONSTATSGRID CONTENTFILTERCONTENT CATEGORIZATIONSTATSCHASSIS CONTENTFILTERCONTENT CATEGORIZATIONSTATSSLOT	Type	Description
Category – Entertainment	64-bit counter	Total number of Entertainment Online Category requests
Category – Filesharing	64-bit counter	Total number of Filesharing Online Category requests
Category – Finance and Investing	64-bit counter	Total number of Finance and Investing Online Category requests
Category – Food and Restaurants	64-bit counter	Total number of Food and Restaurants Online Category requests
Category – Forums and Messageboards	64-bit counter	Total number of Forums and Messageboards Online Category requests
Category – Freeware and Shareware	64-bit counter	Total number of Freeware and Shareware Online Category requests
Category – Gambling	64-bit counter	Total number of Gambling Online Category requests
Category – Gaming	64-bit counter	Total number of Gaming Online Category requests
Category – Glamour	64-bit counter	Total number of Glamour Online Category requests
Category – Gore	64-bit counter	Total number of Gore Online Category requests
Category – Government	64-bit counter	Total number of Government Online Category requests
Category – Hacking	64-bit counter	Total number of Hacking Online Category requests
Category – Hate	64-bit counter	Total number of Hate Online Category requests
Category – Health	64-bit counter	Total number of Health Online Category requests
Category – Hobby	64-bit counter	Total number of Hobby Online Category requests
Category – Hosting	64-bit counter	Total number of Hosting Online Category requests
Category – Internet Telephony	64-bit counter	Total number of Internet Telephony Online Category requests
Category – Job Search	64-bit counter	Total number of Job Search Online Category requests
Category – Kids	64-bit counter	Total number of Kids Online Category requests
Category – Law	64-bit counter	Total number of Law Online Category requests

Table 1-8 Content Filter Content Categorization Statistics

CONTENTFILTERCONTENT CATEGORIZATIONSTATSGRID CONTENTFILTERCONTENT CATEGORIZATIONSTATSCHASSIS CONTENTFILTERCONTENT CATEGORIZATIONSTATSSLOT	Type	Description
Category – Lifestyles	64-bit counter	Total number of Lifestyles Online Category requests
Category – Mature Content	64-bit counter	Total number of Mature Content Online Category requests
Category – Military	64-bit counter	Total number of Military Online Category requests
Category – Mobile Entertainment	64-bit counter	Total number of Mobile Entertainment Online Category requests
Category – Music	64-bit counter	Total number of Music Online Category requests
Category – News	64-bit counter	Total number of News Online Category requests
Category – Non Profit	64-bit counter	Total number of Non Profit Online Category requests
Category – Obscene	64-bit counter	Total number of Obscene Online Category requests
Category – Occult	64-bit counter	Total number of Occult Online Category requests
Category – Online Backup and Storage	64-bit counter	Total number of Online Backup and Storage Online Category requests
Category – Peer to Peer	64-bit counter	Total number of Peer to Peer Online Category requests
Category – Personals and Dating	64-bit counter	Total number of Personals and Dating Online Category requests
Category – Pets	64-bit counter	Total number of Pets Online Category requests
Category – Photography	64-bit counter	Total number of Photography Online Category requests
Category – Placeholder	64-bit counter	Total number of Placeholder Online Category requests
Category – Plagiarism	64-bit counter	Total number of Plagiarism Online Category requests
Category – Politics	64-bit counter	Total number of Politics Online Category requests
Category – Pornography	64-bit counter	Total number of Pornography Online Category requests
Category – Portal	64-bit counter	Total number of Portal Online Category requests

Table 1-8 Content Filter Content Categorization Statistics

CONTENTFILTERCONTENT CATEGORIZATIONSTATSGRID CONTENTFILTERCONTENT CATEGORIZATIONSTATSCHASSIS CONTENTFILTERCONTENT CATEGORIZATIONSTATSSLOT	Type	Description
Category – Real Estate	64-bit counter	Total number of Real Estate Online Category requests
Category – Reference	64-bit counter	Total number of Reference Online Category requests
Category – Religion	64-bit counter	Total number of Religion Online Category requests
Category – Remote Access	64-bit counter	Total number of Remote Access Online Category requests
Category – Science	64-bit counter	Total number of Science Online Category requests
Category – Search	64-bit counter	Total number of Search Online Category requests
Category – Self Harm	64-bit counter	Total number of Self Harm Online Category requests
Category – Sexual Education	64-bit counter	Total number of Sexual Education Online Category requests
Category – Shopping	64-bit counter	Total number of Shopping Online Category requests
Category – Sports	64-bit counter	Total number of Sports Online Category requests
Category – Streaming Media	64-bit counter	Total number of Streaming Media Online Category requests
Category – Suicide	64-bit counter	Total number of Suicide Online Category requests
Category – Technology and Telecommunications	64-bit counter	Total number of Technology and Telecommunications Online Category requests
Category – Tobacco	64-bit counter	Total number of Tobacco Online Category requests
Category – Travel	64-bit counter	Total number of Travel Online Category requests
Category – Violence	64-bit counter	Total number of Violence Online Category requests
Category – Virtual Community	64-bit counter	Total number of Virtual Community Online Category requests
Category – Weapons	64-bit counter	Total number of Weapons Online Category requests
Category – Webmail	64-bit counter	Total number of Webmail Online Category requests

Table 1-8 Content Filter Content Categorization Statistics

CONTENTFILTERCONTENT CATEGORIZATIONSTATSGRID CONTENTFILTERCONTENT CATEGORIZATIONSTATSCHASSIS CONTENTFILTERCONTENT CATEGORIZATIONSTATSSLOT	Type	Description
Category – Wedding	64-bit counter	Total number of Wedding Online Category requests
Category – Wireless Business	64-bit counter	Total number of Wireless Online Category requests
Category – Wireless Chat and SMS	64-bit counter	Total number of Wireless Chat SMS Online Category requests
Category – Wireless Dynamic	64-bit counter	Total number of Wireless Dynamic Online Category requests
Category – Wireless Entertainment	64-bit counter	Total number of Wireless Entertainment Online Category requests
Category – Wireless Finance	64-bit counter	Total number of Wireless Finance Online Category requests
Category – Wireless Gambling	64-bit counter	Total number of Wireless Gambling Online Category requests
Category – Wireless News	64-bit counter	Total number of Wireless News Online Category requests
Category – Wireless Personals and Dating	64-bit counter	Total number of Wireless Personals and Dating Online Category requests
Category – Wireless Pornography	64-bit counter	Total number of Wireless Pornography Online Category requests
Category – Wireless Sports	64-bit counter	Total number of Wireless Sports Online Category requests
Category – Wireless Travel	64-bit counter	Total number of Wireless Online Category requests
Category – Unknown	64-bit counter	Total number of Unknown Online Category requests
Category – Malware	64-bit counter	Total number Malware Online Category requests
Category – Phishing	64-bit counter	Total number Phishing Online Category requests
Category – IWF	64-bit counter	Total number Internet Watch Foundation CAIC Online Category
Category – None	64-bit counter	Total number of requests categorized as none of well-known categories
Category – Other	64-bit counter	Total number of requests categorized as new category not yet supported by this node

Table 1-8 Content Filter Content Categorization Statistics

CONTENTFILTERCONTENT CATEGORIZATIONSTATSGRID CONTENTFILTERCONTENT CATEGORIZATIONSTATSCHASSIS CONTENTFILTERCONTENT CATEGORIZATIONSTATSSLOT	Type	Description
Category – Alcohol Kids	64-bit counter	Total number Alcohol Kids Online Category requests
Category – Tobacco Kids	64-bit counter	Total number Tobacco Kids Online Category requests
Category – Cyberbullying	64-bit counter	Total number Cyberbullying Online Category requests

Content Filter Instance Content Categorization Statistics

Table 1-9 Content Filter Instance Content Categorization Statistics

CONTENTFILTERINSTANCECONTENT CATEGORIZATIONSTATSGRID CONTENTFILTERINSTANCECONTENT CATEGORIZATIONSTATSCHASSIS CONTENTFILTERINSTANCE CONTENTCATEGORIZATIONSTATSSLOT	Type	Description
Content Categorization – URL-based Lookups	64-bit counter	Total number of URL-based lookups
Content Categorization – Response-based Lookups	64-bit counter	Total number of Response-based lookups
Category – Abortion	64-bit counter	Total number of Abortion Online Category requests
Category – Advertising	64-bit counter	Total number of Advertising Online Category requests
Category – Alcohol	64-bit counter	Total number of Alcohol Online Category requests
Category – Anonymizer	64-bit counter	Total number of Anonymizer Online Category requests
Category – Art and Museums	64-bit counter	Total number of Art and Museums Online Category requests
Category – Art Nudes	64-bit counter	Total number of Art Nudes Online Category requests
Category – Automated Web Application	64-bit counter	Total number of Automated Web Application Online Category requests

Table 1-9 Content Filter Instance Content Categorization Statistics

CONTENTFILTERINSTANCECONTENT CATEGORIZATIONSTATSGRID CONTENTFILTERINSTANCECONTENT CATEGORIZATIONSTATSCHASSIS CONTENTFILTERINSTANCE CONTENTCATEGORIZATIONSTATSSLOT	Type	Description
Category – Automotive	64-bit counter	Total number of Automotive Online Category requests
Category – Bikini	64-bit counter	Total number of Bikini Online Category requests
Category – Blogging	64-bit counter	Total number of Blogging Online Category requests
Category – Business	64-bit counter	Total number of Business Online Category requests
Category – Cash Gambling	64-bit counter	Total number of Cash Gambling Online Category requests
Category – Chat	64-bit counter	Total number of Chat Online Category requests
Category – Content Delivery Network	64-bit counter	Total number of Content Delivery Network Online Category requests
Category – Criminal Skills	64-bit counter	Total number of Criminal Skills Online Category requests
Category – Cults	64-bit counter	Total number of Cults Online Category requests
Category – Drugs	64-bit counter	Total number of Drugs Online Category requests
Category – Dynamic	64-bit counter	Total number of Dynamic Online Category requests
Category – Educational	64-bit counter	Total number of Educational Online Category requests
Category – Energy	64-bit counter	Total number of Energy Online Category requests
Category – Enterprise Webmail	64-bit counter	Total number of Enterprise Webmail Online Category requests
Category – Entertainment	64-bit counter	Total number of Entertainment Online Category requests
Category – Filesharing	64-bit counter	Total number of Filesharing Online Category requests
Category – Finance and Investing	64-bit counter	Total number of Finance and Investing Online Category requests
Category – Food and Restaurants	64-bit counter	Total number of Food and Restaurants Online Category requests

Table 1-9 Content Filter Instance Content Categorization Statistics

CONTENTFILTERINSTANCECONTENT CATEGORIZATIONSTATSGRID CONTENTFILTERINSTANCECONTENT CATEGORIZATIONSTATSCHASSIS CONTENTFILTERINSTANCE CONTENTCATEGORIZATIONSTATSSLOT	Type	Description
Category – Forums and Messageboards	64-bit counter	Total number of Forums and Messageboards Online Category requests
Category – Freeware and Shareware	64-bit counter	Total number of Freeware and Shareware Online Category requests
Category – Gambling	64-bit counter	Total number of Gambling Online Category requests
Category – Gaming	64-bit counter	Total number of Gaming Online Category requests
Category – Glamour	64-bit counter	Total number of Glamour Online Category requests
Category – Gore	64-bit counter	Total number of Gore Online Category requests
Category – Government	64-bit counter	Total number of Government Online Category requests
Category – Hacking	64-bit counter	Total number of Hacking Online Category requests
Category – Hate	64-bit counter	Total number of Hate Online Category requests
Category – Health	64-bit counter	Total number of Health Online Category requests
Category – Hobby	64-bit counter	Total number of Hobby Online Category requests
Category – Hosting	64-bit counter	Total number of Hosting Online Category requests
Category – Internet Telephony	64-bit counter	Total number of Internet Telephony Online Category requests
Category – Job Search	64-bit counter	Total number of Job Search Online Category requests
Category – Kids	64-bit counter	Total number of Kids Online Category requests
Category – Law	64-bit counter	Total number of Law Online Category requests
Category – Lifestyles	64-bit counter	Total number of Lifestyles Online Category requests
Category – Mature Content	64-bit counter	Total number of Mature Content Online Category requests
Category – Military	64-bit counter	Total number of Military Online Category requests
Category – Mobile Entertainment	64-bit counter	Total number of Mobile Entertainment Online Category requests

Table 1-9 Content Filter Instance Content Categorization Statistics

CONTENTFILTERINSTANCECONTENT CATEGORIZATIONSTATSGRID CONTENTFILTERINSTANCECONTENT CATEGORIZATIONSTATSCHASSIS CONTENTFILTERINSTANCE CONTENTCATEGORIZATIONSTATSSLOT	Type	Description
Category – Music	64-bit counter	Total number of Music Online Category requests
Category – News	64-bit counter	Total number of News Online Category requests
Category – Non Profit	64-bit counter	Total number of Non Profit Online Category requests
Category – Obscene	64-bit counter	Total number of Obscene Online Category requests
Category – Occult	64-bit counter	Total number of Occult Online Category requests
Category – Online Backup and Storage	64-bit counter	Total number of Online Backup and Storage Online Category requests
Category – Peer to Peer	64-bit counter	Total number of Peer to Peer Online Category requests
Category – Personals and Dating	64-bit counter	Total number of Personals and Dating Online Category requests
Category – Pets	64-bit counter	Total number of Pets Online Category requests
Category – Photography	64-bit counter	Total number of Photography Online Category requests
Category – Placeholder	64-bit counter	Total number of Placeholder Online Category requests
Category – Plagiarism	64-bit counter	Total number of Plagiarism Online Category requests
Category – Politics	64-bit counter	Total number of Politics Online Category requests
Category – Pornography	64-bit counter	Total number of Pornography Online Category requests
Category – Portal	64-bit counter	Total number of Portal Online Category requests
Category – Real Estate	64-bit counter	Total number of Real Estate Online Category requests
Category – Reference	64-bit counter	Total number of Reference Online Category requests
Category – Religion	64-bit counter	Total number of Religion Online Category requests
Category – Remote Access	64-bit counter	Total number of Remote Access Online Category requests
Category – Science	64-bit counter	Total number of Science Online Category requests

Table 1-9 Content Filter Instance Content Categorization Statistics

CONTENTFILTERINSTANCECONTENT CATEGORIZATIONSTATSGRID CONTENTFILTERINSTANCECONTENT CATEGORIZATIONSTATSCHASSIS CONTENTFILTERINSTANCE CONTENTCATEGORIZATIONSTATSSLOT	Type	Description
Category – Search	64-bit counter	Total number of Search Online Category requests
Category – Self Harm	64-bit counter	Total number of Self Harm Online Category requests
Category – Sexual Education	64-bit counter	Total number of Sexual Education Online Category requests
Category – Shopping	64-bit counter	Total number of Shopping Online Category requests
Category – Sports	64-bit counter	Total number of Sports Online Category requests
Category – Streaming Media	64-bit counter	Total number of Streaming Media Online Category requests
Category – Suicide	64-bit counter	Total number of Suicide Online Category requests
Category – Technology and Telecommunications	64-bit counter	Total number of Technology and Telecommunications Online Category requests
Category – Tobacco	64-bit counter	Total number of Tobacco Online Category requests
Category – Travel	64-bit counter	Total number of Travel Online Category requests
Category – Violence	64-bit counter	Total number of Violence Online Category requests
Category – Virtual Community	64-bit counter	Total number of Virtual Community Online Category requests
Category – Weapons	64-bit counter	Total number of Weapons Online Category requests
Category – Webmail	64-bit counter	Total number of Webmail Online Category requests
Category – Wedding	64-bit counter	Total number of Wedding Online Category requests
Category – Wireless Business	64-bit counter	Total number of Wireless Online Category requests
Category – Wireless Chat SMS	64-bit counter	Total number of Wireless Chat SMS Online Category requests
Category – Wireless Dynamic	64-bit counter	Total number of Wireless Dynamic Online Category requests
Category –Wireless Entertainment	64-bit counter	Total number of Wireless Entertainment Online Category requests

Table 1-9 Content Filter Instance Content Categorization Statistics

CONTENTFILTERINSTANCECONTENT CATEGORIZATIONSTATSGRID CONTENTFILTERINSTANCECONTENT CATEGORIZATIONSTATSCHASSIS CONTENTFILTERINSTANCE CONTENTCATEGORIZATIONSTATSSLOT	Type	Description
Category – Wireless Finance	64-bit counter	Total number of Wireless Finance Online Category requests
Category – Wireless Gambling	64-bit counter	Total number of Wireless Gambling Online Category requests
Category – Wireless News	64-bit counter	Total number of Wireless News Online Category requests
Category – Wireless Personals and Dating	64-bit counter	Total number of Wireless Personals and Dating Online Category requests
Category – Wireless Pornography	64-bit counter	Total number of Wireless Pornography Online Category requests
Category – Wireless Sports	64-bit counter	Total number of Wireless Sports Online Category requests
Category – Wireless Travel	64-bit counter	Total number of Wireless Online Category requests
Category – Unknown	64-bit counter	Total number of Unknown Online Category requests
Category – Malware	64-bit counter	Total number Malware Online Category requests
Category – Phishing	64-bit counter	Total number Phishing Online Category requests
Category – IWF	64-bit counter	Total number Internet Watch Foundation CAIC Online Category
Category – None	64-bit counter	Total number of requests categorized as none of well-known categories
Category – Other	64-bit counter	Total number of requests categorized as new category not yet supported by this node
Category – Alcohol Kids	64-bit counter	Total number Alcohol Kids Online Category requests
Category – Tobacco Kids	64-bit counter	Total number Tobacco Kids Online Category requests
Category – Cyberbullying	64-bit counter	Total number Cyberbullying Online Category requests

Content Filter Instance Summary Statistics

Table 1-10 Content Filter Instance Summary Statistics

CONTENTFILTERINSTSUMMARYSTATSGRID CONTENTFILTERINSTSUMMARYSTATSCHASSIS CONTENTFILTERINSTSUMMARYSTATSSLOT	Type	Description
Filter Action – Requests Terminated	64-bit counter	Total number of requests terminated
Filter Action – Requests Redirected	64-bit counter	Total number of requests redirected
Filter Action – Requests Blocked	64-bit counter	Total number of requests blocked
Filter Action – Requests Allowed	64-bit counter	Total number of requests allowed
Service Rule – Matched	64-bit counter	Total number of Service Rules matched
Static Category – URL Matched	64-bit counter	Total number of static category URLs matched
Static Category – Domain Matched	64-bit counter	Total number of static category domains matched
Online Category – Matched	64-bit counter	Total number of online category group matched
Malware Category – Matched	64-bit counter	Total number of malware category group matched
Phishing Category – Matched	64-bit counter	Total number of phishing category group matched
IWF Category – Matched	64-bit counter	Total number of IWF category group matched
Safe-Search – Bing Safe Searches Enforced	64-bit counter	Total number of Bing Safe Searches Enforced
Redirect Changed to Allow - Request within Redirect Interval	64-bit counter	Total number of redirect changes to allow - Request within redirect interval
Redirect Changed to Allow - Request with Same URL	64-bit counter	Total number of redirect changes to allow - Request with Same URL

Content Filter Statistics

Table 1-11 Content Filter Statistics

CONTENTFILTERSTATSGRID CONTENTFILTERSTATSCHASSIS CONTENTFILTERSTATSSLOT	Type	Description
Filter Action – Requests Terminated	64-bit counter	Total number of filter action requests terminated
Filter Action – Total Requests Redirected	64-bit counter	Total number of filter action requests redirected
Filter Action – Total Requests Blocked	64-bit counter	Total number of filter action requests blocked
Filter Action – Total Requests Allowed	64-bit counter	Total number of filter action requests allowed
Blacklist – URL Matched	64-bit counter	Total number of blackList URLs matched
Blacklist – Domain Matched	64-bit counter	Total number of blackList domains matched
Static Category – URL Matched	64-bit counter	Total number of static category URLs matched
Static Category – Domain Matched	64-bit counter	Total number of static category domains matched
Whitelist – URL Matched	64-bit counter	Total number of whitelist URLs matched
Whitelist – Domain Matched	64-bit counter	Total number of whitelist domains matched
Service Rule – Matched	64-bit counter	Total number of Service Rules matched
Online Category Group – Matched	64-bit counter	Total number of online category group matched
Malware Category – Matched	64-bit counter	Total number Malware Online Category requests
Phishing Category – Matched	64-bit counter	Total number Phishing Online Category requests
IWF Category – Matched	64-bit counter	Total number Internet Watch Foundation CAIC Online Category
Safe-Search – Bing Safe Searches Enforced	64-bit counter	Total number of Bing Safe Searches Enforced
Redirect Changed to Allow - Request with Same URL	64-bit counter	Total number of redirect changes to allow - Request with Same URL
Redirect Changed to Allow - Request within Redirect Interval	64-bit counter	Total number of redirect changes to allow - Request within redirect interval

Content Filter Summary Statistics

Table 1-12 Content Filter Summary Statistics

CONTENTFILTERSUMMARYSTATSCHASSIS CONTENTFILTERSUMMARYSTATSSLOT	Type	Description
Content-Filter Service - Attempts	64-bit counter	Total number of filter service attempts
Content-Filter Service - Matched	64-bit counter	Total number of filter service applied
Content-Filter Service - Aborted by Client	64-bit counter	Total number of filter service aborted by client
Content-Filter Service - Failures	64-bit counter	Total number of filter service failed
Content-Filter Service - Not Matched	64-bit counter	Total number of filter service not matched
Requests Terminated	64-bit counter	Total number of requests terminated
Requests Redirected	64-bit counter	Total number of requests redirected
Requests Blocked	64-bit counter	Total number of requests blocked
Requests Allowed	64-bit counter	Total number of requests allowed
Blacklist – URL Matched	64-bit counter	Total number of blackList URLs matched
Blacklist – Domain Matched	64-bit counter	Total number of blackList domains matched
Static Category – URL Matched	64-bit counter	Total number of static category URLs matched
Static Category – Domain Matched	64-bit counter	Total number of static category domains matched
Whitelist – URL Matched	64-bit counter	Total number of whitelist URLs matched
Whitelist – Domain Matched	64-bit counter	Total number of whitelist domains matched
Service Rule – Matched	64-bit counter	Total number of Service Rules matched
Online Category Group – Matched	64-bit counter	Total number of online category group matched
Malware Category – Matched	64-bit counter	Total number Malware Online Category requests
Phishing Category – Matched	64-bit counter	Total number Phishing Online Category requests
IWF Category – Matched	64-bit counter	Total number Internet Watch Foundation CAIC Online Category
Filter Hash List – Matched	64-bit counter	Total number of Filter hash list matched
Safe-Search – Bing Safe Searches Enforced	64-bit counter	Total number of Bing Safe Search enforced
Redirect Changed to Allow - Request with Same URL	64-bit counter	Total number of redirect changes to allow - Request with Same URL

Table 1-12 Content Filter Summary Statistics

CONTENTFILTERSUMMARYSTATSCHASSIS CONTENTFILTERSUMMARYSTATSSLOT	Type	Description
Redirect Changed to Allow - Request within Redirect Interval	64-bit counter	Total number of redirect changes to allow - Request within redirect interval
Safe-Search – Google Safe Searches Enforced	64-bit counter	Total number of Google Safe Search enforced
Safe-Search – YouTube Safe Searches Enforced	64-bit counter	Total number of YouTube Safe Search enforced

Content HTTP Cache Statistics

Table 1-13 Content HTTP Cache Statistics

CONTENTHTTPCACHESTATSGRID CONTENTHTTPCACHESTATSCHASSIS CONTENTHTTPCACHESTATSSLOT	Type	Description
Total Objects Served from Cache	64-bit counter	Total number of objects served from cache
Total Bytes Served from Cache	64-bit counter	Total number of bytes served from cache
Total Cache Miss Objects	64-bit counter	Total number of objects missed from cache
Total Objects Served from Memory Cache	64-bit counter	Total number of objects served from memory
Total Bytes Served from Memory Cache	64-bit counter	Total number of bytes served from memory cache
Total Objects Served from Disk Cache	64-bit counter	Total number of objects served from disk cache
Total Bytes Served from Disk Cache	64-bit counter	Total number of bytes served from disk cache
Current Metadata	64-bit counter	Total number of current MetaData
Current In-Memory Objects	64-bit counter	Total number of current Object in memory
Current On-Disk Objects	64-bit counter	Total number of current Object on disk
Current In-Memory Bytes	64-bit counter	Total number of current Bytes in memory
Current On-Disk Bytes	64-bit gauge	Total number of current Bytes on disk
Video Objects Served from Cache	64-bit counter	Total number of video objects served from cache
Video Bytes Served from Cache	64-bit counter	Total number of video bytes served from cache
Current Video Objects in Cache	64-bit gauge	Total number of current video objects in cache

Table 1-13 Content HTTP Cache Statistics

CONTENTHTTPCACHESTATSGRID CONTENTHTTPCACHESTATSCHASSIS CONTENTHTTPCACHESTATSSLOT	Type	Description
Objects Purged to Disk	64-bit counter	Total number of objects purged to disk
Bytes Purged to Disk	64-bit counter	Total number of bytes purged to disk
Objects Evicted from Disk	64-bit counter	Total number of objects evicted from disk
Bytes Evicted from Disk	64-bit counter	Total number of bytes evicted from disk
Objects Evicted from Memory	64-bit counter	Total number of objects evicted from memory
Bytes Evicted from Memory	64-bit counter	Total number of bytes evicted from memory
Current 4KB Content Buffers	64-bit gauge	Total number of 4KB current content buffer
Current Content Blocks	64-bit gauge	Total number of current content blocks
Current Mutex Blocks	64-bit gauge	Total number of current mutex blocks
Current VM Nodes Caching	64-bit gauge	Total number of current VM nodes caching
Current 64 KB Content Buffers	64-bit gauge	Total number of 64KB current content buffer
Total 4 KB Content Buffers	64-bit gauge	Total number of available 4KB content buffers
Total 64 KB Content Buffers	64-bit gauge	Total number of available 64KB content buffers

Data Profile Call Performance Statistics

Table 1-14 Data Profile Call Performance Statistics

DATAPROFILECALLPERFSTATSGRID DATAPROFILECALLPERFSTATSCHASSIS DATAPROFILECALLPERFSTATSSLOT	Type	Description
Num Current Sessions	64-bit counter	Current number of sessions

Deep Packet Inspection Application Statistics (pre-8.0 Acuitas versions)

Table 1-15 Deep Packet Inspection Application Statistics (pre-8.0 Acuitas versions)

DPIAPPLICATIONSGRID	Type	Description
Undetected Flows	64-bit counter	Total flows undetected by DPI
Undetected Packets	64-bit counter	Total packets from all flows undetected by DPI
Undetected Bytes	64-bit counter	Total bytes from all flows undetected by DPI
Undetected Uplink Packets	64-bit counter	Total uplink packets from all flows undetected by DPI
Undetected Uplink Bytes	64-bit counter	Total uplink bytes from all flows undetected by DPI
Undetected Downlink Packets	64-bit counter	Total downlink packets from all flows undetected by DPI
Undetected Downlink Bytes	64-bit counter	Total downlink bytes from all flows undetected by DPI
<i>Statistics by Application:</i>		
Flows	64-bit counter	Total <Application> flows detected by DPI
Packets	64-bit counter	Total <Application> packets detected by DPI
Bytes	64-bit counter	Total <Application> bytes detected by DPI
Uplink Packets	64-bit counter	Total <Application> uplink packets detected by DPI
Uplink Bytes	64-bit counter	Total <Application> uplink bytes detected by DPI
Downlink Packets	64-bit counter	Total <Application> downlink packets detected by DPI
Downlink Bytes	64-bit counter	Total <Application> downlink bytes detected by DPI

Deep Packet Inspection Flow Attributes Statistics

Table 1-16 Deep Packet Inspection Flow Attribute Statistics

EMSDPIFLOWATTRGRID	Type	Description
Flows	64-bit counter	Total Application flows detected by DPI
Uplink Packets	64-bit counter	Total Application uplink packets detected by DPI
Uplink Bytes	64-bit counter	Total Application uplink bytes detected by DPI
Downlink Packets	64-bit counter	Total Application downlink packets detected by DPI
Downlink Bytes	64-bit counter	Total Application downlink bytes detected by DPI
Uplink Drop Packets	64-bit counter	Total Application uplink drop packets detected by DPI
Uplink Drop Bytes	64-bit counter	Total Application uplink drop bytes detected by DPI
Downlink Drop Packets	64-bit counter	Total Application downlink drop packets detected by DPI
Downlink Drop Bytes	64-bit counter	Total Application downlink drop bytes detected by DPI

Deep Packet Inspection Application Statistics (Acuitas 8.0 and later versions)

Table 1-17 Deep Packet Inspection Flow Attribute Statistics (Acuitas 8.0 and later versions)

EMSDPIAPPLICATIONSGRID	Type	Description
Flows	64-bit counter	Total flow attribute flows detected by DPI
Uplink Packets	64-bit counter	Total flow attribute uplink packets detected by DPI
Uplink Bytes	64-bit counter	Total flow attribute uplink bytes detected by DPI
Downlink Packets	64-bit counter	Total flow attribute downlink packets detected by DPI
Downlink Bytes	64-bit counter	Total flow attribute downlink bytes detected by DPI

Table 1-17 Deep Packet Inspection Flow Attribute Statistics (Acuitas 8.0 and later versions)

EMSDPIAPPLICATIONSGRID	Type	Description
Uplink Drop Packets	64-bit counter	Total Application uplink drop packets detected by DPI
Uplink Drop Bytes	64-bit counter	Total Application uplink drop bytes detected by DPI
Downlink Drop Packets	64-bit counter	Total Application downlink drop packets detected by DPI
Downlink Drop Bytes	64-bit counter	Total Application downlink drop bytes detected by DPI

Deep Packet Inspection General Statistics

Table 1-18 Deep Packet Inspection General Statistics

DPIGENERALGRID	Type	Description
Protocol Undetected	64-bit counter	Flows for which DPI was engaged but no detection was made
Detection Flows	64-bit counter	Flows processed by DPI detection
Detection Packets	64-bit counter	Packets processed by DPI detection
Detection Bytes	64-bit counter	Bytes processed by DPI detection
Decode Flows	64-bit counter	Flows processed by DPI decode
Decode Packets	64-bit counter	Packets processed by DPI decode
Decode Bytes	64-bit counter	Bytes processed by DPI decode
Protocol Undetected Packets	64-bit counter	Total packets on flows subjected to DPI where no detection was made
Protocol Undetected Bytes	64-bit counter	Total bytes on flows subjected to DPI where no detection was made
Detection Total Packets	64-bit counter	Total packets on flows processed by DPI detection
Detection Total Bytes	64-bit counter	Total bytes on flows processed by DPI detection
Decode Total Packets	64-bit counter	Total packets on flows processed by DPI decode
Decode Total Bytes	64-bit counter	Total bytes on flows processed by DPI decode
No DPI Flows	64-bit counter	Total flows not subjected to DPI
No DPI Total Packets	64-bit counter	Total packets on flows not subjected to DPI

Table 1-18 Deep Packet Inspection General Statistics

DPIGENERALGRID	Type	Description
No DPI Total Bytes	64-bit counter	Total bytes on flows not subjected to DPI
Detection Uplink Packets	64-bit counter	Uplink packets processed by DPI detection
Detection Uplink Bytes	64-bit counter	Uplink bytes processed by DPI detection
Detection Downlink Packets	64-bit counter	Downlink packets processed by DPI detection
Detection Downlink Bytes	64-bit counter	Downlink bytes processed by DPI detection
Decode Uplink Packets	64-bit counter	Uplink packets on flows processed by DPI decode
Decode Uplink Bytes	64-bit counter	Uplink bytes on flows processed by DPI decode
Decode Downlink Packets	64-bit counter	Downlink packets on flows processed by DPI decode
Decode Downlink Bytes	64-bit counter	Downlink bytes on flows processed by DPI decode
Protocol Undetected Uplink Packets	64-bit counter	Uplink packets on flows subjected to DPI where no detection was made
Protocol Undetected Uplink Bytes	64-bit counter	Uplink bytes on flows subjected to DPI where no detection was made
Protocol Undetected Downlink Packets	64-bit counter	Downlink packets on flows subjected to DPI where no detection was made
Protocol Undetected Downlink Bytes	64-bit counter	Downlink bytes on flows subjected to DPI where no detection was made
Detection Total Uplink Packets	64-bit counter	Uplink total packets on flows processed by DPI detection
Detection Total Uplink Bytes	64-bit counter	Uplink total bytes on flows processed by DPI detection
Detection Total Downlink Packets	64-bit counter	Downlink total packets on flows processed by DPI detection
Detection Total Downlink Bytes	64-bit counter	Downlink total bytes on flows processed by DPI detection
Decode Total Uplink Packets	64-bit counter	Uplink total packets on flows processed by DPI decode
Decode Total Uplink Bytes	64-bit counter	Uplink total bytes on flows processed by DPI decode
Decode Total Downlink Packets	64-bit counter	Downlink total packets on flows processed by DPI decode

Table 1-18 Deep Packet Inspection General Statistics

DPIGENERALGRID	Type	Description
Decode Total Downlink Bytes	64-bit counter	Downlink total bytes on flows processed by DPI decode
No DPI Total Uplink Packets	64-bit counter	Uplink total packets on flows not subjected to DPI
No DPI Total Uplink Bytes	64-bit counter	Uplink total bytes on flows not subjected to DPI
No DPI Total Downlink Packets	64-bit counter	Downlink total packets on flows not subjected to DPI
No DPI Total Downlink Bytes	64-bit counter	Downlink total bytes on flows not subjected to DPI
AMQP Flows		Advanced Message Queuing Protocol Flows
AMQP Uplink Packets	64-bit counter	Advanced Message Queuing Protocol Uplink Packets
AMQP Uplink Bytes	64-bit counter	Advanced Message Queuing Protocol Uplink Bytes
AMQP Downlink Packets	64-bit counter	Advanced Message Queuing Protocol Downlink Packets
AMQP Downlink Bytes	64-bit counter	Advanced Message Queuing Protocol Downlink Bytes
Application Undetected	64-bit counter	Flows for which DPI was engaged but no detection was made
Application Undetected Packets	64-bit counter	Total packets on flows subjected to DPI where no detection was made
Application Undetected Bytes	64-bit counter	Total bytes on flows subjected to DPI where no detection was made
Application Undetected Uplink Packets	64-bit counter	Total uplink packets on flows subjected to DPI where no detection was made
Application Undetected Uplink Bytes	64-bit counter	Total uplink bytes on flows subjected to DPI where no detection was made
Application Undetected Downlink Packets	64-bit counter	Total downlink packets on flows subjected to DPI where no detection was made
Application Undetected Downlink Bytes	64-bit counter	Total downlink bytes on flows subjected to DPI where no detection was made

Deep Packet Inspection Operating Systems Statistics (Acuitas 8.0 and later versions)

Table 1-19 Deep Packet Inspection Operating Systems Statistics (Acuitas 8.0 and later versions)

EMSDPIOPERATINGSYSTEMSGRID	Type	Description
Flows	64-bit counter	Total Operating System flows detected by DPI
Uplink Packets	64-bit counter	Total Operating System uplink packets detected by DPI
Uplink Bytes	64-bit counter	Total Operating System uplink bytes detected by DPI
Downlink Packets	64-bit counter	Total Operating System downlink packets detected by DPI
Downlink Bytes	64-bit counter	Total Operating System downlink bytes detected by DPI
Uplink Drop Packets	64-bit counter	Total Application uplink drop packets detected by DPI
Uplink Drop Bytes	64-bit counter	Total Application uplink drop bytes detected by DPI
Downlink Drop Packets	64-bit counter	Total Application downlink drop packets detected by DPI
Downlink Drop Bytes	64-bit counter	Total Application downlink drop bytes detected by DPI

Deep Packet Inspection Protocols Statistics

Table 1-20 Deep Packet Inspection Protocols Statistics

DPI<PROTOCOL>PROTOCOLSGRID pre-8.0 Acuitas versions <i>Statistics vary by Protocol</i>	Type	Description
Flows	64-bit counter	Total <Protocol> flows detected by DPI
Packets	64-bit counter	Total <Protocol> packets detected by DPI
Bytes	64-bit counter	Total <Protocol> bytes detected by DPI
Uplink Packets	64-bit counter	Total <Protocol> uplink packets detected by DPI
Uplink Bytes	64-bit counter	Total <Protocol> uplink bytes detected by DPI

Table 1-20 Deep Packet Inspection Protocols Statistics

DPI<PROTOCOL>PROTOCOLSGRID pre-8.0 Acuitas versions <i>Statistics vary by Protocol</i>	Type	Description
Downlink Packets	64-bit counter	Total <Protocol> downlink packets detected by DPI
Downlink Bytes	64-bit counter	Total <Protocol> downlink bytes detected by DPI
DPI<PROTOCOL>SUBPROTOCOLS<SUB PROTOCOL>GRID pre-8.0 and 8.0 and later Acuitas versions <i>Statistics vary by Sub Protocol</i>		
Flows	64-bit counter	Total <Sub Protocol> flows detected by DPI
Packets	64-bit counter	Total <Sub Protocol> packets detected by DPI
Bytes	64-bit counter	Total <Sub Protocol> bytes detected by DPI
Uplink Packets	64-bit counter	Total <Sub Protocol> uplink packets detected by DPI
Uplink Bytes	64-bit counter	Total <Sub Protocol> uplink bytes detected by DPI
Downlink Packets	64-bit counter	Total <Sub Protocol> downlink packets detected by DPI
Downlink Bytes	64-bit counter	Total <Sub Protocol> downlink bytes detected by DPI

Deep Packet Inspection Protocols Statistics (Acuitas 8.0 and later versions)

Table 1-21 Deep Packet Inspection Protocols Statistics (Acuitas 8.0 and later versions)

EMSDPIPOTOCOLSGRID	Type	Description
Flows	64-bit counter	Total Protocol flows detected by DPI
Uplink Packets	64-bit counter	Total Protocol uplink packets detected by DPI
Uplink Bytes	64-bit counter	Total Protocol uplink bytes detected by DPI
Downlink Packets	64-bit counter	Total Protocol downlink packets detected by DPI
Downlink Bytes	64-bit counter	Total Protocol downlink bytes detected by DPI

Table 1-21 Deep Packet Inspection Protocols Statistics (Acuitas 8.0 and later versions)

EMSDPIPROTOCOLSGRID	Type	Description
Uplink Drop Packets	64-bit counter	Total Application uplink drop packets detected by DPI
Uplink Drop Bytes	64-bit counter	Total Application uplink drop bytes detected by DPI
Downlink Drop Packets	64-bit counter	Total Application downlink drop packets detected by DPI
Downlink Drop Bytes	64-bit counter	Total Application downlink drop bytes detected by DPI

Deep Packet Inspection Tethering Statistics

Table 1-22 Deep Packet Inspection Tethering Statistics

DPITETHERINGGRID	Type	Description
Connected Device Flows	64-bit counter	Connected device flows
Connected Device Uplink Packets	64-bit counter	Connected device uplink packets
Connected Device Uplink Bytes	64-bit counter	Connected device uplink bytes
Connected Device Downlink Packets	64-bit counter	Connected device downlink packets
Connected Device Downlink Bytes	64-bit counter	Connected device downlink bytes
Tethered Device Flows	64-bit counter	Tethered device flows
Tethered Device Uplink Packets	64-bit counter	Tethered device uplink packets
Tethered Device Uplink Bytes	64-bit counter	Tethered device uplink bytes
Tethered Device Downlink Packets	64-bit counter	Tethered device downlink packets
Tethered Device Downlink Bytes	64-bit counter	Tethered device downlink bytes
Tethered Entitled Flows	64-bit counter	
Tethering Entitled Uplink Packets Passed	64-bit counter	Tethering entitled uplink packets passed
Tethering Entitled Uplink Bytes Passed	64-bit counter	Tethering entitled uplink bytes passed
Tethering Entitled Downlink Packets Passed	64-bit counter	Tethering entitled downlink packets passed
Tethering Entitled Downlink Bytes Passed	64-bit counter	Tethering entitled downlink bytes passed
Tethered Flows Detected Using Ttl	64-bit counter	Tethered flows detected using Ttl

Table 1-22 Deep Packet Inspection Tethering Statistics

DPITETHERINGGRID	Type	Description
Tethered Flows Detected Using User Agent	64-bit counter	Tethered flows detected using user agent
Tethered Flows Detected Using TcpIp Fingerprinting	64-bit counter	Total number of tethered flows detected by TCP-IP fingerprinting
Tethered Flows Detected Using GQUIC User Agent	64-bit counter	Tethered flows detected using GQUIC user agent

Deep Packet Web HTTP Transactions Statistics

Table 1-23 Deep Packet Inspection Web HTTP Transactions Statistics

DIPWEBHTTPTRANSACTIONSGRID	Type	Description
serverGetResponses	64-bit counter	GET responses from server
serverGetServiceTimeAvg	64-bit counter	Average HTTP GET service time from server, in ms, over all samples
serverGetServiceTimeMovingAvg	64-bit counter	Average HTTP GET service time from server, in ms, over recently acquired samples
proxyGetResponses	64-bit counter	GET responses from proxy
proxyGetServiceTimeAvg	64-bit counter	Average HTTP GET service time from proxy, in ms, over all samples
proxyGetServiceTimeMovingAvg	64-bit counter	Average HTTP GET service time from proxy, in ms, over recently acquired samples

Disk Statistics

Table 1-24 Disk Statistics

DISK_STATS	Type	Description
Disk Size	64-bit counter	Disk size
Disk Usage	64-bit counter	Disk usage
Use Percent	64-bit counter	Percent of disk space in use

DNS Resolution Statistics

Table 1-25 DNS Resolution Statistics

DNSRESOLUTIONSTATS	Type	Description
NumDnsRequestReceived	64-bit counter	DNS Request received from application
NumDnsResponseSent	64-bit counter	DNS Response sent to application success
NumDnsSendSuccess	64-bit counter	DNS Request sent to DNS server
NumDnsResponses	64-bit counter	DNS Response total received from DNS server
NumDnsResponseSuccess	64-bit counter	DNS Response success from DNS server
NumDnsResponseFailNoResponse	64-bit counter	DNS Response failed no response from DNS server
NumDnsResponseFailNoName	64-bit counter	DNS Response failed domain name not found
NumDnsResponseFailNoData	64-bit counter	DNS Response failed no data
NumDnsResponseFailMisformattedQuery	64-bit counter	DNS Response query was misformatted
NumDnsResponseFailGeneralFailure	64-bit counter	DNS Response general failure
NumDnsResponseFailOperationNotImplementedBy Server	64-bit counter	DNS Response failure requested operation not implemented by server
NumDnsResponseFailServerRefusedQuery	64-bit counter	DNS Response server refused query
NumDnsInternalFailMisformattedQuery	64-bit counter	Internal misformatted query
NumDnsInternalFailMisformattedDomain	64-bit counter	Internal misformatted domain name
NumDnsInternalFailUnsupportedAddressFamily	64-bit counter	Internal unsupported address family
NumDnsInternalFailMisformattedReply	64-bit counter	Internal misformatted DNS reply
NumDnsInternalFailCouldNotContactServer	64-bit counter	Internal could not contact DNS servers
NumDnsInternalFailTimeoutWhileContactingServer	64-bit counter	Internal timeout while contacting DNS server
NumDnsInternalFailEndOfFile	64-bit counter	Internal end of file
NumDnsInternalFailErrorReadingFile	64-bit counter	Internal error reading file
NumDnsInternalFailOutOfMemory	64-bit counter	Internal out of memory
NumDnsInternalFailChannelBeingDestroyed	64-bit counter	Internal channel is being destroyed
NumDnsInternalFailMisformattedString	64-bit counter	Internal misformatted string
NumDnsInternalFailIllegalFlagsSpecified	64-bit counter	Internal illegal flags specified
NumDnsInternalFailHostnameNotNumeric	64-bit counter	Internal given hostname is not numeric

Table 1-25 DNS Resolution Statistics

DNSRESOLUTIONSTATS	Type	Description
NumDnsInternalFailIllegalHintsFlags	64-bit counter	Internal illegal hints flags specified
NumDnsInternalFailLibraryNotInitialized	64-bit counter	Internal library not initialized
NumDnsInternalFailErrorLoadingDll	64-bit counter	Internal error loading DLL
NumDnsInternalFailErrorGettingNetParams	64-bit counter	Internal could not get network parameters
NumDnsInternalFailQueryCanceled	64-bit counter	Internal DNS query canceled
NumDnsInternalFailOtherReason	64-bit counter	Internal other reason
NumDnsResponseFailMisc	64-bit counter	DNS Response failed miscellaneous
NumDnsResponseNotSent	64-bit counter	DNS Response send to application failed
NumDnsSendFailedNoConfig	64-bit counter	DNS Request send to DNS server failed - no configuration
NumDnsFailedMisc	64-bit counter	DNS internal unknown
NumDnsInternalFailSendingError	64-bit counter	DNS Request send to DNS server failed
NumDnsResponseFailNoNameNaptr	64-bit counter	DNS Response Failed - domain name not found for NAPTR request
NumDnsResponseFailNoNameA	64-bit counter	DNS Response Failed - domain name not found for A/AAA request
NumDnsResponseFailNoNameSrv	64-bit counter	DNS Response Failed - domain name not found for SRV request

DIAMETER Peer Statistics

Note: These statistics are displayed when a DIAMETER peer is configured and is up.

Table 1-26 DIAMETER Peer Statistics

DIAMETERSTATSPEER	Type	Description
Num CCR Initial Attempted	64-bit counter	Number of CCR Initial attempts made. Is not incremented during retransmissions
Num CCR Initial Success	64-bit counter	Number of successful CCR Initial attempts. Is incremented when DIAMETER peer responds CCA-I with success result code for an initial or retransmitted CCR-I.
Num CCR Initial Failure	64-bit counter	Number of failed CCR Initial attempts. Is incremented when DIAMETER peer responds CCA-I with other than success result code for an initial or retransmitted CCR-I.
Num CCR Initial 3xxx	64-bit counter	Number of failed CCR Initial attempts due to 3xxx error
Num CCR Initial Timeout	64-bit counter	Number of CCR Initial attempts that timed out. Is incremented only after attempting all retransmissions without any response from the peer.
Num CCR Initial Aborted	64-bit counter	Number of CCR Initial attempts that were aborted due to response received from another peer
Num CCA Initial Delayed Success	64-bit counter	Number of CCA Initial successes that were received after the request had been re-transmitted to another server
Num CCA Initial Delayed Failure	64-bit counter	Number of CCA Initial failures that were received after the request had been re-transmitted to another server
Num CCA Initial Delayed 3xxx	64-bit counter	Number of delayed CCA Initial 3xxx errors that were received after the request had been re-transmitted to another server
Num CCA Initial Rcvd First Attempt	64-bit counter	Number of CCR Initial requests for which response was received when first transmitted. (no retransmissions were needed).
Num CCA Initial Rcvd ReTx	64-bit counter	Number of CCR Initial Requests for which response was received when message was retransmitted.

Table 1-26 DIAMETER Peer Statistics

DIAMETERSTATSPEER	Type	Description
Num CCR Update Attempted	64-bit counter	Number of CCR Update attempts made. Is not incremented during retransmissions.
Num CCR Update Success	64-bit counter	Number of successful CCR Update attempts. Is incremented when DIAMETER peer responds CCA-I with success result code for an initial or retransmitted CCR-I.
Num CCR Update Failure	64-bit counter	Number of failed CCR Update attempts. Is incremented when DIAMETER peer responds CCA-I with other than success result code for and initial or retransmitted CCR-I.
Num CCA Update 3xxx	64-bit counter	Number of failed CCR Update attempts due to 3xxx error
Num CCR Update Timeout	64-bit counter	Number of CCR Update attempts that timed out. Is incremented only after attempting all retransmissions without any response from peer.
Num CCR Update Aborted	64-bit counter	Number of CCR Update attempts that were aborted due to response received from another peer
Num CCA Update Delayed Success	64-bit counter	Number of CCA Update successes that were received after the request had been re-transmitted to another server
Num CCA Update Delayed Failure	64-bit counter	Number of CCA Update failures that were received after the request had been re-transmitted to another server
Num CCA Update Delayed 3xxx	64-bit counter	Number of CCA Update 3xxx error that were received after the request had been re-transmitted to another server
Num CCA Update Rcvd First Attempt	64-bit counter	Number of CCA Update requests for which response was received when first transmitted (no retransmissions were needed).
Num CCA Update Rcvd ReTx	64-bit counter	Number of CCR Update Requests for which response was received when message was retransmitted
Num CCR Terminate Attempted	64-bit counter	Number of CCR Terminate attempts made. Is not incremented during retransmissions.
Num CCR Terminate Success	64-bit counter	Number of successful CCR Terminate attempts. Is incremented when DIAMETER peer responds CCA-I with success result code for an initial or retransmitted CCR-I.

Table 1-26 DIAMETER Peer Statistics

DIAMETERSTATSPEER	Type	Description
Num CCR Terminate Failure	64-bit counter	Number of failed CCR Terminate attempts. Is incremented when DIAMETER peer responds CCA-I with other than success result code for an initial or retransmitted CCR-I.
Num CCR Terminate 3xxx	64-bit counter	Number of failed CCR Terminate attempts due to 3xxx error
Num CCR Terminate Timeout	64-bit counter	Number of CCR Terminate attempts that timed out. Is incremented only after attempting all re-transmissions without any response from peer.
Num CCR Terminate Aborted	64-bit counter	Number of CCR Terminate attempts that were aborted due to response received from another peer
Num CCA Terminate Delayed Success	64-bit counter	Number of CCA Terminate successes that were received after the request had been re-transmitted to another server
Num CCA Terminate Delayed Failure	64-bit counter	Number of CCA Terminate failures that were received after the request had been re-transmitted to another server
Num CCA Terminate Delayed 3xxx	64-bit counter	Number of CCA Terminate 3xxx errors that were received after the request had been re-transmitted to another server
Num CCA Terminate Rcvd First Attempt	64-bit counter	Number of CCA Terminate requests for which response was received when first transmitted (no retransmissions were needed)
Num CCA Terminate Rcvd ReTx	64-bit counter	Number of CCR Terminate Requests for which response was received when message was retransmitted
Num CCR Terminate Stored For Replay	64-bit counter	Number of CCR Terminate Requests stored in OFC framework when the link is down (to be replayed to the server when the link is restored).
Num Diameter Sessions	64-bit gauge	Number of subscribers using the DIAMETER connection
Num CCR Terminate Replay	64-bit counter	Number of CCR Terminate Requests that were replayed by the OFC framework
Num CCR Terminate Replay Retransmitted	64-bit counter	Number of CCR Terminate Requests that were replayed more than once by OFC framework
Num CCR Terminate Replay Success	64-bit counter	Number of CCR Terminate Requests that were replayed by the OFC framework and were successful

Table 1-26 DIAMETER Peer Statistics

DIAMETERSTATSPEER	Type	Description
Num CCR Terminate Replay Failure	64-bit counter	Number of CCR Terminate Requests that were replayed by the OFC framework and failed
Num ACR Start Attempted	64-bit counter	Number of ACR Start attempts made. Is not incremented for during retransmissions.
Num ACR Start Success	64-bit counter	Number of successful ACR Start requests. Is incremented when GZ peer responds with ACA with success result code for an initial or retransmitted ACR Start.
Num ACR Start Failure	64-bit counter	Number of failed ACR Start requests. Is incremented when GZ peer responds with ACA with result code other than success for an initial or retransmitted ACR Start.
Num ACR Start ReTx	64-bit counter	Number of retransmitted ACR Start requests
Num ACR Interim Attempted	64-bit counter	Number of ACR Interim attempts made. Is not incremented during retransmissions.
Num ACR Interim Success	64-bit counter	Number of successful ACR Interim requests. Is incremented when GZ peer responds with ACA with success result code for an initial or retransmitted ACR Interim.
Num ACR Interim Failure	64-bit counter	Number of failed ACR Interim requests. Is incremented when GZ peer responds with ACA with result code other than success for an initial or retransmitted ACR Interim.
Num ACR Interim ReTx	64-bit counter	Number of retransmitted ACR Interim requests
Num ACR Stop Attempted	64-bit counter	Number of ACR Stop attempts made. Is not incremented for during retransmissions.
Num ACR Stop Success	64-bit counter	Number of successful ACR Stop requests. Is incremented when GZ peer responds with ACA with success result code for an initial or retransmitted ACR Terminate.
Num ACR Stop Failure	64-bit counter	Number of failed ACR Stop requests. Is incremented when GZ peer responds with ACA with result code other than success for an initial or retransmitted ACR Terminate.
Num ACR Stop ReTx	64-bit counter	Number of retransmitted ACR Stop requests.
Num ACR Event Attempted	64-bit counter	Number of ACR Event attempts made. Is not incremented for during retransmissions.

Table 1-26 DIAMETER Peer Statistics

DIAMETERSTATSPEER	Type	Description
Num ACR Event Success	64-bit counter	Number of successful ACR Event requests. Is incremented when GZ peer responds with ACA with success result code for an initial or retransmitted ACR Event.
Num ACR Event Failure	64-bit counter	Number of failed ACR Event requests. Is incremented when GZ peer responds with ACA with result code other than success for first time or retransmitted ACR Event.
Num ACR Event ReTx	64-bit counter	Number of retransmitted ACR Event requests
Num AAR Initial Attempted	64-bit counter	Number of AAR Initial attempts made
Num AAR Initial Success	64-bit counter	Number of successful AAR Initial attempts
Num AAR Initial Failure	64-bit counter	Number of failed AAR Initial attempts
Num AAR Initial Timeout	64-bit counter	Number of AAR Initial attempts that timed out
Num AAA Initial Rcvd First Attempt	64-bit counter	Number of AAR Initial requests for which response was received when first transmitted
Num AAA Initial Rcvd ReTx	64-bit counter	Number of AAR Initial Requests for which response was received when message was retransmitted
Num STR Attempted	64-bit counter	Number of STR attempts made
Num STR Success	64-bit counter	Number of successful STR attempts
Num STR Failure	64-bit counter	Number of failed STR attempts
Num STR Timeout	64-bit counter	Number of STR attempts that timed out
Num STA Rcvd First Attempt	64-bit counter	Number of STR requests for which response was received when first transmitted
Num STA Rcvd ReTx	64-bit counter	Number of STR Requests for which response was received when message was retransmitted
Num Handoff AAR Attempted	64-bit counter	Number of Handoff AAR attempts made
Num Handoff AAR Success	64-bit counter	Number of successful Handoff AAR attempts
Num Handoff AAR Failure	64-bit counter	Number of failed Handoff AAR attempts
Num Handoff AAR Timeout	64-bit counter	Number of Handoff AAR attempts that timed out
Num Handoff AAA Rcvd First Attempt	64-bit counter	Number of Handoff AAR requests for which response was received when first transmitted

Table 1-26 DIAMETER Peer Statistics

DIAMETERSTATSPEER	Type	Description
Num Handoff AAA Rcvd ReTx	64-bit counter	Number of Handoff AAR Requests for which response was received when message was retransmitted
Num Server Init AAR Attempted	64-bit counter	Number of RAR Initiated AAR attempts made
Num Server Init AAR Success	64-bit counter	Number of successful RAR Initiated AAR attempts
Num Server Init AAR Failure	64-bit counter	Number of failed RAR Initiated AAR attempts
Num Server Init AAR Timeout	64-bit counter	Number of RAR Initiated AAR attempts that timed out
Num Server Init AAA Rcvd First Attempt	64-bit counter	Number of RAR Initiated AAR requests for which response was received when first transmitted
Num Server Init AAA Rcvd ReTx	64-bit counter	Number of RAR Initiated AAR Requests for which response was received when message was retransmitted
Num DER Initial Attempted	64-bit counter	Number of initial authentication DER attempts
Num DER Initial Success	64-bit counter	Number of initial authentication DER that succeeded
Num DER Initial Failure	64-bit counter	Number of initial authentication DER attempts that failed
Num DER Initial Timeout	64-bit counter	Number of initial authentication DER attempts that timed out
Num DER Initial Challenge	64-bit counter	Number of initial authentication DER requests sent with challenge
Num DER Initial Notification	64-bit counter	Number of initial authentication DER requests sent with notification
Num DER ReAuth Attempted	64-bit counter	Number of re-authentication DER attempts made
Num DER ReAuth Success	64-bit counter	Number of re-authentication DER attempts that succeeded
Num DE RRe Auth Failure	64-bit counter	Number of re-authentication DER attempts that failed
Num DER ReAuth Timeout	64-bit counter	Number of re-authentication DER attempts that timed out
Num DER ReAuth Challenge	64-bit counter	Number of re-authentication DER attempts sent with Challenges

Table 1-26 DIAMETER Peer Statistics

DIAMETERSTATSPEER	Type	Description
Num DER ReAuth Notification	64-bit counter	Number of re-authentication DER attempts sent with Notification
Num Rar Rcvd	64-bit counter	Number of Diameter RAR request received
Num Rar Failure	64-bit counter	Number of Diameter RAR failed as sessions no longer exist
Num Asr Rcvd	64-bit counter	Number of Diameter ASR request received
Num Asr Failure	64-bit counter	Number of Diameter ASR failed as sessions no longer exist
Num CCA Initial Dropped Bad Sequence Number	64-bit counter	Number of CCA Initial that were dropped due to unexpected sequence number in the response received from the peer
Num CCA Initial Dropped No Session	64-bit counter	Number of CCA Initial that were dropped due to session not found
Num CCA Initial Dropped No Transaction	64-bit counter	Number of CCA Initial that were dropped due to no matching transaction
Num CCA Update Dropped Bad Sequence Number	64-bit counter	Number of CCA Update that were dropped due to unexpected sequence number in the response received from the peer
Num CCA Update Dropped No Session	64-bit counter	Number of CCA Update that were dropped due to session not found
Num CCA Update Dropped No Transaction	64-bit counter	Number of CCA Update that were dropped due to no matching transaction
Num CCA Terminate Dropped Bad Sequence Number	64-bit counter	Number of CCA Terminate that were dropped due to unexpected sequence number in the response received from the peer
Num CCA Terminate Dropped No Session	64-bit counter	Number of CCA Terminate that were dropped due to session not found
Num CCA Terminate Dropped No Transaction	64-bit counter	Number of CCA Terminate that were dropped due to no matching transaction
Num Rar Received	32-bit counter	Number of RAR messages received from peer
Num Raa Success	32-bit counter	Number of RAA success messages sent to peer
Num Raa Failures	32-bit counter	Number of RAA failure messages sent to peer
Num Raa Failures Unknown Session	32-bit counter	Number of RAA failure messages due to unknown session sent to peer
Num Raa Failures Missing AVP	32-bit counter	Number of RAA failure messages due to missing AVPs sent to peer

Table 1-26 DIAMETER Peer Statistics

DIAMETERSTATSPEER	Type	Description
Num Raa Failures Realm Not Served	32-bit counter	Number of RAA failure messages sent to peer due to Destination Realm in RAR not being recognized
Num Raa Failures Unable To Deliver	32-bit counter	Number of RAA failure messages sent to peer due to Destination Host in RAR not being found
Num Raa Failures Too Busy	32-bit counter	Number of RAA failure messages sent to peer due to Gateway too busy to process RAR
Num Times Peer Deactivated	64-bit counter	Number of Times the peer went down
Num Times Peer Flow Off Received	64-bit counter	Number of Times flow-off received for peer
Num CCA Initial 4xxx	64-bit counter	Number of CCA Initial received with 4xx error
Num CCA Initial 5xxx	64-bit counter	Number of CCA Initial received with 5xx error
Num CCA Update 4xxx	64-bit counter	Number of failed CCA Update received with 4xx error
Num CCA Update 5xxx	64-bit counter	Number of failed CCA Update received with 5xx error
Num CCA Terminate 4xxx	64-bit counter	Number of failed CCA Terminate received with 4xx error
Num CCA Terminate 5xxx	64-bit counter	Number of failed CCA Terminate received with 5xx error
Num Authorization Lifetimer Initiated Reauth Aar Attempted	64-bit counter	Number of Authorization-Lifetime timer Initiated AAR attempts made
Num Authorization Lifetimer Initiated Reauth Aar Success	64-bit counter	Number of Authorization-Lifetime timer Initiated AAR success
Num Authorization Lifetimer Initiated Reauth Aar Failure	64-bit counter	Number of Authorization-Lifetime timer Initiated AAR failure
Num Authorization Lifetimer Initiated Reauth Aar Timeout	64-bit counter	Number of Authorization-Lifetime timer Initiated AAR attempts that timed out
Num Authorization Lifetimer Initiated Reauth Aaa Rcvd First Attempt	64-bit counter	Number of Authorization-Lifetime timer Initiated AAR requests for which response was received when first transmitted
Num Authorization Lifetimer Initiated Reauth Aaa Rcvd Retx	64-bit counter	Number of Authorization-Lifetime timer Initiated AAR requests for which response was received when retransmitted
Num Auth Grace Period Initiated Reauth Aar Attempted	64-bit counter	Number of Auth-Grace-Period timer Initiated AAR attempts made

Table 1-26 DIAMETER Peer Statistics

DIAMETERSTATSPEER	Type	Description
Num Auth Grace Period Initiated Reauth Aar Success	64-bit counter	Number of Auth-Grace-Period timer Initiated AAR attempts success
Num Auth Grace Period Initiated Reauth Aar Failure	64-bit counter	Number of Auth-Grace-Period timer Initiated AAR attempts failure
Num Auth Grace Period Initiated Reauth Aar Timeout	64-bit counter	Number of Auth-Grace-Period timer Initiated AAR attempts that times out
Num Auth Grace Period Initiated Reauth Aaa Rcvd First Attempt	64-bit counter	Number of Auth-Grace-Period timer Initiated AAR attempts for which response was received when first transmitted
Num Auth Grace Period Initiated Reauth Aaa Rcvd Retx	64-bit counter	Number of Auth-Grace-Period timer Initiated AAR attempts or which response was received when message was retransmitted
Num ACR Start Timeout	64-bit counter	Number of ACR Start timeouts
Num ACR Start Aborted	64-bit counter	Number of ACR Start requests aborted due to response received from another peer
Num ACR Start Delayed Success	64-bit counter	Number of ACR Start Success Responses received late - transaction was completed or the request was sent to a different server
Num ACR Start Delayed Failure	64-bit counter	Number of ACR Start Failure Responses received late - transaction was completed or the request was sent to a different server
Num ACR Start Dropped	64-bit counter	Number of ACR Start requests dropped
Num ACR Start Write To Disk	64-bit counter	Number of ACR Start write to disk after failed to send to OFCS Server
Num ACR Interim Timeout	64-bit counter	Number of ACR Interim timeouts
Num ACR Interim Aborted	64-bit counter	Number of ACR Interim requests aborted due to response received from another peer
Num ACR Interim Delayed Success	64-bit counter	Number of ACR Interim Success Responses received late - transaction was completed or the request was sent to a different server
Num ACR Interim Delayed Failure	64-bit counter	Number of ACR Interim Failure Responses received late - transaction was completed or the request was sent to a different server
Num ACR Interim Dropped	64-bit counter	Number of ACR Interim requests dropped
Num ACR Interim Write To Disk	64-bit counter	Number of ACR Interim write to disk after failed to send to OFCS Server
Num ACR Stop Timeout	64-bit counter	Number of ACR Stop timeouts

Table 1-26 DIAMETER Peer Statistics

DIAMETERSTATSPEER	Type	Description
Num ACR Stop Aborted	64-bit counter	Number of ACR Stop requests aborted due to response received from another peer
Num ACR Stop Delayed Success	64-bit counter	Number of ACR Stop Success Responses received late - transaction was completed or the request was sent to a different server
Num ACR Stop Delayed Failure	64-bit counter	Number of ACR Stop Failure Responses received late - transaction was completed or the request was sent to a different server
Num ACR Stop Dropped	64-bit counter	Number of ACR Stop requests dropped
Num ACR Stop Write To Disk	64-bit counter	Number of ACR Stop write to disk after failed to send to OFCS Server
Num ACR Event Timeout	64-bit counter	Number of ACR Event timeouts
Num ACR Event Aborted	64-bit counter	Number of ACR Event requests aborted due to response received from another peer
Num ACR Event Delayed Success	64-bit counter	Number of ACR Event Success Responses received late - transaction was completed or the request was sent to a different server
Num ACR Event Delayed Failure	64-bit counter	Number of ACR Event Failure Responses received late - transaction was completed or the request was sent to a different server
Num ACR Event Dropped	64-bit counter	Number of ACR Event requests dropped
Num ACR Event Write To Disk	64-bit counter	Number of ACR Event write to disk after failed to send to OFCS Server
Num ACR Write To Disk Failure	64-bit counter	Number of ACR Event write to disk failure
Num CCR Event Tx	64-bit counter	Number of CCR Event requests that have been transmitted
Num CCA Event Rx	64-bit counter	Number of CCA Event requests that have been received
Num CCR Event Timeout	64-bit counter	Number of CCR Event requests that have timed out
Num STR Retransmission	64-bit counter	Number of STR retransmission
Num DER Retransmission	64-bit counter	Number of initial authentication DER retransmission
Num CCA Pending Transaction	64-bit counter	Number of CCA received with experimental result code pending transaction
Num RAA Pending Transaction	64-bit counter	Number of RAA with experimental result code pending transaction

Table 1-26 DIAMETER Peer Statistics

DIAMETERSTATSPEER	Type	Description
Num STR Drop By Poc	64-bit counter	Number of STR Requests not sent as a result of peer overload control
Num STR Redirect	64-bit counter	Number of STR Requests redirected
Num RAR Init AAR Drop By Poc	64-bit counter	Number of RAR initiated AAR Requests not sent as a result of peer overload control
Num RAR Init AAR Redirect	64-bit counter	Number of RAR initiated AAR Requests redirected
Num DER Initial Drop By Poc	64-bit counter	Number of initial authentication DER Requests not sent as a result of peer overload control
Num DER Initial Redirect	64-bit counter	Number of initial authentication DER Requests redirected
Num DER ReAuth Drop By Poc	64-bit counter	Number of re-authentication DER Requests not sent as a result of peer overload control
Num DER ReAuth Redirect	64-bit counter	Number of re-authentication DER Requests redirected
Num Auth Lifetimer Init AAR Drop By Poc	64-bit counter	Number of authorization-lifetime initiated AAR Requests not sent as a result of peer overload control
Num Auth Lifetimer Init AAR Redirect	64-bit counter	Number of authorization-lifetime initiated AAR Requests redirected
Num AAR Aborted	64-bit counter	Number of AAR attempts that were aborted due to response received from another peer
Num RAA Send Failure	64-bit counter	Number of RAA messages failed to send to peer
Num RAA Failures App Unsupported	64-bit counter	Number of RAA failure messages due to unknown application ID sent to peer
Num RAA Failures Auth Rejected	64-bit counter	Number of RAA failure messages due to authentication rejection sent to peer
Num Command Unsupported	64-bit counter	Number of received response with result code 3001
Num Unable To Deliver	64-bit counter	Number of received response with result code 3002
Num Realm Not Served	64-bit counter	Number of received response with result code 3003
Num Too Busy	64-bit counter	Number of received response with result code 3004

Table 1-26 DIAMETER Peer Statistics

DIAMETERSTATSPEER	Type	Description
Num Loop Detected	64-bit counter	Number of received response with result code 3005
Num Redirect Indication	64-bit counter	Number of received response with result code 3006
Num Application Unsupported	64-bit counter	Number of received response with result code 3007
Num Invalid Hdr Bits	64-bit counter	Number of received response with result code 3008
Num Invalid Avp Bits	64-bit counter	Number of received response with result code 3009
Num Unknown Peer	64-bit counter	Number of received response with result code 3010
Num Authentication Rejected	64-bit counter	Number of received response with result code 4001
Num Out Of Space	64-bit counter	Number of received response with result code 4002
Num Election Lost	64-bit counter	Number of received response with result code 4003
Num Avp Unsupported	64-bit counter	Number of received replies with result code 5001
Num Unknown SessionId	64-bit counter	Number of received replies with result code 5002
Num Authorization Rejected	64-bit counter	Number of received replies with result code 5003
Num InvalidAvp Value	64-bit counter	Number of received replies with result code 5005
Num Missing Avp	64-bit counter	Number of received replies with result code 5005
NumResourcesExceeded	64-bit counter	Number of received replies with result code 5006
NumContradictingAvps	64-bit counter	Number of received replies with result code 5007
NumAvpNotAllowed	64-bit counter	Number of received replies with result code 5008
NumOccursTooManyTimes	64-bit counter	Number of received replies with result code 5009

Table 1-26 DIAMETER Peer Statistics

DIAMETERSTATSPEER	Type	Description
NumNoCommonApplication	64-bit counter	Number of received replies with result code 5010
NumUnableToComply	64-bit counter	Number of received replies with result code 5012
NumInvalidBitInHdr	64-bit counter	Number of received replies with result code 5013
NumInvalidAvpLength	64-bit counter	Number of received replies with result code 5014
NumInvalidMessageLength	64-bit counter	Number of received replies with result code 5015
NumInvalidAvpBitCombo	64-bit counter	Number of received replies with result code 5016
NumNoCommonSecurity	64-bit counter	Number of received replies with result code 5017
NumUserUnknown	64-bit counter	Number of received response with experiment-result code 5001
NumRoamingNotAllowed	64-bit counter	Number of received replies with experiment-result code 5004
NumIdentityAlreadyRegistered	64-bit counter	Number of received replies with experiment-result code 5005
NumOverloadRetryNotAllowed	64-bit counter	Number of received replies with experiment-result code 5198
NumUnknownEpsSubscription	64-bit counter	Number of received replies with experiment-result code 5420
NumUserNoNonGppSubscription	64-bit counter	Number of received replies with experiment-result code 5450
NumUserNoApnSubscription	64-bit counter	Number of received replies with experiment-result code 5451
NumRatTypeNotAllowed	64-bit counter	Number of received replies with experiment-result code 5452
NumLateOverlappingRequest	64-bit counter	Number of received replies with experiment-result code 5453
NumTimedOutRequest	64-bit counter	Number of received replies with experiment-result code 5454
numAuthLifetimerInitAARRetry	64-bit counter	Number of Authorization-Lifetime AAR retransmits

Table 1-26 DIAMETER Peer Statistics

DIAMETERSTATSPEER	Type	Description
numAuthGraceTmrInitAARRetry	64-bit counter	Number of Auth-Grace-Period AAR retransmits
numTsrReceived	64-bit counter	Number of TSR messages received from peer
numTsaSuccess	64-bit counter	Number of TSR success messages sent to peer
numTsaFailures	64-bit counter	Number of TSR failures
numAAAInitialDelayedSuccess	64-bit counter	Number of AAA Initial success which were received after the request has been re-transmitted to another server
numAAAInitialDelayedFailure	64-bit counter	Number of AAA Initial failures which were received after the request has been re-transmitted to another server
numAAAInitialDelayed3xxx	64-bit counter	Number of delayed AAA Initial 3xxx error which were received after the request has been re-transmitted to another server

EDR Bearer Statistics

Table 1-27 EDR Bearer Statistics

EDR_BEARER_STATS	Type	Description
Bearer Start Success	64-bit counter	Number of Bearer START record success
Bearer Stop Success	64-bit counter	Number of Bearer STOP record success
Bearer Attempt Success	64-bit counter	Number of Bearer ATTEMPT record success
Bearer Interim Success	64-bit counter	Number of Bearer INTERIM record success
Bearer Start Failed	64-bit counter	Number of Bearer START record failure
Bearer Stop Failed	64-bit counter	Number of Bearer STOP record failure
Bearer Attempt Failed	64-bit counter	Number of Bearer ATTEMPT record failure
Bearer Interim Failed	64-bit counter	Number of Bearer INTERIM record failure

EDR Flow Statistics

Table 1-28 EDR Flow Statistics

EDR_FLOW_STATS	Type	Description
Flow Start Success	64-bit counter	Number of Flow START record success
Flow Stop Success	64-bit counter	Number of Flow STOP record success
Flow Interim Success	64-bit counter	Number of Flow INTERIM record success
Flow Start Failed	64-bit counter	Number of Flow START record failure
Flow Stop Failed	64-bit counter	Number of Flow STOP record failure
Flow Interim Failed	64-bit counter	Number of Flow INTERIM record failure

EDR HTTP Statistics

Table 1-29 EDR HTTP Statistics

EDR_HTTP_STATS	Type	Description
HTTP Success	64-bit counter	Number of HTTP success
HTTP Failed	64-bit counter	Number of HTTP failure

EDR Pilot Statistics

Table 1-30 EDR Pilot Statistics

EDR_PILOT_STATS	Type	Description
Pilot Start Success	64-bit counter	Number of Pilot start success
Pilot Stop Success	64-bit counter	Number of Pilot stop success
Pilot NAT Binding Start Success	64-bit counter	Number of Pilot NAT binding start success
Pilot NAT Binding Stop Success	64-bit counter	Number of Pilot NAT binding stop success
Pilot RAT Type Change Success	64-bit counter	Number of Pilot RAT type change success
Pilot Start Failed	64-bit counter	Number of Pilot start failed
Pilot Stop Failed	64-bit counter	Number of Pilot stop failed

Table 1-30 EDR Pilot Statistics

EDR_PILOT_STATS	Type	Description
Pilot NAT Binding Start Failed	64-bit counter	Number of Pilot NAT binding start failed
Pilot NAT Binding Stop Failed	64-bit counter	Number of Pilot NAT binding stop failed
Pilot RAT Type Change Failed	64-bit counter	Number of Pilot RAT type change failed

EDR RTT Statistics

Table 1-31 EDR RTT Statistics

EDR_RTT_STATS	Type	Description
RTT GTP S5 Success	64-bit counter	Number of RTT GTP S5 records sent successfully
RTT GTP S8 Success	64-bit counter	Number of RTT GTP S8 records sent successfully
RTT GTP S11 Success	64-bit counter	Number of RTT GTP S11 records sent successfully
RTT GTP S4 Success	64-bit counter	Number of RTT GTP S4 records sent successfully
RTT GTP S2a Success	64-bit counter	Number of RTT GTP S2a records sent successfully
RTT GTP S2v Success	64-bit counter	Number of RTT GTP S2b records sent successfully
RTT GTP Gn Success	64-bit counter	Number of RTT GTP Gn records sent successfully
RTT GTP Gp Success	64-bit counter	Number of RTT GTP GpP records sent successfully
RTT Diameter Gx Success	64-bit counter	Number of RTT Diameter Gx records sent successfully
RTT Diameter Gy Success	64-bit counter	Number of RTT Diameter Gy records sent successfully
RTT Diameter S6B Success	64-bit counter	Number of RTT Diameter S6B records sent successfully
RTT GTP S5 Failed	64-bit counter	Number of RTT GTP S5 records failed
RTT GTP S8 Failed	64-bit counter	Number of RTT GTP S8 records failed
RTT GTP S11 Failed	64-bit counter	Number of RTT GTP S11 records failed

Table 1-31 EDR RTT Statistics

EDR_RTT_STATS	Type	Description
RTT GTP S4 Failed	64-bit counter	Number of RTT GTP S4 records failed
RTT GTP S2a Failed	64-bit counter	Number of RTT GTP S2a records failed
RTT GTP S2b Failed	64-bit counter	Number of RTT GTP S2b records failed
RTT GTP Gn Failed	64-bit counter	Number of RTT GTP Gn records failed
RTT GTP Gp Failed	64-bit counter	Number of RTT GTP Gp records failed
RTT diameter Gx Failed	64-bit counter	Number of RTT Diameter Gx records failed
RTT Diameter Gy Failed	64-bit counter	Number of RTT Diameter Gy records failed
RTT Diameter S6b Failed	64-bit counter	Number of RTT Diameter S6b records failed
RTT Diameter SWm Success	64-bit counter	Number of RTT Diameter SWm records sent successfully
RTT IKE SWu Success	64-bit counter	Number of RTT IKE SWu records sent successfully
RTT Diameter SWm Failed	64-bit counter	Number of RTT Diameter SWm records failed
RTT IKE SWu Failed	64-bit counter	Number of RTT IKE SWu records failed

EDR Server Statistics

Table 1-32 EDR Server Statistics

EDR_SERVER_STATS	Type	Description
Records Success	64-bit counter	Number of records sent successfully
Bytes Success	64-bit counter	Number of bytes sent successfully
Records Failed	64-bit counter	Number of records failed
Bytes Failed	64-bit counter	Number of bytes sent failed
Connects	64-bit counter	Number of times connected

EDR Session Statistics

Table 1-33 EDR Session Statistics

EDR_SESSION_STATS	Type	Description
Session Start Success	64-bit counter	Number of Session START record success
Session Stop Success	64-bit counter	Number of Session STOP record success
Session Attempt Success	64-bit counter	Number of Session ATTEMPT record success
Session Interim Success	64-bit counter	Number of Session INTERIM record success
Session Start Failed	64-bit counter	Number of Session START record failure
Session Stop Failed	64-bit counter	Number of Session STOP record failure
Session Attempt Failed	64-bit counter	Number of Session ATTEMPT record failure
Session Interim Failed	64-bit counter	Number of Session INTERIM record failure

Evolved Packet Data Gateway Access Point Name Call Performance Statistics

***Note:** These statistics are displayed when at least one ePDG APN is configured and running.*

Table 1-34 Evolved Packet Data Gateway Access Point Name Call Performance Statistics

EPDGAPNCALLPERFSTATSGRID EPDGAPNCALLPERFSTATSCHASSIS EPDGAPNCALLPERFSTATSSLOT	Type	Description
Current Sessions	32-bit gauge	Current number of sessions
Bearers	32-bit gauge	Current number of bearers
Create Session Attempt	32-bit counter	Total number of create session attempts
Create Session Accept	32-bit counter	Total number of create session attempts accepted
Create Session Reject	32-bit counter	Total number of create session attempts rejected
Create Session Timeout	32-bit counter	Total number of create session attempts timeout
Create Session Reject Malformed Request	32-bit counter	Total number of create session attempts rejected - malformed request
Create Session Reject Unknown Apn	32-bit counter	Total number of create session attempts rejected - unknown APN
Create Session Reject Resource Unavailable	32-bit counter	Total number of create session attempts rejected - resources unavailable
Create Session Reject Service Not Supported	32-bit counter	Total number of create session attempts rejected - service not supported
Create Session Reject System Failure	32-bit counter	Total number of create session attempts rejected - system failure
Create Session Reject Misc	32-bit counter	Total number of create session attempts rejected - unclassified
Delete Session Attempt	32-bit counter	Total number of delete session attempts received
Delete Session Accept	32-bit counter	Total number of delete session attempts accepted

Table 1-34 Evolved Packet Data Gateway Access Point Name Call Performance Statistics

EPDGAPNCALLPERFSTATSGRID EPDGAPNCALLPERFSTATSCHASSIS EPDGAPNCALLPERFSTATSSLOT	Type	Description
Delete Session Reject	32-bit counter	Total number of delete session attempts rejected
Local Close Attempts	32-bit counter	Total number of session close attempts initiated internally
Local Close Attempts Accepted	32-bit counter	Total number of internally initiated session closes that were acted upon
Idle Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to IDLE duration time exceeded
Maximal Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to MAXIMAL duration time exceeded
Operator Initiated Closes	32-bit counter	Total number of operator initiated sessions close attempts
Active Current Sessions	32-bit gauge	Current number of active sessions
Idle Current Sessions	32-bit gauge	Current number of idle sessions
Interval Peak Current Sessions	32-bit maximum	Interval Peak number of sessions
Interval Peak Active Current Sessions	32-bit maximum	Interval Peak number of active sessions
Interval Peak Idle Current Sessions	32-bit maximum	Interval Peak number of idle sessions
Dhcp Release Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP release
Dhcp Timeout Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address allocation timeout
Dhcp Lease Expiry Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address lease expiry
Duplicate Session Local Close Attempts	32-bit counter	Total number of local close attempts due to duplicate session
Await CoA Timeout Attempts Local Close Attempts	32-bit counter	Total number of local close attempts due to no CoA received within the configured timeout
Uplink Packets	64-bit counter	Total number of uplink packets received
Uplink Bytes	64-bit counter	Total number of uplink bytes received
Uplink Drop Packets	64-bit counter	Total number of uplink packets dropped
Uplink Drop Bytes	64-bit counter	Total number of uplink bytes dropped
Downlink Packets	64-bit counter	Total number of downlink packets received

Table 1-34 Evolved Packet Data Gateway Access Point Name Call Performance Statistics

EPDGAPNCALLPERFSTATSGRID EPDGAPNCALLPERFSTATSCHASSIS EPDGAPNCALLPERFSTATSSLOT	Type	Description
Downlink Bytes	64-bit counter	Total number of downlink bytes received
Downlink Drop Packets	64-bit counter	Total number of downlink packets dropped
Downlink Drop Bytes	64-bit counter	Total number of downlink bytes dropped
Number ePDG Auth Attempts Sent	64-bit counter	Total number of Initial Authentication or Authorization requests sent
Number ePDG Challenge Received	64-bit counter	Total number of Initial Authentication or Authorization Challenges received
Number ePDG Auth Success	64-bit counter	Total number of Initial Authentications or Authorizations successful
Number ePDG Auth Failures	64-bit counter	Total number of Initial Authentications and Authorizations Failed
Number ePDG EAP Attempts	64-bit counter	Total number of EAP requests sent to AAA server
Number ePDG EAP Success	64-bit counter	Total number of EAP successes received from AAA server
Number ePDG EAP Failures	64-bit counter	Total number of EAP failures received from AAA server
Number ePDG UE Reauth Attempts	64-bit counter	Total number of UE initiated re-Authentications or re-Authorizations received
Number ePDG UE Reauth Challenges	64-bit counter	Total number of UE initiated re-Authentication challenges received
Number ePDG UE Reauth Success	64-bit counter	Total number of UE initiated re-Authentication or re-Authorization successes
Number ePDG UE Reauth Failures	64-bit counter	Total number of UE initiated re-Authentication or re-Authorization failures
Number ePDG AAA Reauth Attempts	64-bit counter	Total number of server initiated re-Authentications or re-Authorizations received
Number ePDG AAA Reauth Challenges	64-bit counter	Total number of server initiated re-Authentication challenges received
Number ePDG AAA Reauth Success	64-bit counter	Total number of server initiated re-Authentication or re-Authorization successes
Number ePDG AAA Reauth Failures	64-bit counter	Total number of server initiated re-Authentication or re-Authorization failures

Table 1-34 Evolved Packet Data Gateway Access Point Name Call Performance Statistics

EPDGAPNCALLPERFSTATSGRID EPDGAPNCALLPERFSTATSCHASSIS EPDGAPNCALLPERFSTATSSLOT	Type	Description
Number ePDG UE Initiated Termination	64-bit counter	Total number of UE initiated terminations
Number ePDG AAA Initiated Termination	64-bit counter	Total number of server initiated terminations
Number ePDG Pgw Initiated Termination	64-bit counter	Total number of P-GW initiated terminations
Number of EAP Success	64-bit counter	Second Authentication EAP Success
Number of EAP Fail	64-bit counter	Second Authentication EAP Failure
Number of EAP Packets Received:	64-bit counter	Second Authentication EAP Packets Received
Number of EAP Parse Errors	64-bit counter	Second Authentication EAP parse errors
Number of Unhandled EAP Packets	64-bit counter	Second Authentication unhandled EAP packets
Number of EAP Identity Response Handled	64-bit counter	Second Authentication EAP Identity Responses Received
Number of EAP GTC Responses Received	64-bit counter	Second Authentication GTC Responses Received
Number of EAP GTC Requests Sent:	64-bit counter	Second Authentication GTC Requests Sent
Number of Delete Dropped	64-bit counter	Number of delete dropped
Number of DNS Attempts	64-bit counter	DNS request attempts
Number of DNS Send Success	64-bit counter	DNS request success
Number of DNS Send Failed No Config	64-bit counter	DNS request send failed - no DNS configuration
Number of DNS Failed Misc	64-bit counter	DNS request send failed - miscellaneous
Number of DNS Responses	64-bit counter	DNS response - total received
Number of DNS Response Success	64-bit counter	DNS response success
Number of DNS Response Fail No Response	64-bit counter	DNS response failed - no response from server
Number of DNS Response Fail No Name	64-bit counter	DNS response failed - domain name not found
Number of DNS Response Fail No Data	64-bit counter	DNS response failed - no data
Number of DNS Response Fail Misc	64-bit counter	DNS response failed - miscellaneous
Number of IPSec Session Per Subscriber	64-bit gauge	Average number of IPSec sessions per subscriber
Number of IPv4 Sessions	64-bit gauge	Number of IPv4 Sessions

Table 1-34 Evolved Packet Data Gateway Access Point Name Call Performance Statistics

EPDGAPNCALLPERFSTATSGRID EPDGAPNCALLPERFSTATSCHASSIS EPDGAPNCALLPERFSTATSSLOT	Type	Description
Number of IPv6 Sessions	64-bit gauge	Number of IPv6 Sessions
Number of IPv4v6 Sessions	64-bit gauge	Number of IPv4v6 Sessions
Number of IPSec Security Associations	64-bit counter	Number of completed IPSec security associations
Number of IPSec Sessions	64-bit counter	Number of completed IPSec sessions
IPSec Session Duration Per Subscriber	64-bit gauge	IPSec session duration per subscriber (seconds)
Average Time Involved in Handover per UE	64-bit counter	Average time involved in handover to WiFi per UE (milliseconds)
Average Number IPSec Rekey	64-bit gauge	Average number of Rekey events
Number of UE Handover Attempts	64-bit counter	Number of UE handover attempts to WiFi
Number of UE Handover Success	64-bit counter	Number of successful UE handovers to WiFi
Number of UE Handover Failed	64-bit counter	Number of failed UE handovers to WiFi
Number of UE Handovers To 3gpp	64-bit counter	Number of successful UE handovers from Wifi to 3GPP
Number of Error Indications Processed	32-bit counter	Total number of error indications processed
Local Close Received Error Indication Attempts	32-bit counter	Total number of local close attempts due to receipt of error indication
Number of Error Indication Bearer Deactivation	32-bit counter	Total number of dedicated bearer deactivations due to receipt of error indication
Create Bearer Attempts from Pgw	32-bit counter	Total number of create bearer requests received
Create Bearer Accepts to Pgw	32-bit counter	Total number of create bearer requests accepted
Create Bearer Rejects to Pgw	32-bit counter	Total number of create bearer requests rejected
Delete Bearer Attempts from Pgw	32-bit counter	Total number of delete bearer requests received
Delete Bearer Accepts to Pgw	32-bit counter	Total number of delete bearer requests accepted
Delete Bearer Rejects to Pgw	32-bit counter	Total number of delete bearer requests rejected
Update Bearer Attempts from Pgw	32-bit counter	Total number of update bearer requests received

Table 1-34 Evolved Packet Data Gateway Access Point Name Call Performance Statistics

EPDGAPNCALLPERFSTATSGRID EPDGAPNCALLPERFSTATSCHASSIS EPDGAPNCALLPERFSTATSSLOT	Type	Description
Update Bearer Accepts to Pgw	32-bit counter	Total number of update bearer requests accepted
Update Bearer Rejects to Pgw	32-bit counter	Total number of update bearer requests rejected
Create Session Requests To Pgw	32-bit counter	Total number of create session requests sent to the PGW
Create Session Accepts From Pgw	32-bit counter	Total number of create session requests accepted by the PGW
Create Session Rejects From Pgw	32-bit counter	Total number of create session requests rejected by the PGW
Delete Session Requests To Pgw	32-bit counter	Total number of delete session requests sent to the PGW
Delete Session Accepts From Pgw	32-bit counter	Total number of delete session requests accepted by the PGW
Delete Session Rejects From Pgw	32-bit counter	Total number of delete session requests rejected by the PGW
Modify Bearer Command Req To Pgw	32-bit counter	Total number of modify bearer requests sent to the PGW
Modify Bearer Failure Indications From Pgw	32-bit counter	Total number of modify bearer failure indications received from the PGW
Number Create Session Resp No Context	32-bit counter	Total number of create session responses from the PGW - no context found
Number Mapped Swu Codes Used For S2b Failures	32-bit counter	Total number of times custom mapped SWU codes used for S2b failures
Number Sess Setup Success Apn Matching Exact Match	32-bit counter	Total number of create session requests accepted with APN matching type exact match
Number Mapped Swu Codes Used For Swm	32-bit counter	Total number of times custom mapped SWU codes used for SWM failures
Number Create Session Req Failed No Pgw	32-bit counter	Total number of create session requests failed due to no PGW available
Number Sess Setup Success Apn Matching Ni Only	32-bit counter	Total number of create session requests accepted with APN matching type NI only
Number Sess Setup Success Apn Matching Ni And Malformed Oi	32-bit counter	Total number of create session requests accepted with APN matching type NI and malformed OI

Table 1-34 Evolved Packet Data Gateway Access Point Name Call Performance Statistics

EPDGAPNCALLPERFSTATSGRID EPDGAPNCALLPERFSTATSCHASSIS EPDGAPNCALLPERFSTATSSLOT	Type	Description
Number Barred PGW Selected for Session Setup	32-bit counter	Total number of times a barred or GTP inactive PGW was selected for session setup
Number of PCSCF Address Update Sent to SPM	32-bit counter	Total number P-CSCF address update sent to SPM
NumCreateSessionRejectApnCongested	32-bit counter	Total number of create session requests rejected - APN in congested state
NumCreateSessionRejectApnCongestedCritical	32-bit counter	Total number of create session requests rejected - APN in critical congested state
NumCreateSessionRejectApnCongestedMajor	32-bit counter	Total number of create session requests rejected - APN in major congested state
NumCreateSessionRejectApnCongestedMinor	32-bit counter	Total number of create session requests rejected - APN in minor congested state
NumAcceptInterAccessHWithSessionRetry	32-bit counter	Total number of create session requests retried to handle create session reject with context-not-found from PGW
NumUniqueSubscribers	32-bit gauge	Current number of unique subscribers
NumIPSecRekey	64-bit counter	Total number of ReKey events
NumEpdgEapProcessingFailures	32-bit counter	Total number of EAP messages received from AAA server that have been dropped due to processing errors. Examples are parsing errors, late arriving messages, missing or mismatched data.
Create Session Reject Session Blocked	32-bit counter	Total number of create session requests rejected due to session blocked
Local Close Attempts Session Blocked	32-bit counter	Total number of local close attempts due to session blocked
Create Session Request Timeouts To Pgw	64-bit counter	Total number of create session timeouts - remote PGW not responding
Delete Session Request Timeouts To Pgw	64-bit counter	Total number of delete session timeouts - remote PGW not responding
Static Pgw Selected	64-bit counter	Total number of times static PGW was selected
Pgw Fqdn For Session	64-bit counter	Total number of times AAA provided PGW FQDN is used to resolve PGW
Apn Fqdn For Session	64-bit counter	Total number of times APN FQDN is used to resolve PGW

Table 1-34 Evolved Packet Data Gateway Access Point Name Call Performance Statistics

EPDGAPNCALLPERFSTATSGRID EPDGAPNCALLPERFSTATSCHASSIS EPDGAPNCALLPERFSTATSSLOT	Type	Description
Pgw IP Address For Session	64-bit counter	Total number of times AAA provided PGW IP address is used to resolve PGW
Pgw Replacement OI For Session	64-bit counter	Total number of times AAA provided replacement OI is used to resolve PGW
Number Local Close Terminate Service Rule	32-bit counter	Total number of local closes due to traffic through service rule with terminate action
Number Session Attempt After Pgw Timeout	64-bit counter	Total number of create session attempts after timeout
Number Session Success After Pgw Timeout	64-bit counter	Total number of create session success after timeout
NumDnsCacheHits	32-bit counter	DNS - Records found in cache
NumDnsCacheHitsNaptr	32-bit counter	DNS - Naptr records found in cache
NumDnsCacheHitsSrv	32-bit counter	DNS - Srv records found in cache
NumDnsCacheHitsA	32-bit counter	DNS - A/AAA records found in cache
NumCreateSessionRejectActiveEmergencySession	32-bit counter	Total number of create session requests rejected - active emergency session exists
NumCreateSessionRejectDuplicateApn	32-bit counter	Total number of create session requests rejected - duplicate APN
NumCreateSessionRejectMaxPdnSession	32-bit counter	Total number of create session requests rejected - max number of PDN sessions exceeded
NumCreateSessionRejectTamFailure	32-bit counter	Total number of create session attempts rejected - due to TAM failure
NumSessionFailureAaaServerNotFound	32-bit counter	Total number of failed PDN sessions setup due to that AAA server is not found (based on server group mapping configuration) or down
NumSessionFailureAaaServerDown	32-bit counter	Total number of failed PDN sessions setup due to that AAA server is not responding
NumSessionFailureAaaNotAuthorizeApn	32-bit counter	Total number of failed PDN sessions setup due to that UE requested APN is not in the authorized APN list from AAA server
NumSessionFailureAaaNotAuthorizeUeIpAddrType	32-bit counter	Total number of failed PDN sessions setup due to that AAA server does not authorize UE requested IpAddr type
NumModifyBearerReqToPgw	32-bit counter	Total number of modify bearer requests sent to the PGW

Table 1-34 Evolved Packet Data Gateway Access Point Name Call Performance Statistics

EPDGAPNCALLPERFSTATSGRID EPDGAPNCALLPERFSTATSCHASSIS EPDGAPNCALLPERFSTATSSLOT	Type	Description
NumModifyBearerRespFromPgw	32-bit counter	Total number of modify bearer response from the PGW
NumModifyBearerReqTimeoutToPgw	32-bit counter	Total number of modify bearer timeouts - remote PGW is not responding
NumSessionFailurePgwUnreachable	32-bit counter	Total number of failed PDN sessions due to PGW not responding
NumSessionFailurePgwNotAllocateUeIpAddrType	32-bit counter	Total number of failed PDN sessions due to IP Address type requested by UE not allocated by PGW
NumSessionFailureUeIkeNegotiationTimeout	32-bit counter	Total number of failed PDN sessions due to IKE negotiation timed out
NumSessionFailureUeAbort	32-bit counter	Total number of failed PDN sessions due to re-attach before completion of the EAP authentication
NumSessionFailureIkeCreateFailure	32-bit counter	Total number of failed PDN sessions due to IKE failure
NumSessionFailureIpsecCreateFailure	32-bit counter	Total number of failed PDN sessions due to IPSec failure
NumMappedSwuCodesUsedForSwmExp	32-bit counter	Total number of times custom mapped SWu codes used for swm experimental codes
NumUpdateBearerPartialAccept	32-bit counter	Total number of update bearer requests partially accepted
NumResponsesMatchingResultCodeList	32-bit counter	Total number of Diameter Responses that match the configured result-code-policy-list configure on the SWm interface
NumDnsResponseFailTimeout	32-bit counter	DNS Response Failed - Session timeout waiting for DNS
NumDnsResponseDropNoIntf	32-bit counter	DNS Response Failed - Dropped no SL interface
NumDnsResponseDropNoSession	32-bit counter	DNS Response Failed - Dropped no session
NumDnsResponseDropNoPdnSession	32-bit counter	DNS Response Failed - Dropped no PDN session
NumSessionPendedForDns	32-bit counter	Sessions pended for DNS
NumSessionPendedForDnsSuccess	32-bit counter	DNS success for pended sessions
NumSessionPendedForDnsTimeout	32-bit counter	DNS timeout for pended sessions

Table 1-34 Evolved Packet Data Gateway Access Point Name Call Performance Statistics

EPDGAPNCALLPERFSTATSGRID EPDGAPNCALLPERFSTATSCHASSIS EPDGAPNCALLPERFSTATSSLOT	Type	Description
NumLocalClosePerfDownSessionHoldTime	32-bit counter	Number of session locally closed due to PCRF down session hold time expiry
NumSessionFailureAaaSessionValidation	32-bit counter	Total number of failed PDN sessions setup due to session validation failure when processing DEA from AAA server
NumSessionFailureAaaNoImsiForTempIdentity	32-bit counter	Total number of failed PDN sessions setup due to missing IMSI from AAA server for temporary identity

Evolved Packet Data Gateway Access Point Name Session Close Call Performance Statistics

Table 1-35 Evolved Packet Data Gateway Access Point Name Session Close Call Performance Statistics

EPDGAPNSESSIONCLOSECALLPERFSTATS CLUSTER EPDGAPNSESSIONCLOSECALLPERFSTATS GRID	Type	Description
NumSessionClosed	64-bit counter	Total number of PDN sessions closed
NumCloseUeIkeDelete	64-bit counter	Total number of PDN sessions closed by an IKE Delete from the UE
NumAAAINitiatedTermination	64-bit counter	Total number of PDN sessions closed by an abort session request from the AAA server
NumDeleteBearerReqRx	64-bit counter	Total number of PDN sessions closed by a delete bearer request from the PGW
NumErrorIndicationLocalCloseAttempts	64-bit counter	Total number of PDN sessions closed by an error-indication from the PGW
NumErrorIndicationBearerDeactivation	64-bit counter	Total number of dedicated bearer deletions due to receipt of an Error Indication
NumLocalCloseGtpuPeerDown	64-bit counter	Total number of PDN sessions closed due to a GTP peer going down
NumLocalCloseGtpPeerRestart	64-bit counter	Total number of PDN sessions closed due to GTP peer restarts

Table 1-35 Evolved Packet Data Gateway Access Point Name Session Close Call Performance Statistics

EPDGAPNSESSIONCLOSECALLPERFSTATS CLUSTER EPDGAPNSESSIONCLOSECALLPERFSTATS GRID	Type	Description
NumLocalCloseInternalAuditFailure	64-bit counter	Total number of PDN sessions closed due to an internal audit after switch-over.
NumIdleDurationExceededCloses	64-bit counter	Total number of PDN sessions closed due to the expiration of an idle duration timer
NumMaximalDurationExceededCloses	64-bit counter	Total number of PDN sessions closed due to the expiration of the max duration time
NumOperatorInitiatedCloses	64-bit counter	Total number of PDN sessions closed that were initiated by an operator
NumCloseIkeDpdTimeout	64-bit counter	Total number of PDN sessions closed due to an IKE DPD timeout
NumCloseIkeRekeyFailure	64-bit counter	Total number of PDN sessions closed due to an IKE rekey failure
NumCloseIkeRekeyTimeout	64-bit counter	Total number of PDN sessions closed due to an IKE rekey timeout
NumCloseIpSecRekeyFailure	64-bit counter	Total number of PDN sessions closed due to IPSec rekey failure
NumCloseIpSecRekeyTimeout	64-bit counter	Total number of PDN sessions closed due to IPSec rekey timeout
NumCloseIpSecHardExpiry	64-bit counter	Total number of PDN sessions closed due to IPSec hard expiry
NumCloseEpdgReauthorizationFailure	64-bit counter	Total number of PDN sessions closed due to the failure of a reauthorization initiated by auth-life-time
NumEpdgUEREauthFailures	64-bit counter	Total number of PDN sessions closed due to failure of UE initiated re-authentication
NumEpdgAAAREauthFailures	64-bit counter	Total number of PDN sessions closed due to the failure of a AAA server-initiated reauthorization
NumCloseUeReAttach	64-bit counter	Total number of PDN sessions closed due to a UE re-attach while the ePDG still has a PDN connection
NumCloseIPsecTunnel	64-bit counter	Total number of PDN sessions closed due to closing the IPsec tunnel for an unknown reason

Table 1-35 Evolved Packet Data Gateway Access Point Name Session Close Call Performance Statistics

EPDGAPNSESSIONCLOSECALLPERFSTATS CLUSTER EPDGAPNSESSIONCLOSECALLPERFSTATS GRID	Type	Description
NumLocalClosePerfDownSessionHoldTime	64-bit counter	Number of session locally closed due to PCRF down session hold time expiry

Evolved Packet Data Gateway Call Performance Statistics

Table 1-36 Evolved Packet Data Gateway Call Performance Statistics

EPDGCALLPERFSTATSGRID EPDGCALLPERFSTATSCHASSIS EPDGCALLPERFSTATSSLOT	Type	Description
Current Sessions	32-bit gauge	Current number of sessions
Bearers	32-bit gauge	Current number of bearers
Create PDN Session Attempt	32-bit counter	Total number of create PDN session attempts
Create PDN Session Accept	32-bit counter	Total number of create PDN session attempts accepted
Create PDN Session Reject	32-bit counter	Total number of create PDN session attempts rejected
Create PDN Session Timeout	32-bit counter	Total number of create PDN session attempts timeout
Create PDN Session Reject Malformed Request	32-bit counter	Total number of create PDN session attempts rejected - malformed request
Create PDN Session Reject Unknown Apn	32-bit counter	Total number of create PDN session attempts rejected - unknown APN
Create PDN Session Reject Resource Unavailable	32-bit counter	Total number of create PDN session attempts rejected - resources unavailable
Create PDN Session Reject Service Not Supported	32-bit counter	Total number of create PDN session attempts rejected - service not supported
Create PDN Session Reject System Failure	32-bit counter	Total number of create PDN session attempts rejected - system failure
Create PDN Session Reject Misc	32-bit counter	Total number of create PDN session attempts rejected - unclassified

Table 1-36 Evolved Packet Data Gateway Call Performance Statistics

EPDGCALLPERFSTATSGRID EPDGCALLPERFSTATSCHASSIS EPDGCALLPERFSTATSSLOT	Type	Description
Delete PDN Session Attempt	32-bit counter	Total number of delete PDN session attempts received
Delete PDN Session Accept	32-bit counter	Total number of delete PDN session attempts accepted
Delete PDN Session Reject	32-bit counter	Total number of delete PDN session attempts rejected
Local Close Attempts	32-bit counter	Total number of session close attempts initiated internally
Local Close Attempts Accepted	32-bit counter	Total number of internally initiated session closes that were acted upon
Idle Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to IDLE duration time exceeded
Maximal Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to MAXIMAL duration time exceeded
Operator Initiated Closes	32-bit counter	Total number of operator initiated sessions close attempts
Active Current Sessions	32-bit gauge	Current number of active sessions
Idle Current Sessions	32-bit gauge	Current number of idle sessions
Interval Peak Current Sessions	32-bit maximum	Interval Peak number of sessions
Interval Peak Active Current Sessions	32-bit maximum	Interval Peak number of active sessions
Interval Peak Idle Current Sessions	32-bit maximum	Interval Peak number of idle sessions
Dhcp Release Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP release
Dhcp Timeout Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address allocation timeout
Dhcp Lease Expiry Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address lease expiry
Duplicate Session Local Close Attempts	32-bit counter	Total number of local close attempts due to duplicate session
Await CoA Timeout Attempts Local Close Attempts	32-bit counter	Total number of local close attempts due to no CoA received within the configured timeout
Uplink Packets	64-bit counter	Total number of uplink packets received
Uplink Bytes	64-bit counter	Total number of uplink bytes received

Table 1-36 Evolved Packet Data Gateway Call Performance Statistics

EPDGCALLPERFSTATSGRID EPDGCALLPERFSTATSCHASSIS EPDGCALLPERFSTATSSLOT	Type	Description
Uplink Drop Packets	64-bit counter	Total number of uplink packets dropped
Uplink Drop Bytes	64-bit counter	Total number of uplink bytes dropped
Downlink Packets	64-bit counter	Total number of downlink packets received
Downlink Bytes	64-bit counter	Total number of downlink bytes received
Downlink Drop Packets	64-bit counter	Total number of downlink packets dropped
Downlink Drop Bytes	64-bit counter	Total number of downlink bytes dropped
Number ePDG Auth Attempts Sent	64-bit counter	Total number of Initial Authentication or Authorization requests sent
Number ePDG Challenge Received	64-bit counter	Total number of Initial Authentication or Authorization Challenges received
Number ePDG Auth Success	64-bit counter	Total number of Initial Authentications or Authorizations successful
Number ePDG Auth Failures	64-bit counter	Total number of Initial Authentications and Authorizations Failed
Number ePDG EAP Attempts	64-bit counter	Total number of EAP requests sent to AAA server
Number ePDG EAP Success	64-bit counter	Total number of EAP successes received from AAA server
Number ePDG EAP Failures	64-bit counter	Total number of EAP failures received from AAA server
Number ePDG UE Reauth Attempts	64-bit counter	Total number of UE initiated re-Authentications or re-Authorizations received
Number ePDG UE Reauth Challenges	64-bit counter	Total number of UE initiated re-Authentication challenges received
Number ePDG UE Reauth Success	64-bit counter	Total number of UE initiated re-Authentication or re-Authorization successes
Number ePDG UE Reauth Failures	64-bit counter	Total number of UE initiated re-Authentication or re-Authorization failures
Number ePDG AAA Reauth Attempts	64-bit counter	Total number of server initiated re-Authentications or re-Authorizations received
Number ePDG AAA Reauth Challenges	64-bit counter	Total number of server initiated re-Authentication challenges received

Table 1-36 Evolved Packet Data Gateway Call Performance Statistics

EPDGCALLPERFSTATSGRID EPDGCALLPERFSTATSCHASSIS EPDGCALLPERFSTATSSLOT	Type	Description
Number ePDG AAA Reauth Success	64-bit counter	Total number of server initiated re-Authentication or re-Authorization successes
Number ePDG AAA Reauth Failures	64-bit counter	Total number of server initiated re-Authentication or re-Authorization failures
Number ePDG UE Initiated Termination	64-bit counter	Total number of UE initiated terminations
Number ePDG AAA Initiated Termination	64-bit counter	Total number of server initiated terminations
Number ePDG Pgw Initiated Termination	64-bit counter	Total number of P-GW initiated terminations
Number Failures No Valid Ap Mac In Nai	64-bit counter	Total number session with AP MAC address in NAI
Number of EAP Success	64-bit counter	Second Authentication EAP Success
Number of EAP Fail	64-bit counter	Second Authentication EAP Failure
Number of EAP Packets Received:	64-bit counter	Second Authentication EAP Packets Received
Number of EAP Parse Errors	64-bit counter	Second Authentication EAP parse errors
Number of Unhandled EAP Packets	64-bit counter	Second Authentication unhandled EAP packets
Number of EAP Identity Response Handled	64-bit counter	Second Authentication EAP Identity Responses Received
Number of EAP GTC Responses Received	64-bit counter	Second Authentication GTC Responses Received
Number of EAP GTC Requests Sent:	64-bit counter	Second Authentication GTC Requests Sent
Number of Delete Dropped	64-bit counter	Number of delete dropped
Number of DNS Attempts	64-bit counter	DNS request attempts
Number of DNS Send Success	64-bit counter	DNS request success
Number of DNS Send Failed No Config	64-bit counter	DNS request send failed - no DNS configuration
Number of DNS Failed Misc	64-bit counter	DNS request send failed - miscellaneous
Number of DNS Responses	64-bit counter	DNS response - total received
Number of DNS Response Success	64-bit counter	DNS response success
Number of DNS Response Fail No Response	64-bit counter	DNS response failed - no response from server
Number of DNS Response Fail No Name	64-bit counter	DNS response failed - domain name not found

Table 1-36 Evolved Packet Data Gateway Call Performance Statistics

EPDGCALLPERFSTATSGRID EPDGCALLPERFSTATSCHASSIS EPDGCALLPERFSTATSSLOT	Type	Description
Number of DNS Response Fail No Data	64-bit counter	DNS response failed - no data
Number of DNS Response Fail Misc	64-bit counter	DNS response failed - miscellaneous
Number of IPSec Session Per Subscriber	64-bit gauge	Average number of IPSec sessions per subscriber
Number of IPv4 Sessions	64-bit gauge	Number of IPv4 Sessions
Number of IPv6 Sessions	64-bit gauge	Number of IPv6 Sessions
Number of IPv4v6 Sessions	64-bit gauge	Number of IPv4v6 Sessions
Number of IPSec Security Associations	64-bit counter	Number of completed IPSec security associations
Number of IPSec Sessions	64-bit counter	Number of completed IPSec sessions
IPSec Session Duration Per Subscriber	64-bit gauge	IPSec session duration per subscriber (seconds)
Average Time Involved in Handover per UE	64-bit counter	Average time involved in handover to WiFi per UE (milliseconds)
Average Number IPSec Rekey	64-bit gauge	Average number of Rekey events
Number of UE Handover Attempts	64-bit counter	Number of UE handover attempts to WiFi
Number of UE Handover Success	64-bit counter	Number of successful UE handovers to WiFi
Number of UE Handover Failed	64-bit counter	Number of failed UE handovers to WiFi
Number of UE Handovers To 3gpp	64-bit counter	Number of successful UE handovers from Wifi to 3GPP
Number of Error Indications Processed	32-bit counter	Total number of error indications processed
Local Close Received Error Indication Attempts	32-bit counter	Total number of local close attempts due to receipt of error indication
Number of Error Indication Bearer Deactivation	32-bit counter	Total number of dedicated bearer deactivations due to receipt of error indication
Create Bearer Attempts from Pgw	32-bit counter	Total number of create bearer requests received
Create Bearer Accepts to Pgw	32-bit counter	Total number of create bearer requests accepted
Create Bearer Rejects to Pgw	32-bit counter	Total number of create bearer requests rejected
Delete Bearer Attempts from Pgw	32-bit counter	Total number of delete bearer requests received

Table 1-36 Evolved Packet Data Gateway Call Performance Statistics

EPDGCALLPERFSTATSGRID EPDGCALLPERFSTATSCHASSIS EPDGCALLPERFSTATSSLOT	Type	Description
Delete Bearer Accepts to Pgw	32-bit counter	Total number of delete bearer requests accepted
Delete Bearer Rejects to Pgw	32-bit counter	Total number of delete bearer requests rejected
Update Bearer Attempts from Pgw	32-bit counter	Total number of update bearer requests received
Update Bearer Accepts to Pgw	32-bit counter	Total number of update bearer requests accepted
Update Bearer Rejects to Pgw	32-bit counter	Total number of update bearer requests rejected
Create Session Requests To Pgw	32-bit counter	Total number of create session requests sent to the PGW
Create Session Accepts From Pgw	32-bit counter	Total number of create session requests accepted by the PGW
Create Session Rejects From Pgw	32-bit counter	Total number of create session requests rejected by the PGW
Delete Session Requests To Pgw	32-bit counter	Total number of delete session requests sent to the PGW
Delete Session Accepts From Pgw	32-bit counter	Total number of delete session requests accepted by the PGW
Delete Session Rejects From Pgw	32-bit counter	Total number of delete session requests rejected by the PGW
Modify Bearer Command Req To Pgw	32-bit counter	Total number of modify bearer requests sent to the PGW
Modify Bearer Failure Indications From Pgw	32-bit counter	Total number of modify bearer failure indications received from the PGW
Number Create Session Resp No Context	32-bit counter	Total number of create session responses from the PGW - no context found
Number Mapped Swu Codes Used For S2b Failures	32-bit counter	Total number of times custom mapped SWU codes used for S2b failures
Number Sess Setup Success Apn Matching Exact Match	32-bit counter	Total number of create session requests accepted with APN matching type exact match
Number Mapped Swu Codes Used For Swm	32-bit counter	Total number of times custom mapped SWU codes used for SWM failures
Number Create Session Req Failed No Pgw	32-bit counter	Total number of create session requests failed due to no PGW available

Table 1-36 Evolved Packet Data Gateway Call Performance Statistics

EPDGCALLPERFSTATSGRID EPDGCALLPERFSTATSCHASSIS EPDGCALLPERFSTATSSLOT	Type	Description
Number Sess Setup Success Apn Matching Ni Only	32-bit counter	Total number of create session requests accepted with APN matching type NI only
Number Sess Setup Success Apn Matching Ni And Malformed Oi	32-bit counter	Total number of create session requests accepted with APN matching type NI and malformed OI
Number Barred PGW Selected for Session Setup	32-bit counter	Total number of times a barred or GTP inactive PGW was selected for session setup.
Number of PCSCF Address Update Sent to SPM	32-bit counter	Total number P-CSCF address update sent to SPM
NumCreateSessionRejectApnCongested	32-bit counter	Total number of create session requests rejected - APN in congested state
NumCreateSessionRejectApnCongestedCritical	32-bit counter	Total number of create session requests rejected - APN in critical congested state
NumCreateSessionRejectApnCongestedMajor	32-bit counter	Total number of create session requests rejected - APN in major congested state
NumCreateSessionRejectApnCongestedMinor	32-bit counter	Total number of create session requests rejected - APN in minor congested state
NumAcceptInterAccessHWithSessionRetry	32-bit counter	Total number of create session requests retried to handle create session reject with context-not-found from PGW
NumUniqueSubscribers	32-bit gauge	Current number of unique subscribers
TotalNumUniqueSubscribers	32-bit counter	Total number of unique subscribers
NumIPSecRekey	64-bit counter	Total number of ReKey events.
NumEpdgEapProcessingFailures	32-bit counter	Total number of EAP messages received from AAA server that have been dropped due to processing errors. Examples are parsing errors, late arriving messages, missing or mismatched data.
Create Session Reject Session Blocked	32-bit counter	Total number of create session requests rejected due to session blocked
Local Close Attempts Session Blocked	32-bit counter	Total number of local close attempts due to session blocked
Create Session Request Timeouts To Pgw	64-bit counter	Total number of create session timeouts - remote PGW not responding
Delete Session Request Timeouts To Pgw	64-bit counter	Total number of delete session timeouts - remote PGW not responding

Table 1-36 Evolved Packet Data Gateway Call Performance Statistics

EPDGCALLPERFSTATSGRID EPDGCALLPERFSTATSCHASSIS EPDGCALLPERFSTATSSLOT	Type	Description
Static Pgw Selected	64-bit counter	Total number of times static PGW was selected
Pgw Fqdn For Session	64-bit counter	Total number of times AAA provided PGW FQDN is used to resolve PGW
Apn Fqdn For Session	64-bit counter	Total number of times APN FQDN is used to resolve PGW
Pgw IP Address For Session	64-bit counter	Total number of times AAA provided PGW IP address is used to resolve PGW
Pgw Replacement OI For Session	64-bit counter	Total number of times AAA provided replacement OI is used to resolve PGW
Number Local Close Terminate Service Rule	32-bit counter	Total number of local closes due to traffic through service rule with terminate action
Number Session Attempt After Pgw Timeouts	64-bit counter	Total number of create session attempts after timeout
Number Session Success After Pgw Timeouts	64-bit counter	Total number of create session success after timeout
NumDnsCacheHits	32-bit counter	DNS - Records found in cache
NumDnsCacheHitsNaptr	32-bit counter	DNS - Naptr records found in cache
NumDnsCacheHitsSrv	32-bit counter	DNS - Srv records found in cache
NumDnsCacheHitsA	32-bit counter	DNS - A/AAA records found in cache
NumCreateSessionRejectActiveEmergencySession	32-bit counter	Total number of create session requests rejected - active emergency session exists
NumCreateSessionRejectDuplicateApn	32-bit counter	Total number of create session requests rejected - duplicate APN
NumCreateSessionRejectMaxPdnSession	32-bit counter	Total number of create session requests rejected - max number of PDN sessions exceeded
NumSessionFailureNoApn	32-bit counter	Total number of failed PDN sessions setup due to that UE does not request APN and default APN is not configured
NumCreateSessionRejectTamFailure	32-bit counter	Total number of create session attempts rejected - due to TAM failure
NumSessionFailureAaaServerNotFound	32-bit counter	Total number of failed PDN sessions setup due to that AAA server is not found (based on server group mapping configuration) or down

Table 1-36 Evolved Packet Data Gateway Call Performance Statistics

EPDGCALLPERFSTATSGRID EPDGCALLPERFSTATSCHASSIS EPDGCALLPERFSTATSSLOT	Type	Description
NumSessionFailureAaaServerDown	32-bit counter	Total number of failed PDN sessions setup due to that AAA server is not responding
NumSessionFailureAaaNotAuthorizeApn	32-bit counter	Total number of failed PDN sessions setup due to that UE requested APN is not in the authorized APN list from AAA server
NumSessionFailureAaaNotAuthorizeUeIpAddrType	32-bit counter	Total number of failed PDN sessions setup due to that AAA server does not authorize UE requested IpAddr type
NumModifyBearerReqToPgw	32-bit counter	Total number of modify bearer requests sent to the PGW
NumModifyBearerRespFromPgw	32-bit counter	Total number of modify bearer response from the PGW
NumModifyBearerReqTimeoutToPgw	32-bit counter	Total number of modify bearer timeouts - remote PGW is not responding
NumSessionFailurePgwUnreachable	32-bit counter	Total number of failed PDN sessions due to PGW not responding
NumSessionFailurePgwNotAllocateUeIpAddrType	32-bit counter	Total number of failed PDN sessions due to IP Address type requested by UE not allocated by PGW
NumSessionFailureUeIkeNegotiationTimeout	32-bit counter	Total number of failed PDN sessions due to IKE negotiation timed out
NumSessionFailureUeAbort	32-bit counter	Total number of failed PDN sessions due to re-attach before completion of the EAP authentication
NumSessionFailureIkeCreateFailure	32-bit counter	Total number of failed PDN sessions due to IKE failure
NumSessionFailureIpsecCreateFailure	32-bit counter	Total number of failed PDN sessions due to IPSec failure
NumMappedSwuCodesUsedForSwmExp	32-bit counter	Total number of times custom mapped SWu codes used for swm experimental codes
NumResponsesMatchingResultCodeList	32-bit counter	Total number of Diameter Responses that match the configured result-code-policy-list configure on the SWm interface
NumDnsResponseFailTimeout	32-bit counter	DNS Response Failed - Session timeout waiting for DNS
NumDnsResponseDropNoIntf	32-bit counter	DNS Response Failed - Dropped no SL interface

Table 1-36 Evolved Packet Data Gateway Call Performance Statistics

EPDGCALLPERFSTATSGRID EPDGCALLPERFSTATSCHASSIS EPDGCALLPERFSTATSSLOT	Type	Description
NumDnsResponseDropNoSession	32-bit counter	DNS Response Failed - Dropped no session
NumDnsResponseDropNoPdnSession	32-bit counter	DNS Response Failed - Dropped no PDN session
NumSessionPendedForDns	32-bit counter	Sessions pended for DNS
NumSessionPendedForDnsSuccess	32-bit counter	DNS success for pended sessions
NumSessionPendedForDnsTimeout	32-bit counter	DNS timeout for pended sessions
NumLocalClosePcrfDownSessionHoldTime	32-bit counter	Number of session locally closed due to PCRF down session hold time expiry
NumSessionFailureAaaSessionValidation	32-bit counter	Total number of failed PDN sessions setup due to session validation failure when processing DEA from AAA server
NumSessionFailureAaaNoImsiForTempIdentity	32-bit counter	Total number of failed PDN sessions setup due to missing IMSI from AAA server for temporary identity
NumIdentityDecryptionSuccess	32-bit counter	Identity decryption success
NumIdentityDecryptionFailed	32-bit counter	Identity decryption failed
NumEncryptedIdentityLengthInvalid	32-bit counter	Length of encrypted identity is invalid
NumDecryptionFailedCertificateNotFound	32-bit counter	Certificate not found for decryption given a certificate identifier
NumDecryptionFailedBase64DecodeFailed	32-bit counter	Base64 decode failed for decryption
NumDecryptionFailedBase64StringTooLong	32-bit counter	Decryption failed because Base64 string is too long for decryption
NumDecryptionFailedAlgorithmFailure	32-bit counter	Decryption algorithm failure
NumDecryptionFailedNoPrivateKey	32-bit counter	No private key for decryption
NumMessageFlowInitiatedByUeUsingPseudonymId	32-bit counter	Number of times UE initiated a message flow using a pseudonym identity
NumMessageFlowInitiatedByUeUsingFastReauthId	32-bit counter	Number of times UE initiated a message flow using a fast re-authentication identity

Evolved Packet Data Gateway Emergency Call Performance Statistics

Table 1-37 Evolved Packet Data Gateway Emergency Call Performance Statistics

EPDGEMERGENCYCALLPERFSTATSGRID	Type	Description
Emergency Session - Current	32-bit counter	Current number of active emergency sessions
Emergency Session - Attempts	32-bit counter	Total number of create emergency session attempts
Emergency Session - Successes	32-bit counter	Total number of create emergency session successes
Emergency Session - Failures No PGW	32-bit counter	Total number of create emergency session failures - no PGW
Emergency Session - Failures Pgw Not Responding	32-bit counter	Total number of create emergency session failures - PGW not responding
Emergency Session - Failures Missing IMEI	32-bit counter	Total number of create emergency session failures - missing IMEI
Emergency Session - Failures Other	32-bit counter	Total number of create emergency session failures - other
Emergency Handovers to Wifi - Attempts	32-bit counter	Number of emergency handover attempts to WiFi
Emergency Handovers to Wifi - Success	32-bit counter	Number of successful emergency handovers to WiFi
Emergency Handovers to Wifi - Failed	32-bit counter	Number of failed emergency handovers to WiFi
EAP Sent to AA Server - Attempts	32-bit counter	Total number of EAP requests sent to AAA server
EAP Received from AA Server - Successes	32-bit counter	Total number of EAP successes received from AAA server
EAP Received from AA Server - Failures	32-bit counter	Total number of EAP failures received from AAA server
User Identifier - Authenticated IMSI	32-bit counter	Total number of create emergency session with authenticated IMSI
User Identifier - Unauthenticated IMSI	32-bit counter	Total number of create emergency session with unauthenticated IMSI
User Identifier - IMEI	32-bit counter	Total number of create emergency session with IMEI
Emergency Handover to Wifi - Failed No PGW	32-bit counter	Number of failed emergency handover attempts to WiFi - No PGW

Evolved Packet Data Gateway HTTP Call Performance Statistics

Table 1-38 Evolved Packet Data Gateway HTTP Call Performance Statistics

EPDGHTTPCALLPERFSTATSGRID EPDGHTTPCALLPERFSTATSCHASSIS EPDGHTTPCALLPERFSTATSSLOT	Type	Description
HTTP Request Posts - Sent	32-bit counter	Total number of HTTP POSTs sent
HTTP Response - Received	32-bit counter	Total number of HTTP Responses received
HTTP Response - 200 OK	32-bit counter	Total number of HTTP Response with 200 OK
HTTP Response - 400 Bad Request	32-bit counter	Total number of HTTP Response with 400 Bad Request
HTTP Response - 404 Not Found	32-bit counter	Total number of HTTP Response with 404 Not Found
HTTP Response - 5xx Internal Server Error	32-bit counter	Total number of HTTP Response with 5xx Internal Server Error
HTTP Response - Other	32-bit counter	Total number of HTTP Response with Other Error
HTTP Response - Sent Failed	32-bit counter	Total number of HTTP POSTs send failed

Evolved Packet Data Gateway Session Close Call Performance Statistics

Table 1-39 Evolved Packet Data Gateway Session Close Call Performance Statistics

EPDGSESSIONCLOSECALLPERFSTATSGRID	Type	Description
NumSessionClosed	64-bit counter	Total number of PDN sessions closed
NumCloseUeIkeDelete	64-bit counter	Total number of PDN sessions closed by an IKE Delete from the UE
NumAAAINitiatedTermination	64-bit counter	Total number of PDN sessions closed by an abort session request from the AAA server
NumDeleteBearerReqRx	64-bit counter	Total number of PDN sessions closed by a delete bearer request from the PGW
NumErrorIndicationLocalCloseAttempts	64-bit counter	Total number of PDN sessions closed by an error-indication from the PGW
NumErrorIndicationBearerDeactivation	64-bit counter	Total number of dedicated bearer deletions due to receipt of an Error Indication
NumLocalCloseGtpuPeerDown	64-bit counter	Total number of PDN sessions closed due to a GTP peer going down
NumLocalCloseGtpPeerRestart	64-bit counter	Total number of PDN sessions closed due to GTP peer restarts
NumLocalCloseInternalAuditFailure	64-bit counter	Total number of PDN sessions closed due to an internal audit after switch-over.
NumIdleDurationExceededCloses	64-bit counter	Total number of PDN sessions closed due to the expiration of an idle duration timer
NumMaximalDurationExceededCloses	64-bit counter	Total number of PDN sessions closed due to the expiration of the max duration time
NumOperatorInitiatedCloses	64-bit counter	Total number of PDN sessions closed that were initiated by an operator
NumCloseIkeDpdTimeout	64-bit counter	Total number of PDN sessions closed due to an IKE DPD timeout
NumCloseIkeRekeyFailure	64-bit counter	Total number of PDN sessions closed due to an IKE rekey failure
NumCloseIkeRekeyTimeout	64-bit counter	Total number of PDN sessions closed due to an IKE rekey timeout
NumCloseIpSecRekeyFailure	64-bit counter	Total number of PDN sessions closed due to IPSec rekey failure
NumCloseIpSecRekeyTimeout	64-bit counter	Total number of PDN sessions closed due to IPSec rekey timeout

Table 1-39 Evolved Packet Data Gateway Session Close Call Performance Statistics

EPDGSESSIONCLOSECALLPERFSTATSGRID	Type	Description
NumCloseIpSecHardExpiry	64-bit counter	Total number of PDN sessions closed due to IPsec hard expiry
NumCloseEpdgReauthorizationFailure	64-bit counter	Total number of PDN sessions closed due to the failure of a reauthorization initiated by auth-life-time
NumEpdgUEReauthFailures	64-bit counter	Total number of PDN sessions closed due to failure of UE initiated re-authentication
NumEpdgAAAReauthFailures	64-bit counter	Total number of PDN sessions closed due to the failure of a AAA server-initiated reauthorization
NumCloseUeReAttach	64-bit counter	Total number of PDN sessions closed due to a UE re-attach while the ePDG still has a PDN connection
NumCloseIPsecTunnel	64-bit counter	Total number of PDN sessions closed due to closing the IPsec tunnel for an unknown reason

Gateway Access Point Name QCI ARP Call Performance Statistics

Note: These statistics are displayed as Historical statistics only.

Table 1-40 Gateway Access Point Name QCI ARP Call Performance Statistics

EMSGWAPNQCIARPSTATS	Type	Description
NumUplinkPackets	64-bit counter	Total number of uplink packets received
NumUplinkBytes	64-bit counter	Total number of uplink bytes received
NumUplinkDropPackets	64-bit counter	Total number of uplink packets dropped
NumUplinkDropBytes	64-bit counter	Total number of uplink bytes dropped
NumUplinkErrorLossPackets	64-bit counter	Total number of uplink error loss packets
NumUplinkErrorLossBytes	64-bit counter	Total number of uplink error loss bytes
NumDownlinkPackets	64-bit counter	Total number of downlink packets received
NumDownlinkBytes	64-bit counter	Total number of downlink bytes received
NumDownlinkDropPackets	64-bit counter	Total number of downlink packets dropped
NumDownlinkDropBytes	64-bit counter	Total number of downlink bytes dropped
NumDownlinkErrorLossPackets	64-bit counter	Total number of downlink error loss packets
NumDownlinkErrorLossBytes	64-bit counter	Total number of downlink error loss bytes
NumCurrentBearers	64-bit counter	Total number of current bearers
IntervalPeakBearers	64-bit counter	Interval peak number of bearers
Gw Qci Arp-pl - Current Bearers	64-bit counter	Total number of current bearers
Gw Qci Arp-pl - Interval Peak Bearers	64-bit counter	Interval peak number of bearers
Gw Qci Arp-pl - Bearers Setup Success	64-bit counter	Total number of bearers setup successful
Gw Qci Arp-pl - Bearers Setup Fail	64-bit counter	Total number of bearers setup failed
Gw Qci Arp-pl - Bearers Handover Success	64-bit counter	Total number of bearers handover successful
Gw Qci Arp-pl - Bearers Handover Fail	64-bit counter	Total number of bearers handover failures
Gw Qci Arp-pl - Bearers Normal Release	64-bit counter	Total number of bearers released normally
Gw Qci Arp-pl - Bearers Access Side Normal Release	64-bit counter	Total number of bearers released due to access side deactivation

Table 1-40 Gateway Access Point Name QCI ARP Call Performance Statistics

EMSGWAPNQCIARPSTATS	Type	Description
Gw Qci Arp-pl - Bearers Network Side Normal Release	64-bit counter	Total number of bearers released due to network side deactivation
Gw Qci Arp-pl - Bearers Abnormal Release	64-bit counter	Total number of bearers released abnormally
Gw Qci Arp-pl - Bearers Operated Initiated Local Release	64-bit counter	Total number of bearers locally released due to operator initiation
Gw Qci Arp-pl - Bearers Idle Timer Expiry Local Release	64-bit counter	Total number of bearers locally released due to idle timer expiry
Gw Qci Arp-pl - Bearers Session Max Timer Expiry Local Release	64-bit counter	Total number of bearers locally released due to session maximum timer expiry
Gw Qci Arp-pl - Bearers Internal Errors Local Release	64-bit counter	Total number of bearers locally released due to internal errors
Gw Qci Arp-pl - Bearers Duplicate Bearers Local Release	64-bit counter	Total number of bearers locally released due to duplicate bearers
Gw Qci Arp-pl - Bearers Miscellaneous Local Release	64-bit counter	Total number of bearers locally released due to miscellaneous
Gw Qci Arp-pl - S1 User Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S1 path failures
Gw Qci Arp-pl - S4 User Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S4 path failures
Gw Qci Arp-pl - S12 User Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S12 path failures
Gw Qci Arp-pl - S5S8 User Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S5S8 path failures
Gw Qci Arp-pl - S11S4 Control Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S11S4 path failures
Gw Qci Arp-pl - S5S8 Control Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to Control path failures
Gw Qci Arp-pl - S4 User Plane - Error Indication Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S4 error indication
Gw Qci Arp-pl - S5S8 User Plane - Error Indication Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S5S8 error indication
Gw Qci Arp-pl - Current Pcrf Rules	64-bit counter	Total number of current rules
Gw Qci Arp-pl - Interval Peak Pcrf Rules	64-bit counter	Interval peak number of rules
Gw Qci Arp-pl - Pcrf Rule Install Success	64-bit counter	Total number of rules install successful
Gw Qci Arp-pl - Pcrf Rule Install Fail	64-bit counter	Total number of rules install failed

Table 1-40 Gateway Access Point Name QCI ARP Call Performance Statistics

EMSGWAPNQCIARPSTATS	Type	Description
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Unknown Rule Name	64-bit counter	Total number of rules install fail due to Gx unknown rule name
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Rating Group Error	64-bit counter	Total number of rules install fail due to Gx rating group error
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Gw PCEF Malfunction	64-bit counter	Total number of rules install fail due to Gx GW/PCEF malfunction
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Resource Limitation	64-bit counter	Total number of rules install fail due to Gx resource limitation
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Max Number Bearers Reached	64-bit counter	Total number of rules install fail due to Gx maximum number of bearers reached per IP-CAN session
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Missing Flow Info	64-bit counter	Total number of rules install fail due to Gx missing flow information
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Resource Allocation Failure	64-bit counter	Total number of rules install fail due to Gx resource allocation failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Unsuccessful Qos Validation	64-bit counter	Total number of rules install fail due to Gx unsuccessful QOS validation
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Incorrect Flow Info	64-bit counter	Total number of rules install fail due to Gx incorrect flow information
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Filter Restriction	64-bit counter	Total number of rules install fail due to Gx flow filter restrictions
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Missing Redirect Server Address	64-bit counter	Total number of rules install fail due to Gx missing redirect server address
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S5S8 CBR Response Failure	64-bit counter	Total number of rules install fail due to GTP S5S8 CBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S5S8 CBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP S5S8 CBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S5S8 UBR Response Failure	64-bit counter	Total number of rules install fail due to GTP S5S8 UBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S5S8 UBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP S5S8 UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2b CBR Response Failure	64-bit counter	Total number of rules install fail due to GTP S2b CBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2b CBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP S2b CBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2b UBR Response Failure	64-bit counter	Total number of rules install fail due to GTP S2b UBR response failure

Table 1-40 Gateway Access Point Name QCI ARP Call Performance Statistics

EMSGWAPNQCIPSTATS	Type	Description
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2b UBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP S2b UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2a CBR Response Failure	64-bit counter	Total number of rules install fail due to GTP S2a CBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2a CBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP S2a CBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2a UBR Response Failure	64-bit counter	Total number of rules install fail due to GTP S2a UBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2a UBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP S2a UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp Other CBR Response Failure	64-bit counter	Total number of rules install fail due to GTP Other CBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp Other CBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP Other CBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp Other UBR Response Failure	64-bit counter	Total number of rules install fail due to GTP Other UBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp Other UBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP Other UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Local System Resource Failure	64-bit counter	Total number of rules install fail due to local system resource failure
Gw Qci Arp-pl - Pcrf Rule Modify Success	64-bit counter	Total number of rules modify successful
Gw Qci Arp-pl - Pcrf Rule Modify Fail	64-bit counter	Total number of rules modify failed
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Rating Group Error	64-bit counter	Total number of rules modify fail due to Gx rating group error
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Gw PCEF Malfunction	64-bit counter	Total number of rules modify fail due to Gx GW/PCEF malfunction
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Resource Limitation	64-bit counter	Total number of rules modify fail due to Gx resource limitation
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Resource Allocation Failure	64-bit counter	Total number of rules modify fail due to Gx resource allocation failure
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Unsuccessful Qos Validation	64-bit counter	Total number of rules modify fail due to Gx unsuccessful QOS validation
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Incorrect Flow Info	64-bit counter	Total number of rules modify fail due to Gx incorrect flow information
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Filter Restriction	64-bit counter	Total number of rules modify fail due to Gx flow filter restrictions

Table 1-40 Gateway Access Point Name QCI ARP Call Performance Statistics

EMSGWAPNQCIPSTATS	Type	Description
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Missing Redirect Server Address	64-bit counter	Total number of rules modify fail due to Gx missing redirect server address
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp S5S8 UBR Response Failure	64-bit counter	Total number of rules modify fail due to GTP S5S8 UBR response failure
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp S5S8 UBR Response Timeout	64-bit counter	Total number of rules modify fail due to GTP S5S8 UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp S2b UBR Response Failure	64-bit counter	Total number of rules modify fail due to GTP S2b UBR response failure
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp S2b UBR Response Timeout	64-bit counter	Total number of rules modify fail due to GTP S2b UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp S2a UBR Response Failure	64-bit counter	Total number of rules modify fail due to GTP S2a UBR response failure
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp S2a UBR Response Timeout	64-bit counter	Total number of rules modify fail due to GTP S2a UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp Other UBR Response Failure	64-bit counter	Total number of rules modify fail due to GTP Other UBR response failure
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp Other UBR Response Timeout	64-bit counter	Total number of rules modify fail due to GTP Other UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Local System Resource Failure	64-bit counter	Total number of rules modify fail due to local resource failure
Gw Qci Arp-pl - Pcrf Rule Remove Success	64-bit counter	Total number of rules remove successful
Gw Qci Arp-pl - Pcrf Rule Remove Fail	64-bit counter	Total number of rules remove failed
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gx Unknown Rule Name	64-bit counter	Total number of rules remove fail due to Gx unknown rule name
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S5S8 UBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP S5S8 UBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S5S8 UBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S5S8 UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S5S8 DBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP S5S8 DBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S5S8 DBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S5S8 DBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2b UBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP S2b UBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2b UBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S2b UBR response timeout

Table 1-40 Gateway Access Point Name QCI ARP Call Performance Statistics

EMSGWAPNQCIARPSTATS	Type	Description
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2b DBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP S2b DBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2b DBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S2b DBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2a UBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP S2a UBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2a UBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S2a UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2a DBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP S2a DBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2a DBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S2a DBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp Other UBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP Other UBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp Other UBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP Other UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp Other DBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP Other DBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp Other DBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP Other DBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Local System Resource Failure	64-bit counter	Total number of rules remove fail due to local resource failure
Gw Qci Arp-pl - Pcrf Rule Active - Gy Reallocation of Credit	64-bit counter	Total number of rules active due to Gy reallocation of credit
Gw Qci Arp-pl - Pcrf Rule Inactive - Gy Out of Credit	64-bit counter	Total number of rules inactive due to Gy out of credit
Gw Qci Arp-pl - S2x User Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S2x path failures
Gw Qci Arp-pl - S2x Control Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S2x path failures
Gw Qci Arp-pl - S2x User Plane - Error Indication Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S2xU error indication

Gateway GPRS Support Node Call Performance Statistics

Note: These statistics are displayed when at least one GGSN service is configured and running.

Table 1-41 Gateway GPRS Support Node Call Performance Statistics

GGSNCALLPERFSTATSGRID GGSNCALLPERFSTATSCHASSIS GGSNCALLPERFSTATSSLOT	Type	Description
Current Sessions	32-bit gauge	Current number of sessions
Bearers	32-bit gauge	Current number of bearers
Create Pdp Attempts	32-bit counter	Total number of create PDP context attempts
Create Pdp Accepts	32-bit counter	Total number of create PDP context attempts accepted
Create Pdp Rejects	32-bit counter	Total number of create PDP context attempts rejected
Create Pdp Rejects Malformed Requests	32-bit counter	Total number of create PDP context attempts rejected - malformed request
Create Pdp Rejects Unknown Apn	32-bit counter	Total number of create PDP context attempts rejected - unknown APN
Create Pdp Rejects Resource Unavailable	32-bit counter	Total number of create PDP context attempts rejected - resource unavailable
Create Pdp Rejects Service Not Supported	32-bit counter	Total number of create PDP context attempts rejected - service not supported
Create Pdp Rejects System Failure	32-bit counter	Total number of create PDP context attempts rejected - system failure
Create Pdp Rejects Misc	32-bit counter	Total number of create PDP context attempts rejected - unclassified
Delete Pdp Attempts	32-bit counter	Total number of delete PDP context attempts
Delete Pdp Accepts	32-bit counter	Total number of delete PDP context attempts accepted
Delete Pdp Rejects	32-bit counter	Total number of delete PDP context attempts rejected
UE Initiated Secondary Pdp Activation Attempts	32-bit counter	Total number of UE initiated secondary PDP context activation attempts

Table 1-41 Gateway GPRS Support Node Call Performance Statistics

GGSNCALLPERFSTATSGRID GGSNCALLPERFSTATSCHASSIS GGSNCALLPERFSTATSSLOT	Type	Description
UE Initiated Secondary Pdp Activation Accepts	32-bit counter	Total number of UE initiated secondary PDP context activation attempts accepted
UE Initiated Secondary Pdp Activation Rejects	32-bit counter	Total number of UE initiated secondary PDP context activation attempts rejected
GGSN Initiated Secondary Pdp Activation Attempts	32-bit counter	Total number of GGSN initiated secondary PDP context activation attempts
GGSN Initiated Secondary Pdp Activation Accepts	32-bit counter	Total number of GGSN initiated secondary PDP context activation attempts accepted
GGSN Initiated Secondary Pdp Activation Rejects	32-bit counter	Total number of GGSN initiated secondary PDP context activation attempts rejected
SGSN Initiated Secondary Pdp Deactivation Attempts	32-bit counter	Total number of SGSN initiated secondary PDP context deactivation attempts
SGSN Initiated Secondary Pdp Deactivation Accepts	32-bit counter	Total number of SGSN initiated secondary PDP context deactivation attempts accepted
SGSN Initiated Secondary Pdp Deactivation Rejects	32-bit counter	Total number of SGSN initiated secondary PDP context deactivation attempts rejected
UE Initiated Secondary Pdp Deactivation Attempts	32-bit counter	Total number of UE initiated secondary PDP context deactivation attempts
UE Initiated Secondary Pdp Deactivation Accepts	32-bit counter	Total number of UE initiated secondary PDP context deactivation attempts accepted
UE Initiated Secondary Pdp Deactivation Rejects	32-bit counter	Total number of UE initiated secondary PDP context deactivation attempts rejected
GGSN Initiated Secondary Pdp Deactivation Attempts	32-bit counter	Total number of GGSN initiated secondary PDP context deactivation attempts
GGSN Initiated Secondary Pdp Deactivation Accepts	32-bit counter	Total number of GGSN initiated secondary PDP context deactivation attempts accepted
GGSN Initiated Secondary Pdp Deactivation Rejects	32-bit counter	Total number of GGSN initiated secondary PDP context deactivation attempts rejected
SGSN Initiated Update Pdp Attempts	32-bit counter	Total number of SGSN initiated update PDP context attempts
SGSN Initiated Update Pdp Accepts	32-bit counter	Total number of SGSN initiated update PDP context attempts accepted
SGSN Initiated Update Pdp Rejects	32-bit counter	Total number of SGSN initiated update PDP context attempts rejected
GGSN Initiated Update Pdp Attempts	32-bit counter	Total number of GGSN initiated update PDP context attempts

Table 1-41 Gateway GPRS Support Node Call Performance Statistics

GGSNCALLPERFSTATSGRID GGSNCALLPERFSTATSCHASSIS GGSNCALLPERFSTATSSLOT	Type	Description
GGSN Initiated Update Pdp Accepts	32-bit counter	Total number of GGSN initiated update PDP context attempts accepted
GGSN Initiated Update Pdp Rejects	32-bit counter	Total number of GGSN initiated update PDP context attempts rejected
Local Close Attempts	32-bit counter	Total number of session close attempts initiated internally
Local Close Attempts Accepted	32-bit counter	Total number of internally initiated session closes that were acted upon
PCRF Initiated Close Attempts	32-bit counter	Total number of PCRF initiated close attempts
OCS Initiated Close Attempts	32-bit counter	Total number of OCS initiated close attempts
Idle Session Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to IDLE duration time exceeded
Maximal Session Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to MAXIMAL duration time exceeded
Operator Initiated Closes	32-bit counter	Total number of operator initiated sessions close attempts
Active Current Sessions	32-bit gauge	Current number of active sessions
Idle Current Sessions	32-bit gauge	Current number of idle sessions
Interval Peak Current Sessions	32-bit maximum	Interval Peak number of sessions
Interval Peak Active Current Sessions	32-bit maximum	Interval Peak number of active sessions
Interval Peak Idle Current Sessions	32-bit maximum	Interval Peak number of idle sessions
Default Bearers	32-bit gauge	Current number of default bearers
Dedicated Bearers	32-bit gauge	Current number of dedicated bearers
Interval Peak Bearers	32-bit maximum	Interval peak number of bearers
Interval Peak Default Bearers	32-bit maximum	Interval peak number of default bearers
Interval Peak Dedicated Bearers	32-bit maximum	Interval peak number of dedicated bearers
Dhcp Release Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP release
Trace Session Activation Attempts	32-bit maximum	Total number of trace session activations received
Trace Session Activation Accepts	32-bit maximum	Total number of trace session activations accepted

Table 1-41 Gateway GPRS Support Node Call Performance Statistics

GGSNALLPERFSTATSGRID GGSNALLPERFSTATSCHASSIS GGSNALLPERFSTATSSLOT	Type	Description
Trace Session Deactivation Attempts	32-bit maximum	Total number of trace session deactivations received
Trace Session Deactivation Accepts	32-bit maximum	Total number of trace session deactivations accepted
Dhcp Timeout Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address allocation timeout
Dhcp Lease Expiry Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address lease expiry
Radius Disconnect Local Closes	32-bit counter	Total number of local closes due to RADIUS disconnect from server
Current Sessions Rat Type Utran	32-bit gauge	Current number of UTRAN sessions
Current Sessions Rat Type Geran	32-bit gauge	Current number of GERAN sessions
Current Sessions Rat Type Wlan	32-bit gauge	Current number of WLAN sessions
Current Sessions Rat Type Gan	32-bit gauge	Current number of GAN sessions
Current Sessions Rat Type Hspa Evolution	32-bit gauge	Current number of HSPA Evolution sessions
Current Unique Subscribers	32-bit gauge	Current number of unique subscribers
Current Ipv4 PDN Sessions	32-bit gauge	Current number of IPv4 PDN sessions
Current Ipv6 PDN Sessions	32-bit gauge	Current number of IPv6 PDN sessions
Current Ipv4 Ipv6 PDN Sessions	32-bit gauge	Current number of Dual Stack PDN sessions
Number of Sessions Setup with Default Gx Policy	32-bit gauge	Number of sessions setup with default Gx policy
Number of Active Sessions with Default Gx Policy	32-bit gauge	Number of active sessions with default Gx policy and possibly awaiting PCRF rejoin
Number of Active Gx Replay Sessions Awaiting PCRF Rejoin	32-bit gauge	Number of active Gx replay sessions awaiting PCRF rejoin
Number of Successful OCS Gy Rejoin	32-bit counter	Number of successful OCS Gy rejoins
Number of Gx Replay Sessions Terminated	32-bit counter	Number of Gx replay sessions terminated
Local Close Attempts Duplicate Session	32-bit counter	Total number of local close attempts due to duplicate session
Number of Control TEID Lookup Failures	32-bit counter	Number of lookup failures using the control TEID

Table 1-41 Gateway GPRS Support Node Call Performance Statistics

GGSNCALLPERFSTATSGRID GGSNCALLPERFSTATSCHASSIS GGSNCALLPERFSTATSSLOT	Type	Description
Number of Successful PCRF Rejoin	32-bit counter	Number of sessions that successfully joined PCRF
Number of Error Indications Processed	32-bit counter	Total number of error indications processed
Local Close Received Error Indication Attempts	32-bit counter	Total number of local close attempts due to receipt of error indication
Secondary Pdp Context Deactivations Due to Error Indication	32-bit counter	Total number of secondary PDP context deactivations due to receipt of error indication
Local Close Await CoA Timeout Attempts	32-bit counter	Total number of local close attempts due to no CoA received within the configured timeout
L2tp GGSN Session Delete Attempts	32-bit counter	Total number of L2TP GGSN delete request attempts
Uplink Packets	64-bit counter	Total number of uplink packets received
Uplink Bytes	64-bit counter	Total number of uplink bytes received
Uplink Drop Packets	64-bit counter	Total number of uplink packets dropped
Uplink Drop Bytes	64-bit counter	Total number of uplink bytes dropped
Downlink Packets	64-bit counter	Total number of downlink packets received
Downlink Bytes	64-bit counter	Total number of downlink bytes received
Downlink Drop Packets	64-bit counter	Total number of downlink packets dropped
Downlink Drop Bytes	64-bit counter	Total number of downlink bytes dropped
Num GTPP CDR Sent	32-bit counter	Number of GTPP CDRs that were sent successfully
Num GTPP CDR Resp Success	32-bit counter	Number of GTPP CDRs for which a success response was received
Num GTPP CDR Resp Failure	32-bit counter	Number of GTPP CDRs for which a failure response was received
Num GTPP CDR Resp Timeout	32-bit counter	Number of GTPP CDRs for which no response was received in the expected time
Delete PDP Context Drop Teardown Ind Missing Single Bearer Session	32-bit counter	Total number of delete PDP context dropped as teardown ind is missing in message with only one bearer in session
Delete PDP Context Drop Teardown Ind Missing For Default Bearer	32-bit counter	Total number of delete PDP context dropped as teardown ind is missing for default bearer in message

Table 1-41 Gateway GPRS Support Node Call Performance Statistics

GGSNALLPERFSTATSGRID GGSNALLPERFSTATSCHASSIS GGSNALLPERFSTATSSLOT	Type	Description
Num Sessions Setup with Default Gy Quota	32-bit counter	Number of sessions setups succeeded with default Gy quota
Num Active Sessions with Default Gy Quota	32-bit gauge	Number of active sessions setup with default quota and has not completed an OCS rejoin
Number Active Gy AP Trigger by CCRU	32-bit counter	Number of sessions currently using default quota triggered by CCR-U failure
Number Total Gy AP Trigger by CCRU	32-bit counter	Number of total sessions using default quota triggered by CCR-U failure
Num Active Gy Sessions Awaiting OCS Rejoin	32-bit gauge	Number active Gy sessions awaiting OCS rejoin, including: ■ Sessions setup with default Gy quota awaiting OCS rejoin ■ Sessions that failed CCR-Update awaiting OCS rejoin.
Num OCS Gy Rejoin Success	32-bit counter	Number of successful OCS Gy Rejoins
Num Default Gy Quota Reapplied	32-bit counter	Number of times default Gy Quota was applied due to CCR-I Failure
Num Default Gy Quota Applied CCR-U Failure	32-bit counter	Number of times default Gy Quota was applied due to CCR-U Failure
Num Gy Down Gy Rejoin Timer Started	32-bit counter	Number of times the Gy Rejoin timer was restarted because the OCS interface was down
Number Gy CCRT Write To Disk	32-bit counter	Number of record logs to disk due to CCR-T failure
Number Gy AP Trigger By Protocol Error	32-bit counter	Number of total sessions using default quota triggered by 3xx result code
Number Gy AP Trigger By Transient Failure	32-bit counter	Number of total sessions using default quota triggered by 4xx result code
Number Gy AP Trigger By Permanent Failure	32-bit counter	Number of total sessions using default quota triggered by 5xx result code
Number Gy AP Trigger By Message Timeout	32-bit counter	Number of total sessions using default quota triggered by timeout
Number Gy AP Trigger By Link Down	32-bit counter	Number of total session using default quota triggered by OCS link down
Number Gy AP Trigger By Internal Failure	32-bit counter	Number of total sessions using default quota triggered by internal error of back pressure
Num of Gx Sessions	32-bit gauge	Current number sessions using Gx interface

Table 1-41 Gateway GPRS Support Node Call Performance Statistics

GGSNCALLPERFSTATSGRID GGSNCALLPERFSTATSCHASSIS GGSNCALLPERFSTATSSLOT	Type	Description
Num of Gy Sessions	32-bit gauge	Current number sessions using Gy interface
Num S6b Initiated Close Attempts	32-bit counter	Total number of S6b initiated close attempts
Default Gy Uplink Bytes	32-bit counter	Total uplink bytes using default Gy Quota
Default Gy Downlink Bytes	32-bit counter	Total downlink bytes using default Gy Quota
Num Bearer Idle Duration Exceeded Closes	32-bit counter	Total number of bearers deactivated due to IDLE duration time exceeded
Num of Active S6b Sessions	32-bit gauge	Number of active S6b sessions
Num Dns Attempts	32-bit counter	Number of DNS Request Attempts
Num Dns Send Success	32-bit counter	Number of DNS Request Success
Num Dns Send Failed No Config	32-bit counter	Number of DNS Request Failed - No DNS Config
Num Dns Failed Misc	32-bit counter	Number of DNS Request Failed - Miscellaneous
Num Dns Responses	32-bit counter	Number of DNS Response Total Received
Num Dns Response Success	32-bit counter	Number of DNS Response Success
Num Dns Response Fail No Response	32-bit counter	Number of DNS Response Failed - No Response from Server
Num Dns Response Fail No Name	32-bit counter	Number of DNS Response Failed - Domain Name Not Found
Num Dns Response Fail No Data	32-bit counter	Number of DNS Response Failed - No Data
Num Dns Response Fail Misc	32-bit counter	Number of DNS Response Failed - Miscellaneous
Num Pco Pcsf Default Fqdn Used	32-bit counter	Total number of times default P-CSCF FQDN used for DNS lookup
Num Pco Pcsf Table Used	32-bit counter	Total number of times P-CSCF IP Address used for P-CSCF IP Address allocation
Num Current Sessions Gn Geran	32-bit counter	Current number of Gn GERAN sessions
Num Current Sessions Gn Utran	32-bit counter	Current number of Gn UTRAN sessions
Num Current Sessions Roaming	32-bit counter	Current number of roaming sessions
Num Uplink Gn Gp Geran Packets	64-bit counter	Total number of uplink GnGp GERAN packets received

Table 1-41 Gateway GPRS Support Node Call Performance Statistics

GGSNALLPERFSTATSGRID GGSNALLPERFSTATSCHASSIS GGSNALLPERFSTATSSLOT	Type	Description
Num Uplink Gn Gp Geran Bytes	64-bit counter	Total number of uplink GnGp GERAN bytes received
Num Uplink Gn Gp Geran Drop Packets	64-bit counter	Total number of uplink GnGp GERAN packets dropped
Num Uplink Gn Gp Geran Drop Bytes	64-bit counter	Total number of uplink GnGp GERAN bytes dropped
Num Downlink Gn Gp Geran Packets	64-bit counter	Total number of downlink GnGp GERAN packets received
Num Downlink Gn Gp Geran Bytes	64-bit counter	Total number of downlink GnGp GERAN bytes received
Num Downlink Gn Gp Geran Drop Packets	64-bit counter	Total number of downlink GnGp GERAN packets dropped
Num Downlink Gn Gp Geran Drop Bytes	64-bit counter	Total number of downlink GnGp GERAN bytes dropped
Num Uplink Gn Gp Utran Packets	64-bit counter	Total number of uplink GnGp UTRAN packets received
Num Uplink Gn Gp Utran Bytes	64-bit counter	Total number of uplink GnGp UTRAN bytes received
Num Uplink Gn Gp Utran Drop Packets	64-bit counter	Total number of uplink GnGp UTRAN packets dropped
Num Uplink Gn Gp Utran Drop Bytes	64-bit counter	Total number of uplink GnGp UTRAN bytes dropped
Num Downlink Gn Gp Utran Packets	64-bit counter	Total number of downlink GnGp UTRAN packets received
Num Downlink Gn Gp Utran Bytes	64-bit counter	Total number of downlink GnGp UTRAN bytes received
Num Downlink Gn Gp Utran Drop Packets	64-bit counter	Total number of downlink GnGp UTRAN packets dropped
Num Downlink Gn Gp Utran Drop Bytes	64-bit counter	Total number of downlink GnGp UTRAN bytes dropped
Number Bearer Stats With No SR Stats	64-bit counter	Total number of CDRs with bearer traffic stats but no service rule stats.
Number Start Pilot Packets Sent	64-bit counter	Total number of Session-Start Pilot Packets sent
Number Stop Pilot Packets Sent	64-bit counter	Total number of Session-Stop Pilot Packets sent

Table 1-41 Gateway GPRS Support Node Call Performance Statistics

GGSNCALLPERFSTATSGRID GGSNCALLPERFSTATSCHASSIS GGSNCALLPERFSTATSSLOT	Type	Description
Number RAT Change Pilot Packets Sent	64-bit counter	Total number of Rat-Change Pilot Packets sent
Number Sess Setup Success Apn Matching Exact Match	32-bit counter	Total number of create session requests accepted with APN matching type exact match
Number Sess Setup Success Apn Matching Ni Only	32-bit counter	Total number of create session requests accepted with APN matching type NI only
Number Sess Setup Success Apn Matching Ni And Malformed Oi	32-bit counter	Total number of create session requests accepted with APN matching type NI and malformed OI
Number Delete PDP Reject Mismatched Src And Fteid IP	32-bit counter	Total number of delete PDP context requests rejected due to source IP and F-TEID IP mismatch
Number Update PDP Reject Mismatched Src And Fteid IP	32-bit counter	Total number of update PDP context requests rejected due to source IP and F-TEID IP mismatch
Number Local Close Create PDP Parallel PDN	32-bit counter	Total number of PDP contexts locally closed due to parallel PDN connection setup
Number SGSN Init Update PDP Reject Context Not Found	32-bit counter	Total number of SGSN initiated update PDP context attempts rejected due to context not found
Number Current Geo Sync Restored Sessions	64-bit gauge	Current number of PDN sessions restored from Geo Active
Minimum Control Plane Teid Reuse Duration	32-bit gauge	Minimum duration in which Control Plane TEID got reused
Minimum User Plane Teid Reuse Duration	32-bit gauge	Minimum duration in which User Plane TEID got reused
Number Delete PDP Ctxt Rejected Invalid Peer	32-bit counter	Total number of delete PDP context requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Create PDP Ctxt Req Rejected Invalid Peer	32-bit counter	Total number of create PDP context requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Update PDP Ctxt Req Rejected Invalid Peer	32-bit counter	Total number of update PDP context requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Delete PDP Ctxt Resp Dropped Invalid Peer	32-bit counter	Total number of delete PDP context responses dropped due to source IP and F-TEID IP mismatch or IMSI mismatch

Table 1-41 Gateway GPRS Support Node Call Performance Statistics

GGSNCALLPERFSTATSGRID GGSNCALLPERFSTATSCHASSIS GGSNCALLPERFSTATSSLOT	Type	Description
Number Update PDP Ctxt Resp Dropped Invalid Peer	32-bit counter	Total number of update PDP context responses dropped due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Gtpv1 Init PDP Ctxt Activation Resp Dropped Invalid Peer	32-bit counter	Total number of init PDP context activation responses dropped due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Stats Update For Missing SRs For Active Sessions	32-bit counter	Total number of missing Service Rule stats update for active sessions
Number Stats Update For Missing SRs For Deactivate Sessions	32-bit counter	Total number of missing Service Rule stats update for sessions in deactivate state
Number CDRs With Zero Service Data Containers	32-bit counter	Total number of CDRs generated with zero service data containers
Number Sig Info Lookup Successful And Filled Configured Values	32-bit counter	Total number of sessions filled with configured values for Signalling Information Elements
Number Sig Info Lookup Failure	32-bit counter	Total number of sessions that did not have configured Signalling Information Elements
Number Create Pdp Dropped Proc Limit	32-bit counter	Total number of create PDP context requests rejected due to procedure limit reached
Number Delete Pdp Dropped Proc Limit	32-bit counter	Total number of delete PDP context requests rejected due to procedure limit reached
Number of Total Sessions With Terminate Timer	32-bit counter	Number of times session terminate timer started because Gy interface was down
Number of Current Sessions With Terminate Timer	32-bit counter	Number of active sessions with session terminate timer running
Create Session Reject Session Blocked	32-bit counter	Total number of create session requests rejected due to session blocked
Local Close Attempts Session Blocked	32-bit counter	Total number of local close attempts due to session blocked
Number Local Close Terminate Service Rule	32-bit counter	Total number of local closes due to traffic through service rule with terminate action
NumSessSetupFailuresExternalErrors	32-bit counter	Total number of session setup failures due to external errors
NumSessDeactivationsExternalErrors	32-bit counter	Total number of session deactivations due to external errors
NumSessSetupFailuresLocalErrors	32-bit counter	Total number of session setup failures due to local errors

Table 1-41 Gateway GPRS Support Node Call Performance Statistics

GGSNALLPERFSTATSGRID GGSNALLPERFSTATSCHASSIS GGSNALLPERFSTATSSLOT	Type	Description
NumSessDeactivationsLocalErrors	32-bit counter	Total number of session deactivations due to local errors
NumDnsCacheHits	32-bit counter	DNS - Records found in cache
NumDnsCacheHitsNaptr	32-bit counter	DNS - Naptr records found in cache
NumDnsCacheHitsSrv	32-bit counter	DNS - Srv records found in cache
NumDnsCacheHitsA	32-bit counter	DNS - A/AAA records found in cache
NumCreatePdpRejectTamFailure	32-bit counter	Total number of create PDP context attempts rejected - due to TAM failure
NumDnsResponseFailTimeout	32-bit counter	DNS Response Failed - Session timeout waiting for DNS
NumDnsResponseDropNoIntf	32-bit counter	DNS Response Failed - Dropped no SL interface
NumDnsResponseDropNoSession	32-bit counter	DNS Response Failed - Dropped no session
NumDnsResponseDropNoPdnSession	32-bit counter	DNS Response Failed - Dropped no PDN session
NumSessionPendedForDns	32-bit counter	Sessions pended for DNS
NumSessionPendedForDnsSuccess	32-bit counter	DNS success for pended sessions
NumSessionPendedForDnsTimeout	32-bit counter	DNS timeout for pended sessions
NumLocalClosePerfDownSessionHoldTime	32-bit counter	Number of session locally closed due to PCRF down session hold time expiry

Gateway GPRS Support Node Procedure Statistics

Note: These statistics are displayed when at least one GGSN service is configured and running.

Table 1-42 Gateway GPRS Support Node Procedure Statistics

GGSNPROCEDUREGRID GGSNPROCEDURECHASSIS GGSNPROCEDURESLOT	Type	Description
Num Create Pdp Context Success	32-bit counter	Total number of create PDP context success
Num Create Pdp Context Fail	32-bit counter	Total number of create PDP context fail
Num Update Pdp Context Success	32-bit counter	Total number of update PDP context success
Num Update Pdp Context Fail	32-bit counter	Total number of update PDP context fail
Num Ms Initiated Update Pdp Context Success	32-bit counter	Total number of MS initiated update PDP context success
Num Ms Initiated Update Pdp Context Fail	32-bit counter	Total number of MS initiated update PDP context fail
Num Nw Initiated Update Pdp Context Success	32-bit counter	Total number of network initiated update PDP context success
Num Nw Initiated Update Pdp Context Fail	32-bit counter	Total number of network initiated update PDP context fail
Num Nw Initiated Modify Pdp Context Success	32-bit counter	Total number of network initiated modify PDP context success
Num Nw Initiated Modify Pdp Context Fail	32-bit counter	Total number of network initiated modify PDP context fail
Num Delete Pdp Context Success	32-bit counter	Total number of delete PDP context success
Num Delete Pdp Context Fail	32-bit counter	Total number of delete PDP context fail
Num SGSN Change Success	32-bit counter	Total number of SGSN change success
Num SGSN Change Fail	32-bit counter	Total number of SGSN change fail
Num Nw Initiated Disable Pdp Context Success	32-bit counter	Total number of network initiated disable PDP context success
Num Nw Initiated Disable Pdp Context Fail	32-bit counter	Total number of network initiated disable PDP context fail
Num Inter SGSN Handover Success	32-bit counter	Total number of inter SGSN handover success

Table 1-42 Gateway GPRS Support Node Procedure Statistics

GGSNPROCEDUREGRID GGSNPROCEDURECHASSIS GGSNPROCEDURESLOT	Type	Description
Num Inter SGSN Handover Fail	32-bit counter	Total number of inter SGSN handover fail
Num L2tp SGSN Session Delete Success	32-bit counter	Total number of L2tp SGSN session delete success
Num L2tp SGSN Session Delete Fail	32-bit counter	Total number of L2tp SGSN session delete fail
Num OCS ReAuth Proc Success	32-bit counter	Total number of OCS Re-Auth success
Num OCS ReAuth Proc Failures	32-bit counter	Total number of OCS Re-Auth failures
Num PCRF ReAuth Proc Success	32-bit counter	Total number of PCRF Re-Auth success
Num PCRF ReAuth Proc Failures	32-bit counter	Total number of PCRF Re-Auth failures
Num Process PCRF Rule Success	32-bit counter	Total number of PCRF rule success
Num Process PCRF Rule Failures	32-bit counter	Total number of PCRF rule failures
Num Edr Intf Change Proc Success	32-bit counter	Total number of Control Profile EDR Interface ID change success
Num Edr Intf Change Proc Failures	32-bit counter	Total number of Control Profile EDR Interface ID change failed
Num Vtap Config Change Proc Success	32-bit counter	Total number of Vtap config change success
Num Vtap Config Change Proc Failures	32-bit counter	Total number of Vtap config change failed
Num Process Flow Auth Success	32-bit counter	Total number of process Flow Auth procedures success
Num Process Flow Auth Failures	32-bit counter	Total number of process Flow Auth procedures failures
NumL2tpGGSNSessionCreateSuccess	32-bit counter	Total number of L2tp GGSN session create success
NumL2tpGGSNSessionCreateFail	32-bit counter	Total number of L2tp GGSN session create fail

Gateway QCI ARP Call Performance Statistics

Note: These statistics are displayed as Historical statistics only.

Table 1-43 Gateway QCI ARP Call Performance Statistics

EMSGWQCIARPSTATS	Type	Description
NumUplinkPackets	64-bit counter	Total number of uplink packets received
NumUplinkBytes	64-bit counter	Total number of uplink bytes received
NumUplinkDropPackets	64-bit counter	Total number of uplink packets dropped
NumUplinkDropBytes	64-bit counter	Total number of uplink bytes dropped
NumUplinkErrorLossPackets	64-bit counter	Total number of uplink error loss packets
NumUplinkErrorLossBytes	64-bit counter	Total number of uplink error loss bytes
NumDownlinkPackets	64-bit counter	Total number of downlink packets received
NumDownlinkBytes	64-bit counter	Total number of downlink bytes received
NumDownlinkDropPackets	64-bit counter	Total number of downlink packets dropped
NumDownlinkDropBytes	64-bit counter	Total number of downlink bytes dropped
NumDownlinkErrorLossPackets	64-bit counter	Total number of downlink error loss packets
NumDownlinkErrorLossBytes	64-bit counter	Total number of downlink error loss bytes
NumCurrentBearers	64-bit counter	Total number of current bearers
IntervalPeakBearers	64-bit counter	Interval peak number of bearers
Gw Qci Arp-pl - Current Bearers	64-bit counter	Total number of current bearers
Gw Qci Arp-pl - Interval Peak Bearers	64-bit counter	Interval peak number of bearers
Gw Qci Arp-pl - Bearers Setup Success	64-bit counter	Total number of bearers setup successful
Gw Qci Arp-pl - Bearers Setup Fail	64-bit counter	Total number of bearers setup failed
Gw Qci Arp-pl - Bearers Handover Success	64-bit counter	Total number of bearers handover successful
Gw Qci Arp-pl - Bearers Handover Fail	64-bit counter	Total number of bearers handover failures
Gw Qci Arp-pl - Bearers Normal Release	64-bit counter	Total number of bearers released normally
Gw Qci Arp-pl - Bearers Access Side Normal Release	64-bit counter	Total number of bearers released due to access side deactivation

Table 1-43 Gateway QCI ARP Call Performance Statistics

EMSGWQCIARPSTATS	Type	Description
Gw Qci Arp-pl - Bearers Network Side Normal Release	64-bit counter	Total number of bearers released due to network side deactivation
Gw Qci Arp-pl - Bearers Abnormal Release	64-bit counter	Total number of bearers released abnormally
Gw Qci Arp-pl - Bearers Operated Initiated Local Release	64-bit counter	Total number of bearers locally released due to operator initiation
Gw Qci Arp-pl - Bearers Idle Timer Expiry Local Release	64-bit counter	Total number of bearers locally released due to idle timer expiry
Gw Qci Arp-pl - Bearers Session Max Timer Expiry Local Release	64-bit counter	Total number of bearers locally released due to session maximum timer expiry
Gw Qci Arp-pl - Bearers Internal Errors Local Release	64-bit counter	Total number of bearers locally released due to internal errors
Gw Qci Arp-pl - Bearers Duplicate Bearers Local Release	64-bit counter	Total number of bearers locally released due to duplicate bearers
Gw Qci Arp-pl - Bearers Miscellaneous Local Release	64-bit counter	Total number of bearers locally released due to miscellaneous
Gw Qci Arp-pl - S1 User Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S1 path failures
Gw Qci Arp-pl - S4 User Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S4 path failures
Gw Qci Arp-pl - S12 User Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S12 path failures
Gw Qci Arp-pl - S5S8 User Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S5S8 path failures
Gw Qci Arp-pl - S11S4 Control Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S11S4 path failures
Gw Qci Arp-pl - S5S8 Control Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to Control path failures
Gw Qci Arp-pl - S4 User Plane - Error Indication Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S4 error indication
Gw Qci Arp-pl - S5S8 User Plane - Error Indication Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S5S8 error indication
Gw Qci Arp-pl - Current Pcrf Rules	64-bit counter	Total number of current rules
Gw Qci Arp-pl - Interval Peak Pcrf Rules	64-bit counter	Interval peak number of rules
Gw Qci Arp-pl - Pcrf Rule Install Success	64-bit counter	Total number of rules install successful
Gw Qci Arp-pl - Pcrf Rule Install Fail	64-bit counter	Total number of rules install failed

Table 1-43 Gateway QCI ARP Call Performance Statistics

EMSGWQCIARPSTATS	Type	Description
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Unknown Rule Name	64-bit counter	Total number of rules install fail due to Gx unknown rule name
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Rating Group Error	64-bit counter	Total number of rules install fail due to Gx rating group error
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Gw PCEF Malfunction	64-bit counter	Total number of rules install fail due to Gx GW/PCEF malfunction
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Resource Limitation	64-bit counter	Total number of rules install fail due to Gx resource limitation
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Max Number Bearers Reached	64-bit counter	Total number of rules install fail due to Gx maximum number of bearers reached per IP-CAN session
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Missing Flow Info	64-bit counter	Total number of rules install fail due to Gx missing flow information
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Resource Allocation Failure	64-bit counter	Total number of rules install fail due to Gx resource allocation failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Unsuccessful Qos Validation	64-bit counter	Total number of rules install fail due to Gx unsuccessful QOS validation
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Incorrect Flow Info	64-bit counter	Total number of rules install fail due to Gx incorrect flow information
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Filter Restriction	64-bit counter	Total number of rules install fail due to Gx flow filter restrictions
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Missing Redirect Server Address	64-bit counter	Total number of rules install fail due to Gx missing redirect server address
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S5S8 CBR Response Failure	64-bit counter	Total number of rules install fail due to GTP S5S8 CBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S5S8 CBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP S5S8 CBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S5S8 UBR Response Failure	64-bit counter	Total number of rules install fail due to GTP S5S8 UBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S5S8 UBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP S5S8 UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2b CBR Response Failure	64-bit counter	Total number of rules install fail due to GTP S2b CBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2b CBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP S2b CBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2b UBR Response Failure	64-bit counter	Total number of rules install fail due to GTP S2b UBR response failure

Table 1-43 Gateway QCI ARP Call Performance Statistics

EMSGWQCIARPSTATS	Type	Description
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2b UBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP S2b UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2a CBR Response Failure	64-bit counter	Total number of rules install fail due to GTP S2a CBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2a CBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP S2a CBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2a UBR Response Failure	64-bit counter	Total number of rules install fail due to GTP S2a UBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2a UBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP S2a UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp Other CBR Response Failure	64-bit counter	Total number of rules install fail due to GTP Other CBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp Other CBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP Other CBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp Other UBR Response Failure	64-bit counter	Total number of rules install fail due to GTP Other UBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp Other UBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP Other UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Local System Resource Failure	64-bit counter	Total number of rules install fail due to local system resource failure
Gw Qci Arp-pl - Pcrf Rule Modify Success	64-bit counter	Total number of rules modify successful
Gw Qci Arp-pl - Pcrf Rule Modify Fail	64-bit counter	Total number of rules modify failed
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Rating Group Error	64-bit counter	Total number of rules modify fail due to Gx rating group error
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Gw PCEF Malfunction	64-bit counter	Total number of rules modify fail due to Gx GW/PCEF malfunction
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Resource Limitation	64-bit counter	Total number of rules modify fail due to Gx resource limitation
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Resource Allocation Failure	64-bit counter	Total number of rules modify fail due to Gx resource allocation failure
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Unsuccessful Qos Validation	64-bit counter	Total number of rules modify fail due to Gx unsuccessful QOS validation
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Incorrect Flow Info	64-bit counter	Total number of rules modify fail due to Gx incorrect flow information
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Filter Restriction	64-bit counter	Total number of rules modify fail due to Gx flow filter restrictions

Table 1-43 Gateway QCI ARP Call Performance Statistics

EMSGWQCIARPSTATS	Type	Description
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Missing Redirect Server Address	64-bit counter	Total number of rules modify fail due to Gx missing redirect server address
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp S5S8 UBR Response Failure	64-bit counter	Total number of rules modify fail due to GTP S5S8 UBR response failure
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp S5S8 UBR Response Timeout	64-bit counter	Total number of rules modify fail due to GTP S5S8 UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp S2b UBR Response Failure	64-bit counter	Total number of rules modify fail due to GTP S2b UBR response failure
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp S2b UBR Response Timeout	64-bit counter	Total number of rules modify fail due to GTP S2b UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp S2a UBR Response Failure	64-bit counter	Total number of rules modify fail due to GTP S2a UBR response failure
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp S2a UBR Response Timeout	64-bit counter	Total number of rules modify fail due to GTP S2a UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp Other UBR Response Failure	64-bit counter	Total number of rules modify fail due to GTP Other UBR response failure
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp Other UBR Response Timeout	64-bit counter	Total number of rules modify fail due to GTP Other UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Local System Resource Failure	64-bit counter	Total number of rules modify fail due to local resource failure
Gw Qci Arp-pl - Pcrf Rule Remove Success	64-bit counter	Total number of rules remove successful
Gw Qci Arp-pl - Pcrf Rule Remove Fail	64-bit counter	Total number of rules remove failed
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gx Unknown Rule Name	64-bit counter	Total number of rules remove fail due to Gx unknown rule name
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S5S8 UBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP S5S8 UBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S5S8 UBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S5S8 UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S5S8 DBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP S5S8 DBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S5S8 DBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S5S8 DBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2b UBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP S2b UBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2b UBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S2b UBR response timeout

Table 1-43 Gateway QCI ARP Call Performance Statistics

EMSGWQCIARPSTATS	Type	Description
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2b DBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP S2b DBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2b DBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S2b DBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2a UBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP S2a UBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2a UBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S2a UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2a DBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP S2a DBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2a DBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S2a DBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp Other UBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP Other UBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp Other UBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP Other UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp Other DBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP Other DBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp Other DBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP Other DBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Local System Resource Failure	64-bit counter	Total number of rules remove fail due to local resource failure
Gw Qci Arp-pl - Pcrf Rule Active - Gy Reallocation of Credit	64-bit counter	Total number of rules active due to Gy reallocation of credit
Gw Qci Arp-pl - Pcrf Rule Inactive - Gy Out of Credit	64-bit counter	Total number of rules inactive due to Gy out of credit
Gw Qci Arp-pl - S2x User Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S2x path failures
Gw Qci Arp-pl - S2x Control Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S2x path failures
Gw Qci Arp-pl - S2x User Plane - Error Indication Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S2xU error indication

Geo Redundancy Statistics

Table 1-44 Geo Redundancy Statistics

GEOREDPERFSTATSGRID	Type	Description
Number Active To Standby Switchover	32-bit counter	Number of Geo switchovers from active to standby
Number Standby To Active Switchover	32-bit counter	Number of Geo switchovers from standby to active
Number Active To Standby Switchover Aaa Radius Failure	32-bit counter	Number of Geo switchovers from active to standby due to AAA Radius failure
Number Active To Standby Switchover Aaa S6b Failure	32-bit counter	Number of Geo switchovers from active to standby due to AAA S6b failure
Number Active To Standby Switchover Aaa Swm Failure	32-bit counter	Number of Geo switchovers from active to standby due to AAA SWm failure
Number Active To Standby Switchover Aaa Sta Failure	32-bit counter	Number of Geo switchovers from active to standby due to AAA STa failure
Number Active To Standby Switchover Pcrf Link Failure	32-bit counter	Number of Geo switchovers from active to standby due to Diameter Gx (PCRF) failure
Number Active To Standby Switchover Ocs Link Failure	32-bit counter	Number of Geo switchovers from active to standby due to Diameter Gy (OCS) failure
Number Active To Standby Switchover Manual	32-bit counter	Number of Geo switchovers from active to standby manually
Number Standby To Active Switchover Aaa Radius Failure	32-bit counter	Number of Geo switchovers from standby to active due to AAA Radius failure
Number Standby To Active Switchover Aaa S6b Failure	32-bit counter	Number of Geo switchovers from standby to active due to AAA S6b failure
Number Standby To Active Switchover Aaa Swm Failure	32-bit counter	Number of Geo switchovers from standby to active due to AAA SWm failure
Number Standby To Active Switchover Aaa Sta Failure	32-bit counter	Number of Geo switchovers from standby to active due to AAA STa failure
Number Standby To Active Switchover Pcrf Link Failure	32-bit counter	Number of Geo switchovers from standby to active due to Diameter Gx (PCRF) failure
Number Standby To Active Switchover Ocs Link Failure	32-bit counter	Number of Geo switchovers from standby to active due to Diameter Gy (OCS) failure

Table 1-44 Geo Redundancy Statistics

GEOREDPERFSTATSGRID	Type	Description
Number Standby To Active Switchover Manual	32-bit counter	Number of Geo switchovers from standby to active manually
Number Session Add Sent	64-bit counter	Number of Geo-sync session add events sent from Geo Active
Number Session Add Sent 1 Min Avg	64-bit average	1 minute average number of geo-sync session add events sent from Geo Active
Number Session Add Sent 5 Min Avg	64-bit average	5 minute average number of geo-sync session add events sent from Geo Active
Number Session Add Sent 15 Min Avg	64-bit average	15 minute average number of geo-sync session add events sent from Geo Active
Number Session Modify Sent	64-bit counter	Number of Geo-sync session modifications sent from Geo Active
Number Session Modify Sent 1 Min Avg	64-bit average	1 minute average number of geo-sync session modifications sent from Geo Active
Number Session Modify Sent 5 Min Avg	64-bit average	5 minute average number of geo-sync session modifications sent from Geo Active
Number Session Modify Sent 15 Min Avg	64-bit average	15 minute average number of geo-sync session modifications sent from Geo Active
Number Session Delete Sent	64-bit counter	Number of Geo-sync session deletions sent from Geo Active
Number Session Delete Sent 1 Min Avg	64-bit average	1 minute average number of geo-sync session deletions sent from Geo Active
Number Session Delete Sent 5 Min Avg	64-bit average	5 minute average number of geo-sync session deletions sent from Geo Active
Number Session Delete Sent 15 Min Avg	64-bit average	15 minute average number of geo-sync session deletions sent from Geo Active
Number Session Add Received	64-bit counter	Number of Geo-sync session adds (restore) received in Geo Standby
Number Session Add Received 1 Min Avg	64-bit average	1 minute average number of geo-sync session adds (restore) received in Geo Standby
Number Session Add Received 5 Min Avg	64-bit average	5 minute average number of geo-sync session adds (restore) received in Geo Standby

Table 1-44 Geo Redundancy Statistics

GEOREDPERFSTATSGRID	Type	Description
Number Session Add Received 15 Min Avg	64-bit average	15 minute average number of geo-sync session adds (restore) received in Geo Standby
Number Session Add Success	64-bit counter	Number of Geo-sync session add (restore) successful in Geo Standby
Number Session Add Failed	64-bit counter	Number of Geo-sync session add (restore) failed in Geo Standby
Number Session Add Failed Session Decode Failure	64-bit counter	Number of Geo-sync session add (restore) failed due to session decode failure in Geo Standby
Number Session Add Failed Ip Reserve Failure	64-bit counter	Number of Geo-sync session add (restore) failed due to IP reservation failure in Geo Standby
Number Session Add Failed Internal Error	64-bit counter	Number of Geo-sync session add (restore) failed due to internal error in Geo Standby
Number Session Modify Received	64-bit counter	Number of Geo-sync session modifications received in Geo Standby
Number Session Modify Received 1 Min Avg	64-bit average	1 minute average number of geo-sync session modifications received in Geo Standby
Number Session Modify Received 5 Min Avg	64-bit average	5 minute average number of geo-sync session modifications received in Geo Standby
Number Session Modify Received 15 Min Avg	64-bit average	15 minute average number of geo-sync session modifications received in Geo Standby
Number Session Modify Success	64-bit counter	Number of Geo-sync session modifications successful in Geo Standby
Number Session Modify Diff Start Time	64-bit counter	Number of Geo-sync session modifications received with different session start time in Geo Standby
Number Session Modify Failed	64-bit counter	Number of Geo-sync session modifications failed in Geo Standby
Number Session Modify Failed Session Not Found	64-bit counter	Number of Geo-sync session modifications failed due to session not found in Geo Standby
Number Session Modify Failed Session Decode Failed	64-bit counter	Number of Geo-sync session modifications failed due to session decode failure in Geo Standby

Table 1-44 Geo Redundancy Statistics

GEOREDPERFSTATSGRID	Type	Description
Number Session Modify Failed Internal Error	64-bit counter	Number of Geo-sync session modifications failed due to internal error in Geo Standby
Number Session Delete Received	64-bit counter	Number of Geo-sync session delete received in Geo Standby
Number Session Delete Received 1 Min Avg	64-bit average	1 minute average number of geo-sync session delete received in Geo Standby
Number Session Delete Received 5 Min Avg	64-bit average	5 minute average number of geo-sync session delete received in Geo Standby
Number Session Delete Received 15 Min Avg	64-bit average	15 minute average number of geo-sync session delete received in Geo Standby
Number Session Delete Success	64-bit counter	Number of Geo-sync session delete successful in Geo Standby
Number Session Delete Failed	64-bit counter	Number of Geo-sync session delete failed in Geo Standby
Number Session Delete Failed Session Not Found	64-bit counter	Number of Geo-sync session delete failed due to session not found in Geo Standby
Number Uplink Packets	64-bit counter	Total number of uplink packets received
Number Uplink Bytes	64-bit counter	Total number of uplink bytes received
Number Uplink Drop Packets	64-bit counter	Total number of uplink packets dropped
Number Uplink Drop Bytes	64-bit counter	Total number of uplink bytes dropped
Number Downlink Packets	64-bit counter	Total number of downlink packets received
Number Downlink Bytes	64-bit counter	Total number of downlink bytes received
Number Downlink Drop Packets	64-bit counter	Total number of downlink packets dropped
Number Downlink Drop Bytes	64-bit counter	Total number of downlink bytes dropped
Number Active To Standby Switchover Rmg Failure	64-bit counter	Number of Geo switchovers from active to standby due to Route Monitoring Group failure
Number Standby To Active Switchover Rmg Failure	64-bit counter	Number of Geo switchovers from standby to active due to Route Monitoring Group failure
Number Cur Sessions Restore Pending GeoStandby	64-bit counter	Current number of sessions on geo standby that are waiting to be resynced from geo active

Table 1-44 Geo Redundancy Statistics

GEOREDPERFSTATSGRID	Type	Description
Number Active To Standby Switchover PfcP Failure	32-bit counter	Number of Geo switchovers from active to standby due to PFCP failure
Number Standby To Active Switchover PfcP Failure	32-bit counter	Number of Geo switchovers from standby to active due to PFCP failure

GPRS Tunneling Protocol Statistics

***Note:** These statistics are displayed when any configured gateway service (SGW/PGW/GGSN/WAG) communicates with at least one peer.*

Table 1-45 GPRS Tunneling Protocol Statistics

GTPSTATSGRID GTPSTATSCHASSIS GTPSTATSSLOT	Type	Description
Create Session Request Decode Success	32-bit counter	Total number of create session request decode success
Create Session Request Encode Success	32-bit counter	Total number of create session request encode success
Create Session Request Decode Failure	32-bit counter	Total number of create session request decode failure
Create Session Request Encode Failure	32-bit counter	Total number of create session request encode failure
Create Session Response Decode Success	32-bit counter	Total number of create session response decode success
Create Session Response Encode Success	32-bit counter	Total number of create session response encode success
Create Session Response Decode Failure	32-bit counter	Total number of create session response decode failure
Create Session Response Encode Failure	32-bit counter	Total number of create session response encode failure
Delete Session Request Decode Success	32-bit counter	Total number of delete session request decode success

Table 1-45 GPRS Tunneling Protocol Statistics

GTPSTATSGRID GTPSTATSCHASSIS GTPSTATSSLOT	Type	Description
Delete Session Request Encode Success	32-bit counter	Total number of delete session request encode success
Delete Session Request Decode Failure	32-bit counter	Total number of delete session request decode failure
Delete Session Request Encode Failure	32-bit counter	Total number of delete session request encode failure
Delete Session Response Decode Success	32-bit counter	Total number of delete session response decode success
Delete Session Response Encode Success	32-bit counter	Total number of delete session response encode success
Delete Session Response Decode Failure	32-bit counter	Total number of delete session response decode failure
Delete Session Response Encode Failure	32-bit counter	Total number of delete session response encode failure
Modify Bearer Request Decode Success	32-bit counter	Total number of modify bearer-request decode success
Modify Bearer Request Encode Success	32-bit counter	Total number of modify bearer-request encode success
Modify Bearer Request Decode Failure	32-bit counter	Total number of modify bearer-request decode failure
Modify Bearer Request Encode Failure	32-bit counter	Total number of modify bearer-request encode failure
Modify Bearer Response Decode Success	32-bit counter	Total number of modify bearer response decode success
Modify Bearer Response Encode Success	32-bit counter	Total number of modify bearer response encode success
Modify Bearer Response Decode Failure	32-bit counter	Total number of modify bearer response decode failure
Modify Bearer Response Encode Failure	32-bit counter	Total number of modify bearer response encode failure
Create Bearer Request Decode Success	32-bit counter	Total number of create bearer request decode success
Create Bearer Request Encode Success	32-bit counter	Total number of create bearer request encode success
Create Bearer Request Decode Failure	32-bit counter	Total number of create bearer request decode failure

Table 1-45 GPRS Tunneling Protocol Statistics

GTPSTATSGRID GTPSTATSCHASSIS GTPSTATSSLOT	Type	Description
Create Bearer Request Encode Failure	32-bit counter	Total number of create bearer request encode failure
Create Bearer Response Decode Success	32-bit counter	Total number of create bearer response decode success
Create Bearer Response Encode Success	32-bit counter	Total number of create bearer response encode success
Create Bearer Response Decode Failure	32-bit counter	Total number of create bearer response decode failure
Create Bearer Response Encode Failure	32-bit counter	Total number of create bearer response encode failure
Delete Bearer Request Decode Success	32-bit counter	Total number of delete bearer request decode success
Delete Bearer Request Encode Success	32-bit counter	Total number of delete bearer request encode success
Delete Bearer Request Decode Failure	32-bit counter	Total number of delete bearer request decode failure
Delete Bearer Request Encode Failure	32-bit counter	Total number of delete bearer request encode failure
Delete Bearer Response Decode Success	32-bit counter	Total number of delete bearer response decode success
Delete Bearer Response Encode Success	32-bit counter	Total number of delete bearer response encode success
Delete Bearer Response Decode Failure	32-bit counter	Total number of delete bearer response decode failure
Delete Bearer Response Encode Failure	32-bit counter	Total number of delete bearer response encode failure
Bearer Resource Command Decode Success	32-bit counter	Total number of bearer resource command decode success
Bearer Resource Command Encode Success	32-bit counter	Total number of bearer resource command encode success
Bearer Resource Command Decode Failure	32-bit counter	Total number of bearer resource command decode failure
Bearer Resource Command Encode Failure	32-bit counter	Total number of bearer resource command encode failure
Bearer Resource Failure Indication Decode Success	32-bit counter	Total number of bearer resource failure indication decode success

Table 1-45 GPRS Tunneling Protocol Statistics

GTPSTATSGRID GTPSTATSCHASSIS GTPSTATSSLOT	Type	Description
Bearer Resource Failure Indication Encode Success	32-bit counter	Total number of bearer resource failure indication encode success
Bearer Resource Failure Indication Decode Failure	32-bit counter	Total number of bearer resource failure indication decode failure
Bearer Resource Failure Indication Encode Failure	32-bit counter	Total number of bearer resource failure indication encode failure
Modify Bearer Command Decode Success	32-bit counter	Total number of modify bearer command decode success
Modify Bearer Command Encode Success	32-bit counter	Total number of modify bearer command encode success
Modify Bearer Command Decode Failure	32-bit counter	Total number of modify bearer command decode failure
Modify Bearer Command Encode Failure	32-bit counter	Total number of modify bearer command encode failure
Modify Bearer Failure Indication Decode Success	32-bit counter	Total number of modify bearer failure indication decode success
Modify Bearer Failure Indication Encode Success	32-bit counter	Total number of modify bearer failure indication encode success
Modify Bearer Failure Indication Decode Failure	32-bit counter	Total number of modify bearer failure indication decode failure
Modify Bearer Failure Indication Encode Failure	32-bit counter	Total number of modify bearer failure indication encode failure
Update Bearer Request Decode Success	32-bit counter	Total number of update bearer request decode success
Update Bearer Request Encode Success	32-bit counter	Total number of update bearer request encode success
Update Bearer Request Decode Failure	32-bit counter	Total number of update bearer request decode failure
Update Bearer Request Encode Failure	32-bit counter	Total number of update bearer request encode failure
Update Bearer Response Decode Success	32-bit counter	Total number of update bearer response decode success
Update Bearer Response Encode Success	32-bit counter	Total number of update bearer response encode success
Update Bearer Response Decode Failure	32-bit counter	Total number of update bearer response decode failure

Table 1-45 GPRS Tunneling Protocol Statistics

GTPSTATSGRID GTPSTATSCHASSIS GTPSTATSSLOT	Type	Description
Update Bearer Response Encode Failure	32-bit counter	Total number of update bearer response encode failure
Downlink Data Notification Decode Success	32-bit counter	Total number of downlink data notification decode success
Downlink Data Notification Encode Success	32-bit counter	Total number of downlink data notification encode success
Downlink Data Notification Decode Failure	32-bit counter	Total number of downlink data notification decode failure
Downlink Data Notification Encode Failure	32-bit counter	Total number of downlink data notification encode failure
Downlink Data Notification Ack Decode Success	32-bit counter	Total number of downlink data notification ACK decode success
Downlink Data Notification Ack Encode Success	32-bit counter	Total number of downlink data notification ACK encode success
Downlink Data Notification Ack Decode Failure	32-bit counter	Total number of downlink data notification ACK decode failure
Downlink Data Notification Ack Encode Failure	32-bit counter	Total number of downlink data notification ACK encode failure
Downlink Data Notification Failure Indication Decode Success	32-bit counter	Total number of downlink data notification failure indication decode success
Downlink Data Notification Failure Indication Encode Success	32-bit counter	Total number of downlink data notification failure indication encode success
Downlink Data Notification Failure Indication Decode Failure	32-bit counter	Total number of downlink data notification failure indication decode failure
Downlink Data Notification Failure Indication Encode Failure	32-bit counter	Total number of downlink data notification failure indication encode failure
Release Access Bearers Request Decode Success	32-bit counter	Total number of release-access-bearers-request decode success
Release Access Bearers Request Encode Success	32-bit counter	Total number of release-access-bearers-request encode success
Release Access Bearers Request Decode Failure	32-bit counter	Total number of release-access-bearers-request decode failure
Release Access Bearers Request Encode Failure	32-bit counter	Total number of release-access-bearers-request encode failure
Release Access Bearers Response Decode Success	32-bit counter	Total number of release-access-bearers response decode success

Table 1-45 GPRS Tunneling Protocol Statistics

GTPSTATSGRID GTPSTATSCHASSIS GTPSTATSSLOT	Type	Description
Release Access Bearers Response Encode Success	32-bit counter	Total number of release-access-bearers response encode success
Release Access Bearers Response Decode Failure	32-bit counter	Total number of release-access-bearers response decode failure
Release Access Bearers Response Encode Failure	32-bit counter	Total number of release-access-bearers response encode failure
Change Notification Request Decode Success	32-bit counter	Total number of change notification request decode success
Change Notification Request Encode Success	32-bit counter	Total number of change notification request encode success
Change Notification Request Decode Failure	32-bit counter	Total number of change notification request decode failure
Change Notification Request Encode Failure	32-bit counter	Total number of change notification request encode failure
Change Notification Response Decode Success	32-bit counter	Total number of change notification response decode success
Change Notification Response Encode Success	32-bit counter	Total number of change notification response encode success
Change Notification Response Decode Failure	32-bit counter	Total number of change notification response decode failure
Change Notification Response Encode Failure	32-bit counter	Total number of change notification response encode failure
Create Pdp Context Request Decode Success	32-bit counter	Total number of create PDP context request decode success
Create Pdp Context Request Encode Success	32-bit counter	Total number of create PDP context request encode success
Create Pdp Context Request Decode Failure	32-bit counter	Total number of create PDP context request decode failure
Create Pdp Context Request Encode Failure	32-bit counter	Total number of create PDP context request encode failure
Create Pdp Context Response Decode Success	32-bit counter	Total number of create PDP context response decode success
Create Pdp Context Response Encode Success	32-bit counter	Total number of create PDP context response encode success
Create Pdp Context Response Decode Failure	32-bit counter	Total number of create PDP context response decode failure

Table 1-45 GPRS Tunneling Protocol Statistics

GTPSTATSGRID GTPSTATSCHASSIS GTPSTATSSLOT	Type	Description
Create Pdp Context Response Encode Failure	32-bit counter	Total number of create PDP context response encode failure
Delete Pdp Context Request Decode Success	32-bit counter	Total number of delete PDP context request decode success
Delete Pdp Context Request Encode Success	32-bit counter	Total number of delete PDP context request encode success
Delete Pdp Context Request Decode Failure	32-bit counter	Total number of delete PDP context request decode failure
Delete Pdp Context Request Encode Failure	32-bit counter	Total number of delete PDP context request encode failure
Delete Pdp Context Response Decode Success	32-bit counter	Total number of delete PDP context response decode success
Delete Pdp Context Response Encode Success	32-bit counter	Total number of delete PDP context response encode success
Delete Pdp Context Response Decode Failure	32-bit counter	Total number of delete PDP context response decode failure
Delete Pdp Context Response Encode Failure	32-bit counter	Total number of delete PDP context response encode failure
Update Pdp Context Request Decode Success	32-bit counter	Total number of update PDP context request decode success
Update Pdp Context Request Encode Success	32-bit counter	Total number of update PDP context request encode success
Update Pdp Context Request Decode Failure	32-bit counter	Total number of update PDP context request decode failure
Update Pdp Context Request Encode Failure	32-bit counter	Total number of update PDP context request encode failure
Update Pdp Context Response Decode Success	32-bit counter	Total number of update PDP context response decode success
Update Pdp Context Response Encode Success	32-bit counter	Total number of update PDP context response encode success
Update Pdp Context Response Decode Failure	32-bit counter	Total number of update PDP context response decode failure
Update Pdp Context Response Encode Failure	32-bit counter	Total number of update PDP context response encode failure
Echo Requests Received	32-bit counter	Total number of echo requests received

Table 1-45 GPRS Tunneling Protocol Statistics

GTPSTATSGRID GTPSTATSCHASSIS GTPSTATSSLOT	Type	Description
Echo Request Decode Failure	32-bit counter	Total number of echo request decode failure
Echo Requests Sent	32-bit counter	Total number of echo requests sent
Echo Responses Received	32-bit counter	Total number of echo responses received
Echo Response Decode Failure	32-bit counter	Total number of echo response decode failure
Echo Responses Sent	32-bit counter	Total number of echo responses sent
Decode Trace Session Activation	32-bit counter	Total number of trace session activation decode success
Encode Trace Session Activation	32-bit counter	Total number of trace session activation encode success
Trace Session Activation Decode Failure	32-bit counter	Total number of trace session activation decode failure
Trace Session Activation Encode Failure	32-bit counter	Total number of trace session activation encode failure
Decode Trace Session Deactivation	32-bit counter	Total number of trace session deactivation decode success
Encode Trace Session Deactivation	32-bit counter	Total number of trace session deactivation encode success
Trace Session Deactivation Decode Failure	32-bit counter	Total number of trace session deactivation decode failure
Trace Session Deactivation Encode Failure	32-bit counter	Total number of trace session deactivation encode failure
Create Indirect Data Forwarding Tunnel Request Decode Success	32-bit counter	Total number of create indirect data forwarding tunnel request decode success
Create Indirect Data Forwarding Tunnel Request Decode Failure	32-bit counter	Total number of create indirect data forwarding tunnel request decode failure
Create Indirect Data Forwarding Tunnel Response Encode Success	32-bit counter	Total number of create indirect data forwarding tunnel response encode success
Create Delete Data Forwarding Tunnel Request Decode Success	32-bit counter	Total number of delete indirect data forwarding tunnel request encode success
Create Delete Data Forwarding Tunnel Request Decode Failure	32-bit counter	Total number of delete indirect data forwarding tunnel request encode failure
Create Delete Data Forwarding Tunnel Response Encode Success	32-bit counter	Total number of delete indirect data forwarding tunnel response encode success

Table 1-45 GPRS Tunneling Protocol Statistics

GTPSTATSGRID GTPSTATSCHASSIS GTPSTATSSLOT	Type	Description
Decode Suspend Notification	32-bit counter	Total number of suspend notification decode success
Encode Suspend Notification	32-bit counter	Total number of suspend notification encode success
Suspend Notification Decode Failure	32-bit counter	Total number of suspend notification decode failure
Suspend Notification Encode Failure	32-bit counter	Total number of suspend notification encode failure
Decode Suspend Acknowledge	32-bit counter	Total number of suspend acknowledge decode success
Encode Suspend Acknowledge	32-bit counter	Total number of suspend acknowledge encode success
Suspend Acknowledge Decode Failure	32-bit counter	Total number of suspend acknowledge decode failure
Suspend Acknowledge Encode Failure	32-bit counter	Total number of suspend acknowledge encode failure
Decode Resume Notification	32-bit counter	Total number of resume notification decode success
Encode Resume Notification	32-bit counter	Total number of resume notification encode success
Resume Notification Decode Failure	32-bit counter	Total number of suspend notification decode failure
Resume Notification Encode Failure	32-bit counter	Total number of suspend notification encode failure
Decode Resume Acknowledge	32-bit counter	Total number of resume acknowledge decode success
Encode Resume Acknowledge	32-bit counter	Total number of resume acknowledge encode success
Resume Acknowledge Decode Failure	32-bit counter	Total number of resume acknowledge decode failure
Resume Acknowledge Encode Failure	32-bit counter	Total number of resume acknowledge encode failure

GTP Message Statistics

Note: These statistics are displayed for all GTP messages received from or sent to any configured gateway service (SGW/PGW/GGSN/WAG).

Table 1-46 GTP Message Statistics

GWGTPMESSAGESTATS	Type	Description
Number Received	64-bit counter	Number of times this message has been received by gateway instance
Number Transmitted	64-bit counter	Number of times this message has been transmitted by gateway instance
Cause Local Detach Received	64-bit counter	Number of times cause value 2 has been received
Cause Local Detach Transmitted	64-bit counter	Number of times cause value 2 has been transmitted
Cause Complete Detach Received	64-bit counter	Number of times cause value 3 has been received
Cause Complete Detach Transmitted	64-bit counter	Number of times cause value 3 has been transmitted
Cause Rat Changed From 3gpp To Non 3gpp Received	64-bit counter	Number of times cause value 4 has been received
Cause Rat Changed From 3gpp To Non 3gpp Transmitted	64-bit counter	Number of times cause value 4 has been transmitted
Cause Isr Deactivation Received	64-bit counter	Number of times cause value 5 has been received
Cause Isr Deactivation Transmitted	64-bit counter	Number of times cause value 5 has been transmitted
Cause Error Indication Received From Rnc Enodeb S4 Gsn Received	64-bit counter	Number of times cause value 6 has been received
Cause Error Indication Received From Rnc Enodeb S4 Gsn Transmitted	64-bit counter	Number of times cause value 6 has been transmitted
Cause Full Accept Received	64-bit counter	Number of times cause value 16 has been received
Cause Full Accept Transmitted	64-bit counter	Number of times cause value 16 has been transmitted
Cause Request Accepted Partially Received	64-bit counter	Number of times cause value 17 has been received

Table 1-46 GTP Message Statistics

GWGTPMESSAGESTATS	Type	Description
Cause Request Accepted Partially Transmitted	64-bit counter	Number of times cause value 17 has been transmitted
Cause New Pdn Type Due To Network Preference Received	64-bit counter	Number of times cause value 18 has been received
Cause New Pdn Type Due To Network Preference Transmitted	64-bit counter	Number of times cause value 18 has been transmitted
Cause New Pdn Type Due To Single Address Bearer Only Received	64-bit counter	Number of times cause value 19 has been received
Cause New Pdn Type Due To Single Address Bearer Only Transmitted	64-bit counter	Number of times cause value 19 has been transmitted
Cause Context Not Found Received	64-bit counter	Number of times cause value 64 has been received
Cause Context Not Found Transmitted	64-bit counter	Number of times cause value 64 has been transmitted
Cause Invalid Message Format Received	64-bit counter	Number of times cause value 65 has been received
Cause Invalid Message Format Transmitted	64-bit counter	Number of times cause value 65 has been transmitted
Cause Version Not Supported By Next Peer Received	64-bit counter	Number of times cause value 66 has been received
Cause Version Not Supported By Next Peer Transmitted	64-bit counter	Number of times cause value 66 has been transmitted
Cause Invalid Length Received	64-bit counter	Number of times cause value 67 has been received
Cause Invalid Length Transmitted	64-bit counter	Number of times cause value 67 has been transmitted
Cause Service Not Supported Received	64-bit counter	Number of times cause value 68 has been received
Cause Service Not Supported Transmitted	64-bit counter	Number of times cause value 68 has been transmitted
Cause Mandatory Ie Incorrect Received	64-bit counter	Number of times cause value 69 has been received
Cause Mandatory Ie Incorrect Transmitted	64-bit counter	Number of times cause value 69 has been transmitted
Cause Mandatory Ie Missing Received	64-bit counter	Number of times cause value 70 has been received

Table 1-46 GTP Message Statistics

GWGTPMESSAGESTATS	Type	Description
Cause Mandatory Ie Missing Transmitted	64-bit counter	Number of times cause value 70 has been transmitted
Cause System Failure Received	64-bit counter	Number of times cause value 72 has been received
Cause System Failure Transmitted	64-bit counter	Number of times cause value 72 has been transmitted
Cause No Resources Available Received	64-bit counter	Number of times cause value 73 has been received
Cause No Resources Available Transmitted	64-bit counter	Number of times cause value 73 has been transmitted
Cause Semantic Error In The Tft Operation Received	64-bit counter	Number of times cause value 74 has been received
Cause Semantic Error In The Tft Operation Transmitted	64-bit counter	Number of times cause value 74 has been transmitted
Cause Syntactic Error In The Tft Operation Received	64-bit counter	Number of times cause value 75 has been received
Cause Syntactic Error In The Tft Operation Transmitted	64-bit counter	Number of times cause value 75 has been transmitted
Cause Semantic Error In Packet Filter Received	64-bit counter	Number of times cause value 76 has been received
Cause Semantic Error In Packet Filter Transmitted	64-bit counter	Number of times cause value 76 has been transmitted
Cause Syntactic Error In Packet Filter Received	64-bit counter	Number of times cause value 77 has been received
Cause Syntactic Error In Packet Filter Transmitted	64-bit counter	Number of times cause value 77 has been transmitted
Cause Missing Or Unknown Apn Received	64-bit counter	Number of times cause value 78 has been received
Cause Missing Or Unknown Apn Transmitted	64-bit counter	Number of times cause value 78 has been transmitted
Cause Gre Key Not Found Received	64-bit counter	Number of times cause value 80 has been received
Cause Gre Key Not Found Transmitted	64-bit counter	Number of times cause value 80 has been transmitted
Cause Relocation Failure Received	64-bit counter	Number of times cause value 81 has been received

Table 1-46 GTP Message Statistics

GWGTPMESSAGESTATS	Type	Description
Cause Relocation Failure Transmitted	64-bit counter	Number of times cause value 81 has been transmitted
Cause Denied In Rat Received	64-bit counter	Number of times cause value 82 has been received
Cause Denied In Rat Transmitted	64-bit counter	Number of times cause value 82 has been transmitted
Cause Preferred Pdn Type Not Supported Received	64-bit counter	Number of times cause value 83 has been received
Cause Preferred Pdn Type Not Supported Transmitted	64-bit counter	Number of times cause value 83 has been transmitted
Cause All Dynamic Addresses Are Occupied Received	64-bit counter	Number of times cause value 84 has been received
Cause All Dynamic Addresses Are Occupied Transmitted	64-bit counter	Number of times cause value 84 has been transmitted
Cause Ue Context Without Tft Already Activated Received	64-bit counter	Number of times cause value 85 has been received
Cause Ue Context Without Tft Already Activated Transmitted	64-bit counter	Number of times cause value 85 has been transmitted
Cause Protocol Type Not Supported Received	64-bit counter	Number of times cause value 86 has been received
Cause Protocol Type Not Supported Transmitted	64-bit counter	Number of times cause value 86 has been transmitted
Cause Ue Not Responding Received	64-bit counter	Number of times cause value 87 has been received
Cause Ue Not Responding Transmitted	64-bit counter	Number of times cause value 87 has been transmitted
Cause Ue Refuses Received	64-bit counter	Number of times cause value 88 has been received
Cause Ue Refuses Transmitted	64-bit counter	Number of times cause value 88 has been transmitted
Cause Service Denied Received	64-bit counter	Number of times cause value 89 has been received
Cause Service Denied Transmitted	64-bit counter	Number of times cause value 89 has been transmitted
Cause Unable To Page Ue Received	64-bit counter	Number of times cause value 90 has been received

Table 1-46 GTP Message Statistics

GWGTPMESSAGESTATS	Type	Description
Cause Unable To Page Ue Transmitted	64-bit counter	Number of times cause value 90 has been transmitted
Cause No Memory Available Received	64-bit counter	Number of times cause value 91 has been received
Cause No Memory Available Transmitted	64-bit counter	Number of times cause value 91 has been transmitted
Cause User Authentication Failed Received	64-bit counter	Number of times cause value 92 has been received
Cause User Authentication Failed Transmitted	64-bit counter	Number of times cause value 92 has been transmitted
Cause Apn Access Denied No Subscription Received	64-bit counter	Number of times cause value 93 has been received
Cause Apn Access Denied No Subscription Transmitted	64-bit counter	Number of times cause value 93 has been transmitted
Cause Request Rejected Reason Not Specified Received	64-bit counter	Number of times cause value 94 has been received
Cause Request Rejected Reason Not Specified Transmitted	64-bit counter	Number of times cause value 94 has been transmitted
Cause P Tmsi Signature Mismatch Received	64-bit counter	Number of times cause value 95 has been received
Cause P Tmsi Signature Mismatch Transmitted	64-bit counter	Number of times cause value 95 has been transmitted
Cause Imsi Imei Not Known Received	64-bit counter	Number of times cause value 96 has been received
Cause Imsi Imei Not Known Transmitted	64-bit counter	Number of times cause value 96 has been transmitted
Cause Semantic Error in the Tad Operation Received	64-bit counter	Number of times cause value 97 has been received
Cause Semantic Error in the Tad Operation Transmitted	64-bit counter	Number of times cause value 97 has been transmitted
Cause Syntactic Error In The Tad Operation Received	64-bit counter	Number of times cause value 98 has been received
Cause Syntactic Error In The Tad Operation Transmitted	64-bit counter	Number of times cause value 98 has been transmitted
Cause Remote Peer Not Responding Received	64-bit counter	Number of times cause value 100 has been received

Table 1-46 GTP Message Statistics

GWGTPMESSAGESTATS	Type	Description
Cause Remote Peer Not Responding Transmitted	64-bit counter	Number of times cause value 100 has been transmitted
Cause Collision With Network Initiated Request Received	64-bit counter	Number of times cause value 101 has been received
Cause Collision With Network Initiated Request Transmitted	64-bit counter	Number of times cause value 101 has been transmitted
Cause Unable To Page Ue Due To Suspension Received	64-bit counter	Number of times cause value 102 has been received
Cause Unable To Page Ue Due To Suspension Transmitted	64-bit counter	Number of times cause value 102 has been transmitted
Cause Conditional Ie Missing Received	64-bit counter	Number of times cause value 103 has been received
Cause Conditional Ie Missing Transmitted	64-bit counter	Number of times cause value 103 has been transmitted
Cause Apn Restriction Type Incompatible With Currently Active Pdn Connection Received	64-bit counter	Number of times cause value 104 has been received
Cause Apn Restriction Type Incompatible With Currently Active Pdn Connection Transmitted	64-bit counter	Number of times cause value 104 has been transmitted
Cause Invalid Overall Length Of The Triggered Response Message And A Piggybacked Initial Message Received	64-bit counter	Number of times cause value 105 has been received
Cause Invalid Overall Length Of The Triggered Response Message And A Piggybacked Initial Message Transmitted	64-bit counter	Number of times cause value 105 has been transmitted
Cause Data Forwarding Not Supported Received	64-bit counter	Number of times cause value 106 has been received
Cause Data Forwarding Not Supported Transmitted	64-bit counter	Number of times cause value 106 has been transmitted
Cause Invalid Reply From Remote Peer Received	64-bit counter	Number of times cause value 107 has been received
Cause Invalid Reply From Remote Peer Transmitted	64-bit counter	Number of times cause value 107 has been transmitted
Cause Fallback To Gtpv1 Received	64-bit counter	Number of times cause value 108 has been received
Cause Fallback To Gtpv1 Transmitted	64-bit counter	Number of times cause value 108 has been transmitted
Request Imsi Transmitted	64-bit counter	Number of times cause value 0 has been transmitted

Table 1-46 GTP Message Statistics

GWGTPMESSAGESTATS	Type	Description
Request Imsi Received	64-bit counter	Number of times cause value 0 has been received
Request Imei	64-bit counter	Number of times cause value 1 has been transmitted
Request Imei	64-bit counter	Number of times cause value 1 has been received
Request Imsi And Imei Transmitted	64-bit counter	Number of times cause value 2 has been transmitted
Request Imsi And Imei Received	64-bit counter	Number of times cause value 2 has been received
No Identity Transmitted Needed	64-bit counter	Number of times cause value 3 has been transmitted
No Identity Received Needed	64-bit counter	Number of times cause value 3 has been received
Ms Refuses Request Transmitted	64-bit counter	Number of times cause value 4 has been transmitted
Ms Refuses Request Received	64-bit counter	Number of times cause value 4 has been received
Ms is Not Gprs Responding Request Transmitted	64-bit counter	Number of times cause value 5 has been transmitted
Ms is Not Gprs Responding Request Received	64-bit counter	Number of times cause value 5 has been received
Request Accepted Transmitted	64-bit counter	Number of times cause value 128 has been transmitted
Request Accepted Received	64-bit counter	Number of times cause value 128 has been received
New Pdp Type Due To Network Preference Transmitted	64-bit counter	Number of times cause value 129 has been transmitted
New Pdp Type Due To Network Preference Received	64-bit counter	Number of times cause value 129 has been received
New Pdp Type Due To Single Address Bearer Only Transmitted	64-bit counter	Number of times cause value 130 has been transmitted
New Pdp Type Due To Single Address Bearer Only Received	64-bit counter	Number of times cause value 130 has been received
Non Existent Transmitted	64-bit counter	Number of times cause value 192 has been transmitted

Table 1-46 GTP Message Statistics

GWGTPMESSAGESTATS	Type	Description
Non Existent Received	64-bit counter	Number of times cause value 192 has been received
Invalid Message Format Transmitted	64-bit counter	Number of times cause value 193 has been transmitted
Invalid Message Format Received	64-bit counter	Number of times cause value 193 has been received
Response Rej Imsi Not Known Transmitted	64-bit counter	Number of times cause value 194 has been transmitted
Response Rej Imsi Not Known Received	64-bit counter	Number of times cause value 194 has been received
Ms Is Gprs Detached Transmitted	64-bit counter	Number of times cause value 195 has been transmitted
Ms Is Gprs Detached Received	64-bit counter	Number of times cause value 195 has been received
Ms Is Not Gprs Responding Response Transmitted	64-bit counter	Number of times cause value 196 has been transmitted
Ms Is Not Gprs Responding Response Received	64-bit counter	Number of times cause value 196 has been received
Ms Refuses Response Transmitted	64-bit counter	Number of times cause value 197 has been transmitted
Ms Refuses Response Received	64-bit counter	Number of times cause value 197 has been received
Version Not Supported Transmitted	64-bit counter	Number of times cause value 198 has been transmitted
Version Not Supported Received	64-bit counter	Number of times cause value 198 has been received
No Resources Available Transmitted	64-bit counter	Number of times cause value 199 has been transmitted
No Resources Available Received	64-bit counter	Number of times cause value 199 has been received
Service Not Supported Transmitted	64-bit counter	Number of times cause value 200 has been transmitted
Service Not Supported Received	64-bit counter	Number of times cause value 200 has been received
Mandatory Ie Incorrect Transmitted	64-bit counter	Number of times cause value 201 has been transmitted

Table 1-46 GTP Message Statistics

GWGTPMESSAGESTATS	Type	Description
Mandatory Ie Incorrect Received	64-bit counter	Number of times cause value 201 has been received
Mandatory Ie Missing Transmitted	64-bit counter	Number of times cause value 202 has been transmitted
Mandatory Ie Missing Received	64-bit counter	Number of times cause value 202 has been received
Optional Ie Incorrect Transmitted	64-bit counter	Number of times cause value 203 has been transmitted
Optional Ie Incorrect Received	64-bit counter	Number of times cause value 203 has been received
System Failure Transmitted	64-bit counter	Number of times cause value 204 has been transmitted
System Failure Received	64-bit counter	Number of times cause value 204 has been received
Roaming Restriction Transmitted	64-bit counter	Number of times cause value 205 has been transmitted
Roaming Restriction Received	64-bit counter	Number of times cause value 205 has been received
P Tmsi Signature Mismatch Transmitted	64-bit counter	Number of times cause value 206 has been transmitted
P Tmsi Signature Mismatch Received	64-bit counter	Number of times cause value 206 has been received
Gprs Connection Suspended Transmitted	64-bit counter	Number of times cause value 207 has been transmitted
Gprs Connection Suspended Received	64-bit counter	Number of times cause value 207 has been received
Authentication Failure Transmitted	64-bit counter	Number of times cause value 208 has been transmitted
Authentication Failure Received	64-bit counter	Number of times cause value 208 has been received
User Authentication Failed Transmitted	64-bit counter	Number of times cause value 209 has been transmitted
User Authentication Failed Received	64-bit counter	Number of times cause value 209 has been received
Context Not Found Transmitted	64-bit counter	Number of times cause value 210 has been transmitted

Table 1-46 GTP Message Statistics

GWGTPMESSAGESTATS	Type	Description
Context Not Found Received	64-bit counter	Number of times cause value 210 has been received
All Dynamic Pdp Addresses Are Occupied Transmitted	64-bit counter	Number of times cause value 211 has been transmitted
All Dynamic Pdp Addresses Are Occupied Received	64-bit counter	Number of times cause value 211 has been received
No Memory Is Available Transmitted	64-bit counter	Number of times cause value 212 has been transmitted
No Memory Is Available Received	64-bit counter	Number of times cause value 212 has been received
Relocation Failure Transmitted	64-bit counter	Number of times cause value 213 has been transmitted
Relocation Failure Received	64-bit counter	Number of times cause value 213 has been received
Unknown Mandatory Extension Header Transmitted	64-bit counter	Number of times cause value 214 has been transmitted
Unknown Mandatory Extension Header Received	64-bit counter	Number of times cause value 214 has been received
Semantic Error In The Tft Operation Transmitted	64-bit counter	Number of times cause value 215 has been transmitted
Semantic Error In The Tft Operation Received	64-bit counter	Number of times cause value 215 has been received
Syntactic Error In The Tft Operation Transmitted	64-bit counter	Number of times cause value 216 has been transmitted
Syntactic Error In The Tft Operation Received	64-bit counter	Number of times cause value 216 has been received
Semantic Errors In Packet Filter Transmitted	64-bit counter	Number of times cause value 217 has been transmitted
Semantic Errors In Packet Filter Received	64-bit counter	Number of times cause value 217 has been received
Syntactic Errors In Packet Filter Transmitted	64-bit counter	Number of times cause value 218 has been transmitted
Syntactic Errors In Packet Filter Received	64-bit counter	Number of times cause value 218 has been received
Missing Or Unknown Apn Transmitted	64-bit counter	Number of times cause value 219 has been transmitted

Table 1-46 GTP Message Statistics

GWGTPMESSAGESTATS	Type	Description
Missing Or Unknown Apn Received	64-bit counter	Number of times cause value 219 has been received
Unknown Pdp Address Or Pdp Type Transmitted	64-bit counter	Number of times cause value 220 has been transmitted
Unknown Pdp Address Or Pdp Type Received	64-bit counter	Number of times cause value 220 has been received
Pdp Context Without Tft Already Activated Transmitted	64-bit counter	Number of times cause value 221 has been transmitted
Pdp Context Without Tft Already Activated Received	64-bit counter	Number of times cause value 221 has been received
Apn Access Denied No Subscription Transmitted	64-bit counter	Number of times cause value 222 has been transmitted
Apn Access Denied No Subscription Received	64-bit counter	Number of times cause value 222 has been received
Apn Restriction Type Incompatibility With Currently Active Pdp Contexts Transmitted	64-bit counter	Number of times cause value 223 has been transmitted
Apn Restriction Type Incompatibility With Currently Active Pdp Contexts Received	64-bit counter	Number of times cause value 223 has been received
Ms Mbms Capabilities Insufficient Transmitted	64-bit counter	Number of times cause value 224 has been transmitted
Ms Mbms Capabilities Insufficient Received	64-bit counter	Number of times cause value 224 has been received
Invalid Correlation Id Transmitted	64-bit counter	Number of times cause value 225 has been transmitted
Invalid Correlation Id Receive	64-bit counter	Number of times cause value 225 has been received
Mbms Bearer Context Superseded Transmitted	64-bit counter	Number of times cause value 226 has been transmitted
Mbms Bearer Context Superseded Received	64-bit counter	Number of times cause value 226 has been received
Bearer Control Mode Violation Transmitted	64-bit counter	Number of times cause value 227 has been transmitted
Bearer Control Mode Violation Received	64-bit counter	Number of times cause value 227 has been received
Collision With Network Initiated Request Transmitted	64-bit counter	Number of times cause value 228 has been transmitted

Table 1-46 GTP Message Statistics

GWGTPMESSAGESTATS	Type	Description
Collision With Network Initiated Request Received	64-bit counter	Number of times cause value 228 has been received
Cause Imsi Detach Only Rx	64-bit counter	Number of times cause value 7 has been received
Cause Imsi Detach Only Tx	64-bit counter	Number of times cause value 7 has been transmitted
Cause Reactivation Req Rx	64-bit counter	Number of times cause value 8 has been received
Cause Reactivation Req Tx	64-bit counter	Number of times cause value 8 has been transmitted
Cause Pdn Reconnect To Apn Disallowed Rx	64-bit counter	Number of times cause value 9 has been received
Cause Pdn Reconnect To Apn Disallowed Tx	64-bit counter	Number of times cause value 9 has been transmitted
Cause Access Change Non 3gpp To 3gpp Rx	64-bit counter	Number of times cause value 10 has been received
Cause Access Change Non3 gpp To 3gpp Tx	64-bit counter	Number of times cause value 10 has been transmitted
Cause Pdn Conn Inactive Timer Expire Rx	64-bit counter	Number of times cause value 11 has been received
Cause Pdn Conn Inactive Timer Expire Tx	64-bit counter	Number of times cause value 11 has been transmitted
Cause Pgw Not Responding Rx	64-bit counter	Number of times cause value 12 has been received
Cause Pgw Not Responding Tx	64-bit counter	Number of times cause value 12 has been transmitted
Cause Network Failure Rx	64-bit counter	Number of times cause value 13 has been received
Cause Network Failure Tx	64-bit counter	Number of times cause value 13 has been transmitted
Cause Qos Param Mismatch Rx	64-bit counter	Number of times cause value 14 has been received
Cause Qos Param Mismatch Tx	64-bit counter	Number of times cause value 14 has been transmitted

GTP Proxy Access Point Name Call Performance Statistics

Note: These statistics are displayed when at least one APN is configured and running.

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Current Sessions	32-bit gauge	Current number of sessions
Beareres	32-bit gauge	Current number of bearers
Create Session Attempts	32-bit counter	Total number of create session attempts
Create Session Accepts	32-bit counter	Total number of create session attempts accepted
Create Session Rejects	32-bit counter	Total number of create session attempts rejected
Create Session Rejects Malformed Requests	32-bit counter	Total number of create session attempts rejected - malformed request
Create Session Rejects Unknown Apn	32-bit counter	Total number of create session attempts rejected - unknown APN
Create Session Rejects Resource Unavailable	32-bit counter	Total number of create session attempts rejected - resources unavailable
Create Session Rejects Service Not Supported	32-bit counter	Total number of create session attempts rejected - service not supported
Create Session Rejects System Failure	32-bit counter	Total number of create session attempts rejected - system failure
Create Session Reject Apn Congested	32-bit counter	Total number of create session requests rejected - APN in congested state
Create Session Reject Apn Congested Critical	32-bit counter	Total number of create session requests rejected - APN in critical congested state
Create Session Reject Apn Congested Major	32-bit counter	Total number of create session requests rejected - APN in major congested state
Create Session Reject Apn Congested Minor	32-bit counter	Total number of create session requests rejected - APN in minor congested state
Create Session Rejects Misc	32-bit counter	Total number of create session attempts rejected - unclassified

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Delete Session Attempts	32-bit counter	Total number of delete session attempts received
Delete Session Accepts	32-bit counter	Total number of delete session attempts accepted
Delete Session Rejects	32-bit counter	Total number of delete session attempts rejected
UE Initiated Dedicated Bearer Activation Attempts	32-bit counter	Total number of UE initiated dedicated bearer activation attempts
UE Initiated Dedicated Bearer Activation Accepts	32-bit counter	Total number of UE initiated dedicated bearer activation attempts accepted
UE Initiated Dedicated Bearer Activation Rejects	32-bit counter	Total number of UE initiated dedicated bearer activation attempts rejected
Pgw Initiated Dedicated Bearer Activation Attempts	32-bit counter	Total number of PGW initiated dedicated bearer activation attempts accepted
Pgw Initiated Dedicated Bearer Activation Accepts	32-bit counter	Total number of PGW initiated dedicated bearer activation attempts accepted
Pgw Initiated Dedicated Bearer Activation Rejects	32-bit counter	Total number of PGW initiated dedicated bearer activation attempts rejected
Mme Initiated Dedicated Bearer Deactivation Attempts	32-bit counter	Total number of MME initiated dedicated bearer deactivation attempts
Mme Initiated Dedicated Bearer Deactivation Accepts	32-bit counter	Total number of MME initiated dedicated bearer deactivation attempts accepted
Mme Initiated Dedicated Bearer Deactivation Rejects	32-bit counter	Total number of MME initiated dedicated bearer deactivation attempts rejected
UE Initiated Dedicated Bearer Deactivation Attempts	32-bit counter	Total number of UE initiated dedicated bearer deactivation attempts
UE Initiated Dedicated Bearer Deactivation Accepts	32-bit counter	Total number of UE initiated dedicated bearer deactivation attempts accepted
UE Initiated Dedicated Bearer Deactivation Rejects	32-bit counter	Total number of UE initiated dedicated bearer deactivation attempts rejected
Pgw Initiated Dedicated Bearer Deactivation Attempts	32-bit counter	Total number of PGW initiated dedicated bearer deactivation attempts
Pgw Initiated Dedicated Bearer Deactivation Accepts	32-bit counter	Total number of PGW initiated dedicated bearer deactivation attempts accepted
Pgw Initiated Dedicated Bearer Deactivation Rejects	32-bit counter	Total number of PGW initiated dedicated bearer deactivation attempts rejected

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Modify Bearer Command Attempts	32-bit counter	Total number of modify bearer command attempts
Modify Bearer Command Rejects	32-bit counter	Total number of modify bearer command attempts rejected
Update Bearer Attempts	32-bit counter	Total number of update bearer attempts
Update Bearer Accepts	32-bit counter	Total number of update bearer attempts accepted
Update Bearer Rejects	32-bit counter	Total number of update bearer attempts rejected
Modify Bearer Attempts	32-bit counter	Total number of modify bearer attempts
Modify Bearer Accepts	32-bit counter	Total number of modify bearer attempts accepted
Modify Bearer Rejects	32-bit counter	Total number of modify bearer attempts rejected
Create Pdp Attempts	32-bit counter	Total number of create PDP context attempts
Create Pdp Accepts	32-bit counter	Total number of create PDP context attempts accepted
Create Pdp Rejects	32-bit counter	Total number of create PDP context attempts rejected
Create Pdp Rejects Malformed Requests	32-bit counter	Total number of create PDP context attempts rejected - malformed request
Create Pdp Rejects Unknown Apn	32-bit counter	Total number of create PDP context attempts rejected - unknown APN
Create Pdp Rejects Resource Unavailable	32-bit counter	Total number of create PDP context attempts rejected - resource unavailable
Create Pdp Rejects Service Not Supported	32-bit counter	Total number of create PDP context attempts rejected - service not supported
Create Pdp Rejects System Failure	32-bit counter	Total number of create PDP context attempts rejected - system failure
Create Pdp Rejects Misc	32-bit counter	Total number of create PDP context attempts rejected - unclassified
Delete Pdp Attempts	32-bit counter	Total number of delete PDP context attempts
Delete Pdp Accepts	32-bit counter	Total number of delete PDP context attempts accepted

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Delete Pdp Rejects	32-bit counter	Total number of delete PDP context attempts rejected
UE Initiated Secondary Pdp Activation Attempts	32-bit counter	Total number of UE initiated secondary PDP context activation attempts
UE Initiated Secondary Pdp Activation Accepts	32-bit counter	Total number of UE initiated secondary PDP context activation attempts accepted
UE Initiated Secondary Pdp Activation Rejects	32-bit counter	Total number of UE initiated secondary PDP context activation attempts rejected
GGSN Initiated Secondary Pdp Activation Attempts	32-bit counter	Total number of GGSN initiated secondary PDP context activation attempts
GGSN Initiated Secondary Pdp Activation Accepts	32-bit counter	Total number of GGSN initiated secondary PDP context activation attempts accepted
GGSN Initiated Secondary Pdp Activation Rejects	32-bit counter	Total number of GGSN initiated secondary PDP context activation attempts rejected
SGSN Initiated Secondary Pdp Deactivation Attempts	32-bit counter	Total number of SGSN initiated secondary PDP context deactivation attempts
SGSN Initiated Secondary Pdp Deactivation Accepts	32-bit counter	Total number of SGSN initiated secondary PDP context deactivation attempts accepted
SGSN Initiated Secondary Pdp Deactivation Rejects	32-bit counter	Total number of SGSN initiated secondary PDP context deactivation attempts rejected
UE Initiated Secondary Pdp Deactivation Attempts	32-bit counter	Total number of UE initiated secondary PDP context deactivation attempts
UE Initiated Secondary Pdp Deactivation Accepts	32-bit counter	Total number of UE initiated secondary PDP context deactivation attempts accepted
UE Initiated Secondary Pdp Deactivation Rejects	32-bit counter	Total number of UE initiated secondary PDP context deactivation attempts rejected
GGSN Initiated Secondary Pdp Deactivation Attempts	32-bit counter	Total number of GGSN initiated secondary PDP context deactivation attempts
GGSN Initiated Secondary Pdp Deactivation Accepts	32-bit counter	Total number of GGSN initiated secondary PDP context deactivation attempts accepted
GGSN Initiated Secondary Pdp Deactivation Rejects	32-bit counter	Total number of GGSN initiated secondary PDP context deactivation attempts rejected
SGSN Initiated Update Pdp Attempts	32-bit counter	Total number of SGSN initiated update PDP context attempts
SGSN Initiated Update Pdp Accepts	32-bit counter	Total number of SGSN initiated update PDP context attempts accepted

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
SGSN Initiated Update Pdp Rejects	32-bit counter	Total number of SGSN initiated update PDP context attempts rejected
GGSN Initiated Update Pdp Attempts	32-bit counter	Total number of GGSN initiated update PDP context attempts
GGSN Initiated Update Pdp Accepts	32-bit counter	Total number of GGSN initiated update PDP context attempts accepted
GGSN Initiated Update Pdp Rejects	32-bit counter	Total number of GGSN initiated update PDP context attempts rejected
Local Close Attempts	32-bit counter	Total number of session close attempts initiated internally
Local Close Attempts Accepted	32-bit counter	Total number of internally initiated session closes that were acted upon
PCRF Initiated Close Attempts	32-bit counter	Total number of PCRF initiated close attempts
OCS Initiated Close Attempts	32-bit counter	Total number of OCS initiated close attempts
Idle Session Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to IDLE duration time exceeded
Maximal Session Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to MAXIMAL duration time exceeded
Operator Initiated Closes	32-bit counter	Total number of operator initiated sessions close attempts
Num Bearer Idle Duration Exceeded Closes	32-bit counter	Total number of bearers deactivated due to IDLE duration time exceeded
Current Active Sessions	32-bit gauge	Current number of active sessions
Current Idle Sessions	32-bit gauge	Current number of idle sessions
Interval Peak Current Sessions	32-bit maximum	Interval Peak number of sessions
Interval Peak Current Active Sessions	32-bit maximum	Interval Peak number of active sessions
Interval Peak Current Idle Sessions	32-bit maximum	Interval Peak number of idle sessions
Default Bearers	32-bit gauge	Current number of default bearers
Dedicated Bearers	32-bit gauge	Current number of dedicated bearers
Interval Peak Bearers	32-bit maximum	Interval Peak number of bearers
Interval Peak Default Bearers	32-bit maximum	Interval Peak number of default bearers
Interval Peak Dedicated Bearers	32-bit maximum	Interval Peak number of dedicated bearers

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Dhcp Release Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP release
Dhcp Timeout Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address allocation timeout
Dhcp Lease Expiry Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address lease expiry
Radius Disconnect Local Closes	32-bit counter	Total number of local closes due to RADIUS disconnect from server
Num Rat Type EUTRAN Sessions	64-bit gauge	Current number of E-UTRAN sessions
Num Rat NB-IoT EUTRAN Sessions	64-bit gauge	Current number of NB-IoT-EUTRAN sessions
Num Current Sessions Gn GERAN	64-bit counter	Current number of Gn GERAN sessions
Num Current Sessions Gn UTRAN	64-bit counter	Current number of Gn UTRAN sessions
Num Current Sessions S5S8 GERAN	64-bit counter	Current number of S5S8 GERAN sessions
Num Current Sessions S5S8 UTRAN	64-bit counter	Current number of UTRAN GERAN sessions
Num Current Sessions Roaming	64-bit counter	Current number of roaming sessions
Current Sessions Using Gz	32-bit gauge	Current number sessions using Gz interface
Number of Rat Session Handovers	32-bit counter	Number of Rat session handover
Number of Sessions Setup with Default Gx Policy	32-bit counter	Number of sessions setup with default Gx policy
Number of Active Sessions with Default Gx Policy	32-bit gauge	Number of active sessions with default Gx policy and possibly awaiting PCRF rejoin
Number of Active Gx Replay Sessions Awaiting PCRF Rejoin	32-bit gauge	Number of active Gx replay sessions awaiting PCRF rejoin
Number of Successful OCS Gy Rejoin	32-bit counter	Number of successful OCS Gy rejoins
Number of Gx Replay Sessions Terminated	32-bit counter	Number of Gx replay sessions terminated
Local Close Attempts Duplicate Session	32-bit counter	Total number of local close attempts due to duplicate session
Number of Error Indications Processed	32-bit counter	Total number of error indications processed
Local Close Received Error Indication Attempts	32-bit counter	Total number of local close attempts due to receipt of error indication
Number of Error Indication Bearer Deactivation	32-bit counter	Total number of dedicated bearer deactivations due to receipt of error indication

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Number of S5u Default Bearer Error Indications Processed	64-bit counter	Total number of S5u default bearer error indications processed
Number of S5u Default Bearer Error Indication Local Close Attempts	64-bit counter	Total number of local close attempts due to receipt of error indication on S5u default bearer
Number of S5u Dedicated Bearer Error Indications Processed	64-bit counter	Total number of S5u dedicated bearer error indications processed
Number of S5u Dedicated Bearer Error Indication Bearer Deactivation	64-bit counter	Total number of bearer deactivations due to receipt of error indication on S5u dedicated bearer
Local IPv4 Alloc Successes	32-bit counter	Total number of local IPv4 allocation successes
Local IPv4 Alloc Failures	32-bit counter	Total number of local IPv4 allocation failures
Remote IPv4 Reserve Successes	32-bit counter	Total number of remote IPv4 reserve successes
Remote IPv4 Reserve Failures	32-bit counter	Total number of remote IPv4 reserve failures
Remote IPv4 Alloc Successes	32-bit counter	Total number of remote IPv4 allocation successes
Remote IPv4 Alloc Failures	32-bit counter	Total number of remote IPv4 allocation failures
Local IPv6 Alloc Successes	64-bit counter	Total number of local IPv6 allocation successes
Local IPv6 Alloc Failures	64-bit counter	Total number of local IPv6 allocation failures
Remote IPv6 Reserve Successes	64-bit counter	Total number of remote IPv6 reserve successes
Remote IPv6 Reserve Failures	64-bit counter	Total number of remote IPv6 reserve failures
Remote IPv6 Alloc Successes	32-bit counter	Total number of remote IPv6 allocation successes
Remote IPv6 Alloc Failures	32-bit counter	Total number of remote IPv6 allocation failures
Change Notification Attempts	32-bit counter	Total number of change notification attempts
Change Notification Accepts	32-bit counter	Total number of change notification attempts accepted
Change Notification Rejects	32-bit counter	Total number of change notification attempts rejected

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Change Notification Rejects Malformed Requests	32-bit counter	Total number of change notification attempts rejected due to malformed request
Change Notification Rejects Unknown APN	32-bit counter	Total number of change notification attempts rejected due to unknown APN
Change Notification Rejects Resource Unavailable	32-bit counter	Total number of change notification attempts rejected due to resources unavailable
Change Notification Rejects Service Not Supported	32-bit counter	Total number of change notification attempts rejected due to service not supported
Change Notification Rejects System Failure	32-bit counter	Total number of change notification attempts rejected due to system failure
Change Notification Rejects Misc	32-bit counter	Total number of change notification attempts rejected for miscellaneous reasons
Change Notification Requests Dropped	32-bit counter	Total number of change notification requests dropped
Local Close Attempts TEID Collision	32-bit counter	Total number of local close attempts due to TEID collision
Number of Successful PCRF Rejoin	32-bit counter	Number of sessions that successfully joined PCRF
Uplink Packets	32-bit counter	Total number of uplink packets received
Uplink Bytes	32-bit counter	Total number of uplink bytes received
Uplink Drop Packets	32-bit counter	Total number of uplink packets dropped
Uplink Drop Bytes	32-bit counter	Total number of uplink bytes dropped
Downlink Packets	32-bit counter	Total number of downlink packets received
Downlink Bytes	32-bit counter	Total number of downlink bytes received
Downlink Drop Packets	32-bit counter	Total number of downlink packets dropped
Downlink Drop Bytes	32-bit counter	Total number of downlink bytes dropped
Uplink Suspend Drop Packets	64-bit counter	Total number of uplink suspend packets dropped
Uplink Suspend Drop Bytes	64-bit counter	Total number of uplink suspend bytes dropped
Downlink Suspend Drop Packets	64-bit counter	Total number of downlink suspend packets dropped
Downlink Suspend Drop Bytes	64-bit counter	Total number of downlink suspend bytes dropped

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Bearers Setup Success	32-bit counter	Total number of bearers setup successful
Bearers Setup Fail	32-bit counter	Total number of bearers setup failed
Current Bearers QCI1	32-bit gauge	Total number of current bearers with QCI 1
Current Bearers QCI2	32-bit gauge	Total number of current bearers with QCI 2
Current Bearers QCI3	32-bit gauge	Total number of current bearers with QCI 3
Current Bearers QCI4	32-bit gauge	Total number of current bearers with QCI 4
Current Bearers QCI5	32-bit gauge	Total number of current bearers with QCI 5
Current Bearers QCI6	32-bit gauge	Total number of current bearers with QCI 6
Current Bearers QCI7	32-bit gauge	Total number of current bearers with QCI 7
Current Bearers QCI8	32-bit gauge	Total number of current bearers with QCI 8
Current Bearers QCI9	32-bit gauge	Total number of current bearers with QCI 9
Current Bearers QCI Other	32-bit gauge	Total number of current bearers with QCI Between 10 and 255
Bearer Setup Success QCI1	32-bit counter	Total number of bearers setup successful with QCI 1
Bearer Setup Success QCI2	32-bit counter	Total number of bearers setup successful with QCI 2
Bearer Setup Success QCI3	32-bit counter	Total number of bearers setup successful with QCI 3
Bearer Setup Success QCI4	32-bit counter	Total number of bearers setup successful with QCI 4
Bearer Setup Success QCI5	32-bit counter	Total number of bearers setup successful with QCI 5
Bearer Setup Success QCI6	32-bit counter	Total number of bearers setup successful with QCI 6
Bearer Setup Success QCI7	32-bit counter	Total number of bearers setup successful with QCI 7
Bearer Setup Success QCI8	32-bit counter	Total number of bearers setup successful with QCI 8
Bearer Setup Success QCI9	32-bit counter	Total number of bearers setup successful with QCI 9

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Bearer Setup Success QCI Other	32-bit counter	Total number of bearers setup successful with QCI between 10 and 255
Bearer Setup Fail QCI1	32-bit counter	Total number of bearers setup failed with QCI 1
Bearer Setup Fail QCI2	32-bit counter	Total number of bearers setup failed with QCI 2
Bearer Setup Fail QCI3	32-bit counter	Total number of bearers setup failed with QCI 3
Bearer Setup Fail QCI4	32-bit counter	Total number of bearers setup failed with QCI 4
Bearer Setup Fail QCI5	32-bit counter	Total number of bearers setup failed with QCI 5
Bearer Setup Fail QCI6	32-bit counter	Total number of bearers setup failed with QCI 6
Bearer Setup Fail QCI7	32-bit counter	Total number of bearers setup failed with QCI 7
Bearer Setup Fail QCI8	32-bit counter	Total number of bearers setup failed with QCI 8
Bearer Setup Fail QCI9	32-bit counter	Total number of bearers setup failed with QCI 9
Bearer Setup Fail QCI Other	32-bit counter	Total number of bearers setup failed with QCI between 10 and 255
Saegw Pgw Current Sessions	32-bit counter	SAEGW-PGW current number of sessions
Saegw Pgw Current Sessions S5S8 Geran	64-bit counter	SAEGW-PGW current number of S5S8 GERAN sessions
Saegw Pgw Current Sessions S5S8 Utran	64-bit counter	SAEGW-PGW current number of S5S8 UTRAN sessions
Saegw Rat Type EUTRAN Sessions	64-bit gauge	SAEGW-PGW current number of E-UTRAN sessions
Saegw Rat Type NB-IoT EUTRAN Sessions	64-bit gauge	SAEGW-PGW current number of NB-IoT E-UTRAN sessions
Non IP PDN Sessions	64-bit gauge	Current number of Non IP PDN sessions
Saegw Pgw Current Sessions EUTRAN	64-bit counter	SAEGW-PGW current number of E-UTRAN sessions
Saegw Pgw Current Bearers	32-bit counter	SAEGW-PGW current number of bearers

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Saegw Pgw Bearers Setup Success	32-bit counter	SAEGW-PGW total number of bearers setup successful
Saegw Pgw Bearers Setup Fail	32-bit counter	SAEGW-PGW total number of bearers setup failed
Saegw Pgw Current Bearers QCI1	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 1
Saegw Pgw Current Bearers QCI2	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 2
Saegw Pgw Current Bearers QCI3	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 3
Saegw Pgw Current Bearers QCI4	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 4
Saegw Pgw Current Bearers QCI5	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 5
Saegw Pgw Current Bearers QCI6	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 6
Saegw Pgw Current Bearers QCI7	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 7
Saegw Pgw Current Bearers QCI8	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 8
Saegw Pgw Current Bearers QCI9	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 9
Saegw Pgw Current Bearers QCI Other	32-bit gauge	SAEGW-PGW total number of current bearers with QCI between 10 and 255
Saegw Pgw Bearer Setup Success QCI1	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 1
Saegw Pgw Bearer Setup Success QCI2	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 2
Saegw Pgw Bearer Setup Success QCI3	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 3
Saegw Pgw Bearer Setup Success QCI4	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 4
Saegw Pgw Bearer Setup Success QCI5	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 5
Saegw Pgw Bearer Setup Success QCI6	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 6

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Saegw Pgw Bearer Setup Success QCI7	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 7
Saegw Pgw Bearer Setup Success QCI8	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 8
Saegw Pgw Bearer Setup Success QCI9	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 9
Saegw Pgw Bearer Setup Success QCI Other	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 1
Saegw Pgw Bearer Setup Fail QCI1	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI between 10 and 255
Saegw Pgw Bearer Setup Fail QCI2	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 2
Saegw Pgw Bearer Setup Fail QCI3	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 3
Saegw Pgw Bearer Setup Fail QCI4	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 4
Saegw Pgw Bearer Setup Fail QCI5	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 5
Saegw Pgw Bearer Setup Fail QCI6	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 6
Saegw Pgw Bearer Setup Fail QCI7	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 7
Saegw Pgw Bearer Setup Fail QCI8	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 8
Saegw Pgw Bearer Setup Fail QCI9	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 9
Saegw Pgw Bearer Setup Fail QCI Other	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI between 10 and 255
Local Close Await CoA Timeout Attempts	32-bit counter	Total number of local close attempts due to no CoA received within the configured timeout
L2tp Gateway Session Delete Attempts	32-bit counter	Total number of L2tp gateway delete request attempts
Num Suspend Notification	32-bit counter	Total number of suspend notification requests received
Num Suspend Notification Accepts	32-bit counter	Total number of suspend notification requests accepted

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Num Suspend Notification Rejects	32-bit counter	Total number of suspend notification requests rejected
Num Resume Notification	32-bit counter	Total number of resume notification requests received
Num Resume Notification Accepts	32-bit counter	Total number of resume notification requests accepted
Num Resume Notification Rejects	32-bit counter	Total number of resume notification requests rejected
Num Redirected Apn Subscriber	32-bit counter	Total number of Redirected Subscriber from this APN
Num Active Redirected Current Sessions	32-bit gauge	Current number of Active Redirected Subscriber from this APN
Delete PDP Context Drop Teardown Ind Missing Single Bearer Session	32-bit counter	Total number of delete PDP context dropped as teardown ind is missing in message with only one bearer in session
Delete PDP Context Drop Teardown Ind Missing For Default Bearer	32-bit counter	Total number of delete PDP context dropped as teardown ind is missing for default bearer in message
Num Sessions Setup with Default Gy Quota	32-bit counter	Number of sessions setups succeeded with default Gy quota
Num Active Sessions with Default Gy Quota	32-bit gauge	Number of active sessions setup with default quota and has not completed an OCS rejoin
Number Active Gy AP Trigger by CCRU	32-bit counter	Number of sessions currently using default quota triggered by CCR-U failure
Number Total Gy AP Trigger by CCRU	32-bit counter	Number of total sessions using default quota triggered by CCR-U failure
Num Active Gy Sessions Awaiting OCS Rejoin	32-bit gauge	Number active Gy sessions awaiting OCS rejoin, including: ■ Sessions setup with default Gy quota awaiting OCS rejoin ■ Sessions that failed CCR-Update awaiting OCS rejoin
Num OCS Gy Rejoin Success	32-bit counter	Number of successful OCS Gy Rejoins
Num Default Gy Quota Reapplied	32-bit counter	Number of times default Gy Quota was applied due to CCR-I Failure
Num Default Gy Quota Applied CCR-U Failure	32-bit counter	Number of times default Gy Quota was applied due to CCR-U Failure

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Num of Gx Sessions	32-bit gauge	Current number sessions using Gx interface
Num of Gy Sessions	32-bit gauge	Current number sessions using Gy interface
Num Gy Down Gy Rejoin Timer Started	32-bit counter	Number of times the Gy Rejoin timer was restarted because the OCS interface was down
Number Gy CCRT Write To Disk	32-bit counter	Number of record logs to disk due to CCR-T failure
Number Gy AP Trigger By Protocol Error	32-bit counter	Number of total sessions using default quota triggered by 3xx result code
Number Gy AP Trigger By Transient Failure	32-bit counter	Number of total sessions using default quota triggered by 4xx result code
Number Gy AP Trigger By Permanent Failure	32-bit counter	Number of total sessions using default quota triggered by 5xx result code
Number Gy AP Trigger By Message Timeout	32-bit counter	Number of total sessions using default quota triggered by timeout
Number Gy AP Trigger By Link Down	32-bit counter	Number of total session using default quota triggered by OCS link down
Number Gy AP Trigger By Internal Failure	32-bit counter	Number of total sessions using default quota triggered by internal error of back pressure
Num S6b Initiated Close Attempts	32-bit counter	Total number of S6b initiated close attempts
Default Gy Uplink Bytes	32-bit counter	Total uplink bytes using default Gy Quota
Default Gy Downlink Bytes	32-bit counter	Total downlink bytes using default Gy Quota
Num of Active S6b Sessions	32-bit gauge	Number of active S6b sessions
Num Ignore SPR Radius Failure Sessions	32-bit counter	Total number of sessions that ignored Radius failure
Number of Saegw Pgw Uplink Packets	64-bit counter	Total number of uplink packets for SAEGW PGW sessions
Number of Saegw Pgw Uplink Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW sessions
Number of Saegw Pgw Downlink Packets	64-bit counter	Total number of downlink packets for SAEGW PGW sessions
Number of Saegw Pgw Downlink Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW sessions
Number of Saegw Pgw Uplink Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW sessions

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Number of Saegw Pgw Uplink Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW sessions
Number of Saegw Pgw Downlink Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW sessions
Number of Saegw Pgw Downlink Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW sessions
Number of Uplink S5S8 Geran Packets	64-bit counter	Total number of uplink packets for PGW S5S8 GERAN sessions
Number of Uplink S5S8 Geran Bytes	64-bit counter	Total number of uplink bytes for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Packets	64-bit counter	Total number of downlink packets for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Bytes	64-bit counter	Total number of downlink bytes for PGW S5S8 GERAN sessions
Number of Uplink S5S8 Geran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW S5S8 GERAN sessions
Number of Uplink S5S8 Geran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW S5S8 GERAN sessions
Number of Saegw Pgw Uplink S5S8 Geran Packets	64-bit counter	Total number of uplink packets for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Uplink S5S8 Geran Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Downlink S5S8 Geran Packets	64-bit counter	Total number of downlink packets for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Downlink S5S8 Geran Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Uplink S5S8 Geran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Uplink S5S8 Geran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Downlink S5S8 Geran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW S5S8 GERAN sessions

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Number of Saegw Pgw Downlink S5S8 Geran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW S5S8 GERAN sessions
Number of Uplink S5S8 Utran Packets	64-bit counter	Total number of uplink packets for PGW S5S8 UTRAN sessions
Number of Uplink S5S8 Utran Bytes	64-bit counter	Total number of uplink bytes for PGW S5S8 UTRAN sessions
Number of Downlink S5S8 Utran Packets	64-bit counter	Total number of downlink packets for PGW S5S8 UTRAN sessions
Number of Downlink S5S8 Utran Bytes	64-bit counter	Total number of downlink bytes for PGW S5S8 UTRAN sessions
Number of Uplink S5S8 Utran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW S5S8 UTRAN sessions
Number of Uplink S5S8 Utran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW S5S8 UTRAN sessions
Number of Downlink S5S8 Utran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW S5S8 UTRAN sessions
Number of Downlink S5S8 Utran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Packets	64-bit counter	Total number of uplink packets for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Downlink S5S8 Utran Packets	64-bit counter	Total number of downlink packets for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Downlink S5S8 Utran Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Downlink S5S8 Utran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Downlink S5S8 Utran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Uplink Eutran Packets	64-bit counter	Total number of uplink packets for PGW EUTRAN sessions

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Number of Uplink Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW EUTRAN sessions
Number of Downlink Eutran Packets	64-bit counter	Total number of downlink packets for PGW EUTRAN sessions
Number of Downlink Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW EUTRAN sessions
Number of Uplink Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW EUTRAN sessions
Number of Uplink Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW EUTRAN sessions
Number of Downlink Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW EUTRAN sessions
Number of Downlink Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Uplink Eutran Packets	64-bit counter	Total number of uplink packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Uplink Eutran Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Downlink Eutran Packets	64-bit counter	Total number of downlink packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Downlink Eutran Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Uplink Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Uplink Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW EUTRAN sessions
Number of SaegwPgw Downlink Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Downlink Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW EUTRAN sessions
Number of Uplink NBIot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number of Uplink NBIot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number of Downlink NBIot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Number of Downlink NBIot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number of Uplink NBIot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number of Uplink NBIot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number of Downlink NBIot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number of Downlink NBIot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Downlink NBIot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Downlink NBIot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Downlink NBIot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Downlink NBIot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number of Uplink GnGp Geran Packets	64-bit counter	Total number of uplink GnGp GERAN packets received
Number of Uplink GnGp Geran Bytes	64-bit counter	Total number of uplink GnGp GERAN bytes received
Number of Uplink GnGp Geran Drop Packets	64-bit counter	Total number of uplink GnGp GERAN packets dropped
Number of Uplink GnGp Geran Drop Bytes	64-bit counter	Total number of uplink GnGp GERAN bytes dropped
Number of Downlink GnGp Geran Packets	64-bit counter	Total number of downlink GnGp GERAN packets received

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Number of Downlink GnGp Geran Bytes	64-bit counter	Total number of downlink GnGp GERAN bytes received
Number of Downlink GnGp Geran Drop Packets	64-bit counter	Total number of downlink GnGp GERAN packets dropped
Number of Downlink GnGp Geran Drop Bytes	64-bit counter	Total number of downlink GnGp GERAN bytes dropped
Number of Uplink GnGp Utran Packets	64-bit counter	Total number of uplink GnGp UTRAN packets received
Number of Uplink GnGp Utran Bytes	64-bit counter	Total number of uplink GnGp UTRAN bytes received
Number of Uplink GnGp Utran Drop Packets	64-bit counter	Total number of uplink GnGp UTRAN packets dropped
Number of Uplink Gn Gp Utran Drop Bytes	64-bit counter	Total number of uplink GnGp UTRAN bytes dropped
Number of Downlink GnGp Utran Packets	64-bit counter	Total number of downlink GnGp UTRAN packets received
Number of Downlink GnGp Utran Bytes	64-bit counter	Total number of downlink GnGp UTRAN bytes received
Number of Downlink GnGp Utran Drop Packets	64-bit counter	Total number of downlink GnGp UTRAN packets dropped
Number of Downlink GnGp Utran Drop Bytes	64-bit counter	Total number of downlink GnGp UTRAN bytes dropped
Number of Delete Dropped	64-bit counter	Number of delete dropped
Number of DNS Attempts	64-bit counter	DNS request attempts
Number of DNS Send Success	64-bit counter	DNS request success
Number of DNS Send Failed No Config	64-bit counter	DNS request send failed - no DNS configuration
Number of DNS Failed Misc	64-bit counter	DNS request send failed - miscellaneous
Number of DNS Responses	64-bit counter	DNS response - total received
Number of DNS Response Success	64-bit counter	DNS response success
Number of DNS Response Fail No Response	64-bit counter	DNS response failed - no response from server
Number of DNS Response Fail No Name	64-bit counter	DNS response failed - domain name not found
Number of DNS Response Fail No Data	64-bit counter	DNS response failed - no data

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Number of DNS Response Fail Misc	64-bit counter	DNS response failed - miscellaneous
Num Pco Pcscf Default Fqdn Used	64-bit counter	Total number of times default P-CSCF FQDN used for DNS lookup
Num Pco Pcscf Table Used	64-bit counter	Total number of times P-CSCF IP Address used for P-CSCF IP Address allocation
Number of SPR Authentication Request Attempts	64-bit counter	Number of SPR Authentication Request attempts
Number of SPR Authentication Requests Accepted	64-bit counter	Number of SPR Authentication Requests accepted
Number of SPR Authentication Requests Rejected	64-bit counter	Number of SPR Authentication Requests rejected
Number of SPR Authentication Request Timeouts	64-bit counter	Number of SPR Authentication Request timeouts
Number of Accounting Start Request Attempts	64-bit counter	Number of Accounting Start Request attempts
Number of Accounting Start Requests Accepted	64-bit counter	Number of Accounting Start Requests accepted
Number of Accounting Start Request Timeouts	64-bit counter	Number of Accounting Start Request timeouts
Number of Accounting Interim Update Request Attempts	64-bit counter	Number of Accounting Interim Update Request attempts
Number of Accounting Interim Update Requests Accepted	64-bit counter	Number of Accounting Interim Update Requests accepted
Number of Accounting Interim Update Request Timeouts	64-bit counter	Number of Accounting Interim Update Request timeouts
Number of Accounting Stop Request Attempts	64-bit counter	Number of Accounting Stop Request attempts
Number of Accounting Stop Requests Accepted	64-bit counter	Number of Accounting Stop Requests accepted
Number of Accounting Stop Request Timeouts	64-bit counter	Number of Accounting Stop Request timeouts
Number of UE requested IPv4 Address Reserve Successes	64-bit counter	Number of UE requested IPv4 Address Reserve successes
Number of UE requested IPv4 Address Reserve Failures	64-bit counter	Number of UE requested IPv4 Address Reserve failures
Number of UE requested IPv6 Address Reserve Successes	64-bit counter	Number of UE requested IPv6 Address Reserve successes

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Number of UE requested IPv6 Address Reserve Failures	64-bit counter	Number of UE requested IPv6 Address Reserve failures
Number of RADIUS Allocated IPv4 Address Reserve Successes	64-bit counter	Number of RADIUS Allocated IPv4 Address Reserve successes
Number of RADIUS Allocated IPv4 Address Reserve Failures	64-bit counter	Number of RADIUS Allocated IPv4 Address Reserve failures
Number of RADIUS Allocated IPv6 Address Reserve Successes	64-bit counter	Number of RADIUS Allocated IPv6 Address Reserve successes
Number of RADIUS Allocated IPv6 Address Reserve Failures	64-bit counter	Number of RADIUS Allocated IPv6 Address Reserve failures
Number of Remote DHCP Server Allocated IPv4 Address Reserve Successes	64-bit counter	Number of Remote DHCP Server Allocated IPv4 Address Reserve successes
Number of Remote DHCP Server Allocated IPv4 Address Reserve Failures	64-bit counter	Number of Remote DHCP Server Allocated IPv4 Address Reserve failures
Number of Remote DHCP Server Allocated IPv6 Address Reserve Successes	64-bit counter	Number of Remote DHCP Server Allocated IPv6 Address Reserve successes
Number of Remote DHCP Server Allocated IPv6 Address Reserve Failures	64-bit counter	Number of Remote DHCP Server Allocated IPv6 Address Reserve failures
Number of DHCP Relay Allocated IPv4 Address Reserve Successes	64-bit counter	Number of DHCP Relay Allocated IPv4 Address Reserve successes
Number of DHCP Relay Allocated IPv4 Address Reserve Failures	64-bit counter	Number of DHCP Relay Allocated IPv4 Address Reserve failures
Number of DHCP Relay Allocated IPv6 Address Reserve Successes	64-bit counter	Number of DHCP Relay Allocated IPv6 Address Reserve successes
Number of DHCP Relay Allocated IPv6 Address Reserve Failures	64-bit counter	Number of DHCP Relay Allocated IPv6 Address Reserve failures
Number TTL Excd Drop Packets	64-bit counter	Number of TTL 0 drop packets
Number TTL Excd Drop Bytes	64-bit counter	Number of TTL 0 drop bytes
Number Frag Send Packets	64-bit counter	Number of IP packets fragmented before sending on the tunnel
Number Frag Send Bytes	64-bit counter	Number of IP bytes fragmented before sending on the tunnel
Number Frag Fail Packets	64-bit counter	Number of IP packets filed in fragmentation
Number Frag Fail Bytes	64-bit counter	Number of IP bytes filed in fragmentation

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Number Uplink Acl Drop Packets	64-bit counter	Number of uplink ACL drop packets
Number Uplink Acl Drop Bytes	64-bit counter	Number of uplink ACL drop bytes
Number Downlink Acl Drop Packets	64-bit counter	Number of downlink ACL drop packets
Number Downlink Acl Drop Bytes	64-bit counter	Number of downlink ACL drop bytes
Number Bad Src Addr Drop Packets	64-bit counter	Number of bad source address drop packets
Number Bad Src Addr Drop Bytes	64-bit counter	Number of bad source address drop bytes
Number No TFT Drop Packets	64-bit counter	Number of no traffic flow template drop packets
Number No TFT Drop Bytes	64-bit counter	Number of no traffic flow template drop bytes
Number Bad UE Addr Drop Packets	64-bit counter	Number of bad UE address drop packets
Number Bad UE Addr Drop Bytes	64-bit counter	Number of bad UE address drop bytes
Number MTU Drop Packets	64-bit counter	Number of MTU drop packets
Number MTU Drop Bytes	64-bit counter	Number of MTU drop bytes
Number No Route Drop Packets	64-bit counter	Number of no route drop packets
Number No Route Drop Bytes	64-bit counter	Number of no route drop routes
Number No Egress Intf Drop Packets	64-bit counter	Number of no egress interface drop packets
Number No Egress Intf Drop Bytes	64-bit counter	Number of no egress interface drop bytes
Current Sessions Rat Type Nbiot Eutran	32-bit gauge	Current number of NBIOT-EUTRAN RAT sessions
Saegw Pgw Current Sessions Nbiot Eutran	32-bit gauge	SAEGW-PGW Current number of NBIOT E-UTRAN sessions
Number Uplink Nbiot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number Uplink Nbiot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number Uplink Nbiot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Number Uplink Nbiot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number Start Pilot Packets Sent	64-bit counter	Total number of Session Start Pilot Packets sent
Number Stop Pilot Packets Sent	64-bit counter	Total number of Session Stop Pilot Packets sent
Number RAT Change Pilot Packets Sent	64-bit counter	Total number of Rat Change Pilot Packets sent
Number Bearer Stats With No SR Stats	64-bit counter	Total number of CDRs with bearer traffic stats but no service rule stats.
Number Create Session Resp No Context	64-bit counter	Total number of create session responses from the PGW - no context found
Number Local Alloc From SubPool Successes	64-bit counter	Total number of local IP allocation from subpool successes
Number Local Alloc From SubPool Failures	64-bit counter	Total number of local IP allocation from subpool failures

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Number Remote Alloc From SubPool Successes	64-bit counter	Total number of remote IP allocation from subpool successes
Number Remote Alloc From SubPool Failures	64-bit counter	Total number of remote IP allocation from subpool failures
Number Sess Setup Success Apn Matching Exact Match	32-bit counter	Total number of create session requests accepted with APN matching type exact match
Number Sess Setup Success Apn Matching Ni Only	32-bit counter	Total number of create session requests accepted with APN matching type NI only
Number Sess Setup Success Apn Matching Ni And Malformed Oi	32-bit counter	Total number of create session requests accepted with APN matching type NI and malformed OI
Number Pdp Sess Setup Success Apn Matching Exact Match	32-bit counter	Total number of create PDP session requests accepted with APN matching type exact match
Number Pdp Sess Setup Success Apn Matching Ni Only	32-bit counter	Total number of create PDP session requests accepted with APN matching type NI only
Number Pdp Sess Setup Success Apn Matching Ni And Malformed Oi	32-bit counter	Total number of create PDP session requests accepted with APN matching type NI and malformed OI
Number Local Close Create Session Parallel PDN	32-bit counter	Total number of sessions locally closed due to parallel PDN connection setup
Number Local Close Create PDP Parallel PDN	32-bit counter	Total number of PDP context locally closed due to parallel PDN connection setup
Number Current Geo Sync Restored Sessions	32-bit gauge	Current number of PDN sessions restored from Geo Active
Minimum Control Plane Teid Reuse Duration	32-bit gauge	Minimum duration in which Control Plane TEID got reused
Minimum User Plane Teid Reuse Duration	32-bit gauge	Minimum duration in which User Plane TEID got reused
Number Stats Update For Missing SRs For Active Sessions	32-bit counter	Total number of missing Service Rule stats update for active sessions
Number Stats Update For Missing SRs For Deactivate Sessions	32-bit counter	Total number of missing Service Rule stats update for sessions in deactivate state
Number CDRs With Zero Service Data Containers	32-bit counter	Total number of CDRs generated with zero service data containers
Number Local Delegated IPv6 Alloc Successes	64-bit counter	Total number of local delegated IPv6 allocation successes

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Number Local Delegated IPv6 Alloc Failures	64-bit counter	Total number of local delegated IPv6 allocation failures
Number Remote Delegated IPv6 Reserve Successes	64-bit counter	Total number of remote delegated IPv6 allocation successes
Number Remote Delegated IPv6 Reserve Failures	64-bit counter	Total number of remote delegated IPv6 allocation failures
Number Sig Info Lookup Successful And Filled Configured Values	32-bit counter	Total number of sessions filled with configured values for Signalling Information Elements
Number Sig Info Lookup Failure	32-bit counter	Total number of sessions that did not have configured Signalling Information Elements
Number of Sessions in Local Database	32-bit counter	Total number of sessions in local database
Number of S5u Core Peer Default Bearer Error Indications Processed	32-bit counter	Total number of S5u core peer default bearer error indications processed
Number of S5u Core Peer Default Bearer Error Indications Local Close Attempts	32-bit counter	Total number of local close attempts due to receipt of error indication on s5s8u default bearer from core peer
Number of S5u Core Peer Default Bearer Error Indications Processed	32-bit counter	Total number of core S5u dedicated bearer error indications processed
Number of S5u Core Peer Default Bearer Error Indications Bearer Deactivation	32-bit counter	Total number of dearer deactivation due to receipt of error indication on s5s8u dedicated bearer from core peer
Number of Core Gtpu Error Indications Processed	32-bit counter	Total number of Core Gtpu Error Indications processed
Number of Core Gtpu Error Indication Local Close Attempts	32-bit counter	Total number of local close attempts due to receipt of Error Indication from Core Peer
Number of Core Gtpu Error Indication Bearer Deactivation	32-bit counter	Total number of dedicated bearer deletion due to receipt of error indication on s5u dedicated bearer from core peer
Number of S5u Core Def Brr Error Indication Local Close Attempts	32-bit counter	Total number of local close attempts due to receipt of error indication on s5u default bearer from core peer
Number of S5u Core Def Brr Error Indication Bearer Deactivation	32-bit counter	Total number of bearer deactivations due to receipt of error indication on s5u dedicated bearer from core peer
Number of Create Session Dropped Proc Limit	32-bit counter	Total number of create session requests rejected due to procedure limit reached

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Number of Create Pdp Dropped Proc Limit	32-bit counter	Total number of create PDP context requests rejected due to procedure limit reached
Number of Delete Session Dropped Proc Limit	32-bit counter	Total number of delete session requests rejected due to procedure limit reached
Number of Delete Pdp Dropped Proc Limit	32-bit counter	Total number of delete PDP context requests rejected due to procedure limit reached
NumSessSetupFailuresExternalErrors	32-bit counter	Total number of session setup failures due to external errors
NumSessDeactivationsExternalErrors	32-bit counter	Total number of session deactivations due to external errors
NumSessSetupFailuresLocalErrors	32-bit counter	Total number of session setup failures due to local errors
NumSessDeactivationsLocalErrors	32-bit counter	Total number of session deactivations due to local errors
NumCreateSessionRejectFromPgw	32-bit counter	Total number of create session requests rejected by the PGW
NumCreateSessionRequestsThrottledClusterRate Control	32-bit counter	Number of create session requests throttled due to cluster level rate control
NumCreateSessionRequestsThrottledApnRateControl	32-bit counter	Number of create session requests throttled due to APN level rate control
NumCreatePDPContextRequestsThrottledClusterRate Control	32-bit counter	Number of create PDP context requests throttled due to cluster level rate control
NumCreatePDPContextRequestsThrottledApnRate Control	32-bit counter	Number of create PDP context requests throttled due to APN level rate control
Number of Total Sessions With Terminate Timer	32-bit counter	Number of times session terminate timer started because Gy interface was down
Number of Current Sessions With Terminate Timer	32-bit counter	Number of active sessions with session terminate timer running
Create Session Reject Session Blocked	32-bit counter	Total number of create session requests rejected due to session blocked
Local Close Attempts Session Blocked	32-bit counter	Total number of local close attempts due to session blocked
Number Local Close Terminate Service Rule	32-bit counter	Total number of local closes due to traffic through service rule with terminate action
Number of Sessions in Local Database	32-bit counter	Total number of sessions in local database

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
Connected Device Flows	64-bit counter	Connected device flows
Connected Device Uplink Packets	64-bit counter	Connected device uplink packets
Connected Device Uplink Bytes	64-bit counter	Connected device uplink bytes
Connected Device Downlink Packets	64-bit counter	Connected device downlink packets
Connected Device Downlink Bytes	64-bit counter	Connected device downlink bytes
Tethered Device Flows	64-bit counter	Tethered device flows
Tethered Device Uplink Packets	64-bit counter	Tethered device uplink packets
Tethered Device Uplink Bytes	64-bit counter	Tethered device uplink bytes
Tethered Device Downlink Packets	64-bit counter	Tethered device downlink packets
Tethered Device Downlink Bytes	64-bit counter	Tethered device downlink bytes
Tethering Entitled Flows	64-bit counter	Total Number of tethering entitled flows
Tethering Entitled Uplink Packets Passed	64-bit counter	Total Number of tethering entitled uplink packets passed
Tethering Entitled Uplink Bytes Passed	64-bit counter	Total Number of tethering entitled uplink bytes passed
Tethering Entitled Downlink Packets Passed	64-bit counter	Total Number of tethering entitled downlink packets passed
Tethering Entitled Downlink Bytes Passed	64-bit counter	Total Number of tethering entitled downlink bytes passed
Tethered Flows Detected Using TTL	64-bit counter	Tethered flows detected using Ttl
Tethered Flows Detected Using User Agent	64-bit counter	Tethered flows detected using user agent
Num PGW Triggered QoS Update	64-bit counter	Total number of PGW triggered QoS updates
NumSessionsEstablishedWithExistingImsiAndApn	64-bit counter	Total number of sessions established with IMSI/APN combination for which a session is already established
NumPGWInitDedBearerActPartialAccept	64-bit counter	Total number of PGW initiated dedicated bearer activation attempts partially accepted
NumUpdateBearerPartialAccept	64-bit counter	Total number of update bearer requests partially accepted
TetheredFlowsDetectedUsingTcpIpFingerprinting	64-bit counter	Total number of tethered flows detected by TCP-IP fingerprinting

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
NumDnsResponseFailTimeout	32-bit counter	DNS Response Failed - Session timeout waiting for DNS
NumDnsResponseDropNoIntf	32-bit counter	DNS Response Failed - Dropped no SL interface
NumDnsResponseDropNoSession	32-bit counter	DNS Response Failed - Dropped no session
NumDnsResponseDropNoPdnSession	32-bit counter	DNS Response Failed - Dropped no PDN session
NumSessionPendedForDns	32-bit counter	Sessions pended for DNS
NumSessionPendedForDnsSuccess	32-bit counter	DNS success for pended sessions
NumSessionPendedForDnsTimeout	32-bit counter	DNS timeout for pended sessions
NumCreatePdpRejectTamFailure	32-bit counter	Total number of create PDP attempts rejected - due to TAM failure
NumApplicationStartNotificationsRcvd	32-bit counter	Number of Application Start Notifications received from fastpath
NumApplicationStopNotificationsRcvd	32-bit counter	Number of Application Stop Notifications received from fastpath
NumGxApplicationStartNotificationsSuccess	32-bit counter	Number of Gx Application Start Notifications sent successfully to PCRF
NumGxApplicationStartNotificationsFailed	32-bit counter	Number of Gx Application Start Notifications send failed to PCRF
NumGxApplicationStopNotificationsSuccess	32-bit counter	Number of Gx Application Stop Notifications sent successfully to PCRF
NumGxApplicationStopNotificationsFailed	32-bit counter	Number of Gx Application Stop Notifications send failed to PCRF
NumSdApplicationStartNotificationsSuccess	32-bit counter	Number of SD application start notifications sent successfully to PCRF
NumSdApplicationStartNotificationsFailed	32-bit counter	Number of SD application start notifications send failed to PCRF
NumSdApplicationStopNotificationsSuccess	32-bit counter	Number of SD application stop notifications sent successfully to PCRF
NumSdApplicationStopNotificationsFailed	32-bit counter	Number of SD application stop notifications send failed to PCRF
NumCreateSessionRejectsOverload	64-bit counter	Number of create session requests rejected due to overload

Table 1-47 GTP Proxy Access Point Name Call Performance Statistics

GTPPROXYAPNCALLPERFSTATSGRID GTPPROXYAPNCALLPERFSTATSCHASSIS GTPPROXYAPNCALLPERFSTATSSLOT	Type	Description
NumCreateBearerRejectsOverload	64-bit counter	Number of create bearer requests rejected due to overload
Num Manifest Server Requests Sent	64-bit counter	Number of manifest server requests sent to MFI task
Num Manifest Server Responses Received	64-bit counter	Number of manifest server responses received from MFI task
TetheredFlowsDetectedUsingGquicUserAgent	64-bit counter	Tethered flows detected using GQUIC user agent

GTP Proxy Call Performance Statistics

***Note:** These statistics are displayed when at least one GTP Proxy service is configured and running.*

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Current Sessions	32-bit gauge	Current number of sessions
Beareres	32-bit gauge	Current number of bearers
Create Session Attempts	32-bit counter	Total number of create session attempts
Create Session Accepts	32-bit counter	Total number of create session attempts accepted
Create Session Rejects	32-bit counter	Total number of create session attempts rejected
Create Session Rejects Malformed Requests	32-bit counter	Total number of create session attempts rejected - malformed request
Create Session Rejects Unknown Apn	32-bit counter	Total number of create session attempts rejected - unknown APN
Create Session Rejects Resource Unavailable	32-bit counter	Total number of create session attempts rejected - resources unavailable

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Create Session Rejects Service Not Supported	32-bit counter	Total number of create session attempts rejected - service not supported
Create Session Rejects System Failure	32-bit counter	Total number of create session attempts rejected - system failure
Create Session Reject Apn Congested	32-bit counter	Total number of create session requests rejected - APN in congested state
Create Session Rejects Misc	32-bit counter	Total number of create session attempts rejected - unclassified
Delete Session Attempts	32-bit counter	Total number of delete session attempts received
Delete Session Accepts	32-bit counter	Total number of delete session attempts accepted
Delete Session Rejects	32-bit counter	Total number of delete session attempts rejected
UE Initiated Dedicated Bearer Activation Attempts	32-bit counter	Total number of UE initiated dedicated bearer activation attempts
UE Initiated Dedicated Bearer Activation Accepts	32-bit counter	Total number of UE initiated dedicated bearer activation attempts accepted
UE Initiated Dedicated Bearer Activation Rejects	32-bit counter	Total number of UE initiated dedicated bearer activation attempts rejected
Pgw Initiated Dedicated Bearer Activation Attempts	32-bit counter	Total number of PGW initiated dedicated bearer activation attempts accepted
Pgw Initiated Dedicated Bearer Activation Accepts	32-bit counter	Total number of PGW initiated dedicated bearer activation attempts accepted
Pgw Initiated Dedicated Bearer Activation Rejects	32-bit counter	Total number of PGW initiated dedicated bearer activation attempts rejected
Mme Initiated Dedicated Bearer Deactivation Attempts	32-bit counter	Total number of MME initiated dedicated bearer deactivation attempts
Mme Initiated Dedicated Bearer Deactivation Accepts	32-bit counter	Total number of MME initiated dedicated bearer deactivation attempts accepted
Mme Initiated Dedicated Bearer Deactivation Rejects	32-bit counter	Total number of MME initiated dedicated bearer deactivation attempts rejected
UE Initiated Dedicated Bearer Deactivation Attempts	32-bit counter	Total number of UE initiated dedicated bearer deactivation attempts
UE Initiated Dedicated Bearer Deactivation Accepts	32-bit counter	Total number of UE initiated dedicated bearer deactivation attempts accepted

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
UE Initiated Dedicated Bearer Deactivation Rejects	32-bit counter	Total number of UE initiated dedicated bearer deactivation attempts rejected
Pgw Initiated Dedicated Bearer Deactivation Attempts	32-bit counter	Total number of PGW initiated dedicated bearer deactivation attempts
Pgw Initiated Dedicated Bearer Deactivation Accepts	32-bit counter	Total number of PGW initiated dedicated bearer deactivation attempts accepted
Pgw Initiated Dedicated Bearer Deactivation Rejects	32-bit counter	Total number of PGW initiated dedicated bearer deactivation attempts rejected
Modify Bearer Command Attempts	32-bit counter	Total number of modify bearer command attempts
Modify Bearer Command Rejects	32-bit counter	Total number of modify bearer command attempts rejected
Update Bearer Attempts	32-bit counter	Total number of update bearer attempts
Update Bearer Accepts	32-bit counter	Total number of update bearer attempts accepted
Update Bearer Rejects	32-bit counter	Total number of update bearer attempts rejected
Modify Bearer Attempts	32-bit counter	Total number of modify bearer attempts
Modify Bearer Accepts	32-bit counter	Total number of modify bearer attempts accepted
Modify Bearer Rejects	32-bit counter	Total number of modify bearer attempts rejected
Create Pdp Attempts	32-bit counter	Total number of create PDP context attempts
Create Pdp Accepts	32-bit counter	Total number of create PDP context attempts accepted
Create Pdp Rejects	32-bit counter	Total number of create PDP context attempts rejected
Create Pdp Rejects Malformed Requests	32-bit counter	Total number of create PDP context attempts rejected - malformed request
Create Pdp Rejects Unknown Apn	32-bit counter	Total number of create PDP context attempts rejected - unknown APN
Create Pdp Rejects Resource Unavailable	32-bit counter	Total number of create PDP context attempts rejected - resource unavailable
Create Pdp Rejects Service Not Supported	32-bit counter	Total number of create PDP context attempts rejected - service not supported

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Create Pdp Rejects System Failure	32-bit counter	Total number of create PDP context attempts rejected - system failure
Create Pdp Rejects Misc	32-bit counter	Total number of create PDP context attempts rejected - unclassified
Delete Pdp Attempts	32-bit counter	Total number of delete PDP context attempts
Delete Pdp Accepts	32-bit counter	Total number of delete PDP context attempts accepted
Delete Pdp Rejects	32-bit counter	Total number of delete PDP context attempts rejected
UE Initiated Secondary Pdp Activation Attempts	32-bit counter	Total number of UE initiated secondary PDP context activation attempts
UE Initiated Secondary Pdp Activation Accepts	32-bit counter	Total number of UE initiated secondary PDP context activation attempts accepted
UE Initiated Secondary Pdp Activation Rejects	32-bit counter	Total number of UE initiated secondary PDP context activation attempts rejected
GGSN Initiated Secondary Pdp Activation Attempts	32-bit counter	Total number of GGSN initiated secondary PDP context activation attempts
GGSN Initiated Secondary Pdp Activation Accepts	32-bit counter	Total number of GGSN initiated secondary PDP context activation attempts accepted
GGSN Initiated Secondary Pdp Activation Rejects	32-bit counter	Total number of GGSN initiated secondary PDP context activation attempts rejected
SGSN Initiated Secondary Pdp Deactivation Attempts	32-bit counter	Total number of SGSN initiated secondary PDP context deactivation attempts
SGSN Initiated Secondary Pdp Deactivation Accepts	32-bit counter	Total number of SGSN initiated secondary PDP context deactivation attempts accepted
SGSN Initiated Secondary Pdp Deactivation Rejects	32-bit counter	Total number of SGSN initiated secondary PDP context deactivation attempts rejected
UE Initiated Secondary Pdp Deactivation Attempts	32-bit counter	Total number of UE initiated secondary PDP context deactivation attempts
UE Initiated Secondary Pdp Deactivation Accepts	32-bit counter	Total number of UE initiated secondary PDP context deactivation attempts accepted
UE Initiated Secondary Pdp Deactivation Rejects	32-bit counter	Total number of UE initiated secondary PDP context deactivation attempts rejected
GGSN Initiated Secondary Pdp Deactivation Attempts	32-bit counter	Total number of GGSN initiated secondary PDP context deactivation attempts

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
GGSN Initiated Secondary Pdp Deactivation Accepts	32-bit counter	Total number of GGSN initiated secondary PDP context deactivation attempts accepted
GGSN Initiated Secondary Pdp Deactivation Rejects	32-bit counter	Total number of GGSN initiated secondary PDP context deactivation attempts rejected
SGSN Initiated Update Pdp Attempts	32-bit counter	Total number of SGSN initiated update PDP context attempts
SGSN Initiated Update Pdp Accepts	32-bit counter	Total number of SGSN initiated update PDP context attempts accepted
SGSN Initiated Update Pdp Rejects	32-bit counter	Total number of SGSN initiated update PDP context attempts rejected
GGSN Initiated Update Pdp Attempts	32-bit counter	Total number of GGSN initiated update PDP context attempts
GGSN Initiated Update Pdp Accepts	32-bit counter	Total number of GGSN initiated update PDP context attempts accepted
GGSN Initiated Update Pdp Rejects	32-bit counter	Total number of GGSN initiated update PDP context attempts rejected
Local Close Attempts	32-bit counter	Total number of session close attempts initiated internally
Local Close Attempts Accepted	32-bit counter	Total number of internally initiated session closes that were acted upon
PCRF Initiated Close Attempts	32-bit counter	Total number of PCRF initiated close attempts
OCS Initiated Close Attempts	32-bit counter	Total number of OCS initiated close attempts
Idle Session Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to IDLE duration time exceeded
Maximal Session Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to MAXIMAL duration time exceeded
Operator Initiated Closes	32-bit counter	Total number of operator initiated sessions close attempts
Active Current Sessions	32-bit gauge	Current number of active sessions
Idle Current Sessions	32-bit gauge	Current number of idle sessions
Interval Peak Current Sessions	32-bit maximum	Interval Peak number of sessions
Interval Peak Active Current Sessions	32-bit maximum	Interval Peak number of active sessions
Interval Peak Idle Current Sessions	32-bit maximum	Interval Peak number of idle sessions

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Default Bearers	32-bit gauge	Current number of default bearers
Dedicated Bearers	32-bit gauge	Current number of dedicated bearers
Interval Peak Bearers	32-bit maximum	Interval Peak number of bearers
Interval Peak Default Bearers	32-bit maximum	Interval Peak number of default bearers
Interval Peak Dedicated Bearers	32-bit maximum	Interval Peak number of dedicated bearers
Dhcp Release Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP release
Trace Session Activation Attempts	32-bit maximum	Total number of trace session activations received
Trace Session Activation Accepts	32-bit maximum	Total number of trace session activations accepted
Trace Session Deactivation Attempts	32-bit maximum	Total number of trace session deactivations received
Trace Session Deactivation Accepts	32-bit maximum	Total number of trace session deactivations accepted
Dhcp Timeout Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address allocation timeout
Dhcp Lease Expiry Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address lease expiry
Radius Disconnect Local Closes	32-bit counter	Total number of local closes due to RADIUS disconnect from server
Current Sessions Rat Type Utran	32-bit gauge	Current number of UTRAN sessions
Current Sessions Rat Type Geran	32-bit gauge	Current number of GERAN sessions
Current Sessions Rat Type Wlan	32-bit gauge	Current number of WLAN sessions
Current Sessions Rat Type Gan	32-bit gauge	Current number of GAN sessions
Current Sessions Rat Type Hspa Evolution	32-bit gauge	Current number of HSPA Evolution sessions
Current Sessions Rat Type E Utran	32-bit gauge	Current number of E-UTRAN sessions
Current Sessions Rat Type Virtual	32-bit gauge	Current number of Virtual RAT sessions
Current Sessions Using Gz	32-bit gauge	Current number sessions using Gz interface
Current Unique Subscribers	32-bit gauge	Current number of unique subscribers
Current IPv4 PDN Sessions	32-bit gauge	Current number of IPv4 PDN sessions

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Current IPv6 PDN Sessions	32-bit gauge	Current number of IPv6 PDN sessions
Current IPv4 IPv6 PDN Sessions	32-bit gauge	Current number of Dual Stack PDN sessions
Number of Rat Session Handovers	32-bit counter	Number of Rat Session Handover
Number of Sessions Setup with Default Gx Policy	32-bit counter	Number of sessions setup with default Gx policy
Number of Active Sessions with Default Gx Policy	32-bit gauge	Number of active sessions with default Gx policy and possibly awaiting PCRF rejoin
Number of Active Gx Replay Sessions Awaiting PCRF Rejoin	32-bit gauge	Number of active Gx replay sessions awaiting PCRF rejoin
Number of Gx Replay Sessions Terminated Exceeding Reserve Usage	32-bit counter	Number of Gx replay sessions terminated exceeding reserve usage
Local Close Attempts Duplicate Session	32-bit counter	Total number of local close attempts due to duplicate session
Number of Control TEID Lookup Failures	32-bit counter	Number of lookup failures using the control TEID
Number of S5u Default Bearer Error Indications Processed	64-bit counter	Total number of S5u default bearer error indications processed
Number of S5u Default Bearer Error Indication Local Close Attempts	64-bit counter	Total number of local close attempts due to receipt of error indication on S5u default bearer
Number of S5u Dedicated Bearer Error Indications Processed	64-bit counter	Total number of S5u dedicated bearer error indications processed
Number of S5u Dedicated Bearer Error Indication Bearer Deactivation	64-bit counter	Total number of bearer deactivations due to receipt of error indication on S5u dedicated bearer
Change Notification Attempts	32-bit counter	Total number of change notification attempts
Change Notification Accepts	32-bit counter	Total number of change notification attempts accepted
Change Notification Rejects	32-bit counter	Total number of change notification attempts rejected
Change Notification Rejects Malformed Requests	32-bit counter	Total number of change notification attempts rejected due to malformed request
Change Notification Rejects Unknown APN	32-bit counter	Total number of change notification attempts rejected due to unknown APN

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Change Notification Rejects Resource Unavailable	32-bit counter	Total number of change notification attempts rejected due to resources unavailable
Change Notification Rejects Service Not Supported	32-bit counter	Total number of change notification attempts rejected due to service not supported
Change Notification Rejects System Failure	32-bit counter	Total number of change notification attempts rejected due to system failure
Change Notification Rejects Misc	32-bit counter	Total number of change notification attempts rejected for miscellaneous reasons
Change Notification Requests Dropped	32-bit counter	Total number of change notification requests dropped
Local Close Attempts TEID Collision	32-bit counter	Total number of local close attempts due to TEID collision
Number of Successful PCRF Rejoin	32-bit counter	Number of sessions that successfully joined PCRF
Number of Error Indications Processed	32-bit counter	Total number of error indications processed
Local Close Received Error Indication Attempts	32-bit counter	Total number of local close attempts due to receipt of error indication
Dedicated Bearer Deactivations Due to Error Indication	32-bit counter	Total number of dedicated bearer deactivations due to receipt of error indication
Num GTPP CDR Sent	32-bit counter	Number of GTPP CDRs that were sent successfully
Num GTPP CDR Response Success	32-bit counter	Number of GTPP CDRs for which a success response was received.
Num GTPP CDR Response Failure	32-bit counter	Number of GTPP CDRs for which a failure response was received.
Num GTPP CDR Response Timeout	32-bit counter	Number of GTPP CDRs for which there was no response received within the expected time.
Bearers Setup Success	32-bit counter	Total number of bearers setup successful
Bearers Setup Fail	32-bit counter	Total number of bearers setup failed
Current Bearers QCI1	32-bit gauge	Total number of current bearers with QCI 1
Current Bearers QCI2	32-bit gauge	Total number of current bearers with QCI 2
Current Bearers QCI3	32-bit gauge	Total number of current bearers with QCI 3
Current Bearers QCI4	32-bit gauge	Total number of current bearers with QCI 4

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Current Bearers QCI5	32-bit gauge	Total number of current bearers with QCI 5
Current Bearers QCI6	32-bit gauge	Total number of current bearers with QCI 6
Current Bearers QCI7	32-bit gauge	Total number of current bearers with QCI 7
Current Bearers QCI8	32-bit gauge	Total number of current bearers with QCI 8
Current Bearers QCI9	32-bit gauge	Total number of current bearers with QCI 9
Current Bearers QCI Other	32-bit gauge	Total number of current bearers with QCI Between 10 and 255
Bearer Setup Success QCI1	32-bit counter	Total number of bearers setup successful with QCI 1
Bearer Setup Success QCI2	32-bit counter	Total number of bearers setup successful with QCI 2
Bearer Setup Success QCI3	32-bit counter	Total number of bearers setup successful with QCI 3
Bearer Setup Success QCI4	32-bit counter	Total number of bearers setup successful with QCI 4
Bearer Setup Success QCI5	32-bit counter	Total number of bearers setup successful with QCI 5
Bearer Setup Success QCI6	32-bit counter	Total number of bearers setup successful with QCI 6
Bearer Setup Success QCI7	32-bit counter	Total number of bearers setup successful with QCI 7
Bearer Setup Success QCI8	32-bit counter	Total number of bearers setup successful with QCI 8
Bearer Setup Success QCI9	32-bit counter	Total number of bearers setup successful with QCI 9
Bearer Setup Success QCI Other	32-bit counter	Total number of bearers setup successful with QCI between 10 and 255
Bearer Setup Fail QCI1	32-bit counter	Total number of bearers setup failed with QCI 1
Bearer Setup Fail QCI2	32-bit counter	Total number of bearers setup failed with QCI 2
Bearer Setup Fail QCI3	32-bit counter	Total number of bearers setup failed with QCI 3

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Bearer Setup Fail QCI4	32-bit counter	Total number of bearers setup failed with QCI 4
Bearer Setup Fail QCI5	32-bit counter	Total number of bearers setup failed with QCI 5
Bearer Setup Fail QCI6	32-bit counter	Total number of bearers setup failed with QCI 6
Bearer Setup Fail QCI7	32-bit counter	Total number of bearers setup failed with QCI 7
Bearer Setup Fail QCI8	32-bit counter	Total number of bearers setup failed with QCI 8
Bearer Setup Fail QCI9	32-bit counter	Total number of bearers setup failed with QCI 9
Bearer Setup Fail QCI Other	32-bit counter	Total number of bearers setup failed with QCI between 10 and 255
Saegw Pgw Current Sessions	32-bit counter	SAEGW-PGW current number of sessions
Saegw Pgw Current Sessions S5S8 Geran	64-bit counter	SAEGW-PGW current number of S5S8 GERAN sessions
Saegw Pgw Current Sessions S5S8 Utran	64-bit counter	SAEGW-PGW current number of S5S8 UTRAN sessions
Saegw Rat Type EUtran Sessions	64-bit gauge	SAEGW-PGW current number of E-UTRAN sessions
Saegw Rat Type NBIot EUtran Sessions	64-bit gauge	SAEGW-PGW current number of NBIOT E-UTRAN sessions
Non IP PDN Sessions	64-bit gauge	Current number of Non IP PDN sessions
Saegw Pgw Current Sessions EUtran	64-bit counter	SAEGW-PGW current number of E-UTRAN sessions
Saegw Pgw Current Sessions EUtran	64-bit counter	SAEGW-PGW current number of E- UTRAN sessions
Saegw Pgw Current Bearers	32-bit counter	SAEGW-PGW current number of bearers
Saegw Pgw Bearers Setup Success	32-bit counter	SAEGW-PGW total number of bearers setup successful
Saegw Pgw Bearers Setup Fail	32-bit counter	SAEGW-PGW total number of bearers setup failed
Saegw Pgw Current Bearers QCI1	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 1

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Saegw Pgw Current Bearers QCI2	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 2
Saegw Pgw Current Bearers QCI3	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 3
Saegw Pgw Current Bearers QCI4	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 4
Saegw Pgw Current Bearers QCI5	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 5
Saegw Pgw Current Bearers QCI6	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 6
Saegw Pgw Current Bearers QCI7	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 7
Saegw Pgw Current Bearers QCI8	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 8
Saegw Pgw Current Bearers QCI9	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 9
Saegw Pgw Current Bearers QCI Other	32-bit gauge	SAEGW-PGW total number of current bearers with QCI between 10 and 255
Saegw Pgw Bearer Setup Success QCI1	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 1
Saegw Pgw Bearer Setup Success QCI2	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 2
Saegw Pgw Bearer Setup Success QCI3	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 3
Saegw Pgw Bearer Setup Success QCI4	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 4
Saegw Pgw Bearer Setup Success QCI5	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 5
Saegw Pgw Bearer Setup Success QCI6	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 6
Saegw Pgw Bearer Setup Success QCI7	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 7
Saegw Pgw Bearer Setup Success QCI8	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 8
Saegw Pgw Bearer Setup Success QCI9	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 9

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Saegw Pgw Bearer Setup Success QCI Other	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 1
Saegw Pgw Bearer Setup Fail QCI1	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI between 10 and 255
Saegw Pgw Bearer Setup Fail QCI2	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 2
Saegw Pgw Bearer Setup Fail QCI3	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 3
Saegw Pgw Bearer Setup Fail QCI4	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 4
Saegw Pgw Bearer Setup Fail QCI5	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 5
Saegw Pgw Bearer Setup Fail QCI6	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 6
Saegw Pgw Bearer Setup Fail QCI7	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 7
Saegw Pgw Bearer Setup Fail QCI8	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 8
Saegw Pgw Bearer Setup Fail QCI9	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 9
Saegw Pgw Bearer Setup Fail QCI Other	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI between 10 and 255
Local Close Await CoA Timeout Attempts	32-bit counter	Total number of local close attempts due to no CoA received within the configured timeout
L2tp Gateway Session Delete Attempts	32-bit counter	Total number of L2tp gateway delete request attempts
Uplink Packets	64-bit counter	Total number of uplink packets received
Uplink Bytes	64-bit counter	Total number of uplink bytes received
Uplink Drop Packets	64-bit counter	Total number of uplink packets dropped
Uplink Drop Bytes	64-bit counter	Total number of uplink bytes dropped
Downlink Packets	64-bit counter	Total number of downlink packets received
Downlink Bytes	64-bit counter	Total number of downlink bytes received
Downlink Drop Packets	64-bit counter	Total number of downlink packets dropped

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Downlink Drop Bytes	64-bit counter	Total number of downlink bytes dropped
Uplink Suspend Drop Packets	64-bit counter	Total number of uplink suspend packets dropped
Uplink Suspend Drop Bytes	64-bit counter	Total number of uplink suspend bytes dropped
Downlink Suspend Drop Packets	64-bit counter	Total number of downlink suspend packets dropped
Downlink Suspend Drop Bytes	64-bit counter	Total number of downlink suspend bytes dropped
Num Suspend Notification	32-bit counter	Total number of suspend notification requests received
Num Suspend Notification Accepts	32-bit counter	Total number of suspend notification requests accepted
Num Suspend Notification Rejects	32-bit counter	Total number of suspend notification requests rejected
Num Resume Notification	32-bit counter	Total number of resume notification requests received
Num Resume Notification Accepts	32-bit counter	Total number of resume notification requests accepted
Num Resume Notification Rejects	32-bit counter	Total number of resume notification requests rejected
Delete PDP Context Drop Teardown Ind Missing Single Bearer Session	32-bit counter	Total number of delete PDP context dropped as teardown ind is missing in message with only one bearer in session
Delete PDP Context Drop Teardown Ind Missing For Default Bearer	32-bit counter	Total number of delete PDP context dropped as teardown ind is missing for default bearer in message
Num Sessions Setup with Default Gy Quota	32-bit counter	Number of sessions setups succeeded with default Gy quota
Num Active Sessions with Default Gy Quota	32-bit gauge	Number of active sessions setup with default quota and has not completed an OCS rejoin
Number Active Gy AP Trigger by CCRU	32-bit counter	Number of sessions currently using default quota triggered by CCR-U failure
Number Total Gy AP Trigger by CCRU	32-bit counter	Number of total sessions using default quota triggered by CCR-U failure

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Num Active Gy Sessions Awaiting OCS Rejoin	32-bit gauge	Number active Gy sessions awaiting OCS rejoin, including: ■ Sessions setup with default Gy quota awaiting OCS rejoin ■ Sessions that failed CCR-Update awaiting OCS rejoin.
Num OCS Gy Rejoin Success	32-bit counter	Number of successful OCS Gy Rejoins
Num Default Gy Quota Reapplied	32-bit counter	Number of times default Gy Quota was applied due to CCR-I Failure
Num Default Gy Quota Applied CCR-U Failure	32-bit counter	Number of times default Gy Quota was applied due to CCR-U Failure
Num of Gx Sessions	32-bit gauge	Current number sessions using Gx interface
Num of Gy Sessions	32-bit gauge	Current number sessions using Gy interface
Num Gy Down Gy Rejoin Timer Restarted	32-bit counter	Number of times the Gy Rejoin timer was restarted because the OCS interface was down
Num S6b Initiated Close Attempts	32-bit counter	Total number of S6b initiated close attempts
Default Gy Uplink Bytes	32-bit counter	Total uplink bytes using default Gy Quota
Default Gy Downlink Bytes	32-bit counter	Total downlink bytes using default Gy Quota
Num Ignore SPR Radius Failure Sessions	32-bit counter	Total number of sessions that ignored Radius failure
Num Bearer Idle Duration Exceeded Closes	32-bit counter	Total number of bearers deactivated due to IDLE duration time exceeded
Num of Active S6b Sessions	32-bit gauge	Number of active S6b sessions
Num Inter Access Handover Req No Session Reject	32-bit counter	Total number of interaccess handover create session requests rejected with no session
Num Inter Access Handover Req No Session Accept	32-bit counter	Total number of interaccess handover create session requests accepted with no session
Number of DNS Attempts	64-bit counter	DNS request attempts
Number of DNS Send Success	64-bit counter	DNS request success
Number of DNS Send Failed No Config	64-bit counter	DNS request send failed - no DNS configuration
Number of DNS Failed Misc	64-bit counter	DNS request send failed - miscellaneous
Number of DNS Responses	64-bit counter	DNS response - total received

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Number of DNS Response Success	64-bit counter	DNS response success
Number of DNS Response Fail No Response	64-bit counter	DNS response failed - no response from server
Number of DNS Response Fail No Name	64-bit counter	DNS response failed - domain name not found
Number of DNS Response Fail No Data	64-bit counter	DNS response failed - no data
Number of DNS Response Fail Misc	64-bit counter	DNS response failed - miscellaneous
Num Pco Pcsf Default Fqdn Used	64-bit counter	Total number of times default P-CSCF FQDN used for DNS lookup
Num Pco Pcsf Table Used	64-bit counter	Total number of times P-CSCF IP Address used for P-CSCF IP Address allocation
Number of Saegw Pgw Uplink Packets	64-bit counter	Total number of uplink packets for SAEGW PGW sessions
Number of Saegw Pgw Uplink Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW sessions
Number of Saegw Pgw Downlink Packets	64-bit counter	Total number of downlink packets for SAEGW PGW sessions
Number of Saegw Pgw Downlink Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW sessions
Number of Saegw Pgw Uplink Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW sessions
Number of SaegwPgwUplinkDropBytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW sessions
Number of Saegw Pgw Downlink Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW sessions
Number of Saegw Pgw Downlink Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW sessions
Number of Uplink S5S8 Geran Packets	64-bit counter	Total number of uplink packets for PGW S5S8 GERAN sessions
Number of Uplink S5S8 Geran Bytes	64-bit counter	Total number of uplink bytes for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Packets	64-bit counter	Total number of downlink packets for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Bytes	64-bit counter	Total number of downlink bytes for PGW S5S8 GERAN sessions

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Number of Uplink S5S8 Geran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW S5S8 GERAN sessions
Number of Uplink S5S8 Geran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW S5S8 GERAN sessions
Number of SaegwPgw Uplink S5S8 Geran Packets	64-bit counter	Total number of uplink packets for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Uplink S5S8 Geran Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Downlink S5S8 Geran Packets	64-bit counter	Total number of downlink packets for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Downlink S5S8 Geran Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Uplink S5S8 Geran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Uplink S5S8 Geran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Downlink S5S8 Geran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Downlink S5S8 Geran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW S5S8 GERAN sessions
Number of Uplink S5S8 Utran Packets	64-bit counter	Total number of uplink packets for PGW S5S8 UTRAN sessions
Number of Uplink S5S8 Utran Bytes	64-bit counter	Total number of uplink bytes for PGW S5S8 UTRAN sessions
Number of Downlink S5S8 Utran Packets	64-bit counter	Total number of downlink packets for PGW S5S8 UTRAN sessions
Number of Downlink S5S8 Utran Bytes	64-bit counter	Total number of downlink bytes for PGW S5S8 UTRAN sessions
Number of Uplink S5S8 Utran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW S5S8 UTRAN sessions
Number of Uplink S5S8 Utran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW S5S8 UTRAN sessions

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Number of Downlink S5S8 Utran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW S5S8 UTRAN sessions
Number of Downlink S5S8 Utran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Packets	64-bit counter	Total number of uplink packets for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Downlink S5S8 Utran Packets	64-bit counter	Total number of downlink packets for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Downlink S5S8 Utran Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Downlink S5S8 Utran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Downlink S5S8 Utran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Uplink Eutran Packets	64-bit counter	Total number of uplink packets for PGW EUTRAN sessions
Number of Uplink Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW EUTRAN sessions
Number of Downlink Eutran Packets	64-bit counter	Total number of downlink packets for PGW EUTRAN sessions
Number of Downlink Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW EUTRAN sessions
Number of Uplink Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW EUTRAN sessions
Number of Uplink Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW EUTRAN sessions
Number of Downlink Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW EUTRAN sessions
Number of Downlink Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW EUTRAN sessions

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Number of Saegw Pgw Uplink Eutran Packets	64-bit counter	Total number of uplink packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Uplink Eutran Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Downlink Eutran Packets	64-bit counter	Total number of downlink packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Downlink Eutran Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Uplink Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Uplink Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW EUTRAN sessions
Number of SaegwPgw Downlink Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Downlink Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW EUTRAN sessions
Number of Uplink NBIot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number of Uplink NBIot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number of Downlink NBIot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions
Number of Downlink NBIot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number of Uplink NBIot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number of Uplink NBIot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number of Downlink NBIot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number of Downlink NBIot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Number of Saegw Pgw Downlink NBIot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Downlink NBIot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Downlink NBIot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Downlin kNBIot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number of Uplink GnGp Geran P ackets	64-bit counter	Total number of uplink GnGp GERAN packets received
Number of Uplink GnGp Geran Bytes	64-bit counter	Total number of uplink GnGp GERAN bytes received
Number of Uplink GnGp Geran Drop Packets	64-bit counter	Total number of uplink GnGp GERAN packets dropped
Number of Uplink GnGp Geran Drop Bytes	64-bit counter	Total number of uplink GnGp GERAN bytes dropped
Number of Downlink GnGp Geran Packets	64-bit counter	Total number of downlink GnGp GERAN packets received
Number of Downlink GnGp Geran Bytes	64-bit counter	Total number of downlink GnGp GERAN bytes received
Number of Downlink GnGp Geran Drop Packets	64-bit counter	Total number of downlink GnGp GERAN packets dropped
Number of Downlink GnGp Geran Drop Bytes	64-bit counter	Total number of downlink GnGp GERAN bytes dropped
Number of Uplink GnGp Utran Packets	64-bit counter	Total number of uplink GnGp UTRAN packets received
Number of Uplink GnGp Utran Bytes	64-bit counter	Total number of uplink GnGp UTRAN bytes received
Number of Uplink GnGp Utran Drop Packets	64-bit counter	Total number of uplink GnGp UTRAN packets dropped
Number of Uplink GnGp Utran Drop Bytes	64-bit counter	Total number of uplink GnGp UTRAN bytes dropped

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Number of Downlink GnGp Utran Packets	64-bit counter	Total number of downlink GnGp UTRAN packets received
Number of Downlink GnGp Utran Bytes	64-bit counter	Total number of downlink GnGp UTRAN bytes received
Number of Downlink GnGp Utran Drop Packets	64-bit counter	Total number of downlink GnGp UTRAN packets dropped
Number of Downlink GnGp Utran Drop Bytes	64-bit counter	Total number of downlink GnGp UTRAN bytes dropped
Number of SPR Authentication Request Attempts	32-bit counter	Number of SPR Authentication Request attempts
Number of SPR Authentication Requests Accepted	32-bit counter	Number of SPR Authentication Requests accepted
Number of SPR Authentication Requests Rejected	32-bit counter	Number of SPR Authentication Requests rejected
Number of SPR Authentication Request Timeouts	32-bit counter	Number of SPR Authentication Request timeouts
Number of Accounting Start Request Attempts	32-bit counter	Number of Accounting Start Request attempts
Number of Accounting Start Requests Accepted	32-bit counter	Number of Accounting Start Requests accepted
Number of Accounting Start Request Timeouts	32-bit counter	Number of Accounting Start Request timeouts
Number of Accounting Interim Update Request Attempts	32-bit counter	Number of Accounting Interim Update Request attempts
Number of Accounting Interim Update Requests Accepted	32-bit counter	Number of Accounting Interim Update Requests accepted
Number of Accounting Interim Update Request Timeouts	32-bit counter	Number of Accounting Interim Update Request timeouts
Number of Accounting Stop Request Attempts	32-bit counter	Number of Accounting Stop Request attempts
Number of Accounting Stop Requests Accepted	32-bit counter	Number of Accounting Stop Requests accepted
Number of Accounting Stop Request Timeouts	32-bit counter	Number of Accounting Stop Request timeouts
Number TTL Excd Drop Packets	64-bit counter	Number of TTL 0 drop packets
Number TTL Excd Drop Bytes	64-bit counter	Number of TTL 0 drop bytes
Number Frag Send Packets	64-bit counter	Number of IP packets fragmented before sending on the tunnel

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Number Frag Send Bytes	64-bit counter	Number of IP bytes fragmented before sending on the tunnel
Number Frag Fail Packets	64-bit counter	Number of IP packets filed in fragmentation
Number Frag Fail Bytes	64-bit counter	Number of IP bytes filed in fragmentation
Number Uplink Acl Drop Packets	64-bit counter	Number of uplink ACL drop packets
Number Uplink Acl Drop Bytes	64-bit counter	Number of uplink ACL drop bytes
Number Downlink Acl Drop Packets	64-bit counter	Number of downlink ACL drop packets
Number Downlink Acl Drop Bytes	64-bit counter	Number of downlink ACL drop bytes
Number Bad Src Addr Drop Packets	64-bit counter	Number of bad source address drop packets
Number Bad Src Addr Drop Bytes	64-bit counter	Number of bad source address drop bytes
Number No TFT Drop Packets	64-bit counter	Number of no traffic flow template drop packets
Number No TFT Drop Bytes	64-bit counter	Number of no traffic flow template drop bytes
Number Bad UE Addr Drop Packets	64-bit counter	Number of bad UE address drop packets
Number Bad UE Addr Drop Bytes	64-bit counter	Number of bad UE address drop bytes
Number MTU Drop Packets	64-bit counter	Number of MTU drop packets
Number MTU Drop Bytes	64-bit counter	Number of MTU drop bytes
Number No Route Drop Packets	64-bit counter	Number of no route drop packets
Number No Route Drop Bytes	64-bit counter	Number of no route drop routes
Number No Egress Intf Drop Packets	64-bit counter	Number of no egress interface drop packets
Number No Egress Intf Drop Bytes	64-bit counter	Number of no egress interface drop bytes
Current Sessions Rat Type Nbiot Eutran	32-bit gauge	Current number of NBIOT-EUTRAN RAT sessions
Saegw Pgw Current Sessions Nbiot Eutran	32-bit gauge	SAEGW-PGW Current number of NBIOT E-UTRAN sessions
Number Uplink Nbiot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number Uplink Nbiot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Number Downlink Nbiot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number Uplink Nbiot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number Uplink Nbiot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number Gy CCRT Write To Disk	32-bit counter	Number of record logs to disk due to CCR-T failure
Number Gy AP Trigger By Protocol Error	32-bit counter	Number of total sessions using default quota triggered by 3xx result code
Number Gy AP Trigger By Transient Failure	32-bit counter	Number of total sessions using default quota triggered by 4xx result code
Number Gy AP Trigger By Permanent Failure	32-bit counter	Number of total sessions using default quota triggered by 5xx result code

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Number Gy AP Trigger By Message Timeout	32-bit counter	Number of total sessions using default quota triggered by timeout
Number Gy AP Trigger By Link Down	32-bit counter	Number of total session using default quota triggered by OCS link down
Number Gy AP Trigger By Internal Failure	32-bit counter	Number of total sessions using default quota triggered by internal error of back pressure
Number Start Pilot Packets Sent	64-bit counter	Total number of Session-Start Pilot Packets sent
Number Stop Pilot Packets Sent	64-bit counter	Total number of Session-Stop Pilot Packets sent
Number RAT Change Pilot Packets Sent	64-bit counter	Total number of Rat-Change Pilot Packets sent
Number Bearer Stats With No SR Stats	64-bit counter	Total number of CDRs with bearer traffic stats but no service rule stats.
Number Sess Setup Success Apn Matching Exact Match	32-bit counter	Total number of create session requests accepted with APN matching type exact match
Number Sess Setup Success Apn Matching Ni Only	32-bit counter	Total number of create session requests accepted with APN matching type NI only
Number Sess Setup Success Apn Matching Ni And Malformed Oi	32-bit counter	Total number of create session requests accepted with APN matching type NI and malformed OI
Number Pdp Sess Setup Success Apn Matching Exact Match	64-bit counter	Total number of create PDP session requests accepted with APN matching type exact match
Number Pdp Sess Setup Success Apn Matching Ni Only	64-bit counter	Total number of create PDP session requests accepted with APN matching type NI only
Number Pdp Sess Setup Success Apn Matching Ni And Malformed Oi	64-bit counter	Total number of create PDP session requests accepted with APN matching type NI and malformed OI
Number Delete Session Reject Mismatched Src And Fteid IP	32-bit counter	Total number of delete session requests rejected due to source IP and F-TEID IP mismatch
Number Delete PDP Reject Mismatched Src And Fteid IP	32-bit counter	Total number of delete PDP context requests rejected due to source IP and F-TEID IP mismatch
Number Modify Bearer Reject Mismatched Src And Fteid IP	32-bit counter	Total number of modify bearer requests rejected due to source IP and F-TEID IP mismatch

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Number Update PDP Reject Mismatched Src And Fteid IP	32-bit counter	Total number of update PDP context requests rejected due to source IP and F-TEID IP mismatch
Number Local Close Create Session Parallel PDN	32-bit counter	Total number of sessions locally closed due to parallel PDN connection setup
Number Local Close Create PDP Parallel PDN	32-bit counter	Total number of PDP contexts locally closed due to parallel PDN connection setup
Number Modify Bearer Reject Context Not Found	32-bit counter	Total number of modify bearer attempts rejected due to context not found
Number SGSN Init Update PDP Reject Context Not Found	32-bit counter	Total number of SGSN initiated update PDP context attempts rejected due to context not found
Number Current Geo Sync Restored Sessions	64-bit gauge	Current number of PDN sessions restored from Geo Active
Minimum Control Plane Teid Reuse Duration	32-bit gauge	Minimum duration in which Control Plane TEID got reused
Minimum User Plane Teid Reuse Duration	32-bit gauge	Minimum duration in which User Plane TEID got reused
Number Delete Session Rejected Invalid Peer	32-bit counter	Total number of delete PDP session requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Delete PDP Ctxt Rejected Invalid Peer	32-bit counter	Total number of delete PDP context requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Create Bearer Resp Dropped Invalid Peer	32-bit counter	Total number of create bearer responses dropped due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Bearer Rsrc Cmd Rejected Invalid Peer	32-bit counter	Total number of bearer resource commands rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Create PDP Ctxt Req Rejected Invalid Peer	32-bit counter	Total number of create PDP context requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Change Notification Rejected Invalid Peer	32-bit counter	Total number of change notification requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Number Modify Bearer Req Rejected Invalid Peer	32-bit counter	Total number of modify bearer requests dropped due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Update PDP Ctxt Req Rejected Invalid Peer	32-bit counter	Total number of update PDP context requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Delete Bearer Cmd Rejected Invalid Peer	32-bit counter	Total number of modify bearer commands rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Delete Bearer Resp Dropped Invalid Peer	32-bit counter	Total number of delete bearer responses dropped due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Delete PDP Ctxt Resp Dropped Invalid Peer	32-bit counter	Total number of delete PDP context responses dropped due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Modify Bearer Cmd Rejected Invalid Peer	32-bit counter	Total number of modify bearer commands rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Update Bearer Resp Dropped Invalid Peer	32-bit counter	Total number of update bearer responses dropped due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Update PDP Ctxt Resp Dropped Invalid Peer	32-bit counter	Total number of update PDP context responses dropped due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Gtpv1 Init PDP Ctxt Activation Resp Dropped Invalid Peer	32-bit counter	Total number of init PDP context activation responses dropped due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Trace Session Activation Rejected Invalid Peer	32-bit counter	Total number of trace session activation requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Trace Session Deactivation Rejected Invalid Peer	32-bit counter	Total number of trace session deactivation requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Suspend Notification Rejected Invalid Peer	32-bit counter	Total number of suspend notification requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Resume Notification Rejected Invalid Peer	32-bit counter	Total number of resume notification requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Number Stats Update For Missing SRs For Active Sessions	32-bit counter	Total number of missing Service Rule stats update for active sessions
Number Stats Update For Missing SRs For Deactivate Sessions	32-bit counter	Total number of missing Service Rule stats update for sessions in deactivate state
Number CDRs With Zero Service Data Containers	32-bit counter	Total number of CDRs generated with zero service data containers
Number Sig Info Lookup Successful And Filled Configured Values	32-bit counter	Total number of sessions filled with configured values for Signalling Information Elements
Number Sig Info Lookup Failure	32-bit counter	Total number of sessions that did not have configured Signalling Information Elements
Number of Sessions in Local Database	32-bit counter	Total number of sessions in local database
Number of S5u Core Peer Default Bearer Error Indications Processed	32-bit counter	Total number of S5u core peer default bearer error indications processed
Number of S5u Core Peer Default Bearer Error Indications Local Close Att	32-bit counter	
Number of S5u Core Peer Default Bearer Error Indications Processed	32-bit counter	Total number of core S5u dedicated bearer error indications processed
Number of S5u Core Peer Default Bearer Error Indications Bearer Deactivation	32-bit counter	
Number of Core Gtpu Error Indications Processed	32-bit counter	Total number of Core Gtpu Error Indications processed
Number of Core Gtpu Error Indication Local Close Attempts	32-bit counter	Total number of local close attempts due to receipt of Error Indication from Core Peer
Number of Core Gtpu Error Indication Bearer Deactivation	32-bit counter	Total number of dedicated bearer deletion due to receipt of error indication on s5u dedicated bearer from core peer
Number of S5u Core Def Brr Error Indication Local Close Attempts	32-bit counter	Total number of local close attempts due to receipt of error indication on s5u default bearer from core peer
Number of S5u Core Def Brr Error Indication Bearer Deactivation	32-bit counter	Total number of bearer deactivations due to receipt of error indication on s5u dedicated bearer from core peer
Number of Create Session Dropped Proc Limit	32-bit counter	Total number of create session requests rejected due to procedure limit reached
Number of Create Pdp Dropped Proc Limit	32-bit counter	Total number of create PDP context requests rejected due to procedure limit reached

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Number of Delete Session Dropped Proc Limit	32-bit counter	Total number of delete session requests rejected due to procedure limit reached
Number of Delete Pdp Dropped Proc Limit	32-bit counter	Total number of delete PDP context requests rejected due to procedure limit reached
Number Local Delegated IPv6 Alloc Successes	64-bit counter	Total number of local delegated IPv6 allocation successes
Number Local Delegated IPv6 Alloc Failures	64-bit counter	Total number of local delegated IPv6 allocation failures
Number Remote Delegated IPv6 Reserve Successes	64-bit counter	Total number of remote delegated IPv6 allocation successes
Number Remote Delegated IPv6 Reserve Failures	64-bit counter	Total number of remote delegated IPv6 allocation failures
NumSessSetupFailuresExternalErrors	32-bit counter	Total number of session setup failures due to external errors
NumSessDeactivationsExternalErrors	32-bit counter	Total number of session deactivations due to external errors
NumSessSetupFailuresLocalErrors	32-bit counter	Total number of session setup failures due to local errors
NumSessDeactivationsLocalErrors	32-bit counter	Total number of session deactivations due to local errors
NumCreateSessionRejectFromPgw	32-bit counter	Total number of create session requests rejected by the PGW
Number of Total Sessions With Terminate Timer	32-bit counter	Number of times session terminate timer started because Gy interface was down
Number of Current Sessions With Terminate Timer	32-bit counter	Number of active sessions with session terminate timer running
Create Session Reject Session Blocked	32-bit counter	Total number of create session requests rejected due to session blocked
Local Close Attempts Session Blocked	32-bit counter	Total number of local close attempts due to session blocked
Number Local Close Terminate Service Rule	32-bit counter	Total number of local closes due to traffic through service rule with terminate action
Connected Device Flows	64-bit counter	Connected device flows
Connected Device Uplink Packets	64-bit counter	Connected device uplink packets
Connected Device Uplink Bytes	64-bit counter	Connected device uplink bytes

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Connected Device Downlink Packets	64-bit counter	Connected device downlink packets
Connected Device Downlink Bytes	64-bit counter	Connected device downlink bytes
Tethered Device Flows	64-bit counter	Tethered device flows
Tethered Device Uplink Packets	64-bit counter	Tethered device uplink packets
Tethered Device Uplink Bytes	64-bit counter	Tethered device uplink bytes
Tethered Device Downlink Packets	64-bit counter	Tethered device downlink packets
Tethered Device Downlink Bytes	64-bit counter	Tethered device downlink bytes
Tethering Entitled Flows	64-bit counter	Total Number of tethering entitled flows
Tethering Entitled Uplink Packets Passed	64-bit counter	Total Number of tethering entitled uplink packets passed
Tethering Entitled Uplink Bytes Passed	64-bit counter	Total Number of tethering entitled uplink bytes passed
Tethering Entitled Downlink Packets Passed	64-bit counter	Total Number of tethering entitled downlink packets passed
Tethering Entitled Downlink Bytes Passed	64-bit counter	Total Number of tethering entitled downlink bytes passed
Tethered Flows Detected Using TTL	64-bit counter	Tethered flows detected using Ttl
Tethered Flows Detected Using User Agent	64-bit counter	Tethered flows detected using user agent
Num PGW Triggered QoS Update	64-bit counter	Total number of PGW triggered QoS updates
NumSessionsEstablishedWithExistingImsiAndApn	64-bit counter	Total number of sessions established with IMSI/APN combination for which a session is already established
NumPGWInitDedBearerActPartialAccept	64-bit counter	Total number of PGW initiated dedicated bearer activation attempts partially accepted
NumUpdateBearerPartialAccept	64-bit counter	Total number of update bearer requests partially accepted
TetheredFlowsDetectedUsingTcpIpFingerprinting	64-bit counter	Total number of tethered flows detected by TCP-IP fingerprinting
NumDnsResponseFailTimeout	32-bit counter	DNS Response Failed - Session timeout waiting for DNS
NumDnsResponseDropNoIntf	32-bit counter	DNS Response Failed - Dropped no SL interface

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
NumDnsResponseDropNoSession	32-bit counter	DNS Response Failed - Dropped no session
NumDnsResponseDropNoPdnSession	32-bit counter	DNS Response Failed - Dropped no PDN session
NumSessionPendedForDns	32-bit counter	Sessions pended for DNS
NumSessionPendedForDnsSuccess	32-bit counter	DNS success for pended sessions
NumSessionPendedForDnsTimeout	32-bit counter	DNS timeout for pended sessions
NumCreateSessionRejectTamFailure	32-bit counter	Total number of create session attempts rejected - due to TAM failure
NumCreatePdpRejectTamFailure	32-bit counter	Total number of create PDP attempts rejected - due to TAM failure
NumApplicationStartNotificationsRcvd	32-bit counter	Number of Application Start Notifications received from fastpath
NumApplicationStopNotificationsRcvd	32-bit counter	Number of Application Stop Notifications received from fastpath
NumGxApplicationStartNotificationsSuccess	32-bit counter	Number of Gx Application Start Notifications sent successfully to PCRF
NumGxApplicationStartNotificationsFailed	32-bit counter	Number of Gx Application Start Notifications send failed to PCRF
NumGxApplicationStopNotificationsSuccess	32-bit counter	Number of Gx Application Stop Notifications sent successfully to PCRF
NumGxApplicationStopNotificationsFailed	32-bit counter	Number of Gx Application Stop Notifications send failed to PCRF
NumSdApplicationStartNotificationsSuccess	32-bit counter	Number of SD application start notifications sent successfully to PCRF
NumSdApplicationStartNotificationsFailed	32-bit counter	Number of SD application start notifications send failed to PCRF
NumSdApplicationStopNotificationsSuccess	32-bit counter	Number of SD application stop notifications sent successfully to PCRF
NumSdApplicationStopNotificationsFailed	32-bit counter	Number of SD application stop notifications send failed to PCRF
NumCreateSessionRejectsOverload	64-bit counter	Number of create session requests rejected due to overload
NumCreateBearerRejectsOverload	64-bit counter	Number of create bearer requests rejected due to overload

Table 1-48 GTP Proxy Call Performance Statistics

GTPPROXYCALLPERFSTATSGRID GTPPROXYCALLPERFSTATSCHASSIS GTPPROXYCALLPERFSTATSSLOT	Type	Description
Num Manifest Server Requests Sent	64-bit counter	Number of manifest server requests sent to MFI task
Num Manifest Server Responses Received	64-bit counter	Number of manifest server responses received from MFI task
TetheredFlowsDetectedUsingGquicUserAgent	64-bit counter	Tethered flows detected using GQUIC user agent

GTP Proxy Procedure Statistics

***Note:** These statistics are displayed when at least one GTP Proxy service is configured and running.*

Table 1-49 GTP Proxy Procedure Statistics

GTPPROXYPROCEDUREGRID GTPPROXYPROCEDURECHASSIS GTPPROXYPROCEDURESLOT	Type	Description
Num Create Session Success	32-bit counter	Total number of create session success
Num Create Session Fail	32-bit counter	Total number of create session fail
Num Modify Bearer Success	32-bit counter	Total number of modify bearer success
Num Modify Bearer Fail	32-bit counter	Total number of modify bearer fail
Num Delete Session Success	32-bit counter	Total number of delete session success
Num Delete Session Fail	32-bit counter	Total number of delete session fail
Num Nw Initiated Modify QoS Success	32-bit counter	Total number of network initiated modify QOS success
Num Nw Initiated Modify QoS Fail	32-bit counter	Total number of network initiated modify QOS fail
Num Nw Initiated Modify QoS Temp Reject	32-bit counter	Total number of network initiated modify QOS temporarily rejected
Num Nw Initiated Modify Bearer Success	32-bit counter	Total number of network initiated modify Bearer success

Table 1-49 GTP Proxy Procedure Statistics

GTPPROXYPROCEDUREGRID GTPPROXYPROCEDURECHASSIS GTPPROXYPROCEDURESLOT	Type	Description
Num Nw Initiated Modify Bearer Fail	32-bit counter	Total number of network initiated modify Bearer fail
Num Nw Initiated Modify Bearer Temp Reject	32-bit counter	Total number of network initiated modify Bearer temporarily rejected
Num Nw Initiated Deactivate Subscriber Success	32-bit counter	Total number of network initiated deactivate subscriber success
Num Nw Initiated Deactivate Subscriber Fail	32-bit counter	Total number of network initiated deactivate subscriber fail
Num Nw Initiated Active Bearer Success	32-bit counter	Total number of network initiated activate bearer success
Num Nw Initiated Active Bearer Fail	32-bit counter	Total number of network initiated activate bearer fail
Num Nw Initiated Activate Bearer Temp Reject	32-bit counter	Total number of network initiated activate bearer temporarily rejected
Num Nw Initiated Deactivate Bearer Success	32-bit counter	Total number of network initiated deactivate bearer success
Num Nw Initiated Deactivate Bearer Fail	32-bit counter	Total number of network initiated deactivate bearer fail
Num Nw Initiated Deactivate Bearer Temp Reject	32-bit counter	Total number of network initiated deactivate bearer temporarily rejected
Num UE Initiated Modify QoS Success	32-bit counter	Total number of UE initiated modify QOS success
Num UE Initiated Modify QoS Fail	32-bit counter	Total number of UE initiated modify QOS fail
Num UE Initiated Activate Bearer Success	32-bit counter	Total number of UE initiated activate bearer success
Num UE Initiated Activate Bearer Fail	32-bit counter	Total number of UE initiated activate bearer fail
Num UE Initiated Deactivate Bearer Success	32-bit counter	Total number of UE initiated deactivate bearer success
Num UE Initiated Deactivate Bearer Fail	32-bit counter	Total number of UE initiated deactivate bearer fail
Num SGW Change Success	32-bit counter	Total number of SGW change success
Num SGW Change Fail	32-bit counter	Total number of SGW change fail
Num Change Notification Success	32-bit counter	Total number of change notification success

Table 1-49 GTP Proxy Procedure Statistics

GTPPROXYPROCEDUREGRID GTPPROXYPROCEDURECHASSIS GTPPROXYPROCEDURESLLOT	Type	Description
Num Change Notification Fail	32-bit counter	Total number of change notification fail
Num FSAPI Migrate Session Create Success	32-bit counter	Total number of FSAPI migrate session create success
Num FSAPI Migrate Session Create Fail	32-bit counter	Total number of FSAPI migrate session create failure
Num Inter SGW Handover Success	32-bit counter	Total number of inter SGW handover success
Num Inter SGW Handover Fail	32-bit counter	Total number of inter SGW handover fail
Num Inter SGSN Handover Success	32-bit counter	Total number of inter SGSN handover success
Num Inter SGSN Handover Fail	32-bit counter	Total number of inter SGSN handover fail
Num LTE to GnGp Handover Success	32-bit counter	Total number of LTE to Gn/Gp handover success
Num LTE to GnGp Handover Fail	32-bit counter	Total number of LTE to Gn/Gp handover fail
Num GnGp to LTE Handover Success	32-bit counter	Total number of Gn/Gp to LTE handover success
Num GnGp to LTE Handover Fail	32-bit counter	Total number of Gn/Gp to LTE handover fail
Num L2tp Gateway Session Delete Success	32-bit counter	Total number of L2TP gateway session delete success
Num L2tp Gateway Session Delete Fail	32-bit counter	Total number of L2TP gateway session delete fail
Num Create S2x Bearer Success	32-bit counter	Total number of create bearer success
Num Create S2x Bearer Fail	32-bit counter	Total number of create bearer fail
Num Delete S2x Bearer Success	32-bit counter	Total number of delete bearer success
Num Delete S2x Bearer Fail	32-bit counter	Total number of delete bearer fail
Num Update S2x Bearer Success	32-bit counter	Total number of update bearer success
Num Update S2x Bearer Fail	32-bit counter	Total number of update bearer fail
Num Suspend Notification Success	32-bit counter	Total number of suspend notification success
Num Suspend Notification Fail	32-bit counter	Total number of suspend notification fail
Num Resume Notification Success	32-bit counter	Total number of resume notification success
Num Resume Notification Fail	32-bit counter	Total number of resume notification fail
Num OCS ReAuth Proc Success	32-bit counter	Total number of OCS Re-Auth success

Table 1-49 GTP Proxy Procedure Statistics

GTPPROXYPROCEDUREGRID GTPPROXYPROCEDURECHASSIS GTPPROXYPROCEDURESLOT	Type	Description
Num OCS ReAuth Proc Failures	32-bit counter	Total number of OCS Re-Auth failures
Num PCRF ReAuth Proc Success	32-bit counter	Total number of PCRF Re-Auth success
Num PCRF ReAuth Proc Failures	32-bit counter	Total number of PCRF Re-Auth failures
Num Modify S2x Bearer Command Success	32-bit counter	Total number of modify bearer command success
Num Modify S2x Bearer Command Fail	32-bit counter	Total number of modify bearer command fail
Num S2a Create Session Success	32-bit counter	Total number of S2a create session success
Num S2a Create Session Fail	32-bit counter	Total number of S2a create session fail
Num S2a Delete Session Success	32-bit counter	Total number of S2a delete session success
Num S2a Delete Session Fail	32-bit counter	Total number of S2a delete session fail
Num S2b Create Session Success	32-bit counter	Total number of S2b create session success
Num S2b Create Session Fail	32-bit counter	Total number of S2b create session fail
Num S2b Create Delete Success	32-bit counter	Total number of S2b delete session success
Num S2b Create Delete Fail	32-bit counter	Total number of S2b create session fail
Num 3gpp To Non3gpp Handover Success	32-bit counter	Total number of 3gpp to non-3gpp handover success
Num 3gpp To Non3gpp Handover Fail	32-bit counter	Total number of 3gpp to non-3gpp handover fail
Num Non 3gpp To 3gpp Handover Success	32-bit counter	Total number of non-3gpp to 3gpp handover success
Num Non 3gpp To 3gpp Handover Fail	32-bit counter	Total number of non-3gpp to 3gpp handover fail
Num Non 3gpp To Non 3gpp Handover Success	32-bit counter	Total number of non-3gpp to non-3gpp handover success
Num Non 3gpp To Non 3gpp Handove Fail	32-bit counter	Total number of non-3gpp to non-3gpp handover fail
Num Process PCRF Rule Success	32-bit counter	Total number of PCRF rule success
Num Process PCRF Rule Failures	32-bit counter	Total number of PCRF rule failures
Num Edr Intf Change Proc Success	32-bit counter	Total number of Control Profile EDR Interface ID change success

Table 1-49 GTP Proxy Procedure Statistics

GTPPROXYPROCEDUREGRID GTPPROXYPROCEDURECHASSIS GTPPROXYPROCEDURESLOT	Type	Description
Num Edr Intf Change Proc Failures	32-bit counter	Total number of Control Profile EDR Interface ID change failed
Num Vtap Config Change Proc Success	32-bit counter	Total number of Vtap config change success
Num Vtap Config Change Proc Failures	32-bit counter	Total number of Vtap config change failed
NumNwInitiatedModifyQoSUEPsmReject	32-bit counter	Total number of network initiated modify QoS rejected due to UE in PSM
NumNwInitiatedModifyBearerPartialSuccess	32-bit counter	Total number of network initiated modify bearer partial success
NumNwInitiatedModifyBearerUEPsmReject	32-bit counter	Total number of network initiated modify bearer rejected due to UE in PSM
NumNwInitiatedActivateBearerPartialSuccess	32-bit counter	Total number of network initiated activate bearer partial success
NumNwInitiatedActivateBearerUEPsmReject	32-bit counter	Total number of network initiated activate bearer temporarily rejected
NumL2tpGwSessionCreateSuccess	32-bit counter	Total number of L2tp gateway session create success
NumL2tpGwSessionCreateFail	32-bit counter	Total number of L2tp gateway session create fail
NumProcessFlowAuthSuccess	32-bit counter	Total number of process Flow Auth procedure success
NumProcessFlowAuthFailures	32-bit counter	Total number of process Flow Auth procedure failures
NumNwInitActBearerInterAccessHOCollision	32-bit counter	Total number of network initiated activate bearer inter access handover collision
NumNwInitModBearerInterAccessHOCollision	32-bit counter	Total number of network initiated modify bearer inter access handover collision
NumNwInitDeactBearerInterAccessHOCollision	32-bit counter	Total number of network initiated deactivate bearer inter access handover collision
NumUEInitActBearerInterAccessHOCollision	32-bit counter	Total number of UE initiated activate bearer inter access handover collision
NumUEInitModBearerInterAccessHOCollision	32-bit counter	Total number of UE initiated modify bearer inter access handover collision
NumUEInitDeactBearerInterAccessHOCollision	32-bit counter	Total number of UE initiated deactivate bearer inter access handover collision

GTPP Peer Statistics

Table 1-50 GTPP Peer Statistics

GTPPSTATSPEER	Type	Description
numEchoReqTx	64-bit counter	Number of echo request messages transmitted
numEchoReqRx	64-bit counter	Number of echo request messages received
numEchoRespTx	64-bit counter	Number of echo response messages transmitted
numEchoRespRx	64-bit counter	Number of echo response messages received
numNodeAliveReqTx	64-bit counter	Number of node alive request messages transmitted
numNodeAliveReqRx	64-bit counter	Number of node alive request messages received
numNodeAliveRespTx	64-bit counter	Number of node alive response messages transmitted
numNodeAliveRespRx	64-bit counter	Number of node alive response messages received
numRedirectionReqRx	64-bit counter	Number of redirection request messages received
numRedirectionRespTx	64-bit counter	Number of redirection request messages transmitted
numDataRecordTransferReqTx	64-bit counter	Number of data record transfer request messages transmitted
numDataRecordTransferRespRx	64-bit counter	Number of data record transfer request messages received
numPotentialDupDataRecordRx	64-bit counter	Number of duplicate data records received
numPotentialDupEmptyDataRecordTx	64-bit counter	Number of potential duplicate empty data record packets transmitted
numCancelReqTx	64-bit counter	Number of cancel request messages transmitted
numReleaseReqTx	64-bit counter	Number of release request messages transmitted
numReqFulfilledRx	64-bit counter	Number of relase fulfilled messages received

Table 1-50 GTPP Peer Statistics

GTPPSTATSPEER	Type	Description
numReqAcceptedRx	64-bit counter	Number of request accepted messages received
numLinkDeclaredAsUPBasedOnDataRecordResponse	64-bit counter	Number of times link declared UP on data record response
numFirstDataRecordTransferReqTx	64-bit counter	First interim data record request for session transmitted

HTTP Proxy Async DNS Statistics

Table 1-51 HTTP Proxy Async DNS Statistics

CONTENTHTTPPROXYASYNCDNSSTATSGRID CONTENTHTTPPROXYASYNCDNSSTATSCHASSIS CONTENTHTTPPROXYASYNCDNSSTATSSLOT	Type	Description
Asynchronous DNS Query - Total Attempts	64-bit counter	Total number of asynchronous DNS query attempts
Asynchronous DNS Query - Current	64-bit counter	Current number of asynchronous DNS query IPv4 attempts
Asynchronous DNS Query - Successes	64-bit counter	Total number of asynchronous DNS query success
Asynchronous DNS Query - Failures	64-bit counter	Total number of asynchronous DNS query failure
Asynchronous DNS Query - IPv4 Attempts	64-bit counter	Total number of asynchronous DNS query IPv4 attempts
Asynchronous DNS Query - IPv6 Attempts	64-bit counter	Total number of asynchronous DNS query IPv6 attempts
Asynchronous DNS Query - Cache Hit	64-bit counter	Total number of asynchronous DNS query cache hits
Asynchronous DNS Failures - Query Dropped	64-bit counter	Total number of asynchronous DNS query dropped, not sent
Asynchronous DNS Failures - Query Canceled	64-bit counter	Total number of asynchronous DNS query canceled
Asynchronous DNS Failures - Server No reachable	64-bit counter	Total number of asynchronous DNS server not-reachable
Asynchronous DNS Failures - Response Timeout	64-bit counter	Total number of asynchronous DNS response timeout

Table 1-51 HTTP Proxy Async DNS Statistics

CONTENTHTTPPROXYASYNCDNSSTATSGRID CONTENTHTTPPROXYASYNCDNSSTATSCHASSIS CONTENTHTTPPROXYASYNCDNSSTATSSLOT	Type	Description
Asynchronous DNS Failures - Response No data	64-bit counter	Total number of asynchronous DNS response no-data
Asynchronous DNS Failures - Name Not found	64-bit counter	Total number of asynchronous DNS response name not found
Asynchronous DNS Failures - Server Refused	64-bit counter	Total number of asynchronous DNS response server refused
Asynchronous DNS Failures - Others	64-bit counter	Total number of asynchronous DNS response failure with other reason

HTTP Proxy Back End Forwarding Statistics

Table 1-52 HTTP Proxy Back End Forwarding Statistics

CONTENTHTTPPROXYBEFSTATSGRID CONTENTHTTPPROXYBEFSTATSCHASSIS CONTENTHTTPPROXYBEFSTATSSLOT	Type	Description
Back-End Forwarding - Requests Processed Locally	64-bit counter	Total number of requests not redirected but processed locally
Back-End Forwarding - Request Redirection Successes	64-bit counter	Total number of back-end forwarding request redirection successes
Back-End Forwarding - Request Redirection Failures	64-bit counter	Total number of back-end forwarding request redirection failures
Back-End Forwarding - Request Redirections Received	64-bit counter	Total number of back-end forwarding request redirections received
Back-End Forwarding - Response Redirection Successes	64-bit counter	Total number of back-end forwarding response redirection successes
Back-End Forwarding - Response Redirection Failures	64-bit counter	Total number of back-end forwarding response redirection failures
Back-End Forwarding - Response Redirections Received	64-bit counter	Total number of back-end forwarding response redirections received
Back-End Forwarding - Currently Idle Connections	64-bit gauge	The number of back-end forwarding connections in the idle connection pool
Back-End Forwarding - Reused Connections	64-bit counter	Number of times idle connection was reused

HTTP Proxy Compression Statistics

Table 1-53 HTTP Proxy Compression Statistics

CONTENTHTTPPROXYCOMPRESSIONSTATSGRID CONTENTHTTPPROXYCOMPRESSIONSTATSCHASSIS CONTENTHTTPPROXYCOMPRESSIONSTATSLOT	Type	Description
Compression - Responses Not Compressed by Server	64-bit counter	Total number of responses that were not compressed by the server
Compression - Responses Compressed by Server	64-bit counter	Total number of responses that were compressed by the server
Compression - Responses Compressed by Proxy	64-bit counter	Total number of bytes that were compressed by proxy
Compression - Responses Forcefully Compressed by Proxy	64-bit counter	Total number of responses that were forced to compress by proxy
Compression - Bytes Not Compressed by Server	64-bit counter	Total number of bytes that were not compressed by the server
Compression - Bytes Compressed by Server	64-bit counter	Total number of bytes that were compressed by the server
Compression - Bytes Compressed by Proxy	64-bit counter	Total number of bytes that were compressed by proxy
Compression - Bytes Forcefully Compressed by Proxy	64-bit counter	Total number of bytes that were forced to compress by proxy
Compression - Responses Cancel Content Type Mismatches	64-bit counter	Total number of responses that were cancel because content type mismatches

HTTP Proxy Connection Statistics

Table 1-54 HTTP Proxy Connection Statistics

CONTENTHTTPPROXYCONNECTIONSTATSGRID CONTENTHTTPPROXYCONNECTIONSTATSCHASSIS CONTENTHTTPPROXYCONNECTIONSTATSSLOT	Type	Description
Client Connections - Total	64-bit counter	Total number of client connections
Client Connections - Currently in Use	64-bit gauge	Total number of client connections currently in use
Client Connections - Keep-Alive Requested	64-bit counter	Total number of keep-alive requested from client
Client Connections - Persistent	64-bit counter	Total number of persistent client connections
Client Connections - Reused	64-bit counter	Total number of reused client connections
Client Connections - Pipelined	64-bit counter	Total number of pipelined client connections
Client Connections - IPv4	64-bit counter	Total number of IPv4 client connections
Client Connections - IPv6	64-bit counter	Total number of IPv6 client connections
Server Connections - Total	64-bit counter	Total number of server connections
Server Connections - Currently in Use	64-bit gauge	Total number of server connections currently in use
Server Connections - IPv4	64-bit counter	Total number of IPv4 server connections
Server Connections - IPv6	64-bit counter	Total number of IPv6 server connections
Server Connections - Currently Idle	64-bit gauge	Current number of idle server connections in the server connection pool
Server Connections - Reused by Same Client	64-bit counter	Number of times server connections were reused by the same client connection
Server Connections - Reused from Pool	64-bit counter	Number of times an idle server connection was reused from the pool
Server Connections - Preferred IP Family Used	64-bit counter	Total number of preferred IP family used server connections
Server Connections - Preferred IP Not Available	64-bit counter	Total number of preferred IP family unavailable server connections

Table 1-54 HTTP Proxy Connection Statistics

CONTENTHTTPPROXYCONNECTIONSTATSGRID CONTENTHTTPPROXYCONNECTIONSTATSCHASSIS CONTENTHTTPPROXYCONNECTIONSTATSSLOT	Type	Description
Smpp Connections - Total	64-bit counter	Total number of Short Message Peer-to-Peer Protocol connections
Smpp Connections - Currently in Use	64-bit gauge	Total number of Short Message Peer-to-Peer Protocol connections currently in use
Smpp Connections - IPv4	64-bit counter	Total number of IPv4 Short Message Peer-to-Peer Protocol connections
Smpp Connections - IPv6	64-bit counter	Total number of IPv6 Short Message Peer-to-Peer Protocol connections
Smpp Connections - Currently Idle	64-bit gauge	Number of idle Short Message Peer-to-Peer Protocol connections in the server connection pool
Smpp Connections - Reused by Same Client	64-bit counter	Number of times Short Message Peer-to-Peer Protocol connections were reused by the same client connection
Smpp Connections - Reused	64-bit counter	Number of times idle Short Message Peer-to-Peer Protocol connections were reused
Smpp Connections - Connection Error	64-bit counter	Number of Short Message Peer-to-Peer Protocol connection errors
Smpp Connections - Bind Error	64-bit counter	Number of Short Message Peer-to-Peer Protocol bind errors
Smpp Connections - Send Error	64-bit counter	Number of Short Message Peer-to-Peer Protocol send errors
Smpp Connections - Unbind Error	64-bit counter	Number of Short Message Peer-to-Peer Protocol MPP unbind errors
Server Connections - IP Transparent	64-bit counter	Total number of IP Transparent Server Connections
Client Connections - Non-HTTP Message Received	64-bit counter	Total number of client connections with non-HTTP request
Client Connections - Request Receive Timeouts	64-bit counter	Total number of client connections with request receive timeout
Client Connections - Reverse Handoffs	64-bit counter	Total number of client connections from reverse handoff
Client Connections - Failures	64-bit counter	Total number of client connection failures

Table 1-54 HTTP Proxy Connection Statistics

CONTENTHTTPPROXYCONNECTIONSTATSGRID CONTENTHTTPPROXYCONNECTIONSTATSCHASSIS CONTENTHTTPPROXYCONNECTIONSTATSSLOT	Type	Description
Fast Open Attempts	64-bit counter	Total number of HTTP server connection fast open attempts
Fast Open Successes	64-bit counter	Total number of HTTP server connection fast open successes
Fast Open Failure Init Conn	64-bit counter	Total number of HTTP server connection fast open initialization failure
Fast Open Failure Duplicate	64-bit counter	Total number of HTTP server connection fast open duplicated connection
Fast Open Failure Already Created	64-bit counter	Total number of HTTP server connection fast open already in the session
Fast Open Failure Policy	64-bit counter	Total number of HTTP server connection fast open policy reject
Fast Open Failure Other	64-bit counter	Total number of HTTP server connection fast open failure others
Fast Open List Full	64-bit counter	Total number of HTTP server connection fast open pending list full
Fast Open Current Pending Conn	64-bit gauge	Total number of HTTP server connection fast open in pending list
Fast Open Aging	64-bit counter	Total number of HTTP server connection fast open connection closed due to aging

HTTP Proxy Content Insertion Script Links Statistics

Table 1-55 HTTP Proxy Content Insertion Script Links Statistics

HTTPPROXYCONTENTINSERTIONSCRIPTLINKSTATS CHASSIS HTTPPROXYCONTENTINSERTIONSCRIPTLINKSTATSSLOT	Type	Description
Script-Link Insertion - Attempts	32-bit counter	Number of Script-Link Insertion attempts
Script-Link Insertion - Successes	32-bit counter	Number of Script-Link Insertion successes
Script-Link Insertion - Cancels	32-bit counter	Number of Script-Link Insertion cancels
Script-Link Insertion - Failures	32-bit counter	Number of Script-Link Insertion failures
Script-Link Insertion - Aborts	32-bit counter	Number of Script-Link Insertion aborts
Script-Link Insertion Cancel - Non OK Status	32-bit counter	Number of Script-Link Insertion cancels due to non-OK response status
Script-Link Insertion Cancel - Page Too Big	32-bit counter	Number of Script-Link Insertion cancels due to response page too big
Script-Link Insertion Failure - Unsupported HTML	32-bit counter	Number of Script-Link Insertion failures due to unsupported HTML
Script-Link Insertion Failure - Invalid HTML Format	32-bit counter	Number of Script-Link Insertion failures due to invalid HTML format

HTTP Proxy Details Statistics

Table 1-56 HTTP Proxy Details Statistics

CONTENTHTTPPROXYDETAILSTATSCHASSIS CONTENTHTTPPROXYDETAILSTATSSLOT	Type	Description
Client Requests - HTTP v0.9	32-bit counter	Total number of Http V0.9 client requests received
Client Requests - HTTP v1.0	32-bit counter	Total number of Http V1.0 client requests received
Client Requests - HTTP v1.1	32-bit counter	Total number of Http V1.1 client requests received
Client Requests - Persistent	32-bit counter	Total number of client requests persistent
Client Requests - Pipelined	32-bit counter	Total number of pipelined client requests
Client Requests - IPv4	32-bit counter	Total number of IPv4 client requests
Client Requests - IPv6	32-bit counter	Total number of IPv6 client requests
Client Requests – Parsed Successfully - iOS	32-bit counter	Total number of client requests parsed for iOS
Client Requests – Parsed Successfully - Android	32-bit counter	Total number of client requests parsed for Android
Client Requests – Parsed Successfully - Firefox	32-bit counter	Total number of client requests parsed for Firefox
Client Requests – Parsed Successfully - Safari	32-bit counter	Total number of client requests parsed for Safari
Client Requests – Parsed Successfully - Chrome	32-bit counter	Total number of client requests parsed for Chrome
Server Responses - IPv4	32-bit counter	Total number of IPv4 server responses
Server Responses - IPv6	32-bit counter	Total number of IPv6 server responses
Client Request Size - Min (Bytes)	32-bit minimum	Client HTTP Request Size Minimum (Bytes)
Client Request Size - Avg (Bytes)	32-bit average	Client HTTP Request Size Average (Bytes)
Client Request Size - Max (Bytes)	32-bit maximum	Client HTTP Request Size Maximum (Bytes)
Client Response Size - Min (Bytes)	32-bit minimum	Client HTTP Response Size Minimum (Bytes)
Client Response Size - Avg (Bytes)	32-bit average	Client HTTP Response Size Average (Bytes)
Client Response Size - Max (Bytes)	32-bit maximum	Client HTTP Response Size Maximum (Bytes)
Service Time - Avg from Server (ms)	32-bit average	Client Average HTTP Request Service Time from Server

Table 1-56 HTTP Proxy Details Statistics

CONTENTHTTPPROXYDETAILSTATSCHASSIS CONTENTHTTPPROXYDETAILSTATSSLOT	Type	Description
Service Time - Avg from Cache (ms)	32-bit average	Client Average HTTP Request Service Time from Cache
Chunked - Client Requests	32-bit counter	Total number of chunked client requests received
Chunked - Client Requests Processed Successfully	32-bit counter	Total number of chunked client requests processed successfully
Chunked - HTTP-Proxy Service - Attempts	32-bit counter	Total number of chunked proxy service attempts
Chunked - HTTP-Proxy Service - Successes Cached	32-bit counter	Total number of proxy service success - cached chunked
Chunked - HTTP-Proxy Service - Successes	32-bit counter	Total number of chunked proxy service success
Chunked - Client Request Bytes	32-bit counter	Total number of Bytes from Chunked Client Request
Chunked - Server Response Bytes	32-bit counter	Total number of Bytes from Chunked Server Response
Chunked Video – HTTP-Proxy Service - Attempts	32-bit counter	Total number of chunked video proxy service attempts
Chunked Video – HTTP-Proxy Service - Successes	32-bit counter	Total number of chunked video proxy service successes
Chunked Video - HTTP-Proxy Service - Successes Cached	32-bit counter	Total number of proxy service success - cached chunked video
Chunked Video - Server Response Bytes	32-bit counter	Total number of Bytes from Chunked Video Server Response
Conditional - Client Requests	32-bit counter	Total number of conditional client requests
Conditional – Served Precondition Failed	32-bit counter	Total number of proxy service precondition failed
Conditional – Served Not Modified	32-bit counter	Total number of proxy service precondition not modified
Conditional – Served Partial Content	32-bit counter	Total number of proxy service precondition partial content served
Conditional – Served Cached Response	32-bit counter	Total number of proxy service precondition served
Conditional - Forwarded	32-bit counter	Total number of proxy service precondition forwarded

Table 1-56 HTTP Proxy Details Statistics

CONTENTHTTPPROXYDETAILSTATSCHASSIS CONTENTHTTPPROXYDETAILSTATSSLOT	Type	Description
Client Requests Buffering Delayed	32-bit counter	Total number of client requests delayed due to buffering
Server Response Buffering Limited	32-bit counter	Total number of server responses delayed due to buffering limit
Client Requests Transparent Proxy	32-bit counter	Total number of client requests destined to transparent proxy
Client Requests Explicit Proxy	32-bit counter	Total number of client requests destined to explicit proxy
Client Request OS - Linux	32-bit counter	Total number of client requests parsed for Linux
Client Request OS - Macintosh	32-bit counter	Total number of client requests parsed for Macintosh
Client Request OS - Windows	32-bit counter	Total number of client requests parsed for Windows
Client Request OS - Other	32-bit counter	Total number of client requests parsed for Other OS
Client Request Browser - Internet Explorer	32-bit counter	Total number of client requests parsed for Internet Explorer
Client Requests Browser - Other	32-bit counter	Total number of client requests parsed for Other Browser
Policy - Request Policy Applied - Total	32-bit counter	Total number of request policy applied
Policy - Response Policy Applied - Total	32-bit counter	Total number of response policy applied
Client Response Status - Information (1xx)	32-bit counter	Client HTTP Response Status Information (1xx)
Client Response Status - Success OK (200)	32-bit counter	Client HTTP Response Status OK (200)
Client Response Status - Success Other (2xx)	32-bit counter	Client HTTP Response Status Other (2xx)
Client Response Status - Redirection (3xx)	32-bit counter	Client HTTP Response Status Redirection (3xx)
Client Response Status - Client Error (4xx)	32-bit counter	Client HTTP Response Status Client Error (4xx)
Client Response Status - Server Error (5xx)	32-bit counter	Client HTTP Response Status Server Error (5xx)

HTTP Proxy Failure Statistics

Table 1-57 HTTP Proxy Failure Statistics

CONTENTHTTPPROXYFAILSTATSGRID CONTENTHTTPPROXYFAILSTATSCHASSIS CONTENTHTTPPROXYFAILSTATSSLOT	Type	Description
Client Requests Invalid - Oversized Header	64-bit counter	Total number of invalid client requests - Oversized Header
Client Requests Invalid - Bad Request Line	64-bit counter	Total number of invalid client requests - Bad Request line
Client Requests Invalid - Bad Headers	64-bit counter	Total number of invalid client requests - Bad Headers
Client Requests Invalid - Bad Header Attribute	64-bit counter	Total number of invalid client requests - Bad Header Attribute
Client Requests Invalid - Duplicated Header Attribute	64-bit counter	Total number of invalid client requests - Duplicated Header Attribute
Client Requests Invalid - Bad Host Name	64-bit counter	Total number of invalid client requests - Bad Host Name
Client Requests Invalid - Host Not Found	64-bit counter	Total number of invalid client requests - Host Not Found
Client Requests Invalid - Not Supported	64-bit counter	Total number of invalid client requests - Not Supported
Client Requests Invalid - Expect Header Error	64-bit counter	Total number of invalid client requests - Expect Header Error
Client Requests Invalid - Body Read Error	64-bit counter	Total number of invalid client requests - Body Read Error
Client Requests Invalid - Idle Timeout	64-bit counter	Total number of invalid client requests - Idle Timeout
HTTP-Proxy Service Failed - Request Compile Error	64-bit counter	Total number of proxy service failed - Request Compile Error
HTTP-Proxy Service Failed - Connection Init Failure	64-bit counter	Total number of proxy service failed - Connection Init Failure
HTTP-Proxy Service Failed - Oversized Response Header	64-bit counter	Total number of proxy service failed - Oversized Response Header
HTTP-Proxy Service Failed - Bad Response Status Line	64-bit counter	Total number of proxy service failed - Bad Response Status Line
HTTP-Proxy Service Failed - Bad Response Header	64-bit counter	Total number of proxy service failed - Bad Response Header
HTTP-Proxy Service Failed - Response Processing Failure	64-bit counter	Total number of proxy service failed - Response Processing Failure

Table 1-57 HTTP Proxy Failure Statistics

CONTENTHTTPPROXYFAILSTATSGRID CONTENTHTTPPROXYFAILSTATSCHASSIS CONTENTHTTPPROXYFAILSTATSSLOT	Type	Description
HTTP-Proxy Service Failed - Server Connection Close	64-bit counter	Total number of proxy service failed - Server Connection Close
HTTP-Proxy Service Aborted - Server Connection Timeout	64-bit counter	Total number of proxy service aborted - Server Connection Timeout
HTTP-Proxy Service Failed - Client Connection Timeout	64-bit counter	Total number of proxy service failed - Client Connection Timeout
HTTP-Proxy Service Failed - Resource Unavailable	64-bit counter	Total number of proxy service failed - Resource Unavailable
HTTP-Proxy Service Redirected	64-bit counter	Total number of proxy service failed - Requests Redirected
HTTP-Proxy Service Blocked	64-bit counter	Total number of proxy service failed - Requests Blocked
Content-Cache Service Failed - Response Read Error	64-bit counter	Total number of cache service failed - Response Read Error
Content-Cache Service Failed - Response Header Process Failure	64-bit counter	Total number of cache service failed - Response Header Processing Failure
Content-Cache Service Failed - Oversized Response Header	64-bit counter	Total number of cache service failed - Response Header Oversized
Content-Cache Service Failed - Server Validation Failures	64-bit counter	Total number of cache service failed - Server Validation Failures
Content-Cache Service Failed - Maintenance Connection Close	64-bit counter	Total number of cache service failed - Maintenance Connection Close
HTTP-Proxy Service Failed - Maintenance Connection Close	64-bit counter	Total number of proxy service failed - Maintenance Connection Close
HTTP-Proxy Service Aborted - Client Disconnected	64-bit counter	Total number of proxy service aborted - Client Disconnected
HTTP-Proxy Service Aborted - No Response from Server	64-bit counter	Total number of proxy service aborted - No Response from Server
HTTP-Proxy Service Aborted - Request to Local Address	64-bit counter	Total number of proxy service aborted - Request to Local Address
Connection Failures - Terminated due to Overload	64-bit counter	Total number of client connection failures - Termination due to Overload
Connection Failures - Invalid Metadata	64-bit counter	Total number of client connection failures - Invalid Metadata
Connection Failures - Proxy is not Ready	64-bit counter	Total number of client connection failures - Proxy is not ready

Table 1-57 HTTP Proxy Failure Statistics

CONTENTHTTPPROXYFAILSTATSGRID CONTENTHTTPPROXYFAILSTATSCHASSIS CONTENTHTTPPROXYFAILSTATSSLOT	Type	Description
HTTP-Proxy Service Failed - Out of Buffer	64-bit counter	Total number of proxy service failed - Out of buffer
num_connection_failures_fd_limit_exceeded	64-bit counter	Total number of client connection failures - FD limit exceeded
num_connection_failures_out_of_resources	64-bit counter	Total number of client connection failures - Out of Resources

HTTP Proxy FLV Video Pacing Statistics

Table 1-58 HTTP Proxy FLV Video Pacing Statistics

HTTPPROXYFLVVIDEOPACINGSTATSCHASSIS HTTPPROXYFLVVIDEOPACINGSTATSGRID	Type	Description
Video Pacing - Attempts	32-bit counter	Number of video pacing attempts
Video Pacing - Successes.	32-bit counter	Number of video pacing successes
Video Pacing - Aborts	32-bit counter	Number of video pacing aborted by client
Video Pacing - Failures	32-bit counter	Number of video pacing failures
Video Pacing - Server Response Bytes	32-bit counter	Number of bytes from server response
Video Pacing - Client Response Bytes	32-bit counter	Number of bytes from client response
Video Duration - Min (seconds)	32-bit minimum	Minimum video duration in seconds
Video Duration - Max (seconds)	32-bit maximum	Maximum video duration in seconds
Video Duration - Average (seconds)	32-bit average	Average video duration in seconds
Video Duration - Total (seconds)	32-bit counter	Total video duration in seconds
Served Video Duration - Min (seconds)	32-bit minimum	Minimum video serving duration in seconds
Served Video Duration - Max (seconds)	32-bit maximum	.Maximum video serving duration in seconds
Served Video Duration - Average (seconds)	32-bit average	Average video serving duration in seconds
Served Video Duration - Total (seconds)	32-bit counter	Total video serving duration in seconds
Video Service Time - Min (seconds)	32-bit minimum	Minimum video session duration in seconds
Video Service Time - Max (seconds)	32-bit maximum	.Maximum video session duration in seconds

Table 1-58 HTTP Proxy FLV Video Pacing Statistics

HTTPPROXYFLVVIDEO PACINGSTATSCHASSIS HTTPPROXYFLVVIDEO PACINGSTATSGRID	Type	Description
Video Service Time - Average (seconds)	32-bit average	Average video session duration in seconds
Video Service Time - Total (seconds)	32-bit counter	Total video session duration in seconds
Video Bitrate - Min (kbps)	32-bit minimum	Minimum video bitrate in Kbps
Video Bitrate - Max (kbps)	32-bit maximum	Maximum video bitrate in Kbps
Video Bitrate - Average (kbps)	32-bit average	Average video bitrate in Kbps
Video Pacing - Opted Out by Subscriber	32-bit counter	Number of video pacing bypass - opted out by subscriber

HTTP Proxy Fraud Detection Statistics

Table 1-59 HTTP Proxy Fraud Detection Statistics

CONTENTHTTPPROXYFRAUDDETECTIONSTATSGRID CONTENTHTTPPROXYFRAUDDETECTIONSTATSCHASSIS CONTENTHTTPPROXYFRAUDDETECTIONSTATSLOT	Type	Description
Fraud Detection - Request Validation Attempts	64-bit counter	Total number of fraud detection request validation attempts
Fraud Detection - Non-Fraudulent Requests	64-bit counter	Total number of non-fraudulent requests
Fraud Detection - Fraudulent Requests	64-bit counter	Total number of fraudulent requests
Fraud Detection - Request Header Consistency Check Failures	64-bit counter	Total number of request header consistency check failures
Fraud Detection - Request DNS Check Failures	64-bit counter	Total number of request DNS check failures
Fraud Detection - Fraudulent Requests Allowed	64-bit counter	Total number of fraudulent requests allowed
Fraud Detection - Fraudulent Requests Blocked	64-bit counter	Total number of fraudulent requests blocked

HTTP Proxy Header Enrichment Statistics

Table 1-60 HTTP Proxy Header Enrichment Statistics

HTTPHEADERENRICHMENTSTATSCHASSIS HTTPHEADERENRICHMENTSTATSSLOT	Type	Description
Header Additions - Other	64-bit counter	Header Additions - Other
Header Additions - Other MD5	64-bit counter	Header Additions - Other MD5
Header Additions - Other Encrypted	64-bit counter	Header Additions - Other Encrypted
Header Additions - IMSI	64-bit counter	Header Additions - IMSI
Header Additions - IMSI MD5	64-bit counter	Header Additions - IMSI MD5
Header Additions - IMSI Encrypted	64-bit counter	Header Additions - IMSI Encrypted
Header Additions - IMEI	64-bit counter	Header Additions - IMEI
Header Additions - IMEI MD5	64-bit counter	Header Additions - IMEI MD5
Header Additions - IMEI Encrypted	64-bit counter	Header Additions - IMEI Encrypted
Header Additions - MSISDN	64-bit counter	Header Additions - MSISDN
Header Additions - MSISDN MD5	64-bit counter	Header Additions - MSISDN MD5
Header Additions - MSISDN Static ACR	64-bit counter	Header Additions - MSISDN Static ACR
Header Additions - MSISDN Dynamic ACR	64-bit counter	Header Additions - MSISDN Dynamic ACR
Header Additions - MSISDN Static Encryption	64-bit counter	Header Additions - MSISDN Static Encryption
Header Additions - MSISDN Dynamic Encryption	64-bit counter	Header Additions - MSISDN Dynamic Encryption
Header Additions - MSISDN Encrypted	64-bit counter	Header Additions - MSISDN Encrypted
Header Additions - UE IP Address	64-bit counter	Header Additions - UE IP Address
Header Additions - UE IP Address MD5	64-bit counter	Header Additions - UE IP Address MD5
Header Additions - UE IP Address Encrypted	64-bit counter	Header Additions - UE IP Address Encrypted
Header Additions - RAT type	64-bit counter	Header Additions - RAT type
Header Additions - Rat Type MD5	64-bit counter	Header Additions - Rat Type MD5
Header Additions - RAT Type Encrypted	64-bit counter	Header Additions - RAT Type Encrypted
Header Additions - Charging Characteristic	64-bit counter	Header Additions - Charging Characteristic
Header Additions - Charging Characteristic MD5	64-bit counter	Header Additions - Charging Characteristic MD5

Table 1-60 HTTP Proxy Header Enrichment Statistics

HTTPHEADERENRICHMENTSTATSCHASSIS HTTPHEADERENRICHMENTSTATSSLOT	Type	Description
Header Additions - Charging Characteristic Encrypted	64-bit counter	Header Additions - Charging Characteristic Encrypted
Header Additions - Serving PLMNID	64-bit counter	Header Additions - Serving PLMNID
Header Additions - Serving PLMNID MD5	64-bit counter	Header Additions - Serving PLMNID MD5
Header Additions - Serving PLMNID Encrypted	64-bit counter	Header Additions - Serving PLMNID Encrypted
Header Additions - ULI CGI	64-bit counter	Header Additions - ULI CGI
Header Additions - ULI CGI MD5	64-bit counter	Header Additions - ULI CGI MD5
Header Additions - ULI CGI Encrypted	64-bit counter	Header Additions - ULI CGI Encrypted
Header Additions - UE IP Address and Port Number	64-bit counter	Header Additions - UE IP Address and Port Number
Header Additions - UE Port Number	64-bit counter	Header Additions - UE Port Number
Header Additions - UE IPv4 Mapped IPv6 Address	64-bit counter	Header Additions - UE IPv4 Mapped IPv6 Address
Header Additions - UE HTTP Protocol	64-bit counter	Header Additions - UE HTTP Protocol
Header Additions - SGW IPv4 Address	64-bit counter	Header Additions - SGW IPv4 Address
Header Additions - SGW IPv4 Address MD5	64-bit counter	Header Additions - SGW IPv4 Address MD5
Header Additions - SGW IPv4 Address Encrypted	64-bit counter	Header Additions - SGW IPv4 Address Encrypted
Header Additions - Original APN	64-bit counter	Header Additions - Original APN
Header Additions - Original APN MD5	64-bit counter	Header Additions - Original APN MD5
Header Additions - Original APN Encrypted	64-bit counter	Header Additions - Original APN Encrypted
Header Additions - Mapped APN	64-bit counter	Header Additions - Mapped APN
Header Additions - LTMI Plain Text ID	64-bit counter	Header Additions - Long Term Mobile Plain Text ID
Header Additions - LTMI Static Trusted ID	64-bit counter	Header Additions - Long Term Mobile Static Trusted ID
Header Additions - LTMI Dynamic Trusted ID	64-bit counter	Header Additions - Long Term Mobile Dynamic Trusted ID
Header Additions - LTMI External ID	64-bit counter	Header Additions - Long Term Mobile External ID
Header Additions - Reseller ID	64-bit counter	Header Additions - Reseller ID

Table 1-60 HTTP Proxy Header Enrichment Statistics

HTTPHEADERENRICHMENTSTATSCHASSIS HTTPHEADERENRICHMENTSTATSSLOT	Type	Description
Header Additions - Original URL	64-bit counter	Header Additions - Original URL
Header Additions - HTTP Version	64-bit counter	Header Additions - HTTP version
Header Additions - SGW IPv6 Address	64-bit counter	Header Additions - SGW IPv6 Address
Header Additions - SGW IPv6 Address MD5	64-bit counter	Header Additions - SGW IPv6 Address MD5
Header Additions - SGW IPv6 Address Encrypted	64-bit counter	Header Additions - SGW IPv6 Address Encrypted
Header Additions - Time Zone	64-bit counter	Header Additions - Time Zone

HTTP Proxy Latency Statistics

Table 1-61 HTTP Proxy Latency Statistics

CONTENTHTTPPROXYLATENCYSTATSGRID CONTENTHTTPPROXYLATENCYSTATSCHASSIS CONTENTHTTPPROXYLATENCYSTATSSLOT	Type	Description
Transactions - Total	64-bit counter	Total number of serviced HTTP transactions counted for latency calculation
Transaction Latency - Average (ms)	64-bit average	HTTP transaction service latency cumulative moving average (ms)
Transaction Latency - Maximum (ms)	64-bit maximum	HTTP transaction service latency maximum (ms)
Transaction Latency - Transactions with Latency 0-10 ms	64-bit counter	HTTP transaction with latency 0-10 (ms)
Transaction Latency - Transactions with Latency 11-20 ms	64-bit counter	HTTP transaction with latency 11-20 (ms)
Transaction Latency - Transactions with Latency 21-30 ms	64-bit counter	HTTP transaction with latency 21-30 (ms)
Transaction Latency - Transactions with Latency 31-40 ms	64-bit counter	HTTP transaction with latency 31-40 (ms)
Transaction Latency - Transactions with Latency 41-50 ms	64-bit counter	HTTP transaction with latency 41-50 (ms)
Transaction Latency - Transactions with Latency 51-100 ms	64-bit counter	HTTP transaction with latency 51-100 (ms)
Transaction Latency - Transactions with Latency 100+ ms	64-bit counter	HTTP transaction with latency 100+ (ms)
Request Latency - Average (ms)	64-bit average	HTTP request service latency cumulative moving average (ms)

Table 1-61 HTTP Proxy Latency Statistics

CONTENTHTTPPROXYLATENCYSTATSGRID CONTENTHTTPPROXYLATENCYSTATSCHASSIS CONTENTHTTPPROXYLATENCYSTATSSLOT	Type	Description
Request Latency - Maximum (ms)	64-bit maximum	HTTP request service latency maximum (ms)
Request Latency - Requests with Latency 0-10 ms	64-bit counter	HTTP request service with latency 0-10 (ms)
Request Latency - Requests with Latency 11-20 ms	64-bit counter	HTTP request service with latency 11-20 (ms)
Request Latency - Requests with Latency 21-30 ms	64-bit counter	HTTP request service with latency 21-30 (ms)
Request Latency - Requests with Latency 31-40 ms	64-bit counter	HTTP request service with latency 31-40 (ms)
Request Latency - Requests with Latency 41-50 ms	64-bit counter	HTTP request service with latency 41-50 (ms)
Request Latency - Requests with Latency 51-100 ms	64-bit counter	HTTP request service with latency 51-100 (ms)
Request Latency - Requests with Latency 100+ ms	64-bit counter	HTTP request service with latency 100+ (ms)
Response Latency - Average (ms)	64-bit average	HTTP response service latency cumulative moving average (ms)
Response Latency - Maximum (ms)	64-bit maximum	HTTP response service latency maximum (ms)
Response Latency - Responses with Latency 0-10 ms	64-bit counter	HTTP response service with latency 0-10 (ms)
Response Latency - Responses with Latency 11-20 ms	64-bit counter	HTTP response service with latency 11-20 (ms)
Response Latency - Responses with Latency 21-30 ms	64-bit counter	HTTP response service with latency 21-30 (ms)
Response Latency - Responses with Latency 31-40 ms	64-bit counter	HTTP response service with latency 31-40 (ms)
Response Latency - Responses with Latency 41-50 ms	64-bit counter	HTTP response service with latency 41-50 (ms)
Response Latency - Responses with Latency 51-100 ms	64-bit counter	HTTP response service with latency 51-100 (ms)
Response Latency - Responses with Latency 100+ ms	64-bit counter	HTTP response service with latency 100+ (ms)
Latency Client Total	64-bit counter	Total number of client connections counted for latency calculation

Table 1-61 HTTP Proxy Latency Statistics

CONTENTHTTPPROXYLATENCYSTATSGRID CONTENTHTTPPROXYLATENCYSTATSCHASSIS CONTENTHTTPPROXYLATENCYSTATSSLOT	Type	Description
Latency Client Data Avg	64-bit average	Client connection receiving data delay average (ms)
Latency Client Data Max	64-bit maximum	Client connection receiving data delay maximum (ms)
Latency Client Data 10	64-bit counter	Client connection with receiving data delay 0-10 (ms)
Latency Client Data 20	64-bit counter	Client connection with receiving data delay 11-20 (ms)
Latency Client Data 30	64-bit counter	Client connection with receiving data delay 21-30 (ms)
Latency Client Data 40	64-bit counter	Client connection with receiving data delay 31-40 (ms)
Latency Client Data 50	64-bit counter	Client connection with receiving data delay 41-50 (ms)
Latency Client Data 100	64-bit counter	Client connection with receiving data delay 51-100 (ms)
Latency Client Data 101	64-bit counter	Client connection with receiving data delay 100+ (ms)
Latency Server Total	64-bit counter	Total number of server connections counted for latency calculation
Latency Server Data Avg	64-bit average	Server connection receiving data delay average (ms)
Latency Server Data Max	64-bit maximum	Server connection receiving data delay maximum (ms)
Latency Server Data 10	64-bit counter	Server connection with receiving data delay 0-10 (ms)
Latency Server Data 20	64-bit counter	Server connection with receiving data delay 11-20 (ms)
Latency Server Data 30	64-bit counter	Server connection with receiving data delay 21-30 (ms)
Latency Server Data 40	64-bit counter	Server connection with receiving data delay 31-40 (ms)
Latency Server Data 50	64-bit counter	Server connection with receiving data delay 41-50 (ms)
Latency Server Data 100	64-bit counter	Server connection with receiving data delay 51-100 (ms)

Table 1-61 HTTP Proxy Latency Statistics

CONTENTHTTPPROXYLATENCYSTATSGRID CONTENTHTTPPROXYLATENCYSTATSCHASSIS CONTENTHTTPPROXYLATENCYSTATSSLOT	Type	Description
Latency Server Data 101	64-bit counter	Server connection with receiving data delay 100+ (ms)

HTTP Proxy Media Type Byte Statistics

Table 1-62 HTTP Proxy Media Type Byte Statistics

HTTPPROXYMEDIATYPEBYTESCHASSIS	Type	Description
Text Bytes - HTML	64-bit counter	Number of HTML text bytes
Text Bytes - XML	64-bit counter	Number of XML text bytes
Text Bytes - CSS	64-bit counter	Number of CSS text bytes
Text Bytes - JAVASCRIPT	64-bit counter	Number of Javascript text bytes
Text Bytes - JSON	64-bit counter	Number of JSON text bytes
Text Bytes - PLAIN	64-bit counter	Number of plain text bytes
Image Bytes - JPEG	64-bit counter	Number of JPEG image bytes
Image Bytes - PNG	64-bit counter	Number of PNG image bytes
Image Bytes - GIF	64-bit counter	Number of GIF image bytes
Image Bytes - BMP	64-bit counter	Number of BMP image bytes
Progressive Video Bytes - MP4	64-bit counter	Number of MP4 video bytes
Progressive Video Bytes - FLV	64-bit counter	Number of FLV video bytes
Progressive Video Bytes - WEBM	64-bit counter	Number of WEBM video bytes
ABR Video Bytes - HLS	64-bit counter	Number of HLS video bytes
ABR Video Bytes - DASH	64-bit counter	Number of DASH video bytes
ABR Video Bytes - HDS	64-bit counter	Number of HDS video bytes
Other Bytes - Binary	64-bit counter	Number of binary bytes
Other Bytes - Unrecognized	64-bit counter	Number of unrecognized bytes

HTTP Proxy Media Type Response Statistics

Table 1-63 HTTP Proxy Media Type Response Statistics

HTTPPROXYMEDIATYPERESPONSESCHASSIS HTTPPROXYMEDIATYPERESPONSESSLOT	Type	Description
Text Responses - HTML	64-bit counter	Number of HTML text responses
Text Responses - XML	64-bit counter	Number of XML text responses
Text Responses - CSS	64-bit counter	Number of CSS text responses
Text Responses - JAVASCRIPT	64-bit counter	Number of Javascript text responses
Text Responses - JSON	64-bit counter	Number of JSON text responses
Text Responses - PLAIN	64-bit counter	Number of plain text responses
Image Responses - JPEG	64-bit counter	Number of JPEG image responses
Image Responses - PNG	64-bit counter	Number of PNG image responses
Image Responses - GIF	64-bit counter	Number of GIF image responses
Image Responses - BMP	64-bit counter	Number of BMP image responses
Progressive Video Responses - MP4	64-bit counter	Number of MP4 video responses
Progressive Video Responses - FLV	64-bit counter	Number of FLV video responses
Progressive Video Responses - WEBM	64-bit counter	Number of WEBM video responses
ABR Video Responses - HLS	64-bit counter	Number of HLS video responses
ABR Video Responses - DASH	64-bit counter	Number of DASH video responses
ABR Video Responses - HDS	64-bit counter	Number of HDS video responses
Other Responses - Binary	64-bit counter	Number of binary responses
Other Responses - Unrecognized	64-bit counter	Number of unrecognized responses

HTTP Proxy Minify Statistics

Table 1-64 HTTP Proxy Minify Statistics

CONTENTHTTTPROXYMINIFYSTATSGRID CONTENTHTTTPROXYMINIFYSTATSCHASSIS CONTENTHTTTPROXYMINIFYSTATSSLOT	Type	Description
Minify CSS - Attempts	64-bit counter	Total number of Minify CSS attempts
Minify CSS - Successes	64-bit counter	Total number of Minify CSS successes
Minify CSS - Failures	64-bit counter	Total number of Minify CSS failures
Minify CSS - Bytes Attempt	64-bit counter	Total number of Minify CSS bytes attempt
Minify CSS - Bytes Minified	64-bit counter	Total number of Minify CSS bytes minified
Minify CSS - Bytes Not Minified	64-bit counter	Total number of Minify CSS bytes not minified
Minify HTML - Attempts	64-bit counter	Total number of HTML Javascript attempts
Minify HTML - Successes	64-bit counter	Total number of HTML Javascript successes
Minify HTML - Failures	64-bit counter	Total number of HTML Javascript failures
Minify HTML - Bytes Attempt	64-bit counter	Total number of HTML Javascript bytes attempt
Minify HTML - Bytes Minified	64-bit counter	Total number of HTML Javascript bytes minified
Minify HTML - Bytes Not Minified	64-bit counter	Total number of HTML Javascript bytes not minified
Minify Javascript - Attempts	64-bit counter	Total number of Minify Javascript attempts
Minify Javascript - Successes	64-bit counter	Total number of Minify Javascript successes
Minify Javascript - Failures	64-bit counter	Total number of Minify Javascript failures
Minify Javascript - Bytes Attempt	64-bit counter	Total number of Minify Javascript bytes attempt
Minify Javascript - Bytes Minified	64-bit counter	Total number of Minify Javascript bytes minified
Minify Javascript - Bytes Not Minified	64-bit counter	Total number of Minify Javascript bytes not minified

Table 1-64 HTTP Proxy Minify Statistics

CONTENTHTTPPROXYMINIFYSTATSGRID CONTENTHTTPPROXYMINIFYSTATSCHASSIS CONTENTHTTPPROXYMINIFYSTATSSLOT	Type	Description
Minify Cancel - Content Type Mismatches	64-bit counter	Total number of Minify Cancels because content type mismatches

HTTP Proxy MP4 Video Pacing Statistics

Table 1-65 HTTP Proxy MP4 Video Pacing Statistics

HTTPPROXYMP4VIDEOPACINGSTATS CHASSIS HTTPPROXYMP4VIDEOPACINGSTATSGRID	Type	Description
Video Pacing - Attempts	32-bit counter	Number of video pacing attempts
Video Pacing - Successes.	32-bit counter	Number of video pacing successes
Video Pacing - Aborts	32-bit counter	Number of video pacing aborted by client
Video Pacing - Failures	32-bit counter	Number of video pacing failures
Video Pacing - Server Response Bytes	32-bit counter	Number of bytes from server response
Video Pacing - Client Response Bytes	32-bit counter	Number of bytes from client response
Video Duration - Min (seconds)	32-bit minimum	Minimum video duration in seconds
Video Duration - Max (seconds)	32-bit maximum	Maximum video duration in seconds
Video Duration - Average (seconds)	32-bit average	Average video duration in seconds
Video Duration - Total (seconds)	32-bit counter	Total video duration in seconds
Served Video Duration - Min (seconds)	32-bit minimum	Minimum video serving duration in seconds
Served Video Duration - Max (seconds)	32-bit maximum	Maximum video serving duration in seconds
Served Video Duration - Average (seconds)	32-bit average	Average video serving duration in seconds
Served Video Duration - Total (seconds)	32-bit counter	Total video serving duration in seconds
Video Service Time - Min (seconds)	32-bit minimum	Minimum video session duration in seconds
Video Service Time - Max (seconds)	32-bit maximum	Maximum video session duration in seconds
Video Service Time - Average (seconds)	32-bit average	Average video session duration in seconds
Video Service Time - Total (seconds)	32-bit counter	Total video session duration in seconds
Video Bitrate - Min (kbps)	32-bit minimum	Minimum video bitrate in Kbps

Table 1-65 HTTP Proxy MP4 Video Pacing Statistics

HTTPPROXYMP4VIDEOPACINGSTATS CHASSIS HTTPPROXYMP4VIDEOPACINGSTATSGRID	Type	Description
Video Bitrate - Max (kbps)	32-bit maximum	Maximum video bitrate in Kbps
Video Bitrate - Average (kbps)	32-bit average	Average video bitrate in Kbps
Video Pacing - Opted Out by Subscriber	32-bit counter	Number of video pacing bypass - opted out by subscriber

HTTP Proxy Optimization Savings Statistics

Table 1-66 HTTP Proxy Optimization Savings Statistics

HTTPPROXYOPTIMIZATIONSAVINGS	Type	Description
Video Pacing - Total Bytes Saved	64-bit counter	Total number of video pacing bytes saved
Video Pacing - FLV Bytes Saved	64-bit counter	Number of FLV bytes saved
Video Pacing - MP4 Bytes Saved	64-bit counter	Number of MP4 bytes saved
Video Pacing - WEBM Bytes Saved	64-bit counter	Number of WEBM bytes saved
Online Video Transcoding - Total Bytes Saved	64-bit counter	Total number of online video transcoding bytes saved
Online Video Transcoding - FLV Bytes Saved	64-bit counter	Number of online FLV video transcoding bytes saved
Online Video Transcoding - MP4 Bytes Saved	64-bit counter	Number of online MP4 video transcoding bytes saved
Online Video Transcoding - WEBM Bytes Saved	64-bit counter	Number of online WEBM video transcoding bytes saved
Offline Video Transcoding - Total Bytes Saved	64-bit counter	Total number of offline video transcoding bytes saved
Offline Video Transcoding - FLV Bytes Saved	64-bit counter	Number of offline FLV video transcoding bytes saved
Offline Video Transcoding - MP4 Bytes Saved	64-bit counter	Number of offline MP4 video transcoding bytes saved
Offline Video Transcoding - WEBM Bytes Saved	64-bit counter	Number of online offline video transcoding bytes saved
Minify - Total Bytes Saved	64-bit counter	Total number of minify bytes saved
Minify - CSS Bytes Saved	64-bit counter	Number of minify CSS bytes saved

Table 1-66 HTTP Proxy Optimization Savings Statistics

HTTPPROXYOPTIMIZATIONSAVINGS	Type	Description
Minify - HTML Bytes Saved	64-bit counter	Number of minify HTML bytes saved
Minify - Javascript Bytes Saved	64-bit counter	Number of minify Javascript bytes saved
Web Image Optimization - Total Bytes Saved	64-bit counter	Total number of Web Image Optimization bytes saved
Web Image Optimization - GIF Bytes Saved	64-bit counter	Number of Web Image Optimization GIF bytes saved
Web Image Optimization - PNG Bytes Saved	64-bit counter	Number of Web Image Optimization PNG bytes saved
Web Image Optimization - JPEG Bytes Saved	64-bit counter	Number of Web Image Optimization JPEG bytes saved
Compression Bytes - Saved	64-bit counter	Number of compression bytes saved
ABR Rate Limiting - HLS Bytes Saved	64-bit counter	Number of ABR Rate Limiting bytes saved for HLS
ABR Rate Limiting - DASH Bytes Saved	64-bit counter	Number of ABR Rate Limiting bytes saved for DASH
ABR Rate Limiting - HDS Bytes Saved	64-bit counter	Number of ABR Rate Limiting bytes saved for HDS
ABR Rate Limiting - Total Bytes Saved	64-bit counter	Total number of ABR Rate Limiting bytes saved
TCP Rate Limiting Bytes Saved	64-bit counter	Total number of bytes saved due to TCP Rate Limiting
QUIC Rate Limiting Bytes Saved	64-bit counter	Total number of bytes saved due to QUIC Rate Limiting

HTTP Proxy Overload Control Statistics

Table 1-67 HTTP Proxy Overload Control Statistics

CONTENTHTTPPROXYOVERLOADCONTROLSTATSCHASSIS CONTENTHTTPPROXYOVERLOADCONTROLSTATSSLOT	Type	Description
Overload Control Connection Accepts	64-bit counter	Number of overload control connection accepts
Overload Control Connection Denies	64-bit counter	Number of overload control connections denies

HTTP Proxy Preemptive DNS Statistics

Table 1-68 HTTP Proxy Preemptive DNS Statistics

CONTENTHTTTPROXYPREMPTDNSSTATSGRID CONTENTHTTTPROXYPREMPTDNSSTATSCHASSIS CONTENTHTTTPROXYPREMPTDNSSTATSSLOT	Type	Description
Preemptive DNS - Responses Updated	64-bit counter	Number of Preemptive DNS updated responses
Preemptive DNS - Response URLs Updated	64-bit counter	Number of Preemptive DNS URLs updated in HTTP Response
Preemptive DNS - Responses Content Length Dropped	64-bit counter	Number of Preemptive DNS Responses dropping content-length header
Preemptive DNS - Responses Chunked	64-bit counter	Number of Preemptive DNS Responses chunked
Preemptive DNS - Updated Requests Received	64-bit counter	Number of Preemptive DNS updated requests received
Preemptive DNS - Updated Requests Serviced	64-bit counter	Number of Preemptive DNS updated requests serviced
Preemptive DNS - Updated Requests Failures	64-bit counter	Number of Preemptive DNS updated requests failed

HTTP Proxy Request Method Statistics

Table 1-69 HTTP Proxy Request Method Statistics

CONTENTHTTTPROXYMETHODSTATSCHASSIS CONTENTHTTTPROXYMETHODSTATSSLOT	Type	Description
OPTIONS Requests Received	64-bit counter	Total number of OPTIONS request received
OPTIONS Requests Aborted/Failed	64-bit counter	Total number of OPTIONS request aborted/failed
GET Requests Received	64-bit counter	Total number of GET request received
GET Requests Aborted/Failed	64-bit counter	Total number of GET request aborted/failed
HEAD Requests Received	64-bit counter	Total number of HEAD request received
HEAD Requests Aborted/Failed	64-bit counter	Total number of HEAD request aborted/failed

Table 1-69 HTTP Proxy Request Method Statistics

CONTENTHTTPPROXYMETHODSTATSCHASSIS CONTENTHTTPPROXYMETHODSTATSSLOT	Type	Description
POST Requests Received	64-bit counter	Total number of POST request received
POST Requests Aborted/Failed	64-bit counter	Total number of POST request aborted/failed
PUT Requests Received	64-bit counter	Total number of PUT request received
PUT Requests Aborted/Failed	64-bit counter	Total number of PUT request aborted/failed
DELETE Requests Received	64-bit counter	Total number of DELETE request received
DELETE Requests Aborted/Failed	64-bit counter	Total number of DELETE request aborted/failed
TRACE Requests Received	64-bit counter	Total number of TRACE request received
TRACE Requests Aborted/Failed	64-bit counter	Total number of TRACE request aborted/failed
CONNECT Requests Received	64-bit counter	Total number of CONNECT request received
CONNECT Requests Aborted/Failed	64-bit counter	Total number of CONNECT request aborted/failed
MKCOL Requests Received	64-bit counter	Total number of MKCOL request received
MKCOL Requests Aborted/Failed	64-bit counter	Total number of MKCOL request aborted/failed
COPY Requests Received	64-bit counter	Total number of COPY request received
COPY Requests Aborted/Failed	64-bit counter	Total number of COPY request aborted/failed
MOVE Requests Received	64-bit counter	Total number of MOVE request received
MOVE Requests Aborted/Failed	64-bit counter	Total number of MOVE request aborted/failed
PROPFIND Requests Received	64-bit counter	Total number of PROPFIND request received
PROPFIND Requests Aborted/Failed	64-bit counter	Total number of PROPFIND request aborted/failed
PROPPATCH Requests Received	64-bit counter	Total number of PROPPATCH request received
PROPPATCH Requests Aborted/Failed	64-bit counter	Total number of PROPPATCH request aborted/failed
LOCK Requests Received	64-bit counter	Total number of LOCK request received
LOCK Requests Aborted/Failed	64-bit counter	Total number of LOCK request aborted/failed
UNLOCK Requests Received	64-bit counter	Total number of UNLOCK request received

Table 1-69 HTTP Proxy Request Method Statistics

CONTENTHTTTPROXYMETHODSTATSCHASSIS CONTENTHTTTPROXYMETHODSTATSSLOT	Type	Description
UNLOCK Requests Aborted/Failed	64-bit counter	Total number of UNLOCK request aborted/failed
PATCH Requests Received	64-bit counter	Total number of PATCH request received
PATCH Requests Aborted/Failed	64-bit counter	Total number of PATCH request aborted/failed
Unknown Method Requests Received	64-bit counter	Total number of Unknown Method request received
Unknown Method Requests Aborted/Failed	64-bit counter	Total number of Unknown Method request aborted/failed
ACL Requests Received	64-bit counter	Total number of ACL request received
ACL Requests Aborted Failed	64-bit counter	Total number of ACL request aborted/failed
BASELINE-CONTROL Requests Received	64-bit counter	Total number of BASELINE CONTROL request received
BASELINE-CONTROL Requests Aborted/Failed	64-bit counter	Total number of BASELINE CONTROL request aborted/failed
BIND Requests Received	64-bit counter	Total number of BIND request received
BIND Requests Aborted/Failed	64-bit counter	Total number of BIND request aborted/failed
CHECKIN Requests Received	64-bit counter	Total number of CHECKIN request received
CHECKIN Requests Aborted/Failed	64-bit counter	Total number of CHECKIN request aborted/failed
CHECKOUT Requests Received	64-bit counter	Total number of CHECKOUT request received
CHECKOUT Requests Aborted/Failed	64-bit counter	Total number of CHECKOUT request aborted/failed
LABEL Requests Received	64-bit counter	Total number of LABEL request received
LABEL Requests Aborted/Failed	64-bit counter	Total number of LABEL request aborted/failed
LINK Requests Received	64-bit counter	Total number of LINK request received
LINK Requests Aborted/Failed	64-bit counter	Total number of LINK request aborted/failed
MERGE Requests Received	64-bit counter	Total number of MERGE request received
MERGE Requests Aborted/Failed	64-bit counter	Total number of MERGE request aborted/failed

Table 1-69 HTTP Proxy Request Method Statistics

CONTENTHTTPPROXYMETHODSTATSCHASSIS CONTENTHTTPPROXYMETHODSTATSSLOT	Type	Description
MKACTIVITY Requests Received	64-bit counter	Total number of MKACTIVITY request received
MKACTIVITY Requests Aborted/Failed	64-bit counter	Total number of MKACTIVITY request aborted/failed
MKCALENDAR Requests Received	64-bit counter	Total number of MKCALENDAR request received
MKCALENDAR Requests Aborted/Failed	64-bit counter	Total number of MKCALENDAR request aborted/failed
MKREDIRECTREF Requests Received	64-bit counter	Total number of MKREDIRECTREF request received
MKREDIRECTREF Requests Aborted/Failed	64-bit counter	Total number of MKREDIRECTREF request aborted/failed
MKWORKSPACE Requests Received	64-bit counter	Total number of MKWORKSPACE request received
MKWORKSPACE Requests Aborted/Failed	64-bit counter	Total number of MKWORKSPACE request aborted/failed
ORDERPATCH Requests Received	64-bit counter	Total number of ORDERPATCH request received
ORDERPATCH Requests Aborted/Failed	64-bit counter	Total number of ORDERPATCH request aborted/failed
PRI Requests Received	64-bit counter	Total number of PRI request received
PRI Requests Aborted/Failed	64-bit counter	Total number of PRI request aborted/failed
REBIND Requests Received	64-bit counter	Total number of REBIND request received
REBIND Requests Aborted/Failed	64-bit counter	Total number of REBIND request aborted/failed
REPORT Requests Received	64-bit counter	Total number of REPORT request received
REPORT Requests Aborted/Failed	64-bit counter	Total number of REPORT request aborted/failed
SEARCH Requests Received	64-bit counter	Total number of SEARCH request received
SEARCH Requests Aborted/Failed	64-bit counter	Total number of SEARCH request aborted/failed
UNBIND Requests Received	64-bit counter	Total number of UNBIND request received
UNBIND Requests Aborted/Failed	64-bit counter	Total number of UNBIND request aborted/failed

Table 1-69 HTTP Proxy Request Method Statistics

CONTENTHTTPPROXYMETHODSTATSCHASSIS CONTENTHTTPPROXYMETHODSTATSSLOT	Type	Description
UNCHECKOUT Requests Received	64-bit counter	Total number of UNCHECKOUT request received
UNCHECKOUT Requests Aborted/Failed	64-bit counter	Total number of UNCHECKOUT request aborted/failed
UNLINK Requests Received	64-bit counter	Total number of UNLINK request received
UNLINK Requests Aborted/Failed	64-bit counter	Total number of UNLINK request aborted/failed
UPDATE Requests Received	64-bit counter	Total number of UPDATE request received
UPDATE Requests Aborted/Failed	64-bit counter	Total number of UPDATE request aborted/failed
UPDATEREDIRECTREF Requests Received	64-bit counter	Total number of UPDATEREDIRECTREF request received
UPDATEREDIRECTREF Requests Aborted/Failed	64-bit counter	Total number of UPDATEREDIRECTREF request aborted/failed
VERSION CONTROL Requests Received	64-bit counter	Total number of VERSION CONTROL request received
VERSION CONTROL Requests Aborted/Failed	64-bit counter	Total number of VERSION CONTROL request aborted/failed
Unsupported Method Received	64-bit counter	Total number of Unsupported Method request received

HTTP Proxy Server Summary Statistics

Table 1-70 HTTP Proxy Server Summary Statistics

CONTENTHTTPSERVERSUMMARYSTATSCHASSIS CONTENTHTTPSERVERSUMMARYSTATSSLOT	Type	Description
HTTP-Server Service - Attempts	64-bit counter	Total number of server service attempts
HTTP-Server Service - Successes	64-bit counter	Total number of server service successes
HTTP-Server Service - Aborted by Client	64-bit counter	Total number of server services aborted by client
HTTP-Server Service - Failures	64-bit counter	Total number of server service failed

HTTP Proxy SPS Statistics

Table 1-71 HTTP Proxy SPS Statistics

CONTENTHTTPPROXYSPSSTATSGRID CONTENTHTTPPROXYSPSSTATSCHASSIS CONTENTHTTPPROXYSPSSTATSSLOT	Type	Description
SPS Query Attempts	64-bit counter	Total number of SPS request attempts
SPS Query Successes	64-bit counter	Total number of SPS request successes
SPS Query Error Responses	64-bit counter	Total number of SPS request error responses
SPS Query Timeouts	64-bit counter	Total number of SPS request timeouts
SPS Query Failures	64-bit counter	Total number of SPS request failures
SPS URL List Matches	64-bit counter	Total number of SPSURL list matches
SPS URL List Misses	64-bit counter	Total number of SPSURL list misses
SPS HHE Headers Added	64-bit counter	Total number of SPS Headers added
SPS HHE Headers Replaced	64-bit counter	Total number of SPS Headers replaced
SPS Parental Control Steering - Requests with CP Flag	64-bit counter	Total number of SPS Requests with CP flag set
SPS Parental Control Steering - Requests Steered	64-bit counter	Total number of SPS Requests sent to parental control gateway
SPS Redirection - Requests Redirected	64-bit counter	Total number of SPS Requests redirected

HTTP Proxy Summary Statistics

Table 1-72 HTTP Proxy Summary Statistics

CONTENTHTTPPROXYSUMMARYSTATSGRID CONTENTHTTPPROXYSUMMARYSTATSCHASSIS CONTENTHTTPPROXYSUMMARYSTATSSLOT	Type	Description
Client Requests - Total	64-bit counter	Total number of client requests received
Client Requests - Current	64-bit gauge	Total number of client requests currently in service
Client Requests - Parsed Successfully	64-bit counter	Total number of client requests processed successfully
Client Requests - Incomplete	64-bit counter	Total number of client requests aborted by client
Client Requests - Processing Failed	64-bit counter	Total number of client requests processing failed
Client Requests - Pipeline Dropped	64-bit counter	Total number of client requests pipeline dropped
Client Requests - Invalid	64-bit counter	Total number of invalid client requests
HTTP-Proxy Service - Attempts	64-bit counter	Total number of proxy service attempts
HTTP-Proxy Service - Successes	64-bit counter	Total number of proxy service success
HTTP-Proxy Service - Successes Cached	64-bit counter	Total number of proxy service success - cached
HTTP-Proxy Service - Aborts	64-bit counter	Total number of proxy service aborted
HTTP-Proxy Service - Failures	64-bit counter	Total number of proxy service failed
Content-Cache Service - Attempts	64-bit counter	Total number of cache service attempts
Content-Cache Service - Successes	64-bit counter	Total number of cache service success
Content-Cache Service - Aborted by Client	64-bit counter	Total number of proxy cache aborted by client
Content-Cache Service - Failures	64-bit counter	Total number of cache service failed
Content-Filter Service - Attempts	64-bit counter	Total number of filter service attempts
Content-Filter Service - Matched	64-bit counter	Total number of filter service applied
Content-Filter Service - Aborted by Client	64-bit counter	Total number of filter service aborted by client
Content-Filter Service - Failures	64-bit counter	Total number of filter service failed
Client Requests - Total Bytes	64-bit counter	Total number of Bytes Client Request

Table 1-72 HTTP Proxy Summary Statistics

CONTENTHTTPPROXYSUMMARYSTATSGRID CONTENTHTTPPROXYSUMMARYSTATSCHASSIS CONTENTHTTPPROXYSUMMARYSTATSSLOT	Type	Description
Client Responses - Total Bytes	64-bit counter	Total number of Bytes Client Response
Server Requests - Total Bytes	64-bit counter	Total number of Bytes Server Request
Server Responses - Total Bytes	64-bit counter	Total number of Bytes Server Response
Service Time - Min (ms)	64-bit minimum	Client HTTP Service Time Minimum (ms)
Service Time - Avg (ms)	64-bit average	Client HTTP Service Time Average (ms)
Service Time - Max (ms)	64-bit maximum	Client HTTP Service Time Maximum (ms)
Service Responses - Total	64-bit counter	Total number of HTTP server responses
Server Responses - Min Time (ms)	64-bit minimum	Server HTTP Response Time Minimum (ms)
Server Responses - Avg Time (ms)	64-bit average	Server HTTP Response Time Average (ms)
Server Responses - Max Time (ms)	64-bit maximum	Server HTTP Response Time Maximum (ms)
Content-Cache Service - Successes from Disk	64-bit counter	Total number of cache service success from disk
Content-Cache Service - Successes from Memory	64-bit counter	Total number of cache service success from memory
Content-Cache Service - Bytes from Disk	64-bit counter	Total number of cache service bytes from disk
Content-Cache Service - Bytes from Memory	64-bit counter	Total number of cache service bytes from memory
Latency - Request Latency Average (ms)	64-bit average	HTTP Request Service Latency Average (ms)
Latency - Response Latency Average (ms)	64-bit average	HTTP Response Service Latency Average (ms)
Latency - Transaction Latency Average (ms)	64-bit average	HTTP Service Latency Transaction Average (ms)
Content-Filter Service - Not Matched	64-bit counter	Total number of filter service not applied
HTTP-Server Service - Attempts	64-bit counter	Total number of server service attempts
HTTP-Server Service - Successes	64-bit counter	Total number of server service applied
HTTP-Server Service - Aborted by Client	64-bit counter	Total number of server service aborted by client
HTTP-Server Service - Failures	64-bit counter	Total number of server service failed

Table 1-72 HTTP Proxy Summary Statistics

CONTENTHTTPPROXYSUMMARYSTATSGRID CONTENTHTTPPROXYSUMMARYSTATSCHASSIS CONTENTHTTPPROXYSUMMARYSTATSSLOT	Type	Description
num_proxy_client_count	64-bit counter	Current number of current Proxy sessions

HTTP Proxy TCP Optimization Statistics

Table 1-73 HTTP Proxy TCP Optimization Statistics

CONTENTHTTPPROXYTCPOPTZSTATSGRID CONTENTHTTPPROXYTCPOPTZSTATSCHASSIS CONTENTHTTPPROXYTCPOPTZSTATSSLOT	Type	Description
TCP Connections - Total	64-bit counter	Total number of TCP connections
TCP Connections - Active	64-bit counter	Number of active TCP connections
TCP Connections - Serviced	64-bit counter	Number of connections that TCP Optimization Service applied
TCP Connections - Bypassed	64-bit counter	Number of connections that bypass the TCP Optimization Service
TCP Connections – No Profile	64-bit counter	Number of connections that failed because no TCP service profile
TCP Connections – Failures	64-bit counter	Number of TCP connections that failed because cannot apply TCP services

HTTP Proxy TLS Statistics

Table 1-74 HTTP Proxy TLS Statistics

CONTENTHTTPPROXYTLSSTATSGRID CONTENTHTTPPROXYTLSSTATSCHASSIS CONTENTHTTPPROXYTLSSTATSSLOT	Type	Description
Client Connections - Total	64-bit counter	Total number of client connections
Client Connections - Currently in Use	64-bit counter	Total number of client connections currently in use
Client Connections - Terminated	64-bit counter	Total number of terminated connections
Client Connections - Pass-Through	64-bit counter	Total number of pass-through connections

Table 1-74 HTTP Proxy TLS Statistics

CONTENTHTTPPROXYTLSTATSGRID CONTENTHTTPPROXYTLSTATSCHASSIS CONTENTHTTPPROXYTLSTATSLOT	Type	Description
Client Connections - IPv4	64-bit counter	Total number of IPv4 client connections
Client Connections - IPv6	64-bit counter	Total number of IPv6 client connections
Client Connections - Bytes Received	64-bit counter	Total number of bytes received from client
Client Connections - Bytes Sent	64-bit counter	Total number of bytes sent to client
Client Protocol - TLS v1.0	64-bit counter	Total number of TLS1.0 client requests received
Client Protocol - TLS v1.1	64-bit counter	Total number of TLS1.1 client requests received
Client Protocol - TLS v1.2	64-bit counter	Total number of TLS1.2 client requests received
Client Errors - Total	64-bit counter	Total number of Client TLS Errors
Client Errors - Set FD Failure	64-bit counter	Total number of Client set FD Errors
Client Errors - TLS Handshake Failure	64-bit counter	Total number of Client handshake Errors
Client Errors - Read Failure	64-bit counter	Total number of Client read Errors
Client Errors - Write Failure	64-bit counter	Total number of Client write Errors
Server Connections - Total	64-bit counter	Total number of server connections
Server Connections - Currently in Use	64-bit gauge	Total number of server connections currently in use
Server Connections - Originated	64-bit counter	Total number of originated connections
Server Connections - Pass-Through	64-bit counter	Total number of pass-through connections
Server Connections - IPv4	64-bit counter	Total number of IPv4 server connections
Server Connections - IPv6	64-bit counter	Total number of IPv6 server connections
Server Connections - Bytes Received	64-bit counter	Total number of bytes received from server
Server Connections - Bytes Sent	64-bit counter	Total number of bytes sent to server
Server Protocol - TLS v1.0	64-bit counter	Total number of TLS1.0 server requests received
Server Protocol - TLS v1.1	64-bit counter	Total number of TLS1.1 server requests received
Server Protocol - TLS v1.2	64-bit counter	Total number of TLS1.2 server requests received

Table 1-74 HTTP Proxy TLS Statistics

CONTENTHTTPPROXYTLSSTATSGRID CONTENTHTTPPROXYTLSSTATSCHASSIS CONTENTHTTPPROXYTLSSTATSLOT	Type	Description
Server Errors - Total	64-bit counter	Total number of server TLS Errors
Server Errors - Set FD Failure	64-bit counter	Total number of server set FD Errors
Server Errors - TLS Handshake Failure	64-bit counter	Total number of server handshake Errors
Server Errors - Authentication Failure	64-bit counter	Total number of server authentication Errors
Server Errors - Read Failure	64-bit counter	Total number of server write Errors
Server Errors - Write Failure	64-bit counter	Total number of server connections

HTTP Proxy Toll Free Data Detail Statistics

Table 1-75 HTTP Proxy Toll Free Data Detail Statistics

HTTPPROXYTOLLFREEDATADETAILSTATSCHASSIS HTTPPROXYTOLLFREEDATADETAILSTATSSLOT	Type	Description
TFD Certificate - Download Attempts	32-bit counter	Total number of toll free data certificate download attempts
TFD Certificate - Download Successes	32-bit counter	Total number of toll free data certificate download successes
TFD Certificate - Download Errors	32-bit counter	Total number of toll free data certificate download errors
TFD Certificate - Invalid	32-bit counter	Total number of invalid toll free data certificate
TFD Certificate - Revoked	32-bit counter	Total number of revoked toll free data certificate
TFD Certificate Revocation List - Downloads	32-bit counter	Total number of toll free data certificate CRL downloads
TFD Manifest - Received	32-bit counter	Total number of toll free data manifests received
TFD Manifest - Valid	32-bit counter	Total number of toll free data manifests that are valid
TFD Manifest - Error Callbacks	32-bit counter	Total number of toll free data manifests that warranted error callbacks

Table 1-75 HTTP Proxy Toll Free Data Detail Statistics

HTTPPROXYTOLLFREEDATADETAILSTATSCHASSIS HTTPPROXYTOLLFREEDATADETAILSTATSSLOT	Type	Description
TFD Manifest - Base64 Decode Errors	32-bit counter	Total number of toll free data manifests that have base64 decode errors
TFD Manifest - CMS Message Decoding Failures	32-bit counter	Total number of toll free data manifests that have CMS decode errors
TFD Manifest - JSON Parsing Errors	32-bit counter	Total number of toll free data manifests that have JSON decode errors
HTTP TFD Bytes Allowed - Upstream	32-bit counter	Total number of toll free data HTTP bytes allowed upstream
HTTP TFD Bytes Allowed - Downstream	32-bit counter	Total number of toll free data HTTP bytes allowed downstream
HTTPS TFD Bytes Allowed - Upstream	32-bit counter	Total number of toll free data HTTPS bytes allowed upstream
HTTPS TFD Bytes Allowed - Downstream	32-bit counter	Total number of toll free data HTTPS bytes allowed downstream
Connect TFD Bytes Allowed - Upstream	32-bit counter	Total number of toll free data CONNECT bytes allowed upstream
Connect TFD Bytes Allowed - Downstream	32-bit counter	Total number of toll free data CONNECT bytes allowed downstream
WebSocket TFD Bytes Allowed - Upstream	32-bit counter	Total number of toll free data web socket bytes allowed upstream
WebSocket TFD Bytes Allowed - Downstream	32-bit counter	Total number of toll free data web socket bytes allowed downstream
TFD Reject - International Roaming	32-bit counter	Total number of toll free data rejects due to the subscriber being international roaming
TFD Reject - OptOut	32-bit counter	Total number of toll free data rejects due to the subscriber opting out
TFD Reject - Ineligible Payment Type	32-bit counter	Total number of toll free data rejects due to the subscriber being ineligible for the plan

Table 1-75 HTTP Proxy Toll Free Data Detail Statistics

HTTPPROXYTOLLFREEDATADETAILSTATSCHASSIS HTTPPROXYTOLLFREEDATADETAILSTATSSLOT	Type	Description
TFD Reject - By Content Provider	32-bit counter	Total number of toll free data rejected by the content provider
TFD Reject (HTTPS) - Missing SNI	32-bit counter	Total number of toll free data rejected because of missing Server Name Indication
TFD Reject (HTTPS) - No Matching Manifest	32-bit counter	Total number of toll free data rejected because the manifest URL did not match
TFD Reject (HTTPS) - Invalid Profile Configured	32-bit counter	Total number of toll free data rejected because of invalid toll free profile configuration
TFD Reject (HTTPS) - Not a TLS Request	32-bit counter	Total number of toll free data rejected because the request was not a HTTPS/TLS request
TFD Manifest - Invalid Header Format	32-bit counter	Total number of toll free data manifests with invalid header format
TFD Manifest - Certificate Errors	32-bit counter	Total number of toll free data manifests with certificate error during signature verification
TFD Manifest - URL List Errors	32-bit counter	Total number of toll free data manifests with URL list errors
TFD Manifest - Validation Errors	32-bit counter	Total number of toll free data manifests with validation errors
TFD Manifest - Internal Errors	32-bit counter	Total number of toll free data manifests with internal handling errors
TFD Reject - PCRF Status Unknown	32-bit counter	Total number of toll free data rejected because the PCRF state is unknown
TFD Certificate Revocation List - Download Successes	32-bit counter	Total number of toll free data certificate CRL download successes
TFD Certificate Revocation List - Download Errors	32-bit counter	Total number of toll free data certificate CRL download errors

HTTP Proxy Toll Free Data Summary Statistics

Table 1-76 HTTP Proxy Toll Free Data Summary Statistics

HTTPPROXYTOLLFREEDATASUMMARYSTATSCHASSIS HTTPPROXYTOLLFREEDATASUMMARYSTATSSLOT	Type	Description
TFD - Attempts	32-bit counter	Total number of invalid toll free data certificate
TFD - Successes	32-bit counter	Total number of revoked toll free data certificate
TFD - Rejects	32-bit counter	Total number of toll free data certificate CRL downloads
HTTP TFD - Attempts	32-bit counter	Total number of toll free data attempts
HTTP TFD - Successes	32-bit counter	Total number of toll free data successes
HTTP TFD - Rejects	32-bit counter	Total number of toll free data rejects
HTTPS TFD - Attempts	32-bit counter	Total number of HTTPS toll free data attempts
HTTPS TFD - Successes	32-bit counter	Total number of HTTPS toll free data successes
HTTPS TFD - Rejects	32-bit counter	Total number of HTTPS toll free data rejects
Connect TFD - Attempts	32-bit counter	Total number of CONNECT toll free data attempts
Connect TFD - Successes	32-bit counter	Total number of CONNECT toll free data successes
Connect TFD - Rejects	32-bit counter	Total number of CONNECT toll free data rejects
WebSocket TFD - Attempts	32-bit counter	Total number of Web Socket toll free data attempts
WebSocket TFD - Successes	32-bit counter	Total number of Web Socket toll free data successes
WebSocket TFD – Rejects	32-bit counter	Total number of Web Socket toll free data rejects
HTTPS TFD - Error Callbacks	32-bit counter	Total number of HTTPS toll free data error callbacks sent
Connect TFD - Error Callbacks	32-bit counter	Total number of CONNECT toll free data error callbacks sent

HTTP Proxy URL Rewrite Statistics

Table 1-77 HTTP Proxy URL Rewrite Statistics

CONTENTHTTPPROXYURLRWSTATSGRID CONTENTHTTPPROXYURLRWSTATSCHASSIS CONTENTHTTPPROXYURLRWSTATSSLOT	Type	Description
URL-Rewrite - Attempts	32-bit counter	Total number of URL-rewrite attempts
URL-Rewrite - Successes	32-bit counter	Total number of URL-rewrite successes
URL-Rewrite - DNS IPv4 Attempts	32-bit counter	Total number of URL-rewrite DNS lookup IPv4 attempts
URL-Rewrite - DNS Pv6 Attempts	32-bit counter	Total number of URL-rewrite DNS lookup IPv6 attempts
URL-Rewrite - DNS IPv4 Successes	32-bit counter	Total number of URL-rewrite DNS lookup IPv4 success
URL-Rewrite - DNS IPv6 Successes	32-bit counter	Total number of URL-rewrite DNS lookup IPv6 success
URL-Rewrite - DNS IPv4c6 Attempts	32-bit counter	URL-Rewrite - DNS IPv4v6 Attempts

HTTP Proxy Video Pacing Failure Statistics

Table 1-78 HTTP Proxy Video Pacing Failure Statistics

HTTPPROXYVIDEOPACINGFAILURESTATS CHASSIS HTTPPROXYVIDEOPACINGFAILURESTATS GRID	Type	Description
Video Pacing Failure - Unknown Media Type	64-bit counter	Number of video pacing failure unknown media type
Video Pacing Failure - Parsing MP4	64-bit counter	Number of video pacing failure parsing MP4
Video Pacing Failure - Parsing FLV	64-bit counter	Number of video pacing failure parsing FLV
Video Pacing Failure - Parsing WEBM	64-bit counter	Number of video pacing failure parsing WEBM
Video Pacing Failure - Others	64-bit counter	Number of video pacing failure others
Video Pacing Cancel - Content Type Mismatches	64-bit counter	Total number of video pacing cancel with content type mismatches

HTTP Proxy Video Pacing Summary Statistics

Table 1-79 HTTP Proxy Video Pacing Summary Statistics

HTTPPROXYVIDEOPACINGSUMMARYSTATS CHASSIS HTTPPROXYVIDEOPACINGSUMMARYSTATS GRID	Type	Description
Video Pacing - Attempts	32-bit counter	Number of video pacing attempts
Video Pacing - Successes.	32-bit counter	Number of video pacing successes
Video Pacing - Aborts	32-bit counter	Number of video pacing aborted by client
Video Pacing - Failures	32-bit counter	Number of video pacing failures
Video Pacing - Stalls	32-bit counter	Number of video pacing stalls
Video Pacing - Currently Paced	32-bit counter	Number of video pacing currently paced
Video Pacing - Server Response Bytes	32-bit counter	Number of bytes from server response
Video Pacing - Client Response Bytes	32-bit counter	Number of bytes from client response
Video Duration - Min (seconds)	32-bit minimum	Minimum video duration in seconds
Video Duration - Max (seconds)	32-bit maximum	Maximum video duration in seconds
Video Duration - Average (seconds)	32-bit average	Average video duration in seconds
Video Duration - Total (seconds)	32-bit counter	Total video duration in seconds
Served Video Duration - Min (seconds)	32-bit minimum	Minimum video serving duration in seconds
Served Video Duration - Max (seconds)	32-bit maximum	Maximum video serving duration in seconds
Served Video Duration - Average (seconds)	32-bit average	Average video serving duration in seconds
Served Video Duration - Total (seconds)	32-bit counter	Total video serving duration in seconds
Video Service Time - Min (seconds)	32-bit minimum	Minimum video session duration in seconds
Video Service Time - Max (seconds)	32-bit maximum	Maximum video session duration in seconds
Video Service Time - Average (seconds)	32-bit average	Average video session duration in seconds
Video Service Time - Total (seconds)	32-bit counter	Total video session duration in seconds
Video Stall Duration - Min (seconds)	32-bit minimum	Minimum video pacing stall duration in seconds
Video Stall Duration - Max (seconds)	32-bit maximum	Maximum video pacing stall duration in seconds
Video Stall Duration - Average (seconds)	32-bit average	Average video pacing stall duration in seconds
Video Stall Duration - Total (seconds)	32-bit counter	Total video pacing stall duration in seconds

Table 1-79 HTTP Proxy Video Pacing Summary Statistics

HTTPPROXYVIDEOPACINGSUMMARYSTATS CHASSIS HTTPPROXYVIDEOPACINGSUMMARYSTATS GRID	Type	Description
Video Bitrate - Min (kbps)	32-bit minimum	Minimum video bitrate in Kbps
Video Bitrate - Max (kbps)	32-bit maximum	Maximum video bitrate in Kbps
Video Bitrate - Average (kbps)	32-bit average	Average video bitrate in Kbps
Video Pacing - Opted Out by Subscriber	32-bit counter	Number of video pacing bypass - opted out by subscriber

HTTP Proxy Video Statistics

Table 1-80 HTTP Proxy Video Statistics

CONTENTHTTPPROXYVIDEOSTATSGRID CONTENTHTTPPROXYVIDEOSTATSCHASSIS CONTENTHTTPPROXYVIDEOSTATSSLOT	Type	Description
Video - Attempts	64-bit counter	Number of video attempts
Video - Successes	64-bit counter	Number of video successes
Video - Successes Cached	64-bit counter	Number of video successes cached
Video - Served from Cache	64-bit counter	Number of video served from cache
Video - Aborts	64-bit counter	Number of video aborts
Video - Failures	64-bit counter	Number of video failures
Video - Seek Requests	64-bit counter	Number of video seek requests
FLV Video - Successes	64-bit counter	Number of FLV video successes
FLV Video - Successes Cached	64-bit counter	Number of FLV video successes cached
FLV Video - Served from Cache	64-bit counter	Number of FLV video served from cache
FLV Video - Aborts	64-bit counter	Number of FLV video aborts
MP4 Video - Successes	64-bit counter	Number of MP4 video successes
MP4 Video - Successes Cached	64-bit counter	Number of MP4 video successes cached
MP4 Video - Served from Cache	64-bit counter	Number of MP4 video served from cache
MP4 Video - Aborts	64-bit counter	Number of MP4 video aborts

Table 1-80 HTTP Proxy Video Statistics

CONTENTHTTPPROXYVIDEOSTATSGRID CONTENTHTTPPROXYVIDEOSTATSSCHASSIS CONTENTHTTPPROXYVIDEOSTATSSLOT	Type	Description
Video Served by YouTube - Successes	64-bit counter	Number of success video served by YouTube
Video Served by YouTube - Successes Cached	64-bit counter	Number of success cached video served by YouTube
Video Served by YouTube - Served from Cache	64-bit counter	Number of YouTube videos served from cache
Video Served by YouTube - Aborts	64-bit counter	Number of abort video served by YouTube
Video Served by Dailymotion - Successes	64-bit counter	Number of success video served by Dailymotion
Video Served by Dailymotion - Successes Cached	64-bit counter	Number of success cached video served by Dailymotion
Video Served by Dailymotion - Served from Cache	64-bit counter	Number of Dailymotion videos served from cache
Video Served by Dailymotion - Aborts	64-bit counter	Number of abort video served by Dailymotion
Video Served by Metacafe - Successes	64-bit counter	Number of success video served by Metacafe
Video Served by Metacafe - Successes Cached	64-bit counter	Number of success cached video served from Metacafe
Video Served by Metacafe - Served from Cache	64-bit counter	Number of Metacafe videos served from cache
Video Served by Metacafe - Aborts	64-bit counter	Number of abort video served by Metacafe
Video Size – Min (Bytes)	64-bit minimum	Minimum video size in bytes
Video Size – Max (Bytes)	64-bit maximum	Maximum video size in bytes
Video Size – Average (Bytes)	64-bit average	Average video size in bytes
Video Size – Total (Bytes)	64-bit counter	Total video size in bytes
FLV Video Size – Min (Bytes)	64-bit minimum	Minimum FLV video size in bytes
FLV Video Size – Max (Bytes)	64-bit maximum	Maximum FLV video size in bytes
FLV Video Size – Average (Bytes)	64-bit average	Average FLV video size in bytes
FLV Video Size – Total (Bytes)	64-bit counter	Total FLV video size in bytes
MP4 Video Size – Min (Bytes)	64-bit minimum	Minimum MP4 video size in bytes
MP4 Video Size – Max (Bytes)	64-bit maximum	Maximum MP4 video size in bytes
MP4 Video Size – Average (Bytes)	64-bit average	Average MP4 video size in bytes
MP4 Video Size – Total (Bytes)	64-bit counter	Total MP4 video size in bytes

Table 1-80 HTTP Proxy Video Statistics

CONTENTHTTPPROXYVIDEOSTATSGRID CONTENTHTTPPROXYVIDEOSTATSSCHASSIS CONTENTHTTPPROXYVIDEOSTATSSLOT	Type	Description
FLV Video Duration – Min (seconds)	64-bit minimum	Minimum FLV video duration in seconds
FLV Video Duration – Max (seconds)	64-bit maximum	Maximum FLV video duration in seconds
FLV Video Duration – Average (seconds)	64-bit average	Average FLV video duration in seconds
FLV Video Duration – Total (seconds)	64-bit counter	Total FLV video duration in seconds
MP4 Video Duration – Min (seconds)	64-bit minimum	Minimum MP4 video duration in seconds
MP4 Video Duration – Max (seconds)	64-bit maximum	Maximum MP4 video duration in seconds
MP4 Video Duration – Average (seconds)	64-bit average	Average MP4 video duration in seconds
MP4 Video Duration – Total (seconds)	64-bit counter	Total MP4 video duration in seconds
Video Served Bytes from Cache	64-bit counter	Number of video (bytes) served from cache
Video Paced Requests	64-bit counter	Number of videos for which video pacing was applied
Video Size – Length of Paced Videos (Bytes)	64-bit counter	Length in bytes of videos for which pacing was applied
Video Size – Bytes of Paced Sent Videos Delivered	64-bit counter	Number of bytes of paced videos delivered
WEBM Video - Successes	64-bit counter	Number of WEBM video successes
WEBM Video - Successes Cached	64-bit counter	Number of WEBM video successes cached
WEBM Video - Served from Cache	64-bit counter	Number of WEBM video served from cache
WEBM Video - Aborts	64-bit counter	Number of WEBM video aborts
WEBM Video Size - Min (Bytes)	64-bit minimum	Minimum WEBM video size in bytes
WEBM Video Size - Max (Bytes)	64-bit maximum	Maximum WEBM video size in bytes
WEBM Video Size - Average (Bytes)	64-bit average	Average WEBM video size in bytes
WEBM Video Size - Total (Bytes)	64-bit counter	Total WEBM video size in bytes
WEBM Video Duration - Min (seconds)	64-bit minimum	Minimum WEBM video duration in bytes
WEBM Video Duration - Max (seconds)	64-bit maximum	Maximum WEBM video duration in bytes
WEBM Video Duration - Average (seconds)	64-bit average	Average WEBM video duration in bytes
WEBM Video Duration - Total (seconds)	64-bit counter	Total WEBM video duration in bytes

HTTP Proxy Web Image Optimization Detail Statistics

Table 1-81 HTTP Proxy Web Image Optimization Detail Statistics

CONTENTHTTPPROXYWEBIMAGEOPTDETAIL STATSGRID CONTENTHTTPPROXYWEBIMAGEOPTDETAIL STATSSLOT	Type	Description
Web Image Optimization - Below Source Size Threshold	64-bit counter	Total number of Web Image Optimization below source size threshold
Web Image Optimization - Below Percentage Savings Threshold	64-bit counter	Total number of Web Image Optimization below percentage savings threshold
Web Image Optimization - Target Max Size Exceeded	64-bit counter	Total number of Web Image Optimization target maximum size exceeded
Web Image Optimization - Format Not Supported	64-bit counter	Total number of Web Image Optimization format not supported
Web Image Optimization - Compressing Not Allowed	64-bit counter	Total number of Web Image Optimization compressing not allowed
Web Image Optimization - Decompress Image Failed	64-bit counter	Total number of Web Image Optimization decompressing image failed
Web Image Optimization - Compress Image Failed	64-bit counter	Total number of Web Image Optimization compressing image failed
Web Image Optimization - Quantize Image Failed	64-bit counter	Total number of Web Image Optimization quantizing image failed
Web Image Optimization - Remove Metadata Failed	64-bit counter	Total number of Web Image Optimization removing metadata image failed
Web Image Optimization - Resize Image Failed	64-bit counter	Total number of Web Image Optimization resizing image failed
Web Image Optimization - Alpha Blend Image Failed	64-bit counter	Total number of Web Image Optimization Alpha Blend image failed
Web Image Optimization - Get Source Image Format Failed	64-bit counter	Total number of Web Image Optimization getting source Image Format Failed
Web Image Optimization - Get Target Image Format Failed	64-bit counter	Total number of Web Image Optimization getting target Image Format Failed
Web Image Optimization - JPEG Attempts	64-bit counter	Total number of Web Image Optimization JPEG attempts

Table 1-81 HTTP Proxy Web Image Optimization Detail Statistics

CONTENTHTTPPROXYWEBIMAGEOPTDETAIL STATSGRID CONTENTHTTPPROXYWEBIMAGEOPTDETAIL STATSSLOT	Type	Description
Web Image Optimization - JPEG Successes	64-bit counter	Total number of Web Image Optimization JPEG successes
Web Image Optimization - JPEG Bytes Attempts to Adapt	64-bit counter	Total number of Web Image Optimization JPEG bytes attempt to adapt
Web Image Optimization - JPEG Bytes Not Adapted	64-bit counter	Total number of Web Image Optimization JPEG bytes not adapted
Web Image Optimization - JPEG Bytes Adapted	64-bit counter	Total number of Web Image Optimization JPEG bytes adapted
Web Image Optimization - GIF Attempts	64-bit counter	Total number of Web Image Optimization GIF attempts
Web Image Optimization - GIF Successes	64-bit counter	Total number of Web Image Optimization GIF successes
Web Image Optimization - GIF Bytes Attempts to Adapt	64-bit counter	Total number of Web Image Optimization GIF bytes attempt to adapt
Web Image Optimization - GIF Bytes Not Adapted	64-bit counter	Total number of Web Image Optimization GIF bytes not adapted
Web Image Optimization - GIF Bytes Adapted	64-bit counter	Total number of Web Image Optimization GIF bytes adapted
Web Image Optimization - PNG Attempts	64-bit counter	Total number of Web Image Optimization PNG attempts
Web Image Optimization - PNG Successes	64-bit counter	Total number of Web Image Optimization PNG successes
Web Image Optimization - PNG Bytes Attempts to Adapt	64-bit counter	Total number of Web Image Optimization PNG bytes attempt to adapt
Web Image Optimization - PNG Bytes Not Adapted	64-bit counter	Total number of Web Image Optimization PNG bytes not adapted
Web Image Optimization - PNG Bytes Adapted	64-bit counter	Total number of Web Image Optimization PNG bytes adapted
Web Image Optimization - Below Src Max Size	64-bit counter	Total number of Web Image Optimization source maximum size exceeded
Web Image Optimization - Content Type Mismatches	64-bit counter	Total number of Web Image Optimization with content type mismatches

Table 1-81 HTTP Proxy Web Image Optimization Detail Statistics

CONTENTHTTPPROXYWEBIMAGEOPTDETAIL STATSGRID CONTENTHTTPPROXYWEBIMAGEOPTDETAIL STATSSLOT	Type	Description
Web Image Optimization - CPU Overload	64-bit counter	Total number of Web Image Optimization CPU overload

HTTP Proxy Web Image Optimization Summary Statistics

Table 1-82 HTTP Proxy Web Image Optimization Summary Statistics

CONTENTHTTPPROXYWEBIMAGEOPTSUMMARY STATSGRID CONTENTHTTPPROXYWEBIMAGEOPTSUMMARY STATSCHASSIS CONTENTHTTPPROXYWEBIMAGEOPTSUMMARY STATSSLOT	Type	Description
Web Image Optimization - Attempts	64-bit counter	Total number of Web Image Optimization attempts
Web Image Optimization - Successes	64-bit counter	Total number of Web Image Optimization successes
Web Image Optimization - Cancels	64-bit counter	Total number of Web Image Optimization cancels
Web Image Optimization - Failures	64-bit counter	Total number of Web Image Optimization failures
Web Image Optimization - Bytes Attempts to Adapt	64-bit counter	Total number of Web Image Optimization bytes attempts to adapt
Web Image Optimization - Bytes Not Adapted	64-bit counter	Total number of Web Image Optimization bytes not adapted
Web Image Optimization - Bytes Adapted	64-bit counter	Total number of Web Image Optimization bytes adapted
Web Image Optimization - Image Size Max	64-bit maximum	Web image size minimum (in bytes)
Web Image Optimization - Image Size Min	64-bit minimum	Web image size maximum (in bytes)
Web Image Optimization - Image Size Average	64-bit average	Web image size average (in bytes)
Web Image Optimization - Adapted Image Size Max	64-bit maximum	Web image adapted size minimum (in bytes)
Web Image Optimization - Adapted Image Size Min	64-bit minimum	Web image adapted size maximum (in bytes)

Table 1-82 HTTP Proxy Web Image Optimization Summary Statistics

CONTENTHTTPPROXYWEBIMAGEOPTSUMMARY STATSGRID CONTENTHTTPPROXYWEBIMAGEOPTSUMMARY STATSCHASSIS CONTENTHTTPPROXYWEBIMAGEOPTSUMMARY STATSSLOT	Type	Description
Web Image Optimization - Adapted Image Size Average	64-bit average	Web image adapted size average (in bytes)
Web Image Optimization - Aborts	64-bit counter	Total number of Web Image Optimization bytes aborted

HTTP Proxy WEBM Video Pacing Statistics

Table 1-83 HTTP Proxy WEBM Video Pacing Statistics

HTTPPROXYWEBMVIDEOPACINGSTATS CHASSIS HTTPPROXYWEBMVIDEOPACINGSTATSGRID	Type	Description
Video Pacing - Attempts	32-bit counter	Number of video pacing attempts
Video Pacing - Successes.	32-bit counter	Number of video pacing successes
Video Pacing - Aborts	32-bit counter	Number of video pacing aborted by client
Video Pacing - Failures	32-bit counter	Number of video pacing failures
Video Pacing - Server Response Bytes	32-bit counter	Number of bytes from server response
Video Pacing - Client Response Bytes	32-bit counter	Number of bytes from client response
Video Duration - Min (seconds)	32-bit minimum	Minimum video duration in seconds
Video Duration - Max (seconds)	32-bit maximum	Maximum video duration in seconds
Video Duration - Average (seconds)	32-bit average	Average video duration in seconds
Video Duration - Total (seconds)	32-bit counter	Total video duration in seconds
Served Video Duration - Min (seconds)	32-bit minimum	Minimum video serving duration in seconds
Served Video Duration - Max (seconds)	32-bit maximum	Maximum video serving duration in seconds
Served Video Duration - Average (seconds)	32-bit average	Average video serving duration in seconds
Served Video Duration - Total (seconds)	32-bit counter	Total video serving duration in seconds
Video Service Time - Min (seconds)	32-bit minimum	Minimum video session duration in seconds
Video Service Time - Max (seconds)	32-bit maximum	Maximum video session duration in seconds

Table 1-83 HTTP Proxy WEBM Video Pacing Statistics

HTTPPROXYWEBMVIDEOPACINGSTATS CHASSIS HTTPPROXYWEBMVIDEOPACINGSTATSGRID	Type	Description
Video Service Time - Average (seconds)	32-bit average	Average video session duration in seconds
Video Service Time - Total (seconds)	32-bit counter	Total video session duration in seconds
Video Bitrate - Min (kbps)	32-bit minimum	Minimum video bitrate in Kbps
Video Bitrate - Max (kbps)	32-bit maximum	Maximum video bitrate in Kbps
Video Bitrate - Average (kbps)	32-bit average	Average video bitrate in Kbps
Video Pacing - Opted Out by Subscriber	32-bit counter	Number of video pacing bypass - opted out by subscriber

IKE Message Statistics

Table 1-84 IKE Message Statistics

IKEMESSAGESTATS	Type	Description
totalIkeSas	64-bit counter	Total number of successful IKE SAs
totalIkeSasInitiated	64-bit counter	Total number of IKE SAs initiated
totalIkeSasResponded	64-bit counter	Total number of IKE SAs responded
totalAttempts	64-bit counter	Total number attempted
totalAttemptsInitiated	64-bit counter	Total number attempted initiated
totalAttemptsResponded	64-bit counter	Total number attempted responded
totalPacketsIn	64-bit counter	Total number of packets in
totalPacketsOut	64-bit counter	Total number of packets out
totalOctetsIn	64-bit counter	Total number of octets in
totalOctetsOut	64-bit counter	Total number of octets out
totalRetransmits	64-bit counter	Total number of retransmitted packets
totalDiscardedPackets	64-bit counter	Total number of packets discarded
totalInitFailures	64-bit counter	The total number of negotiations we initiated that failed because of an error
totalInitNoResponse	64-bit counter	The total number of negotiations we initiated that failed because of an initial timeout

Table 1-84 IKE Message Statistics

IKEMESSAGESTATS	Type	Description
totalRespFailures	64-bit counter	The total number of negotiations we responded to that failed because of an error
currentIkeSas	64-bit gauge	The number of IKE SAs
currentIkeSasInitiated	64-bit gauge	The number of IKE SAs initiated
currentIkeSasResponded	64-bit gauge	The number of IKE SAs responded
packetsDecrypted	64-bit counter	The number of IKE packets decrypted
ikev2RecvDrop	64-bit counter	The number of IKE packets dropped without processing
ikev2SendDrop	64-bit counter	The number of IKE packets dropped due to send failures
ikeInitReqIn	64-bit counter	The number of incoming IKE INIT requests
ikeInitRspIn	64-bit counter	The number of incoming IKE INIT responses
ikeAuthFromInitiator	64-bit counter	The number of incoming IKE AUTH requests
ikeAuthFromResponder	64-bit counter	The number of incoming IKE AUTH responses
ikev2SaSelectFail	64-bit counter	The number of times replies failed due to SA selection failure
createChildSaResponse	64-bit counter	number of create child SA responses received
createChildSaRequest	64-bit counter	The number of create child SA requests received
createChildSaRekeyResponse	64-bit counter	The number of create child SA rekey responses received
createChildSaRekeyRequest	64-bit counter	The number of create child SA rekey requests received
ikeInitReplySend	64-bit counter	The number of IKE_INIT replies sent
udpReadSuccesses	64-bit counter	The number of UDP read successes
udpReadErrors	64-bit counter	The number of UDP read failures
ike2TsUnsupported	64-bit counter	The number of decode ts failures due unsupported ts
ikev2ErrResponseRcvd	64-bit counter	The number of error responses received
ikev2ErrResponseSent	64-bit counter	The number of error responses sent
ikev2ReceivePayloadSa	64-bit counter	The number of SA payloads received
ikev2ReceivePayloadKe	64-bit counter	The number of key exchange payloads received
ikev2ReceivePayloadIdi	64-bit counter	The number of initiator id payloads received
ikev2ReceivePayloadIdr	64-bit counter	The number of responder id payloads received
ikev2ReceivePayloadCert	64-bit counter	The number of certificate payloads received

Table 1-84 IKE Message Statistics

IKEMESSAGESTATS	Type	Description
ikev2ReceivePayloadCertReq	64-bit counter	The number of certificate request payloads received
ikev2ReceivePayloadAuth	64-bit counter	The number of auth payloads received
ikev2ReceivePayloadNonce	64-bit counter	The number of nonce payloads received
ikev2ReceivePayloadNotify	64-bit counter	The number of notify payloads received
ikev2ReceivePayloadDelete	64-bit counter	The number of delete payloads received
ikev2ReceivePayloadVid	64-bit counter	The number of vendor id payloads
ikev2ReceivePayloadTsi	64-bit counter	The number of initiator traffic selector payloads received
ikev2ReceivePayloadTsr	64-bit counter	The number of responder traffic selector payloads received
ikev2ReceivePayloadConf	64-bit counter	The number of configuration payloads received
ikev2ReceivePayloadEap	64-bit counter	The number of EAP payloads received
ikev2EncodeSa	64-bit counter	The number of SA payloads sent
ikev2EncodeKe	64-bit counter	The number of key exchange payloads received
ikev2EncodeId	64-bit counter	The number of initiator ID payloads sent
ikev2EncodeCert	64-bit counter	The number of certificate payloads sent
ikev2EncodeCertReq	64-bit counter	The number of certificate request payloads sent
ikev2EncodeAuth	64-bit counter	The number of auth payloads sent
ikev2EncodeNonce	64-bit counter	The number of nonce payloads sent
ikev2EncodeNotify	64-bit counter	The number of notify payloads sent
ikev2EncodeDelete	64-bit counter	The number of delete payloads sent
ikev2EncodeVid	64-bit counter	The number of vendor ID payloads sent
ikev2EncodeTs	64-bit counter	The number of traffic selector payloads sent
ikev2EncodeConf	64-bit counter	The number of configuration payloads sent
ikev2EncodeEap	64-bit counter	The number of EAP payloads sent
rxNotifyUnsupported	64-bit counter	The number of notify unsupported received
rxNotifyInvalidIkeSpi	64-bit counter	The number of notify invalid IKE SPI received
rxNotifyInvalidMajorVer	64-bit counter	The number of notify invalid major version received
rxNotifyInvalidSyntax	64-bit counter	The number of notify invalid syntax received
rxNotifyInvalidMsgId	64-bit counter	The number of notify invalid message id received

Table 1-84 IKE Message Statistics

IKEMESSAGESTATS	Type	Description
rxNotifyInvalidSpi	64-bit counter	The number of notify invalid SPI received
rxNotifyNoProposalChosen	64-bit counter	The number of notify no proposal chosen received
rxNotifyInvalidIkePayload	64-bit counter	The number of notify invalid IKE payload received
rxNotifyAuthFailed	64-bit counter	The number of notify auth failed received
rxNotifySinglePairReq	64-bit counter	The number of notify single pair required received
rxNotifyNoAdditionalSas	64-bit counter	The number of notify no additional sas received
rxNotifyInternalAddressFail	64-bit counter	The number of notify internal address failure received
rxNotifyFailCpRequired	64-bit counter	The number of notify critical payload required received
rxNotifyTsUnacceptable	64-bit counter	The number of notify traffic selector unacceptable received
rxNotifyInvalidSelectors	64-bit counter	The number of notify invalid traffic selector received
rxNotifyUnacceptableAddr	64-bit counter	The number of notify unacceptable address received
rxNotifyUnexpectedNat	64-bit counter	The number of notify unexpected NAT received
rxNotifyTempFailure	64-bit counter	The number of notify temporary failure received
rxNotifyChildSaNotFound	64-bit counter	The number of notify child SA not found received
rxNotifyInitialContact	64-bit counter	The number of notify initial contact received
rxNotifySetWindowSize	64-bit counter	The number of notify set window size received
rxNotifyAdditionalTsPossible	64-bit counter	The number of notify additional traffic selector possible received
rxNotifyIpcompSupported	64-bit counter	The number of notify compression supported received
rxNotifyNatDetectSrcIp	64-bit counter	The number of notify NAT detect source ip received
rxNotifyNatDetectDstIp	64-bit counter	The number of notify NAT detect destination ip received
rxNotifyCookie	64-bit counter	The number of notify cookie received
rxNotifyUseTransportMode	64-bit counter	The number of notify use transport mode received
rxNotifyHttpCertSupported	64-bit counter	The number of notify http certificate supported received
rxNotifyRekeySa	64-bit counter	The number of notify rekey SA received
rxNotifyTfcPadNotSupported	64-bit counter	The number of notify tfc pad not supported received
rxNotifyNonFirstFragmentsAlso	64-bit counter	The number of notify non first fragments also received
rxNotifyMobikeSupported	64-bit counter	The number of notify mobike supported received
rxNotifyAdditionalV4Addr	64-bit counter	The number of notify additional v4 address received

Table 1-84 IKE Message Statistics

IKEMESSAGESTATS	Type	Description
rxNotifyAdditionalV6Addr	64-bit counter	The number of notify additional v6 address received
rxNotifyNoAdditionalAddr	64-bit counter	The number of notify no additional address received
rxNotifyUpdateSaAddr	64-bit counter	The number of notify update SA address received
rxNotifyCookie2	64-bit counter	The number of notify cookie 2 received
rxNotifyNoNatsAllowed	64-bit counter	The number of notify no nats allowed received
rxNotifyMultiAuthSupported	64-bit counter	The number of notify multi auth supported received
rxNotifyAuthFollows	64-bit counter	The number of notify auth follows received
rxNotifyEapOnlyAuth	64-bit counter	The number of notify EAP only auth received
rxNotifyUnknown	64-bit counter	The number of notify unknown received
txNotifyUnsupported	64-bit counter	The number of notify unsupported sent
txNotifyInvalidIkeSpi	64-bit counter	The number of notify invalid IKE SPI sent
txNotifyInvalidMajorVer	64-bit counter	The number of notify invalid major version sent
txNotifyInvalidSyntax	64-bit counter	The number of notify invalid syntax sent
txNotifyInvalidMsgId	64-bit counter	The number of notify invalid message id sent
txNotifyInvalidSpi	64-bit counter	The number of notify invalid SPI sent
txNotifyNoProposalChosen	64-bit counter	The number of notify no proposal chosen sent
txNotifyInvalidIkePayload	64-bit counter	The number of notify invalid IKE payload sent
txNotifyAuthFailed	64-bit counter	The number of notify auth failed sent
txNotifySinglePairReq	64-bit counter	The number of notify single pair required sent
txNotifyNoAdditionalSas	64-bit counter	The number of notify no additional sas sent
txNotifyInternalAddressFail	64-bit counter	The number of notify internal address failure sent
txNotifyFailCpRequired	64-bit counter	The number of notify critical payload required sent
txNotifyTsUnacceptable	64-bit counter	The number of notify traffic selector unacceptable sent
txNotifyInvalidSelectors	64-bit counter	The number of notify invalid traffic selector sent
txNotifyUnacceptableAddr	64-bit counter	The number of notify unacceptable address sent
txNotifyUnexpectedNat	64-bit counter	The number of notify unexpected NAT sent
txNotifyTempFailure	64-bit counter	The number of notify temporary failure sent
txNotifyChildSaNotFound	64-bit counter	The number of notify child SA not found sent

Table 1-84 IKE Message Statistics

IKEMESSAGESTATS	Type	Description
txNotifyInitialContact	64-bit counter	The number of notify initial contact sent
txNotifySetWindowSize	64-bit counter	The number of notify set window size sent
txNotifyAdditionalTsPossible	64-bit counter	The number of notify additional traffic selector possible sent
txNotifyIpcompSupported	64-bit counter	The number of notify compression supported sent
txNotifyNatDetectSrcIp	64-bit counter	The number of notify NAT detect source ip sent
txNotifyNatDetectDstIp	64-bit counter	The number of notify NAT detect destination ip sent
txNotifyCookie	64-bit counter	The number of notify cookie sent
txNotifyUseTransportMode	64-bit counter	The number of notify use transport mode sent
txNotifyHttpCertSupported	64-bit counter	The number of notify http certificate supported sent
txNotifyRekeySa	64-bit counter	The number of notify rekey SA sent
txNotifyTfcPadNotSupported	64-bit counter	The number of notify tfc pad not supported sent
txNotifyNonFirstFragmentsAlso	64-bit counter	The number of notify non first fragments also sent
txNotifyMobikeSupported	64-bit counter	The number of notify mobike supported sent
txNotifyAdditionalV4Addr	64-bit counter	The number of notify additional v4 address sent
txNotifyAdditionalV6Addr	64-bit counter	The number of notify additional v6 address sent
txNotifyNoAdditionalAddr	64-bit counter	The number of notify no additional address sent
txNotifyUpdateSaAddr	64-bit counter	The number of notify update SA address sent
txNotifyCookie2	64-bit gauge	The number of notify cookie 2 sent
txNotifyNoNatsAllowed	64-bit counter	The number of notify no nats allowed sent
txNotifyMultiAuthSupported	64-bit counter	The number of notify multi auth supported sent
txNotifyAuthFollows	64-bit counter	The number of notify auth follows sent
txNotifyEapOnlyAuth	64-bit counter	The number of notify EAP only auth sent
txNotifyUnknown	64-bit counter	The number of notify unknown error sent
rxNotifyDeviceIdImei	64-bit counter	The number of notify device identity sent
rxNotifyImeiDecodeSuccess	64-bit counter	The number of notify device identity decoded successfully
rxNotifyImeiTypeImei	64-bit counter	The number of notify imei type imei received
rxNotifyImeiTypeImeismv	64-bit counter	The number of notify imei type isv received
rxNotifyImeiTypeInvalid	64-bit counter	The number of notify imei type invalid received

Table 1-84 IKE Message Statistics

IKEMESSAGESTATS	Type	Description
rxNotifyImeiDecodeFailTypeMismatch	64-bit counter	The number of notify imei decode failed due to type mismatch
rxNotifyImeiDecodeFailBadLength	64-bit counter	The number of notify imei decode failed due to bad length
txNotifyDeviceIdImei	64-bit counter	The number of notify device identity sent
txNotifyCongestionError	64-bit counter	The number of notify congestion error sent
txNotifyPrivateError	64-bit counter	The number of notify private error sent
deadPeerDetections	64-bit counter	Number of remote peers declared dead by dead peer detection
txNotifyError	64-bit counter	
ikev2ReceiveAnonymousIdi	64-bit counter	Number of anonymous IDi received
ikev2ReceiveEapResponseIdentity	64-bit counter	Number of EAP Response/Identity received
ikev2AuthMethodNoCaCerts	64-bit counter	Authentication method mismatch: No CA certificates
ikev2AuthMethodPskWithEapI	64-bit counter	Authentication method mismatch: Responder using pre-shared key with EAP
ikev2AuthMethodPskWithEapR	64-bit counter	Authentication method mismatch: Using pre-shared key with EAP as responder
ikev2AuthMethodNoEapMethods	64-bit counter	Authentication method mismatch: No EAP methods
ikev2AuthMethodEapNotAuth	64-bit counter	Authentication method mismatch: Using EAP without authentication
rxFragments	64-bit counter	Fragments received
rxFragmentPackets	64-bit counter	Fragmented packets received
rxFragmentDrop	64-bit counter	Received fragments dropped
rxFragmentPacketFail	64-bit counter	Fragmented packets that failed reassembly
rxFragmentDecryptFail	64-bit counter	Fragments that failed decryption
rxFragmentBadPayload	64-bit counter	Fragments with invalid encrypted fragment payload
rxFragmentNotNegotiated	64-bit counter	Received fragments on an SA where IKE fragmentation was not negotiated
txFragments	64-bit counter	Fragments sent
txFragmentPackets	64-bit counter	Fragmented packets sent
txFragmentPacketFail	64-bit counter	Fragmented packets that could not be encoded
rxNotifyFragSupported	64-bit counter	Number of notify fragmentation supported received

Table 1-84 IKE Message Statistics

IKEMESSAGESTATS	Type	Description
rxDpdRequest	64-bit counter	DPD requests received
rxDpdResponse	64-bit counter	DPD responses received
txNotifyFragSupported	64-bit counter	Number of notify fragmentation supported transmitted
txDpdRequest	64-bit counter	DPD requests sent
txDpdRetransmit	64-bit counter	DPD requests retransmissions
txDpdResponse	64-bit counter	DPD responses sent

Interface Statistics

Table 1-85 Interface Statistics

INTERFACESTATISTICSGRID	Type	Description
Tx V4 Pkts	64-bit counter	Number of transmitted IPv4 packets
Tx V4 Bytes	64-bit counter	Number of transmitted IPv4 packet bytes
Tx V4 Drop Pkts	64-bit counter	Number of transmitted dropped IPv4 packets
Tx V4 Drop Bytes	64-bit counter	Number of transmitted dropped IPv4 packet bytes
Rx V4 Pkts	64-bit counter	Number of received IPv4 packets
Rx V4 Bytes	64-bit counter	Number of received IPv4 packet bytes
Rx V4 Drop Pkts	64-bit counter	Number of received dropped IPv4 packets
Rx V4 Drop Bytes	64-bit counter	Number of received dropped IPv4 packet bytes
Tx V6 Pkts	64-bit counter	Number of transmitted IPv6 packets
Tx V6 Bytes	64-bit counter	Number of transmitted IPv6 packet bytes
Tx V6 Drop Pkts	64-bit counter	Number of transmitted dropped IPv6 packets
Tx V6 Drop Bytes	64-bit counter	Number of transmitted dropped IPv6 packet bytes
Rx V6 Pkts	64-bit counter	Number of received IPv6 packets
Rx V6 Bytes	64-bit counter	Number of received IPv6 packet bytes
Rx V6 Drop Pkts	64-bit counter	Number of received dropped IPv6 packets

Table 1-85 Interface Statistics

INTERFACESTATISTICSGRID	Type	Description
Rx V6 Drop Bytes	64-bit counter	Number of received dropped IPv6 packet bytes
Rx MPLS Pkts	64-bit counter	Number of received MPLS packets
Rx MPLS Bytes	64-bit counter	Number of received MPLS bytes
Rx MPLS Unknown Label Pkts	64-bit counter	Number of received MPLS packets with unknown labels
Rx MPLS Drop Pkts	64-bit counter	Number of dropped MPLS packets
Tx MPLS Pkts	64-bit counter	Number of transmitted MPLS packets
Rx ICMPv4 Pkts	64-bit counter	Number of received ICMPv4 packets
Tx ICMPv4 Pkts	64-bit counter	Number of transmitted ICMPv4 packets
Rx ICMPv6 Pkts	64-bit counter	Number of received ICMPv6 packets
Tx ICMPv6 Pkts	64-bit counter	Number of transmitted ICMPv6 packets
Tx No Route Drop Pkts	64-bit counter	Number of transmitted no route drop packets
Tx Fragmented Pkts	64-bit counter	Number of transmitted fragmented packets

Interface Usage Statistics

Table 1-86 Interface Usage Statistics

INTERFACEUSAGESTATS	Type	Description
sdcTotalUplinkBytes	64-bit counter	Total Number of Bytes Reported in SDC - Uplink
sdcTotalDownlinkBytes	64-bit counter	Total Number of Bytes Reported in SDC - Downlink
sdcTotalUplinkPackets	64-bit counter	Total Number of Packets in SDC - Uplink
sdcTotalDownlinkPackets	64-bit counter	Total Number of Packets in SDC - Downlink
totalUsedBytes	64-bit counter	Total Number of Used Bytes
totalUplinkBytes	64-bit counter	Total Number of Bytes Reported - Uplink
totalDownlinkBytes	64-bit counter	Total Number of Bytes Reported - Downlink
totalUplinkPackets	64-bit counter	Total Number of Packets Reported - Uplink

Table 1-86 Interface Usage Statistics

INTERFACEUSAGESTATS	Type	Description
totalDownlinkPackets	64-bit counter	Total Number of Packets Reported - Downlink

IP Frag Module Statistics

Table 1-87 IP Frag Module Statistics

IPFRAGMODULEPERFSTATS IPFRAGMODULEPERFSTATSCHASSIS	Type	Description
Frag Ipv4 Pkt Rcvd	64-bit counter	Total number of fragmented IPv4 packets received
Ipv4 Frag Aged	64-bit counter	Total number of IPv4 fragment reassembly CB aged
Reassembled Ipv4 Pkt	64-bit counter	Total number of IPv4 fragment reassembly complete
Refragment Ipv4 Pkt	64-bit counter	Total number of IPv4 refragment attempts
Frag Ipv6 Pkt Rcvd	64-bit counter	Total number of fragmented IPv6 packets received
Ipv6 Frag Aged	64-bit counter	Total number of IPv6 fragment reassembly CB aged
Reassembled Ipv6 Pkt	64-bit counter	Total number of IPv6 fragment reassembly complete
Refragment Ipv6 Pkt	64-bit counter	Total number of IPv6 refragment attempts
Get Buffer Fail	64-bit counter	Total number of getBuffer attempts failure

IPSec Data Statistics

Table 1-88 IPSec Data Statistics

IPSECDATASTATS	Type	Description
RxV4Pkts	64-bit counter	Ingress IPv4 packets successfully processed
RxV4Bytes	64-bit counter	Ingress IPv4 bytes successfully processed
RxV6Pkts	64-bit counter	Ingress IPv6 packets successfully processed

Table 1-88 IPSec Data Statistics

IPSEC DATA STATS	Type	Description
RxV6Bytes	64-bit counter	Ingress IPv6 bytes successfully processed
TxV4Pkts	64-bit counter	Egress IPv4 packets successfully processed
TxV4Bytes	64-bit counter	Egress IPv4 bytes successfully processed
TxV6Pkts	64-bit counter	Egress IPv6 packets successfully processed
TxV6Bytes	64-bit counter	Egress IPv6 bytes successfully processed
RxPostSecurityV4Pkts	64-bit counter	Dequeued ingress IPv4 packets successfully processed
RxPostSecurityV4Bytes	64-bit counter	Dequeued ingress IPv4 bytes successfully processed
RxPostSecurityV6Pkts	64-bit counter	Dequeued ingress IPv6 packets successfully processed
RxPostSecurityV6Bytes	64-bit counter	Dequeued ingress IPv6 bytes successfully processed
RxEspPkts	64-bit counter	Authenticated and decrypted packets (ESP) received
RxRemoteSecmPkts	64-bit counter	Total packets from other SSM
RxSecmIngTransPkts	64-bit counter	Ingress packets from other SSM
RxSecmEgrTransPkts	64-bit counter	Egress packets from other SSM
RxSpmPktsIgnored	64-bit counter	Packets from SPM ignored
FwdRemoteSecmPkts	64-bit counter	Egress packets sent to other SSM
FwdSpmPkts	64-bit gauge	Packets forwarded to SPM
SecmIngPktsFwdFail	64-bit counter	Ingress packet from other SSM failures
SecmEgrPktsFwdFail	64-bit counter	Egress packet from other SSM failures
RxBypassRulePkts	64-bit counter	Packets received that bypass security
TxBypassRulePkts	64-bit counter	WF Packets from other SSM that bypass security
BypassV4IkeFragment	64-bit counter	SPM has sent an IKE packet that was fragmented
BypassV4Multicast	64-bit counter	V4 Multicast pkts
BypassV6NdNbrIcmp	64-bit counter	IPv6 neighbor discovery packets treated as bypass
BypassV6Multicast	64-bit counter	IPv6 multicast packets treated as bypass

Table 1-88 IPSec Data Statistics

IPSECSTATS	Type	Description
BypassV6LinkLocalDest	64-bit counter	V6 link local dest pkts
BypassV6LinkLocalSrc	64-bit counter	V6 link local src pkts
BypassTid0V6Icmp	64-bit counter	V6 Non-ping icmp pkt
BypassTid0IngressIke	64-bit counter	Ingress IKE pkt
BypassTid0IngressIkeNatt	64-bit counter	Ingress IKE NATT pkt
BypassTid0IngressV4DhcpClient	64-bit counter	Ingress V4 DHCP Client
BypassTid0EgressV4DnsClient	64-bit counter	Egress V4 DNS Client
BypassTid1IngressUdp	64-bit counter	BypassTid1IngressUdp
TxEspPkts	64-bit counter	Egress IPv6 bytes successfully processed
QueuedPkts	64-bit counter	Packets queued waiting for SPM to validate flow
DequeuedPkts	64-bit counter	Packets dequeued when SPM validates flow
TransactionsAllocated	64-bit counter	TransactionsA llocated
TransactionsDeallocated	64-bit counter	Transactions Deallocated
IngressIke	64-bit counter	Incoming IKE packets
IngressIkeNatt	64-bit counter	Incoming IKE NAT-T packets
EgressIke	64-bit counter	Outgoing IKE packets
EgressIkeNatt	64-bit counter	Outgoing IKE NAT-T packets
UseableRuleHits	64-bit counter	Packets that matched a valid rule
DropPktsRule	64-bit counter	Packets dropped via an explicit rule
DropPktsRejectRule	64-bit counter	Packets rejected via an explicit rule
PassRuleHits	64-bit counter	Packets that matched a pass rule
ApplyRuleHits	64-bit counter	Packets that matched an apply rule
RxNattKaPkts	64-bit counter	Received NAT keep-alive packets
RxEpdgPkts	64-bit counter	Packets received for ePDG sessions
TxEpdgPkts	64-bit counter	Packets transmitted for ePDG sessions
RxIkeApplyPolicy	64-bit counter	Incoming IKE packets to which policy was applied
RxIkeNattApplyPolicy	64-bit counter	Incoming IKE NAT-T packets to which policy was applied

Table 1-88 IPSec Data Statistics

IPSECSTATS	Type	Description
RxV4DropPkts	64-bit counter	Ingress IPv4 packets dropped
RxV4DropBytes	64-bit counter	Ingress IPv4 bytes dropped
RxV6DropPkts	64-bit counter	Ingress IPv6 packets dropped
RxV6DropBytes	64-bit counter	Ingress IPv6 bytes dropped
TxV4DropPkts	64-bit counter	Egress IPv4 packets dropped
TxV4DropBytes	64-bit counter	Egress IPv4 bytes dropped
TxV6DropPkts	64-bit counter	Egress IPv6 packets dropped
TxV6DropBytes	64-bit counter	Egress IPv6 bytes dropped
RemoteTransError	64-bit counter	Packets sent to wrong SSM
InvalidHeaderError	64-bit counter	Packets with bad IP header or length less than IP length
RxPendingFlowError	64-bit counter	Ingress Packets dropped because SPM has not validated flow
TxPendingFlowError	64-bit counter	Egress Packets dropped because SPM has not validated flow
NoFlowErrorIngress	64-bit counter	ESP packet does not match any of the existing flows
NoFlowErrorEgress	64-bit counter	ESP packet does not match any of the existing flows
TransNotFoundError	64-bit counter	Packets dropped because transform not in hash
IngCtxtInUse	64-bit counter	Ingress packet dropped by hwd crypto because rekeying not done
FailedSanity	64-bit counter	Ingress packets dropped by hwd crypto for memory corruption
DropPktsIntfNotFound	64-bit counter	Packets dropped when transmit logical interface not found
DropPktsSessionNotFound	64-bit counter	WF packets dropped when session not found
DropPktsSecurityDisabled	64-bit counter	Packets dropped because security disabled on network context
TransactionsDeallocFailed	64-bit counter	Transaction deallocations failures
InvalidNumaNode	64-bit counter	Received a non-default numaNode
IngSpiMismatch	64-bit counter	hw only) ingress packet's SPI matches neither transform's SPI

Table 1-88 IPSec Data Statistics

IPSECSTATS	Type	Description
EgrSpiMismatch	64-bit counter	SPI set up in egress packet matches neither egress SPI
TransAuthErrs	64-bit counter	Ingress packet failed pre cipher checks
PostSecTransAuthErrs	64-bit counter	Ingress packet failed post cipher checks
PostSecPktErrs	64-bit counter	Decrypted packet failed non-cipher checks
PostSecPktErrsInvalidHeader	64-bit counter	
PostSecPktErrsInvalidFragHeader	64-bit counter	Decrypted packets with invalid fragmentation headers
PostSecPktErrsNoFlowFound	64-bit counter	No flow found for decrypted packet
PostSecPktErrsBadFlowFound	64-bit counter	Bad flow after decryption
PostSecPktErrsUnexpectedPendFlow	64-bit counter	Decrypted packet matched pending flow
PostSecPktErrsUnexpectedApplyFlow	64-bit counter	Decrypted packet matched apply flow
PostSecPktErrsUnexpectedRejectFlow	64-bit counter	Decrypted packet matched reject flow
PostSecPktErrsUnexpectedTriggerFlow	64-bit counter	Decrypted packet matched trigger flow
PostSecPktErrsUnexpectedDropFlow	64-bit counter	Decrypted packet matched drop flow
PostSecPktErrsUnexpectedNonExistentFlow	64-bit counter	Decrypted packet did not find matching flow
PostSecIntfPktErrs	64-bit counter	Remotely originated decrypted packet transmit failures
PostSecFpPktErrs	64-bit counter	Locally originated decrypted packet transmit failures
IngCtxtErrs	64-bit counter	Ingress packets dropped due to crypto errors
EgrCtxtErrs	64-bit counter	Egress packets dropped due to crypto errors
UnuseableRuleHits	64-bit counter	Packets that matched unuseable rule
InvalidRuleHits	64-bit counter	
TriggerRuleHits	64-bit counter	Packets that matched a configured trigger rule
DormantApplyRuleHits	64-bit counter	Packets that matched a dormant apply rule
UnknownRuleHits	64-bit counter	UnknownRuleHits
NoFlowPassAtRemoteSecm	64-bit counter	Passes match no flow pass rule, but should not send to spm
PktsDiscarded	64-bit counter	Packets discarded

Table 1-88 IPSec Data Statistics

IPSEC DATA STATS	Type	Description
NoFlowPassDrop	64-bit counter	Packets dropped due to absence of flow
NoFlowTid0IngressIPsec	64-bit counter	Ingress packets dropped due to absence of flow
NoFlowTidV6IcmpErr	64-bit counter	NoFlowTidV6IcmpErr
NoFlowTidv4IcmpErr	64-bit counter	NoFlowTidv4IcmpErr
DropPktsTooBig	64-bit counter	Packets too big for hardware crypto
DropPktsNoRule	64-bit counter	Packets dropped due to no or bad rule
DropPktsTriggerRule	64-bit counter	Packets rejected via a trigger explicit rule
DequeuePendingError	64-bit counter	Error dequeuing pending packets
NullSpiEntry	64-bit counter	NullSpiEntry
InvalidFSAPI	64-bit counter	InvalidFSAPI
SpiEntryFailLookup	64-bit counter	SpiEntryFailLookup
SpiTransformEntryFailLookup	64-bit counter	SpiTransformEntryFailLookup
TriggerRuleIngressPackets	64-bit counter	Ingress packets dropped due to trigger rule match
RejectRuleHits	64-bit counter	RejectRuleHits
FlushedPkts	64-bit counter	Packets flushed after waiting 30 sec for SPM to validate flow
QueuedPktNotApply	64-bit counter	Queued packet did not match apply rule
EspSpiMismatchError	64-bit counter	Newly received ESP packet matches neither SPI
CipherNotFound	64-bit counter	Transform setup fail because cipher algorithm not found
PktDataAccessError	64-bit counter	Mismatches between packet and expected prefix lengths
PktSizeCipherSizeError	64-bit counter	Encrypted packet size not a multiple of cipher block size
PktTooShortError	64-bit counter	Encrypted packet size less than necessary prefix and trailer sizes
PktLenMismatchError	64-bit counter	Internal mismatch between calculated and actual lengths
ParsePktHeaderError	64-bit counter	All errors parsing encrypted packet headers

Table 1-88 IPSec Data Statistics

IPSECSTATS	Type	Description
CalcPktInfoError	64-bit counter	All errors in ingress packet lengths
PrelimAntiReplayErrLo	64-bit counter	Ingress packet sequence number too low, before decryption
PrelimAntiReplayError	64-bit counter	Ingress packet sequence number error, but not too low, before decryption
EspSeqNumError	64-bit counter	All ESP packet sequence number errors, after decryption
EspSeqSecm	64-bit counter	secm-secm ESP packet sequence number errors, after decryption
EspSeqNumLow	64-bit counter	ESP packet sequence number too low, after decryption
AppendSeqHighError	64-bit counter	Errors appending high half of sequence number to encrypted packets
DeleteSeqHighError	64-bit counter	Errors in deleting high half sequence number after calculating ICV
IcvComputeError	64-bit counter	(hw only) All authentication failures
IcvCheckError	64-bit counter	(sw only) post cipher authentication failures
IcvLenError	64-bit counter	(sw only) ingress packet ICV Length Errors
EspIcvAuthError	64-bit counter	(sw only) pre-cipher authentication failures
EspPadError	64-bit counter	error in pad field values
EspTransChainError	64-bit counter	(sw only) transform errors
EspProcessAadError	64-bit counter	(sw only) transform aad errors
TransFinishError	64-bit counter	post decryption errors
AuthAddRangeError	64-bit counter	(sw only) ingress segment errors
AuthFinishError	64-bit counter	(sw only) errors in finishing authentication
CipherUpdateError	64-bit counter	(sw only) setup: errors updating cipher
EspSeqNumOverflowError	64-bit counter	egress ESP sequence number overflow
IngCryptoAllocFail	64-bit counter	(sw only) - context allocation failure
EgrCryptoAllocFail	64-bit counter	(sw only) - context allocation failure
IngCryptoResetFail	64-bit counter	Ingress crypto context reset failure
EgrCryptoResetFail	64-bit counter	Egress crypto context reset failure

Table 1-88 IPsec Data Statistics

IPSEC DATA STATS	Type	Description
GetNextHopFail	64-bit counter	Egress packet cannot find next hop
NoCryptoCapability	64-bit counter	NoCryptoCapability
SecmSessionIcmpFragNeededMsgSent	64-bit counter	SecmSessionIcmpFragNeededMsgSent
SecmIcmpFragNeededMsgSent	64-bit counter	SecmIcmpFragNeededMsgSent
SecmSessionIcmpV6PacketTooBigMsgSent	64-bit counter	SecmSessionIcmpV6PacketTooBigMsgSent
SecmIcmpV6PacketTooBigMsgSent	64-bit counter	SecmIcmpV6PacketTooBigMsgSent
SecmIPv6MaxFragAfterEncryptionTooBig	64-bit counter	SecmIPv6MaxFragAfterEncryptionTooBig
SecmIPv6MaxFragTooBig	64-bit counter	SecmIPv6MaxFragTooBig
SecmIPv6PktTooBigPreFragEnabled	64-bit counter	SecmIPv6PktTooBigPreFragEnabled
SecmIPv6FragSuccess	64-bit counter	SecmIPv6FragSuccess
SecmIPv4FragSuccess	64-bit counter	SecmIPv4FragSuccess
SecmIPv6FragFailed	64-bit counter	SecmIPv6FragFailed
SecmIPv4FragFailed	64-bit counter	SecmIPv4FragFailed
SecmFragStatusFailed	64-bit counter	SecmFragStatusFailed
SecmNumFrlDropIngressCnts	64-bit counter	Number of Ingress Flow drops due to flow rate limit
SecmNumPrldropIngressCnts	64-bit counter	Number of Ingress Packets dropped due to packet rate limit
SecmNumFrlDropEgressCnts	64-bit counter	Number of Egress Flow drops due to flow rate limit
SecmNumPrldropEgressCnts	64-bit counter	Number of Egress Packets dropped due to packet rate limit

IPSec Context Network Statistics

Table 1-89 IPSec Network Context Statistics

IPSECNETWORKCONTEXTSTATS	Type	Description
currentIkeTunnels	64-bit gauge	number of current IKE tunnels
totalIkeTunnels	64-bit counter	number of total IKE tunnels
totalIkeFailedTunnels	64-bit counter	number of total failed IKE tunnels
totalIkeRekeyedTunnels	64-bit counter	number of total rekeyed IKE tunnels
currentIpsecTunnels	64-bit gauge	number of current IPSEC tunnels
totalIpsecTunnels	64-bit counter	number of total IPSEC tunnels
totalIpsecFailedTunnels	64-bit counter	number of total failed IPSEC tunnels
currentTransforms	64-bit gauge	number of current transforms
totalTransforms	64-bit counter	number of total transforms
rekeyedTransforms	64-bit counter	number of rekeyed transforms
currentRules	64-bit gauge	number of current rules
totalRules	64-bit counter	number of total rules
currentFlows	64-bit gauge	number of current flows
totalFlows	64-bit counter	number of total flows

LDAP Feature Group Statistics

Table 1-90 LDAP Feature Group Statistics

CONTENTLDAPSTATSFEATUREGRPGRID CONTENTLDAPSTATSFEATUREGRPCHASSIS CONTENTLDAPSTATSFEATUREGRPSLOT	Type	Description
Total number of Responses - Checked	64-bit counter	Total number of responses checked
Total number of Responses - Matched	64-bit counter	Total number of responses matched
Total number of Responses - Mismatched	64-bit counter	Total number of responses mismatched

LDAP Profile Statistics

Table 1-91 LDAP Profile Statistics

CONTENTLDAPSTATSPROFILEGRID CONTENTLDAPSTATSPROFILECHASSIS CONTENTLDAPSTATSPROFILESLOT	Type	Description
Total number of Responses - Checked	64-bit counter	Total number of responses checked
Total number of Responses - Matched	64-bit counter	Total number of responses matched
Total number of Responses - Mismatched	64-bit counter	Total number of responses mismatched
Total number of Responses - Allowed	64-bit counter	Total number of responses allowed
Total number of Responses - Blocked	64-bit counter	Total number of responses blocked

LDAP Server Statistics

Table 1-92 LDAP Server Statistics

CONTENTLDAPSTATSSERVERGRID CONTENTLDAPSTATSSERVERCHASSIS CONTENTLDAPSTATSSERVERSLOT	Type	Description
Total number of Search Requests - Sent	64-bit counter	Total number of Search Requests sent
Total number of Search Requests - Failed	64-bit counter	Total number of Search Requests failed
Total number of Search Requests - Canceled	64-bit counter	Total number of Search Requests canceled
Total number of Search Results - Success	64-bit counter	Total number of Search Results success
Total number of Search Results - No Such Object	64-bit counter	Total number of no such object Search Results
Total number of Search Results - Attr Error	64-bit counter	Total number of attribute error Search Results
Total number of Search Results - Failure	64-bit counter	Total number of Search Results failure
Total number of Search Results - Ignored	64-bit counter	Total number of Search Results ignored
Total number of Search Results - Timedout	64-bit counter	Total number of Search Results timed out
Total number of Server Reconnect Events - Connection Failed	64-bit counter	Total number of connection failed events
Total number of Server Reconnect Events - Connection Lost	64-bit counter	Total number of connection lost events
LDAP Response Time - Total (seconds)	64-bit counter	Total LDAP response time, in seconds
LDAP Response Time - Average (seconds)	64-bit counter	Average LDAP response time, in seconds

Table 1-92 LDAP Server Statistics

CONTENTLDAPSTATSSERVERGRID CONTENTLDAPSTATSSERVERCHASSIS CONTENTLDAPSTATSSERVERSLOT	Type	Description
LDAP Response Time - Max (seconds)	64-bit counter	Maximum LDAP response time, in seconds

LDAP Service Statistics

Table 1-93 LDAP Service Statistics

CONTENTLDAPSTATSSUMGRID CONTENTLDAPSTATSSUMCHASSIS CONTENTLDAPSTATSSUMSLOT	Type	Description
Total number of Search Requests - Received	64-bit counter	Total number of Search Requests received
Total number of Search Requests - Retrieved	64-bit counter	Total number of Search Results retrieved
Total number of Search Requests - Sent	64-bit counter	Total number of Search Requests sent
Total number of Search Requests - Failed	64-bit counter	Total number of Search Requests failed
Total number of Search Requests - Canceled	64-bit counter	Total number of Search Requests canceled
Total number of Search Results - Success	64-bit counter	Total number of Search Results success
Total number of Search Results - No-Such-Object	64-bit counter	Total number of no such object Search Results
Total number of Search Results - Failure	64-bit counter	Total number of Search Results failure
Total number of Search Results - Ignored	64-bit counter	Total number of Search Results ignored
Total number of Search Results - Timedout	64-bit counter	Total number of Search Results timed out
Total number of Search Result - Allowed	64-bit counter	Total number of Search Result allowed
Total number of Search Result - Blocked	64-bit counter	Total number of Search Result blocked
Total number of Server Reconnect Events - Connection Failed	64-bit counter	Total number of server connection events due to connection failure
Total number of Server Reconnect Events - Connection Lost	64-bit counter	Total number of server connection events due to connection lost
Total number of Server Reconnect Events - Connection Reset	64-bit counter	Total number of server connection events due to connection reset

Mobile Content Cloud Gi GW Call Performance Statistics

Note: These statistics are displayed when a subscriber-aware Gi GW service is configured.

Table 1-94 Mobile Content Cloud Gi GW Call Performance Statistics

MCCCALLPERFSTATSGRID MCCCALLPERFSTATSCHASSIS MCCCALLPERFSTATSSLOT	Type	Description
Current Sessions	32-bit gauge	Current number of sessions
Beareres	32-bit gauge	Current number of bearers
Active Current Sessions	32-bit gauge	Current number of active sessions
Idle Current Sessions	32-bit gauge	Current number of idle sessions
Default Bearers	32-bit gauge	Current number of default bearers
Dedicated Bearers	32-bit gauge	Current number of dedicated bearers
Create Session Attempt	32-bit counter	Total number of create session attempts
Create Session Accept	32-bit counter	Total number of create session attempts accepted
Create Session Reject	32-bit counter	Total number of create session attempts rejected
Create Session Reject Malformed Request	32-bit counter	Total number of create session attempts rejected - malformed request
Create Session Reject Unknown Apn	32-bit counter	Total number of create session attempts rejected - unknown APN
Create Session Reject Resource Unavailable	32-bit counter	Total number of create session attempts rejected - resources unavailable
Create Session Reject Service Not Supported	32-bit counter	Total number of create session attempts rejected - service not supported
Create Session Reject System Failure	32-bit counter	Total number of create session attempts rejected - system failure
Create Session Reject Misc	32-bit counter	Total number of create session attempts rejected - unclassified
Delete Session Attempt	32-bit counter	Total number of delete session attempts received

Table 1-94 Mobile Content Cloud Gi GW Call Performance Statistics

MCCCALLPERFSTATSGRID MCCCALLPERFSTATSCHASSIS MCCCALLPERFSTATSSLOT	Type	Description
Delete Session Accept	32-bit counter	Total number of delete session attempts accepted
Delete Session Reject	32-bit counter	Total number of delete session attempts rejected
Modify Bearer Attempt	32-bit counter	Total number of modify bearer attempts
Modify Bearer Accept	32-bit counter	Total number of modify bearer attempts accepted
Modify Bearer Reject	32-bit counter	Total number of modify bearer attempts rejected
Local Close Attempts	32-bit counter	Total number of local close attempts
Local Close Attempts Accepted	32-bit counter	Total number of local close attempts accepted
Modify Bearer Command Attempt	32-bit counter	Total number of modify bearer command attempts
Modify Bearer Command Reject	32-bit counter	Total number of modify bearer command attempts rejected
Local Close Attempts Duplicate Session	32-bit counter	Total number of local close attempts due to duplicate session
Uplink Packets	64-bit counter	Total number of uplink packets received
Uplink Bytes	64-bit counter	Total number of uplink bytes received
Uplink Drop Packets	64-bit counter	Total number of uplink packets dropped
Uplink Drop Bytes	64-bit counter	Total number of uplink bytes dropped
Downlink Packets	64-bit counter	Total number of downlink packets received
Downlink Bytes	64-bit counter	Total number of downlink bytes received
Downlink Drop Packets	64-bit counter	Total number of downlink packets dropped
Downlink Drop Bytes	64-bit counter	Total number of downlink bytes dropped
Number Sess Setup Success Apn Matching Exact Match	32-bit counter	Total number of create session requests accepted with APN matching type exact match
Number Sess Setup Success Apn Matching Ni Only	32-bit counter	Total number of create session requests accepted with APN matching type NI only
Number Sess Setup Success Apn Matching Ni And Malformed Oi	32-bit counter	Total number of create session requests accepted with APN matching type NI and malformed OI

Table 1-94 Mobile Content Cloud Gi GW Call Performance Statistics

MCCCALLPERFSTATSGRID MCCCALLPERFSTATSCHASSIS MCCCALLPERFSTATSSLOT	Type	Description
NumCreateSessionRejectApnCongested	32-bit counter	Total number of create session requests rejected - APN in congested state
NumCreateSessionRejectApnCongestedCritical	32-bit counter	Total number of create session requests rejected - APN in critical congested state
NumCreateSessionRejectApnCongestedMajor	32-bit counter	Total number of create session requests rejected - APN in major congested state
NumCreateSessionRejectApnCongestedMinor	32-bit counter	Total number of create session requests rejected - APN in minor congested state
Create Session Reject Session Blocked	32-bit counter	Total number of create session requests rejected due to session blocked
Local Close Attempts Session Blocked	32-bit counter	Total number of local close attempts due to session blocked
Number Local Close Terminate Service Rule	32-bit counter	Total number of local closes due to traffic through service rule with terminate action
Number Sig Info Lookup Successful And Filled Configured Values	32-bit counter	Total number of sessions filled with configured values for Signalling Information Elements
Number Sig Info Lookup Failure	32-bit counter	Total number of sessions that did not have configured Signalling Information Elements
NumCreateSessionRejectTamFailure	32-bit counter	Total number of create session attempts rejected - due to TAM failure
NumLocalClosePerfDownSessionHoldTime	32-bit counter	Number of session locally closed due to PCRF down session hold time expiry

Mobile Content Cloud Gi GW Procedure Statistics

Note: These statistics are displayed when a subscriber-aware Gi GW service is configured.

Table 1-95 Mobile Content Cloud Gi GW Procedure Statistics

MCCPROCEDUREGRID MCCPROCEDURECHASSIS MCCPROCEDURESLOT	Type	Description
Create Session Success	32-bit counter	Total number of create session success
Create Session Fail	32-bit counter	Total number of create session fail
Modify Bearer Success	32-bit counter	Total number of modify bearer success
Modify Bearer Fail	32-bit counter	Total number of modify bearer fail
Delete Session Success	32-bit counter	Total number of delete session success
Delete Session Fail	32-bit counter	Total number of delete session fail
Nw Initiated Deactivate Subscriber Success	32-bit counter	Total number of network initiated deactivate subscriber success
Nw Initiated Deactivate Subscriber Fail	32-bit counter	Total number of network initiated deactivate subscriber fail
Ue Initiated Activate Bearer Success	32-bit counter	Total number of UE Initiated activate bearer success
Ue Initiated Activate Bearer Fail	32-bit counter	Total number of UE Initiated activate bearer fail
Ue Initiated Deactivate Bearer Success	32-bit counter	Total number of UE Initiated deactivate bearer success
Ue Initiated Deactivate Bearer Fail	32-bit counter	Total number of UE Initiated deactivate bearer fail

MMS Charging Statistics

Table 1-96 MMS Charging Statistics

CONTENTMMSCHARGINGSTATSSUMGRID CONTENTMMSCHARGINGSTATSSUMCHASSIS CONTENTMMSCHARGINGSTATSSUMSLOT	Type	Description
MMS MO Charging - Send Requests	64-bit counter	Number of send requests. received by the MMS charging module. It may differ from the number of Send Requests received by HTTP Proxy. Some send requests may be aborted/rejected before they reach the MMS Charging stage.
MMS MO Charging Initial CCR - Reservation Attempts	64-bit counter	Number of MMS charging reservation attempts. Is equal to the sum of the number of recipients in each send requests received by the MMS charging module.
MMS MO Charging Initial CCR - Reservation Successes	64-bit counter	Number of reservations successes
MMS MO Charging Initial CCR - Reservation Rejections	64-bit counter	Number of reservations rejected by OCS
MMS MO Charging Initial CCR - Reservation Failures	64-bit counter	Number of reservations that were not sent out to OCS successfully or no response was received in a timely manner due to communication problems. Reservation Attempts = Reservation Successes + Reservation Rejections + Reservation Failures
MMS MO Charging Terminating CCR - Reservations Debited	64-bit counter	Number of reservation successes that are committed (debited).
MMS MO Charging Terminating CCR - Reservations Canceled	64-bit counter	Number of reservation successes that are canceled.
MMS MT Charging - Retrieve Requests	64-bit counter	Number of MMS charging retrieve requests. It may differ from the number of Retrieve Requests received by HTTP Proxy. Some Retrieve Requests may be aborted/rejected before they reach the MMS Charging stage. Some Retrieve Requests do not require charging per configuration.
MMS MT Charging Initial Provisional CCR - Reservation Attempts	64-bit counter	Is equal to Retrieve Requests for Charging.
MMS MT Charging Initial Provisional CCR - Reservation Successes	64-bit counter	Number of reservations succeeded.

Table 1-96 MMS Charging Statistics

CONTENTMMSCHARGINGSTATSSUMGRID CONTENTMMSCHARGINGSTATSSUMCHASSIS CONTENTMMSCHARGINGSTATSSUMSLOT	Type	Description
MMS MT Charging Initial Provisional CCR - Reservation Rejections	64-bit counter	Number of reservations rejected by OCS.
MMS MT Charging Initial Provisional CCR - Reservation Failures	64-bit counter	Number of reservations failed due to communication problems.
MMS MT Charging Terminating Provisional CCR - Reservations Canceled	64-bit counter	Is equal to Initial Prov. CCR - Reservation Successes
MMS MT Charging - Retrieved Notify Responses	64-bit counter	Number of MMS charging retrieved notify responses. It may differ from the number of Retrieved Notify Responses received by HTTP Proxy. Some Retrieved Notify Responses do not trigger charging per configuration.
MMS MT Charging - Retrieved Acknowledges	64-bit counter	Number of MMS charging retrieved acknowledges. It may differ from the number of Retrieved Acknowledges received by HTTP Proxy. Some Retrieved Acknowledges do not trigger charging per configuration.
MMS MT Charging Initial Effective CCR - Reservation Attempts	64-bit counter	Is equal to Retrieved Notify Responses For Charging + Retrieved Acknowledges For Charging.
MMS MT Charging Initial Effective CCR - Reservation Successes	64-bit counter	Number of reservations succeeded.
MMS MT Charging Initial Effective CCR - Reservation Rejections	64-bit counter	Number of reservations rejected by OCS.
MMS MT Charging Initial Effective CCR - Reservation Failures	64-bit counter	Number of reservations failed due to communication problems.
MMS MT Charging Terminating Effective CCR - Reservations Debited	64-bit counter	Number of Effective CCR-Reservation Successes that were committed (debited)
MMS MT Charging Terminating Effective CCR - Reservations Canceled	64-bit counter	Number of Effective CCR-Reservation Successes that were canceled

MMS Media Adaptation Statistics

Table 1-97 MMS Media Adaptation Statistics

CONTENTMMSMEDIAADAPTATIONSTATSGRID CONTENTMMSMEDIAADAPTATIONSTATSCHASSIS CONTENTMMSMEDIAADAPTATIONSTATSSLOT	Type	Description
MM1 Video Adaptation - Attempts	64-bit counter	Total number of video adaptation attempts
MM1 Video Adaptation - Cancels	64-bit counter	Total number of video adaptations interrupted or canceled during the transaction
MM1 Video Adaptation - Successes	64-bit counter	Total number of video adaptation successes
MM1 Video Adaptation - Aborts	64-bit counter	Total number of video adaptation aborts (for example, the UAProfile has Transcoding Suppression set and the source content is larger than the UAProfiles defined maximum content size)
MM1 Video Adaptation - Failures	64-bit counter	Total number of video adaptation failures because the attempt could not transcode and meet the parameters of the target UAProfile (for example, after transcoding down to the minimum parameters such as screen size or resolution, the transcoded content is still greater than the allowed maximum content size)
MM1 Image Adaptation - Attempts	64-bit counter	Total number of image adaptation attempts
MM1 Image Adaptation - Cancels	64-bit counter	Total number of image adaptation interrupted or canceled during the transaction
MM1 Image Adaptation - Successes	64-bit counter	Total number of image adaptation successes
MM1 Image Adaptation - Aborts	64-bit counter	Total number of image adaptation aborts (for example, the UAProfile has Transcoding Suppression set and the source content is larger than the UAProfiles defined maximum content size)

Table 1-97 MMS Media Adaptation Statistics

CONTENTMMSMEDIAADAPTATIONSTATSGRID CONTENTMMSMEDIAADAPTATIONSTATSCHASSIS CONTENTMMSMEDIAADAPTATIONSTATSSLOT	Type	Description
MM1 Image Adaptation - Failures	64-bit counter	Total number of image adaptation failures because the attempt could not transcode and meet the parameters of the target UAProfile (for example, after transcoding down to the minimum parameters such as screen size or resolution, the transcoded content is still greater than the allowed maximum content size)
MM1 Text Adaptation - Attempts	64-bit counter	Total number of text adaptation attempts
MM1 Text Adaptation - Cancels	64-bit counter	Total number of text adaptation interrupted or canceled during the transaction
MM1 Text Adaptation - Successes	64-bit counter	Total number of text adaptation successes
MM1 Text Adaptation - Aborts	64-bit counter	Total number of text adaptation aborts (for example, the UAProfile has Transcoding Suppression set and the source content is larger than the UAProfiles defined maximum content size)
MM1 Text Adaptation - Failures	64-bit counter	Total number of text adaptation failures because the attempt could not transcode and meet the parameters of the target UAProfile (for example, after transcoding down to the minimum parameters such as screen size or resolution, the transcoded content is still greater than the allowed maximum content size)
MM1 Audio Adaptation - Attempts	64-bit counter	Total number of audio adaptation attempts
MM1 Audio Adaptation - Cancels	64-bit counter	Total number of audio adaptation interrupted or canceled during the transaction
MM1 Audio Adaptation - Successes	64-bit counter	Total number of audio adaptation successes
MM1 Audio Adaptation - Aborts	64-bit counter	Total number of audio adaptation aborts (for example, the UAProfile has Transcoding Suppression set and the source content is larger than the UAProfiles defined maximum content size)

Table 1-97 MMS Media Adaptation Statistics

CONTENTMMSMEDIAADAPTATIONSTATSGRID CONTENTMMSMEDIAADAPTATIONSTATSCHASSIS CONTENTMMSMEDIAADAPTATIONSTATSSLOT	Type	Description
MM1 Audio Adaptation - Failures	64-bit counter	Total number of audio adaptation failures because the attempt could not transcode and meet the parameters of the target UAProfile (for example, after transcoding down to the minimum parameters such as screen size or resolution, the transcoded content is still greater than the allowed maximum content size)

MMS MM1 Detail Statistics

Table 1-98 MMS MM1 Detail Statistics

CONTENTMMSMM1DETAILSTATSGRID CONTENTMMSMM1DETAILSTATSCHASSIS CONTENTMMSMM1DETAILSTATSSLOT	Type	Description
MM1 - Content Adaptation Disabled	64-bit counter	Total number of content adaptation disabled
MM1 - Content Adaptation Suppressed	64-bit counter	Total number of content adaptation suppressed
MM1 - Constructing UA Profile Failed	64-bit counter	Total number of constructing UA profile failed
MM1 - Default UA Profile Matched	64-bit counter	Total number of default UA profile matched
MM1 - Media Type Unknown	64-bit counter	Total numver of media type unknown

MMS MM1 Summary Statistics

Table 1-99 MMS MM1 Summary Statistics

CONTENTMMSMM1SUMMARYSTATSGRID CONTENTMMSMM1SUMMARYSTATSCHASSIS CONTENTMMSMM1SUMMARYSTATSSLOT	Type	Description
MM1 - Send Requests	64-bit counter	Total number of send requests
MM1 - Send Confirmations	64-bit counter	Total number of send confirmations
MM1 - Notification Indications	64-bit counter	Total number of notification indications
MM1 - Notify Response Indications	64-bit counter	Total number of notify response indications
MM1 - Retrieve Confirmations	64-bit counter	Total number of retrieve confirmations
MM1 - Acknowledge Indications	64-bit counter	Total number of acknowledge indications
MM1 - Delivery Indications	64-bit counter	Total number of delivery indications
MM1 - Read Receipt Indications	64-bit counter	Total number of read receipt indications
MM1 - Read Original Indications	64-bit counter	Total number of read original indications
MM1 - Unknown Packet Type	64-bit counter	Total number of unknown packet type
MM1 - No MMSC Routing	64-bit counter	Total number of no MMSC routing
MM1 - Retrieve Confirmation Bypassed	64-bit counter	Total number of retrieve confirmation bypassed

NAT Statistics

Table 1-100 NAT Statistics

NATPERFCLUSTERLEVELMODULESTATS NATPERFNODELEVELMODULESTATS	Type	Description
Connections Created	64-bit counter	Number of NAT connections created
Connections Deleted	64-bit counter	Number of NAT connections deleted
Connection Create Failure	64-bit counter	Number of NAT connection creation failures
Connection Create Action Drop	64-bit counter	Number of NAT connections not created due to service flow action drop
Connection Create Action Pass	64-bit counter	Number of NAT connections not created due to service flow action pass
Connection Create Ignored	64-bit counter	Number of NAT connections create ignored

Table 1-100 NAT Statistics

NATPERFCLUSTERLEVELMODULESTATS NATPERFNODELEVELMODULESTATS	Type	Description
Connection Create Drop Network Initiated	64-bit counter	Number of connection creations dropped as it was Network Initiated
Connection Create Failure Ipv6 Prefix Mismatch	64-bit counter	Number of NAT connections creation failure due to mismatch between configured NAT64 IPv6 prefix and Network Address of the connection
Connection Create Failure Geo-red Mismatch	64-bit counter	Number of NAT connections creation failure due to mismatch between the Geo-group ID of the nat-pool and the session
Connection Create Failure No Associated Nat Pool	64-bit counter	Number of NAT connections creation failure due to subscriber-firewall-flow for NAT not configured with nat-pool
Connection Create Failure Service Flow Not Enabled	64-bit counter	Number of NAT connection creation failure due to subscriber-firewall-flow being admin disabled
Connection Create Failure Nat Pool Not Enabled	64-bit counter	Number of NAT connections creation failure due to nat-pool being admin disabled
Connection Create Failure Nat Alg Not Enabled	64-bit counter	Number of NAT connections creation failure due to NAT ALG being disabled
Connection Create Failure Session Not Active	64-bit counter	Number of connections create failure due to inactive session. This could be a transient condition during failover allowing the UE to quickly retry.
Connection Create Failure Nat Mapping Unavailable	64-bit counter	Number of NAT connection creation failure due to unavailability of NAT port
Connection Create Ignored Network Initiated	64-bit counter	Number of connection creation ignored as it was Network initiated
Connection Create Ignored Unsupported Icmp Type	64-bit counter	Number of connection create ignored due to unsupported ICMP type
Connection Create Ignored Unsupported Protocol	64-bit counter	Number of connection create ignored due to unsupported protocol
Connection Delete Nat Pool Connection Purge	64-bit counter	Number of NAT connections deleted due to nat-pool/sub-pool being admin disabled
Connection Create Tcp	64-bit counter	Number of TCP connections created
Connection Create Udp	64-bit counter	Number of UDP connections created
Connection Create Icmp	64-bit counter	Number of ICMP connections created
Connection Delete Tcp	64-bit counter	Number of TCP connections deleted

Table 1-100 NAT Statistics

NATPERFCLUSTERLEVELMODULESTATS NATPERFNODELEVELMODULESTATS	Type	Description
Connection Delete Udp	64-bit counter	Number of UDP connections deleted
Connection Delete Icmp	64-bit counter	Number of ICMP connections deleted
Connection Create Failure Flow State Tracking	64-bit counter	Number of connection create failures due to flow state tracking
Connection Create Failure Flow State Tracking Profile Misconfig	64-bit counter	Number of connection create failures due to flow state tracking misconfig

NAT Pool Statistics

Table 1-101 NAT Pool Statistics

NATPOOLPERFSTATSSLOT	Type	Description
NumSessionAllocated	64-bit counter	Total number of sessions successfully allocated NAT resources.
NumSessionDeniedResource	64-bit counter	Total number of sessions denied NAT resources
SessionCapacityPercent	32-bit gauge	Percentage of total session capacity
SessionUtilizationPercent	32-bit gauge	Percentage of session capacity being utilized
IpAddressCapacityPercent	32-bit gauge	Percentage of total IP address capacity
IpUtilizationPercent	32-bit gauge	Percentage of IP address being utilized
PortChunkCapacityPercent	32-bit gauge	Percentage of total port chunk capacity
PortChunkUtilizationPercent	32-bit gauge	Percentage utilization of the port chunk resources
NatConnFailureMaxPortChunksExceeded	64-bit counter	Total number of NAT connection failures due to max port chunks exceeded

Network Context Statistics

Table 1-102 Network Context Statistics

NETWORKCONTEXTSTATISTICSGRID	Type	Description
Tx V4 Pkts	64-bit counter	Number of transmitted IPv4 packets
Tx V4 Bytes	64-bit counter	Number of transmitted IPv4 packet bytes
Tx V4 Drop Pkts	64-bit counter	Number of transmitted dropped IPv4 packets
Tx V4 Drop Bytes	64-bit counter	Number of transmitted dropped IPv4 packet bytes
Rx V4 Pkts	64-bit counter	Number of received IPv4 packets
Rx V4 Bytes	64-bit counter	Number of received IPv4 packet bytes
Rx V4 Drop Pkts	64-bit counter	Number of received dropped IPv4 packets
Rx V4 Drop Bytes	64-bit counter	Number of received dropped IPv4 packet bytes
Tx V6 Pkts	64-bit counter	Number of transmitted IPv6 packets
Tx V6 Bytes	64-bit counter	Number of transmitted IPv6 packet bytes
Tx V6 Drop Pkts	64-bit counter	Number of transmitted dropped IPv6 packets
Tx V6 Drop Bytes	64-bit counter	Number of transmitted dropped IPv6 packet bytes
Rx V6 Pkts	64-bit counter	Number of received IPv6 packets
Rx V6 Bytes	64-bit counter	Number of received IPv6 packet bytes
Rx V6 Drop Pkts	64-bit counter	Number of received dropped IPv6 packets
Rx V6 Drop Bytes	64-bit counter	Number of received dropped IPv6 packet bytes
Rx MPLS Pkts	64-bit counter	Number of received MPLS packets
Rx MPLS Bytes	64-bit counter	Number of received MPLS bytes
Rx MPLS Unknown Label Pkts	64-bit counter	Number of received MPLS unknown label packets
Rx MPLS Drop Pkts	64-bit counter	Number of received MPLS dropped packets
Tx MPLS Pkts	64-bit counter	Number of transmitted MPLS packets
Tx MPLS Pkts	64-bit counter	Number of transmitted MPLS packets
Rx ICMPv4 Pkts	64-bit counter	Number of received ICMPv4 packets
Tx ICMPv4 Pkts	64-bit counter	Number of transmitted ICMPv4 packets

Table 1-102 Network Context Statistics

NETWORKCONTEXTSTATISTICSGRID	Type	Description
Rx ICMPv6 Pkts	64-bit counter	Number of received ICMPv6 packets
Tx ICMPv6 Pkts	64-bit counter	Number of transmitted ICMPv6 packets
Tx No Route Drop Pkts	64-bit counter	Number of transmitted no route drop packets
Tx Fragmented Pkts	64-bit counter	Number of transmitted fragmented packets

Network Context UE Pool Statistics

Table 1-103 Network Context UE Pool Statistics

NETWORKCONTEXTUEPOOLSTATISTICS	Type	Description
Num IPv4 Subpools	32-bit gauge	Num of IPv4 subpools
Num IPv46 Subpools	32-bit gauge	Num of IPv46 subpools
Current IPv4 Subpools Allocation Count	64-bit gauge	Count of IPs currently in use from IPv4 sub pools
Current IPv6 Subpools Allocation Count	64-bit gauge	Count of IPs currently in use from IPv6 sub pools
Current IPv4 Subpools Free Count	64-bit gauge	Count of IPs currently free from IPv4 sub pools
Current IPv6 Subpools Free Count	64-bit gauge	Count of IPs currently free from IPv6 sub pools
Current IPv4 Quarantine Queue Count	64-bit gauge	Count of IPv4 addresses currently in quarantine
Current IPv6 Quarantine Queue Count	64-bit gauge	Count of IPv6 addresses currently in quarantine
IPv4 IP Subpools Utilization Percentage	64-bit gauge	IPv4 IP subpool utilization percentage
IPv6 IP Subpools Utilization Percentage	64-bit gauge	IPv6 IP subpool utilization percentage
Total IPv4 Subpools Alloc Success	64-bit counter	Total successful IPv4 allocation count (cumulative)
Total IPv4 Subpools Alloc Failure	64-bit counter	Total failed IPv4 allocation count (cumulative)
Total IPv6 Subpools Alloc Success	64-bit counter	Total successful IPv6 allocation count (cumulative)
Total IPv6 Subpools Alloc Failure	64-bit counter	Total failed IPv6 allocation count (cumulative)

Table 1-103 Network Context UE Pool Statistics

NETWORKCONTEXTUEPOOLSTATISTICS	Type	Description
Total IPv4 Subpools Reserve Success	64-bit counter	Total successful IPv4 reservation count (cumulative)
Total IPv4 Subpools Reserve Failure	64-bit counter	Total failed IPv4 reservation count (cumulative)
Total IPv6 Subpools Reserve Success	64-bit counter	Total successful IPv6 reservation count (cumulative)
Total IPv6 Subpools Reserve Failure	64-bit counter	Total failed IPv6 reservation count (cumulative)
Total IPv4 Subpools Release Success	64-bit counter	Total successful IPv4 release count (cumulative)
Total IPv4 Subpools Release Failure	64-bit counter	Total failed IPv4 release count (cumulative)
Total IPv6 Subpools Release Success	64-bit counter	Total successful IPv6 release count (cumulative)
Total IPv6 Subpools Release Failure	64-bit counter	Total failed IPv6 release count (cumulative)
Total IPv4 Subpools Quarantine Success	64-bit counter	Total successful IPv4 quarantine count (cumulative)
Total IPv4 Subpools Quarantine Failure	64-bit counter	Total failed IPv4 quarantine count (cumulative)
Total IPv6 Subpools Quarantine Success	64-bit counter	Total successful IPv6 quarantine count (cumulative)
Total IPv6 Subpools Quarantine Failure	64-bit counter	Total failed IPv6 quarantine count (cumulative)
Total IPv4 Subpools Quarantine Rel Success	64-bit counter	Total successful IPv4 quarantine release count (cumulative)
Total IPv4 Subpools Quarantine Rel Failure	64-bit counter	Total failed IPv4 quarantine release count (cumulative)
Total IPv6 Subpools Quarantine Rel Success	64-bit counter	Total successful IPv6 quarantine release count (cumulative)
Total IPv6 Subpools Quarantine Rel Failure	64-bit counter	Total failed IPv6 quarantine release count (cumulative)
Total IPv4 Quarantine Override Count	64-bit counter	Total IPv4 quarantine override count (cumulative)
Total IPv6 Quarantine Override Count	64-bit counter	Total IPv6 quarantine override count (cumulative)
Total IPv4 Quarantine Override IP Rel Count	64-bit counter	Total IPv4 quarantine override IP release count (cumulative)

Table 1-103 Network Context UE Pool Statistics

NETWORKCONTEXTUEPOOLSTATISTICS	Type	Description
Total IPv6 Quarantine Override IP Rel Count	64-bit counter	Total IPv6 quarantine override IP release count (cumulative)

Network Context UE IP Subpool Statistics

Table 1-104 Network Context UE IP Subpool Statistics

NETWORKCONTEXTUEIPSUBPOOL STATISTICS	Type	Description
Current Alloc Count	64-bit gauge	Count of IPs in use on this sub pool
Current Free Count	64-bit gauge	Current IP Free Count
Number Quarantine Queue Count	64-bit gauge	Current IPs in quarantine count
IP Subpool Utilization Percentage	64-bit gauge	IP subpool utilization percentage
Number Alloc Success	64-bit counter	Total successful IP allocation count
Number Alloc Failure	64-bit counter	Total failed IP allocation count
Number Reserve Success	64-bit counter	Total successful IP reservation count
Number Reserve Failure	64-bit counter	Total failed IP reservation count
Number Release Success	64-bit counter	Total successful IP release count
Number Release Failure	64-bit counter	Total failed IP release count
Number Quarantine Success	64-bit counter	Total successful IP quarantine count
Number Quarantine Failure	64-bit counter	Total failed IP quarantine count
Number Quarantine Rel Success	64-bit counter	Total successful IP quarantine release count
Number Quarantine Rel Failure	64-bit counter	Total failed IP quarantine release count
Number Quarantine Override Count	64-bit counter	Total quarantine override count
Number Quarantine Override Tok Rel Count	64-bit counter	Total quarantine override IP release count
Number Release Failure IP Out of Range	64-bit counter	Total failed IP release count - IP out of range
Number Release Failure No IP Binding Record	64-bit counter	Total failed IP release count - no IP binding record
Number Release Failure Invalid IP Binding Record	64-bit counter	Total failed IP release count - invalid IP binding record

Table 1-104 Network Context UE IP Subpool Statistics

NETWORKCONTEXTUEIPSUBPOOL STATISTICS	Type	Description
Number Release Failure Session ID Mismatch	64-bit counter	Total failed IP release count - PDN session IP mismatch

Packet Data Network Gateway Call Performance Statistics

Note: These statistics are displayed when at least one PGW service is configured and running.

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Current Sessions	32-bit gauge	Current number of sessions
Bearers	32-bit gauge	Current number of bearers
Create Session Attempts	32-bit counter	Total number of create session attempts
Create Session Accepts	32-bit counter	Total number of create session attempts accepted
Create Session Rejects	32-bit counter	Total number of create session attempts rejected
Create Session Rejects Malformed Requests	32-bit counter	Total number of create session attempts rejected - malformed request
Create Session Rejects Unknown Apn	32-bit counter	Total number of create session attempts rejected - unknown APN
Create Session Rejects Resource Unavailable	32-bit counter	Total number of create session attempts rejected - resources unavailable
Create Session Rejects Service Not Supported	32-bit counter	Total number of create session attempts rejected - service not supported
Create Session Rejects System Failure	32-bit counter	Total number of create session attempts rejected - system failure
Create Session Reject Apn Congested	32-bit counter	Total number of create session requests rejected - APN in congested state
Create Session Rejects Misc	32-bit counter	Total number of create session attempts rejected - unclassified
Delete Session Attempts	32-bit counter	Total number of delete session attempts received
Delete Session Accepts	32-bit counter	Total number of delete session attempts accepted
Delete Session Rejects	32-bit counter	Total number of delete session attempts rejected

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
UE Initiated Dedicated Bearer Activation Attempts	32-bit counter	Total number of UE initiated dedicated bearer activation attempts
UE Initiated Dedicated Bearer Activation Accepts	32-bit counter	Total number of UE initiated dedicated bearer activation attempts accepted
UE Initiated Dedicated Bearer Activation Rejects	32-bit counter	Total number of UE initiated dedicated bearer activation attempts rejected
Pgw Initiated Dedicated Bearer Activation Attempts	32-bit counter	Total number of PGW initiated dedicated bearer activation attempts accepted
Pgw Initiated Dedicated Bearer Activation Accepts	32-bit counter	Total number of PGW initiated dedicated bearer activation attempts accepted
Pgw Initiated Dedicated Bearer Activation Rejects	32-bit counter	Total number of PGW initiated dedicated bearer activation attempts rejected
Mme Initiated Dedicated Bearer Deactivation Attempts	32-bit counter	Total number of MME initiated dedicated bearer deactivation attempts
Mme Initiated Dedicated Bearer Deactivation Accepts	32-bit counter	Total number of MME initiated dedicated bearer deactivation attempts accepted
Mme Initiated Dedicated Bearer Deactivation Rejects	32-bit counter	Total number of MME initiated dedicated bearer deactivation attempts rejected
UE Initiated Dedicated Bearer Deactivation Attempts	32-bit counter	Total number of UE initiated dedicated bearer deactivation attempts
UE Initiated Dedicated Bearer Deactivation Accepts	32-bit counter	Total number of UE initiated dedicated bearer deactivation attempts accepted
UE Initiated Dedicated Bearer Deactivation Rejects	32-bit counter	Total number of UE initiated dedicated bearer deactivation attempts rejected
Pgw Initiated Dedicated Bearer Deactivation Attempts	32-bit counter	Total number of PGW initiated dedicated bearer deactivation attempts
Pgw Initiated Dedicated Bearer Deactivation Accepts	32-bit counter	Total number of PGW initiated dedicated bearer deactivation attempts accepted
Pgw Initiated Dedicated Bearer Deactivation Rejects	32-bit counter	Total number of PGW initiated dedicated bearer deactivation attempts rejected
Modify Bearer Command Attempts	32-bit counter	Total number of modify bearer command attempts
Modify Bearer Command Rejects	32-bit counter	Total number of modify bearer command attempts rejected
Update Bearer Attempts	32-bit counter	Total number of update bearer attempts

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Update Bearer Accepts	32-bit counter	Total number of update bearer attempts accepted
Update Bearer Rejects	32-bit counter	Total number of update bearer attempts rejected
Modify Bearer Attempts	32-bit counter	Total number of modify bearer attempts
Modify Bearer Accepts	32-bit counter	Total number of modify bearer attempts accepted
Modify Bearer Rejects	32-bit counter	Total number of modify bearer attempts rejected
Create Pdp Attempts	32-bit counter	Total number of create PDP context attempts
Create Pdp Accepts	32-bit counter	Total number of create PDP context attempts accepted
Create Pdp Rejects	32-bit counter	Total number of create PDP context attempts rejected
Create Pdp Rejects Malformed Requests	32-bit counter	Total number of create PDP context attempts rejected - malformed request
Create Pdp Rejects Unknown Apn	32-bit counter	Total number of create PDP context attempts rejected - unknown APN
Create Pdp Rejects Resource Unavailable	32-bit counter	Total number of create PDP context attempts rejected - resource unavailable
Create Pdp Rejects Service Not Supported	32-bit counter	Total number of create PDP context attempts rejected - service not supported
Create Pdp Rejects System Failure	32-bit counter	Total number of create PDP context attempts rejected - system failure
Create Pdp Rejects Misc	32-bit counter	Total number of create PDP context attempts rejected - unclassified
Delete Pdp Attempts	32-bit counter	Total number of delete PDP context attempts
Delete Pdp Accepts	32-bit counter	Total number of delete PDP context attempts accepted
Delete Pdp Rejects	32-bit counter	Total number of delete PDP context attempts rejected
UE Initiated Secondary Pdp Activation Attempts	32-bit counter	Total number of UE initiated secondary PDP context activation attempts
UE Initiated Secondary Pdp Activation Accepts	32-bit counter	Total number of UE initiated secondary PDP context activation attempts accepted

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
UE Initiated Secondary Pdp Activation Rejects	32-bit counter	Total number of UE initiated secondary PDP context activation attempts rejected
GGSN Initiated Secondary Pdp Activation Attempts	32-bit counter	Total number of GGSN initiated secondary PDP context activation attempts
GGSN Initiated Secondary Pdp Activation Accepts	32-bit counter	Total number of GGSN initiated secondary PDP context activation attempts accepted
GGSN Initiated Secondary Pdp Activation Rejects	32-bit counter	Total number of GGSN initiated secondary PDP context activation attempts rejected
SGSN Initiated Secondary Pdp Deactivation Attempts	32-bit counter	Total number of SGSN initiated secondary PDP context deactivation attempts
SGSN Initiated Secondary Pdp Deactivation Accepts	32-bit counter	Total number of SGSN initiated secondary PDP context deactivation attempts accepted
SGSN Initiated Secondary Pdp Deactivation Rejects	32-bit counter	Total number of SGSN initiated secondary PDP context deactivation attempts rejected
UE Initiated Secondary Pdp Deactivation Attempts	32-bit counter	Total number of UE initiated secondary PDP context deactivation attempts
UE Initiated Secondary Pdp Deactivation Accepts	32-bit counter	Total number of UE initiated secondary PDP context deactivation attempts accepted
UE Initiated Secondary Pdp Deactivation Rejects	32-bit counter	Total number of UE initiated secondary PDP context deactivation attempts rejected
GGSN Initiated Secondary Pdp Deactivation Attempts	32-bit counter	Total number of GGSN initiated secondary PDP context deactivation attempts
GGSN Initiated Secondary Pdp Deactivation Accepts	32-bit counter	Total number of GGSN initiated secondary PDP context deactivation attempts accepted
GGSN Initiated Secondary Pdp Deactivation Rejects	32-bit counter	Total number of GGSN initiated secondary PDP context deactivation attempts rejected
SGSN Initiated Update Pdp Attempts	32-bit counter	Total number of SGSN initiated update PDP context attempts
SGSN Initiated Update Pdp Accepts	32-bit counter	Total number of SGSN initiated update PDP context attempts accepted
SGSN Initiated Update Pdp Rejects	32-bit counter	Total number of SGSN initiated update PDP context attempts rejected
GGSN Initiated Update Pdp Attempts	32-bit counter	Total number of GGSN initiated update PDP context attempts
GGSN Initiated Update Pdp Accepts	32-bit counter	Total number of GGSN initiated update PDP context attempts accepted

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
GGSN Initiated Update Pdp Rejects	32-bit counter	Total number of GGSN initiated update PDP context attempts rejected
Local Close Attempts	32-bit counter	Total number of session close attempts initiated internally
Local Close Attempts Accepted	32-bit counter	Total number of internally initiated session closes that were acted upon
PCRF Initiated Close Attempts	32-bit counter	Total number of PCRF initiated close attempts
OCS Initiated Close Attempts	32-bit counter	Total number of OCS initiated close attempts
Idle Session Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to IDLE duration time exceeded
Maximal Session Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to MAXIMAL duration time exceeded
Operator Initiated Closes	32-bit counter	Total number of operator initiated sessions close attempts
Active Current Sessions	32-bit gauge	Current number of active sessions
Idle Current Sessions	32-bit gauge	Current number of idle sessions
Interval Peak Current Sessions	32-bit maximum	Interval Peak number of sessions
Interval Peak Active Current Sessions	32-bit maximum	Interval Peak number of active sessions
Interval Peak Idle Current Sessions	32-bit maximum	Interval Peak number of idle sessions
Default Bearers	32-bit gauge	Current number of default bearers
Dedicated Bearers	32-bit gauge	Current number of dedicated bearers
Interval Peak Bearers	32-bit maximum	Interval Peak number of bearers
Interval Peak Default Bearers	32-bit maximum	Interval Peak number of default bearers
Interval Peak Dedicated Bearers	32-bit maximum	Interval Peak number of dedicated bearers
Dhcp Release Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP release
Trace Session Activation Attempts	32-bit maximum	Total number of trace session activations received
Trace Session Activation Accepts	32-bit maximum	Total number of trace session activations accepted
Trace Session Deactivation Attempts	32-bit maximum	Total number of trace session deactivations received

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Trace Session Deactivation Accepts	32-bit maximum	Total number of trace session deactivations accepted
Dhcp Timeout Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address allocation timeout
Dhcp Lease Expiry Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address lease expiry
Radius Disconnect Local Closes	32-bit counter	Total number of local closes due to RADIUS disconnect from server
Current Sessions Rat Type Utran	32-bit gauge	Current number of UTRAN sessions
Current Sessions Rat Type Geran	32-bit gauge	Current number of GERAN sessions
Current Sessions Rat Type Wlan	32-bit gauge	Current number of WLAN sessions
Current Sessions Rat Type Gan	32-bit gauge	Current number of GAN sessions
Current Sessions Rat Type Hspa Evolution	32-bit gauge	Current number of HSPA Evolution sessions
Current Sessions Rat Type E Utran	32-bit gauge	Current number of E-UTRAN sessions
Current Sessions Rat Type Virtual	32-bit gauge	Current number of Virtual RAT sessions
Current Sessions Using Gz	32-bit gauge	Current number sessions using Gz interface
Current Unique Subscribers	32-bit gauge	Current number of unique subscribers
Current IPv4 PDN Sessions	32-bit gauge	Current number of IPv4 PDN sessions
Current IPv6 PDN Sessions	32-bit gauge	Current number of IPv6 PDN sessions
Current IPv4 IPv6 PDN Sessions	32-bit gauge	Current number of Dual Stack PDN sessions
Number of Rat Session Handovers	32-bit counter	Number of Rat Session Handover
Number of Sessions Setup with Default Gx Policy	32-bit counter	Number of sessions setup with default Gx policy
Number of Active Sessions with Default Gx Policy	32-bit gauge	Number of active sessions with default Gx policy and possibly awaiting PCRF rejoin
Number of Active Gx Replay Sessions Awaiting PCRF Rejoin	32-bit gauge	Number of active Gx replay sessions awaiting PCRF rejoin
Number of Gx Replay Sessions Terminated Exceeding Reserve Usage	32-bit counter	Number of Gx replay sessions terminated exceeding reserve usage
Local Close Attempts Duplicate Session	32-bit counter	Total number of local close attempts due to duplicate session

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Number of Control TEID Lookup Failures	32-bit counter	Number of lookup failures using the control TEID
Number of S5u Default Bearer Error Indications Processed	64-bit counter	Total number of S5u default bearer error indications processed
Number of S5u Default Bearer Error Indication Local Close Attempts	64-bit counter	Total number of local close attempts due to receipt of error indication on S5u default bearer
Number of S5u Dedicated Bearer Error Indications Processed	64-bit counter	Total number of S5u dedicated bearer error indications processed
Number of S5u Dedicated Bearer Error Indication Bearer Deactivation	64-bit counter	Total number of bearer deactivations due to receipt of error indication on S5u dedicated bearer
Change Notification Attempts	32-bit counter	Total number of change notification attempts
Change Notification Accepts	32-bit counter	Total number of change notification attempts accepted
Change Notification Rejects	32-bit counter	Total number of change notification attempts rejected
Change Notification Rejects Malformed Requests	32-bit counter	Total number of change notification attempts rejected due to malformed request
Change Notification Rejects Unknown APN	32-bit counter	Total number of change notification attempts rejected due to unknown APN
Change Notification Rejects Resource Unavailable	32-bit counter	Total number of change notification attempts rejected due to resources unavailable
Change Notification Rejects Service Not Supported	32-bit counter	Total number of change notification attempts rejected due to service not supported
Change Notification Rejects System Failure	32-bit counter	Total number of change notification attempts rejected due to system failure
Change Notification Rejects Misc	32-bit counter	Total number of change notification attempts rejected for miscellaneous reasons
Change Notification Requests Dropped	32-bit counter	Total number of change notification requests dropped
Local Close Attempts TEID Collision	32-bit counter	Total number of local close attempts due to TEID collision
Number of Successful PCRF Rejoin	32-bit counter	Number of sessions that successfully joined PCRF
Number of Error Indications Processed	32-bit counter	Total number of error indications processed

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Local Close Received Error Indication Attempts	32-bit counter	Total number of local close attempts due to receipt of error indication
Dedicated Bearer Deactivations Due to Error Indication	32-bit counter	Total number of dedicated bearer deactivations due to receipt of error indication
Num GTPP CDR Sent	32-bit counter	Number of GTPP CDRs that were sent successfully
Num GTPP CDR Response Success	32-bit counter	Number of GTPP CDRs for which a success response was received.
Num GTPP CDR Response Failure	32-bit counter	Number of GTPP CDRs for which a failure response was received.
Num GTPP CDR Response Timeout	32-bit counter	Number of GTPP CDRs for which there was no response received within the expected time.
Bearers Setup Success	32-bit counter	Total number of bearers setup successful
Bearers Setup Fail	32-bit counter	Total number of bearers setup failed
Current Bearers QCI1	32-bit gauge	Total number of current bearers with QCI 1
Current Bearers QCI2	32-bit gauge	Total number of current bearers with QCI 2
Current Bearers QCI3	32-bit gauge	Total number of current bearers with QCI 3
Current Bearers QCI4	32-bit gauge	Total number of current bearers with QCI 4
Current Bearers QCI5	32-bit gauge	Total number of current bearers with QCI 5
Current Bearers QCI6	32-bit gauge	Total number of current bearers with QCI 6
Current Bearers QCI7	32-bit gauge	Total number of current bearers with QCI 7
Current Bearers QCI8	32-bit gauge	Total number of current bearers with QCI 8
Current Bearers QCI9	32-bit gauge	Total number of current bearers with QCI 9
Current Bearers QCI Other	32-bit gauge	Total number of current bearers with QCI Between 10 and 255
Bearer Setup Success QCI1	32-bit counter	Total number of bearers setup successful with QCI 1
Bearer Setup Success QCI2	32-bit counter	Total number of bearers setup successful with QCI 2
Bearer Setup Success QCI3	32-bit counter	Total number of bearers setup successful with QCI 3

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Bearer Setup Success QCI4	32-bit counter	Total number of bearers setup successful with QCI 4
Bearer Setup Success QCI5	32-bit counter	Total number of bearers setup successful with QCI 5
Bearer Setup Success QCI6	32-bit counter	Total number of bearers setup successful with QCI 6
Bearer Setup Success QCI7	32-bit counter	Total number of bearers setup successful with QCI 7
Bearer Setup Success QCI8	32-bit counter	Total number of bearers setup successful with QCI 8
Bearer Setup Success QCI9	32-bit counter	Total number of bearers setup successful with QCI 9
Bearer Setup Success QCI Other	32-bit counter	Total number of bearers setup successful with QCI between 10 and 255
Bearer Setup Fail QCI1	32-bit counter	Total number of bearers setup failed with QCI 1
Bearer Setup Fail QCI2	32-bit counter	Total number of bearers setup failed with QCI 2
Bearer Setup Fail QCI3	32-bit counter	Total number of bearers setup failed with QCI 3
Bearer Setup Fail QCI4	32-bit counter	Total number of bearers setup failed with QCI 4
Bearer Setup Fail QCI5	32-bit counter	Total number of bearers setup failed with QCI 5
Bearer Setup Fail QCI6	32-bit counter	Total number of bearers setup failed with QCI 6
Bearer Setup Fail QCI7	32-bit counter	Total number of bearers setup failed with QCI 7
Bearer Setup Fail QCI8	32-bit counter	Total number of bearers setup failed with QCI 8
Bearer Setup Fail QCI9	32-bit counter	Total number of bearers setup failed with QCI 9
Bearer Setup Fail QCI Other	32-bit counter	Total number of bearers setup failed with QCI between 10 and 255
Saegw Pgw Current Sessions	32-bit counter	SAEGW-PGW current number of sessions

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Saegw Pgw Current Sessions S5S8 Geran	64-bit counter	SAEGW-PGW current number of S5S8 GERAN sessions
Saegw Pgw Current Sessions S5S8 Utran	64-bit counter	SAEGW-PGW current number of S5S8 UTRAN sessions
Saegw Rat Type EUTRAN Sessions	64-bit gauge	SAEGW-PGW current number of E-UTRAN sessions
Saegw Rat Type NB-IoT EUTRAN Sessions	64-bit gauge	SAEGW-PGW current number of NB-IoT E-UTRAN sessions
Non IP PDN Sessions	64-bit gauge	Current number of Non IP PDN sessions
Saegw Pgw Current Sessions EUTRAN	64-bit counter	SAEGW-PGW current number of E-UTRAN sessions
Saegw Pgw Current Sessions EUTRAN	64-bit counter	SAEGW-PGW current number of E-UTRAN sessions
Saegw Pgw Current Bearers	32-bit counter	SAEGW-PGW current number of bearers
Saegw Pgw Bearers Setup Success	32-bit counter	SAEGW-PGW total number of bearers setup successful
Saegw Pgw Bearers Setup Fail	32-bit counter	SAEGW-PGW total number of bearers setup failed
Saegw Pgw Current Bearers QCI1	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 1
Saegw Pgw Current Bearers QCI2	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 2
Saegw Pgw Current Bearers QCI3	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 3
Saegw Pgw Current Bearers QCI4	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 4
Saegw Pgw Current Bearers QCI5	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 5
Saegw Pgw Current Bearers QCI6	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 6
Saegw Pgw Current Bearers QCI7	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 7
Saegw Pgw Current Bearers QCI8	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 8

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Saegw Pgw Current Bearers QCI9	32-bit gauge	SAEGW-PGW total number of current bearers with QCI 9
Saegw Pgw Current Bearers QCI Other	32-bit gauge	SAEGW-PGW total number of current bearers with QCI between 10 and 255
Saegw Pgw Bearer Setup Success QCI1	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 1
Saegw Pgw Bearer Setup Success QCI2	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 2
Saegw Pgw Bearer Setup Success QCI3	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 3
Saegw Pgw Bearer Setup Success QCI4	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 4
Saegw Pgw Bearer Setup Success QCI5	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 5
Saegw Pgw Bearer Setup Success QCI6	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 6
Saegw Pgw Bearer Setup Success QCI7	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 7
Saegw Pgw Bearer Setup Success QCI8	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 8
Saegw Pgw Bearer Setup Success QCI9	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 9
Saegw Pgw Bearer Setup Success QCI Other	32-bit counter	SAEGW-PGW total number of bearers setup successful with QCI 1
Saegw Pgw Bearer Setup Fail QCI1	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI between 10 and 255
Saegw Pgw Bearer Setup Fail QCI2	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 2
Saegw Pgw Bearer Setup Fail QCI3	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 3
Saegw Pgw Bearer Setup Fail QCI4	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 4
Saegw Pgw Bearer Setup Fail QCI5	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 5
Saegw Pgw Bearer Setup Fail QCI6	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 6

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Saegw Pgw Bearer Setup Fail QCI7	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 7
Saegw Pgw Bearer Setup Fail QCI8	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 8
Saegw Pgw Bearer Setup Fail QCI9	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI 9
Saegw Pgw Bearer Setup Fail QCI Other	32-bit counter	SAEGW-PGW total number of bearers setup failed with QCI between 10 and 255
Local Close Await CoA Timeout Attempts	32-bit counter	Total number of local close attempts due to no CoA received within the configured timeout
L2tp Gateway Session Delete Attempts	32-bit counter	Total number of L2tp gateway delete request attempts
Uplink Packets	64-bit counter	Total number of uplink packets received
Uplink Bytes	64-bit counter	Total number of uplink bytes received
Uplink Drop Packets	64-bit counter	Total number of uplink packets dropped
Uplink Drop Bytes	64-bit counter	Total number of uplink bytes dropped
Downlink Packets	64-bit counter	Total number of downlink packets received
Downlink Bytes	64-bit counter	Total number of downlink bytes received
Downlink Drop Packets	64-bit counter	Total number of downlink packets dropped
Downlink Drop Bytes	64-bit counter	Total number of downlink bytes dropped
Uplink Suspend Drop Packets	64-bit counter	Total number of uplink suspend packets dropped
Uplink Suspend Drop Bytes	64-bit counter	Total number of uplink suspend bytes dropped
Downlink Suspend Drop Packets	64-bit counter	Total number of downlink suspend packets dropped
Downlink Suspend Drop Bytes	64-bit counter	Total number of downlink suspend bytes dropped
Num Suspend Notification	32-bit counter	Total number of suspend notification requests received
Num Suspend Notification Accepts	32-bit counter	Total number of suspend notification requests accepted
Num Suspend Notification Rejects	32-bit counter	Total number of suspend notification requests rejected

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Num Resume Notification	32-bit counter	Total number of resume notification requests received
Num Resume Notification Accepts	32-bit counter	Total number of resume notification requests accepted
Num Resume Notification Rejects	32-bit counter	Total number of resume notification requests rejected
Delete PDP Context Drop Teardown Ind Missing Single Bearer Session	32-bit counter	Total number of delete PDP context dropped as teardown ind is missing in message with only one bearer in session
Delete PDP Context Drop Teardown Ind Missing For Default Bearer	32-bit counter	Total number of delete PDP context dropped as teardown ind is missing for default bearer in message
Num Sessions Setup with Default Gy Quota	32-bit counter	Number of sessions setups succeeded with default Gy quota
Num Active Sessions with Default Gy Quota	32-bit gauge	Number of active sessions setup with default quota and has not completed an OCS rejoin
Number Active Gy AP Trigger by CCRU	32-bit counter	Number of sessions currently using default quota triggered by CCR-U failure
Number Total Gy AP Trigger by CCRU	32-bit counter	Number of total sessions using default quota triggered by CCR-U failure
Num Active Gy Sessions Awaiting OCS Rejoin	32-bit gauge	Number active Gy sessions awaiting OCS rejoin, including: ■ Sessions setup with default Gy quota awaiting OCS rejoin ■ Sessions that failed CCR-Update awaiting OCS rejoin.
Num OCS Gy Rejoin Success	32-bit counter	Number of successful OCS Gy Rejoins
Num Default Gy Quota Reapplied	32-bit counter	Number of times default Gy Quota was applied due to CCR-I Failure
Num Default Gy Quota Applied CCR-U Failure	32-bit counter	Number of times default Gy Quota was applied due to CCR-U Failure
Num of Gx Sessions	32-bit gauge	Current number sessions using Gx interface
Num of Gy Sessions	32-bit gauge	Current number sessions using Gy interface
Num Gy Down Gy Rejoin Timer Restarted	32-bit counter	Number of times the Gy Rejoin timer was restarted because the OCS interface was down
Num S6b Initiated Close Attempts	32-bit counter	Total number of S6b initiated close attempts

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLT	Type	Description
Default Gy Uplink Bytes	32-bit counter	Total uplink bytes using default Gy Quota
Default Gy Downlink Bytes	32-bit counter	Total downlink bytes using default Gy Quota
Num Ignore SPR Radius Failure Sessions	32-bit counter	Total number of sessions that ignored Radius failure
Num Bearer Idle Duration Exceeded Closes	32-bit counter	Total number of bearers deactivated due to IDLE duration time exceeded
Num of Active S6b Sessions	32-bit gauge	Number of active S6b sessions
Num Inter Access Handover Req No Session Reject	32-bit counter	Total number of interaccess handover create session requests rejected with no session
Num Inter Access Handover Req No Session Accept	32-bit counter	Total number of interaccess handover create session requests accepted with no session
Number of DNS Attempts	64-bit counter	DNS request attempts
Number of DNS Send Success	64-bit counter	DNS request success
Number of DNS Send Failed No Config	64-bit counter	DNS request send failed - no DNS configuration
Number of DNS Failed Misc	64-bit counter	DNS request send failed - miscellaneous
Number of DNS Responses	64-bit counter	DNS response - total received
Number of DNS Response Success	64-bit counter	DNS response success
Number of DNS Response Fail No Response	64-bit counter	DNS response failed - no response from server
Number of DNS Response Fail No Name	64-bit counter	DNS response failed - domain name not found
Number of DNS Response Fail No Data	64-bit counter	DNS response failed - no data
Number of DNS Response Fail Misc	64-bit counter	DNS response failed - miscellaneous
Num Pco Pcsf Default Fqdn Used	64-bit counter	Total number of times default P-CSCF FQDN used for DNS lookup
Num Pco Pcsf Table Used	64-bit counter	Total number of times P-CSCF IP Address used for P-CSCF IP Address allocation
Number of Saegw Pgw Uplink Packets	64-bit counter	Total number of uplink packets for SAEGW PGW sessions
Number of Saegw Pgw Uplink Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW sessions
Number of Saegw Pgw Downlink Packets	64-bit counter	Total number of downlink packets for SAEGW PGW sessions

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Number of Saegw Pgw Downlink Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW sessions
Number of Saegw Pgw Uplink Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW sessions
Number of SaegwPgwUplinkDropBytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW sessions
Number of Saegw Pgw Downlink Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW sessions
Number of Saegw Pgw Downlink Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW sessions
Number of Uplink S5S8 Geran Packets	64-bit counter	Total number of uplink packets for PGW S5S8 GERAN sessions
Number of Uplink S5S8 Geran Bytes	64-bit counter	Total number of uplink bytes for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Packets	64-bit counter	Total number of downlink packets for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Bytes	64-bit counter	Total number of downlink bytes for PGW S5S8 GERAN sessions
Number of Uplink S5S8 Geran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW S5S8 GERAN sessions
Number of Uplink S5S8 Geran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW S5S8 GERAN sessions
Number of Downlink S5S8 Geran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW S5S8 GERAN sessions
Number of SaegwPgw Uplink S5S8 Geran Packets	64-bit counter	Total number of uplink packets for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Uplink S5S8 Geran Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Downlink S5S8 Geran Packets	64-bit counter	Total number of downlink packets for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Downlink S5S8 Geran Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Uplink S5S8 Geran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW S5S8 GERAN sessions

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Number of Saegw Pgw Uplink S5S8 Geran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Downlink S5S8 Geran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW S5S8 GERAN sessions
Number of Saegw Pgw Downlink S5S8 Geran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW S5S8 GERAN sessions
Number of Uplink S5S8 Utran Packets	64-bit counter	Total number of uplink packets for PGW S5S8 UTRAN sessions
Number of Uplink S5S8 Utran Bytes	64-bit counter	Total number of uplink bytes for PGW S5S8 UTRAN sessions
Number of Downlink S5S8 Utran Packets	64-bit counter	Total number of downlink packets for PGW S5S8 UTRAN sessions
Number of Downlink S5S8 Utran Bytes	64-bit counter	Total number of downlink bytes for PGW S5S8 UTRAN sessions
Number of Uplink S5S8 Utran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW S5S8 UTRAN sessions
Number of Uplink S5S8 Utran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW S5S8 UTRAN sessions
Number of Downlink S5S8 Utran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW S5S8 UTRAN sessions
Number of Downlink S5S8 Utran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Packets	64-bit counter	Total number of uplink packets for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Downlink S5S8 Utran Packets	64-bit counter	Total number of downlink packets for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Downlink S5S8 Utran Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Uplink S5S8 Utran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Saegw Pgw Downlink S5S8 Utran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW S5S8 UTRAN sessions

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Number of Saegw Pgw Downlink S5S8 Utran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW S5S8 UTRAN sessions
Number of Uplink Eutran Packets	64-bit counter	Total number of uplink packets for PGW EUTRAN sessions
Number of Uplink Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW EUTRAN sessions
Number of Downlink Eutran Packets	64-bit counter	Total number of downlink packets for PGW EUTRAN sessions
Number of Downlink Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW EUTRAN sessions
Number of Uplink Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW EUTRAN sessions
Number of Uplink Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW EUTRAN sessions
Number of Downlink Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW EUTRAN sessions
Number of Downlink Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Uplink Eutran Packets	64-bit counter	Total number of uplink packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Uplink Eutran Bytes	64-bit counter	Total number of uplink bytes for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Downlink Eutran Packets	64-bit counter	Total number of downlink packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Downlink Eutran Bytes	64-bit counter	Total number of downlink bytes for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Uplink Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Uplink Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW PGW EUTRAN sessions
Number of SaegwPgw Downlink Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW PGW EUTRAN sessions
Number of Saegw Pgw Downlink Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW PGW EUTRAN sessions
Number of Uplink NBIot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Number of Uplink NBIot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number of Downlink NBIot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions
Number of Downlink NBIot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number of Uplink NBIot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number of Uplink NBIot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number of Downlink NBIot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number of Downlink NBIot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Downlink NBIot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Downlink NBIot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Uplink NBIot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Downlink NBIot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number of Saegw Pgw Downlin kNBIot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number of Uplink GnGp Geran P ackets	64-bit counter	Total number of uplink GnGp GERAN packets received
Number of Uplink GnGp Geran Bytes	64-bit counter	Total number of uplink GnGp GERAN bytes received
Number of Uplink GnGp Geran Drop Packets	64-bit counter	Total number of uplink GnGp GERAN packets dropped

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Number of Uplink GnGp Geran Drop Bytes	64-bit counter	Total number of uplink GnGp GERAN bytes dropped
Number of Downlink GnGp Geran Packets	64-bit counter	Total number of downlink GnGp GERAN packets received
Number of Downlink GnGp Geran Bytes	64-bit counter	Total number of downlink GnGp GERAN bytes received
Number of Downlink GnGp Geran Drop Packets	64-bit counter	Total number of downlink GnGp GERAN packets dropped
Number of Downlink GnGp Geran Drop Bytes	64-bit counter	Total number of downlink GnGp GERAN bytes dropped
Number of Uplink GnGp Utran Packets	64-bit counter	Total number of uplink GnGp UTRAN packets received
Number of Uplink GnGp Utran Bytes	64-bit counter	Total number of uplink GnGp UTRAN bytes received
Number of Uplink GnGp Utran Drop Packets	64-bit counter	Total number of uplink GnGp UTRAN packets dropped
Number of Uplink GnGp Utran Drop Bytes	64-bit counter	Total number of uplink GnGp UTRAN bytes dropped
Number of Downlink GnGp Utran Packets	64-bit counter	Total number of downlink GnGp UTRAN packets received
Number of Downlink GnGp Utran Bytes	64-bit counter	Total number of downlink GnGp UTRAN bytes received
Number of Downlink GnGp Utran Drop Packets	64-bit counter	Total number of downlink GnGp UTRAN packets dropped
Number of Downlink GnGp Utran Drop Bytes	64-bit counter	Total number of downlink GnGp UTRAN bytes dropped
Number of SPR Authentication Request Attempts	32-bit counter	Number of SPR Authentication Request attempts
Number of SPR Authentication Requests Accepted	32-bit counter	Number of SPR Authentication Requests accepted
Number of SPR Authentication Requests Rejected	32-bit counter	Number of SPR Authentication Requests rejected
Number of SPR Authentication Request Timeouts	32-bit counter	Number of SPR Authentication Request timeouts
Number of Accounting Start Request Attempts	32-bit counter	Number of Accounting Start Request attempts

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Number of Accounting Start Requests Accepted	32-bit counter	Number of Accounting Start Requests accepted
Number of Accounting Start Request Timeouts	32-bit counter	Number of Accounting Start Request timeouts
Number of Accounting Interim Update Request Attempts	32-bit counter	Number of Accounting Interim Update Request attempts
Number of Accounting Interim Update Requests Accepted	32-bit counter	Number of Accounting Interim Update Requests accepted
Number of Accounting Interim Update Request Timeouts	32-bit counter	Number of Accounting Interim Update Request timeouts
Number of Accounting Stop Request Attempts	32-bit counter	Number of Accounting Stop Request attempts
Number of Accounting Stop Requests Accepted	32-bit counter	Number of Accounting Stop Requests accepted
Number of Accounting Stop Request Timeouts	32-bit counter	Number of Accounting Stop Request timeouts
Number TTL Excd Drop Packets	64-bit counter	Number of TTL 0 drop packets
Number TTL Excd Drop Bytes	64-bit counter	Number of TTL 0 drop bytes
Number Frag Send Packets	64-bit counter	Number of IP packets fragmented before sending on the tunnel
Number Frag Send Bytes	64-bit counter	Number of IP bytes fragmented before sending on the tunnel
Number Frag Fail Packets	64-bit counter	Number of IP packets filed in fragmentation
Number Frag Fail Bytes	64-bit counter	Number of IP bytes filed in fragmentation
Number Uplink Acl Drop Packets	64-bit counter	Number of uplink ACL drop packets
Number Uplink Acl Drop Bytes	64-bit counter	Number of uplink ACL drop bytes
Number Downlink Acl Drop Packets	64-bit counter	Number of downlink ACL drop packets
Number Downlink Acl Drop Bytes	64-bit counter	Number of downlink ACL drop bytes
Number Bad Src Addr Drop Packets	64-bit counter	Number of bad source address drop packets
Number Bad Src Addr Drop Bytes	64-bit counter	Number of bad source address drop bytes
Number No TFT Drop Packets	64-bit counter	Number of no traffic flow template drop packets
Number No TFT Drop Bytes	64-bit counter	Number of no traffic flow template drop bytes
Number Bad UE Addr Drop Packets	64-bit counter	Number of bad UE address drop packets

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Number Bad UE Addr Drop Bytes	64-bit counter	Number of bad UE address drop bytes
Number MTU Drop Packets	64-bit counter	Number of MTU drop packets
Number MTU Drop Bytes	64-bit counter	Number of MTU drop bytes
Number No Route Drop Packets	64-bit counter	Number of no route drop packets
Number No Route Drop Bytes	64-bit counter	Number of no route drop routes
Number No Egress Intf Drop Packets	64-bit counter	Number of no egress interface drop packets
Number No Egress Intf Drop Bytes	64-bit counter	Number of no egress interface drop bytes
Current Sessions Rat Type Nbiot Eutran	32-bit gauge	Current number of NBIOT-EUTRAN RAT sessions
Saegw Pgw Current Sessions Nbiot Eutran	32-bit gauge	SAEGW-PGW Current number of NBIOT E-UTRAN sessions
Number Uplink Nbiot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number Uplink Nbiot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number Uplink Nbiot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number Uplink Nbiot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Number Saegw Pgw Downlink Nbiot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number Gy CCRT Write To Disk	32-bit counter	Number of record logs to disk due to CCR-T failure
Number Gy AP Trigger By Protocol Error	32-bit counter	Number of total sessions using default quota triggered by 3xx result code
Number Gy AP Trigger By Transient Failure	32-bit counter	Number of total sessions using default quota triggered by 4xx result code
Number Gy AP Trigger By Permanent Failure	32-bit counter	Number of total sessions using default quota triggered by 5xx result code
Number Gy AP Trigger By Message Timeout	32-bit counter	Number of total sessions using default quota triggered by timeout
Number Gy AP Trigger By Link Down	32-bit counter	Number of total session using default quota triggered by OCS link down
Number Gy AP Trigger By Internal Failure	32-bit counter	Number of total sessions using default quota triggered by internal error of back pressure
Number Start Pilot Packets Sent	64-bit counter	Total number of Session-Start Pilot Packets sent
Number Stop Pilot Packets Sent	64-bit counter	Total number of Session-Stop Pilot Packets sent
Number RAT Change Pilot Packets Sent	64-bit counter	Total number of Rat-Change Pilot Packets sent
Number Bearer Stats With No SR Stats	64-bit counter	Total number of CDRs with bearer traffic stats but no service rule stats.
Number Sess Setup Success Apn Matching Exact Match	32-bit counter	Total number of create session requests accepted with APN matching type exact match
Number Sess Setup Success Apn Matching Ni Only	32-bit counter	Total number of create session requests accepted with APN matching type NI only

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Number Sess Setup Success Apn Matching Ni And Malformed Oi	32-bit counter	Total number of create session requests accepted with APN matching type NI and malformed OI
Number Pdp Sess Setup Success Apn Matching Exact Match	64-bit counter	Total number of create PDP session requests accepted with APN matching type exact match
Number Pdp Sess Setup Success Apn Matching Ni Only	64-bit counter	Total number of create PDP session requests accepted with APN matching type NI only
Number Pdp Sess Setup Success Apn Matching Ni And Malformed Oi	64-bit counter	Total number of create PDP session requests accepted with APN matching type NI and malformed OI
Number Delete Session Reject Mismatched Src And Fteid IP	32-bit counter	Total number of delete session requests rejected due to source IP and F-TEID IP mismatch
Number Delete PDP Reject Mismatched Src And Fteid IP	32-bit counter	Total number of delete PDP context requests rejected due to source IP and F-TEID IP mismatch
Number Modify Bearer Reject Mismatched Src And Fteid IP	32-bit counter	Total number of modify bearer requests rejected due to source IP and F-TEID IP mismatch
Number Update PDP Reject Mismatched Src And Fteid IP	32-bit counter	Total number of update PDP context requests rejected due to source IP and F-TEID IP mismatch
Number Local Close Create Session Parallel PDN	32-bit counter	Total number of sessions locally closed due to parallel PDN connection setup
Number Local Close Create PDP Parallel PDN	32-bit counter	Total number of PDP contexts locally closed due to parallel PDN connection setup
Number Modify Bearer Reject Context Not Found	32-bit counter	Total number of modify bearer attempts rejected due to context not found
Number SGSN Init Update PDP Reject Context Not Found	32-bit counter	Total number of SGSN initiated update PDP context attempts rejected due to context not found
Number Current Geo Sync Restored Sessions	64-bit gauge	Current number of PDN sessions restored from Geo Active
Minimum Control Plane Teid Reuse Duration	32-bit gauge	Minimum duration in which Control Plane TEID got reused
Minimum User Plane Teid Reuse Duration	32-bit gauge	Minimum duration in which User Plane TEID got reused

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Number Delete Session Rejected Invalid Peer	32-bit counter	Total number of delete PDP session requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Delete PDP Ctxt Rejected Invalid Peer	32-bit counter	Total number of delete PDP context requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Create Bearer Resp Dropped Invalid Peer	32-bit counter	Total number of create bearer responses dropped due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Bearer Rsrc Cmd Rejected Invalid Peer	32-bit counter	Total number of bearer resource commands rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Create PDP Ctxt Req Rejected Invalid Peer	32-bit counter	Total number of create PDP context requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Change Notification Rejected Invalid Peer	32-bit counter	Total number of change notification requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Modify Bearer Req Rejected Invalid Peer	32-bit counter	Total number of modify bearer requests dropped due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Update PDP Ctxt Req Rejected Invalid Peer	32-bit counter	Total number of update PDP context requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Delete Bearer Cmd Rejected Invalid Peer	32-bit counter	Total number of modify bearer commands rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Delete Bearer Resp Dropped Invalid Peer	32-bit counter	Total number of delete bearer responses dropped due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Delete PDP Ctxt Resp Dropped Invalid Peer	32-bit counter	Total number of delete PDP context responses dropped due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Modify Bearer Cmd Rejected Invalid Peer	32-bit counter	Total number of modify bearer commands rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Update Bearer Resp Dropped Invalid Peer	32-bit counter	Total number of update bearer responses dropped due to source IP and F-TEID IP mismatch or IMSI mismatch

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Number Update PDP Ctxt Resp Dropped Invalid Peer	32-bit counter	Total number of update PDP context responses dropped due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Gtpv1 Init PDP Ctxt Activation Resp Dropped Invalid Peer	32-bit counter	Total number of init PDP context activation responses dropped due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Trace Session Activation Rejected Invalid Peer	32-bit counter	Total number of trace session activation requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Trace Session Deactivation Rejected Invalid Peer	32-bit counter	Total number of trace session deactivation requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Suspend Notification Rejected Invalid Peer	32-bit counter	Total number of suspend notification requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Resume Notification Rejected Invalid Peer	32-bit counter	Total number of resume notification requests rejected due to source IP and F-TEID IP mismatch or IMSI mismatch
Number Stats Update For Missing SRs For Active Sessions	32-bit counter	Total number of missing Service Rule stats update for active sessions
Number Stats Update For Missing SRs For Deactivate Sessions	32-bit counter	Total number of missing Service Rule stats update for sessions in deactivate state
Number CDRs With Zero Service Data Containers	32-bit counter	Total number of CDRs generated with zero service data containers
Number Sig Info Lookup Successful And Filled Configured Values	32-bit counter	Total number of sessions filled with configured values for Signalling Information Elements
Number Sig Info Lookup Failure	32-bit counter	Total number of sessions that did not have configured Signalling Information Elements
Number of Sessions in Local Database	32-bit counter	Total number of sessions in local database
Number of Create Session Dropped Proc Limit	32-bit counter	Total number of create session requests rejected due to procedure limit reached
Number of Create Pdp Dropped Proc Limit	32-bit counter	Total number of create PDP context requests rejected due to procedure limit reached
Number of Delete Session Dropped Proc Limit	32-bit counter	Total number of delete session requests rejected due to procedure limit reached
Number of Delete Pdp Dropped Proc Limit	32-bit counter	Total number of delete PDP context requests rejected due to procedure limit reached

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Number of Total Sessions With Terminate Timer	32-bit counter	Number of times session terminate timer started because Gy interface was down
Number of Current Sessions With Terminate Timer	32-bit counter	Number of active sessions with session terminate timer running
Create Session Reject Session Blocked	32-bit counter	Total number of create session requests rejected due to session blocked
Local Close Attempts Session Blocked	32-bit counter	Total number of local close attempts due to session blocked
Number Local Close Terminate Service Rule	32-bit counter	Total number of local closes due to traffic through service rule with terminate action
NumCreateSessionLapiAttempt	32-bit counter	Total number of create session attempts with LAPI bit set
NumCreateSessionLapiAccept	32-bit counter	Total number of create session with LAPI attempts accepted
NumCreateSessionLapiReject	32-bit counter	Total number of create session attempts with LAPI rejected
NumSessSetupFailuresExternalErrors	32-bit counter	Total number of session setup failures due to external errors
NumSessDeactivationsExternalErrors	32-bit counter	Total number of session deactivations due to external errors
NumSessSetupFailuresLocalErrors	32-bit counter	Total number of session setup failures due to local errors
NumSessDeactivationsLocalErrors	32-bit counter	Total number of session deactivations due to local errors
NumDnsCacheHits	32-bit counter	DNS - Records found in cache
NumDnsCacheHitsNaptr	32-bit counter	DNS - Naptr records found in cache
NumDnsCacheHitsSrv	32-bit counter	DNS - Srv records found in cache
NumDnsCacheHitsA	32-bit counter	DNS - A/AAA records found in cache
NumCreateSessionRequestsThrottledClusterRate Control	32-bit counter	Number of create session requests throttled due to cluster level rate control
NumCreateSessionRequestsThrottledApnRateControl	32-bit counter	Number of create session requests throttled due to APN level rate control
NumCreatePDPCContextRequestsThrottledClusterRate Control	32-bit counter	Number of create PDP context requests throttled due to cluster level rate control

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
NumCreatePDPCContextRequestsThrottledApnRate Control	32-bit counter	Number of create PDP context requests throttled due to APN level rate control
Connected Device Flows	64-bit counter	Connected device flows
Connected Device Uplink Packets	64-bit counter	Connected device uplink packets
Connected Device Uplink Bytes	64-bit counter	Connected device uplink bytes
Connected Device Downlink Packets	64-bit counter	Connected device downlink packets
Connected Device Downlink Bytes	64-bit counter	Connected device downlink bytes
Tethered Device Flows	64-bit counter	Tethered device flows
Tethered Device Uplink Packets	64-bit counter	Tethered device uplink packets
Tethered Device Uplink Bytes	64-bit counter	Tethered device uplink bytes
Tethered Device Downlink Packets	64-bit counter	Tethered device downlink packets
Tethered Device Downlink Bytes	64-bit counter	Tethered device downlink bytes
Tethering Entitled Flows	64-bit counter	Total Number of tethering entitled flows
Tethering Entitled Uplink Packets Passed	64-bit counter	Total Number of tethering entitled uplink packets passed
Tethering Entitled Uplink Bytes Passed	64-bit counter	Total Number of tethering entitled uplink bytes passed
Tethering Entitled Downlink Packets Passed	64-bit counter	Total Number of tethering entitled downlink packets passed
Tethering Entitled Downlink Bytes Passed	64-bit counter	Total Number of tethering entitled downlink bytes passed
Tethered Flows Detected Using TTL	64-bit counter	Tethered flows detected using Ttl
Tethered Flows Detected Using User Agent	64-bit counter	Tethered flows detected using user agent
NumCreateSessionRejectTamFailure	32-bit counter	Total number of create session attempts rejected - due to TAM failure
NumCreatePdpRejectTamFailure	64-bit counter	Total number of create PDP context attempts rejected - due to TAM failure
Create Cups Session Attempts	64-bit counter	Total number of create CUPS session attempts
Create Cups Session Success	64-bit counter	Total number of create CUPS session attempts success

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
Create Cups Session Failure	64-bit counter	Total number of create CUPS session attempts failed
Modify Cups Session Attempts	64-bit counter	Total number of modify CUPS session attempts
Modify Cups Session Success	64-bit counter	Total number of modify CUPS session attempts success
Modify Cups Session Failure	64-bit counter	Total number of modify CUPS session attempts failed
Delete Cups Session Attempts	64-bit counter	Total number of delete CUPS session attempts
Delete Cups Session Success	64-bit counter	Total number of delete CUPS session attempts success
Delete Cups Session Failure	64-bit counter	Total number of delete CUPS session attempts failed
Num Local Close Session Monitor	64-bit counter	Number of session locally closed due to U-Plane session monitor failed
Current Cups Sessions	64-bit counter	Number of current CUPS sessions
Num PGW Triggered QoS Update	64-bit counter	Total number of PGW triggered QoS updates
NumSessionsEstablishedWithExistingImsiAndApn	64-bit counter	Total number of sessions established with IMSI/APN combination for which a session is already established
NumPGWInitDedBearerActPartialAccept	64-bit counter	Total number of PGW initiated dedicated bearer activation attempts partially accepted
NumUpdateBearerPartialAccept	64-bit counter	Total number of update bearer requests partially accepted
TetheredFlowsDetectedUsingTcpIpFingerprinting	64-bit counter	Total number of tethered flows detected by TCP-IP fingerprinting
Tethered Flows Detected Using GQUIC User Agent	64-bit counter	Tethered flows detected using GQUIC user agent
NumDnsResponseFailTimeout	32-bit counter	DNS Response Failed - Session timeout waiting for DNS
NumDnsResponseDropNoIntf	32-bit counter	DNS Response Failed - Dropped no SL interface
NumDnsResponseDropNoSession	32-bit counter	DNS Response Failed - Dropped no session
NumDnsResponseDropNoPdnSession	32-bit counter	DNS Response Failed - Dropped no PDN session

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
NumSessionPendedForDns	32-bit counter	Sessions pended for DNS
NumSessionPendedForDnsSuccess	32-bit counter	DNS success for pended sessions
NumSessionPendedForDnsTimeout	32-bit counter	DNS timeout for pended sessions
3gppToNon3gppDelayedHandovers		Total number of 3GPP to Non-3GPP handovers delayed
3gppToNon3gppDelayedHandoverCompletedOnFirstUplinkPacket		Total number of 3GPP to Non-3GPP delayed handovers completed on first uplink packet received on Non-3GPP tunnel
3gppToNon3gppDelayedHandoverCompletedOnTimerExpiry		Total number of 3GPP to Non-3GPP delayed handovers completed on timer expiry
3gppToNon3gppDelayedHandoverCompletedOnBackToBackHO		Total number of 3GPP to Non-3GPP delayed handovers completed on back to back handovers
3gppToNon3gppDelayedHandoverCompletedOnOtherEvent		Total number of 3GPP to Non-3GPP delayed handovers completed on other application triggered events
NumApplicationStartNotificationsRcvd	32-bit counter	Number of Application Start Notifications received from fastpath
NumApplicationStopNotificationsRcvd	32-bit counter	Number of Application Stop Notifications received from fastpath
NumGxApplicationStartNotificationsSuccess	32-bit counter	Number of Gx Application Start Notifications sent successfully to PCRF
NumGxApplicationStartNotificationsFailed	32-bit counter	Number of Gx Application Start Notifications send failed to PCRF
NumGxApplicationStopNotificationsSuccess	32-bit counter	Number of Gx Application Stop Notifications sent successfully to PCRF
NumGxApplicationStopNotificationsFailed	32-bit counter	Number of Gx Application Stop Notifications send failed to PCRF
NumSessionMonitorModificationsSent	32-bit counter	Number of session monitor modifications sent
NumSdApplicationStartNotificationsSuccess	32-bit counter	Number of SD application start notifications sent successfully to PCRF
NumSdApplicationStartNotificationsFailed	32-bit counter	Number of SD application start notifications send failed to PCRF
NumSdApplicationStopNotificationsSuccess	32-bit counter	Number of SD application stop notifications sent successfully to PCRF

Table 1-105 Packet Data Network Gateway Call Performance Statistics

PGWCALLPERFSTATSGRID PGWCALLPERFSTATSCHASSIS PGWCALLPERFSTATSSLOT	Type	Description
NumSdApplicationStopNotificationsFailed	32-bit counter	Number of SD application stop notifications send failed to PCRF
NumLocalClosePcrfDownSessionHoldTime	32-bit counter	Number of session locally closed due to PCRF down session hold time expiry
NumCreateSessionRejectsAccountingOnPending	32-bit counter	Number of create session rejects due to pending Radius Account On request
NumCreatePdpContextsRejectsAccountingOnPending	32-bit counter	Number of create PDP context rejects due to pending Radius Account On request
NumCreateSessionRejectChangeSessionToColocated Failed	32-bit counter	Number of create session requests rejected change session to colocated failure
NumCreateSessionRejectsOverload	64-bit counter	Number of create session requests rejected due to overload
NumCreateBearerRejectsOverload	64-bit counter	Number of create bearer requests rejected due to overload
Num Manifest Server Requests Sent	64-bit counter	Number of manifest server requests sent to MFI task
Num Manifest Server Responses Received	64-bit counter	Number of manifest server responses received from MFI task
TetheredFlowsDetectedUsingGquicUserAgent	64-bit counter	Tethered flows detected using GQUIC user agent

Packet Data Network Gateway Procedure Statistics

Note: These statistics are displayed when at least one PGW service is configured and running.

Table 1-106 Packet Data Network Gateway Procedure Statistics

PGWPROCEDUREGRID PGWPROCEDURECHASSIS PGWPROCEDURESLOT	Type	Description
Num Create Session Success	32-bit counter	Total number of create session success
Num Create Session Fail	32-bit counter	Total number of create session fail
Num Modify Bearer Success	32-bit counter	Total number of modify bearer success
Num Modify Bearer Fail	32-bit counter	Total number of modify bearer fail
Num Delete Session Success	32-bit counter	Total number of delete session success
Num Delete Session Fail	32-bit counter	Total number of delete session fail
Num Nw Initiated Modify QoS Success	32-bit counter	Total number of network initiated modify QoS success
Num Nw Initiated Modify QoS Fail	32-bit counter	Total number of network initiated modify QoS fail
Num Nw Initiated Modify QoS Temp Reject	32-bit counter	Total number of network initiated modify QoS temporarily rejected
Num Nw Initiated Modify Bearer Success	32-bit counter	Total number of network initiated modify Bearer success
Num Nw Initiated Modify Bearer Fail	32-bit counter	Total number of network initiated modify Bearer fail
Num Nw Initiated Modify Bearer Temp Reject	32-bit counter	Total number of network initiated modify Bearer temporarily rejected
Num Nw Initiated Deactivate Subscriber Success	32-bit counter	Total number of network initiated deactivate subscriber success
Num Nw Initiated Deactivate Subscriber Fail	32-bit counter	Total number of network initiated deactivate subscriber fail
Num Nw Initiated Active Bearer Success	32-bit counter	Total number of network initiated activate bearer success
Num Nw Initiated Active Bearer Fail	32-bit counter	Total number of network initiated activate bearer fail

Table 1-106 Packet Data Network Gateway Procedure Statistics

PGWPROCEDUREGRID PGWPROCEDURECHASSIS PGWPROCEDURESLOT	Type	Description
Num Nw Initiated Activate Bearer Temp Reject	32-bit counter	Total number of network initiated activate bearer temporarily rejected
Num Nw Initiated Deactivate Bearer Success	32-bit counter	Total number of network initiated deactivate bearer success
Num Nw Initiated Deactivate Bearer Fail	32-bit counter	Total number of network initiated deactivate bearer fail
Num Nw Initiated Deactivate Bearer Temp Reject	32-bit counter	Total number of network initiated deactivate bearer temporarily rejected
Num UE Initiated Modify QoS Success	32-bit counter	Total number of UE initiated modify QOS success
Num UE Initiated Modify QoS Fail	32-bit counter	Total number of UE initiated modify QOS fail
Num UE Initiated Activate Bearer Success	32-bit counter	Total number of UE initiated activate bearer success
Num UE Initiated Activate Bearer Fail	32-bit counter	Total number of UE initiated activate bearer fail
Num UE Initiated Deactivate Bearer Success	32-bit counter	Total number of UE initiated deactivate bearer success
Num UE Initiated Deactivate Bearer Fail	32-bit counter	Total number of UE initiated deactivate bearer fail
Num SGW Change Success	32-bit counter	Total number of SGW change success
Num SGW Change Fail	32-bit counter	Total number of SGW change fail
Num Change Notification Success	32-bit counter	Total number of change notification success
Num Change Notification Fail	32-bit counter	Total number of change notification fail
Num FSAPI Migrate Session Create Success	32-bit counter	Total number of FSAPI migrate session create success
Num FSAPI Migrate Session Create Fail	32-bit counter	Total number of FSAPI migrate session create failure
Num Inter SGW Handover Success	32-bit counter	Total number of inter SGW handover success
Num Inter SGW Handover Fail	32-bit counter	Total number of inter SGW handover fail
Num Inter SGSN Handover Success	32-bit counter	Total number of inter SGSN handover success
Num Inter SGSN Handover Fail	32-bit counter	Total number of inter SGSN handover fail
Num LTE to GnGp Handover Success	32-bit counter	Total number of LTE to Gn/Gp handover success

Table 1-106 Packet Data Network Gateway Procedure Statistics

PGWPROCEDUREGRID PGWPROCEDURECHASSIS PGWPROCEDURESLOT	Type	Description
Num LTE to GnGp Handover Fail	32-bit counter	Total number of LTE to Gn/Gp handover fail
Num GnGp to LTE Handover Success	32-bit counter	Total number of Gn/Gp to LTE handover success
Num GnGp to LTE Handover Fail	32-bit counter	Total number of Gn/Gp to LTE handover fail
Num L2tp Gateway Session Delete Success	32-bit counter	Total number of L2TP gateway session delete success
Num L2tp Gateway Session Delete Fail	32-bit counter	Total number of L2TP gateway session delete fail
Num Create S2x Bearer Success	32-bit counter	Total number of create bearer success
Num Create S2x Bearer Fail	32-bit counter	Total number of create bearer fail
Num Delete S2x Bearer Success	32-bit counter	Total number of delete bearer success
Num Delete S2x Bearer Fail	32-bit counter	Total number of delete bearer fail
Num Update S2x Bearer Success	32-bit counter	Total number of update bearer success
Num Update S2x Bearer Fail	32-bit counter	Total number of update bearer fail
Num Suspend Notification Success	32-bit counter	Total number of suspend notification success
Num Suspend Notification Fail	32-bit counter	Total number of suspend notification fail
Num Resume Notification Success	32-bit counter	Total number of resume notification success
Num Resume Notification Fail	32-bit counter	Total number of resume notification fail
Num OCS ReAuth Proc Success	32-bit counter	Total number of OCS Re-Auth success
Num OCS ReAuth Proc Failures	32-bit counter	Total number of OCS Re-Auth failures
Num PCRF ReAuth Proc Success	32-bit counter	Total number of PCRF Re-Auth success
Num PCRF ReAuth Proc Failures	32-bit counter	Total number of PCRF Re-Auth failures
Num Modify S2x Bearer Command Success	32-bit counter	Total number of modify bearer command success
Num Modify S2x Bearer Command Fail	32-bit counter	Total number of modify bearer command fail
Num S2a Create Session Success	32-bit counter	Total number of S2a create session success
Num S2a Create Session Fail	32-bit counter	Total number of S2a create session fail
Num S2a Delete Session Success	32-bit counter	Total number of S2a delete session success
Num S2a Delete Session Fail	32-bit counter	Total number of S2a delete session fail

Table 1-106 Packet Data Network Gateway Procedure Statistics

PGWPROCEDUREGRID PGWPROCEDURECHASSIS PGWPROCEDURESLOT	Type	Description
Num S2b Create Session Success	32-bit counter	Total number of S2b create session success
Num S2b Create Session Fail	32-bit counter	Total number of S2b create session fail
Num S2b Create Delete Success	32-bit counter	Total number of S2b delete session success
Num S2b Create Delete Fail	32-bit counter	Total number of S2b create session fail
Num 3gpp To Non3gpp Handover Success	32-bit counter	Total number of 3gpp to non-3gpp handover success
Num 3gpp To Non3gpp Handover Fail	32-bit counter	Total number of 3gpp to non-3gpp handover fail
Num Non 3gpp To 3gpp Handover Success	32-bit counter	Total number of non-3gpp to 3gpp handover success
Num Non 3gpp To 3gpp Handover Fail	32-bit counter	Total number of non-3gpp to 3gpp handover fail
Num Non 3gpp To Non 3gpp Handover Success	32-bit counter	Total number of non-3gpp to non-3gpp handover success
Num Non 3gpp To Non 3gpp Handove Fail	32-bit counter	Total number of non-3gpp to non-3gpp handover fail
Num Process PCRF Rule Success	32-bit counter	Total number of PCRF rule success
Num Process PCRF Rule Failures	32-bit counter	Total number of PCRF rule failures
Num Edr Intf Change Proc Success	32-bit counter	Total number of Control Profile EDR Interface ID change success
Num Edr Intf Change Proc Failures	32-bit counter	Total number of Control Profile EDR Interface ID change failed
Num Vtap Config Change Proc Success	32-bit counter	Total number of Vtap config change success
Num Vtap Config Change Proc Failures	32-bit counter	Total number of Vtap config change failed
Num Process Flow Auth Success	32-bit counter	Total number of process Flow Auth procedures success
Num Process Flow Auth Failures	32-bit counter	Total number of process Flow Auth procedures failures
NumNwInitActBearerInterAccessHOCollision	32-bit counter	Total number of network initiated activate bearer inter access handover collision
NumNwInitModBearerInterAccessHOCollision	32-bit counter	Total number of network initiated modify bearer inter access handover collision

Table 1-106 Packet Data Network Gateway Procedure Statistics

PGWPROCEDUREGRID PGWPROCEDURECHASSIS PGWPROCEDURESLOT	Type	Description
NumNwInitDeactBearerInterAccessHOCollision	32-bit counter	Total number of network initiated deactivate bearer inter access handover collision
NumUeInitActBearerInterAccessHOCollision	32-bit counter	Total number of UE initiated activate bearer inter access handover collision
NumUeInitModBearerInterAccessHOCollision	32-bit counter	Total number of UE initiated modify bearer inter access handover collision
NumUeInitDeactBearerInterAccessHOCollision	32-bit counter	Total number of UE initiated deactivate bearer inter access handover collision
NumL2tpGwSessionCreateSuccess	32-bit counter	Total number of L2tp gateway session create success
NumL2tpGwSessionCreateFail	32-bit counter	Total number of L2tp gateway session create fail
NumNwInitiatedModifyBearerPartialSuccess	32-bit counter	Total number of network initiated modify bearer partial success
NumNwInitiatedActivateBearerPartialSuccess	32-bit counter	Total number of network initiated activate bearer partial success

PCSCF Address Statistics

Table 1-107 PCSCF Address Statistics

PCSCFADDRESSSTATS	Type	Description
Number of Sessions Allocated	32-bit counter	Total number of PDN Sessions served by this IP Address pair
Number of Sessions Deallocated	32-bit counter	Total number of PDN Sessions served by this IP Address pair that were deactivated
Current Sessions	32-bit counter	Current number of PDN Sessions served by this IP Address pair

PDN LDAP Service Statistics

Table 1-108 PDN LDAP Service Statistics

PDNLDAPSTATSSUMGRID PDNLDAPSTATSSUMCHASSIS PDNLDAPSTATSSUMSLOT	Type	Description
Total number of Search Requests - Received	64-bit counter	Total number of Search Requests received
Total number of Search Requests - Retried	64-bit counter	Total number of Search Results retried
Total number of Search Requests - Sent	64-bit counter	Total number of Search Requests sent
Total number of Search Requests - Failed	64-bit counter	Total number of Search Requests failed
Total number of Search Requests - Canceled	64-bit counter	Total number of Search Requests canceled
Total number of Search Results - Success	64-bit counter	Total number of Search Results success
Total number of Search Results - No Such Object	64-bit counter	Total number of no such object Search Results
Total number of Search Results - Failure	64-bit counter	Total number of Search Results failure
Total number of Search Results - Ignored	64-bit counter	Total number of Search Results ignored
Total number of Search Results - Timedout	64-bit counter	Total number of Search Results timed out
Total number of Search Result - Allowed	64-bit counter	Total number of Search Result allowed
Total number of Search Result - Blocked	64-bit counter	Total number of Search Result blocked
Total number of Server Reconnect Events - Connection Failed	64-bit counter	Total number of connection failed events
Total number of Server Reconnect Events - Connection Lost	64-bit counter	Total number of connection lost events

PFCP Peer Statistics

Table 1-109 PFCP Peer Statistics

PFCPMESSAGESTATSCHASSIS	Type	Description
Number of PfcP Session Establishment Request Sent	64-bit counter	Total number of PFCP session establishment requests sent
Number of PfcP Session Establishment Request Resent	64-bit counter	Total number of PFCP session establishment requests resent
Number of PfcP Session Establishment Response Received	64-bit counter	Total number of PFCP session establishment responses received
Number of PfcP Session Establishment Request Timeout	64-bit counter	Total number of PFCP session establishment requests sent that timed out
Number of PfcP Session Modification Request Sent	64-bit counter	Total number of PFCP session modification requests sent
Number of PfcP Session Modification Request Resent	64-bit counter	Total number of PFCP session modification requests resent
Number of PfcP Session Modification Response Received	64-bit counter	Total number of PFCP session modification responses received
Number of PfcP Session Modification Request Timeout	64-bit counter	Total number of PFCP session modification requests sent that timed out
Number of PfcP Session Deletion Request Sent	64-bit counter	Total number of PFCP session deletion requests sent
Number of PfcP Session Deletion Request Resent	64-bit counter	Total number of PFCP session deletion requests resent
Number of PfcP Session Deletion Response Received	64-bit counter	Total number of PFCP session deletion responses received
Number of PfcP Session Deletion Request Timeout	64-bit counter	Total number of PFCP session deletion requests sent that timed out
Number of PfcP Session Report Request Received	64-bit counter	Total number of PFCP session report requests received
Number of PfcP Session Report Response Sent	64-bit counter	Total number of PFCP session report responses sent
Number of PfcP Session Establishment Request Received	64-bit counter	Total number of PFCP session establishment requests received
Number of PfcP Session Establishment Response Sent	64-bit counter	Total number of PFCP session establishment responses sent
Number of PfcP Session Modification Request Received	64-bit counter	Total number of PFCP session modification requests received

Table 1-109 PFCP Peer Statistics

PFCPMESSAGESTATSCHASSIS	Type	Description
Number of PfcP Session Modification Response Sent	64-bit counter	Total number of PFCP session modification responses sent
Number of PfcP Session Deletion Request Received	64-bit counter	Total number of PFCP session deletion requests received
Number of PfcP Session Deletion Response Sent	64-bit counter	Total number of PFCP session deletion responses sent
Number of PfcP Session Report Request Sent	64-bit counter	Total number of PFCP session report requests sent
Number of PfcP Session Report Request Resent	64-bit counter	Total number of PFCP session report requests resent
Number of PfcP Session Report Response Received	64-bit counter	Total number of PFCP session report responses received
Number of PfcP Session Report Request Timeout	64-bit counter	Total number of PFCP session report requests sent that timed out
Number of Heartbeat Request Sent	64-bit counter	Total number of heartbeat requests sent
Number of Heartbeat Response Received	64-bit counter	Total number of heartbeat responses received
Number of Heartbeat Request Timeout	64-bit counter	Total number of heartbeat requests sent that timed out
Number of Heartbeat Request Received	64-bit counter	Number of heartbeat requests received
Number of Heartbeat Response Sent	64-bit counter	Number of heartbeat responses sent
Number of PfcP Association Setup Request Sent	64-bit counter	Total number of PFCP association setup requests sent
Number of PfcP Association Setup Response Received	64-bit counter	Total number of PFCP association setup responses received
Number of PfcP Association Setup Request Timeout	64-bit counter	Total number of PFCP association setup requests sent that timed out
Number of PfcP Association Setup Request Received	64-bit counter	Total number of PFCP association setup requests received
Number of PfcP Association Setup Response Sent	64-bit counter	Total number of PFCP association setup responses sent
Number of PfcP Version Not Supported Response Sent	64-bit counter	Total number of PFCP version not supported responses sent
Number of PfcP Version Not Supported Response Received	64-bit counter	Total number of PFCP version not supported responses received
Number of PfcP Association Update Request Sent	64-bit counter	Total number of PFCP association update requests sent

Table 1-109 PFCP Peer Statistics

PFCPMESSAGESTATSCHASSIS	Type	Description
Number of PfcP Association Update Response Received	64-bit counter	Total number of PFCP association update responses received
Number of PfcP Association Update Request Timeout	64-bit counter	Total number of PFCP association update requests sent that timed out
Number of PfcP Association Update Request Received	64-bit counter	Total number of PFCP association update requests received
Number of PfcP Association Update Response Sent	64-bit counter	Total number of PFCP association update responses sent
Number of PfcP Association Release Request Sent	64-bit counter	Total number of PFCP association release requests sent
Number of PfcP Association Release Response Received	64-bit counter	Total number of PFCP association release responses received
Number of PfcP Association Release Request Timeout	64-bit counter	Total number of PFCP association release requests sent that timed out
Number of PfcP Association Release Request Received	64-bit counter	Total number of PFCP association release requests received
Number of PfcP Association Release Response Sent	64-bit counter	Total number of PFCP association release requests sent
Number of PfcP Session Establish Request Decode Failure	64-bit counter	Total number of session establishment request decode failure
Number of PfcP Session Establish Request Encode Failure	64-bit counter	Total number of session establishment request encode failure
Number of PfcP Session Establish Response Decode Failure	64-bit counter	Total number of session establishment response decode failure
Number of PfcP Session Establish Response Encode Failure	64-bit counter	Total number of session establishment response encode failure
Number of PfcP Session Modify Request Decode Failure	64-bit counter	Total number of session modification request decode failure
Number of PfcP Session Modify Request Encode Failure	64-bit counter	Total number of session modification request encode failure
Number of PfcP Session Modify Response Decode Failure	64-bit counter	Total number of session modification response decode failure
Number of PfcP Session Modify Response Encode Failure	64-bit counter	Total number of session modification response encode failure
Number of PfcP Session Delete Request Decode Failure	64-bit counter	Total number of session deletion request decode failure

Table 1-109 PFCP Peer Statistics

PFCPMESSAGESTATSCHASSIS	Type	Description
Number of PfcP Session Delete Request Encode Failure	64-bit counter	Total number of session deletion request encode failure
Number of PfcP Session Delete Response Decode Failure	64-bit counter	Total number of session deletion response decode failure
Number of PfcP Session Delete Response Encode Failure	64-bit counter	Total number of session deletion response encode failure
Number of PfcP Session Report Request Decode Failure	64-bit counter	Total number of session report request decode failure
Number of PfcP Session Report Request Encode Failure	64-bit counter	Total number of session report request encode failure
Number of PfcP Session Report Response Decode Failure	64-bit counter	Total number of session report response decode failure
Number of PfcP Session Report Response Encode Failure	64-bit counter	Total number of session report response encode failure
Number of PfcP Node Level Message Decode Failure	64-bit counter	Total number of node level message decode failure
Number of PfcP Node Level Message Encode Failure	64-bit counter	Total number of node level message encode failure
Number of PfcP Session Context Not Found Received	64-bit counter	Total number of PFCP session context not found received

Port Statistics

Table 1-110 Port Statistics

PORT_STATS	Type	Description
Rx Packets	64-bit gauge	Number of packets received on the port
Rx Bytes	64-bit gauge	Number of bytes received on the port
Rx Packets Dropped due to any reason	64-bit gauge	Number of received packets dropped for any reason
Tx Packets	64-bit gauge	Number of packets transmitted on the port
Tx Bytes	64-bit gauge	Number of bytes transmitted on the port
Tx Packets Dropped due to any reason	64-bit gauge	Number of transmitted packets dropped for any reason
Rx Pps	64-bit gauge	Number of received packets processed per second
Rx Bytes Ps	64-bit gauge	Number of received bytes processed per second
Tx Pps	64-bit gauge	Number of transmitted packets processed per second
Tx Bytes Ps	64-bit gauge	Number of transmitted bytes processed per second
util Percent	64-bit gauge	Interface utilization percent

Proxy Buffer Statistics

Table 1-111 Proxy Buffer Statistics

PROXYBUFFERSTATSCHASSIS PROXYBUFFERSTATSSLOT	Type	Description
Packet Buffer - Currently Allocated	64-bit gauge	Number of packet buffers currently allocated
Packet Buffer - Max Allocated (Last 5 min)	64-bit gauge	Maximum number of packet buffers allocated in the last 5 minutes
Packet Buffer - Pool Size	64-bit gauge	Number of packet buffers in the pool
4K Buffer - Currently Allocated	64-bit gauge	Number of 4K buffers currently allocated
4K Buffer - Max Allocated (Last 5 min)	64-bit gauge	Maximum number of 4K buffers allocated in the last 5 minutes
4K Buffer - Pool Size	64-bit gauge	Number of 4K buffers in the pool
8K Buffer - Currently Allocated	64-bit gauge	Number of 8K buffers currently allocated
8K Buffer - Max Allocated (Last 5 min)	64-bit gauge	Maximum number of 8K buffers allocated in the last 5 minutes
8K Buffer - Pool Size	64-bit gauge	Number of 8K buffers in the pool
64K Buffer - Currently Allocated	64-bit gauge	Number of 64K buffers currently allocated
64K Buffer - Max Allocated (Last 5 min)	64-bit gauge	Maximum number of 64K buffers allocated in the last 5 minutes
64K Buffer - Pool Size	64-bit gauge	Number of 64K buffers in the pool
128K Buffer - Currently Allocated	64-bit gauge	Number of 128K buffers currently allocated
128K Buffer - Max Allocated (Last 5 min)	64-bit gauge	Maximum number of 128K buffers allocated in the last 5 minutes
128K Buffer - Pool Size	64-bit gauge	Number of 128K buffers in the pool
256K Buffer - Currently Allocated	64-bit gauge	Number of 256K buffers currently allocated
256K Buffer - Max Allocated (Last 5 min)	64-bit gauge	Maximum number of 256K buffers allocated in the last 5 minutes
256K Buffer - Pool Size	64-bit gauge	Number of 256K buffers in the pool
512K Buffer - Currently Allocated	64-bit gauge	Number of 512K buffers currently allocated
512K Buffer - Max Allocated (Last 5 min)	64-bit gauge	Maximum number of 512K buffers allocated in the last 5 minutes
512K Buffer - Pool Size	64-bit gauge	Number of 512K buffers in the pool
buffer-2k-allocated	64-bit gauge	Number of 2K buffers currently allocated

Table 1-111 Proxy Buffer Statistics

PROXYBUFFERSTATSCHASSIS PROXYBUFFERSTATSSLOT	Type	Description
buffer-2k-5min-peak	64-bit gauge	Maximum number of 2K buffers allocated in the last 5 minutes
buffer-2k-total	64-bit gauge	Total 2K buffers in the pool

RADIUS Peer Procedure Statistics

Note: These statistics are displayed when a RADIUS peer is configured.

Table 1-112 RADIUS Peer Procedure Statistics

RADIUSPROCEDURESTATSPEER	Type	Description
Num Access Req Tx	64-bit counter	Number of Access Requests that were transmitted (excluding retransmissions)
Num Access Accept Rx	64-bit counter	Number of Access Accepts received on first request itself (no retransmissions)
Num Access Reject Rx	64-bit counter	Number of Access Rejects received from peer
Num Access Challenge Rx	64-bit counter	Number of Access Challenges received from peer
Num Account Request Start Tx	64-bit counter	Number of Account Request Starts that were transmitted (excluding retransmissions)
Num Account Request Start Response Rx	64-bit counter	Number of Account Request Start Responses received on first attempted request
Num Account Request Stop Tx	64-bit counter	Number of Account Request Stops that were transmitted (excluding retransmissions)
Num Account Request Stop Response Rx	64-bit counter	Number of Account Stop Responses received on first attempted request
Num Account Request Interim Update Tx	64-bit counter	Number of Account Request Interim Updates that were transmitted (excluding retransmissions)
Num Account Request Interim Update Resp Rx	64-bit counter	Number of Account Interim Update Responses received on first attempted request
Num Account Request On Tx	64-bit counter	Number of Account Request On sent to peer

Table 1-112 RADIUS Peer Procedure Statistics

RADIUSPROCEDURESTATSPEER	Type	Description
Num Account Request On Response Rx	64-bit counter	Number of Account Request On Response received from peer
Num Account Request Off Tx	64-bit counter	Number of Account Request Off sent to peer
Num Account Request Off Response Rx	64-bit counter	Number of Account Request Off Response received from peer
Num Disconnect Request Rx	64-bit counter	Number of Disconnect Request received from peer
Num Disconnect Ack Tx	64-bit counter	Number of Disconnect ACK sent to peer
Num Disconnect Nack Tx	64-bit counter	Number of Disconnect NACK sent to peer
Num Coa Request Rx	64-bit counter	Number of Coa Request received from peer
Num Coa Ack Tx	64-bit counter	Number of Coa ACK sent to peer
Num Coa Nack Tx	64-bit counter	Number of Coa NACK sent to peer
Num Access Reject Local	64-bit counter	Number of Access-Request messages rejected locally from the RADIUS client running on the MCC gateway.
Num Account Request Start Reject Local	64-bit counter	Number of Accounting-Request (START) messages rejected locally from the RADIUS client running on the MCC gateway.
Num Account Request Stop Reject Local	64-bit counter	Number of Accounting-Request (STOP) messages rejected locally from the RADIUS client running on the MCC gateway.
Num Account Request Interim Reject Local	64-bit counter	Number of Accounting-Request (INTERIM) messages rejected locally from the RADIUS client running on the MCC gateway.
Number of Access Requests that timed out	64-bit counter	Number of Access Requests that timed out (includes retransmission timeouts)
Number of Account Request Starts that timed out	64-bit counter	Number of Account Request Starts that timed out (includes retransmission timeouts)
Number of Account Request Stops that timed out	64-bit counter	Number of Account Request Stops that timed out (includes retransmission timeouts)
Number of Account Request Interim Updates that timed out	64-bit counter	Number of Account Request Interim Updates that timed out (includes retransmission timeouts)
Number of Access Requests Retransmitted	64-bit counter	Number of Access Requests that were transmitted
Number of Access Accept Received Retransmitted	64-bit counter	Number of Access Accepts that were received when Requests were retransmitted

Table 1-112 RADIUS Peer Procedure Statistics

RADIUSPROCEDURESTATSPEER	Type	Description
Number of Account Request Starts Retransmitted	64-bit counter	Number of Account Request Starts Retransmitted
Number of Account Request Starts Response Received Retransmitted	64-bit counter	Number of Account Request Starts Response Received Retransmitted
Number of Account Request Stops Retransmitted	64-bit counter	Number of Account Request Stops Retransmitted
Number of Account Request Stops Response Received Retransmitted	64-bit counter	Number of Account Request Stops Response Received Retransmitted
Number of Account Request Interim Update Retransmitted	64-bit counter	Number of Account Request Interim Update Retransmitted
Number of Account Request Interim Update Response Received Retransmitted	64-bit counter	Number of Account Request Interim Update Response Received Retransmitted
Cumulative Coa Latency	32-bit gauge	Cumulative Latency in microseconds to for RADIUS CoA messages
Coa Latency Samples	32-bit counter	Number of samples used for calculating average latency for RADIUS CoA messages
Average Coa Latency	32-bit gauge	Average latency of RADIUS CoA messages
Cumulative Disconnect Latency	32-bit gauge	Cumulative Latency in microseconds to for RADIUS disconnect messages
Disconnect Latency Samples	32-bit counter	Number of samples used for calculating average latency for RADIUS disconnect messages
Average Disconnect Latency	32-bit gauge	Average latency of RADIUS disconnect messages
Cumulative Latency	32-bit gauge	Cumulative Latency in microseconds to for RADIUS messages
Latency Samples	32-bit counter	Number of samples used for calculating RADIUS client latency
Average Latency	32-bit gauge	Average latency of RADIUS client
numPacerNoCreditFailure	32-bit counter	Number of failures for no credit

RADIUS Procedure Statistics

Note: These statistics are displayed when the CSM is up (the RADIUS task is up). RADIUS peers do not have to be configured.

Table 1-113 RADIUS Procedure Statistics

RADIUSPROCEDURESTATS	Type	Description
Num Access Req Tx	64-bit counter	Number of Access Requests that were transmitted (excluding retransmissions)
Num Access Accept Rx	64-bit counter	Number of Access Accepts received on first request itself (no retransmissions)
Num Access Reject Rx	64-bit counter	Number of Access Rejects received from peer
Num Access Challenge Rx	64-bit counter	Number of Access Challenges received from peer
Num Account Request Start Tx	64-bit counter	Number of Account Request Starts that were transmitted (excluding retransmissions)
Num Account Request Start Response Rx	64-bit counter	Number of Account Request Start Responses received on first attempted request
Num Account Request Stop Tx	64-bit counter	Number of Account Request Stops that were transmitted (excluding retransmissions)
Num Account Request Stop Response Rx	64-bit counter	Number of Account Stop Responses received on first attempted request
Num Account Request Interim Update Tx	64-bit counter	Number of Account Request Interim Updates that were transmitted (excluding retransmissions)
Num Account Request Interim Update Resp Rx	64-bit counter	Number of Account Interim Update Responses received on first attempted request
Num Account Request On Tx	64-bit counter	Number of Account Request On sent to peer
Num Account Request On Response Rx	64-bit counter	Number of Account Request On Response received from peer
Num Account Request Off Tx	64-bit counter	Number of Account Request Off sent to peer
Num Account Request Off Response Rx	64-bit counter	Number of Account Request Off Response received from peer
Num Disconnect Request Rx	64-bit counter	Number of Disconnect Request received from peer
Num Disconnect Ack Tx	64-bit counter	Number of Disconnect ACK sent to peer

Table 1-113 RADIUS Procedure Statistics

RADIUSPROCEDURESTATS	Type	Description
Num Disconnect Nack Tx	64-bit counter	Number of Disconnect NACK sent to peer
Num Coa Request Rx	64-bit counter	Number of Coa Request received from peer
Num Coa Ack Tx	64-bit counter	Number of Coa ACK sent to peer
Num Coa Nack Tx	64-bit counter	Number of Coa NACK sent to peer
Num Access Reject Local	64-bit counter	Number of Access-Request messages rejected locally from the RADIUS client running on the MCC gateway.
Num Account Request Start Reject Local	64-bit counter	Number of Accounting-Request (START) messages rejected locally from the RADIUS client running on the MCC gateway.
Num Account Request Stop Reject Local	64-bit counter	Number of Accounting-Request (STOP) messages rejected locally from the RADIUS client running on the MCC gateway.
Num Account Request Interim Reject Local	64-bit counter	Number of Accounting-Request (INTERIM) messages rejected locally from the RADIUS client running on the MCC gateway.
Number of Access Requests that timed out	64-bit counter	Number of Access Requests that timed out (includes retransmission timeouts)
Number of Account Request Starts that timed out	64-bit counter	Number of Account Request Starts that timed out (includes retransmission timeouts)
Number of Account Request Stops that timed out	64-bit counter	Number of Account Request Stops that timed out (includes retransmission timeouts)
Number of Account Request Interim Updates that timed out	64-bit counter	Number of Account Request Interim Updates that timed out (includes retransmission timeouts)
Number of Access Requests Retransmitted	64-bit counter	Number of Access Requests that were transmitted
Number of Access Accept Received Retransmitted	64-bit counter	Number of Access Accepts that were received when Requests were retransmitted
Number of Account Request Starts Retransmitted	64-bit counter	Number of Account Request Starts Retransmitted
Number of Account Request Starts Response Received Retransmitted	64-bit counter	Number of Account Request Starts Response Received Retransmitted
Number of Account Request Stops Retransmitted	64-bit counter	Number of Account Request Stops Retransmitted
Number of Account Request Stops Response Received Retransmitted	64-bit counter	Number of Account Request Stops Response Received Retransmitted

Table 1-113 RADIUS Procedure Statistics

RADIUSPROCEDURESTATS	Type	Description
Number of Account Request Interim Update Retransmitted	64-bit counter	Number of Account Request Interim Update Retransmitted
Number of Account Request Interim Update Response Received Retransmitted	64-bit counter	Number of Account Request Interim Update Response Received Retransmitted
Cumulative Coa Latency	32-bit gauge	Cumulative Latency in microseconds to for RADIUS CoA messages
Coa Latency Samples	32-bit counter	Number of samples used for calculating average latency for RADIUS CoA messages
Average Coa Latency	32-bit gauge	Average latency of RADIUS CoA messages
Cumulative Disconnect Latency	32-bit gauge	Cumulative Latency in microseconds to for RADIUS disconnect messages
Disconnect Latency Samples	32-bit counter	Number of samples used for calculating average latency for RADIUS disconnect messages
Average Disconnect Latency	32-bit gauge	Average latency of RADIUS disconnect messages
Cumulative Latency	32-bit gauge	Cumulative Latency in microseconds to for RADIUS messages
Latency Samples	32-bit counter	Number of samples used for calculating RADIUS client latency
Average Latency	32-bit gauge	Average latency of RADIUS client
numPacerNoCreditFailure	32-bit counter	Number of failures for no credit

SAE-PGW Gateway Procedure Statistics

Note: These statistics are displayed when at least one PGW service is configured and running.

Table 1-114 SAE-PGW Gateway Procedure Statistics

SAEGWPGWPROCEDUREGRID SAEGWPGWPROCEDURECHASSIS SAEGWPGWPROCEDURESLLOT	Type	Description
Create Session Success	32-bit counter	Total number of create session success
Create Session Fail	32-bit counter	Total number of create session fail
Modify Bearer Success	32-bit counter	Total number of modify bearer success
Modify Bearer Fail	32-bit counter	Total number of modify bearer fail
Delete Session Success	32-bit counter	Total number of delete session success
Delete Session Fail	32-bit counter	Total number of delete session fail
Nw Initiated Modify QoS Success	32-bit counter	Total number of network initiated modify QoS success
Nw Initiated Modify QoS Fail	32-bit counter	Total number of network initiated modify QoS fail
Nw Initiated Modify QoS Temp Reject	32-bit counter	Total number of network initiated modify QoS temporarily rejected
Nw Initiated Modify Bearer Success	32-bit counter	Total number of network initiated modify Bearer success
Nw Initiated Modify Bearer Fail	32-bit counter	Total number of network initiated modify Bearer fail
Nw Initiated Modify Bearer Temp Reject	32-bit counter	Total number of network initiated modify Bearer temporarily rejected
Nw Initiated Deactivate Subscriber Success	32-bit counter	Total number of network initiated deactivate subscriber success
Nw Initiated Deactivate Subscriber Fail	32-bit counter	Total number of network initiated deactivate subscriber fail
Nw Initiated Activate Bearer Success	32-bit counter	Total number of network initiated activate bearer success
Nw Initiated Activate Bearer Fail	32-bit counter	Total number of network activate bearer fail

Table 1-114 SAE-PGW Gateway Procedure Statistics

SAEGWPGWPROCEDUREGRID SAEGWPGWPROCEDURECHASSIS SAEGWPGWPROCEDURESLOT	Type	Description
Nw Initiated Activate Bearer Temp Reject	32-bit counter	Total number of network initiated activate bearer temporarily rejected
Nw Initiated Deactivate Bearer Success	32-bit counter	Total number of network deactivate bearer success
Nw UE Initiated Deactivate Bearer Fail	32-bit counter	Total number of network initiated deactivate bearer fail
Nw Initiated Deactivate Bearer Temp Reject	32-bit counter	Total number of network initiated deactivate bearer temporarily rejected
UE Initiated Modify QoS Success	32-bit counter	Total number of UE initiated modify QOS success
UE Initiated Modify QoS Fail	32-bit counter	Total number of UE initiated modify QOS fail
UE Initiated Activate Bearer Success	32-bit counter	Total number of UE initiated activate bearer success
UE Initiated Activate Bearer Fail	32-bit counter	Total number of UE initiated activate bearer fail
UE Initiated Deactivate Bearer Success	32-bit counter	Total number of UE initiated deactivate bearer success
UE Initiated Deactivate Bearer Fail	32-bit counter	Total number of UE initiated deactivate bearer fail
SGW Change Success	32-bit counter	Total number of SGW change success
SGW Change Fail	32-bit counter	Total number of SGW change fail
Change Notification Fail	32-bit counter	Total number of change notification fail
Change Notification Success	32-bit counter	Total number of change notification success
FSAPI Migrate Session Create Success	32-bit counter	Total number of FSAPI migrate session create success
FSAPI Migrate Session Create Fail	32-bit counter	Total number of FSAPI migrate session create failure
Inter SGW Handover Success	32-bit counter	Total number of inter SGW handover success
Inter SGW Handover Fail	32-bit counter	Total number of inter SGW handover fail
Inter SGSN Handover Success	32-bit counter	Total number of inter SGSN handover success
Inter SGSN Handover Fail	32-bit counter	Total number of inter SGSN handover fail
LTE to GnGp Handover Success	32-bit counter	Total number of LTE to Gn/Gp handover success

Table 1-114 SAE-PGW Gateway Procedure Statistics

SAEGWPGWPROCEDUREGRID SAEGWPGWPROCEDURECHASSIS SAEGWPGWPROCEDURESLOT	Type	Description
LTE to Handover GnGp Fail	32-bit counter	Total number of LTE to Gn/Gp handover fail
GnGp to LTE Handover Success	32-bit counter	Total number of Gn/Gp to LTE handover success
GnGp to LTE Handover Fail	32-bit counter	Total number of Gn/Gp to LTE handover fail
L2tp Gateway Session Delete Success	32-bit counter	Total number of L2TP gateway session delete success
L2tp Gateway Session Delete Success Fail	32-bit counter	Total number of L2TP gateway session delete fail
Create S2x Bearer Success	32-bit counter	Total number of create bearer success
Create S2x Bearer Fail	32-bit counter	Total number of create bearer fail
Delete S2x Bearer Success	32-bit counter	Total number of delete bearer success
Delete S2x Bearer Fail	32-bit counter	Total number of delete bearer fail
Update S2x Bearer Success	32-bit counter	Total number of update bearer success
Update S2x Bearer Fail	32-bit counter	Total number of update bearer fail
Suspend Notification Success	32-bit counter	Total number of suspend notification success
Suspend Notification Fail	32-bit counter	Total number of suspend notification fail
Resume Notification Success	32-bit counter	Total number of resume notification success
Resume Notification Fail	32-bit counter	Total number of resume notification fail
Num OCS ReAuth Proc Success	32-bit counter	Total number of OCS Re-Auth success
Num OCS ReAuth Proc Failures	32-bit counter	Total number of OCS Re-Auth failures
Num PCRF ReAuth Proc Success	32-bit counter	Total number of PCRF Re-Auth success
Num PCRF ReAuth Proc Failures	32-bit counter	Total number of PCRF Re-Auth failures
Num Modify S2x Bearer Command Success	32-bit counter	Total number of modify bearer command success
Num Modify S2x Bearer Command Fail	32-bit counter	Total number of modify bearer command fail
Num S2a Create Session Success	32-bit counter	Total number of S2a create session success
Num S2a Create Session Fail	32-bit counter	Total number of S2a create session fail
Num S2a Delete Session Success	32-bit counter	Total number of S2a delete session success
Num S2a Delete Session Fail	32-bit counter	Total number of S2a delete session fail

Table 1-114 SAE-PGW Gateway Procedure Statistics

SAEGWPGWPROCEDUREGRID SAEGWPGWPROCEDURECHASSIS SAEGWPGWPROCEDURESLOT	Type	Description
Num S2b Create Session Success	32-bit counter	Total number of S2b create session success
Num S2b Create Session Fail	32-bit counter	Total number of S2b create session fail
Num S2b Create Delete Success	32-bit counter	Total number of S2b delete session success
Num S2b Create Delete Fail	32-bit counter	Total number of S2b create session fail
Num 3gpp To Non3gpp Handover Success	32-bit counter	Total number of 3gpp to non-3gpp handover success
Num 3gpp To Non3gpp Handover Fail	32-bit counter	Total number of 3gpp to non-3gpp handover fail
Num Non 3gpp To 3gpp Handover Success	32-bit counter	Total number of non-3gpp to 3gpp handover success
Num Non 3gpp To 3gpp Handover Fail	32-bit counter	Total number of non-3gpp to 3gpp handover fail
Num Non 3gpp To Non 3gpp Handover Success	32-bit counter	Total number of non-3gpp to non-3gpp handover success
Num Non 3gpp To Non 3gpp Handove Fail	32-bit counter	Total number of non-3gpp to non-3gpp handover fail
Num Process PCRF Rule Success	32-bit counter	Total number of PCRF rule success
Num Process PCRF Rule Failures	32-bit counter	Total number of PCRF rule failures
Num Edr Intf Change Proc Success	32-bit counter	Total number of Control Profile EDR Interface ID change success
Num Edr Intf Change Proc Failures	32-bit counter	Total number of Control Profile EDR Interface ID change failed
Num Vtap Config Change Proc Success	32-bit counter	Total number of Vtap config change success
Num Vtap Config Change Proc Failures	32-bit counter	Total number of Vtap config change failed
Num Process Flow Auth Success	32-bit counter	Total number of process Flow Auth procedures success
Num Process Flow Auth Failures	32-bit counter	Total number of process Flow Auth procedures failures
NumNwInitActBearerInterAccessHOCollision	32-bit counter	Total number of network initiated activate bearer inter access handover collision
NumNwInitModBearerInterAccessHOCollision	32-bit counter	Total number of network initiated modify bearer inter access handover collision

Table 1-114 SAE-PGW Gateway Procedure Statistics

SAEGWPGWPROCEDUREGRID SAEGWPGWPROCEDURECHASSIS SAEGWPGWPROCEDURESLOT	Type	Description
NumNwInitDeactBearerInterAccessHOCollision	32-bit counter	Total number of network initiated deactivate bearer inter access handover collision
NumUeInitActBearerInterAccessHOCollision	32-bit counter	Total number of UE initiated activate bearer inter access handover collision
NumUeInitModBearerInterAccessHOCollision	32-bit counter	Total number of UE initiated modify bearer inter access handover collision
NumUeInitDeactBearerInterAccessHOCollision	32-bit counter	Total number of UE initiated deactivate bearer inter access handover collision
NumL2tpGwSessionCreateSuccess	32-bit counter	Total number of L2tp gate4way session create success
NumL2tpGwSessionCreateFail	32-bit counter	Total number of L2tp gate4way session create fail
NumNwInitiatedModifyBearerPartialSuccess	32-bit counter	Total number of network initiated modify bearer partial success
NumNwInitiatedActivateBearerPartialSuccess	32-bit counter	Total number of network initiated activate bearer partial success

SAE-SGW Gateway Procedure Statistics

***Note:** These statistics are displayed when at least one SGW service is configured and running.*

Table 1-115 SAE-SGW Gateway Procedure Statistics

SAEGWSGWPROCEDUREGRID SAEGWSGWPROCEDURECHASSIS SAEGWSGWPROCEDURESLOT	Type	Description
Num Initial Attach Success	32-bit counter	Total number of initial attach success
Num Initial Attach Fail	32-bit counter	Total number of initial attach fail
Num Modify Bearer Success	32-bit counter	Total number of modify bearer success
Num Modify Bearer Fail	32-bit counter	Total number of modify bearer fail

Table 1-115 SAE-SGW Gateway Procedure Statistics

SAEGWSGWPROCEDUREGRID SAEGWSGWPROCEDURECHASSIS SAEGWSGWPROCEDURESLOT	Type	Description
Num Hss Initiated Modify Bearer Command Success	32-bit counter	Total number of HSS initiated modify bearer command success
Num Hss Initiated Modify Bearer Command Fail	32-bit counter	Total number of HSS initiated modify bearer command fail
Num S1 Release Success	32-bit counter	Total number of s1-release success
Num S1 Release Fail	32-bit counter	Total number of s1-release fail
Num Detach Success	32-bit counter	Total number of detach success
Num Detach Fail	32-bit counter	Total number of detach fail
Num Activate Bearer Success	32-bit counter	Total number of activate bearer success
Num Activate Bearer Fail	32-bit counter	Total number of activate bearer fail
Num Update Bearer Success	32-bit counter	Total number of update bearer success
Num Update Bearer Fail	32-bit counter	Total number of update bearer fail
Num Deactivate Bearer Success	32-bit counter	Total number of deactivate bearer success
Num Deactivate Bearer Fail	32-bit counter	Total number of deactivate bearer fail
Num Tau Rau Handover Success	32-bit counter	Total number of TAU/RAU handover success
Num Tau Rau Handover Fail	32-bit counter	Total number of TAU/RAU handover fail
Num Tau Rau X2 Sgw Change Handover Success	32-bit counter	Total number of TAU/RAU x2 SGW change handover success
Num Tau Rau X2 Sgw Change Handover Fail	32-bit counter	Total number of TAU/RAU x2 SGW change handover fail
Num S1 Interrat Sgw Change Handover Success	32-bit counter	Total number of s1 inter-RAT SGW change handover success
Num S1 Interrat Sgw Change Handover Fail	32-bit counter	Total number of s1 inter-RAT SGW change handover fail
Num NW Initiated Create Bearer Success	32-bit counter	Total number of network initiated create bearer success
Num NW Initiated Create Bearer Fail	32-bit counter	Total number of network initiated create bearer fail
Num NW Initiated Delete Bearer Success	32-bit counter	Total number of network initiated delete bearer success
Num NW Initiated Delete Bearer Fail	32-bit counter	Total number of network initiated delete bearer fail

Table 1-115 SAE-SGW Gateway Procedure Statistics

SAEGWSGWPROCEDUREGRID SAEGWSGWPROCEDURECHASSIS SAEGWSGWPROCEDURESLOT	Type	Description
Num Bearer Resource Command Success	32-bit counter	Total number of bearer resource command success
Num Bearer Resource Command Fail	32-bit counter	Total number of bearer resource command fail
Num Delete Bearer Command Success	32-bit counter	Total number of delete bearer command success
Num Delete Bearer Command Fail	32-bit counter	Total number of delete bearer command fail
Num Paging Success	32-bit counter	Total number of paging success
Num Paging Fail	32-bit counter	Total number of paging fail
Num UE Initiated Create Bearer Success	32-bit counter	Total number of UE initiated create bearer success
Num UE Initiated Create Bearer Fail	32-bit counter	Total number of UE initiated create bearer fail
Num UE Initiated Delete Bearer Success	32-bit counter	Total number of UE initiated delete bearer success
Num UE Initiated Delete Bearer Fail	32-bit counter	Total number of UE initiated delete bearer fail
Num Create Indirect Forward Tunnel Success	32-bit counter	Total number of create indirect forwarding tunnel success
Num Create Indirect Forward Tunnel Fail	32-bit counter	Total number of create indirect forwarding tunnel fail
Num Delete Indirect Forward Tunnel Success	32-bit counter	Total number of delete indirect forwarding tunnel success
Num Delete Indirect Forward Tunnel Fail	32-bit counter	Total number of delete indirect forwarding tunnel fail
Num Change Notification Success	32-bit counter	Total number of change notification success
Num Change Notification Fail	32-bit counter	Total number of change notification fail
Num FSAPI Migrate Session Create Success	32-bit counter	Total number of FSAPI migrate session create success
Num FSAPI Migrate Session Create Fail	32-bit counter	Total number of FSAPI migrate session create failure
Num Error Indication Paging Fail	32-bit counter	Total number of ENB/RNC error indication fail
Num Error Indication Paging Success	32-bit counter	Total number of ENB/RNC error indication success

Table 1-115 SAE-SGW Gateway Procedure Statistics

SAEGWSGWPROCEDUREGRID SAEGWSGWPROCEDURECHASSIS SAEGWSGWPROCEDURESLOT	Type	Description
Num Intra MME Intra SGW Handover Success	32-bit counter	Total number of Intra MME Intra SGW handover success
Num Intra MME Intra SGW Handover Fail	32-bit counter	Total number of Intra MME Intra SGW handover fail
Num Inter MME Intra SGW Handover Success	32-bit counter	Total number of Inter MME Intra SGW handover success
Num Inter MME Intra SGW Handover Fail	32-bit counter	Total number of Inter MME Intra SGW handover fail
Num SGSN to MME Intra SGW Handover Success	32-bit counter	Total number of SGSN to MME Intra SGW success
Num SGSN to MME Intra SGW Handover Fail	32-bit counter	Total number of SGSN to MME Intra SGW fail
Num Intra SGSN Intra SGW Handover Success	32-bit counter	Total number of Intra SGSN Intra SGW handover success
Num Intra SGSN Intra SGW Handover Fail	32-bit counter	Total number of Intra SGSN Intra SGW handover fail
Num Inter SGSN Intra SGW Handover Success	32-bit counter	Total number of Inter SGSN Intra SGW handover success
Num Inter SGSN Intra SGW Handover Fail	32-bit counter	Total number of Inter SGSN Intra SGW handover fail
Num MME to SGSN Intra SGW Handover Success	32-bit counter	Total number of MME to SGSN Intra SGW handover success
Num MME to SGSN Intra SGW Handover Fail	32-bit counter	Total number of MME to SGSN Intra SGW handover fail
Num Suspend Notification Success	32-bit counter	Total number of suspend notification success
Num Suspend Notification Fail	32-bit counter	Total number of suspend notification fail
Num Resume Notification Success	32-bit counter	Total number of resume notification success
Num Resume Notification Fail	32-bit counter	Total number of resume notification fail
Num Update Bearer Temp Reject	32-bit counter	Total number of network initiated update bearer temporarily rejected
Num NW Initiated Create Bearer Temp Reject	32-bit counter	Total number of network initiated create bearer temporarily rejected
Num NW Initiated Delete Bearer Temp Reject	32-bit counter	Total number of network initiated delete bearer temporarily rejected

Table 1-115 SAE-SGW Gateway Procedure Statistics

SAEGWSGWPROCEDUREGRID SAEGWSGWPROCEDURECHASSIS SAEGWSGWPROCEDURESLOT	Type	Description
Num Paging Temp Reject	32-bit counter	Total number of downlink data notifications temporarily rejected
S1u Handle Path Failure Success	64-bit counters	Total number of S1U path failures procedure success
S1u Handle Path Failure Fail	64-bit counters	Total number of S1U path failures procedure failed
NumUpdateBearerUePsmReject	64-bit counters	Total number of network initiated update bearer rejected, due to UE in PSM
NumNWInitiatedCreateBearerUePsmReject	64-bit counters	Total number of network initiated create bearer rejected, due to UE in PSM
NumUpdateBearerPartialSuccess	64-bit counters	Total number of update bearer partial success
NumNWInitiatedCreateBearerPartialSuccess	64-bit counters	Total number of network initiated create bearer partial success

Server Plugin Statistics

Table 1-116 Server Plugin Statistics

SERVERPLUGINSTATSchassis	Type	Description
Server Plugin Summary Attempts	64-bit counter	Total number of plugin attempts
Server Plugin Summary Successes	64-bit counter	Total number of plugin successes
Server Plugin Summary Failures	64-bit counter	Total number of plugin failures
Server Plugin Detail HTTP Error Responses	64-bit counter	Total number of plugin HTTP error responses
Server Plugin Detail HTTP OK Responses	64-bit counter	Total number of plugin HTTP OK responses
Server Plugin Failures Internal Failures	64-bit counter	Total number of plugin internal failures
Server Plugin Failures Invalid Request	64-bit counter	Total number of invalid requests sent to plugin
Server Plugin Failures No Consent	64-bit counter	Total number of invalid requests due to invalid missing consent

Service Data Container Statistics

Table 1-117 Service Data Container Statistics

SERVICEDATACONTAINERSTATS	Type	Description
totalUplinkBytes	64-bit counter	Total Number of Bytes Reported - Uplink
totalDownlinkBytes	64-bit counter	Total Number of Bytes Reported - Downlink
totalUplinkPackets	64-bit counter	Total Number of Packets Reported - Uplink
totalDownlinkPackets	64-bit counter	Total Number of Packets Reported - Downlink
totalUnreportedUplinkBytes	64-bit counter	Total Number of Bytes Unreported - Uplink
totalUnreportedDownlinkBytes	64-bit counter	Total Number of Bytes Unreported - Downlink
totalUnreportedUplinkPackets	64-bit counter	Total Number of Packets Unreported - Uplink
totalUnreportedDownlinkPackets	64-bit counter	Total Number of Packets Unreported - Downlink

Service Gateway Access Point Name Call Performance Statistics

***Note:** These statistics are displayed when at least one APN service is configured and running.*

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Create Session Requests	32-bit counter	Total number of create session requests received
Create Session Requests 1 Minute Average	32-bit gauge	Average number of create session requests received over 1 minute
Create Session Requests 5 Minute Average	32-bit gauge	Average number of create session requests received over 5 minutes
Create Session Requests 15 Minute Average	32-bit gauge	Average number of create session requests received over 15 minutes
Create Session Accepts	32-bit counter	Total number of create session requests accepted
Create Session Rejects	32-bit counter	Total number of create session requests rejected
Create Session Pgw Rejects	32-bit counter	Total number of create session requests rejected by PGW
Create Session Rejects Invalid Request	32-bit counter	Total number of create session requests rejected - request invalid
Create Session Rejects System Failure	32-bit counter	Total number of create session requests rejected - system failure
Create Session Rejects Resource Unavailable	32-bit counter	Total number of create session requests rejected - resource unavailable
Create Session Rejects Pgw Not Responding	32-bit counter	Total number of create session requests rejected - Pgw not responding
Create Session Reject Blocked APN	32-bit counter	Total number of create session requests rejected - APN in blocked list
Create Session Rejects Misc	32-bit counter	Total number of create session requests rejected - unclassified
Create Session Drops	32-bit counter	Total number of create session requests dropped
Current Sessions	32-bit gauge	Current number of sessions
Current Pdn Connections	32-bit gauge	Current number of PDN connections

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Pdn Connections S4 Geran	64-bit counter	Current number of S4 GERAN PDN connections
Pdn Connections S4 Utran	64-bit counter	Current number of S4 UTRAN PDN connections
Pdn Connections Eutran	64-bit counter	Current number of S4 EUTRAN PDN connections
Pdn Connections NBIot Eutran	64-bit gauge	Current number of NBIOT EUTRAN PDN connections
Number Current Geo Sync Restored PDN Connections	64-bit gauge	Current number of PDN sessions restored from Geo Active
Modify Bearer Requests	32-bit counter	Total number of modify bearer requests received
Modify Bearer Accepts	32-bit counter	Total number of modify bearer requests accepted
Modify Bearer Rejects	32-bit counter	Total number of modify bearer requests rejected
Modify Bearer Pgw Rejects	32-bit counter	Total number of modify bearer requests rejected by PGW
Modify Bearer Invalid Requests	32-bit counter	Total number of modify bearer requests rejected - request invalid
Modify Bearer Rejects System Failure	32-bit counter	Total number of modify bearer requests rejected - system failure
Modify Bearer Rejects Misc	32-bit counter	Total number of modify bearer requests rejected - unclassified
Bearer Resource Command	32-bit counter	Total number of bearer resource commands received
Bearer Resource Command Drop	32-bit counter	Total number of bearer resource commands dropped
Bearer Resource Fail Indication From Pgw	32-bit counter	Total number of bearer resource failure indications from PGW
Bearer Resource Fail Indication Invalid Requests	32-bit counter	Total number of bearer resource commands rejected - request invalid
Bearer Resource Fail Indication System Failure	32-bit counter	Total number of bearer resource commands rejected - system failure
Bearer Resource Fail Indication Misc	32-bit counter	Total number of bearer resource commands rejected - unclassified
Bearers	32-bit gauge	Current number of bearers

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Create Bearer Requests	32-bit counter	Total number of create bearer requests received
Create Bearer Accepts	32-bit counter	Total number of create bearer requests accepted
Create Bearer Rejects	32-bit counter	Total number of create bearer requests rejected
Create Bearer Mme Rejects	32-bit counter	Total number of create bearer requests rejected by MME
Create Bearer Rejects Invalid Requests	32-bit counter	Total number of create bearer requests rejected - request invalid
Create Bearer Rejects System Failure	32-bit counter	Total number of create bearer requests rejected - system failure
Create Bearer Rejects Misc	32-bit counter	Total number of create bearer requests rejected - unclassified
Delete Bearer Command	32-bit counter	Total number of delete bearer commands received
Delete Bearer Command Drop	32-bit counter	Total number of delete bearer commands dropped
Delete Bearer Failure Indication From Pgw	32-bit counter	Total number of delete bearer failure indications received from PGW
Delete Bearer Failure Indication Invalid Requests	32-bit counter	Total number of delete bearer failure indications rejected - request invalid
Delete Bearer Failure Indication System Failure	32-bit counter	Total number of delete bearer failure indications rejected - system failure
Delete Bearer Failure Indication Misc	32-bit counter	Total number of delete bearer failure indications rejected - unclassified
Delete Bearer Requests	32-bit counter	Total number of delete bearer requests received
Delete Bearer Accepts	32-bit counter	Total number of delete bearer requests accepted
Delete Bearer Rejects	32-bit counter	Total number of delete bearer requests rejected
Delete Bearer Mme Rejects	32-bit counter	Total number of delete bearer requests rejected by MME
Delete Bearer Rejects Invalid Requests	32-bit counter	Total number of delete bearer requests rejected - request invalid
Delete Bearer Rejects System Failure	32-bit counter	Total number of delete bearer requests rejected - system failure
Delete Bearer Rejects Misc	32-bit counter	Total number of delete bearer requests rejected - unclassified

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Delete Session Requests	32-bit counter	Total number of delete session requests received
Delete Session Accepts	32-bit counter	Total number of delete session requests accepted
Delete Session Rejects	32-bit counter	Total number of delete session requests rejected
Delete Session Pgw Rejects	32-bit counter	Total number of delete session requests rejected by PGW
Delete Session Rejects Misc	32-bit counter	Total number of delete session requests rejected - unclassified
Modify Bearer Command	32-bit counter	Total number of modify bearer commands received
Modify Bearer Command Drop	32-bit counter	Total number of modify bearer commands dropped
Modify Bearer Failure Indication From Pgw	32-bit counter	Total number of modify bearer failure indications received from PGW
Modify Bearer Failure Indication Invalid Requests	32-bit counter	Total number of modify bearer failure indications rejected - request invalid
Modify Bearer Failure Indication System Failure	32-bit counter	Total number of modify bearer failure indications rejected - system failure
Modify Bearer Failure Indication Misc	32-bit counter	Total number of modify bearer failure indications rejected - unclassified
Page Requests	32-bit counter	Total number of paging requests sent
Page Success	32-bit counter	Total number of successful paging requests
Page Failure	32-bit counter	Total number of paging requests failures
Update Bearer Requests	32-bit counter	Total number of update bearer requests received
Update Bearer Accepts	32-bit counter	Total number of update bearer requests accepted
Update Bearer Rejects	32-bit counter	Total number of update bearer requests rejected
Update Bearer Mme Rejects	32-bit counter	Total number of update bearer requests rejected by MME
Update Bearer Rejects Invalid Requests	32-bit counter	Total number of update bearer requests rejected - request invalid
Update Bearer Rejects System Failure	32-bit counter	Total number of update bearer requests rejected - system failure
Update Bearer Rejects Misc	32-bit counter	Total number of update bearer requests rejected - unclassified

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Release Access Bearer Requests	32-bit counter	Total number of release access bearer requests received
Release Access Bearer Accepts	32-bit counter	Total number of release access bearer requests accepted
Release Access Bearer Rejects	32-bit counter	Total number of release access bearer requests rejected
Release Access Bearer Rejects Invalid Requests	32-bit counter	Total number of release access bearer requests rejected - request invalid
Release Access Bearer Rejects System Failure	32-bit counter	Total number of release access bearer requests rejected - system failure
Release Access Bearer Rejects Misc	32-bit counter	Total number of release access bearer requests rejected - unclassified
Local Close Attempts	32-bit counter	Total number of session close attempts initiated internally
Local Close Attempts Accepted	32-bit counter	Total number of internally initiated session closes that were acted upon
Idle Session Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to IDLE duration time exceeded
Maximal Session Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to MAXIMAL duration time exceeded
Operator Initiated Closes	32-bit counter	Total number of operator initiated sessions close attempts
Num Bearer Idle Duration Exceeded Closes	32-bit counter	Total number of bearers deactivated due to IDLE duration time exceeded
Active Current Sessions	32-bit gauge	Current number of active sessions
Idle Current Sessions	32-bit gauge	Current number of idle sessions
Interval Peak Current Sessions	32-bit maximum	Interval peak number of sessions
Interval Peak Active Current Sessions	32-bit maximum	Interval peak number of active sessions
Interval Peak Idle Current Sessions	32-bit maximum	Interval peak number of idle sessions
Active Pdn Connections	32-bit gauge	Current number of active PDN connections
Idle Pdn Connections	32-bit gauge	Current number of idle PDN connections
Interval Peak Pdn Connections	32-bit maximum	Interval peak number of PDN connections

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Interval Peak Active Pdn Connections	32-bit maximum	Interval peak number of active PDN connections
Interval Peak Idle Pdn Connections	32-bit maximum	Interval peak number of idle PDN connections
Default Bearers	32-bit gauge	Current number of default bearers
Dedicated Bearers	32-bit gauge	Current number of dedicated bearers
Interval Peak Bearers	32-bit maximum	Interval peak number of bearers
Interval Peak Default Bearers	32-bit maximum	Interval peak number of default bearers
Interval Peak Dedicated Bearers	32-bit maximum	Interval peak number of dedicated bearers
Trace Session Activation Attempts	32-bit maximum	Total number of trace session activations received
Trace Session Activation Accepts	32-bit maximum	Total number of trace session activations accepted
Trace Session Deactivation Attempts	32-bit maximum	Total number of trace session deactivations received
Trace Session Deactivation Accepts	32-bit maximum	Total number of trace session deactivations accepted
Current Sessions Rat Type Utran	32-bit gauge	Current number of UTRAN sessions
Current Sessions Rat Type Geran	32-bit gauge	Current number of GERAN sessions
Current Sessions Rat Type Wlan	32-bit gauge	Current number of WLAN sessions
Current Sessions Rat Type Gan	32-bit gauge	Current number of GAN sessions
Current Sessions Rat Type Hspa Evolution	32-bit gauge	Current number of HSPA Evolution sessions
Current Sessions Rat Type E Utran	32-bit gauge	Current number of E-UTRAN sessions
Current Sessions Rat Type Virtual	32-bit gauge	Current number of Virtual RAT sessions
Rat NBIot Eutran Sessions	32-bit gauge	Current number of NBIOT-EUTRAN RAT sessions
Indirect Data Forwarding Bearers	32-bit counter	Current number of indirect forwarding bearers
Duplicate Session Local Close Attempts	32-bit counter	Total number of local close attempts due to duplicate session
Number of S4 S11 TEID Lookup Failures	32-bit counter	Number of lookup failures using the S4/S11 control TEID

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Number of S5 S8 TEID Lookup Failures	32-bit counter	Number of lookup failures using the S5/S8 control TEID
Number of Error Indications Processed	32-bit counter	Total number of error indications processed
Number of Error Indication Local Close Attempts	32-bit counter	Total number of local close attempts due to receipt of error indication
Number of Error Indication Bearer Deactivation	32-bit counter	Total number of dedicated bearer deactivations due to receipt of error indication
Number of S1u Default Bearer Error Indications Processed	64-bit counter	Total number of S1u default bearer error indications processed
Number of S1u Dedicated Bearer Error Indications Processed	64-bit counter	Total number of S1u dedicated bearer error indications processed
Number of S5u Default Bearer Error Indications Processed	64-bit counter	Total number of S5u default bearer error indications processed
Number of S5u Default Bearer Error Indication Local Close Attempts	64-bit counter	Total number of local close attempts due to receipt of error indication on S5u default bearer
Number of S5u Dedicated Bearer Error Indications Processed	64-bit counter	Total number of S5u dedicated bearer error indications processed
Number of S5u Dedicated Bearer Error Indication Bearer Deactivation	64-bit counter	Total number of bearer deactivations due to receipt of error indication on S5u dedicated bearer
Change Notification Attempts	32-bit counter	Total number of change notification attempts
Change Notification Accepts	32-bit counter	Total number of change notification requests attempted
Change Notification Rejects	32-bit counter	Total number of change notification requests rejected
Change Notification PGW Rejects	32-bit counter	Total number of change notification requests rejected by PGW
Change Notification Rejects Invalid Request	32-bit counter	Total number of change notification requests rejected due to invalid request
Change Notification Rejects System Failure	32-bit counter	Total number of change notification requests rejected due to system failure
Change Notification Rejects Misc	32-bit counter	Total number of change notification requests rejected for miscellaneous reasons
Change Notification Requests Dropped	32-bit counter	Total number of change notification requests dropped

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Num GTPP CDR Sent	32-bit counter	Number of GTPP CDRs that were sent successfully
Num GTPP CDR Response Success	32-bit counter	Number of GTPP CDRs for which a success response was received.
Num GTPP CDR Response Failure	32-bit counter	Number of GTPP CDRs for which a failure response was received.
Num GTPP CDR Response Timeout	32-bit counter	Number of GTPP CDRs for which there was no response received within the expected time.
Bearers Setup Success	32-bit counter	Total number of bearers setup successful
Bearers Setup Fail	32-bit counter	Total number of bearers setup failed
Current Bearers QCI1	32-bit gauge	Total number of current bearers with QCI 1
Current Bearers QCI2	32-bit gauge	Total number of current bearers with QCI 2
Current Bearers QCI3	32-bit gauge	Total number of current bearers with QCI 3
Current Bearers QCI4	32-bit gauge	Total number of current bearers with QCI 4
Current Bearers QCI5	32-bit gauge	Total number of current bearers with QCI 5
Current Bearers QCI6	32-bit gauge	Total number of current bearers with QCI 6
Current Bearers QCI7	32-bit gauge	Total number of current bearers with QCI 7
Current Bearers QCI8	32-bit gauge	Total number of current bearers with QCI 8
Current Bearers QCI9	32-bit gauge	Total number of current bearers with QCI 9
Current Bearers QCI Other	32-bit gauge	Total number of current bearers with QCI Between 10 and 255
Bearer Setup Success QCI1	32-bit counter	Total number of bearers setup successful with QCI 1
Bearer Setup Success QCI2	32-bit counter	Total number of bearers setup successful with QCI 2
Bearer Setup Success QCI3	32-bit counter	Total number of bearers setup successful with QCI 3
Bearer Setup Success QCI4	32-bit counter	Total number of bearers setup successful with QCI 4
Bearer Setup Success QCI5	32-bit counter	Total number of bearers setup successful with QCI 5

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Bearer Setup Success QCI6	32-bit counter	Total number of bearers setup successful with QCI 6
Bearer Setup Success QCI7	32-bit counter	Total number of bearers setup successful with QCI 7
Bearer Setup Success QCI8	32-bit counter	Total number of bearers setup successful with QCI 8
Bearer Setup Success QCI9	32-bit counter	Total number of bearers setup successful with QCI 9
Bearer Setup Success QCI Other	32-bit counter	Total number of bearers setup successful with QCI between 10 and 255
Bearer Setup Fail QCI1	32-bit counter	Total number of bearers setup failed with QCI 1
Bearer Setup Fail QCI2	32-bit counter	Total number of bearers setup failed with QCI 2
Bearer Setup Fail QCI3	32-bit counter	Total number of bearers setup failed with QCI 3
Bearer Setup Fail QCI4	32-bit counter	Total number of bearers setup failed with QCI 4
Bearer Setup Fail QCI5	32-bit counter	Total number of bearers setup failed with QCI 5
Bearer Setup Fail QCI6	32-bit counter	Total number of bearers setup failed with QCI 6
Bearer Setup Fail QCI7	32-bit counter	Total number of bearers setup failed with QCI 7
Bearer Setup Fail QCI8	32-bit counter	Total number of bearers setup failed with QCI 8
Bearer Setup Fail QCI9	32-bit counter	Total number of bearers setup failed with QCI 9
Bearer Setup Fail QCI Other	32-bit counter	Total number of bearers setup failed with QCI between 10 and 255
Saegw Sgw Current Sessions	32-bit counter	SAEGW-SGW current number of sessions
Saegw Sgw Pdn Connections	32-bit counter	Total number of SAEGW-SGW PDN connections
Saegw Sgw Pdn Connections S4 Geran	64-bit counter	Current number of SAEGW-SGW GERAN PDN connections
Saegw Sgw Pdn Connections S4 Utran	64-bit counter	Current number of SAEGW-SGW UTRAN PDN connections
Saegw Sgw Pdn Connections Eutran	64-bit counter	Current number of SAEGW-SGW EUTRAN PDN connections
Saegw Pdn Connections NBIOT Eutran	64-bit gauge	Current number of SAEGW-SGW NBIOT EUTRAN PDN connections

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Saegw Sgw Current Bearers	32-bit counter	SAEGW-SGW current number of bearers
Saegw Sgw Bearers Setup Success	32-bit counter	SAEGW-SGW total number of bearers setup successful
Saegw Sgw Bearers Setup Fail	32-bit counter	SAEGW-SGW total number of bearers setup failed
Saegw Sgw Current Bearers QCI1	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 1
Saegw Sgw Current Bearers QCI2	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 2
Saegw Sgw Current Bearers QCI3	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 3
Saegw Sgw Current Bearers QCI4	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 4
Saegw Sgw Current Bearers QCI5	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 5
Saegw Sgw Current Bearers QCI6	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 6
Saegw Sgw Current Bearers QCI7	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 7
Saegw Sgw Current Bearers QCI8	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 8
Saegw Sgw Current Bearers QCI9	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 9
Saegw Sgw Current Bearers QCI Other	32-bit gauge	SAEGW-SGW total number of current bearers with QCI between 10 and 255
Saegw Sgw Bearer Setup Success QCI1	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 1
Saegw Sgw Bearer Setup Success QCI2	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 2
Saegw Sgw Bearer Setup Success QCI3	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 3
Saegw Sgw Bearer Setup Success QCI4	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 4
Saegw Sgw Bearer Setup Success QCI5	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 5

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Saegw Sgw Bearer Setup Success QCI6	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 6
Saegw Sgw Bearer Setup Success QCI7	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 7
Saegw Sgw Bearer Setup Success QCI8	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 8
Saegw Sgw Bearer Setup Success QCI9	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 9
Saegw Sgw Bearer Setup Success QCI Other	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 1
Saegw Sgw Bearer Setup Fail QCI1	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI between 10 and 255
Saegw Sgw Bearer Setup Fail QCI2	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 2
Saegw Sgw Bearer Setup Fail QCI3	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 3
Saegw Sgw Bearer Setup Fail QCI4	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 4
Saegw Sgw Bearer Setup Fail QCI5	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 5
Saegw Sgw Bearer Setup Fail QCI6	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 6
Saegw Sgw Bearer Setup Fail QCI7	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 7
Saegw Sgw Bearer Setup Fail QCI8	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 8
Saegw Sgw Bearer Setup Fail QCI9	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 9
Saegw Sgw Bearer Setup Fail QCI Other	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI between 10 and 255
Uplink Packets	64-bit counter	Total number of uplink packets received
Uplink Bytes	64-bit counter	Total number of uplink bytes received
Uplink Drop Packets	64-bit counter	Total number of uplink packets dropped
Uplink Drop Bytes	64-bit counter	Total number of uplink bytes dropped

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Downlink Packets	64-bit counter	Total number of downlink packets received
Downlink Bytes	64-bit counter	Total number of downlink bytes received
Downlink Drop Packets	64-bit counter	Total number of downlink packets dropped
Downlink Drop Bytes	64-bit counter	Total number of downlink bytes dropped
Uplink Suspend Drop Packets	64-bit counter	Total number of uplink suspend packets dropped
Uplink Suspend Drop Bytes	64-bit counter	Total number of uplink suspend bytes dropped
Downlink Suspend Drop Packets	64-bit counter	Total number of downlink suspend packets dropped
Downlink Suspend Drop Bytes	64-bit counter	Total number of downlink suspend bytes dropped
Num Suspend Notification	32-bit counter	Total number of suspend notification requests received
Num Suspend Notification Accepts	32-bit counter	Total number of suspend notification requests accepted
Num Suspend Notification Rejects	32-bit counter	Total number of suspend notification requests rejected
Num Resume Notification	32-bit counter	Total number of resume notification requests received
Num Resume Notification Accepts	32-bit counter	Total number of resume notification requests accepted
Num Resume Notification Rejects	32-bit counter	Total number of resume notification requests rejected
Number of Saegw Sgw Uplink Packets	64-bit counter	Total number of uplink packets for SAEGW SGW sessions
Number of Saegw Sgw Uplink Bytes	64-bit counter	Total number of uplink bytes for SAEGW SGW sessions
Number of Saegw Sgw Downlink Packets	64-bit counter	Total number of downlink packets for SAEGW SGW sessions
Number of Saegw Sgw Downlink Bytes	64-bit counter	Total number of downlink bytes for SAEGW SGW sessions
Number of Saegw Sgw Uplink Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW SGW sessions
Number of Saegw Sgw Uplink Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW SGW sessions

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Number of Saegw Sgw Downlink Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW SGW sessions
Number of Saegw Sgw Downlink Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW SGW sessions
Number of Uplink S4S12 Geran Packets	64-bit counter	Total number of uplink packets for SGW S4S12 GERAN sessions
Number of Uplink S4S12 Geran Bytes	64-bit counter	Total number of uplink bytes for SGW S4S12 GERAN sessions
Number of Downlink S4S12 Geran Packets	64-bit counter	Total number of downlink packets for SGW S4S12 GERAN sessions
Number of Downlink S4S12 Geran Bytes	64-bit counter	Total number of downlink bytes for SGW S4S12 GERAN sessions
Number of Uplink S4S12 Geran Drop Packets	64-bit counter	Total number of uplink drop packets for SGW S4S12 GERAN sessions
Number of Uplink S4S12 Geran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SGW S4S12 GERAN sessions
Number of Downlink S4S12 Geran Drop Packets	64-bit counter	Total number of downlink drop packets for SGW S4S12 GERAN sessions
Number of Downlink S4S12 Geran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SGW S4S12 GERAN sessions
Number of Saegw Sgw Uplink S4S12 Geran Packets	64-bit counter	Total number of uplink packets for SAEGW SGW S4S12 GERAN sessions
Number of Saegw Sgw Uplink S4S12 Geran Bytes	64-bit counter	Total number of uplink bytes for SAEGW SGW S4S12 GERAN sessions
Number of Saegw Sgw Downlink S4S12 Geran Packets	64-bit counter	Total number of downlink packets for SAEGW SGW S4S12 GERAN sessions
Number of Saegw Sgw Downlink S4S12 Geran Bytes	64-bit counter	Total number of downlink bytes for SAEGW SGW S4S12 GERAN sessions
Number of Saegw Sgw Uplink S4S12 Geran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW SGW S4S12 GERAN sessions
Number of Saegw Sgw Uplink S4S12 Geran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW SGW S4S12 GERAN sessions
Number of Saegw Sgw Downlink S4S12 Geran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW SGW S4S12 GERAN sessions
Number of Saegw Sgw Downlink S4S12 Geran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW SGW S4S12 GERAN sessions

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Number of Uplink S4S12 Utran Packets	64-bit counter	Total number of uplink packets for SGW S4S12 UTRAN sessions
Number of Uplink S4S12 Utran Bytes	64-bit counter	Total number of uplink bytes for SGW S4S12 UTRAN sessions
Number of Downlink S4S12 Utran Packets	64-bit counter	Total number of downlink packets for SGW S4S12 UTRAN sessions
Number of Downlink S4S12 Utran Bytes	64-bit counter	Total number of downlink bytes for SGW S4S12 UTRAN sessions
Number of Uplink S4S12 Utran Drop Packets	64-bit counter	Total number of uplink drop packets for SGW S4S12 UTRAN sessions
Number of Uplink S4S12 Utran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SGW S4S12 UTRAN sessions
Number of Downlink S4S12 Utran Drop Packets	64-bit counter	Total number of downlink drop packets for SGW S4S12 UTRAN sessions
Number of Downlink S4S12 Utran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SGW S4S12 UTRAN sessions
Number of Saegw Sgw Uplink S4S12 Utran Packets	64-bit counter	Total number of uplink packets for SAEGW SGW S4S12 UTRAN sessions
Number of Saegw Sgw Uplink S4S12 Utran Bytes	64-bit counter	Total number of uplink bytes for SAEGW SGW S4S12 UTRAN sessions
Number of Saegw Sgw Downlink S4S12 Utran Packets	64-bit counter	Total number of downlink packets for SAEGW SGW S4S12 UTRAN sessions
Number of Saegw Sgw Downlink S4S12 Utran Bytes	64-bit counter	Total number of downlink bytes for SAEGW SGW S4S12 UTRAN sessions
Number of Saegw Sgw Uplink S4S12 Utran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW SGW S4S12 UTRAN sessions
Number of Saegw Sgw Uplink S4S12 Utran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW SGW S4S12 UTRAN sessions
Number of Saegw Sgw Downlink S4S12 Utran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW SGW S4S12 UTRAN sessions
Number of Saegw Sgw Downlink S4S12 Utran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW SGW S4S12 UTRAN sessions
Number of Uplink Eutran Packets	64-bit counter	Total number of uplink packets for SGW EUTRAN sessions
Number of Uplink Eutran Bytes	64-bit counter	Total number of uplink bytes for SGW EUTRAN sessions

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Number of Downlink Eutran Packets	64-bit counter	Total number of downlink packets for SGW EUTRAN sessions
Number of Downlink Eutran Bytes	64-bit counter	Total number of downlink bytes for SGW EUTRAN sessions
Number of Uplink Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for SGW EUTRAN sessions
Number of Uplink Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SGW EUTRAN sessions
Number of Downlink Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for SGW EUTRAN sessions
Number of Downlink Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Uplink Eutran Packets	64-bit counter	Total number of uplink packets for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Uplink Eutran Bytes	64-bit counter	Total number of uplink bytes for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Downlink Eutran Packets	64-bit counter	Total number of downlink packets for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Downlink Eutran Bytes	64-bit counter	Total number of downlink bytes for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Uplink Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Uplink Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Downlink Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Downlink Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW SGW EUTRAN sessions
Number Uplink Nbiot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number Uplink Nbiot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Number Uplink Nbiot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number Uplink Nbiot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Packets	64-bit counter	Total number of uplink packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Bytes	64-bit counter	Total number of uplink bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Packets	64-bit counter	Total number of downlink packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Bytes	64-bit counter	Total number of downlink bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for PGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for PGW NBIOT EUTRAN sessions
Number TTL Excd Drop Packets	64-bit counter	Number of TTL 0 drop packets
Number TTL Excd Drop Bytes	64-bit counter	Number of TTL 0 drop bytes
Number Frag Send Packets	64-bit counter	Number of IP packets fragmented before sending on the tunnel
Number Frag Send Bytes	64-bit counter	Number of IP bytes fragmented before sending on the tunnel
Number Frag Fail Packets	64-bit counter	Number of IP packets filed in fragmentation
Number Frag Fail Bytes	64-bit counter	Number of IP bytes filed in fragmentation
Number Uplink Acl Drop Packets	64-bit counter	Number of uplink ACL drop packets
Number Uplink Acl Drop Bytes	64-bit counter	Number of uplink ACL drop bytes

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Number Downlink Acl Drop Packets	64-bit counter	Number of downlink ACL drop packets
Number Downlink Acl Drop Bytes	64-bit counter	Number of downlink ACL drop bytes
Number Bad Src Addr Drop Packets	64-bit counter	Number of bad source address drop packets
Number Bad Src Addr Drop Bytes	64-bit counter	Number of bad source address drop bytes
Number No TFT Drop Packets	64-bit counter	Number of no traffic flow template drop packets
Number No TFT Drop Bytes	64-bit counter	Number of no traffic flow template drop bytes
Number Bad UE Addr Drop Packets	64-bit counter	Number of bad UE address drop packets
Number Bad UE Addr Drop Bytes	64-bit counter	Number of bad UE address drop bytes
Number MTU Drop Packets	64-bit counter	Number of MTU drop packets
Number MTU Drop Bytes	64-bit counter	Number of MTU drop bytes
Number No Route Drop Packets	64-bit counter	Number of no route drop packets
Number No Route Drop Bytes	64-bit counter	Number of no route drop routes
Number No Egress Intf Drop Packets	64-bit counter	Number of no egress interface drop packets
Number No Egress Intf Drop Bytes	64-bit counter	Number of no egress interface drop bytes
Current Sessions Rat Type Nbiot Eutran	32-bit gauge	Current number of NBIOT-EUTRAN RAT sessions
Saegw Pgw Current Sessions Nbiot Eutran	32-bit gauge	SAEGW-PGW Current number of NBIOT E-UTRAN sessions
Number Sess Setup Success Apn Matching Exact Match	32-bit counter	Total number of create session requests accepted with APN matching type exact match
Number Sess Setup Success Apn Matching Ni Only	32-bit counter	Total number of create session requests accepted with APN matching type NI only
Number Sess Setup Success Apn Matching Ni And Malformed Oi	32-bit counter	Total number of create session requests accepted with APN matching type NI and malformed OI
Number Current Session In Paging With Extended Buf	32-bit counter	Current session in paging with extended buffering
Number Create Session Reject Multi PDN Connections Same Apn	32-bit counter	Total number of create session requests rejected - multiple PDN connections for a same APN not allowed
Minimum Control Plane Teid Reuse Duration	32-bit gauge	Minimum duration in which Control Plane TEID got reused

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
Minimum User Plane Teid Reuse Duration	32-bit gauge	Minimum duration in which User Plane TEID got reused
Number of Sessions in Local Database	32-bit counter	Total number of sessions in local database
Create Session Reject Session Blocked	32-bit counter	Total number of create session requests rejected due to session blocked
Local Close Attempts Session Blocked	32-bit counter	Total number of local close attempts due to session blocked
Create Cups Session Attempts	64-bit counter	Total number of create CUPS session attempts
Create Cups Session Success	64-bit counter	Total number of create CUPS session attempts success
Create Cups Session Failure	64-bit counter	Total number of create CUPS session attempts failed
Modify Cups Session Attempts	64-bit counter	Total number of modify CUPS session attempts
Modify Cups Session Success	64-bit counter	Total number of modify CUPS session attempts success
Modify Cups Session Failure	64-bit counter	Total number of modify CUPS session attempts failed
Delete Cups Session Attempts	64-bit counter	Total number of delete CUPS session attempts
Delete Cups Session Success	64-bit counter	Total number of delete CUPS session attempts success
Delete Cups Session Failure	64-bit counter	Total number of delete CUPS session attempts failed
Num Local Close Session Monitor	64-bit counter	Number of session locally closed due to U-Plane session monitor failed
Current Cups Sessions	64-bit counter	Number of current CUPS sessions
NumCreateSessionRequestsThrottledApnRateControl	32-bit counter	Number of create session requests throttled due to APN level rate control
NumCreateSessionRequestsThrottledClusterRateControl	32-bit counter	Number of create session requests throttled due to cluster level rate control
NumSessionsEstablishedWithExistingImsiAndApn	64-bit counter	Total number of sessions established with IMSI/APN combination for which a session is already established
NumCreateBearerPartialAccept	64-bit counter	Total number of create bearer requests partially accepted

Table 1-118 Service Gateway Access Point Name Call Performance Statistics

SGWAPNCALLPERFSTATSGRID SGWAPNCALLPERFSTATSCHASSIS SGWAPNCALLPERFSTATSSLOT	Type	Description
NumUpdateBearerPartialSuccess	64-bit counters	Total number of update bearer partially success
NumSessionMonitorModificationsSent	32-bit counter	Number of session monitor modifications sent
NumCreateSessionRejectsOverload	64-bit counter	Number of create session requests rejected due to overload
NumCreateBearerRejectsOverload	64-bit counter	Number of create bearer requests rejected due to overload

Service Gateway Call Performance Statistics

Note: These statistics are displayed when at least one SGW service is configured and running.

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Create Session Requests	32-bit counter	Total number of create session requests received
Create Session Requests 1 Minute Average	32-bit gauge	Average number of create session requests received over 1 minute
Create Session Requests 5 Minute Average	32-bit gauge	Average number of create session requests received over 5 minutes
Create Session Requests 15 Minute Average	32-bit gauge	Average number of create session requests received over 15 minutes
Create Session Accepts	32-bit counter	Total number of create session requests accepted
Create Session Rejects	32-bit counter	Total number of create session requests rejected
Create Session Pgw Rejects	32-bit counter	Total number of create session requests rejected by PGW
Create Session Rejects Invalid Request	32-bit counter	Total number of create session requests rejected - request invalid
Create Session Rejects System Failure	32-bit counter	Total number of create session requests rejected - system failure
Create Session Rejects Resource Unavailable	32-bit counter	Total number of create session requests rejected - resource unavailable
Create Session Rejects Pgw Not Responding	32-bit counter	Total number of create session requests rejected - Pgw not responding
Create Session Reject Blocked APN	32-bit counter	Total number of create session requests rejected - APN in blocked list
Create Session Rejects Misc	32-bit counter	Total number of create session requests rejected - unclassified
Create Session Drop	32-bit counter	Total number of create session requests dropped
Current Sessions	32-bit gauge	Current number of sessions
Current Pdn Connections	32-bit gauge	Current number of PDN connections

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Pdn Connections S4 Geran	64-bit counter	Current number of S4 GERAN PDN connections
Pdn Connections S4 Utran	64-bit counter	Current number of S4 UTRAN PDN connections
Pdn Connections Eutran	64-bit counter	Current number of S4 EUTRAN PDN connections
Modify Bearer Requests	32-bit counter	Total number of modify bearer requests received
Modify Bearer Accepts	32-bit counter	Total number of modify bearer requests accepted
Modify Bearer Rejects	32-bit counter	Total number of modify bearer requests rejected
Modify Bearer Pgw Rejects	32-bit counter	Total number of modify bearer requests rejected by PGW
Modify Bearer Invalid Requests	32-bit counter	Total number of modify bearer requests rejected - request invalid
Modify Bearer Rejects System Failure	32-bit counter	Total number of modify bearer requests rejected - system failure
Modify Bearer Rejects Misc	32-bit counter	Total number of modify bearer requests rejected - unclassified
Bearer Resource Command	32-bit counter	Total number of bearer resource commands received
Bearer Resource Command Drop	32-bit counter	Total number of bearer resource commands dropped
Bearer Resource Fail Indication From Pgw	32-bit counter	Total number of bearer resource failure indications from PGW
Bearer Resource Fail Indication Invalid Requests	32-bit counter	Total number of bearer resource commands rejected - request invalid
Bearer Resource Fail Indication System Failure	32-bit counter	Total number of bearer resource commands rejected - system failure
Bearer Resource Fail Indication Misc	32-bit counter	Total number of bearer resource commands rejected - unclassified
Bearers	32-bit gauge	Current number of bearers
Create Bearer Requests	32-bit counter	Total number of create bearer requests received
Create Bearer Accepts	32-bit counter	Total number of create bearer requests accepted
Create Bearer Rejects	32-bit counter	Total number of create bearer requests rejected

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Create Bearer Mme Rejects	32-bit counter	Total number of create bearer requests rejected by MME
Create Bearer Rejects Invalid Requests	32-bit counter	Total number of create bearer requests rejected - request invalid
Create Bearer Rejects System Failure	32-bit counter	Total number of create bearer requests rejected - system failure
Create Bearer Rejects Misc	32-bit counter	Total number of create bearer requests rejected - unclassified
Delete Bearer Command	32-bit counter	Total number of delete bearer commands received
Delete Bearer Command Drop	32-bit counter	Total number of delete bearer commands dropped
Delete Bearer Failure Indication From Pgw	32-bit counter	Total number of delete bearer failure indications received from PGW
Delete Bearer Failure Indication Invalid Requests	32-bit counter	Total number of delete bearer failure indications rejected - request invalid
Delete Bearer Failure Indication System Failure	32-bit counter	Total number of delete bearer failure indications rejected - system failure
Delete Bearer Failure Indication Misc	32-bit counter	Total number of delete bearer failure indications rejected - unclassified
Delete Bearer Requests	32-bit counter	Total number of delete bearer requests received
Delete Bearer Accepts	32-bit counter	Total number of delete bearer requests accepted
Delete Bearer Rejects	32-bit counter	Total number of delete bearer requests rejected
Delete Bearer Mme Rejects	32-bit counter	Total number of delete bearer requests rejected by MME
Delete Bearer Rejects Invalid Requests	32-bit counter	Total number of delete bearer requests rejected - request invalid
Delete Bearer Rejects System Failure	32-bit counter	Total number of delete bearer requests rejected - system failure
Delete Bearer Rejects Misc	32-bit counter	Total number of delete bearer requests rejected - unclassified
Delete Session Requests	32-bit counter	Total number of delete session requests received
Delete Session Accepts	32-bit counter	Total number of delete session requests accepted
Delete Session Rejects	32-bit counter	Total number of delete session requests rejected

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Delete Session Pgw Rejects	32-bit counter	Total number of delete session requests rejected by PGW
Delete Session Rejects Misc	32-bit counter	Total number of delete session requests rejected - unclassified
Modify Bearer Command	32-bit counter	Total number of modify bearer commands received
Modify Bearer Command Drop	32-bit counter	Total number of modify bearer commands dropped
Modify Bearer Failure Indication From Pgw	32-bit counter	Total number of modify bearer failure indications received from PGW
Modify Bearer Failure Indication Invalid Requests	32-bit counter	Total number of modify bearer failure indications rejected - request invalid
Modify Bearer Failure Indication System Failure	32-bit counter	Total number of modify bearer failure indications rejected - system failure
Modify Bearer Failure Indication Misc	32-bit counter	Total number of modify bearer failure indications rejected - unclassified
Page Requests	32-bit counter	Total number of paging requests sent
Page Success	32-bit counter	Total number of successful paging requests
Page Failure	32-bit counter	Total number of paging requests failures
Update Bearer Requests	32-bit counter	Total number of update bearer requests received
Update Bearer Accepts	32-bit counter	Total number of update bearer requests accepted
Update Bearer Rejects	32-bit counter	Total number of update bearer requests rejected
Update Bearer Mme Rejects	32-bit counter	Total number of update bearer requests rejected by MME
Update Bearer Rejects Invalid Requests	32-bit counter	Total number of update bearer requests rejected - request invalid
Update Bearer Rejects System Failure	32-bit counter	Total number of update bearer requests rejected - system failure
Update Bearer Rejects Misc	32-bit counter	Total number of update bearer requests rejected - unclassified
Release Access Bearer Requests	32-bit counter	Total number of release access bearer requests received
Release Access Bearer Accepts	32-bit counter	Total number of release access bearer requests accepted

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Release Access Bearer Rejects	32-bit counter	Total number of release access bearer requests rejected
Release Access Bearer Rejects Invalid Requests	32-bit counter	Total number of release access bearer requests rejected - request invalid
Release Access Bearer Rejects System Failure	32-bit counter	Total number of release access bearer requests rejected - system failure
Release Access Bearer Rejects Misc	32-bit counter	Total number of release access bearer requests rejected - unclassified
Local Close Attempts	32-bit counter	Total number of session close attempts initiated internally
Local Close Attempts Accepted	32-bit counter	Total number of internally initiated session closes that were acted upon
Idle Session Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to IDLE duration time exceeded
Maximal Session Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to MAXIMAL duration time exceeded
Operator Initiated Closes	32-bit counter	Total number of operator initiated sessions close attempts
Num Bearer Idle Duration Exceeded Closes	32-bit counter	Total number of bearers deactivated due to IDLE duration time exceeded
Active Current Sessions	32-bit gauge	Current number of active sessions
Idle Current Sessions	32-bit gauge	Current number of idle sessions
Interval Peak Current Sessions	32-bit maximum	Interval peak number of sessions
Interval Peak Active Current Sessions	32-bit maximum	Interval peak number of active sessions
Interval Peak Idle Current Sessions	32-bit maximum	Interval peak number of idle sessions
Active Pdn Connections	32-bit gauge	Current number of active PDN connections
Idle Pdn Connections	32-bit gauge	Current number of idle PDN connections
Interval Peak Pdn Connections	32-bit maximum	Interval peak number of PDN connections
Interval Peak Active Pdn Connections	32-bit maximum	Interval peak number of active PDN connections
Interval Peak Idle Pdn Connections	32-bit maximum	Interval peak number of idle PDN connections
Default Bearers	32-bit gauge	Current number of default bearers

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Dedicated Bearers	32-bit gauge	Current number of dedicated bearers
Interval Peak Bearers	32-bit maximum	Interval peak number of bearers
Interval Peak Default Bearers	32-bit maximum	Interval peak number of default bearers
Interval Peak Dedicated Bearers	32-bit maximum	Interval peak number of dedicated bearers
Trace Session Activation Attempts	32-bit maximum	Total number of trace session activations received
Trace Session Activation Accepts	32-bit maximum	Total number of trace session activations accepted
Trace Session Deactivation Attempts	32-bit maximum	Total number of trace session deactivations received
Trace Session Deactivation Accepts	32-bit maximum	Total number of trace session deactivations accepted
Current Sessions Rat Type Utran	32-bit gauge	Current number of UTRAN sessions
Current Sessions Rat Type Geran	32-bit gauge	Current number of GERAN sessions
Current Sessions Rat Type Wlan	32-bit gauge	Current number of WLAN sessions
Current Sessions Rat Type Gan	32-bit gauge	Current number of GAN sessions
Current Sessions Rat Type Hspa Evolution	32-bit gauge	Current number of HSPA Evolution sessions
Current Sessions Rat Type E Utran	32-bit gauge	Current number of E-UTRAN sessions
Current Sessions Rat Type Virtual	32-bit gauge	Current number of Virtual RAT sessions
Indirect Data Forwarding Bearers	32-bit counter	Current number of indirect forwarding bearers
Duplicate Session Local Close Attempts	32-bit counter	Total number of local close attempts due to duplicate session
Number of S4 S11 TEID Lookup Failures	32-bit counter	Number of lookup failures using the S4/S11 control TEID
Number of S5 S8 TEID Lookup Failures	32-bit counter	Number of lookup failures using the S5/S8 control TEID
Number of Error Indications Processed	32-bit counter	Total number of error indications processed
Error Indication Local Close Attempts	32-bit counter	Total number of local close attempts due to receipt of error indication
Error Indication Bearer Deactivation	32-bit counter	Total number of dedicated bearer deactivations due to receipt of error indication

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Number of S1u Default Bearer Error Indications Processed	64-bit counter	Total number of S1u default bearer error indications processed
Number of S1u Dedicated Bearer Error Indications Processed	64-bit counter	Total number of S1u dedicated bearer error indications processed
Number of S5u Default Bearer Error Indications Processed	64-bit counter	Total number of S5u default bearer error indications processed
Number of S5u Default Bearer Error Indication Local Close Attempts	64-bit counter	Total number of local close attempts due to receipt of error indication on S5u default bearer
Number of S5u Dedicated Bearer Error Indications Processed	64-bit counter	Total number of S5u dedicated bearer error indications processed
Number of S5u Dedicated Bearer Error Indication Bearer Deactivation	64-bit counter	Total number of bearer deactivations due to receipt of error indication on S5u dedicated bearer
Change Notification Attempts	32-bit counter	Total number of change notification attempts
Change Notification Accepts	32-bit counter	Total number of change notification requests attempted
Change Notification Rejects	32-bit counter	Total number of change notification requests rejected
Change Notification PGW Rejects	32-bit counter	Total number of change notification requests rejected by PGW
Change Notification Rejects Invalid Request	32-bit counter	Total number of change notification requests rejected due to invalid request
Change Notification Rejects System Failure	32-bit counter	Total number of change notification requests rejected due to system failure
Change Notification Rejects Misc	32-bit counter	Total number of change notification requests rejected for miscellaneous reasons
Change Notification Requests Dropped	32-bit counter	Total number of change notification requests dropped
Create Indirect Forwarding Tunnel Request Attempt	32-bit counter	Total number of create indirect data forwarding tunnel requests attempted
Create Indirect Forwarding Tunnel Request Accept	32-bit counter	Total number of create indirect data forwarding tunnel requests accepted
Create Indirect Forwarding Tunnel Request Reject	32-bit counter	Total number of create indirect data forwarding tunnel requests rejected
Delete Indirect Forwarding Tunnel Request Attempt	32-bit counter	Total number of delete indirect data forwarding tunnel requests attempted

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Delete Indirect Forwarding Tunnel Request Accept	32-bit counter	Total number of delete indirect data forwarding tunnel requests accepted
Delete Indirect Forwarding Tunnel Request Reject	32-bit counter	Total number of delete indirect data forwarding tunnel requests rejected
Num GTPP CDR Sent	32-bit counter	Number of GTPP CDRs that were sent successfully
Num GTPP CDR Response Success	32-bit counter	Number of GTPP CDRs for which a success response was received.
Num GTPP CDR Response Failure	32-bit counter	Number of GTPP CDRs for which a failure response was received.
Num GTPP CDR Response Timeout	32-bit counter	Number of GTPP CDRs for which there was no response received within the expected time.
Bearers Setup Success	32-bit counter	Total number of bearers setup successful
Bearers Setup Fail	32-bit counter	Total number of bearers setup failed
Current Bearers QCI1	32-bit gauge	Total number of current bearers with QCI 1
Current Bearers QCI2	32-bit gauge	Total number of current bearers with QCI 2
Current Bearers QCI3	32-bit gauge	Total number of current bearers with QCI 3
Current Bearers QCI4	32-bit gauge	Total number of current bearers with QCI 4
Current Bearers QCI5	32-bit gauge	Total number of current bearers with QCI 5
Current Bearers QCI6	32-bit gauge	Total number of current bearers with QCI 6
Current Bearers QCI7	32-bit gauge	Total number of current bearers with QCI 7
Current Bearers QCI8	32-bit gauge	Total number of current bearers with QCI 8
Current Bearers QCI9	32-bit gauge	Total number of current bearers with QCI 9
Current Bearers QCI Other	32-bit gauge	Total number of current bearers with QCI Between 10 and 255
Bearer Setup Success QCI1	32-bit counter	Total number of bearers setup successful with QCI 1
Bearer Setup Success QCI2	32-bit counter	Total number of bearers setup successful with QCI 2
Bearer Setup Success QCI3	32-bit counter	Total number of bearers setup successful with QCI 3

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Bearer Setup Success QCI4	32-bit counter	Total number of bearers setup successful with QCI 4
Bearer Setup Success QCI5	32-bit counter	Total number of bearers setup successful with QCI 5
Bearer Setup Success QCI6	32-bit counter	Total number of bearers setup successful with QCI 6
Bearer Setup Success QCI7	32-bit counter	Total number of bearers setup successful with QCI 7
Bearer Setup Success QCI8	32-bit counter	Total number of bearers setup successful with QCI 8
Bearer Setup Success QCI9	32-bit counter	Total number of bearers setup successful with QCI 9
Bearer Setup Success QCI Other	32-bit counter	Total number of bearers setup successful with QCI between 10 and 255
Bearer Setup Fail QCI1	32-bit counter	Total number of bearers setup failed with QCI 1
Bearer Setup Fail QCI2	32-bit counter	Total number of bearers setup failed with QCI 2
Bearer Setup Fail QCI3	32-bit counter	Total number of bearers setup failed with QCI 3
Bearer Setup Fail QCI4	32-bit counter	Total number of bearers setup failed with QCI 4
Bearer Setup Fail QCI5	32-bit counter	Total number of bearers setup failed with QCI 5
Bearer Setup Fail QCI6	32-bit counter	Total number of bearers setup failed with QCI 6
Bearer Setup Fail QCI7	32-bit counter	Total number of bearers setup failed with QCI 7
Bearer Setup Fail QCI8	32-bit counter	Total number of bearers setup failed with QCI 8
Bearer Setup Fail QCI9	32-bit counter	Total number of bearers setup failed with QCI 9
Bearer Setup Fail QCI Other	32-bit counter	Total number of bearers setup failed with QCI between 10 and 255
Saegw Sgw Current Sessions	32-bit counter	SAEGW-SGW current number of sessions
Saegw Sgw Pdn Connections	32-bit counter	Total number of SAEGW-SGW PDN connections
Saegw Sgw Pdn Connections S4 Geran	64-bit counter	Current number of SAEGW-SGW GERAN PDN connections
Saegw Sgw Pdn Connections S4 Utran	64-bit counter	Current number of SAEGW-SGW UTRAN PDN connections

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Saegw Sgw Pdn Connections Eutran	64-bit counter	Current number of SAEGW-SGW EUTRAN PDN connections
Saegw Sgw Current Bearers	32-bit counter	SAEGW-SGW current number of bearers
Saegw Sgw Bearers Setup Success	32-bit counter	SAEGW-SGW total number of bearers setup successful
Saegw Sgw Bearers Setup Fail	32-bit counter	SAEGW-SGW total number of bearers setup failed
Saegw Sgw Current Bearers QCI1	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 1
Saegw Sgw Current Bearers QCI2	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 2
Saegw Sgw Current Bearers QCI3	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 3
Saegw Sgw Current Bearers QCI4	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 4
Saegw Sgw Current Bearers QCI5	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 5
Saegw Sgw Current Bearers QCI6	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 6
Saegw Sgw Current Bearers QCI7	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 7
Saegw Sgw Current Bearers QCI8	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 8
Saegw Sgw Current Bearers QCI9	32-bit gauge	SAEGW-SGW total number of current bearers with QCI 9
Saegw Sgw Current Bearers QCI Other	32-bit gauge	SAEGW-SGW total number of current bearers with QCI between 10 and 255
Saegw Sgw Bearer Setup Success QCI1	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 1
Saegw Sgw Bearer Setup Success QCI2	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 2
Saegw Sgw Bearer Setup Success QCI3	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 3
Saegw Sgw Bearer Setup Success QCI4	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 4

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Saegw Sgw Bearer Setup Success QCI5	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 5
Saegw Sgw Bearer Setup Success QCI6	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 6
Saegw Sgw Bearer Setup Success QCI7	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 7
Saegw Sgw Bearer Setup Success QCI8	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 8
Saegw Sgw Bearer Setup Success QCI9	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 9
Saegw Sgw Bearer Setup Success QCI Other	32-bit counter	SAEGW-SGW total number of bearers setup successful with QCI 1
Saegw Sgw Bearer Setup Fail QCI1	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI between 10 and 255
Saegw Sgw Bearer Setup Fail QCI2	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 2
Saegw Sgw Bearer Setup Fail QCI3	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 3
Saegw Sgw Bearer Setup Fail QCI4	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 4
Saegw Sgw Bearer Setup Fail QCI5	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 5
Saegw Sgw Bearer Setup Fail QCI6	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 6
Saegw Sgw Bearer Setup Fail QCI7	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 7
Saegw Sgw Bearer Setup Fail QCI8	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 8
Saegw Sgw Bearer Setup Fail QCI9	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI 9
Saegw Sgw Bearer Setup Fail QCI Other	32-bit counter	SAEGW-SGW total number of bearers setup failed with QCI between 10 and 255
Uplink Packets	64-bit counter	Total number of uplink packets received
Uplink Bytes	64-bit counter	Total number of uplink bytes received
Uplink Drop Packets	64-bit counter	Total number of uplink packets dropped

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Uplink Drop Bytes	64-bit counter	Total number of uplink bytes dropped
Downlink Packets	64-bit counter	Total number of downlink packets received
Downlink Bytes	64-bit counter	Total number of downlink bytes received
Downlink Drop Packets	64-bit counter	Total number of downlink packets dropped
Downlink Drop Bytes	64-bit counter	Total number of downlink bytes dropped
Uplink Suspend Drop Packets	64-bit counter	Total number of uplink suspend packets dropped
Uplink Suspend Drop Bytes	64-bit counter	Total number of uplink suspend bytes dropped
Downlink Suspend Drop Packets	64-bit counter	Total number of downlink suspend packets dropped
Downlink Suspend Drop Bytes	64-bit counter	Total number of downlink suspend bytes dropped
Num Suspend Notification	32-bit counter	Total number of suspend notification requests received
Num Suspend Notification Accepts	32-bit counter	Total number of suspend notification requests accepted
Num Suspend Notification Rejects	32-bit counter	Total number of suspend notification requests rejected
Num Resume Notification	32-bit counter	Total number of resume notification requests received
Num Resume Notification Accepts	32-bit counter	Total number of resume notification requests accepted
Num Resume Notification Rejects	32-bit counter	Total number of resume notification requests rejected
Number of Saegw Sgw Uplink Packets	64-bit counter	Total number of uplink packets for SAEGW SGW sessions
Number of Saegw Sgw Uplink Bytes	64-bit counter	Total number of uplink bytes for SAEGW SGW sessions
Number of Saegw Sgw Downlink Packets	64-bit counter	Total number of downlink packets for SAEGW SGW sessions
Number of Saegw Sgw Downlink Bytes	64-bit counter	Total number of downlink bytes for SAEGW SGW sessions
Number of Saegw Sgw Uplink Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW SGW sessions

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Number of Saegw Sgw Uplink Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW SGW sessions
Number of Saegw Sgw Downlink Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW SGW sessions
Number of Saegw Sgw Downlink Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW SGW sessions
Number of Uplink S4S12 Geran Packets	64-bit counter	Total number of uplink packets for SGW S4S12 GERAN sessions
Number of Uplink S4S12 Geran Bytes	64-bit counter	Total number of uplink bytes for SGW S4S12 GERAN sessions
Number of Downlink S4S12 Geran Packets	64-bit counter	Total number of downlink packets for SGW S4S12 GERAN sessions
Number of Downlink S4S12 Geran Bytes	64-bit counter	Total number of downlink bytes for SGW S4S12 GERAN sessions
Number of Uplink S4S12 Geran Drop Packets	64-bit counter	Total number of uplink drop packets for SGW S4S12 GERAN sessions
Number of Uplink S4S12 Geran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SGW S4S12 GERAN sessions
Number of Downlink S4S12 Geran Drop Packets	64-bit counter	Total number of downlink drop packets for SGW S4S12 GERAN sessions
Number of Downlink S4S12 Geran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SGW S4S12 GERAN sessions
Number of Saegw Sgw Uplink S4S12 Geran Packets	64-bit counter	Total number of uplink packets for SAEGW SGW S4S12 GERAN sessions
Number of Saegw Sgw Uplink S4S12 Geran Bytes	64-bit counter	Total number of uplink bytes for SAEGW SGW S4S12 GERAN sessions
Number of Saegw Sgw Downlink S4S12 Geran Packets	64-bit counter	Total number of downlink packets for SAEGW SGW S4S12 GERAN sessions
Number of Saegw Sgw Downlink S4S12 Geran Bytes	64-bit counter	Total number of downlink bytes for SAEGW SGW S4S12 GERAN sessions
Number of Saegw Sgw Uplink S4S12 Geran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW SGW S4S12 GERAN sessions
Number of Saegw Sgw Uplink S4S12 Geran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW SGW S4S12 GERAN sessions
Number of Saegw Sgw Downlink S4S12 Geran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW SGW S4S12 GERAN sessions

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Number of Saegw Sgw Downlink S4S12 Geran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW SGW S4S12 GERAN sessions
Number of Uplink S4S12 Utran Packets	64-bit counter	Total number of uplink packets for SGW S4S12 UTRAN sessions
Number of Uplink S4S12 Utran Bytes	64-bit counter	Total number of uplink bytes for SGW S4S12 UTRAN sessions
Number of Downlink S4S12 Utran Packets	64-bit counter	Total number of downlink packets for SGW S4S12 UTRAN sessions
Number of Downlink S4S12 Utran Bytes	64-bit counter	Total number of downlink bytes for SGW S4S12 UTRAN sessions
Number of Uplink S4S12 Utran Drop Packets	64-bit counter	Total number of uplink drop packets for SGW S4S12 UTRAN sessions
Number of Uplink S4S12 Utran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SGW S4S12 UTRAN sessions
Number of Downlink S4S12 Utran Drop Packets	64-bit counter	Total number of downlink drop packets for SGW S4S12 UTRAN sessions
Number of Downlink S4S12 Utran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SGW S4S12 UTRAN sessions
Number of Saegw Sgw Uplink S4S12 Utran Packets	64-bit counter	Total number of uplink packets for SAEGW SGW S4S12 UTRAN sessions
Number of Saegw Sgw Uplink S4S12 Utran Bytes	64-bit counter	Total number of uplink bytes for SAEGW SGW S4S12 UTRAN sessions
Number of Saegw Sgw Downlink S4S12 Utran Packets	64-bit counter	Total number of downlink packets for SAEGW SGW S4S12 UTRAN sessions
Number of Saegw Sgw Downlink S4S12 Utran Bytes	64-bit counter	Total number of downlink bytes for SAEGW SGW S4S12 UTRAN sessions
Number of Saegw Sgw Uplink S4S12 Utran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW SGW S4S12 UTRAN sessions
Number of Saegw Sgw Uplink S4S12 Utran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW SGW S4S12 UTRAN sessions
Number of Saegw Sgw Downlink S4S12 Utran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW SGW S4S12 UTRAN sessions
Number of Saegw Sgw Downlink S4S12 Utran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW SGW S4S12 UTRAN sessions
Number of Uplink Eutran Packets	64-bit counter	Total number of uplink packets for SGW EUTRAN sessions

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Number of Uplink Eutran Bytes	64-bit counter	Total number of uplink bytes for SGW EUTRAN sessions
Number of Downlink Eutran Packets	64-bit counter	Total number of downlink packets for SGW EUTRAN sessions
Number of Downlink Eutran Bytes	64-bit counter	Total number of downlink bytes for SGW EUTRAN sessions
Number of Uplink Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for SGW EUTRAN sessions
Number of Uplink Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SGW EUTRAN sessions
Number of Downlink Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for SGW EUTRAN sessions
Number of Downlink Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Uplink Eutran Packets	64-bit counter	Total number of uplink packets for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Uplink Eutran Bytes	64-bit counter	Total number of uplink bytes for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Downlink Eutran Packets	64-bit counter	Total number of downlink packets for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Downlink Eutran Bytes	64-bit counter	Total number of downlink bytes for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Uplink Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Uplink Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Downlink Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for SAEGW SGW EUTRAN sessions
Number of Saegw Sgw Downlink Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SAEGW SGW EUTRAN sessions
Number TTL Excd Drop Packets	64-bit counter	Number of TTL 0 drop packets
Number TTL Excd Drop Bytes	64-bit counter	Number of TTL 0 drop bytes
Number Frag Send Packets	64-bit counter	Number of IP packets fragmented before sending on the tunnel

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Number Frag Send Bytes	64-bit counter	Number of IP bytes fragmented before sending on the tunnel
Number Frag Fail Packets	64-bit counter	Number of IP packets filed in fragmentation
Number Frag Fail Bytes	64-bit counter	Number of IP bytes filed in fragmentation
Number Uplink Acl Drop Packets	64-bit counter	Number of uplink ACL drop packets
Number Uplink Acl Drop Bytes	64-bit counter	Number of uplink ACL drop bytes
Number Downlink Acl Drop Packets	64-bit counter	Number of downlink ACL drop packets
Number Downlink Acl Drop Bytes	64-bit counter	Number of downlink ACL drop bytes
Number Bad Src Addr Drop Packets	64-bit counter	Number of bad source address drop packets
Number Bad Src Addr Drop Bytes	64-bit counter	Number of bad source address drop bytes
Number No TFT Drop Packets	64-bit counter	Number of no traffic flow template drop packets
Number No TFT Drop Bytes	64-bit counter	Number of no traffic flow template drop bytes
Number Bad UE Addr Drop Packets	64-bit counter	Number of bad UE address drop packets
Number Bad UE Addr Drop Bytes	64-bit counter	Number of bad UE address drop bytes
Number MTU Drop Packets	64-bit counter	Number of MTU drop packets
Number MTU Drop Bytes	64-bit counter	Number of MTU drop bytes
Number No Route Drop Packets	64-bit counter	Number of no route drop packets
Number No Route Drop Bytes	64-bit counter	Number of no route drop routes
Number No Egress Intf Drop Packets	64-bit counter	Number of no egress interface drop packets
Number No Egress Intf Drop Bytes	64-bit counter	Number of no egress interface drop bytes
Number Sess Setup Success Apn Matching Exact Match	32-bit counter	Total number of create session requests accepted with APN matching type exact match
Number Sess Setup Success Apn Matching Ni Only	32-bit counter	Total number of create session requests accepted with APN matching type NI only
Number Sess Setup Success Apn Matching Ni And Malformed Oi	32-bit counter	Total number of create session requests accepted with APN matching type NI and malformed OI
Number Current Session In Paging With Extended Buf	32-bit counter	Current session in paging with extended buffering
Number Current Geo Sync Restored PDN Connections	64-bit gauge	Current number of PDN sessions restored from Geo Active

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Rat NBIot Eutran Sessions	32-bit gauge	Current number of NBIOT-EUTRAN RAT sessions
Saegw Pdn Connections NBIOT Eutran	64-bit gauge	Current number of SAEGW-SGW NBIOT EUTRAN PDN connections
Number Uplink Nbiot Eutran Bytes	64-bit counter	Total number of uplink bytes for SGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Packets	64-bit counter	Total number of downlink packets for SGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Bytes	64-bit counter	Total number of downlink bytes for SGW NBIOT EUTRAN sessions
Number Uplink Nbiot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for SGW NBIOT EUTRAN sessions
Number Uplink Nbiot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for SGW NBIOT EUTRAN sessions
Number Downlink Nbiot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Packets	64-bit counter	Total number of uplink packets for SGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Bytes	64-bit counter	Total number of uplink bytes for SGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Packets	64-bit counter	Total number of downlink packets for SGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Bytes	64-bit counter	Total number of downlink bytes for SGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Drop Packets	64-bit counter	Total number of uplink drop packets for SGW NBIOT EUTRAN sessions
Number Saegw Pgw Uplink Nbiot Eutran Drop Bytes	64-bit counter	Total number of uplink drop bytes for SGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Drop Packets	64-bit counter	Total number of downlink drop packets for SGW NBIOT EUTRAN sessions
Number Saegw Pgw Downlink Nbiot Eutran Drop Bytes	64-bit counter	Total number of downlink drop bytes for SGW NBIOT EUTRAN sessions
Number Current Session In Paging With Extended Buf	32-bit counter	Current session in paging with extended buffering

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Pdn Connections NBIot Eutran	64-bit gauge	Current number of NBIOT EUTRAN PDN connections
Number Create Session Reject Multi PDN Connections Same Apn	32-bit counter	Total number of create session requests rejected - multiple PDN connections for a same APN not allowed
Minimum Control Plane Teid Reuse Duration	32-bit gauge	Minimum duration in which Control Plane TEID got reused
Minimum User Plane Teid Reuse Duration	32-bit gauge	Minimum duration in which User Plane TEID got reused
Number of Sessions in Local Database	32-bit counter	Total number of sessions in local database
Number of Total Sessions With Terminate Timer	32-bit counter	Number of times session terminate timer started because Gy interface was down
Number of Current Sessions With Terminate Timer	32-bit counter	Number of active sessions with session terminate timer running
Create Session Reject Session Blocked	32-bit counter	Total number of create session requests rejected due to session blocked
Local Close Attempts Session Blocked	32-bit counter	Total number of local close attempts due to session blocked
NumCreateSessionRequestsThrottledClusterRate Control	32-bit counter	Number of create session requests throttled due to cluster level rate control
NumCreateSessionRequestsThrottledApnRateControl	32-bit counter	Number of create session requests throttled due to APN level rate control
Create Cups Session Attempts	64-bit counter	Total number of create CUPS session attempts
Create Cups Session Success	64-bit counter	Total number of create CUPS session attempts success
Create Cups Session Failure	64-bit counter	Total number of create CUPS session attempts failed
Modify Cups Session Attempts	64-bit counter	Total number of modify CUPS session attempts
Modify Cups Session Success	64-bit counter	Total number of modify CUPS session attempts success
Modify Cups Session Failure	64-bit counter	Total number of modify CUPS session attempts failed
Delete Cups Session Attempts	64-bit counter	Total number of delete CUPS session attempts
Delete Cups Session Success	64-bit counter	Total number of delete CUPS session attempts success

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Delete Cups Session Failure	64-bit counter	Total number of delete CUPS session attempts failed
Num Local Close Session Monitor	64-bit counter	Number of session locally closed due to U-Plane session monitor failed
Current Cups Sessions	64-bit counter	Number of current CUPS sessions
NumSessionsEstablishedWithExistingImsiAndApn	64-bit counter	Total number of sessions established with IMSI/APN combination for which a session is already established
NumCreateBearerPartialAccept	64-bit counter	Total number of create bearer requests partially accepted
NumUpdateBearerPartialSuccess	64-bit counter	Total number of update bearer partially success
NumSessionMonitorModificationsSent	32-bit counter	Number of session monitor modifications sent
Num Sgw Downlink Packets Home Plmn	64-bit counter	Number of downlink packets for Home PLMN
Num Sgw Downlink Bytes Home Plmn	64-bit counter	Number of downlink bytes for Home PLMN
Num Sgw Uplink Packets Home Plmn	64-bit counter	Number of uplink packets for Home PLMN
Num Sgw Uplink Bytes Home Plmn	64-bit counter	Number of uplink bytes for Home PLMN
Num Sgw Downlink Drop Packets Home Plmn	64-bit counter	Number of downlink drop packets for Home PLMN
Num Sgw Downlink Drop Bytes Home Plmn	64-bit counter	Number of downlink drop bytes for Home PLMN
Num Sgw Uplink Drop Packets Home Plmn	64-bit counter	Number of uplink drop packets for Home PLMN
Num Sgw Uplink Drop Bytes Home Plmn	64-bit counter	Number of uplink drop bytes for Home PLMN
Num Sgw Downlink Packets Snr Plmn	64-bit counter	Number of downlink packets for SNR PLMN
Num Sgw Downlink Bytes Snr Plmn	64-bit counter	Number of downlink bytes for SNR PLMN
Num Sgw Uplink Packets Snr Plmn	64-bit counter	Number of uplink packets for SNR PLMN
Num Sgw Uplink Bytes Snr Plmn	64-bit counter	Number of uplink bytes for SNR PLMN
Num Sgw Downlink Drop Packets Snr Plmn	64-bit counter	Number of downlink drop packets for SNR PLMN
Num Sgw Downlink Drop Bytes Snr Plmn	64-bit counter	Number of downlink drop bytes for SNR PLMN
Num Sgw Uplink Drop Packets Snr Plmn	64-bit counter	Number of uplink drop packets for SNR PLMN

Table 1-119 Service Gateway Call Performance Statistics

SGWCALLPERFSTATSGRID SGWCALLPERFSTATSCHASSIS SGWCALLPERFSTATSSLOT	Type	Description
Num Sgw Uplink Drop Bytes Snr Plm	64-bit counter	Number of uplink drop bytes for SNR PLMN
Num Sgw Downlink Packets Other Roaming Plmn	64-bit counter	Number of downlink packets for other roaming PLMN
Num Sgw Downlink Bytes Other Roaming Plmn	64-bit counter	Number of downlink bytes for other roaming PLMN
Num Sgw Uplink Packets Other Roaming Plmn	64-bit counter	Number of uplink packets for other roaming PLMN
Num Sgw Uplink Bytes Other Roaming Plmn	64-bit counter	Number of uplink bytes for other roaming PLMN
Num Sgw Downlink Drop Packets Other Roaming Plmn	64-bit counter	Number of downlink drop packets for other roaming PLMN
Num Sgw Downlink Drop Bytes Other Roaming Plmn	64-bit counter	Number of downlink drop bytes for other roaming PLMN
Num Sgw Uplink Drop Packets Other Roaming Plmn	64-bit counter	Number of uplink drop packets for other roaming PLMN
Num Sgw Uplink Drop Bytes Other Roaming Plmn	64-bit counter	Number of uplink drop bytes for other roaming PLMN
NumCreateSessionRejectsOverload	64-bit counter	Number of create session requests rejected due to overload
NumCreateBearerRejectsOverload	64-bit counter	Number of create bearer requests rejected due to overload

Service Gateway Procedure Statistics

Note: These statistics are displayed when at least one SGW service is configured and running.

Table 1-120 Service Gateway Procedure Statistics

SGWPROCEDUREGRID SGWPROCEDURECHASSIS SGWPROCEDURESLOT	Type	Description
Initial Attach Success	32-bit counter	Total number of initial attach success
Initial Attach Fail	32-bit counter	Total number of initial attach fail
Modify Bearer Success	32-bit counter	Total number of modify bearer success
Modify Bearer Fail	32-bit counter	Total number of modify bearer fail
Hss Initiated Modify Bearer Command Success	32-bit counter	Total number of HSS initiated modify bearer command success
Hss Initiated Modify Bearer Command Fail	32-bit counter	Total number of HSS initiated modify bearer command fail
S1 Release Success	32-bit counter	Total number of s1-release success
S1 Release Fail	32-bit counter	Total number of s1-release fail
Detach Success	32-bit counter	Total number of detach success
Detach Fail	32-bit counter	Total number of detach fail
Activate Bearer Success	32-bit counter	Total number of activate bearer success
Activate Bearer Fail	32-bit counter	Total number of activate bearer fail
Update Bearer Success	32-bit counter	Total number of update bearer success
Update Bearer Fail	32-bit counter	Total number of update bearer fail
Deactivate Bearer Success	32-bit counter	Total number of deactivate bearer success
Deactivate Bearer Fail	32-bit counter	Total number of deactivate bearer fail
Tau Rau Handover Success	32-bit counter	Total number of TAU/RAU handover success
Tau Rau Handover Fail	32-bit counter	Total number of TAU/RAU handover fail
Tau Rau X2 Sgw Change Handover Success	32-bit counter	Total number of TAU/RAU x2 SGW change handover success
Tau Rau X2 Sgw Change Handover Fail	32-bit counter	Total number of TAU/RAU x2 SGW change handover fail

Table 1-120 Service Gateway Procedure Statistics

SGWPROCEDUREGRID SGWPROCEDURECHASSIS SGWPROCEDURESLOT	Type	Description
S1 Interrat Sgw Change Handover Success	32-bit counter	Total number of s1 inter-RAT SGW change handover success
S1 Interrat Sgw Change Handover Fail	32-bit counter	Total number of s1 inter-RAT SGW change handover fail
NW Initiated Create Bearer Success	32-bit counter	Total number of network initiated create bearer success
NW Initiated Create Bearer Fail	32-bit counter	Total number of network initiated create bearer fail
NW Initiated Delete Bearer Success	32-bit counter	Total number of network initiated delete bearer success
NW Initiated Delete Bearer Fail	32-bit counter	Total number of network initiated delete bearer fail
Bearer Resource Command Success	32-bit counter	Total number of bearer resource command success
Bearer Resource Command Fail	32-bit counter	Total number of bearer resource command fail
Delete Bearer Command Success	32-bit counter	Total number of delete bearer command success
Delete Bearer Command Fail	32-bit counter	Total number of delete bearer command fail
Paging Success	32-bit counter	Total number of paging success
Paging Fail	32-bit counter	Total number of paging fail
UE Initiated Create Bearer Success	32-bit counter	Total number of UE initiated create bearer success
UE Initiated Create Bearer Fail	32-bit counter	Total number of UE initiated create bearer fail
UE Initiated Delete Bearer Success	32-bit counter	Total number of UE initiated delete bearer success
UE Initiated Delete Bearer Fail	32-bit counter	Total number of UE initiated delete bearer fail
Create Indirect Forward Tunnel Success	32-bit counter	Total number of create indirect forward tunnel success
Create Indirect Forward Tunnel Fail	32-bit counter	Total number of create indirect forward tunnel fail
Delete Indirect Forward Tunnel Success	32-bit counter	Total number of delete indirect forward tunnel success
Delete Indirect Forward Tunnel Fail	32-bit counter	Total number of delete indirect forward tunnel fail

Table 1-120 Service Gateway Procedure Statistics

SGWPROCEDUREGRID SGWPROCEDURECHASSIS SGWPROCEDURESLOT	Type	Description
Change Notification Success	32-bit counter	Total number of change notification success
Change Notification Fail	32-bit counter	Total number of change notification fail
FSAPI Migrate Session Create Success	32-bit counter	Total number of FSAPI migrate session create success
FSAPI Migrate Session Create Fail	32-bit counter	Total number of FSAPI migrate session create failure
Error Indication Paging Success	32-bit counter	Total number of error indication paging success
Error Indication Paging Fail	32-bit counter	Total number of error indication paging fail
S1u Handle Path Failure Success	64-bit counters	Total number of S1U path failures procedure success
S1u Handle Path Failure Fail	64-bit counters	Total number of S1U path failures procedure failed
Intra MME Intra SGW Handover Success	32-bit counter	Total number of Intra MME Intra SGW handover success
Intra MME Intra SGW Handover Fail	32-bit counter	Total number of Intra MME Intra SGW handover fail
Inter MME Intra SGW Handover Success	32-bit counter	Total number of Inter MME Intra SGW handover success
Inter MME Intra SGW Handover Fail	32-bit counter	Total number of Inter MME Intra SGW handover fail
SGSN to MME Intra SGW Handover Success	32-bit counter	Total number of SGSN to MME Intra SGW handover success
SGSN to MME Intra SGW Handover Fail	32-bit counter	Total number of SGSN to MME Intra SGW fail
Intra SGSN Intra SGW Handover Success	32-bit counter	Total number of Intra SGSN Intra SGW handover success
Intra SGSN Intra SGW Handover Fail	32-bit counter	Total number of Intra SGSN Intra SGW handover fail
Inter SGSN Intra SGW Handover Success	32-bit counter	Total number of Inter SGSN Intra SGW handover success
Inter SGSN Intra SGW Handover Fail	32-bit counter	Total number of Inter SGSN Intra SGW handover fail
MME to SGSN Intra SGW Handover Success	32-bit counter	Total number of MME to SGSN Intra SGW handover success

Table 1-120 Service Gateway Procedure Statistics

SGWPROCEDUREGRID SGWPROCEDURECHASSIS SGWPROCEDURESLOT	Type	Description
MME to SGSN Intra SGW Handover Fail	32-bit counter	Total number of MME to SGSN Intra SGW handover fail
Suspend Notification Success	32-bit counter	Total number of suspend notification success
Suspend Notification Fail	32-bit counter	Total number of suspend notification fail
Resume Notification Success	32-bit counter	Total number of resume notification success
Resume Notification Fail	32-bit counter	Total number of resume notification fail
Num Update Bearer Temp Reject	32-bit counter	Total number of network initiated update bearer temporarily rejected
NW Initiated Create Bearer Temp Reject	32-bit counter	Total number of network initiated create bearer temporarily rejected
NW Initiated Delete Bearer Temp Reject	32-bit counter	Total number of network initiated delete bearer temporarily rejected
Num Paging Temp Reject	32-bit counter	Total number of downlink data notifications temporarily rejected
S1u Handle Path Failure Success	64-bit counters	Total number of S1U path failures procedure success
S1u Handle Path Failure Fail	64-bit counters	Total number of S1U path failures procedure failed
NumUpdateBearerUePsmReject	64-bit counters	Total number of network initiated update bearer rejected, due to UE in PSM
NumNWInitiatedCreateBearerUePsmReject	64-bit counters	Total number of network initiated create bearer rejected, due to UE in PSM
NumUpdateBearerPartialSuccess	64-bit counters	Total number of update bearer partial success
NumNWInitiatedCreateBearerPartialSuccess	64-bit counters	Total number of network initiated create bearer partial success

Session Learner Interface Statistics

Note: These statistics are displayed when any session learner interface is configured.

Table 1-121 Session Learner Interface Statistics

GWSLINTERFACESTATS	Type	Description
Number of Create Session Attempt	64-bit counter	Number of create session attempt
Number of Create Session Accept	64-bit counter	Number of create session accept
Number of Create Session Reject	64-bit counter	Number of create session reject
Number of Create Session Timeout	64-bit counter	Number of create session timeout
Number of Delete Session Attempt	64-bit counter	Number of delete session attempt
Number of Delete Session Accept	64-bit counter	Number of delete session accept
Number of Delete Session Reject	64-bit counter	Number of delete session reject
Number of Delete Session Timeout	64-bit counter	Number of delete session timeout
Number of Sessions Deleted Idle Timeout	64-bit counter	Number of session deleted idle timeout
Number of Sessions	64-bit counter	Current number of PDN sessions
Number of RADIUS Messages Received From Server	64-bit counter	Number of RADIUS messages received from server
Number of RADIUS Messages Sent To Server	64-bit counter	Number of RADIUS messages sent to server
Number of RADIUS Messages Received From Client	64-bit counter	Number of RADIUS messages received from client
Number of RADIUS Messages Sent To Client	64-bit counter	Number of RADIUS messages sent to client
Number of Delete Session Indications	64-bit counter	Number of Network-initiated delete sessions
Number of Session Failures - Internal Error	64-bit counter	Number of session failures - internal error
Number of Session Failures - No APN	64-bit counter	Number of session failures - no APN
Number of Session Failures - No session ID	64-bit counter	Number of session failures - No session ID in RADIUS message
Number of Session Failures - RADIUS decode error	64-bit counter	Number of session failures - RADIUS decode error
Number of Session Failures - RADIUS authentication timeout	64-bit counter	Number of session failures - RADIUS authentication timeout

Table 1-121 Session Learner Interface Statistics

GWSLINTERFACESTATS	Type	Description
Number of Session Failures - No RADIUS server mapping	64-bit counter	Number of session failures - No RADIUS server mapping
Number of PDN Session Restores	64-bit counter	Number of PDN session restores
Number of PDN Session Restore Failures - No Session	64-bit counter	Number of PDN session restore failures - no session
Number of PDN Session Restore Failures - No PDN Session	64-bit counter	Number of PDN session restore failures - no PDN session
Number of PDN Session Restore Failures - No APN	64-bit counter	Number of PDN session restore failures - no APN
Number of PDN Session Backup Failures - No Session	64-bit counter	Number of PDN session backup failures - No Session
Number of PDN Session Backup Failures - No PDN Session	64-bit counter	Number of PDN session backup failures - No PDN Session
Number of PDN Session Backup Failures - No PDN Bearer	64-bit counter	Number of PDN session backup failures - No PDN Bearer
Number Failures Mac Address Changed	64-bit counter	Number of session failures - MAC address changed for existing session
Number DHCP Messages Received	64-bit counter	Number of DHCP Trigger Messages Received
Number DHCP Discover Messages Received	64-bit counter	Number of DHCP Discover Trigger Messages Received
Number DHCP Request Messages Received	64-bit counter	Number of DHCP Request Trigger Messages Received
Number Failures DHCP Misc Error	64-bit counter	Number of DHCP Request Trigger Failures Miscellaneous
Number Failures Unhandled DHCP Message Error	64-bit counter	Number of DHCP trigger failures - Bad DHCP Message Received
Number IP Messages Received	64-bit counter	Number of IP Messages Received
Number Failures IP Misc Error	64-bit counter	Number of IP Trigger Failures Miscellaneous
Number LDAP Query Sent	64-bit counter	Number of LDAP Query Messages Sent Successfully
Number LDAP Query Send Failure	64-bit counter	Number of LDAP Query Send Failure
Number LDAP Resp Success	64-bit counter	Number of LDAP Responses with Success
Number LDAP Response Failure	64-bit counter	Number of LDAP Responses with Failure
Number LDAP Query Timeout	64-bit counter	Number of LDAP Queries that timed out

Table 1-121 Session Learner Interface Statistics

GWSLINTERFACESTATS	Type	Description
Number LDAP Messages From Server	64-bit counter	Number of LDAP Messages Received From Server
Number of Session Close No GW Session	64-bit counter	Number of PDN session closes due to no gateway session
Number of Diameter DER Request Transmitted	64-bit counter	Number of Diameter DER request transmitted
Number of Diameter DER Request Timed Out	64-bit counter	Number of Diameter DER request timed out
Number of Diameter DEA Response Received	64-bit counter	Number of Diameter DEA response received
Number of Diameter DEA Failure Response Received	64-bit counter	Number of Diameter DEA failure response received
Number of Diameter STR Request Transmitted	64-bit counter	Number of Diameter STR request transmitted
Number of Diameter STR Request Timed Out	64-bit counter	Number of Diameter STR request timed out
Number of Diameter STA Response Received	64-bit counter	Number of Diameter STA response received
Number of Diameter STA Failure Response Received	64-bit counter	Number of Diameter STA failure response received
Number of Diameter AAR Request Transmitted	64-bit counter	Number of Diameter AAR request transmitted
Number of Diameter AAR Request Timed Out	64-bit counter	Number of Diameter AAR request timed out
Number of Diameter AAA Response Received	64-bit counter	Number of Diameter AAA response received
Number of Diameter AAA Failure Response Received	64-bit counter	Number of Diameter AAA failure response received
Number of Diameter RAR Request Received	64-bit counter	Number of Diameter RAR request received
Number of Diameter RAR Failed	64-bit counter	Number of Diameter RAR failed
Number of Diameter ASR Request Received	64-bit counter	Number of Diameter ASR request received
Number of Diameter ASR Failure	64-bit counter	Number of Diameter ASR failed
Number of Radius Disconnect Attempt	64-bit counter	Number of Radius Disconnect request attempt
Number of Radius Disconnect ACK received	64-bit counter	Number of Radius Disconnect ACK received
Number of Radius Disconnect NACK received	64-bit counter	Number of Radius Disconnect NACK received
NumCreateSessionRejectActiveEmergencySession	32-bit counter	Total number of create session requests rejected - active emergency session exists
NumCreateSessionRejectDuplicateApn	32-bit counter	Total number of create session requests rejected - duplicate APN

Table 1-121 Session Learner Interface Statistics

GWSLINTERFACESTATS	Type	Description
NumCreateSessionRejectMaxPdnSession	32-bit counter	Total number of create session requests rejected - max number of PDN sessions exceeded
NumDiamDeaSessionNotFound	32-bit counter	Number of Diameter DEA received for which session not found
NumDiamDeaPdnSessionNotFound	32-bit counter	Number of Diameter DEA received for which PDN session not found
NumDiamDeaDiamSessionIdMismatch	32-bit counter	Number of Diameter DEA received for which Diameter session ID did not match
NumDiamStaSessionNotFound	32-bit counter	Number of Diameter STA received for which session not found
NumDiamStaPdnSessionNotFound	32-bit counter	Number of Diameter STA received for which PDN session not found
NumDiamStaDiamSessionIdMismatch	32-bit counter	Number of Diameter STA received for which Diameter session ID did not match
NumDiamAaaSessionNotFound	32-bit counter	Number of Diameter AAA received for which session not found
NumDiamAaaPdnSessionNotFound	32-bit counter	Number of Diameter AAA received for which PDN session not found
NumDiamAaaDiamSessionIdMismatch	32-bit counter	Number of Diameter AAA received for which Diameter session ID did not match
NumDiamRarSessionNotFound	32-bit counter	Number of Diameter RAR received for which session not found
NumDiamRarPdnSessionNotFound	32-bit counter	Number of Diameter RAR received for which PDN session not found
NumDiamRarDiamSessionIdMismatch	32-bit counter	Number of Diameter RAR received for which Diameter session ID did not match
NumDiamAsrSessionNotFound	32-bit counter	Number of Diameter ASR received for which session not found
NumDiamAsrPdnSessionNotFound	32-bit counter	Number of Diameter ASR received for which Diameter session ID did not match
NumDiamAsrDiamSessionIdMismatch	32-bit counter	Number of Diameter ASR received for which PDN session not found
NumIdentityDecryptionSuccess	32-bit counter	Identity decryption success
NumIdentityDecryptionFailed	32-bit counter	Identity decryption failed
NumEncryptedIdentityLengthInvalid	32-bit counter	Length of encrypted identity is invalid

Table 1-121 Session Learner Interface Statistics

GWSLINTERFACESTATS	Type	Description
NumDecryptionFailedCertificateNotFound	32-bit counter	Certificate not found for decryption given a certificate identifier
NumDecryptionFailedBase64DecodeFailed	32-bit counter	Base64 decode failed for decryption
NumDecryptionFailedBase64StringTooLong	32-bit counter	Decryption failed because Base64 string is too long for decryption
NumDecryptionFailedAlgorithmFailure	32-bit counter	Decryption algorithm failure
NumDecryptionFailedNoPrivateKey	32-bit counter	No private key for decryption
NumMessageFlowInitiatedByUeUsingPseudonymId	32-bit counter	Number of times UE initiated a message flow using a pseudonym identity
NumMessageFlowInitiatedByUeUsingFastReauthId	32-bit counter	Number of times UE initiated a message flow using a fast re-authentication identity

SIP Advanced Statistics

Table 1-122 SIP Advanced Statistics

SIPADVANCEDGRID	Type	Description
totalSIPCalls	64-bit counter	Total SIP calls
totalSIPTCPFlows	64-bit counter	Total SIP flows
currentSIPTCPFlows	64-bit counter	Current SIP flows
totalSIPUDPFlows	64-bit counter	Total SIP UDP flows
currentSIPUDPFlows	64-bit counter	Current SIP UDP flows
registerReqs	64-bit counter	REGISTER requests
inviteReqs	64-bit counter	INVITE requests
ackReqs	64-bit counter	ACK requests
byeReqs	64-bit counter	BYE requests
infoReqs	64-bit counter	INFO requests
prackReqs	64-bit counter	PRACK requests
referReqs	64-bit counter	REFER requests
cancelReqs	64-bit counter	CANCEL requests

Table 1-122 SIP Advanced Statistics

SIPADVANCEDGRID	Type	Description
messageReqs	64-bit counter	MESSAGE requests
optionsReqs	64-bit counter	OPTIONS requests
publishReqs	64-bit counter	PUBLISH requests
subscribeReqs	64-bit counter	SUBSCRIBE requests
notifyReqs	64-bit counter	NOTIFY requests
totalReqs	64-bit counter	TOTAL requests
total1XXResps	64-bit counter	Total 1XX responses
total2XXResps	64-bit counter	Total 2XX responses
total3XXResps	64-bit counter	Total 3XX responses
total4XXResps	64-bit counter	Total 4XX responses
total5XXResps	64-bit counter	Total 5XX responses
total6XXResps	64-bit counter	Total 6XX responses
totalResps	64-bit counter	Total responses

SIP Basic Statistics

Table 1-123 SIP Basic Statistics

SIPBASICGRID	Type	Description
totalRTPUplinkBytes	64-bit counter	Total RTP Uplink Bytes
totalRTPUplinkPkts	64-bit counter	Total RTP Uplink Packets
totalRTPDownlinkBytes	64-bit counter	Total RTP Downlink Bytes
totalRTPDownlinkPkts	64-bit counter	Total RTP Downlink Packets
totalUplinkBytes	64-bit counter	Total Uplink Bytes
totalUplinkPkts	64-bit counter	Total Uplink Packets
totalDownlinkBytes	64-bit counter	Total Downlink Bytes
totalDownlinkPkts	64-bit counter	Total Downlink Packets

Slot Statistics

Slot statistics report on kernel statistics, which includes the continuous busy idle loop as the system looks for work to perform (which it may not find). As a result, the **CPU Utilization** reported by Slot Statistics may report that a node is running at or near 100%, whereas the value is actually between 0-100%, depending on how much of the total time is spent doing actual work.

For v-SSM and SSM node/card types, **CPU Utilization** reported by Slot statistics differs from that reported by System CPU statistics (see [System CPU Statistics](#)). System CPU statistics account for software being in a continuous busy idle loop, and report values that represent the time spent doing actual work versus being idle looking for work.

Table 1-124 Slot Statistics

SLOT_STATS	Type	Description
CPU Utilization	gauge float	Average CPU utilization (in %) of all cores on each of the nodes in the cluster from the kernel perspective. However, some cores are isolated and reserved for data packet processing. These cores always run at 100% from the kernel perspective despite the actual packet processing load, which could be minimal.
Memory Utilization	gauge float	Memory Utilization, in MB
Process Count	32-bit gauge	Number of processes
Isolated CPU Utilization Normalized	gauge float	Estimate of how busy the data packet processing cores are, based on the current packet processing load [0..100]. It shows how how busy these isolated cores are.
General CPU Utilization	gauge float	Average CPU utilization for the remaining cores that are not dedicated for data packet processing.

SMTP Proxy Statistics

Table 1-125 SMTP Proxy Statistics

CONTENTSMTPPROXYSTATSSUMGRID CONTENTSMTPPROXYSTATSSUMCHASSIS CONTENTSMTPPROXYSTATSSUMSSLOT	Type	Description
MM3 - Send Attempts	64-bit counter	Number of SMTP Proxy send attempts
MM3 - Send Successes	64-bit counter	Number of SMTP Proxy Send Successes
MM3 - Send Failures	64-bit counter	Number of SMTP Proxy Send Failures
MM3 - Received Messages	64-bit counter	Number of SMTP Proxy Received Messages
MM3 - Received Message Successes	64-bit counter	Number of SMTP Proxy Received Message Successes
MM3 - Received Message Failures	64-bit counter	Number of SMTP Proxy Received Message Failures
MM3 - SMIL Drops	64-bit counter	Number of SMTP Proxy SMIL Drops
MM3 - Image Transcoded to Base64	64-bit counter	Number of SMTP Proxy Images Transcoded to Base64
MM3 - Audio Transcoded to Base64	64-bit counter	Number of SMTP Proxy Audio Transcoded to Base64
MM3 - Video Transcoded to Base64	64-bit counter	Number of SMTP Proxy Video Transcoded to Base64
MM3 - Text Transcoded to Base64	64-bit counter	Number of SMTP Proxy Text Transcoded to Base64
MM3 - Image Transcoding – Successes	64-bit counter	Number of SMTP Proxy Images Transcoding Successes
MM3 - Image Transcoding – Cancels	64-bit counter	Number of SMTP Proxy Image Transcoding Cancels
MM3 - Image Transcoding – Aborts	64-bit counter	Number of SMTP Proxy Image Transcoding Aborts
MM3 - Image Transcoding – Failures	64-bit counter	Number of SMTP Proxy Image Transcoding Failures
MM3 - Audio Transcoding – Successes	64-bit counter	Number of SMTP Proxy Audio Transcoding Successes
MM3 - Audio Transcoding – Cancels	64-bit counter	Number of SMTP Proxy Audio Transcoding Cancels
MM3 - Audio Transcoding – Aborts	64-bit counter	Number of SMTP Proxy Audio Transcoding Aborts

Table 1-125 SMTP Proxy Statistics

CONTENTSMTPPROXYSTATSSUMGRID CONTENTSMTPPROXYSTATSSUMCHASSIS CONTENTSMTPPROXYSTATSSUMSSLOT	Type	Description
MM3 - Audio Transcoding – Failures	64-bit counter	Number of SMTP Proxy Audio Transcoding Failures
MM3 - Video Transcoding – Successes	64-bit counter	Number of SMTP Proxy Video Transcoding Successes
MM3 - Video Transcoding – Cancels	64-bit counter	Number of SMTP Proxy Video Transcoding Cancels
MM3 - Video Transcoding – Aborts	64-bit counter	Number of SMTP Proxy Video Transcoding Aborts
MM3 - Video Transcoding – Failures	64-bit counter	Number of SMTP Proxy Video Transcoding Failures
MM3 - Text Transcoding – Successes	64-bit counter	Number of SMTP Proxy Text Transcoding Successes
MM3 - Text Transcoding Cancels	64-bit counter	Number of SMTP Proxy Text Transcoding Cancels
MM3 - Text Transcoding Aborts	64-bit counter	Number of SMTP Proxy Image Transcoding Aborts
MM3 - Text Transcoding Failures	64-bit counter	Number of SMTP Proxy Text Transcoding Failures
MM3 - Bytes Sent	64-bit counter	Number of SMTP Proxy Bytes Sent
MM3 - Bytes Received	64-bit counter	Number of SMTP Proxy Bytes Received
MM3 - Content Adaptation Suppressed	64-bit counter	Number of SMTP Proxy Content Adaptation Suppressed
MM3 - Constructing PC Profile Failed	64-bit counter	Number of SMTP Proxy Constructing PC Profile Failed

STI Detail Statistics

Table 1-126 STI Detail Statistics

CONTENTSTIDETAILEDSTATSGRID CONTENTSTIDETAILEDSTATSCHASSIS CONTENTSTIDETAILEDSTATSSLOT	Type	Description
STI - Transcoding Requests Received	64-bit counter	Total number of transcoding requests received
STI - Successes Transcoding Responses	64-bit counter	Total number of success transcoding responses
STI - Errors Transcoding Responses	64-bit counter	Total number of error transcoding responses
STI - No Matching Configuration	64-bit counter	Total number of no matching configuration
STI - Content Adaptation Suppressed	64-bit counter	Total number of content adaptation suppressed
STI - Constructing UA Profile Failed	64-bit counter	Total number of constructing UA Profile failed

STI Media Adaptation Statistics

Table 1-127 STI Media Adaptation Statistics

CONTENTSTIMEDIAADAPTATIONSTATSGRID CONTENTSTIMEDIAADAPTATIONSTATSCHASSIS CONTENTSTIMEDIAADAPTATIONSTATSSLOT	Type	Description
STI Video Adaptation - Attempts	64-bit counter	Total number of video adaptation attempts
STI Video Adaptation - Cancels	64-bit counter	Total number of video adaptation interrupted or canceled during the transaction
STI Video Adaptation - Successes	64-bit counter	Total number of video adaptation successes
STI Video Adaptation - Aborts	64-bit counter	Total number of video adaptation aborts (for example, the UAProfile has Transcoding Suppression set and the source content is larger than the UAProfiles defined maximum content size)

Table 1-127 STI Media Adaptation Statistics

CONTENTSTIMEDIAADAPTATIONSTATSGRID CONTENTSTIMEDIAADAPTATIONSTATSCHASSIS CONTENTSTIMEDIAADAPTATIONSTATSSLOT	Type	Description
STI Video Adaptation - Failures	64-bit counter	Total number of video adaptation failures because the attempt could not transcode and meet the parameters of the target UAProfile (for example, after transcoding down to the minimum parameters such as screen size or resolution, the transcoded content is still greater than the allowed maximum content size)
STI Image Adaptation - Attempts	64-bit counter	Total number of image adaptation attempts
STI Image Adaptation - Cancels	64-bit counter	Total number of image adaptation interrupted or canceled during the transaction
STI Image Adaptation - Successes	64-bit counter	Total number of image adaptation successes
STI Image Adaptation - Aborts	64-bit counter	Total number of image adaptation aborts (for example, the UAProfile has Transcoding Suppression set and the source content is larger than the UAProfiles defined maximum content size)
STI Image Adaptation - Failures	64-bit counter	Total number of image adaptation failures because the attempt could not transcode and meet the parameters of the target UAProfile (for example, after transcoding down to the minimum parameters such as screen size or resolution, the transcoded content is still greater than the allowed maximum content size)
STI Text Adaptation - Attempts	64-bit counter	Total number of text adaptation attempts
STI Text Adaptation - Cancels	64-bit counter	Total number of text adaptation interrupted or canceled during the transaction
STI Text Adaptation - Successes	64-bit counter	Total number of text adaptation successes
STI Text Adaptation - Aborts	64-bit counter	Total number of text adaptation aborts (for example, the UAProfile has Transcoding Suppression set and the source content is larger than the UAProfiles defined maximum content size)

Table 1-127 STI Media Adaptation Statistics

CONTENTSTIMEDIAADAPTATIONSTATSGRID CONTENTSTIMEDIAADAPTATIONSTATSCHASSIS CONTENTSTIMEDIAADAPTATIONSTATSSLOT	Type	Description
STI Text Adaptation - Failures	64-bit counter	Total number of text adaptation failures because the attempt could not transcode and meet the parameters of the target UAProfile (for example, after transcoding down to the minimum parameters such as screen size or resolution, the transcoded content is still greater than the allowed maximum content size)
STI Audio Adaptation - Attempts	64-bit counter	Total number of audio adaptation attempts
STI Audio Adaptation - Cancels	64-bit counter	Total number of audio adaptation interrupted or canceled during the transaction
STI Audio Adaptation - Successes	64-bit counter	Total number of audio adaptation successes
STI Audio Adaptation - Aborts	64-bit counter	Total number of audio adaptation aborts (for example, the UAProfile has Transcoding Suppression set and the source content is larger than the UAProfiles defined maximum content size)
STI Audio Adaptation - Failures	64-bit counter	Total number of audio adaptation failures because the attempt could not transcode and meet the parameters of the target UAProfile (for example, after transcoding down to the minimum parameters such as screen size or resolution, the transcoded content is still greater than the allowed maximum content size)

System CPU Statistics

System CPU statistics display the average CPU utilization over various sample periods as reported by internal software algorithms. The algorithms account for software being in a continuous busy idle loop as the system looks for work to perform (which it may not find). As a result, the CPU utilization reported by System CPU statistics represents the time spent doing actual work versus being idle looking for work.

These statistics differ from those reported by Slot statistics (see [Slot Statistics](#)). Slot statistics report on kernel statistics, which includes the continuous busy idle loop as the system looks for work to perform. As a result, the **CPU Utilization** reported by Slot Statistics may report that a node is running at or near 100%, whereas the value is actually between 0-100%, depending on how much of the total time is spent doing actual work.

This discrepancy applies exclusively to the v-SSM and SSM node/card types. For all other node types, the values reported by System CPU statistics and Slot statistics are identical.

Table 1-128 System CPU Statistics

SYSTEMCPUSTATISTICS SYSTEMCPUSTATISTICSCORELEVEL SYSTEMCPUSTATISTICSCPULEVEL	Type	Description
Average 1 min CSM CPU Utilization	64-bit gauge	Average 1 minute CSM CPU utilization
Average 5 min CSM CPU Utilization	64-bit gauge	Average 5 minute CSM CPU utilization
Average 15 min CSM CPU Utilization	64-bit gauge	Average 15 minute CSM CPU utilization
Average 1 min SSM CPU Utilization	64-bit gauge	Average 1 minute SSM CPU utilization
Average 5 min SSM CPU Utilization	64-bit gauge	Average 5 minute SSM CPU utilization
Average 15 min SSM CPU Utilization	64-bit gauge	Average 15 minute SSM CPU utilization
Average 1 min MCM CPU Utilization	64-bit gauge	Average 1 minute MCM CPU utilization
Average 5 min MCM CPU Utilization	64-bit gauge	Average 5 minute MCM CPU utilization
Average 15 min MCM CPU Utilization	64-bit gauge	Average 15 minute MCM CPU utilization

System Memory Statistics

Table 1-129 System Memory Statistics

SYSTEMMEMORYSTATISTICS SYSTEMMEMORYSTATISTICSCPULEVEL	Type	Description
Average 1 min CSM CPU Memory Utilization	64-bit gauge	Average 1 minute CSM CPU memory utilization
Average 5 min CSM CPU Memory Utilization	64-bit gauge	Average 5 minute CSM CPU memory utilization
Average 15 min CSM CPU Memory Utilization	64-bit gauge	Average 15 minute CSM CPU memory utilization
Average 1 min SSM CPU Memory Utilization	64-bit gauge	Average 1 minute SSM CPU memory utilization
Average 5 min SSM CPU Memory Utilization	64-bit gauge	Average 5 minute SSM CPU memory utilization
Average 15 min SSM CPU Memory Utilization	64-bit gauge	Average 15 minute SSM CPU memory utilization
Average 1 min MCM CPU Memory Utilization	64-bit gauge	Average 1 minute MCM CPU memory utilization
Average 5 min MCM CPU Memory Utilization	64-bit gauge	Average 5 minute MCM CPU memory utilization
Average 15 min MCM CPU Memory Utilization	64-bit gauge	Average 15 minute MCM CPU memory utilization
Total Available Memory	64-bit gauge	Total available memory
Total Available Memory Free	64-bit gauge	Total available memory free
Total Available Memory in Buffer Cache	64-bit gauge	Total available memory in buffer cache
Total Available Memory in Page Cache Minus Swap Cache	64-bit gauge	Total available memory in page cache minus swap cache
Total Available Memory in Swap Cache	64-bit gauge	Total available memory in swap cache
Total Available Virtual Memory Active	64-bit gauge	Total available virtual memory active
Total Available Virtual Memory Inactive	64-bit gauge	Total available virtual memory inactive
Total Available Swap Memory	64-bit gauge	Total available swap memory
Total Available Swap Memory Free	64-bit gauge	Total available swap memory free
Total Available Memory that needs to be written to disk or swap	64-bit gauge	Total available memory that needs to be written to disk or swap
Total Available Memory which is actively being written back to the disk	64-bit gauge	Total available memory that is actively being written back to the disk

Table 1-129 System Memory Statistics

SYSTEMMEMORYSTATISTICS SYSTEMMEMORYSTATISTICSCPULEVEL	Type	Description
Total Non-file backed pages mapped into userspace page tables	64-bit gauge	Total non-file backed pages mapped into userspace page tables
Total Available Memory that has been mapped (mmap)	64-bit gauge	Total available memory that has been mapped (mmap)
Total Available Memory in the Slab (kernel data structures)	64-bit gauge	Total available memory in the slab (kernel data structures)
Total Available Memory part of slab, that might be reclaimed, such as cache	64-bit gauge	Total available memory part of slab, that might be reclaimed, such as cache
Total Available Memory that cannot be reclaimed on memory pressure	64-bit gauge	Total available memory part of slab that cannot be reclaimed on memory pressure
Total Available Memory dedicated to lowest level page tables	64-bit gauge	Total available memory dedicated to lowest level page tables
Total Available Memory NFS pages sent to the server, but not yet committed	64-bit gauge	Total available memory NFS pages sent to the server, but not yet committed to stable storage
Total Available Memory Block Device Bounce Buffers	64-bit gauge	Total available memory block device bounce buffers
Total Available Memory used by FUSE for temporary writeback buffers	64-bit gauge	Total available memory used by FUSE for temporary writeback buffers
Total Available Memory Commit Limit	64-bit gauge	Total available memory commit limit
Total Available Memory Presently Allocated	64-bit gauge	Total available memory presently allocated
Total Available Virtual Memory	64-bit gauge	Total available virtual memory
Total Available Virtual Memory Used	64-bit gauge	Total available virtual memory used
Largest Available Virtual Memory Chunk	64-bit gauge	Largest available virtual memory chunk
Total Available Huge TLB Pages	64-bit gauge	Total available huge TLB pages
Total Available Huge TLB Pages Free	64-bit gauge	Total available huge TLB pages free
Total Available Huge TLB Pages Reserved	64-bit gauge	Total available huge TLB pages reserved
Total Available Huge TLB Pages Surplus	64-bit gauge	Total available huge TLB pages surplus
Total Available Huge TLB Page Size	64-bit gauge	Total available huge TLB page size

System Node Uptime Statistics

Note: These statistics are retained for four hours. Older data is purged.

Table 1-130 System Node Uptime Statistics

SYSTEM_NODE_UPTIME	Type	Description
System Node Uptime	64-bit gauge	System node uptime in seconds

System Performance Statistics

Table 1-131 System Performance Statistics

SYSTEMPFMSTATISTICS	Type	Description
Average 1 minute Disk Write Speed MB per second	64-bit gauge	Average 1 minute disk write speed (MB/sec)
Average 5 minute Disk Write Speed MB per second	64-bit gauge	Average 5 minute disk write speed (MB/sec)
Average 15 minute Disk Write Speed MB per second	64-bit gauge	Average 15 minute disk write speed (MB/sec)
Average 1 minute Base received Mbps per second	64-bit gauge	Average 1 minute Base received Mbps per second
Average 1 minute Base transmitted Mbps per second	64-bit gauge	Average 1 minute Base transmitted Mbps per second
Average 5 minute Base received Mbps per second	64-bit gauge	Average 5 minute Base received Mbps per second
Average 5 minute Base transmitted Mbps per second	64-bit gauge	Average 5 minute Base transmitted Mbps per second
Average 15 minute Base received Mbps per second	64-bit gauge	Average 15 minute Base received Mbps per second
Average 15 minute Base transmitted Mbps per second	64-bit gauge	Average 15 minute Base transmitted Mbps per second
Average 1 minute worst case ping delay usec	64-bit gauge	Average 1 minute ping worst case delay
Average 5 minute worst case ping delay usec	64-bit gauge	Average 5 minute ping worst case delay
Average 15 minute worst case ping delay usec	64-bit gauge	Average 15 minute ping worst case delay
Ping worst case delay node	64-bit gauge	Node ID of most recent worst case delay

Table 1-131 System Performance Statistics

SYSTEMPFMSTATISTICS	Type	Description
Average 1 minute queue length bytes	64-bit gauge	Average 1 minute message queue length (bytes)
Ping worst case delay port	64-bit gauge	Port ID of most recent worst case delay
Average 15 minute base link monitor drops path A	64-bit gauge	Average 15 minute base redundancy drops path A
Average 15 minute base link monitor drops path B	64-bit gauge	Average 15 minute base redundancy drops path B
Cumulative Base Delay 15 minute interval ms	64-bit gauge	Cumulative 15 minute base link monitor delay in ms
Average 15 minute data link monitor drops path A	64-bit gauge	Average 15 minute data redundancy drops path A
Average 15 minute data link monitor drops path B	64-bit gauge	Average 15 minute data redundancy drops path B
Cumulative backlog queue drops 15 minutes	64-bit gauge	Cumulative 15 minute message queue length (bytes)

System Uptime Statistics

Table 1-132 System Uptime Statistics

SYSTEM_UPTIME	Type	Description
System Uptime	64-bit gauge	System uptime in seconds

Task Statistics

Table 1-133 Task Statistics

TASK_STATS	Type	Description
CPU Utilization	gauge float	CPU Utilization, in %
Memory Utilization	gauge float	Memory Utilization, in MB
Task Utilization	gauge float	Task Utilization

TCP Measurement Statistics

Table 1-134 TCP Measurement Statistics

TCPMEASUREMENTSSUMMARYSTATSCHASSIS TCPMEASUREMENTSSUMMARYSTATSNODE	Type	Description
TCP Measurement - Minimum Round Trip Time	64-bit gauge	Minimum Round Trip Time (microsec)
TCP Measurement - Average Round Trip Time	64-bit gauge	Average Round Trip Time (microsec)
TCP Measurement - Maximum Round Trip Time	64-bit gauge	Maximum Round Trip Time (microsec)
TCP Measurement - Minimum Downstream MSS (Max Segment Size)	64-bit gauge	Minimum Downstream MSS (Max Segment Size)
TCP Measurement - Average Downstream MSS (Max Segment Size)	64-bit gauge	Average Downstream MSS (Max Segment Size)
TCP Measurement - Maximum Downstream MSS (Max Segment Size)	64-bit gauge	Maximum Downstream MSS (Max Segment Size)
TCP Measurement - Minimum Downstream CWND (Congestion Window)	64-bit gauge	Minimum Downstream CWND (Congestion Window)
TCP Measurement - Average Downstream CWND (Congestion Window)	64-bit gauge	Average Downstream CWND (Congestion Window)
TCP Measurement - Maximum Downstream CWND (Congestion Window)	64-bit gauge	Maximum Downstream CWND (Congestion Window)
TCP Measurement - Minimum Downstream Connection Throughput (Kbps)	64-bit gauge	Minimum Downstream Throughput (Kbits/second)
TCP Measurement - Average Downstream Connection Throughput (Kbps)	64-bit gauge	Average Downstream Throughput (Kbits/second)
TCP Measurement - Maximum Downstream Connection Throughput (Kbps)	64-bit gauge	Maximum Downstream Throughput (Kbits/second)
TCP Measurement - Downstream Segments Retransmitted	64-bit counter	Total number of downstream segments retransmitted
TCP Measurement - Estimated Downstream Segments	64-bit counter	Estimated total number of downstream segments

TCP Measurements Server-side Statistics

Table 1-135 TCP Measurement Server-side Statistics

TCPMEASUREMENTSSERVERSIDESTATS CHASSIS	Type	Description
min_rtt	64-bit gauge	Minimum Round Trip Time (microseconds)
avg_rtt	64-bit gauge	Average Round Trip Time (microseconds)
max_rtt	64-bit gauge	Maximum Round Trip Time (microseconds)
num_retrans_in	64-bit counter	Number of Downstream Segments Retransmitted
num_ooo_in	64-bit counter	TCP Server Side Measurement - Number of Downstream Segments Out of Order

TCP Optimization Statistics

Table 1-136 TCP Optimization Statistics

CONTENTTCPOPTZSTATSGRID CONTENTTCPOPTZSTATSCHASSIS CONTENTTCPOPTZSTATSSLOT	Type	Description
TCP Client Connections - Total	64-bit counter	Total number of TCP client connections
TCP Client Connections - Active	64-bit counter	Number of active TCP client connections
TCP Client Connections - Service Applied	64-bit counter	Number of client connections that TCP Optimization Service applied
TCP Client Connections - Service Failed	64-bit counter	Number of TCP client connections that failed applying TCP Optimization Service
TCP Server Connections - Total	64-bit counter	Total number of TCP service connections
TCP Server Connections - Active	64-bit counter	Number of active TCP service connections
TCP Server Connections - Service Applied	64-bit counter	Number of service connections that TCP Optimization Service applied
TCP Server Connections - Service Failed	64-bit counter	Number of TCP service connections that failed applying TCP Optimization Service

TCP Performance Statistics

Table 1-137 TCP Performance Statistics

TCPPERFORMANCESTATSCHASSIS TCPPERFORMANCESTATSSLOT	Type	Description
num_tcp_socket_inuse	64-bit gauge	Number of TCP sockets in use
num_tcp_socket_orphan	64-bit gauge	Number of orphan TCP sockets
num_tcp_socket_est	64-bit gauge	Number of TCP sockets established
num_tcp_socket_tw	64-bit gauge	Number of Time Wait TCP sockets
tcp_mem_cur_in_use	64-bit gauge	TCP memory currently in use (KB)
tcp_mem_peak_in_use	64-bit maximum	TCP memory peak in use (KB)
num_sync_cookies	64-bit counter	TCP event number of sent sync-cookies
tcp_mem_low	64-bit gauge	TCP memory low threshold (KB)
tcp_mem_pressure	64-bit gauge	TCP memory pressure threshold (KB)
tcp_mem_high	64-bit gauge	TCP memory high threshold (KB)
num_listen_overflows	64-bit counter	TCP event number of listen socket overflows
num_listen_drops	64-bit counter	TCP event number of listen socket drops
num_active_connection_openings	64-bit counter	TCP event active socket connection openings
num_passive_connection_openings	64-bit counter	TCP event passive socket connection openings
num_failed_connection_attempts	64-bit counter	TCP event failed socket connection attempts
num_resets_received_for_embryonic_syn_recv_sockets	64-bit counter	TCP event resets received for embryonic SYN_RECV sockets

TCP Proxy Statistics

Table 1-138 TCP Proxy Statistics

CONTENTTCPPROXYSTATSGRID CONTENTTCPPROXYSTATSCHASSIS CONTENTTCPPROXYSTATSSLOT	Type	Description
Client Connections - Total	64-bit counter	Total number of client connections
Client Connections - Currently in Use	64-bit counter	Total number of client connections currently in use
Client Connections - IPv4	64-bit counter	Total number of IPv4 client connections
Client Connections - IPv6	64-bit counter	Total number of IPv6 client connections
Client Connections - Bytes Received	64-bit counter	Total number of bytes received from client
Client Connections - Bytes Sent	64-bit counter	Total number of bytes sent to client
Client Errors - Read Failure	64-bit counter	Total number of Client read Errors
Client Errors - Write Failure	64-bit counter	Total number of Client write Errors
Server Connections - Total	64-bit counter	Total number of server connections
Server Connections - Currently in Use	64-bit counter	Total number of server connections currently in use
Server Connections - IPv4	64-bit counter	Total number of IPv4 server connections
Server Connections - IPv6	64-bit counter	Total number of IPv6 server connections
Server Connections IP Transparent	64-bit counter	Total number of IP Transparent Server Connections
Server Connections - Bytes Received	64-bit counter	Total number of bytes received from server
Server Connections - Bytes Sent	64-bit counter	Total number of bytes sent to server
Server Errors - Read Failure	64-bit counter	Total number of server write Errors
Server Errors - Write Failure	64-bit counter	Total number of server connections
TCP Service Duration – Min (seconds)	64-bit minimum	Minimum TCP Service duration in seconds
TCP Service Duration – Max (seconds)	64-bit maximum	Maximum TCP Service duration in seconds
TCP Service Duration – Average (seconds)	64-bit average	Average TCP Service duration in seconds
Protocol – HTTP/1.x Over TLS	64-bit counter	Total number of HTTP/1.x over TLS requests serviced
Protocol – HTTP/2.0	64-bit counter	Total number of HTTP/2.x serviced
Protocol – HTTP/2.0 Over TLS	64-bit counter	Total number of HTTP/2.x over TLS requests serviced

Table 1-138 TCP Proxy Statistics

CONTENTTCPPROXYSTATSGRID CONTENTTCPPROXYSTATSCHASSIS CONTENTTCPPROXYSTATSSLOT	Type	Description
Protocol – Websocket	64-bit counter	Total number of Websocket requests serviced
Protocol – Others	64-bit counter	Total number of other protocol requests serviced
Splicing Reason – HTTPS Credentials Not Available	64-bit counter	Total number of TCP splicing sessions due to HTTPS passthrough
Splicing Reason – HTTP Connection Upgrade	64-bit counter	Total number of TCP splicing sessions due to websocket upgrade
Splicing Reason – TCP IP Flow	64-bit counter	Total number of TCP splicing sessions of TCP IP Flows
Splicing Reason – Non-HTTP	64-bit counter	Total number of TCP splicing sessions of HTTP connections with non-HTTP request
Splicing Reason – HTTP Request Receive Timeout	64-bit counter	Total number of TCP splicing sessions of HTTP connections with HTTP request receive timeout
TCP Service Failures – No Socket	64-bit counter	Total number of splicing failures due to no-socket
TCP Service Failures – No Buffer	64-bit counter	Total number of splicing failures due to no-buffer
TCP Service Failures – No Data	64-bit counter	Total number of splicing failures due to no-data and timeout
TCP Service Failures – Incomplete	64-bit counter	Total number of splicing failure due to transmission incomplete when terminated
Client Errors – Write Incomplete	64-bit counter	Total number of client write incomplete
Server Errors – Write Incomplete	64-bit counter	Total number of server write incomplete
Server Errors – Connect Fail	64-bit counter	Total number of server connection failed
Splicing Reason – HTTP Connect	64-bit counter	Total number of TCP Splicing session of HTTP connection with HTTP CONNECT requests
TCP Service Handoff – Reverse Handoffs	64-bit counter	Total number of splicing transaction reverse handoff
TCP Splicing Profile – Action Allowed	64-bit counter	Number of TCP splicing profile action allow applied
TCP Splicing Profile – Action Blocked	64-bit counter	Number of TCP splicing profile action block applied

Table 1-138 TCP Proxy Statistics

CONTENTTCPPROXYSTATSGRID CONTENTTCPPROXYSTATSCHASSIS CONTENTTCPPROXYSTATSSLOT	Type	Description
TCP Splicing Profile – Steered to IP	64-bit counter	Number of TCP splicing profile steering-destination IP applied
TCP Splicing Profile – Steered to Host	64-bit counter	Number of TCP splicing profile steering-destination host applied
TCP Splicing Policy – Evaluated	64-bit counter	Number of TCP splicing policy evaluated
TCP Splicing Policy – Matched	64-bit counter	Number of TCP splicing policy matched
TCP Splicing Policy – Ignored	64-bit counter	Number of TCP splicing policy ignored
TCP Splicing Policy – Not Available	64-bit counter	Number of transaction have no TCP splicing policy available
DNS Queries – Sent	64-bit counter	Number of DNS queries sent for TCP splicing
DNS Queries – Failed	64-bit counter	Number of failed DNS queries sent for TCP splicing
DNS Queries – Canceled	64-bit counter	Number of failed DNS queries canceled for TCP splicing
DNS Replies – Success	64-bit counter	Number of DNS success replies received for TCP splicing
DNS Replies – Failure	64-bit counter	Number of DNS failure replies received for TCP splicing
DNS Replies – Stale	64-bit counter	Number of DNS stale replies received for TCP splicing
DNS Replies – From Cache	64-bit counter	Number of DNS cache hits for TCP splicing
Protocol – HTTP	64-bit counter	Total number of HTTP requests serviced
Splicing Reason – HTTP Bypass	64-bit counter	Total number of TCP splicing session of HTTP connections which were bypassed by the HTTP Proxy
TCP Service Failures – Rejected	64-bit counter	Total number of splicing failures due to invalid handoff being rejected
TCP Service Rejects – Toll Free Data Flow Denied	64-bit counter	Total number of splicing failures due to being rejected by toll free data flow
TCP Splicing Policy – Re-evaluated	64-bit counter	Total number of TCP splicing policy re-evaluated
TCP Splicing Policy – Matched after Re-evaluation	64-bit counter	Total number of TCP splicing policy matched when re-evaluating policies

Table 1-138 TCP Proxy Statistics

CONTENTTCPPROXYSTATSGRID CONTENTTCPPROXYSTATSCHASSIS CONTENTTCPPROXYSTATSSLOT	Type	Description
TCP Splicing Policy – Not Available after Re-evaluation	64-bit counter	Total number of transactions have no TCP splicing policy available after re-evaluation

TCP Reorder Statistics

Table 1-139 TCP Reorder Statistics

TCPREORDERPERFSTATSCHASSIS TCPREORDERPERFSTATSSLOT	Type	Description
tcpReorderHolesFilled	64-bit counter	TCP reorder holes filled
tcpReorderRetransmissions	64-bit counter	TCP reorder retransmissions
tcpReorderRetransmissionsBytes	64-bit counter	TCP reorder retransmission bytes
tcpReorderFutureSegments	64-bit counter	TCP reorder future segments
tcpReorderSegmentFlushed	64-bit counter	TCP reorder segments flushed
tcpReorderSegmentDiscarded	64-bit counter	TCP reorder segments discarded
tcpReorderBufferDiscarded	64-bit counter	TCP reorder buffer discarded
tcpReorderTotalBuffersQueued	64-bit counter	TCP reorder buffers queued
tcpReorderNoTrnsprtHeader	64-bit counter	TCP reorder no transport header counts
tcpReorderSequenceNumMismatch	64-bit counter	TCP reorder sequence number mismatch

TCP Splicing Connection Statistics

Table 1-140 TCP Splicing Connection Statistics

TCPSPlicingSTATSConnectionCHASSIS TCPSPlicingSTATSConnectionsSLOT	Type	Description
TCP Splicing Client Connections - Total	64-bit counter	Number of TCP Splicing Client Connections total
TCP Splicing Client Connections - Currently in Use	64-bit counter	Number of TCP Splicing Client Connections currently in use
TCP Splicing Client Connections - IPv4	64-bit counter	Number of TCP Splicing Client Connections - IPv4
TCP Splicing Client Connections - IPv6	64-bit counter	Number of TCP Splicing Client Connections - IPv6
TCP Splicing Client Connections - Bytes Received	64-bit counter	Number of TCP Splicing Client Connections - Bytes Received
TCP Splicing Client Connections - Bytes Sent	64-bit counter	Number of TCP Splicing Client Connections - Bytes Sent
TCP Splicing Client Connections - Read Failure	64-bit counter	Number of TCP Splicing Client Connections - Read Failure
TCP Splicing Client Connections - Write Failure	64-bit counter	Number of TCP Splicing Client Connections - Write Failure
TCP Splicing Client Connections - Write Incomplete	64-bit counter	Number of TCP Splicing Client Connections - Write Incomplete
TCP Splicing Server Connections - Total	64-bit counter	Number of TCP Splicing Server Connections - Total
TCP Splicing Server Connections - Currently in Use	64-bit counter	Number of TCP Splicing Server Connections - Currently in Use
TCP Splicing Server Connections - IPv4	64-bit counter	Number of TCP Splicing Server Connections - IPv4
TCP Splicing Server Connections - IPv6	64-bit counter	Number of TCP Splicing Server Connections - IPv6
TCP Splicing Server Connections - IP Transparent	64-bit counter	Number of TCP Splicing Server Connections - IP Transparent
TCP Splicing Server Connections - Bytes Received	64-bit counter	Number of TCP Splicing Server Connections - Bytes Received
TCP Splicing Server Connections - Bytes Sent	64-bit counter	Number of TCP Splicing Server Connections - Bytes Sent
TCP Splicing Server Connections - Read Failure	64-bit counter	Number of TCP Splicing Server Connections - Read Failure

Table 1-140 TCP Splicing Connection Statistics

TCPSPlicingSTATSConnectionCHASSIS TCPSPlicingSTATSConnectionsSLOT	Type	Description
TCP Splicing Server Connections - Write Failure	64-bit counter	Number of TCP Splicing Server Connections - Write Failure
TCP Splicing Server Connections - Write Incomplete	64-bit counter	Number of TCP Splicing Server Connections - Write Incomplete
TCP Splicing Server Connections - Connect Failed	64-bit counter	Number of TCP Splicing Server Connections - Connect Failed
TCP Splicing Client Connections - Current in Use	64-bit gauge	Number of TCP Splicing Client Connections - Current in Use
TCP Splicing Server Connections - Current in Use	64-bit gauge	Number of TCP Splicing Client Connections - Current in Use
DPI Updates	64-bit counter	Number of TCP Splicing DPI Updates
Fast Open Attempts	64-bit counter	Total number of HTTP server connection fast open attempts
Fast Open Successes	64-bit counter	Total number of HTTP server connection fast open successes
Fast Open Failure Init Conn	64-bit counter	Total number of HTTP server connection fast open initialization failure
Fast Open Failure Duplicate	64-bit counter	Total number of HTTP server connection fast open duplicated connection
Fast Open Failure Already Created	64-bit counter	Total number of HTTP server connection fast open already in the session
Fast Open Failure Policy	64-bit counter	Total number of HTTP server connection fast open policy reject
Fast Open Failure Other	64-bit counter	Total number of HTTP server connection fast open failure others
Fast Open List Full	64-bit counter	Total number of HTTP server connection fast open pending list full
Fast Open Current Pending Conn	64-bit gauge	Total number of HTTP server connection fast open in pending list
Fast Open Aging	64-bit counter	Total number of HTTP server connection fast open connection closed due to aging
num_tcp_splicing_dpi_updates	64-bit counter	Number of TCP Splicing DPI updates

TCP Splicing Detail Statistics

Table 1-141 TCP Splicing Detail Statistics

TCPSPlicingStatsDetailChassis TCPSPlicingStatsDetailSlot	Type	Description
TCP Service Handoff - Reverse Handoffs	64-bit counter	Number of TCP Service Handoff - Reverse Handoffs
TCP Splicing Protocol - HTTP/1.x over TLS	64-bit counter	Number of TCP Splicing Protocol - HTTP/1.x over TLS
TCP Splicing Protocol - HTTP/2.0 0	64-bit counter	Number of TCP Splicing Protocol - HTTP/2.0 0
TCP Splicing Protocol - HTTP/2.0 over TLS	64-bit counter	Number of TCP Splicing Protocol - HTTP/2.0 over TLS
TCP Splicing Protocol - WebSocket	64-bit counter	Number of TCP Splicing Protocol - WebSocket
TCP Splicing Protocol - Other	64-bit counter	Number of TCP Splicing Protocol - Other
TCP Splicing Protocol - HTTP	64-bit counter	Number of TCP Splicing Protocol - HTTP
TCP Splicing Protocol - WebRTC	64-bit counter	Number of TCP Splicing Protocol - WebRTC
TCP Splicing Protocol - facebookzero	64-bit counter	Number of TCP Splicing Protocol - FacebookZero
TCP Splicing Reason - HTTPS Credentials Not Available	64-bit counter	Number of TCP Splicing Reason - HTTPS Credentials Not Available
TCP Splicing Reason - HTTP Connection Upgrade	64-bit counter	Number of TCP Splicing Reason - HTTP Connection Upgrade
TCP Splicing Reason - TCP IP Flow	64-bit counter	Number of TCP Splicing Reason - TCP IP Flow
TCP Splicing Reason - Non-HTTP	64-bit counter	Number of TCP Splicing Reason - Non-HTTP
TCP Splicing Reason - HTTP Request Receive Timeout	64-bit counter	Number of TCP Splicing Reason - HTTP Request Receive Timeout
TCP Splicing Reason - HTTP CONNECT	64-bit counter	Number of TCP Splicing Reason - HTTP CONNECT
TCP Splicing Reason - Bypass HTTP Proxy	64-bit counter	Number of TCP Splicing Reason - Bypass HTTP Proxy
TCP Splicing Profile - Action Allowed	64-bit counter	Number of TCP Splicing Profile - Action Allowed
TCP Splicing Profile - Action Blocked	64-bit counter	Number of TCP Splicing Profile - Action Blocked
TCP Splicing Profile - Steered to IP	64-bit counter	Number of TCP Splicing Profile - Steered to IP

Table 1-141 TCP Splicing Detail Statistics

TCPSPLICINGSTATSDetailCHASSIS TCPSPLICINGSTATSDetailSLOT	Type	Description
TCP Splicing Profile - Steered to Host	64-bit counter	TCP Splicing Profile - Steered to Host
TCP Splicing Policy - Evaluated	64-bit counter	Number of TCP Splicing Policy - Evaluated
TCP Splicing Policy - Matched	64-bit counter	Number of TCP Splicing Policy - Matched
TCP Splicing Policy - Ignored	64-bit counter	Number of TCP Splicing Policy - Ignored
TCP Splicing Policy - Not Available	64-bit counter	Number of TCP Splicing Policy - Not Available
TCP Splicing Policy - Re-evaluated	64-bit counter	Number of TCP Splicing Policy - Re-evaluated
TCP Splicing Policy - Matched after Re-evaluation	64-bit counter	Number of TCP Splicing Policy - Matched after Re-evaluation
TCP Splicing Policy - Not Available after Re-evaluation	64-bit counter	Number of TCP Splicing Policy - Not Available after Re-evaluation

TCP Splicing DNS Statistics

Table 1-142 TCP Splicing DNS Statistics

TCPSPLICINGSTATSDNCHASSIS TCPSPLICINGSTATSDNSSLOT	Type	Description
TCP Splicing DNS Queries - Sent	64-bit counter	Number of TCP Splicing DNS queries sent
TCP Splicing DNS Queries - Failed	64-bit counter	Number of TCP Splicing DNS queries failed
TCP Splicing DNS Queries - Canceled	64-bit counter	Number of TCP Splicing DNS queries canceled
TCP Splicing DNS Replies - Success	64-bit counter	Number of TCP Splicing DNS replies success
TCP Splicing DNS Replies - Failure	64-bit counter	Number of TCP Splicing DNS replies failure
TCP Splicing DNS Replies - Stale	64-bit counter	Number of TCP Splicing DNS replies stale
TCP Splicing DNS Replies - From Cache	64-bit counter	Number of TCP Splicing DNS replies from cache

TCP Splicing Failure Statistics

Table 1-143 TCP Splicing Failure Statistics

TCPSPlicingStatsFailureChassis TCPSPlicingStatsFailureSlot	Type	Description
TCP Splicing Aborts - Client Abort	64-bit counter	Number of TCP Splicing Aborts - Client Abort
TCP Splicing Aborts - Server Abort	64-bit counter	Number of TCP Splicing Aborts - Server Abort
TCP Splicing Aborts - Idle Timeout	64-bit counter	Number of TCP Splicing Aborts - Idle Timeout
TCP Splicing Aborts - Client Socket Error	64-bit counter	Number of TCP Splicing Aborts - Client Socket Error
TCP Splicing Aborts - Server Socket Error	64-bit counter	Number of TCP Splicing Aborts - Server Socket Error
TCP Splicing Aborts - Client Read Error	64-bit counter	Number of TCP Splicing Aborts - Client Read Error
TCP Splicing Aborts - Client Write Error	64-bit counter	Number of TCP Splicing Aborts - Client Write Error
TCP Splicing Aborts - Server Read Error	64-bit counter	Number of TCP Splicing Aborts - Server Read Error
TCP Splicing Aborts - Server Write Error	64-bit counter	Number of TCP Splicing Aborts - Server Write Error
TCP Splicing Aborts - No Data in connection	64-bit counter	Number of TCP Splicing Aborts - No Data in connection
TCP Splicing Aborts - Client Error	64-bit counter	Number of TCP Splicing Aborts - Client Error
TCP Splicing Aborts - Server Error	64-bit counter	Number of TCP Splicing Aborts - Server Error
TCP Splicing Failures - Out of buffers	64-bit counter	Number of TCP Splicing Failures - Out of buffers
TCP Splicing Failures - Server connection failure	64-bit counter	Number of TCP Splicing Failures - Server connection failure
TCP Splicing Failures - DNS request failure	64-bit counter	Number of TCP Splicing Failures - DNS request failure
TCP Splicing Failures - DNS response failure	64-bit counter	Number of TCP Splicing Failures - DNS response failure
TCP Splicing Failures - Policy reject	64-bit counter	Number of TCP Splicing Failures - Policy reject
TCP Splicing Failures - TFD reject	64-bit counter	Number of TCP Splicing Failures - TFD reject

Table 1-143 TCP Splicing Failure Statistics

TCPSPlicingStatsFailureChassis TCPSPlicingStatsFailureSlot	Type	Description
TCP Splicing Failures - Out of socket	64-bit counter	Number of TCP Splicing Failures - Out of socket

TCP Splicing Rate Limiting Statistics

Table 1-144 TCP Splicing Rate Limiting Statistics

TCPSPlicingRateLimitingStatsChassis TCPSPlicingRateLimitingStatsSlot	Type	Description
Rate Limiting Summary - Attempts	64-bit counter	Total number of rate limiting summary attempts
Rate Limiting Summary - Successes	64-bit counter	Total number of rate limiting summary successes
Rate Limiting Summary - Cancels	64-bit counter	Total number of rate limiting summary cancels
Rate Limiting - Bytes	64-bit counter	Total number of rate limiting bytes
Rate Limiting - Current	64-bit counter	Total number of rate limiting connections current
Rate Limiting Cancels - Response Too Short	64-bit counter	Total number of rate limiting response too short
Rate Limiting Bypasses - Opted Out by Subscriber	64-bit counter	Total number of rate limiting summary opted out by subscriber
Rate Limiting Bypasses - Disabled	64-bit counter	Total number of rate limiting disabled
Rate Limiting Bypasses - Subscriber Opt In Requirements not met	64-bit counter	Total number of Rate Limiting Opted by Subscriber but Requirements not met
Rate Limiting Summary - CP Manifest with Max-Rate	64-bit counter	TCP Proxy Rate Limiting is applied based on valid value in Max-Rate field of Content Provider Manifest
Rate Limiting Bypasses - CP Manifest with no Max-Rate	64-bit counter	TCP Proxy Rate Limiting is bypassed because Content Provider Manifest contains no Max-Rate field
Rate Limiting Bypasses - CP Manifest with Invalid Max-Rate	64-bit counter	TCP Proxy Rate Limiting is bypassed because Content Provider Manifest contains no Max-Rate field
Rate Limiting Sessions LD	64-bit counter	Total number of rate limiting sessions from 250 to 500 kbps (LD)

Table 1-144 TCP Splicing Rate Limiting Statistics

TCPSPlicingRateLimitingStatsChassis TCPSPlicingRateLimitingStatsSlot	Type	Description
Rate Limiting Sessions SD	64-bit counter	Total number of rate limiting sessions from 500 to 1500 kbps (SD)
Rate Limiting Sessions HD	64-bit counter	Total number of rate limiting sessions from 1500 to 3000 kbps (HD)
Rate Limiting Sessions Full HD	64-bit counter	Total number of rate limiting sessions from 3000 to 6000 kbps (Full HD)
Rate Limiting Sessions UHD	64-bit counter	Total number of rate limiting sessions greater than 6000 kbps (UHD)
Rate Limited Bytes LD	64-bit counter	Total number of rate limiting bytes – LD
Rate Limited Bytes SD	64-bit counter	Total number of rate limiting bytes – SD
Rate Limited Bytes HD	64-bit counter	Total number of rate limiting bytes – HD
Rate Limited Bytes Full HD	64-bit counter	Total number of rate limiting bytes – Full HD
Rate Limited Bytes UHD	64-bit counter	Total number of rate limiting bytes – UHD
Rate Limiting Bypass Savings Estimation	64-bit counter	Total number of rate limiting bypass due to savings estimation
Rate Limiting Session - Count	64-bit counter	Total number of rate limiting sessions
Rate Limiting Bypass Overload	64-bit counter	Total number of rate limiting bypass due to overload
Rate Limiting Sessions - Average Flow Count	64-bit counter	Average number of rate limiting flows/sessions
Rate Limiting Sessions - Average Session Duration	64-bit counter	Average duration of rate limiting sessions

TCP Splicing Summary Statistics

Table 1-145 TCP Splicing Summary Statistics

TCPSPlicingSTATSSUMMARYCHASSIS TCPSPlicingSTATSSUMMARYSLOT	Type	Description
TCP Splicing Summary - Attempts	64-bit counter	Number of TCP Splicing Summary - Attempts
TCP Splicing Summary - Successes	64-bit counter	Number of TCP Splicing Summary - Successes
TCP Splicing Summary - Aborts	64-bit counter	Number of TCP Splicing Summary - Aborts
TCP Splicing Summary - Failures	64-bit counter	Number of TCP Splicing Summary - Failures
TCP Service Duration - Min (seconds)	64-bit counter	Number of TCP Service minimum duration
TCP Service Duration - Max (seconds)	64-bit counter	Number of TCP Service maximum duration, in seconds
TCP Service Duration - Total (seconds)	64-bit counter	Number of TCP Service duration total, in seconds
TCP Service Duration - Average (seconds)	64-bit counter	Number of TCP Service Duration average seconds, in seconds
TCP Service Duration - Min	64-bit gauge	Number of TCP Service minimum duration
TCP Service Duration - Max	64-bit gauge	Number of TCP Service maximum duration
TCP Service Duration - Average	64-bit gauge	Number of TCP Service Duration average duration

UDP Proxy Connection Statistics

Table 1-146 UDP Proxy Connection Statistics

UDPPROXYSTATSCONNECTIONCHASSIS	Type	Description
Client Connections - Total	64-bit counter	Number of Total UDP Proxy Client Connections
Client Connections - Currently in Use	64-bit gauge	Number of UDP Proxy Client Connections Currently in Use
Client Connections - IPv4	64-bit counter	Number of UDP Proxy Client Connections - IPv4
Client Connections - IPv6	64-bit counter	Number of UDP Proxy Client Connections - IPv6

Table 1-146 UDP Proxy Connection Statistics

UDPPROXYSTATSCONNECTIONCHASSIS	Type	Description
Client Connections - Bytes Received	64-bit counter	UDP Proxy Client Connections - Number of Bytes Received
Client Connections - Bytes Sent	64-bit counter	UDP Proxy Client Connections - Number of Bytes Sent
Client Connections - Packets Received	64-bit counter	UDP Proxy Client Connections - Number of Packets Received
Client Connections - Packets Sent	64-bit counter	UDP Proxy Client Connections - Number of Packets Sent
Server Connections - Total	64-bit counter	Number of Total UDP Proxy Server Connections
Server Connections - Currently in Use	64-bit gauge	Number of UDP Proxy Server Connections Currently in Use
Server Connections - IPv4	64-bit counter	Number of UDP Proxy Server Connections - IPv4
Server Connections - IPv6	64-bit counter	Number of UDP Proxy Server Connections - IPv6
Server Connections - IP Transparent	64-bit counter	UDP Proxy Server Connections - Number of IP Transparent Flows
Server Connections - Bytes Received	64-bit counter	UDP Proxy Server Connections - Number of Bytes Received
Server Connections - Bytes Sent	64-bit counter	UDP Proxy Server Connections - Number of Bytes Sent
Server Connections - Packets Received	64-bit counter	UDP Proxy Server Connections - Number of Packets Received
Server Connections - Packets Sent	64-bit counter	UDP Proxy Client Connections - Number of Packets Sent
num_udp_proxy_dpi_updates	64-bit counter	Number of TCP Splicing DPI updates

UDP Proxy Detail Statistics

Table 1-147 UDP Proxy Detail Statistics

UDPPROXYSTATSDetailCHASSIS	Type	Description
Policy - Evaluated	64-bit counter	Number of UDP Proxy Policies evaluated
Policy - Matched	64-bit counter	Number of UDP Proxy Policies matched
Policy - Ignored	64-bit counter	Number of UDP Proxy Policies ignored
Policy - Not Available	64-bit counter	Number of UDP Proxy Policies not available
Traffic Control Profile - Action Allowed	64-bit counter	Number of Traffic Control Profile Action Allow Applied
Traffic Control Profile - Steered to IP	64-bit counter	Number of TCP Splicing Profile steering-destination IP applied
Traffic Control Profile - Steered to Host	64-bit counter	Number of TCP Splicing Profile steering-destination host applied
Number of UDP Proxy Policy - Re-evaluations	64-bit counter	Number of UDP Proxy Policy re-evaluations
Number of UDP Proxy Policies Matches after Re-evaluation	64-bit counter	Number of UDP Proxy Policy matches after re-evaluating policies
Number of transaction with no UDP Proxy Policy after Re-evaluation	64-bit counter	Number of transactions with no UDP policy available after re-evaluation

UDP Proxy DNS Statistics

Table 1-148 UDP Proxy DNS Statistics

UDPPROXSTATSDNSCHASSIS	Type	Description
DNS Queries - Sent	64-bit counter	Number of UDP Proxy DNS Queries Sent
DNS Queries - Failed	64-bit counter	Number of UDP Proxy DNS Queries Failed
DNS Queries - Canceled	64-bit counter	Number of UDP Proxy DNS Queries Canceled
DNS Replies - Success	64-bit counter	Number of UDP Proxy DNS Replies Succeeded
DNS Replies - Failure	64-bit counter	Number of UDP Proxy DNS Replies Failed
DNS Replies - Stale	64-bit counter	Number of UDP Proxy DNS Stale Replies
DNS Replies - From Cache	64-bit counter	Number of UDP Proxy DNS Replies from Cache

UDP Proxy Failure Statistics

Table 1-149 UDP Proxy Failure Statistics

UDPPROXYSTATSFAILURECHASSIS	Type	Description
Aborts - Client Socket Error	64-bit counter	Number of UDP Proxy Aborts Client Socket Error
Aborts - Server Socket Error	64-bit counter	Number of UDP Proxy Aborts Server Socket Error
Aborts - Client Session Deleted	64-bit counter	Number of UDP Proxy Aborts Client Session Deleted
Failures - Server Connection Init Failure	64-bit counter	Number of UDP Proxy Aborts Server Connection Init Failure
Failures - Out of Socket	64-bit counter	Number of UDP Proxy Failures Out of Socket
Aborts - No Response From Server	64-bit counter	Number of UDP Proxy Aborts No Response from server

UDP Proxy QUIC Statistics

Table 1-150 UDP Proxy QUIC Statistics

UDPPROXYSTATSQUICCHASSIS	Type	Description
QUIC - Client Hello	64-bit counter	UDP Proxy QUIC - Number of Client Hello
QUIC - Server Rejects	64-bit counter	UDP Proxy QUIC - Number of Server Rejects
QUIC - Other Packets	64-bit counter	UDP Proxy QUIC - Number of Other Packets
QUIC - Server Reset	64-bit counter	UDP Proxy QUIC - Number of Server Resets
QUIC - Client Reset	64-bit counter	UDP Proxy QUIC - Number of Client Resets
QUIC Bytes – Downstream	64-bit counter	UDP Proxy QUIC - Number of Downstream Bytes
QUIC Bytes – Upstream	64-bit counter	UDP Proxy QUIC - Number of Upstream Bytes
QUIC - Connections	64-bit counter	UDP Proxy QUIC - Number of Connections

UDP Proxy Rate Limiting Statistics

Table 1-151 UDP Proxy Rate Limiting Statistics

UDPPROXYSTATSRATELIMITINGCHASSIS	Type	Description
Rate Limiting Summary - Attempts	64-bit counter	Total Number of Rate Limiting Summary Attempts
Rate Limiting Summary - Successes	64-bit counter	Total Number of Rate Limiting Summary Successes
Rate Limiting Summary - Cancels	64-bit counter	Total Number of Rate Limiting Summary Cancels
Rate Limiting - Bytes	64-bit counter	Total Number of Rate Limiting Bytes
Rate Limiting - Current	64-bit gauge	Total Number of Current Rate Limiting Flows
Rate Limiting Bypasses - Disabled	64-bit counter	Total Number of Rate Limiting Disabled Flows
Rate Limiting Bypasses – Not QUIC	64-bit counter	Total Number of Rate Limiting Disabled Flows, Not QUIC
Rate Limiting Bypasses – Opted Out by Subscriber	64-bit counter	Total Number of Rate Limiting Flows Opted Out by Subscriber
Rate Limiting Bypasses – Subscriber Opt In Requirement Not Met	64-bit counter	Total Number of Rate Limiting Flows Opted In by Subscriber but Requirements Not Met
Rate Limiting Bypasses – Savings Estimation	64-bit counter	Total Number of Rate Limiting Bypassed Flow, Saving Estimation

UDP Proxy Summary Statistics

Table 1-152 UDP Proxy Summary Statistics

UDPPROXYSTATSSUMMARYCHASSIS	Type	Description
Summary - Attempts	64-bit counter	Number of UDP Proxy Summary Attempts
Summary - Successes	64-bit counter	Number of UDP Proxy Summary Successes
Summary - Aborts	64-bit counter	Number of UDP Proxy Summary Aborts
Summary - Failures	64-bit counter	Number of UDP Proxy Summary Failures
Duration - Min (seconds)	64-bit minimum	Number of Minimum UDP Proxy duration in seconds

Table 1-152 UDP Proxy Summary Statistics

UDPPROXYSTATSSUMMARYCHASSIS	Type	Description
Duration - Max (seconds)	64-bit maximum	Number of Maximum UDP Proxy duration in seconds
Duration - Total (seconds)	64-bit counter	Total number of UDP Proxy duration in seconds
Duration - Average (seconds)	64-bit average	Number of Average UDP Proxy duration in seconds

User Plane Service Statistics

Table 1-153 User Plane Service Statistics

UPLANECALLPERFSTATSGRID UPLANECALLPERFSTATSCHASSIS UPLANECALLPERFSTATSSLOT	Type	Description
Current Sessions	32-bit counter	Current number of sessions
Sessions With Queued Report	32-bit counter	Total number of sessions with queued report
Session Establishment Attempt	64-bit counter	Total number of session establishment attempts
Session Establishment Success	64-bit counter	Total number of session establishment success
Session Establishment Failure	64-bit counter	Total number of session establishment failure
Session Establishment Session Id Failure	64-bit counter	Number of session establishment session ID allocation failure
Session Establishment Failure Rsrc Alloc	64-bit counter	Number of session establishment resource allocation failure
Session Establishment Failure Misc	64-bit counter	Number of session establishment misc failure
Session Establishment Failure Subscriber Ip	64-bit counter	Number of session establishment subscriber IP address failure
Session Establishment Failure Fp Timeout	64-bit counter	Number of session establishment fastpath timeout
Session Establishment Failure Send Response To Cplane	64-bit counter	Number of session establishment send response to C-Plane failure
Session Establishment Failure Session Db	64-bit counter	Number of session establishment session database failure

Table 1-153 User Plane Service Statistics

UPLANECALLPERFSTATSGRID UPLANECALLPERFSTATSCHASSIS UPLANECALLPERFSTATSSLOT	Type	Description
Session Establishment Duplicate Request Rx	64-bit counter	Number of session establishment duplicate request received
Session Modification Attempt	64-bit counter	Total number of session modification attempt
Session Modification Success	64-bit counter	Total number of session modification success
Session Modification Failure	64-bit counter	Total number of session modification failure
Session Modification Failure Context Not Found	64-bit counter	Number of session modification failure session not found
Session Modification Failure Misc	64-bit counter	Number of session modification misc failure
Session Modification Failure Fp Timeout	64-bit counter	Number of session modification fastpath timeout
Session Modification Failure Send Response To Cplane	64-bit counter	Number of session modification send response to C-Plane failure
Session Modification Duplicate Request Rx	64-bit counter	Number of session modification duplicate request received
Session Deletion Attempt	64-bit counter	Total number of session deletion attempt
Session Deletion Success	64-bit counter	Total number of session deletion success
Session Deletion Failure	64-bit counter	Total number of session deletion failure
Session Deletion Failure Context Not Found	64-bit counter	Total number of session deletion session not found
Session Deletion Failure Fp Timeout	64-bit counter	Number of session deletion fastpath timeout
Session Deletion Failure Send Response To Cplane	64-bit counter	Number of session deletion send response to C-Plane failure
Session Deletion Duplicate Request Rx	64-bit counter	Number of session deletion duplicate request received
Session Report Attempt	64-bit counter	Number of session report to C-Plane attempt
Session Report Success	64-bit counter	Number of session report to C-Plane success
Session Report Failure	64-bit counter	Number of session report to C-Plane failure
Session Report Failure Timeout	64-bit counter	Number of session report failure C-Plane timeout
Session Report Failure No Session	64-bit counter	Number of session report failed due to session not found when received indication from fast path

Table 1-153 User Plane Service Statistics

UPLANECALLPERFSTATSGRID UPLANECALLPERFSTATSCHASSIS UPLANECALLPERFSTATSSLOT	Type	Description
Session Report Response Context Not Found	64-bit counter	Number of session report response received with context not found
Num Local Close	64-bit counter	Number of sessions locally closed
Num Local Close Session Monitor	64-bit counter	Number of sessions locally closed due to C-Plane session monitor failed
Num Local Close Duplicate Session	64-bit counter	Number of sessions locally closed due to duplicate session
Num Local Close Default Quota Exhausted		Number of session locally closed due to default quotat exhausted on UPlane
Num Session Monitor Reports Sent	32-bit counter	Number of session monitor report requests sent
NumSessionReportLateResponseDiscarded	32-bit counter	Number of session reports discarded due to late response
NumSessionReportResponseFailNoSession	32-bit counter	Number of session report response failed due to session not found in UPlane

Video Adaptation Statistics

Table 1-154 Video Adaptation Statistics

CONTENTTRANSCODERSTATSGRID CONTENTTRANSCODERSTATSCHASSIS CONTENTTRANSCODERSTATSSLOT	Type	Description
Video Transcoding – Successes	64-bit counter	Number of video transcoded successfully
Video Transcoding – Failures	64-bit counter	Number of video transcoded unsuccessfully
Video Transcoding FLV-to-FLV – Successes	64-bit counter	Number of video transcoded successfully from FLV to FLV
Video Transcoding FLV-to-FLV – Failures	64-bit counter	Number of video transcoded unsuccessfully from FLV to FLV
Video Transcoding FLV-to-MP4 – Successes	64-bit counter	Number of video transcoded successfully from FLV to MP4
Video Transcoding FLV-to-MP4 - Failures	64-bit counter	Number of video transcoded unsuccessfully from FLV to MP4

Table 1-154 Video Adaptation Statistics

CONTENTTRANSCODERSTATSGRID CONTENTTRANSCODERSTATSCHASSIS CONTENTTRANSCODERSTATSSLOT	Type	Description
Video Transcoding MP4-to-FLV – Successes	64-bit counter	Number of video transcoded successfully from MP4 to FLV
Video Transcoding MP4-to-FLV - Failures	64-bit counter	Number of video transcoded unsuccessfully from MP4 to FLV
Video Transcoding MP4-to-MP4 – Successes	64-bit counter	Number of video transcoded successfully from MP4 to MP4
Video Transcoding MP4-to-MP4 - Failures	64-bit counter	Number of video transcoded unsuccessfully from MP4 to MP4
Video Adaptation – Original Media Service Successes	64-bit counter	Number of original video serviced successfully
Video Adaptation – Original Media Service Aborts	64-bit counter	Number of original video service aborts
Video Adaptation – Original Media Service Failures	64-bit counter	Number of original video service failures
Video Adaptation – Transcoded FLV Service Successes	64-bit counter	Number of transcoded FLV video serviced successfully
Video Adaptation – Transcoded FLV Service Aborts	64-bit counter	Number of transcoded FLV video service aborts
Video Adaptation – Transcoded FLV Service Failures	64-bit counter	Number of transcoded FLV video service failures
Video Adaptation – Transcoded MP4 Service Successes	64-bit counter	Number of transcoded MP4 video serviced
Video Adaptation – Transcoded MP4 Service Aborts	64-bit counter	Number of transcoded MP4 video service aborts
Video Adaptation – Transcoded MP4 Service Failures	64-bit counter	Number of transcoded MP4 video service failures
Video Transcoding WEBM-to-WEBM – Successes	64-bit counter	Number of video transcoded successfully from WEBM to WEBM
Video Transcoding WEBM-to-WEBM - Failures	64-bit counter	Number of video transcoded unsuccessfully from WEBM to WEBM
Video Adaptation – Transcoded WEBM Service Successes	64-bit counter	Number of transcoded WEBM video serviced
Video Adaptation – Transcoded WEBM Service Aborts	64-bit counter	Number of transcoded WEBM video service aborts
Video Adaptation – Transcoded WEBM Service Failures	64-bit counter	Number of transcoded WEBM video service failures

Video Adaptation Offline Transcoding Detail Statistics

Table 1-155 Video Adaptation Offline Transcoding Detail Statistics

CONTENTVAOFFLINETRANSCODINGSTATS DETAILCHASSIS CONTENTVAOFFLINETRANSCODINGSTATS DETAILSLOT	Type	Description
Video Transcoding FLV-to-FLV - Successes	64-bit counter	Number of video transcoded successfully from FLV to FLV
Video Transcoding FLV-to-FLV - Failures	64-bit counter	Number of video transcoded unsuccessfully from FLV to FLV
Video Transcoding FLV-to-MP4 - Successes	64-bit counter	Number of video transcoded successfully from FLV to MP4
Video Transcoding FLV-to-MP4 - Failures	64-bit counter	Number of video transcoded unsuccessfully from FLV to MP4
Video Transcoding MP4-to-FLV - Successes	64-bit counter	Number of video transcoded successfully from MP4 to FLV
Video Transcoding MP4-to-FLV - Failures	64-bit counter	Number of video transcoded unsuccessfully from MP4 to FLV
Video Transcoding MP4-to-MP4 - Successes	64-bit counter	Number of video transcoded successfully from MP4 to MP4
Video Transcoding MP4-to-MP4 - Failures	64-bit counter	Number of video transcoded unsuccessfully from MP4 to MP4
Video Transcoding WEBM-to-WEBM - Successes	64-bit counter	Number of video transcoded successfully from WEBM to WEBM
Video Transcoding WEBM-to-WEBM - Failures	64-bit counter	Number of video transcoded unsuccessfully from WEBM to WEBM
Video Transcoding - Current Videos Queued	64-bit gauge	Number of videos currently in the queue to be transcoded
Video Transcoding - Max Videos Queued	64-bit counter	Maximum number of videos in the queue to be transcoded
Video Transcoding - Average Wait Time(in secs)	64-bit counter	Average wait time of videos in the queue to be transcoded, in seconds
Video Transcoding - Max Wait Time(in secs)	64-bit counter	Maximum wait time of videos in the queue to be transcoded, in seconds
Video Transcoding - Average Processing Time(in secs)	64-bit counter	Average processing time for transcoding videos, in seconds

Video Adaptation Offline Transcoding Failure Statistics

Table 1-156 Video Adaptation Offline Transcoding Failure Statistics

CONTENTVAOFFLINETRANSCODINGFAILURE STATSCHASSIS CONTENTVAOFFLINETRANSCODINGFAILURE STATSSLOT	Type	Description
Video Transcoding - Unsupported Format	64-bit counter	Total number of offline transcoding unsupported format
Video Transcoding - Unsupported Video Codec	64-bit counter	Total number of offline transcoding unsupported video codec
Video Transcoding - Unsupported Audio Codec	64-bit counter	Total number of offline transcoding unsupported audio codec

Video Adaptation Offline Transcoding Summary Statistics

Table 1-157 Video Adaptation Offline Transcoding Summary Statistics

CONTENTVAOFFLINETRANSCODING SUMMARYSTATSCHASSIS CONTENTVAOFFLINETRANSCODING SUMMARYSTATSCHASSIS CONTENTVAOFFLINETRANSCODING SUMMARYSSLOT	Type	Description
Video Transcoding - Attempts	64-bit counter	Total number of Offline Transcoding attempts
Video Transcoding - Successes	64-bit counter	Total number of Offline Transcoding successes
Video Transcoding - Cancels	64-bit counter	Total number of Offline Transcoding cancels
Video Transcoding - Failures	64-bit counter	Total number of Offline Transcoding failures
FLV Video Transcoding - Successes	64-bit counter	Number of videos transcoded successfully from FLV
FLV Video Transcoding - Failures	64-bit counter	Number of video transcoding failures from FLV
MP4 Video Transcoding - Successes	64-bit counter	Number of videos transcoded successfully from MP4
MP4 Video Transcoding - Failures	64-bit counter	Number of video transcoding failures from MP4
WEBM Video Transcoding - Successes	64-bit counter	Number of videos transcoded successfully from WEBM
WEBM Video Transcoding - Failures	64-bit counter	Number of video transcoding failures from WEBM

Table 1-157 Video Adaptation Offline Transcoding Summary Statistics

CONTENTVAOFFLINETRANSCODING SUMMARYSTATSCHASSIS CONTENTVAOFFLINETRANSCODING SUMMARYSTATSCHASSIS CONTENTVAOFFLINETRANSCODING SUMMARYSSLOT	Type	Description
Video Serving - Original Media Successes	64-bit counter	Number of original videos serviced successfully
Video Serving - Original Media Aborts	64-bit counter	Number of original video service aborts
Video Serving - Original Media Failures	64-bit counter	Number of original video service failures
Video Serving - FLV Successes	64-bit counter	Number of transcoded FLV videos serviced successfully
Video Serving - FLV Aborts	64-bit counter	Number of transcoded FLV video service aborts
Video Serving - FLV Failures	64-bit counter	Number of transcoded FLV video service failures
Video Serving - MP4 Successes	64-bit counter	Number of transcoded MP4 videos serviced successfully
Video Serving - MP4 Aborts	64-bit counter	Number of transcoded MP4 video service aborts
Video Serving - MP4 Failures	64-bit counter	Number of transcoded MP4 video service failures
Video Serving - WEBM Successes	64-bit counter	Number of transcoded WEBM videos serviced successfully
Video Serving - WEBM Aborts	64-bit counter	Number of transcoded WEBM video service aborts
Video Serving - WEBM Failures	64-bit counter	Number of transcoded WEBM video service failures
Video Size - Original Bytes in Cache	64-bit counter	Total number of bytes of original video cached
Video Size - Adapted Bytes Served	64-bit counter	Total number of Offline Transcoding adapted bytes served

Video Adaptation Online Transcoding Detail Statistics

Table 1-158 Video Adaptation Online Transcoding Detail Statistics

CONTENTVAONLINETRANSCODINGDETAIL STATSCHASSIS CONTENTVAONLINETRANSCODINGDETAIL STATSSLOT	Type	Description
Online Transcoding FLV - Attempts	64-bit counter	Total number of Online Transcoding FLV attempts
Online Transcoding FLV - Successes	64-bit counter	Total number of Online Transcoding FLV successes
Online Transcoding FLV - Cancels	64-bit counter	Total number of Online Transcoding FLV cancels
Online Transcoding FLV - Failures	64-bit counter	Total number of Online Transcoding FLV failures
Online Transcoding FLV - Aborts	64-bit counter	Total number of Online Transcoding FLV aborts
Online Transcoding FLV - Bytes Attempted	64-bit counter	Total number of Online Transcoding FLV bytes attempted
Online Transcoding FLV - Bytes Adapted	64-bit counter	Total number of Online Transcoding FLV bytes adapted
Online Transcoding FLV - Bytes Canceled	64-bit counter	Total number of Online Transcoding FLV bytes canceled
Online Transcoding MP4 - Attempts	64-bit counter	Total number of Online Transcoding MP4 attempts
Online Transcoding MP4 - Successes	64-bit counter	Total number of Online Transcoding MP4 successes
Online Transcoding MP4 - Cancels	64-bit counter	Total number of Online Transcoding MP4 cancels
Online Transcoding MP4 - Failures	64-bit counter	Total number of Online Transcoding MP4 failures
Online Transcoding MP4 - Aborts	64-bit counter	Total number of Online Transcoding MP4 aborts
Online Transcoding MP4 - Bytes Attempted	64-bit counter	Total number of Online Transcoding MP4 bytes attempted
Online Transcoding MP4 - Bytes Adapted	64-bit counter	Total number of Online Transcoding MP4 bytes adapted
Online Transcoding MP4 - Bytes Canceled	64-bit counter	Total number of Online Transcoding MP4 bytes canceled

Table 1-158 Video Adaptation Online Transcoding Detail Statistics

CONTENTVAONLINETRANSCODINGDETAIL STATSCHASSIS CONTENTVAONLINETRANSCODINGDETAIL STATSSLOT	Type	Description
Online Transcoding WEBM - Attempts	64-bit counter	Total number of Online Transcoding WEBM attempts
Online Transcoding WEBM - Successes	64-bit counter	Total number of Online Transcoding WEBM successes
Online Transcoding WEBM - Cancels	64-bit counter	Total number of Online Transcoding WEBM cancels
Online Transcoding WEBM - Failures	64-bit counter	Total number of Online Transcoding WEBM failures
Online Transcoding WEBM - Aborts	64-bit counter	Total number of Online Transcoding WEBM aborts
Online Transcoding WEBM - Overload	64-bit counter	Total number of Online Transcoding WEBM overload
Online Transcoding WEBM - Bytes Attempted	64-bit counter	Total number of Online Transcoding WEBM bytes attempted
Online Transcoding WEBM - Bytes Adapted	64-bit counter	Total number of Online Transcoding WEBM bytes adapted
Online Transcoding WEBM - Bytes Canceled	64-bit counter	Total number of Online Transcoding WEBM bytes canceled
Online Transcoding Map Entry Matched	64-bit counter	Total number of times an Online Transcoding Policy Map entry was matched
Online Transcoding Map Entry Not Matched	64-bit counter	Total number of times an Online Transcoding Policy Map entry was not matched
Online Transcoding Policy QoE Used	64-bit counter	Total number of Online Transcoding Policy QoE grade used
Online Transcoding Instance QoE Grade Used	64-bit counter	Total number of Video Adaptation instance QoE grade used

Video Adaptation Online Transcoding Failure Statistics

Table 1-159 Video Adaptation Online Transcoding Failure Statistics

CONTENTVAONLINETRANSCODINGFAILURE STATSCHASSIS CONTENTVAONLINETRANSCODINGFAILURE STATSSLOT	Type	Description
Online Transcoding Failure - Exceeded Max Video Size	32-bit counter	Total number of Online Transcoding exceeded maximum video size
Online Transcoding Failure - Below Min Video Size	32-bit counter	Total number of Online Transcoding below minimum video size
Online Transcoding Failure - Exceeded Max Video Duration	32-bit counter	Total number of Online Transcoding exceeded maximum video duration
Online Transcoding Failure - Below Min Video Duration	32-bit counter	Total number of Online Transcoding below minimum video duration
Online Transcoding Failure - Exceeded Max Video Bitrate	32-bit counter	Total number of Online Transcoding exceeded maximum video bitrate
Online Transcoding Failure - Exceeded Max Video Framerate	32-bit counter	Total number of Online Transcoding exceeded maximum video framerate
Online Transcoding Failure - Unsupported Source Container	32-bit counter	Total number of Online Transcoding Unsupported Source Container
Online Transcoding Failure - Unsupported Format	32-bit counter	Total number of Online Transcoding Unsupported Format
Online Transcoding Failure - Unsupported Video Codec	32-bit counter	Total number of Online Transcoding Unsupported Video Codec
Online Transcoding Failure - Unsupported Audio Codec	32-bit counter	Total number of Online Transcoding Unsupported Audio Codec
Online Transcoding Failure - Others	32-bit counter	Total number of Online Transcoding Failure With Other Reason
Online Transcoding Cancel - Mismatches	32-bit counter	Total number of Online Transcoding Cancel Content-Type Mismatches
Online Transcoding Cancel - No Map QoE	32-bit counter	Total number of Online Transcoding Cancels due to no transcoding map or QoE grade
Online Transcoding Cancel - Map Entry Bypass	32-bit counter	Total number of Online Transcoding Cancels due to Bypass set in the transcoding map entry
Online Transcoding Cancel - Overload Bypasses	32-bit counter	Total number of Online Transcoding Cancel CPU Overload
Online Transcoding - No Src Audio Stream Present	32-bit counter	Total number of Online Transcoding no source audio stream present

Table 1-159 Video Adaptation Online Transcoding Failure Statistics

CONTENTVAONLINETRANSCODINGFAILURE STATSCHASSIS CONTENTVAONLINETRANSCODINGFAILURE STATSSLOT	Type	Description
Online Transcoding - No Src Video Stream Present	32-bit counter	Total number of Online Transcoding no source video stream present
Online Transcoding - Unsupported Src Audio Codec	32-bit counter	Total number of Online Transcoding unsupported source audio coded
Online Transcoding - Unsupported Src Video Codec	32-bit counter	Total number of Online Transcoding unsupported source video coded
Online Transcoding - Below Bit Rate Savings Threshold	32-bit counter	Total number of Online Transcoding below bit rate savings threshold
Online Transcoding - Src Media Format Not Supported	32-bit counter	Total number of Online Transcoding source media format not supported
Online Transcoding - Tgt Media Format Not Supported	32-bit counter	Total number of Online Transcoding target media format not supported
Online Transcoding - Tgt Media Format Parameters Not Valid	32-bit counter	Total number of Online Transcoding target media format parameters not valid
Online Transcoding - Tgt Xcoding Parameters Not Valid	32-bit counter	Total number of Online Transcoding target transcoding parameters not valid
Online Transcoding Cancel - No Match Map QoE	32-bit counter	Total number of Online Transcoding cancels due to no matching transcoding map entry or QoE grade
Online Transcoding Cancel - Source Media is not streamable	32-bit counter	Total number of Online Transcoding cancels due to source media is not streamable
Online Transcoding Failure - Delay Responding	32-bit counter	Total number of Online Transcoding failure due to delay in responding
Online Transcoding Cancel - Couldnot Find Src Media Stream	32-bit counter	Total number of Online Transcoding cancels due to Could not Find/Determine Source Media Stream Info
Online Transcoding Cancel - Others	32-bit counter	Total number of Online Transcoding Cancel with other reason
Online Transcoding Bypass - Subscriber OptOut	32-bit counter	Total number of Online Transcoding bypassed due to subscriber opting-out

Video Adaptation Online Transcoding Summary Statistics

Table 1-160 Video Adaptation Online Transcoding Summary Statistics

CONTENTVAONLINETRANSCODINGSUMMARY STATSGRID CONTENTVAONLINETRANSCODINGSUMMARY STATSCHASSIS CONTENTVAONLINETRANSCODINGSUMMARY STATSSLOT	Type	Description
Online Transcoding - Attempts	64-bit counter	Total number of Online Transcoding attempts
Online Transcoding - Successes	64-bit counter	Total number of Online Transcoding successes
Online Transcoding - Cancels	64-bit counter	Total number of Online Transcoding cancels
Online Transcoding - Failures	64-bit counter	Total number of Online Transcoding failures
Online Transcoding - Aborts	64-bit counter	Total number of Online Transcoding aborts
Online Transcoding - Current	64-bit gauge	Total number of Online Transcoding current
Online Transcoding - Bytes Attempt	64-bit counter	Total number of Online Transcoding bytes attempt
Online Transcoding - Bytes Adapted	64-bit counter	Total number of Online Transcoding bytes transcoded
Online Transcoding - Bytes Cancel	64-bit counter	Total number of Online Transcoding bytes cancel
Online Transcoding - Video Size Min (bytes)	64-bit counter	Online Transcoding Video Size Minimum (Bytes)
Online Transcoding - Video Size Avg (bytes)	64-bit counter	Online Transcoding Video Size Average (Bytes)
Online Transcoding - Video Size Max (bytes)	64-bit counter	Online Transcoding Video Size Maximum (Bytes)
Online Transcoding - Adapted Video Size Min (bytes)	64-bit counter	Online Transcoding Adapted Video Size Minimum (Bytes)
Online Transcoding - Adapted Video Size Avg (bytes)	64-bit counter	Online Transcoding Adapted Video Size Average (Bytes)
Online Transcoding - Adapted Video Size Max (bytes)	64-bit counter	Online Transcoding Adapted Video Size Maximum (Bytes)
Online Transcoding - Additional Latency Min (msecs)	64-bit counter	Online Transcoding Additional Latency Minimum (msecs)
Online Transcoding - Additional Latency Avg (msecs)	64-bit counter	Online Transcoding Additional Latency Average (msecs)
Online Transcoding - Additional Latency Max (msecs)	64-bit counter	Online Transcoding Additional Latency Maximum (msecs)

WAP Gateway Statistics

Note: These statistics are displayed when at least one WAP service is configured and running.

Table 1-161 WAP Gateway Statistics

CONTENTWAPGWSTATSGRID CONTENTWAPGWSTATSCHASSIS CONTENTWAPGWSTATSSLOT	Type	Description
WAP Gateway – Requests Attempted	64-bit counter	WAP Gateway requests attempted
WAP Gateway – Requests Succeeded	64-bit counter	WAP Gateway requests succeeded
WAP Gateway – Requests Failed	64-bit counter	WAP Gateway requests failed
WAP Gateway – Requests Aborted	64-bit counter	WAP Gateway requests aborted
WAP Gateway – Responses with Status Success (2xx)	64-bit counter	WAP Gateway responses with status success (2xx)
WAP Gateway – Responses with Status Redirection (3xx)	64-bit counter	WAP Gateway responses with status redirection (3xx)
WAP Gateway – Responses with Status Client Error (4xx)	64-bit counter	WAP Gateway responses with status client error (4xx)
WAP Gateway – Responses with Status Server Error (5xx)	64-bit counter	WAP Gateway responses with status server error (5xx)
HTTP – Gets	64-bit counter	HyperText Transport Protocol – Gets
HTTP – Posts	64-bit counter	HyperText Transport Protocol – Posts
HTTP – Transactions Currently in Progress	64-bit counter	HyperText Transport Protocol – Transactions Currently in Progress
WSP – Connect Requests Received	64-bit counter	Wireless Session Protocol – Connect Requests Received
WSP – Connect Replies Sent	64-bit counter	Wireless Session Protocol – Connect Replies Sent
WSP – Disconnects Received	64-bit counter	Wireless Session Protocol – Disconnects Received
WSP – Disconnects Sent	64-bit counter	Wireless Session Protocol – Disconnects Sent
WSP – Get Requests Received	64-bit counter	Wireless Session Protocol – Get Requests Received

Table 1-161 WAP Gateway Statistics

CONTENTWAPGWSTATSGRID CONTENTWAPGWSTATSCHASSIS CONTENTWAPGWSTATSSLOT	Type	Description
WSP – Post Requests Received	64-bit counter	Wireless Session Protocol – Post Requests Received
WSP – Replies Sent	64-bit counter	Wireless Session Protocol – Replies Sent
WSP - Reply Confirmations Received	64-bit counter	Wireless Session Protocol – Reply Confirmations Received
WSP – Suspend Requests Received	64-bit counter	Wireless Session Protocol – Suspend Requests Received
WSP – Resume Requests Received	64-bit counter	Wireless Session Protocol – Resume Requests Received
WSP – Packet Unpacking Errors	64-bit counter	Wireless Session Protocol – Packet Unpacking Errors
WSP – Unhandled Event Errors	64-bit counter	Wireless Session Protocol – Unhandled Event Errors
WTP – Transactions Responded to	64-bit counter	Wireless Transaction Protocol – Transactions Responded to
WTP – Transactions Initiated	64-bit counter	Wireless Transaction Protocol – Transactions Initiated
WTP – Packet Unpacking Errors	64-bit counter	Wireless Transaction Protocol – Packet Unpacking Errors
WTP – Unhandled Event Errors	64-bit counter	Wireless Transaction Protocol – Unhandled Event Errors
WTLS – Sessions Created	64-bit counter	Wireless Transport Layer Security – Sessions Created
WTLS – Sessions Opened	64-bit counter	Wireless Transport Layer Security – Sessions Opened
WTLS – Sessions Terminated	64-bit counter	Wireless Transport Layer Security – Sessions Terminated
WTLS – Key Exchange Errors	64-bit counter	Wireless Transport Layer Security – Key Exchange Errors
WTLS – Cipher Exchange Errors	64-bit counter	Wireless Transport Layer Security – Cipher Exchange Errors
WTLS – Key Id Exchange Errors	64-bit counter	Wireless Transport Layer Security – Key Id Exchange Errors
WTLS – PDU Decrypt Errors	64-bit counter	Wireless Transport Layer Security – PDU Decrypt Errors

Table 1-161 WAP Gateway Statistics

CONTENTWAPGWSTATSGRID CONTENTWAPGWSTATSCHASSIS CONTENTWAPGWSTATSSLOT	Type	Description
WTLS – PDU Encrypt Errors	64-bit counter	Wireless Transport Layer Security – PDU Encrypt Errors
WTLS – Unexpected Message Errors	64-bit counter	Wireless Transport Layer Security – Unexpected Message Errors
WTLS – Unhandled Event Errors	64-bit counter	Wireless Transport Layer Security – Unhandled Event Errors
WDP – Datagrams Received	64-bit counter	Wireless Datagram Protocol – Datagrams Received
WDP – Datagrams Sent	64-bit counter	Wireless Datagram Protocol – Datagrams Sent

Wireless Access Gateway Access Point Name Call Performance Statistics

Table 1-162 Wireless Access Gateway Access Point Name Call Performance Statistics

WAGAPNCALLPERFSTATSGRID WAGAPNCALLPERFSTATSCHASSIS WAGAPNCALLPERFSTATSSLOT	Type	Description
Current Sessions	32-bit gauge	Current number of sessions
Bearers	32-bit gauge	Current number of bearers
Create Session Attempt	32-bit counter	Total number of create session attempts
Create Session Accept	32-bit counter	Total number of create session attempts accepted
Create Session Reject	32-bit counter	Total number of create session attempts rejected
Create Session Rejects Malformed Requests	32-bit counter	Total number of create session attempts rejected - malformed request
Create Session Rejects Unknown Apn	32-bit counter	Total number of create session attempts rejected - unknown APN
Create Session Rejects Resource Unavailable	32-bit counter	Total number of create session attempts rejected - resources unavailable
Create Session Rejects Service Not Supported	32-bit counter	Total number of create session attempts rejected - service not supported

Table 1-162 Wireless Access Gateway Access Point Name Call Performance Statistics

WAGAPNCALLPERFSTATSGRID WAGAPNCALLPERFSTATSCHASSIS WAGAPNCALLPERFSTATSSLOT	Type	Description
Create Session Rejects System Failure	32-bit counter	Total number of create session attempts rejected - system failure
Create Session Rejects Misc	32-bit counter	Total number of create session attempts rejected - unclassified
Delete Session Attempt	32-bit counter	Total number of delete session attempts received
Delete Session Accept	32-bit counter	Total number of delete session attempts accepted
Delete Session Reject	32-bit counter	Total number of delete session attempts rejected
Local Close Attempts	32-bit counter	Total number of session close attempts initiated internally
Local Close Attempts Accepted	32-bit counter	Total number of internally initiated session closes that were acted upon
Idle Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to IDLE duration time exceeded
Maximal Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to MAXIMAL duration time exceeded
Operator Initiated Closes	32-bit counter	Total number of operator initiated sessions close attempts
Active Current Sessions	32-bit gauge	Current number of active sessions
Idle Current Sessions	32-bit gauge	Current number of idle sessions
Captive Current Sessions	64-bit counter	Current number of sessions in captive (walled garden) state
Open Current Sessions	64-bit counter	Current number of sessions in authenticated state
Interval Peak Current Sessions	32-bit maximum	Interval Peak number of sessions
Interval Peak Active Current Sessions	32-bit maximum	Interval Peak number of active sessions
Interval Peak Idle Current Sessions	32-bit maximum	Interval Peak number of idle sessions
Interval Peak Credited Sessions	32-bit counter	Interval Peak number of credited sessions
Intra WAG Session Handovers	32-bit counter	Number of WAG session handover
Duplicate Session Local Close Attempts	32-bit counter	Total number of local close attempts due to duplicate session

Table 1-162 Wireless Access Gateway Access Point Name Call Performance Statistics

WAGAPNCALLPERFSTATSGRID WAGAPNCALLPERFSTATSCHASSIS WAGAPNCALLPERFSTATSSLOT	Type	Description
Await CoA Timeout Attempts Local Close Attempts	32-bit counter	Total number of local close attempts due to no CoA received within the configured timeout
Uplink Packets	64-bit counter	Total number of uplink packets received
Uplink Bytes	64-bit counter	Total number of uplink bytes received
Uplink Drop Packets	64-bit counter	Total number of uplink packets dropped
Uplink Drop Bytes	64-bit counter	Total number of uplink bytes dropped
Downlink Packets	64-bit counter	Total number of downlink packets received
Downlink Bytes	64-bit counter	Total number of downlink bytes received
Downlink Drop Packets	64-bit counter	Total number of downlink packets dropped
Downlink Drop Bytes	64-bit counter	Total number of downlink bytes dropped
L2tp Gateway Session Delete Attempts	32-bit counter	Total number of L2tp gateway delete request attempts
Number Coa Received	64-bit counter	Total number of RADIUS Change of Authorization requests received
Number Coa Disable Redirect Processed	64-bit counter	Total number of RADIUS CoA requests received disabling HTTP Redirection
Number Coa QoS Change Processed	64-bit counter	Total number of RADIUS CoA requests received changing the subscriber QoS
Number Coa Ignore	64-bit counter	Total number of RADIUS CoA requests ignored due to no required action
Number Coa Enable Redirect Processed	64-bit counter	Total number of RADIUS CoA requests received enabling HTTP Redirection
Radius Disconnect Local Closes	32-bit counter	Total number of local closes due to RADIUS disconnect from server
Cumulative DHCP Client Latency	32-bit gauge	Cumulative Latency in microseconds to complete DHCP exchange
DHCP Client Latency Samples	32-bit counter	Samples for calculating average latency to complete DHCP exchange
Average DHCP Client Latency	64-bit gauge	Average Latency in microseconds to complete DHCP exchange
Number of IPv4 Sessions	64-bit gauge	Number of IPv4 Sessions
Number of IPv6 Sessions	64-bit gauge	Number of IPv6 Sessions

Table 1-162 Wireless Access Gateway Access Point Name Call Performance Statistics

WAGAPNCALLPERFSTATSGRID WAGAPNCALLPERFSTATSCHASSIS WAGAPNCALLPERFSTATSSLOT	Type	Description
Number of IPv4v6 Sessions	64-bit gauge	Number of IPv4v6 Sessions
Average Time Involved in Handover per UE	64-bit counter	Average time involved in handover to WiFi per UE (milliseconds)
Number of UE Handover Attempts	64-bit counter	Number of UE handover attempts to WiFi
Number of UE Handover Success	64-bit counter	Number of successful UE handovers to WiFi
Number of UE Handover Failed	64-bit counter	Number of failed UE handovers to WiFi
Number of UE Handovers To 3gpp	64-bit counter	Number of successful UE handovers from Wifi to 3GPP
Number of Error Indications Processed	32-bit counter	Total number of error indications processed
Local Close Received Error Indication Attempts	32-bit counter	Total number of local close attempts due to receipt of error indication
Number of Error Indication Bearer Deactivation	32-bit counter	Total number of dedicated bearer deactivations due to receipt of error indication
Create Bearer Attempts from Pgw	32-bit counter	Total number of create bearer requests received
Create Bearer Accepts to Pgw	32-bit counter	Total number of create bearer requests accepted
Create Bearer Rejects to Pgw	32-bit counter	Total number of create bearer requests rejected
Delete Bearer Attempts from Pgw	32-bit counter	Total number of delete bearer requests received
Delete Bearer Accepts to Pgw	32-bit counter	Total number of delete bearer requests accepted
Delete Bearer Rejects to Pgw	32-bit counter	Total number of delete bearer requests rejected
Update Bearer Attempts from Pgw	32-bit counter	Total number of update bearer requests received
Update Bearer Accepts to Pgw	32-bit counter	Total number of update bearer requests accepted
Update Bearer Rejects to Pgw	32-bit counter	Total number of update bearer requests rejected
Create Session Requests To Pgw	32-bit counter	Total number of create session requests sent to the PGW
Create Session Accepts From Pgw	32-bit counter	Total number of create session requests accepted by the PGW

Table 1-162 Wireless Access Gateway Access Point Name Call Performance Statistics

WAGAPNCALLPERFSTATSGRID WAGAPNCALLPERFSTATSCHASSIS WAGAPNCALLPERFSTATSSLOT	Type	Description
Create Session Rejects From Pgw	32-bit counter	Total number of create session requests rejected by the PGW
Delete Session Requests To Pgw	32-bit counter	Total number of delete session requests sent to the PGW
Delete Session Accepts From Pgw	32-bit counter	Total number of delete session requests accepted by the PGW
Delete Session Rejects From Pgw	32-bit counter	Total number of delete session requests rejected by the PGW
Modify Bearer Command Req To Pgw	32-bit counter	Total number of modify bearer requests sent to the PGW
Modify Bearer Failure Indications From Pgw	32-bit counter	Total number of modify bearer failure indications received from the PGW
Number Create Session Resp No Context	32-bit counter	Total number of create session responses from the PGW - no context found
Number Sess Setup Success Apn Matching Exact Match	32-bit counter	Total number of create session requests accepted with APN matching type exact match
Number Sess Setup Success Apn Matching Ni Only	32-bit counter	Total number of create session requests accepted with APN matching type NI only
Number Sess Setup Success Apn Matching Ni And Malformed Oi	32-bit counter	Total number of create session requests accepted with APN matching type NI and malformed OI
Number Create Session Request Failed No PGW	32-bit counter	Total number of create session requests failed due to no PGW available
Number Barred PGW Selected for Session Setup	32-bit counter	Total number of times a barred PGW was selected for session setup
NumCreateSessionRejectApnCongested	32-bit counter	Total number of create session requests rejected - APN in congested state
NumCreateSessionRejectApnCongestedCritical	32-bit counter	Total number of create session requests rejected - APN in critical congested state
NumCreateSessionRejectApnCongestedMajor	32-bit counter	Total number of create session requests rejected - APN in major congested state
NumCreateSessionRejectApnCongestedMinor	32-bit counter	Total number of create session requests rejected - APN in minor congested state
Number of DNS Attempts	64-bit counter	DNS request attempts
Number of DNS Send Success	64-bit counter	DNS request success

Table 1-162 Wireless Access Gateway Access Point Name Call Performance Statistics

WAGAPNCALLPERFSTATSGRID WAGAPNCALLPERFSTATSCHASSIS WAGAPNCALLPERFSTATSSLOT	Type	Description
Number of DNS Send Failed No Config	64-bit counter	DNS request send failed - no DNS configuration
Number of DNS Failed Misc	64-bit counter	DNS request send failed - miscellaneous
Number of DNS Responses	64-bit counter	DNS response - total received
Number of DNS Response Success	64-bit counter	DNS response success
Number of DNS Response Fail No Response	64-bit counter	DNS response failed - no response from server
Number of DNS Response Fail No Name	64-bit counter	DNS response failed - domain name not found
Number of DNS Response Fail No Data	64-bit counter	DNS response failed - no data
Number of DNS Response Fail Misc	64-bit counter	DNS response failed - miscellaneous
Number DHCP Discover Messages Received	64-bit counter	DHCP Discover Messages - Total Received
Number DHCP Request Messages Received	64-bit counter	DHCP Request Messages - Total Received
Number DHCP Offer Messages Sent	64-bit counter	DHCP Offer Messages - Total Sent
Number DHCP Ack Messages Sent	64-bit counter	DHCP Ack Messages - Total Sent
Number DHCP Nack Messages Sent	64-bit counter	DHCP Nack Messages - Total Sent
Number DHCP Release Messages Recvd	64-bit counter	DHCP Release Messages - Total Received
Create Session Reject Session Blocked	32-bit counter	Total number of create session requests rejected due to session blocked
Local Close Attempts Session Blocked	32-bit counter	Total number of local close attempts due to session blocked
NumCreateSessionRequestTimeoutToPgw	64-bit counter	Total number of create session timeouts - remote PGW not responding
NumDeleteSessionRequestTimeoutToPgw	64-bit counter	Total number of delete session timeouts - remote PGW not responding
NumStaticPgwSelected	64-bit counter	Total number of times static PGW was selected
NumPgwFqdnForSession	64-bit counter	Total number of times AAA provided PGW FQDN is used to resolve PGW
NumApnFqdnForSession	64-bit counter	Total number of times APN FQDN is used to resolve PGW
NumPgwIPAddressForSession	64-bit counter	Total number of times AAA provided PGW IP address is used to resolve PGW

Table 1-162 Wireless Access Gateway Access Point Name Call Performance Statistics

WAGAPNCALLPERFSTATSGRID WAGAPNCALLPERFSTATSCHASSIS WAGAPNCALLPERFSTATSSLOT	Type	Description
NumPgwReplacementOIForSession	64-bit counter	Total number of times AAA provided replacement OI is used to resolve PGW
Number Local Close Terminate Service Rule	32-bit counter	Total number of local closes due to traffic through service rule with terminate action
Number Session Attempt After Pgw Timeout	64-bit counter	Total number of create session attempts after timeout
Number Session Success After Pgw Timeout	64-bit counter	Total number of create session success after timeout
NumDnsCacheHits	32-bit counter	DNS - Records found in cache
NumDnsCacheHitsNaptr	32-bit counter	DNS - Naptr records found in cache
NumDnsCacheHitsSrv	32-bit counter	DNS - Srv records found in cache
NumDnsCacheHitsA	32-bit counter	DNS - A/AAA records found in cache
NumCreatePdpCtxtRequestsToGgsn	32-bit counter	Create PDP Context Requests to Ggsn - Total Sent
NumCreatePdpCtxtResponsesFromGgsn	32-bit counter	Create PDP Context Responses from Ggsn - Total Received
NumDeletePdpCtxtRequestsFromGgsn	32-bit counter	Delete PDP Context Requests from Ggsn - Total Received
NumDeletePdpCtxtResponsesToGgsn	32-bit counter	Delete PDP Context Responses to Ggsn - Total Sent
NumDeletePdpCtxtRequestsToGgsn	32-bit counter	Delete PDP Context Requests to Ggsn - Total Sent
NumDeletePdpCtxtResponsesFromGgsn	32-bit counter	Delete PDP Context Responses from Ggsn - Total Received
NumCreateSessionRejectTamFailure	32-bit counter	Total number of create session attempts rejected - due to TAM failure
NumDnsResponseFailTimeout	32-bit counter	DNS Response Failed - Session timeout waiting for DNS
NumDnsResponseDropNoIntf	32-bit counter	DNS Response Failed - Dropped no SL interface
NumDnsResponseDropNoSession	32-bit counter	DNS Response Failed - Dropped no session
NumDnsResponseDropNoPdnSession	32-bit counter	DNS Response Failed - Dropped no PDN session
NumSessionPendedForDns	32-bit counter	Sessions pended for DNS

Table 1-162 Wireless Access Gateway Access Point Name Call Performance Statistics

WAGAPNCALLPERFSTATSGRID WAGAPNCALLPERFSTATSCHASSIS WAGAPNCALLPERFSTATSSLOT	Type	Description
NumSessionPendedForDnsSuccess	32-bit counter	DNS success for pended sessions
NumSessionPendedForDnsTimeout	32-bit counter	DNS timeout for pended sessions
NumLocalClosePerfDownSessionHoldTime	32-bit counter	Number of session locally closed due to PCRF down session hold time expiry
NumSessionFailureAaaSessionValidation	32-bit counter	Total number of failed PDN sessions setup due to session validation failure when processing DEA from AAA server
NumSessionFailureAaaNoImsiForTempIdentity	32-bit counter	Total number of failed PDN sessions setup due to missing IMSI from AAA server for temporary identity

Wireless Access Gateway Call Performance Statistics

***Note:** These statistics are displayed when at least one WAG service is configured and running.*

Table 1-163 Wireless Access Gateway Call Performance Statistics

WAGCALLPERFSTATSGRID WAGCALLPERFSTATSCHASSIS WAGCALLPERFSTATSSLOT	Type	Description
Current Sessions	32-bit gauge	Current number of sessions
Bearers	32-bit gauge	Current number of bearers
Create PDN Session Attempt	32-bit counter	Total number of create PDN session attempts
Create PDN Session Accept	32-bit counter	Total number of create PDN session attempts accepted
Create PDN Session Reject	32-bit counter	Total number of create PDN session attempts rejected
Create PDN Session Rejects Malformed Requests	32-bit counter	Total number of create PDN session attempts rejected - malformed request
Create PDN Session Rejects Unknown Apn	32-bit counter	Total number of create PDN session attempts rejected - unknown APN

Table 1-163 Wireless Access Gateway Call Performance Statistics

WAGCALLPERFSTATSGRID WAGCALLPERFSTATSCHASSIS WAGCALLPERFSTATSSLOT	Type	Description
Create PDN Session Rejects Resource Unavailable	32-bit counter	Total number of create PDN session attempts rejected - resources unavailable
Create PDN Session Rejects Service Not Supported	32-bit counter	Total number of create PDN session attempts rejected - service not supported
Create PDN Session Rejects System Failure	32-bit counter	Total number of create PDN session attempts rejected - system failure
Create PDN Session Rejects Misc	32-bit counter	Total number of create PDN session attempts rejected - unclassified
Delete PDN Session Attempt	32-bit counter	Total number of delete PDN session attempts received
Delete PDN Session Accept	32-bit counter	Total number of delete PDN session attempts accepted
Delete PDN Session Reject	32-bit counter	Total number of delete PDN session attempts rejected
Local Close Attempts	32-bit counter	Total number of session close attempts initiated internally
Local Close Attempts Accepted	32-bit counter	Total number of internally initiated session closes that were acted upon
Idle Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to IDLE duration time exceeded
Maximal Duration Exceeded Closes	32-bit counter	Total number of sessions closed due to MAXIMAL duration time exceeded
Operator Initiated Closes	32-bit counter	Total number of operator initiated sessions close attempts
Active Current Sessions	32-bit gauge	Current number of active sessions
Idle Current Sessions	32-bit gauge	Current number of idle sessions
Captive Current Sessions	64-bit counter	Current number of sessions in captive (walled garden) state
Open Current Sessions	64-bit counter	Current number of sessions in authenticated state
Interval Peak Current Sessions	32-bit maximum	Interval Peak number of sessions
Interval Peak Active Current Sessions	32-bit maximum	Interval Peak number of active sessions
Interval Peak Idle Current Sessions	32-bit maximum	Interval Peak number of idle sessions
Interval Peak Credited Sessions	32-bit counter	Interval Peak number of credited sessions

Table 1-163 Wireless Access Gateway Call Performance Statistics

WAGCALLPERFSTATSGRID WAGCALLPERFSTATSCHASSIS WAGCALLPERFSTATSSLOT	Type	Description
Dhcp Release Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP release
Intra WAG Session Handovers	32-bit counter	Number of WAG session handover
Dhcp Timeout Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address allocation timeout
Dhcp Lease Expiry Local Close Attempts	32-bit counter	Total number of local close attempts due to DHCP IP address lease expiry
Duplicate Session Local Close Attempts	32-bit counter	Total number of local close attempts due to duplicate session
Await CoA Timeout Attempts Local Close Attempts	32-bit counter	Total number of local close attempts due to no CoA received within the configured timeout
Uplink Packets	64-bit counter	Total number of uplink packets received
Uplink Bytes	64-bit counter	Total number of uplink bytes received
Uplink Drop Packets	64-bit counter	Total number of uplink packets dropped
Uplink Drop Bytes	64-bit counter	Total number of uplink bytes dropped
Downlink Packets	64-bit counter	Total number of downlink packets received
Downlink Bytes	64-bit counter	Total number of downlink bytes received
Downlink Drop Packets	64-bit counter	Total number of downlink packets dropped
Downlink Drop Bytes	64-bit counter	Total number of downlink bytes dropped
L2tp Gateway Session Delete Attempts	32-bit counter	Total number of L2tp gateway delete request attempts
Number Coa Received	64-bit counter	Total number of RADIUS Change of Authorization requests received
Number Coa Disable Redirect Processed	64-bit counter	Total number of RADIUS CoA requests received disabling HTTP Redirection
Number Coa QoS Change Processed	64-bit counter	Total number of RADIUS CoA requests received changing the subscriber QoS
Number Coa Ignore	64-bit counter	Total number of RADIUS CoA requests ignored due to no required action
Number Coa Enable Redirect Processed	64-bit counter	Total number of RADIUS CoA requests received enabling HTTP Redirection
Radius Disconnect Local Closes	32-bit counter	Total number of local closes due to RADIUS disconnect from server

Table 1-163 Wireless Access Gateway Call Performance Statistics

WAGCALLPERFSTATSGRID WAGCALLPERFSTATSCHASSIS WAGCALLPERFSTATSSLOT	Type	Description
Number of Error Indications Processed	32-bit counter	Total number of error indications processed
Local Close Received Error Indication Attempts	32-bit counter	Total number of local close attempts due to receipt of error indication
Number of Error Indication Bearer Deactivation	32-bit counter	Total number of dedicated bearer deactivations due to receipt of error indication
Cumulative DHCP Client Latency	32-bit gauge	Cumulative Latency in microseconds to complete DHCP exchange
DHCP Client Latency Samples	32-bit counter	Samples for calculating average latency to complete DHCP exchange
Average DHCP Client Latency	64-bit gauge	Average Latency in microseconds to complete DHCP exchange
Number of IPv4 Sessions	64-bit gauge	Number of IPv4 Sessions
Number of IPv6 Sessions	64-bit gauge	Number of IPv6 Sessions
Number of IPv4v6 Sessions	64-bit gauge	Number of IPv4v6 Sessions
Average Time Involved in Handover per UE	64-bit counter	Average time involved in handover to WiFi per UE (milliseconds)
Number of UE Handover Attempts	64-bit counter	Number of UE handover attempts to WiFi
Number of UE Handover Success	64-bit counter	Number of successful UE handovers to WiFi
Number of UE Handover Failed	64-bit counter	Number of failed UE handovers to WiFi
Number of UE Handovers To 3gpp	64-bit counter	Number of successful UE handovers from Wifi to 3GPP
Create Bearer Attempts from Pgw	32-bit counter	Total number of create bearer requests received
Create Bearer Accepts to Pgw	32-bit counter	Total number of create bearer requests accepted
Create Bearer Rejects to Pgw	32-bit counter	Total number of create bearer requests rejected
Delete Bearer Attempts from Pgw	32-bit counter	Total number of delete bearer requests received
Delete Bearer Accepts to Pgw	32-bit counter	Total number of delete bearer requests accepted
Delete Bearer Rejects to Pgw	32-bit counter	Total number of delete bearer requests rejected
Update Bearer Attempts from Pgw	32-bit counter	Total number of update bearer requests received

Table 1-163 Wireless Access Gateway Call Performance Statistics

WAGCALLPERFSTATSGRID WAGCALLPERFSTATSCHASSIS WAGCALLPERFSTATSSLOT	Type	Description
Update Bearer Accepts to Pgw	32-bit counter	Total number of update bearer requests accepted
Update Bearer Rejects to Pgw	32-bit counter	Total number of update bearer requests rejected
Create Session Requests To Pgw	32-bit counter	Total number of create session requests sent to the PGW
Create Session Accepts From Pgw	32-bit counter	Total number of create session requests accepted by the PGW
Create Session Rejects From Pgw	32-bit counter	Total number of create session requests rejected by the PGW
Delete Session Requests To Pgw	32-bit counter	Total number of delete session requests sent to the PGW
Delete Session Accepts From Pgw	32-bit counter	Total number of delete session requests accepted by the PGW
Delete Session Rejects From Pgw	32-bit counter	Total number of delete session requests rejected by the PGW
Modify Bearer Command Req To Pgw	32-bit counter	Total number of modify bearer requests sent to the PGW
Modify Bearer Failure Indications From Pgw	32-bit counter	Total number of modify bearer failure indications received from the PGW
Number Create Session Resp No Context	32-bit counter	Total number of create session responses from the PGW - no context found
Number Sess Setup Success Apn Matching Exact Match	32-bit counter	Total number of create session requests accepted with APN matching type exact match
Number Sess Setup Success Apn Matching Ni Only	32-bit counter	Total number of create session requests accepted with APN matching type NI only
Number Sess Setup Success Apn Matching Ni And Malformed Oi	32-bit counter	Total number of create session requests accepted with APN matching type NI and malformed OI
Number Create Session Request Failed No PGW	32-bit counter	Total number of create session requests failed due to no PGW available
Number Barred PGW Selected for Session Setup	32-bit counter	Total number of times a barred PGW was selected for session setup
NumCreateSessionRejectApnCongested	32-bit counter	Total number of create session requests rejected - APN in congested state

Table 1-163 Wireless Access Gateway Call Performance Statistics

WAGCALLPERFSTATSGRID WAGCALLPERFSTATSCHASSIS WAGCALLPERFSTATSSLOT	Type	Description
NumCreateSessionRejectApnCongestedCritical	32-bit counter	Total number of create session requests rejected - APN in critical congested state
NumCreateSessionRejectApnCongestedMajor	32-bit counter	Total number of create session requests rejected - APN in major congested state
NumCreateSessionRejectApnCongestedMinor	32-bit counter	Total number of create session requests rejected - APN in minor congested state
NumAcceptInterAccessHWithSessionRetry	32-bit counter	Total number of create session requests retried to handle create session reject with context-not-found from PGW
NumUniqueSubscribers	32-bit gauge	Current number of unique subscribers
Num of Gx Sessions	32-bit gauge	Current number sessions using Gx interface
TotalNumUniqueSubscribers	32-bit counter	Total number of unique subscribers
Number of DNS Attempts	64-bit counter	DNS request attempts
Number of DNS Send Success	64-bit counter	DNS request success
Number of DNS Send Failed No Config	64-bit counter	DNS request send failed - no DNS configuration
Number of DNS Failed Misc	64-bit counter	DNS request send failed - miscellaneous
Number of DNS Responses	64-bit counter	DNS response - total received
Number of DNS Response Success	64-bit counter	DNS response success
Number of DNS Response Fail No Response	64-bit counter	DNS response failed - no response from server
Number of DNS Response Fail No Name	64-bit counter	DNS response failed - domain name not found
Number of DNS Response Fail No Data	64-bit counter	DNS response failed - no data
Number of DNS Response Fail Misc	64-bit counter	DNS response failed - miscellaneous
Number DHCP Discover Messages Received	64-bit counter	Total number of DHCP Discover Messages Received
Number DHCP Request Messages Received	64-bit counter	Total number of DHCP Request Messages Received
Number DHCP Offer Messages Sent	64-bit counter	Total number of DHCP Offer Messages Sent
Number DHCP Ack Messages Sent	64-bit counter	Total number of DHCP Ack Messages Sent
Number DHCP Nack Messages Sent	64-bit counter	Total number of DHCP Nack Messages Sent

Table 1-163 Wireless Access Gateway Call Performance Statistics

WAGCALLPERFSTATSGRID WAGCALLPERFSTATSCHASSIS WAGCALLPERFSTATSSLOT	Type	Description
Number DHCP Release Messages Recvd	64-bit counter	Total number of DHCP Release Messages Received
Create Session Reject Session Blocked	32-bit counter	Total number of create session requests rejected due to session blocked
Local Close Attempts Session Blocked	32-bit counter	Total number of local close attempts due to session blocked
NumCreateSessionRequestTimeoutToPgw	64-bit counter	Total number of create session timeouts - remote PGW not responding
NumDeleteSessionRequestTimeoutToPgw	64-bit counter	Total number of delete session timeouts - remote PGW not responding
NumStaticPgwSelected	64-bit counter	Total number of times static PGW was selected
NumPgwFqdnForSession	64-bit counter	Total number of times AAA provided PGW FQDN is used to resolve PGW
NumApnFqdnForSession	64-bit counter	Total number of times APN FQDN is used to resolve PGW
NumPgwIPAddressForSession	64-bit counter	Total number of times AAA provided PGW IP address is used to resolve PGW
NumPgwReplacementOIForSession	64-bit counter	Total number of times AAA provided replacement OI is used to resolve PGW
Number Local Close Terminate Service Rule	32-bit counter	Total number of local closes due to traffic through service rule with terminate action
Number Session Attempt After Pgw Timeout	64-bit counter	Total number of create session attempts after timeout
Number Session Success After Pgw Timeout	64-bit counter	Total number of create session success after timeout
NumDnsCacheHits	32-bit counter	DNS - Records found in cache
NumDnsCacheHitsNaptr	32-bit counter	DNS - Naptr records found in cache
NumDnsCacheHitsSrv	32-bit counter	DNS - Srv records found in cache
NumDnsCacheHitsA	32-bit counter	DNS - A/AAA records found in cache
NumCreatePdpCtxtRequestsToGgsn	32-bit counter	Create PDP Context Requests to Ggsn - Total Sent
NumCreatePdpCtxtResponsesFromGgsn	32-bit counter	Create PDP Context Responses from Ggsn - Total Received

Table 1-163 Wireless Access Gateway Call Performance Statistics

WAGCALLPERFSTATSGRID WAGCALLPERFSTATSCHASSIS WAGCALLPERFSTATSSLOT	Type	Description
NumDeletePdpCtxtRequestsFromGgsn	32-bit counter	Delete PDP Context Requests from Ggsn - Total Received
NumDeletePdpCtxtResponsesToGgsn	32-bit counter	Delete PDP Context Responses to Ggsn - Total Sent
NumDeletePdpCtxtRequestsToGgsn	32-bit counter	Delete PDP Context Requests to Ggsn - Total Sent
NumDeletePdpCtxtResponsesFromGgsn	32-bit counter	Delete PDP Context Responses from Ggsn - Total Received
NumCreateSessionRejectTamFailure	32-bit counter	Total number of create session attempts rejected - due to TAM failure
NumDnsResponseFailTimeout	32-bit counter	DNS Response Failed - Session timeout waiting for DNS
NumDnsResponseDropNoIntf	32-bit counter	DNS Response Failed - Dropped no SL interface
NumDnsResponseDropNoSession	32-bit counter	DNS Response Failed - Dropped no session
NumDnsResponseDropNoPdnSession	32-bit counter	DNS Response Failed - Dropped no PDN session
NumSessionPendedForDns	32-bit counter	Sessions pended for DNS
NumSessionPendedForDnsSuccess	32-bit counter	DNS success for pended sessions
NumSessionPendedForDnsTimeout	32-bit counter	DNS timeout for pended sessions
NumLocalClosePerfDownSessionHoldTime	32-bit counter	Number of session locally closed due to PCRF down session hold time expiry
NumSessionFailureAaaSessionValidation	32-bit counter	Total number of failed PDN sessions setup due to session validation failure when processing DEA from AAA server
NumSessionFailureAaaNoImsiForTempIdentity	32-bit counter	Total number of failed PDN sessions setup due to missing IMSI from AAA server for temporary identity

Wireless Access Gateway QCI ARP Call Performance Statistics

Table 1-164 Wireless Gateway QCI ARP Call Performance Statistics

WAGQCIARPCALLPERFSTATSGRID WAGQCIARPCALLPERFSTATSCHASSIS WAGQCIARPCALLPERFSTATSSLOT	Type	Description
NumUplinkPackets	64-bit counter	Total number of uplink packets received
NumUplinkBytes	64-bit counter	Total number of uplink bytes received
NumUplinkDropPackets	64-bit counter	Total number of uplink packets dropped
NumUplinkDropBytes	64-bit counter	Total number of uplink bytes dropped
NumUplinkErrorLossPackets	64-bit counter	Total number of uplink error loss packets
NumUplinkErrorLossBytes	64-bit counter	Total number of uplink error loss bytes
NumDownlinkPackets	64-bit counter	Total number of downlink packets received
NumDownlinkBytes	64-bit counter	Total number of downlink bytes received
NumDownlinkDropPackets	64-bit counter	Total number of downlink packets dropped
NumDownlinkDropBytes	64-bit counter	Total number of downlink bytes dropped
NumDownlinkErrorLossPackets	64-bit counter	Total number of downlink error loss packets
NumDownlinkErrorLossBytes	64-bit counter	Total number of downlink error loss bytes
Gw Qci Arp-pl - Current Bearers	64-bit counter	Total number of current bearers
Gw Qci Arp-pl - Interval Peak Bearers	64-bit counter	Interval peak number of bearers
Gw Qci Arp-pl - Bearers Setup Success	64-bit counter	Total number of bearers setup successful
Gw Qci Arp-pl - Bearers Setup Fail	64-bit counter	Total number of bearers setup failed
Gw Qci Arp-pl - Bearers Handover Success	64-bit counter	Total number of bearers handover successful
Gw Qci Arp-pl - Bearers Handover Fail	64-bit counter	Total number of bearers handover failures
Gw Qci Arp-pl - Bearers Normal Release	64-bit counter	Total number of bearers released normally
Gw Qci Arp-pl - Bearers Access Side Normal Release	64-bit counter	Total number of bearers released due to access side deactivation
Gw Qci Arp-pl - Bearers Network Side Normal Release	64-bit counter	Total number of bearers released due to network side deactivation
Gw Qci Arp-pl - Bearers Abnormal Release	64-bit counter	Total number of bearers released abnormally
Gw Qci Arp-pl - Bearers Operated Initiated Local Release	64-bit counter	Total number of bearers locally released due to operator initiation

Table 1-164 Wireless Gateway QCI ARP Call Performance Statistics

WAGQCIARPCALLPERFSTATSGRID WAGQCIARPCALLPERFSTATSCHASSIS WAGQCIARPCALLPERFSTATSSLOT	Type	Description
Gw Qci Arp-pl - Bearers Idle Timer Expiry Local Release	64-bit counter	Total number of bearers locally released due to idle timer expiry
Gw Qci Arp-pl - Bearers Session Max Timer Expiry Local Release	64-bit counter	Total number of bearers locally released due to session maximum timer expiry
Gw Qci Arp-pl - Bearers Internal Errors Local Release	64-bit counter	Total number of bearers locally released due to internal errors
Gw Qci Arp-pl - Bearers Duplicate Bearers Local Release	64-bit counter	Total number of bearers locally released due to duplicate bearers
Gw Qci Arp-pl - Bearers Miscellaneous Local Release	64-bit counter	Total number of bearers locally released due to miscellaneous
Gw Qci Arp-pl - S2x User Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S2x path failures
Gw Qci Arp-pl - S5S8 Control Plane - Path Failures Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S2x path failures
Gw Qci Arp-pl - S2x User Plane - Error Indication Abnormal Release	64-bit counter	Total number of bearers abnormal release due to S2xU error indication
Gw Qci Arp-pl - Current Perf Rules	64-bit counter	Total number of current rules
Gw Qci Arp-pl - Interval Peak Perf Rules	64-bit counter	Interval peak number of rules
Gw Qci Arp-pl - Perf Rule Install Success	64-bit counter	Total number of rules install successful
Gw Qci Arp-pl - Perf Rule Install Fail	64-bit counter	Total number of rules install failed
Gw Qci Arp-pl - Perf Rule Install Fail - Gx Unknown Rule Name	64-bit counter	Total number of rules install fail due to Gx unknown rule name
Gw Qci Arp-pl - Perf Rule Install Fail - Gx Rating Group Error	64-bit counter	Total number of rules install fail due to Gx rating group error
Gw Qci Arp-pl - Perf Rule Install Fail - Gx Gw PCEF Malfunction	64-bit counter	Total number of rules install fail due to Gx GW/PCEF malfunction
Gw Qci Arp-pl - Perf Rule Install Fail - Gx Resource Limitation	64-bit counter	Total number of rules install fail due to Gx resource limitation
Gw Qci Arp-pl - Perf Rule Install Fail - Gx Max Number Bearers Reached	64-bit counter	Total number of rules install fail due to Gx maximum number of bearers reached per IP-CAN session
Gw Qci Arp-pl - Perf Rule Install Fail - Gx Missing Flow Info	64-bit counter	Total number of rules install fail due to Gx missing flow information
Gw Qci Arp-pl - Perf Rule Install Fail - Gx Resource Allocation Failure	64-bit counter	Total number of rules install fail due to Gx resource allocation failure

Table 1-164 Wireless Gateway QCI ARP Call Performance Statistics

WAGQCIARPCALLPERFSTATSGRID WAGQCIARPCALLPERFSTATSCHASSIS WAGQCIARPCALLPERFSTATSSLOT	Type	Description
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Unsuccessful Qos Validation	64-bit counter	Total number of rules install fail due to Gx unsuccessful QOS validation
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Incorrect Flow Info	64-bit counter	Total number of rules install fail due to Gx incorrect flow information
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Filter Restriction	64-bit counter	Total number of rules install fail due to Gx flow filter restrictions
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gx Missing Redirect Server Address	64-bit counter	Total number of rules install fail due to Gx missing redirect server address
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2a CBR Response Failure	64-bit counter	Total number of rules install fail due to GTP S2A CBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2a CBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP S2A CBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2a UBR Response Failure	64-bit counter	Total number of rules install fail due to GTP S2A UBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp S2a UBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP S2A UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp Other CBR Response Failure	64-bit counter	Total number of rules install fail due to GTP Other CBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp Other CBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP Other CBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp Other UBR Response Failure	64-bit counter	Total number of rules install fail due to GTP Other UBR response failure
Gw Qci Arp-pl - Pcrf Rule Install Fail - Gtp Other UBR Response Timeout	64-bit counter	Total number of rules install fail due to GTP Other UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Install Fail - Local System Resource Failure	64-bit counter	Total number of rules install fail due to local system resource failure
Gw Qci Arp-pl - Pcrf Rule Modify Success	64-bit counter	Total number of rules modify successful
Gw Qci Arp-pl - Pcrf Rule Modify Fail	64-bit counter	Total number of rules modify failed
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Rating Group Error	64-bit counter	Total number of rules modify fail due to Gx rating group error
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Gw PCEF Malfunction	64-bit counter	Total number of rules modify fail due to Gx GW/PCEF malfunction
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Resource Limitation	64-bit counter	Total number of rules modify fail due to Gx resource limitation

Table 1-164 Wireless Gateway QCI ARP Call Performance Statistics

WAGQCIARPCALLPERFSTATSGRID WAGQCIARPCALLPERFSTATSCHASSIS WAGQCIARPCALLPERFSTATSSLOT	Type	Description
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Resource Allocation Failure	64-bit counter	Total number of rules modify fail due to Gx resource allocation failure
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Unsuccessful Qos Validation	64-bit counter	Total number of rules modify fail due to Gx unsuccessful QOS validation
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Incorrect Flow Info	64-bit counter	Total number of rules modify fail due to Gx incorrect flow information
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Filter Restriction	64-bit counter	Total number of rules modify fail due to Gx flow filter restrictions
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gx Missing Redirect Server Address	64-bit counter	Total number of rules modify fail due to Gx missing redirect server address
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp S2a UBR Response Failure	64-bit counter	Total number of rules modify fail due to GTP S2A UBR response failure
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp S2a UBR Response Timeout	64-bit counter	Total number of rules modify fail due to GTP S2A UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp Other UBR Response Failure	64-bit counter	Total number of rules modify fail due to GTP Other UBR response failure
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Gtp Other UBR Response Timeout	64-bit counter	Total number of rules modify fail due to GTP Other UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Modify Fail - Local System Resource Failure	64-bit counter	Total number of rules modify fail due to local resource failure
Gw Qci Arp-pl - Pcrf Rule Remove Success	64-bit counter	Total number of rules remove successful
Gw Qci Arp-pl - Pcrf Rule Remove Fail	64-bit counter	Total number of rules remove failed
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gx Unknown Rule Name	64-bit counter	Total number of rules remove fail due to Gx unknown rule name
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2a UBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP S2A UBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2a UBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S2A UBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2a DBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP S2A DBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp S2a DBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S2A DBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp Other UBR Response Failure	64-bit counter	Total number of rules remove fail due to GTP S2A DBR response failure

Table 1-164 Wireless Gateway QCI ARP Call Performance Statistics

WAGQCIARPCALLPERFSTATSGRID WAGQCIARPCALLPERFSTATSCHASSIS WAGQCIARPCALLPERFSTATSSLOT	Type	Description
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp Other UBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S2A DBR response timeout
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp Other DBR Response Failure	64-bit counter	Total number of rules remove fail due to Gx missing redirect server address
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Gtp Other DBR Response Timeout	64-bit counter	Total number of rules remove fail due to GTP S2A UBR response failure
Gw Qci Arp-pl - Pcrf Rule Remove Fail - Local System Resource Failure	64-bit counter	Total number of rules remove fail due to local resource failure
Gw Qci Arp-pl - Pcrf Rule Active - Gy Reallocation of Credit	64-bit counter	Total number of rules active due to Gy reallocation of credit
Gw Qci Arp-pl - Pcrf Rule Active - Gy Out of Credit	64-bit counter	Total number of rules inactive due to Gy out of credit

Workflow Statistics

Table 1-165 Workflow Statistics

WORKFLOWPERFSTATSCHASSIS WORKFLOWPERFSTATSSLOT	Type	Description
Classifications	64-bit counter	Number of classifications processed
ReClassifications	64-bit counter	Number of reclassifications processed
ServiceRulesEvaluated	64-bit counter	Number of service rules evaluated
ServiceRulesBypassed	64-bit counter	Number of service rules bypassed
ServiceEvaluations	64-bit counter	Number of services evaluated
PacketFilterEvaluations	64-bit counter	Number of packet filters evaluated
HrgEvaluations	64-bit counter	Number of HTTP Rule Groups evaluated
HrgBypasses	64-bit counter	Number of HTTP Rule Groups bypassed
PargEvaluations	64-bit counter	Number of Protocol Application Rule Groups evaluated
PargBypasses	64-bit counter	Number of Protocol Application Rule Groups bypassed
ConnectionsAttempted	64-bit counter	Number of connections attempted

Table 1-165 Workflow Statistics

WORKFLOWPERFSTATSCHASSIS WORKFLOWPERFSTATSSLOT	Type	Description
ConnectionsAllowed	64-bit counter	Number of connections allowed
ConnectionDeleted	64-bit counter	Number of connections deleted
TcpConnectionsAttempted	64-bit counter	Number of TCP connections attempted
TcpConnectionsAllowed	64-bit counter	Number of TCP connections allowed
TcpConnectionDeleted	64-bit counter	Number of TCP connections deleted
TcpUplinkPackets	64-bit counter	Number of TCP uplink packets
TcpDownlinkPackets	64-bit counter	Number of TCP downlink packets
UdpConnectionsAttempted	64-bit counter	Number of UDP connections attempted
UdpConnectionsAllowed	64-bit counter	Number of UDP connections allowed
UdpConnectionDeleted	64-bit counter	Number of UDP connections deleted
UdpUplinkPackets	64-bit counter	Number of UDP uplink packets
UdpDownlinkPackets	64-bit counter	Number of UDP downlink packets
HttpConnectionsCreated	64-bit counter	Number of HTTP connections created
HttpConnectionsDeleted	64-bit counter	Number of HTTP connections deleted
HttpUplinkPackets	64-bit counter	Number of HTTP uplink packets
HttpDownlinkPackets	64-bit counter	Number of HTTP downlink packets
HttpsConnectionsCreated	64-bit counter	Number of HTTPS connections created
HttpsConnectionsDeleted	64-bit counter	Number of HTTPS connections deleted
HttpsUplinkPackets	64-bit counter	Number of HTTPS uplink packets
HttpsDownlinkPackets	64-bit counter	Number of HTTPS downlink packets

Key Performance Indicators (KPIs) Metrics

This chapter lists the KPI metrics supported by the following devices:

- C-SGN
- MCC
- MME
- SCEF
- SSF

KPI metrics are described in the following sections:

- [Derived Metrics](#) use KPI formulas of statistics
- [Raw Metrics](#) use individual statistics

For instructions on how to view Key Performance Indicators, see the *Acuitas User's Guide*.

Derived Metrics

Table 2-1 Derived Metrics

Metric	KPI Formula
SGW KPIs:	
SGW - EPS Attach Success Rate	$\frac{\text{SGWPROCEDUREGRID.NumInitAttachSuccess}}{(\text{SGWPROCEDUREGRID.NumInitAttachSuccess} + \text{SGWPROCEDUREGRID.NumInitAttachFail})} * 100$
SGW - Mobility Update Success Rate with SGW Relocation	$\frac{(\text{SGWPROCEDUREGRID.NumS1InterRatHandoverSgwChangeSuccess} + \text{SGWPROCEDUREGRID.NumTauRauHandoverSuccess})}{(\text{SGWPROCEDUREGRID.NumS1InterRatHandoverSgwChangeSuccess} + \text{SGWPROCEDUREGRID.NumS1InterRatHandoverSgwChangeFail} + \text{SGWPROCEDUREGRID.NumTauRauHandoverSuccess} + \text{SGWPROCEDUREGRID.NumTauRauHandoverFail})} * 100$
SGW - Mobility Update Success Rate without SGW Relocation	$\frac{\text{SGWPROCEDUREGRID.NumTauRauHandoverSuccess}}{(\text{SGWPROCEDUREGRID.NumTauRauHandoverSuccess} + \text{SGWPROCEDUREGRID.NumTauRauHandoverFail})} * 100$
SGW - Network Initiated Dedicated Bearer Creation Success Rate	$\frac{\text{SGWPROCEDUREGRID.NumNWInitiatedCreateBearerSuccess}}{(\text{SGWPROCEDUREGRID.NumNWInitiatedCreateBearerSuccess} + \text{SGWPROCEDUREGRID.NumNWInitiatedCreateBearerFail})} * 100$
SGW - Paging Success Rate	$\frac{\text{SGWPROCEDUREGRID.NumPagingSuccess}}{(\text{SGWPROCEDUREGRID.NumPagingSuccess} + \text{SGWPROCEDUREGRID.NumPagingFail})} * 100$
SGW - UE Initiated Dedicated Bearer Creation Success Rate	$\frac{\text{SGWPROCEDUREGRID.NumUEInitiatedCreateBearerSuccess}}{(\text{SGWPROCEDUREGRID.NumUEInitiatedCreateBearerSuccess} + \text{SGWPROCEDUREGRID.NumUEInitiatedCreateBearerFail})} * 100$
SGW - Inter SGW Inter System Handover Success Rate	$\frac{(\text{SGWPROCEDUREGRID.NumTauRauX2HandoverSgwChangeSuccess} + \text{SGWPROCEDUREGRID.NumS1InterRatHandoverSgwChangeSuccess})}{(\text{SGWPROCEDUREGRID.NumTauRauX2HandoverSgwChangeSuccess} + \text{SGWPROCEDUREGRID.NumTauRauX2HandoverSgwChangeFail} + \text{SGWPROCEDUREGRID.NumS1InterRatHandoverSgwChangeSuccess} + \text{SGWPROCEDUREGRID.NumS1InterRatHandoverSgwChangeFail})} * 100$
SGW - Intra SGW Handover Success Rate	$\frac{\text{SGWPROCEDUREGRID.NumTauRauHandoverSuccess}}{(\text{SGWPROCEDUREGRID.NumTauRauHandoverSuccess} + \text{SGWPROCEDUREGRID.NumTauRauHandoverFail})} * 100$
SGW - Intra SGW Intra MME Handover Success Rate	$\frac{\text{SGWPROCEDUREGRID.NumIntraMmeIntraSgwHandoverSuccess}}{(\text{SGWPROCEDUREGRID.NumIntraMmeIntraSgwHandoverSuccess} + \text{SGWPROCEDUREGRID.NumIntraMmeIntraSgwHandoverFail})} * 100$
SGW - Intra SGW Inter MME Handover Success Rate	$\frac{\text{SGWPROCEDUREGRID.NumInterMmeIntraSgwHandoverSuccess}}{(\text{SGWPROCEDUREGRID.NumInterMmeIntraSgwHandoverSuccess} + \text{SGWPROCEDUREGRID.NumInterMmeIntraSgwHandoverFail})} * 100$
SGW - Intra SGW Intra SGSN Handover Success Rate	$\frac{\text{SGWPROCEDUREGRID.NumIntraSgsnIntraSgwHandoverSuccess}}{(\text{SGWPROCEDUREGRID.NumIntraSgsnIntraSgwHandoverSuccess} + \text{SGWPROCEDUREGRID.NumIntraSgsnIntraSgwHandoverFail})} * 100$

Table 2-1 Derived Metrics

Metric	KPI Formula
SGW - Intra SGW Inter SGSN Handover Success Rate	$\text{SGWPROCEDUREGRID.NumInterSgsnIntraSgwHandoverSuccess} / (\text{SGWPROCEDUREGRID.NumInterSgsnIntraSgwHandoverSuccess} + \text{SGWPROCEDUREGRID.NumInterSgsnIntraSgwHandoverFail}) * 100$
SGW - Intra SGW MME to SGSN Handover Success Rate	$\text{SGWPROCEDUREGRID.NumMmeToSgsnIntraSgwHandoverSuccess} / (\text{SGWPROCEDUREGRID.NumMmeToSgsnIntraSgwHandoverSuccess} + \text{SGWPROCEDUREGRID.NumMmeToSgsnIntraSgwHandoverFail}) * 100$
SGWCALLPERF KPIs:	
SGW - Total EPS Bearer Setup	$\text{SGWCALLPERFSTATSGRID.NumTotalBearersSetupSuccess} + \text{SGWCALLPERFSTATSGRID.NumTotalBearersSetupFail}$
SAEGWSGW - Total Bearers Setup	$\text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupSuccess} + \text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupFail}$
SGW - Uplink Throughput(Mbps) †	$\text{SGWCALLPERFSTATSGRID.NumUplinkBytes} * 8 / 1000000 / \text{Interval}$
SGW - Downlink Throughput(Mbps) †	$\text{SGWCALLPERFSTATSGRID.NumDownlinkBytes} * 8 / 1000000 / \text{Interval}$
SAEGWSGW - Qci1 - Total EPS Bearer Setup	$\text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupSuccessQci1} + \text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupFailQci1}$
SAEGWSGW - Qci2 - Total EPS Bearer Setup	$\text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupSuccessQci2} + \text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupFailQci2}$
SAEGWSGW - Qci3 - Total EPS Bearer Setup	$\text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupSuccessQci3} + \text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupFailQci3}$
SAEGWSGW - Qci4 - Total EPS Bearer Setup	$\text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupSuccessQci4} + \text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupFailQci4}$
SAEGWSGW - Qci5 - Total EPS Bearer Setup	$\text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupSuccessQci5} + \text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupFailQci5}$
SAEGWSGW - Qci6 - Total EPS Bearer Setup	$\text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupSuccessQci6} + \text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupFailQci6}$
SAEGWSGW - Qci7 - Total EPS Bearer Setup	$\text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupSuccessQci7} + \text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupFailQci7}$
SAEGWSGW - Qci8 - Total EPS Bearer Setup	$\text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupSuccessQci8} + \text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupFailQci8}$
SAEGWSGW - Qci9 - Total EPS Bearer Setup	$\text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupSuccessQci9} + \text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupFailQci9}$
SAEGWSGW - Qci Other - Total EPS Bearer Setup	$\text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupSuccessQciOther} + \text{SGWCALLPERFSTATSGRID.NumSaegwTotalBearersSetupFailQciOther}$
SGW - Current 2G/3G S4 Sessions	$\text{SGWCALLPERFSTATSGRID.NumPdnConnectionsS4Geran} + \text{SGWCALLPERFSTATSGRID.NumPdnConnectionsS4Utran}$

Table 2-1 Derived Metrics

Metric	KPI Formula
SGW - Current Co-located 2G/3G S4 Sessions	$\text{SGWCALLPERFSTATSGRID.NumSaegwPdnConnectionsS4Geran} + \text{SGWCALLPERFSTATSGRID.NumSaegwPdnConnectionsS4Utran}$
SGW - Current Standalone 2G/3G S4 Sessions	$\text{SGWCALLPERFSTATSGRID.NumPdnConnectionsS4Geran} + \text{SGWCALLPERFSTATSGRID.NumPdnConnectionsS4Utran} - \text{SGWCALLPERFSTATSGRID.NumSaegwPdnConnectionsS4Geran} - \text{SGWCALLPERFSTATSGRID.NumSaegwPdnConnectionsS4Utran}$
SGW - Current Standalone 4G Sessions	$\text{SGWCALLPERFSTATSGRID.NumPdnConnectionsEutran} - \text{SGWCALLPERFSTATSGRID.NumSaegwPdnConnectionsEutran}$
SGW - Modify Bearer Failure Ratio < 0.5 %	$(1 - (\text{SGWCALLPERFSTATSGRID.NumModifyBearerAccept} + \text{SGWCALLPERFSTATSGRID.NumUpdateBearerAccept}) / (\text{SGWCALLPERFSTATSGRID.NumModifyBearerReq} + \text{SGWCALLPERFSTATSGRID.NumUpdateBearerReq})) * 100$
PGWPROCEDURE KPIs:	
PGW - EPS Attach Success Rate	$\text{PGWPROCEDUREGRID.NumCreateSessionSuccess} / (\text{PGWPROCEDUREGRID.NumCreateSessionSuccess} + \text{PGWPROCEDUREGRID.NumCreateSessionFail}) * 100$
PGW - Inter-SGSN Handover Success Rate	$\text{PGWPROCEDUREGRID.NumInterSgsnHandoverSuccess} / (\text{PGWPROCEDUREGRID.NumInterSgsnHandoverSuccess} + \text{PGWPROCEDUREGRID.NumInterSgsnHandoverFail}) * 100$
PGW - Inter-SGW Handover Success Rate	$\text{PGWPROCEDUREGRID.NumInterSgwHandoverSuccess} / (\text{PGWPROCEDUREGRID.NumInterSgwHandoverSuccess} + \text{PGWPROCEDUREGRID.NumInterSgwHandoverFail}) * 100$
PGW - Gn/Gp to LTE Handover Success Rate	$\text{PGWPROCEDUREGRID.NumGnGpToLteHandoverSuccess} / (\text{PGWPROCEDUREGRID.NumGnGpToLteHandoverSuccess} + \text{PGWPROCEDUREGRID.NumGnGpToLteHandoverFail}) * 100$
PGW - LTE to Gn/Gp Handover Success Rate	$\text{PGWPROCEDUREGRID.NumInterLteToGnGpSuccess} / (\text{PGWPROCEDUREGRID.NumInterLteToGnGpSuccess} + \text{PGWPROCEDUREGRID.NumInterLteToGnGpFail}) * 100$
PGW KPIs:	
PGW - Network Initiated Dedicated Bearer Creation Success Rate	$\text{PGWCALLPERFSTATSGRID.NumPGWInitDedBearerActAccept} / \text{PGWCALLPERFSTATSGRID.NumPGWInitDedBearerActAttempt} * 100$
PGW - UE Initiated Dedicated Bearer Creation Success Rate	$\text{PGWCALLPERFSTATSGRID.NumUEInitDedBearerActAccept} / \text{PGWCALLPERFSTATSGRID.NumUEInitDedBearerActAttempt} * 100$
PGW - EPS Bearer Activation Success Rate	$\text{PGWCALLPERFSTATSGRID.NumCreateSessionAccept} / \text{PGWCALLPERFSTATSGRID.NumCreateSessionAttempt} * 100$
PGW - Uplink Throughput(Mbps) †	$\text{PGWCALLPERFSTATSGRID.NumUplinkBytes} * 8 / 1000000 / \text{Interval}$
PGW - Downlink Throughput(Mbps) †	$\text{PGWCALLPERFSTATSGRID.NumDownlinkBytes} * 8 / 1000000 / \text{Interval}$
SAEGWPGW - Uplink Throughput(Mbps) †	$\text{PGWCALLPERFSTATSGRID.NumUplinkBytes} * 8 / 1000000 / \text{Interval}$

Table 2-1 Derived Metrics

Metric	KPI Formula
SAEGWPGW - Downlink Throughput(Mbps) †	$\text{PGWCALLPERFSTATSGRID.NumDownlinkBytes} * 8 / 1000000 / \text{Interval}$
PGW - UMTS PDP Context Activation Success Rate	$\frac{\text{PGWCALLPERFSTATSGRID.NumCreatePdpAccept} + \text{PGWCALLPERFSTATSGRID.NumUEInitSecPdpActAccept} + \text{PGWCALLPERFSTATSGRID.NumGGSNInitSecPdpActAccept}}{(\text{PGWCALLPERFSTATSGRID.NumCreatePdpAttempt} + \text{PGWCALLPERFSTATSGRID.NumUEInitSecPdpActAttempt} + \text{PGWCALLPERFSTATSGRID.NumGGSNInitSecPdpActAttempt})} * 100$
PGW - Create PDP Context Success Rate	$\frac{\text{PGWCALLPERFSTATSGRID.NumCreatePdpAccept}}{\text{PGWCALLPERFSTATSGRID.NumCreatePdpAttempt}} * 100$
PGW - Create PDP Context Local Failure Rate	$\frac{(\text{PGWCALLPERFSTATSGRID.NumCreatePdpRejectRsrcUnavailable} + \text{PGWCALLPERFSTATSGRID.NumCreatePdpRejectSystemFailure})}{\text{PGWCALLPERFSTATSGRID.NumCreatePdpAttempt}} * 100$
PGW - Create PDP Context Accepts per Second	$\text{PGWCALLPERFSTATSGRID.NumCreatePdpAccept} / \text{Interval}$
PGW - Create PDP Context Rejects per Second	$\text{PGWCALLPERFSTATSGRID.NumCreatePdpReject} / \text{Interval}$
PGW - Delete PDP Context Accepts per Second	$\text{PGWCALLPERFSTATSGRID.NumDeletePdpAccept} / \text{Interval}$
PGW - Delete PDP Context Rejects per Second	$\text{PGWCALLPERFSTATSGRID.NumDeletePdpReject} / \text{Interval}$
PGW - Idle Session Duration Exceeded Closes per Second	$\text{PGWCALLPERFSTATSGRID.NumIdleDurationExceededCloses} / \text{Interval}$
PGW - Update PDP Context Success Rate	$\frac{(\text{PGWCALLPERFSTATSGRID.NumSGSNInitUpdatePdpAccept} + \text{PGWCALLPERFSTATSGRID.NumGGSNInitUpdatePdpAccept})}{(\text{PGWCALLPERFSTATSGRID.NumSGSNInitUpdatePdpAttempt} + \text{PGWCALLPERFSTATSGRID.NumGGSNInitUpdatePdpAttempt})} * 100$
PGW - Received Delete PDP Context Success Rate	$\frac{(\text{PGWCALLPERFSTATSGRID.NumDeletePdpAccept} + \text{PGWCALLPERFSTATSGRID.NumUEInitSecPdpDeactAccept})}{(\text{PGWCALLPERFSTATSGRID.NumDeletePdpAttempt} + \text{PGWCALLPERFSTATSGRID.NumUEInitSecPdpDeactAttempt})} * 100$
PGW - Transmitted Delete PDP Context Success Rate	$\frac{(\text{PGWCALLPERFSTATSGRID.NumLocalCloseAttemptsAccepted} + \text{PGWCALLPERFSTATSGRID.NumGGSNInitSecPdpDeactAccept})}{(\text{PGWCALLPERFSTATSGRID.NumLocalCloseAttempts} + \text{PGWCALLPERFSTATSGRID.NumGGSNInitSecPdpDeactAttempt})} * 100$
PGW - Active Current Sessions Percentage	$\frac{(\text{PGWCALLPERFSTATSGRID.NumActiveCurrentSessions} * 100)}{(\text{PGWCALLPERFSTATSGRID.NumActiveCurrentSessions} + \text{PGWCALLPERFSTATSGRID.NumIdleCurrentSessions})}$
PGW - CDR Success Rate	$\frac{\text{PGWCALLPERFSTATSGRID.NumGtppCdrRespSuccess}}{\text{PGWCALLPERFSTATSGRID.NumGtppCdrSent}} * 100$

Table 2-1 Derived Metrics

Metric	KPI Formula
PGW - Current Standalone Sessions	$\text{PGWCALLPERFSTATSGRID.NumCurrentSessions} - \text{PGWCALLPERFSTATSGRID.NumSaegwCurrentSessions}$
PGW - Current 2G/3G S5/S8 Sessions	$\text{PGWCALLPERFSTATSGRID.NumCurrentSessionsS5S8Geran} + \text{PGWCALLPERFSTATSGRID.NumCurrentSessionsS5S8Utran}$
PGW - Current Co-located 2G/3G S5/S8 Sessions	$\text{PGWCALLPERFSTATSGRID.NumSaegwCurrentSessionsS5S8Geran} + \text{PGWCALLPERFSTATSGRID.NumSaegwCurrentSessionsS5S8Utran}$
PGW - Current Standalone 2G/3G S5/S8 Sessions	$\text{PGWCALLPERFSTATSGRID.NumCurrentSessionsS5S8Geran} + \text{PGWCALLPERFSTATSGRID.NumCurrentSessionsS5S8Utran} - \text{PGWCALLPERFSTATSGRID.NumSaegwCurrentSessionsS5S8Geran} - \text{PGWCALLPERFSTATSGRID.NumSaegwCurrentSessionsS5S8Utran}$
PGW - Current 2G/3G Gn/Gp Sessions	$\text{PGWCALLPERFSTATSGRID.NumCurrentSessionsGnGeran} + \text{PGWCALLPERFSTATSGRID.NumCurrentSessionsGnUtran}$
PGW - Current 2G/3G Sessions	$\text{PGWCALLPERFSTATSGRID.NumCurrentSessionsS5S8Geran} + \text{PGWCALLPERFSTATSGRID.NumCurrentSessionsS5S8Utran} + \text{PGWCALLPERFSTATSGRID.NumCurrentSessionsGnGeran} + \text{PGWCALLPERFSTATSGRID.NumCurrentSessionsGnUtran}$
PGW - Current Standalone 4G Sessions	$\text{PGWCALLPERFSTATSGRID.NumRatTypeEUtranSessions} - \text{PGWCALLPERFSTATSGRID.NumSaegwRatTypeEUtranSessions}$
PGW - Current Standalone 2G/3G Sessions	$\text{PGWCALLPERFSTATSGRID.NumCurrentSessionsS5S8Geran} + \text{PGWCALLPERFSTATSGRID.NumCurrentSessionsS5S8Utran} + \text{PGWCALLPERFSTATSGRID.NumCurrentSessionsGnGeran} + \text{PGWCALLPERFSTATSGRID.NumCurrentSessionsGnUtran} - \text{PGWCALLPERFSTATSGRID.NumSaegwCurrentSessionsS5S8Geran} - \text{PGWCALLPERFSTATSGRID.NumSaegwCurrentSessionsS5S8Utran}$
PGW – Uplink Packet Rate (pps)	$\text{PGWCALLPERFSTATSGRID.NumUplinkPackets} / \text{Interval}$
PGW – Downlink Packet Rate (pps)	$\text{PGWCALLPERFSTATSGRID.NumDownlinkPackets} / \text{Interval}$
PGW - S5 Deactivation Failure Ratio < 0.5 %	$(1 - (\text{PGWCALLPERFSTATSGRID.NumPGWInitDedBearerDeactAccept} / \text{PGWCALLPERFSTATSGRID.NumPGWInitDedBearerDeactAttempt})) * 100$
PGW - S5 Modify Bearer Failure Ratio < 0.5 %	$(1 - (\text{PGWCALLPERFSTATSGRID.NumModifyBearerAccept} + \text{PGWCALLPERFSTATSGRID.NumUpdateBearerAccept}) / (\text{PGWCALLPERFSTATSGRID.NumModifyBearerAttempt} + \text{PGWCALLPERFSTATSGRID.NumUpdateBearerAttempt})) * 100$
PGW - Update Bearer Failure Ratio < 0.5 %	$(1 - (\text{PGWCALLPERFSTATSGRID.NumUpdateBearerAccept} / \text{PGWCALLPERFSTATSGRID.NumUpdateBearerAttempt})) * 100$

Table 2-1 Derived Metrics

Metric	KPI Formula
PROXYBUFFERSTATSSLOT KPIs:	
Proxy Buffer - Packet Buffer Utilization Percentage	$\text{PROXYBUFFERSTATSSLOT.pbuf-5min-peak} / \text{PROXYBUFFERSTATSSLOT.pbuf-total} * 100$
Proxy Buffer - 4KB Utilization Percentage	$\text{PROXYBUFFERSTATSSLOT.buffer-4k-5min-peak} / \text{PROXYBUFFERSTATSSLOT.buffer-4k-total} * 100$
Proxy Buffer - 8KB Utilization Percentage	$\text{PROXYBUFFERSTATSSLOT.buffer-8k-5min-peak} / \text{PROXYBUFFERSTATSSLOT.buffer-8k-total} * 100$
Proxy Buffer - 64KB Utilization Percentage	$\text{PROXYBUFFERSTATSSLOT.buffer-64k-5min-peak} / \text{PROXYBUFFERSTATSSLOT.buffer-64k-total} * 100$
Proxy Buffer - 128KB Utilization Percentage	$\text{PROXYBUFFERSTATSSLOT.buffer-128k-5min-peak} / \text{PROXYBUFFERSTATSSLOT.buffer-128k-total} * 100$
Proxy Buffer - 256KB Utilization Percentage	$\text{PROXYBUFFERSTATSSLOT.buffer-256k-5min-peak} / \text{PROXYBUFFERSTATSSLOT.buffer-256k-total} * 100$
Proxy Buffer - 512KB Utilization Percentage	$\text{PROXYBUFFERSTATSSLOT.buffer-512k-5min-peak} / \text{PROXYBUFFERSTATSSLOT.buffer-512k-total} * 100$
GGSN KPIs:	
GGSN - UMTS PDP Context Activation Success Rate	$\text{GGSNCALLPERFSTATSGRID.NumCreatePdpAccept} + \text{GGSNCALLPERFSTATSGRID.NumUEInitSecPdpActAccept} + \text{GGSNCALLPERFSTATSGRID.NumGGSNInitSecPdpActAccept} / (\text{GGSNCALLPERFSTATSGRID.NumCreatePdpAttempt} + \text{GGSNCALLPERFSTATSGRID.NumUEInitSecPdpActAttempt} + \text{GGSNCALLPERFSTATSGRID.NumGGSNInitSecPdpActAttempt}) * 100$
GGSN - Create PDP Context Accepts per Second	$\text{GGSNCALLPERFSTATSGRID.NumCreatePdpAccept} / \text{Interval}$
GGSN - Create PDP Context Rejects per Second	$\text{GGSNCALLPERFSTATSGRID.NumCreatePdpReject} / \text{Interval}$
GGSN - Delete PDP Context Accepts per Second	$\text{GGSNCALLPERFSTATSGRID.NumDeletePdpAccept} / \text{Interval}$
GGSN - Delete PDP Context Rejects per Second	$\text{GGSNCALLPERFSTATSGRID.NumDeletePdpReject} / \text{Interval}$
GGSN - Idle Session Duration Exceeded Closes per Second	$\text{GGSNCALLPERFSTATSGRID.NumIdleDurationExceededCloses} / \text{Interval}$
GGSN - Update PDP Context Success Rate	$\text{GGSNCALLPERFSTATSGRID.NumSGSNInitUpdatePdpAccept} + \text{GGSNCALLPERFSTATSGRID.NumGGSNInitUpdatePdpAccept} / (\text{GGSNCALLPERFSTATSGRID.NumSGSNInitUpdatePdpAttempt} + \text{GGSNCALLPERFSTATSGRID.NumGGSNInitUpdatePdpAttempt}) * 100$

Table 2-1 Derived Metrics

Metric	KPI Formula
GGSN - Received Delete PDP Context Success Rate	$\frac{(GGSNCALLPERFSTATSGRID.NumDeletePdpAccept + GGSNCALLPERFSTATSGRID.NumUEInitSecPdpDeactAccept)}{(GGSNCALLPERFSTATSGRID.NumDeletePdpAttempt + GGSNCALLPERFSTATSGRID.NumUEInitSecPdpDeactAttempt)} * 100$
GGSN - Transmitted Delete PDP Context Success Rate	$\frac{(GGSNCALLPERFSTATSGRID.NumLocalCloseAttemptsAccepted + GGSNCALLPERFSTATSGRID.NumGGSNInitSecPdpDeactAccept)}{(GGSNCALLPERFSTATSGRID.NumLocalCloseAttempts + GGSNCALLPERFSTATSGRID.NumGGSNInitSecPdpDeactAttempt)} * 100$
GGSN - Create PDP Context Success Rate	$\frac{GGSNCALLPERFSTATSGRID.NumCreatePdpAccept}{GGSNCALLPERFSTATSGRID.NumCreatePdpAttempt} * 100$
GGSN - Create PDP Context Local Failure Rate	$\frac{GGSNCALLPERFSTATSGRID.NumCreatePdpRejectRsrcUnavailable + GGSNCALLPERFSTATSGRID.NumCreatePdpRejectSystemFailure}{GGSNCALLPERFSTATSGRID.NumCreatePdpAttempt} * 100$
GGSN - CDR Success Rate	$\frac{GGSNCALLPERFSTATSGRID.NumGtpCdrRespSuccess}{GGSNCALLPERFSTATSGRID.NumGtpCdrSent} * 100$
GGSN - Current 2G/3G Sessions	$\frac{GGSNCALLPERFSTATSGRID.NumCurrentSessionsGnGeran}{GGSNCALLPERFSTATSGRID.NumCurrentSessionsGnUtran}$
GWGTPMESSAGE KPIs:	
GGSN - Node - UMTS PDP Context Activation Success Rate	$\frac{GWGTPMESSAGESTATS.numGtpv1ReqAcceptedTx}{(GWGTPMESSAGESTATS.numTx - GWGTPMESSAGESTATS.numGtpv1AuthenticationFailureTx - GWGTPMESSAGESTATS.numGtpv1NoRsrcAvailTx - GWGTPMESSAGESTATS.numGtpv1MandatoryIncorrectTx - GWGTPMESSAGESTATS.numGtpv1OptionalIncorrectTx - GWGTPMESSAGESTATS.numGtpv1MandatoryMissingTx - GWGTPMESSAGESTATS.numGtpv1ServiceNotSupportedTx - GWGTPMESSAGESTATS.numGtpv1SysFailureTx)} * 100$
CONTENTCACHESUMMARYSTATS KPIs:	
Content Cache - Object Hit Ratio	$\frac{CONTENTCACHESUMMARYSTATSCHASSIS.num_cache_service_success}{CONTENTHTTTPROXYSUMMARYSTATSCHASSIS.num_total_client_requests} * 100$
Content Cache - Byte Hit Ratio	$\frac{CONTENTCACHESUMMARYSTATSCHASSIS.num_cache_service_bytes_memory + CONTENTCACHESUMMARYSTATSCHASSIS.num_cache_service_bytes_disk}{CONTENTHTTTPROXYSUMMARYSTATSCHASSIS.num_bytes_client_response} * 100$

Table 2-1 **Derived Metrics**

Metric	KPI Formula
CONTENTFILTERSUMMARYSTATS KPIs:	
Content-Filter - Safe-Searches Enforced	CONTENTFILTERSUMMARYSTATSCHASSIS.num_google_safe_search_enforced + CONTENTFILTERSUMMARYSTATSCHASSIS.num_bing_safe_search_enforced + CONTENTFILTERSUMMARYSTATSCHASSIS.num_youtube_safe_search_enforced
CONTENTHTTPCACHESTATS KPIs:	
Content-Cache - Percentage 4K Buffers In Use	$(\text{CONTENTHTTPCACHESTATSSLOT.num_current_content_buffers}) / (\text{CONTENTHTTPCACHESTATSSLOT.num_total_content_buffers_4k}) * 100$
Content-Cache - Percentage 64K Buffers In Use	$(\text{CONTENTHTTPCACHESTATSSLOT.num_current_content_buffers_64k}) / (\text{CONTENTHTTPCACHESTATSSLOT.num_total_content_buffers_64k}) * 100$
CONTENTHTTTPROXYSUMMARY KPIs:	
HTTP Proxy - Client Downlink Throughput (Mbps) †	$\text{CONTENTHTTTPROXYSUMMARYSTATSCHASSIS.num_bytes_client_response} * 8 / 1000000 / \text{Interval}$
HTTP Proxy - Client Uplink Throughput (Mbps) †	$\text{CONTENTHTTTPROXYSUMMARYSTATSCHASSIS.num_bytes_client_request} * 8 / 1000000 / \text{Interval}$
HTTP Proxy - Server Downlink Throughput (Mbps) †	$\text{CONTENTHTTTPROXYSUMMARYSTATSCHASSIS.num_bytes_server_response} * 8 / 1000000 / \text{Interval}$
HTTP Proxy - Server Uplink Throughput (Mbps) †	$\text{CONTENTHTTTPROXYSUMMARYSTATSCHASSIS.num_bytes_server_request} * 8 / 1000000 / \text{Interval}$
HTTP Proxy - Transaction Success Percentage	$\text{delta}(\text{CONTENTHTTTPROXYSUMMARYSTATSCHASSIS.num_total_client_requests} - \text{CONTENTHTTTPROXYSUMMARYSTATSCHASSIS.num_invalid_client_requests} - \text{CONTENTHTTTPROXYSUMMARYSTATSCHASSIS.num_proxy_service_failed} - \text{CONTENTCACHESUMMARYSTATSCHASSIS.num_cache_service_failed} - \text{CONTENTFILTERSUMMARYSTATSCHASSIS.num_filter_service_failed} - \text{CONTENTHTTTPSERVERSUMMARYSTATSCHASSIS.num_server_service_failed}) / \text{delta}(\text{CONTENTHTTTPROXYSUMMARYSTATSCHASSIS.num_total_client_requests} + \text{CONTENTHTTTPROXYCONNECTIONSTATSCHASSIS.num_failures_client_connections})$

Table 2-1 Derived Metrics

Metric	KPI Formula
HTTP Proxy - Transaction Success Rate	$\frac{\text{CONTENTHTTPPROXYSUMMARYSTATSCHASSIS.num_total_client_requests} - \text{CONTENTHTTPPROXYSUMMARYSTATSCHASSIS.num_invalid_client_requests} - \text{CONTENTHTTPPROXYSUMMARYSTATSCHASSIS.num_proxy_service_failed} - \text{CONTENTCACHESUMMARYSTATSCHASSIS.num_cache_service_failed} - \text{CONTENTFILTERSUMMARYSTATSCHASSIS.num_filter_service_failed} - \text{CONTENTHTTPSERVERSUMMARYSTATSCHASSIS.num_server_service_failed}}{\text{Interval}}$
HTTP Proxy - Transaction Failure Rate	$\frac{\text{delta}(\text{CONTENTHTTPPROXYSUMMARYSTATSCHASSIS.num_invalid_client_requests} + \text{CONTENTHTTPPROXYSUMMARYSTATSCHASSIS.num_proxy_service_failed} + \text{CONTENTCACHESUMMARYSTATSCHASSIS.num_cache_service_failed} + \text{CONTENTFILTERSUMMARYSTATSCHASSIS.num_filter_service_failed} + \text{CONTENTHTTPSERVERSUMMARYSTATSCHASSIS.num_server_service_failed} + \text{CONTENTHTTPPROXYCONNECTIONSTATSCHASSIS.num_failures_client_connections})}{\text{Interval}}$
HTTP Proxy - Transaction Rate	$\text{CONTENTHTTPPROXYSUMMARYSTATSCHASSIS.num_total_client_requests} / \text{Interval}$
DPI KPIs are Historical metrics on DPI characteristics (traffic usage). It <i>is not</i> recommended to view the percentage based DPI metrics in a pie chart to display the breakdown of the applications/protocols/OS: ■ DPI - % Application Network Usage ■ DPI - % Protocol Network Usage ■ DPI - % OS network usage Instead, use the line and bar chart for these KPI's to get the percentages in a time series. Or, you can use the throughput DPI metrics in a pie chart, if you want a summary percentage breakdown of the applications/protocols/OS for the specified time frame: ■ DPI - Application Network Usage (Mbps) ■ DPI - Protocol Network Usage (Mbps) ■ DPI - OS Network Usage (Mbps)	
DPIGENERAL KPIs:	
DPI - % Traffic processed by DPI	$\frac{\text{DPIGENERALGRID.detectionTotalUIBytes} + \text{DPIGENERALGRID.detectionTotalDIBytes}}{(\text{DPIGENERALGRID.detectionTotalUIBytes} + \text{DPIGENERALGRID.detectionTotalDIBytes} + \text{DPIGENERALGRID.noDpiTotalUIBytes} + \text{DPIGENERALGRID.noDpiTotalDIBytes})} * 100$

Table 2-1 Derived Metrics

Metric	KPI Formula
DPI - % Unclassified Traffic out of DPI traffic	$\frac{\text{DPIGENERALGRID.protocolUndetectedUIBytes} + \text{DPIGENERALGRID.protocolUndetectedDIBytes}}{(\text{DPIGENERALGRID.detectionTotalUIBytes} + \text{DPIGENERALGRID.detectionTotalDIBytes})} * 100$
EMSDPIPROTOCOLS KPIs:	
DPI - % Protocol Network Usage	$\frac{\text{EMSDPIPROTOCOLSGRID.uplink-bytes} + \text{EMSDPIPROTOCOLSGRID.downlink-bytes}}{(\text{DPIGENERALGRID.detectionTotalUIBytes} + \text{DPIGENERALGRID.detectionTotalDIBytes})} * 100$
DPI - Protocol Network Usage (Mbps) †	$(\text{EMSDPIPROTOCOLSGRID.uplink-bytes} + \text{EMSDPIPROTOCOLSGRID.downlink-bytes}) * 8 / 1000000 / \text{Interval}$
EMSDPIAPPLICATIONS KPIs:	
DPI - % Application Network Usage	$\frac{\text{EMSDPIAPPLICATIONSGRID.uplink-bytes} + \text{EMSDPIAPPLICATIONSGRID.downlink-bytes}}{(\text{DPIGENERALGRID.detectionTotalUIBytes} + \text{DPIGENERALGRID.detectionTotalDIBytes})} * 100$
DPI - Application Network Usage (Mbps) †	$(\text{EMSDPIAPPLICATIONSGRID.uplink-bytes} + \text{EMSDPIAPPLICATIONSGRID.downlink-bytes}) * 8 / 1000000 / \text{Interval}$
EMSDPIOPERATINGSYSTEMS KPIs:	
DPI - % OS Network Usage	$\frac{\text{EMSDPIOPERATINGSYSTEMSGRID.uplink-bytes} + \text{EMSDPIOPERATINGSYSTEMSGRID.downlink-bytes}}{(\text{DPIGENERALGRID.detectionTotalUIBytes} + \text{DPIGENERALGRID.detectionTotalDIBytes})} * 100$
DPI - OS Network Usage (Mbps) †	$(\text{EMSDPIOPERATINGSYSTEMSGRID.uplink-bytes} + \text{EMSDPIOPERATINGSYSTEMSGRID.downlink-bytes}) * 8 / 1000000 / \text{Interval}$
CONTENTMMSMM1SUMMARY KPIs:	
MMS - Traffic In Send Request per Second	$\text{CONTENTMMSMM1SUMMARYSTATSGRID.num_mms_msg_type_send_req} / \text{Interval}$
MMS - Traffic In Notify Response Indications per Second	$\text{CONTENTMMSMM1SUMMARYSTATSGRID.num_mms_msg_type_notifyresp_ind} / \text{Interval}$
MMS - Traffic In Acknowledge Indications per Second	$\text{CONTENTMMSMM1SUMMARYSTATSGRID.num_mms_msg_type_acknowledge_ind} / \text{Interval}$
MMS - Traffic Out Retrieve Confirmations per Second	$\text{CONTENTMMSMM1SUMMARYSTATSGRID.num_mms_msg_type_retrieve_conf} / \text{Interval}$
RADIUSPROCEDURE KPIs:	
PDN GW - Radius Authentication Success Rate	$\frac{\text{RADIUSPROCEDURESTATS.numAccessAcceptRx}}{\text{RADIUSPROCEDURESTATS.numAccessReqTx}} * 100$

Table 2-1 Derived Metrics

Metric	KPI Formula
PDN GW - Radius Account Success Rate	$\frac{\text{RADIUSPROCEDURESTATS.numAccountRequestStartRespRx} + \text{RADIUSPROCEDURESTATS.numAccountRequestInterimUpdateRespRx} + \text{RADIUSPROCEDURESTATS.numAccountRequestStopRespRx}}{(\text{RADIUSPROCEDURESTATS.numAccountRequestStartTx} + \text{RADIUSPROCEDURESTATS.numAccountRequestInterimUpdateTx} + \text{RADIUSPROCEDURESTATS.numAccountRequestStopTx})} * 100$
Radius - Average Authentication/Accounting Latency(microsecond)	$\frac{\text{RADIUSPROCEDURESTATS.AverageLatency}}{\text{RADIUSPROCEDURESTATS.LatencySamples}}$
Radius - Average CoA Latency(microsecond)	$\frac{\text{RADIUSPROCEDURESTATS.AverageCoaLatency}}{\text{RADIUSPROCEDURESTATS.CoaLatencySamples}}$
RADIUSPROCEDUREPEER KPIs:	
PDN GW - Peer - Radius Authentication Success Rate	$\frac{\text{RADIUSPROCEDURESTATSPEER.numAccessAcceptRx}}{\text{RADIUSPROCEDURESTATSPEER.numAccessReqTx}} * 100$
PDN GW - Peer - Radius Account Success Rate	$\frac{\text{RADIUSPROCEDURESTATSPEER.numAccountRequestStartRespRx} + \text{RADIUSPROCEDURESTATSPEER.numAccountRequestInterimUpdateRespRx} + \text{RADIUSPROCEDURESTATSPEER.numAccountRequestStopRespRx}}{(\text{RADIUSPROCEDURESTATSPEER.numAccountRequestStartTx} + \text{RADIUSPROCEDURESTATSPEER.numAccountRequestInterimUpdateTx} + \text{RADIUSPROCEDURESTATSPEER.numAccountRequestStopTx})} * 100$
Radius - Accounting Requests Timed Out	$\frac{\text{RADIUSPROCEDURESTATSPEER.numAccountRequestStartTimeout} + \text{RADIUSPROCEDURESTATSPEER.numAccountRequestInterimUpdateTimeout} + \text{RADIUSPROCEDURESTATSPEER.numAccountRequestStopTimeout}}{\text{RADIUSPROCEDURESTATSPEER.numAccountRequestStartTx} + \text{RADIUSPROCEDURESTATSPEER.numAccountRequestInterimUpdateTx} + \text{RADIUSPROCEDURESTATSPEER.numAccountRequestStopTx}} * 100$
Radius Peer - Average Authentication/Accounting Latency(microsecond)	$\frac{\text{RADIUSPROCEDURESTATSPEER.AverageLatency}}{\text{RADIUSPROCEDURESTATSPEER.LatencySamples}}$
Radius Peer - Average CoA Latency(microsecond)	$\frac{\text{RADIUSPROCEDURESTATSPEER.AverageCoaLatency}}{\text{RADIUSPROCEDURESTATSPEER.CoaLatencySamples}}$
APNCALLPERF KPIs:	
APN - Uplink Packet Drop Rate	$\frac{\text{APNCALLPERFSTATSGRID.NumUplinkDropPackets}}{(\text{APNCALLPERFSTATSGRID.NumUplinkPackets} + \text{APNCALLPERFSTATSGRID.NumUplinkDropPackets})} * 100$
APN - Downlink Packet Drop Rate	$\frac{\text{APNCALLPERFSTATSGRID.NumDownlinkDropPackets}}{(\text{APNCALLPERFSTATSGRID.NumDownlinkPackets} + \text{APNCALLPERFSTATSGRID.NumDownlinkDropPackets})} * 100$
APN - Total GGSN Initiated Delete PDP Context Request Success Rate	$\frac{\text{APNCALLPERFSTATSGRID.NumLocalCloseAttemptsAccepted} + \text{APNCALLPERFSTATSGRID.NumGGSNInitSecPdpDeactAccept}}{(\text{APNCALLPERFSTATSGRID.NumLocalCloseAttempts} + \text{APNCALLPERFSTATSGRID.NumGGSNInitSecPdpDeactAttempt})} * 100$

Table 2-1 Derived Metrics

Metric	KPI Formula
APN - Total Create PDP Context Success Rate	$\frac{(\text{APNCALLPERFSTATSGRID.NumCreatePdpAccept} + \text{APNCALLPERFSTATSGRID.NumUEInitSecPdpActAccept} + \text{APNCALLPERFSTATSGRID.NumGGSNInitSecPdpActAccept})}{(\text{APNCALLPERFSTATSGRID.NumCreatePdpAttempt} + \text{APNCALLPERFSTATSGRID.NumUEInitSecPdpActAttempt} + \text{APNCALLPERFSTATSGRID.NumGGSNInitSecPdpActAttempt})} * 100$
APN - Total Create PDP Context Dynamic IP Success Rate	$\frac{(\text{APNCALLPERFSTATSGRID.NumLocalIPv4AllocSuccesses} + \text{APNCALLPERFSTATSGRID.NumLocalIPv6AllocSuccesses})}{(\text{APNCALLPERFSTATSGRID.NumLocalIPv4AllocSuccesses} + \text{APNCALLPERFSTATSGRID.NumLocalIPv4AllocFailures} + \text{APNCALLPERFSTATSGRID.NumLocalIPv6AllocSuccesses} + \text{APNCALLPERFSTATSGRID.NumLocalIPv6AllocFailures})} * 100$
APN - Average Uplink Packet Size (byte) †	$\frac{\text{APNCALLPERFSTATSGRID.NumUplinkBytes}}{\text{APNCALLPERFSTATSGRID.NumUplinkPackets}}$
APN - Average Downlink Packet Size (byte) †	$\frac{\text{APNCALLPERFSTATSGRID.NumDownlinkBytes}}{\text{APNCALLPERFSTATSGRID.NumDownlinkPackets}}$
APN - Pdp Context - Downlink Data Rate (Kbps) †	$\frac{\text{APNCALLPERFSTATSGRID.NumDownlinkBytes} * 8}{\text{APNCALLPERFSTATSGRID.NumBearers} / 1000 / \text{Interval}}$
APN - Pdp Context - Uplink Data Rate (Kbps) †	$\frac{\text{APNCALLPERFSTATSGRID.NumUplinkBytes} * 8}{\text{APNCALLPERFSTATSGRID.NumBearers} / 1000 / \text{Interval}}$
APN - Uplink Throughput(Mbps) †	$\frac{\text{APNCALLPERFSTATSGRID.NumUplinkBytes} * 8}{1000000 / \text{Interval}}$
APN - Downlink Throughput(Mbps) †	$\frac{\text{APNCALLPERFSTATSGRID.NumDownlinkBytes} * 8}{1000000 / \text{Interval}}$
APN - Total SGSN Initiated Delete PDP Context Request Success Rate	$\frac{(\text{APNCALLPERFSTATSGRID.NumDeletePdpAccept} + \text{APNCALLPERFSTATSGRID.NumUEInitSecPdpDeactAccept})}{(\text{APNCALLPERFSTATSGRID.NumDeletePdpAttempt} + \text{APNCALLPERFSTATSGRID.NumUEInitSecPdpDeactAttempt})} * 100$
APN - UE Requested IP Address Reservations Successful	$\frac{\text{APNCALLPERFSTATSGRID.NumUeAllocStaticIPv4ReserveSuccesses} + \text{APNCALLPERFSTATSGRID.NumUeAllocStaticIPv6ReserveSuccesses}}{\text{APNCALLPERFSTATSGRID.NumUeAllocStaticIPv4ReserveSuccesses} + \text{APNCALLPERFSTATSGRID.NumUeAllocStaticIPv6ReserveSuccesses}}$
APN - Radius AAA Server Allocated IP Address Reservations Successful	$\frac{\text{APNCALLPERFSTATSGRID.NumRadiusAllocIPv4ReserveSuccesses} + \text{APNCALLPERFSTATSGRID.NumRadiusAllocIPv6ReserveSuccesses}}{\text{APNCALLPERFSTATSGRID.NumRadiusAllocIPv4ReserveSuccesses} + \text{APNCALLPERFSTATSGRID.NumRadiusAllocIPv6ReserveSuccesses}}$
APN - Remote DHCP Server Allocated IP Address Reservations Successful	$\frac{\text{APNCALLPERFSTATSGRID.NumRemoteDhcpAllocIPv4ReserveSuccesses} + \text{APNCALLPERFSTATSGRID.NumRemoteDhcpAllocIPv6ReserveSuccesses}}{\text{APNCALLPERFSTATSGRID.NumRemoteDhcpAllocIPv4ReserveSuccesses} + \text{APNCALLPERFSTATSGRID.NumRemoteDhcpAllocIPv6ReserveSuccesses}}$
APN - DHCP Relay Allocated IP Address Reservations Successful	$\frac{\text{APNCALLPERFSTATSGRID.NumDhcpRelayAllocIPv4ReserveSuccesses} + \text{APNCALLPERFSTATSGRID.NumDhcpRelayAllocIPv6ReserveSuccesses}}{\text{APNCALLPERFSTATSGRID.NumDhcpRelayAllocIPv4ReserveSuccesses} + \text{APNCALLPERFSTATSGRID.NumDhcpRelayAllocIPv6ReserveSuccesses}}$
APN - Accounting Requests Timed Out	$\frac{\text{APNCALLPERFSTATSGRID.NumAcctStartReqTimeout} + \text{APNCALLPERFSTATSGRID.NumAcctInterimUpdReqTimeout} + \text{APNCALLPERFSTATSGRID.NumAcctStopReqTimeout}}{\text{APNCALLPERFSTATSGRID.NumAcctStartReqTimeout} + \text{APNCALLPERFSTATSGRID.NumAcctInterimUpdReqTimeout} + \text{APNCALLPERFSTATSGRID.NumAcctStopReqTimeout}}$

Table 2-1 Derived Metrics

Metric	KPI Formula
APN - Activation Rate	$(\text{APNCALLPERFSTATSGRID.NumCreateSessionAccept} + \text{APNCALLPERFSTATSGRID.NumCreatePdpAccept}) / \text{Interval}$
APN - Create Bearer Failure per APN Ratio < 0.5 %	$(1 - (\text{APNCALLPERFSTATSGRID.NumPGWInitDedBearerActAccept} / \text{APNCALLPERFSTATSGRID.NumPGWInitDedBearerActAttempt})) * 100$
SAEGWSGWPROCEDURE KPIs:	
SAEGWSGW - Inter S-GW Inter System Handover Success Rate	$(\text{SAEGWSGWPROCEDUREGRID.NumTauRauX2HandoverSgwChangeSuccess} + \text{SAEGWSGWPROCEDUREGRID.NumS1InterRatHandoverSgwChangeSuccess}) / (\text{SAEGWSGWPROCEDUREGRID.NumTauRauX2HandoverSgwChangeSuccess} + \text{SAEGWSGWPROCEDUREGRID.NumTauRauX2HandoverSgwChangeFail} + \text{SAEGWSGWPROCEDUREGRID.NumS1InterRatHandoverSgwChangeSuccess} + \text{SAEGWSGWPROCEDUREGRID.NumS1InterRatHandoverSgwChangeFail}) * 100$
SAEGWSGW - Intra S-GW Intra MME Handover Success Rate	$\text{SAEGWSGWPROCEDUREGRID.NumIntraMmeIntraSgwHandoverSuccess} / (\text{SAEGWSGWPROCEDUREGRID.NumIntraMmeIntraSgwHandoverSuccess} + \text{SAEGWSGWPROCEDUREGRID.NumIntraMmeIntraSgwHandoverFail}) * 100$
SAEGWSGW - Intra S-GW Inter MME Handover Success Rate	$\text{SAEGWSGWPROCEDUREGRID.NumInterMmeIntraSgwHandoverSuccess} / (\text{SAEGWSGWPROCEDUREGRID.NumInterMmeIntraSgwHandoverSuccess} + \text{SAEGWSGWPROCEDUREGRID.NumInterMmeIntraSgwHandoverFail}) * 100$
SAEGWSGW - Intra S-GW Intra SGSN Handover Success Rate	$\text{SAEGWSGWPROCEDUREGRID.NumIntraSgsnIntraSgwHandoverSuccess} / (\text{SAEGWSGWPROCEDUREGRID.NumIntraSgsnIntraSgwHandoverSuccess} + \text{SAEGWSGWPROCEDUREGRID.NumIntraSgsnIntraSgwHandoverFail}) * 100$
SAEGWSGW - Intra S-GW Inter SGSN Handover Success Rate	$\text{SAEGWSGWPROCEDUREGRID.NumInterSgsnIntraSgwHandoverSuccess} / (\text{SAEGWSGWPROCEDUREGRID.NumInterSgsnIntraSgwHandoverSuccess} + \text{SAEGWSGWPROCEDUREGRID.NumInterSgsnIntraSgwHandoverFail}) * 100$

Table 2-1 Derived Metrics

Metric	KPI Formula
SAEGWSGW - Intra S-GW MME to SGSN Handover Success Rate	$\frac{\text{SAEGWSGWPROCEDUREGRID.NumMmeToSgsnIntraSgwHandoverSuccess}}{(\text{SAEGWSGWPROCEDUREGRID.NumMmeToSgsnIntraSgwHandoverSuccess} + \text{SAEGWSGWPROCEDUREGRID.NumMmeToSgsnIntraSgwHandoverFail}) * 100}$
SAEGWSGW - Intra S-GW SGSN to MME Handover Success Rate	$\frac{\text{SAEGWSGWPROCEDUREGRID.NumSgsnToMmeIntraSgwHandoverSuccess}}{(\text{SAEGWSGWPROCEDUREGRID.NumSgsnToMmeIntraSgwHandoverSuccess} + \text{SAEGWSGWPROCEDUREGRID.NumSgsnToMmeIntraSgwHandoverFail}) * 100}$
SAEGWPGWPROCEDURE KPIs:	
SAEGWPGW - Inter-SGSN Handover Success Rate	$\frac{\text{SAEGWPGWPROCEDUREGRID.NumInterSgsnHandoverSuccess}}{(\text{SAEGWPGWPROCEDUREGRID.NumInterSgsnHandoverSuccess} + \text{SAEGWPGWPROCEDUREGRID.NumInterSgsnHandoverFail}) * 100}$
SAEGWPGW - Inter-SGW Handover Success Rate	$\frac{\text{SAEGWPGWPROCEDUREGRID.NumInterSgwHandoverSuccess}}{(\text{SAEGWPGWPROCEDUREGRID.NumInterSgwHandoverSuccess} + \text{SAEGWPGWPROCEDUREGRID.NumInterSgwHandoverFail}) * 100}$
SAEGWPGW - Gn/Gp to LTE Handover Success Rate	$\frac{\text{SAEGWPGWPROCEDUREGRID.NumGnGpToLteHandoverSuccess}}{(\text{SAEGWPGWPROCEDUREGRID.NumGnGpToLteHandoverSuccess} + \text{SAEGWPGWPROCEDUREGRID.NumGnGpToLteHandoverFail}) * 100}$
SAEGWPGW - LTE to Gn/Gp Handover Success Rate	$\frac{\text{SAEGWPGWPROCEDUREGRID.NumInterLteToGnGpSuccess}}{(\text{SAEGWPGWPROCEDUREGRID.NumInterLteToGnGpSuccess} + \text{SAEGWPGWPROCEDUREGRID.NumInterLteToGnGpFail}) * 100}$
INTERFACESTATISTICS KPIs:	
System - Transmitted Throughput(Mbps) †	$(\text{INTERFACESTATISTICSGRID.numTxV4Bytes} + \text{INTERFACESTATISTICSGRID.numTxV6Bytes}) * 8 / 1000000 / \text{Interval}$
System - Received Throughput(Mbps) †	$(\text{INTERFACESTATISTICSGRID.numRxV4Bytes} + \text{INTERFACESTATISTICSGRID.numRxV6Bytes}) * 8 / 1000000 / \text{Interval}$
System - Transmitted Average Packet Size (byte) †	$\frac{(\text{INTERFACESTATISTICSGRID.numTxV4Bytes} + \text{INTERFACESTATISTICSGRID.numTxV6Bytes})}{(\text{INTERFACESTATISTICSGRID.numTxV4Pkts} + \text{INTERFACESTATISTICSGRID.numTxV6Pkts})}$
System - Received Average Packet Size (byte) †	$\frac{(\text{INTERFACESTATISTICSGRID.numRxV4Bytes} + \text{INTERFACESTATISTICSGRID.numRxV6Bytes})}{(\text{INTERFACESTATISTICSGRID.numRxV4Pkts} + \text{INTERFACESTATISTICSGRID.numRxV6Pkts})}$

Table 2-1 Derived Metrics

Metric	KPI Formula
CONTENTHTTPPROXYCOMPRESSIONSTATS KPIs:	
HTTP Proxy - Compression Bytes Saved †	$\text{CONTENTHTTPPROXYCOMPRESSIONSTATSGRID.num_bytes_not_compressed_by_server} - (\text{CONTENTHTTPPROXYCOMPRESSIONSTATSGRID.num_bytes_compressed_by_proxy} + \text{CONTENTHTTPPROXYCOMPRESSIONSTATSGRID.num_bytes_forced_compress_by_proxy})$
HTTP Proxy - Compression Saving Ratio	$\frac{(\text{CONTENTHTTPPROXYCOMPRESSIONSTATSGRID.num_bytes_not_compressed_by_server} - (\text{CONTENTHTTPPROXYCOMPRESSIONSTATSGRID.num_bytes_compressed_by_proxy} + \text{CONTENTHTTPPROXYCOMPRESSIONSTATSGRID.num_bytes_forced_compress_by_proxy}))}{\text{CONTENTHTTPPROXYCOMPRESSIONSTATSGRID.num_bytes_not_compressed_by_server}} * 100$
SERVERPLUGINSTATS KPIs:	
HTTP-Server - Success %	$\frac{\text{SERVERPLUGINSTATSCHASSIS.num_plugin_successes}}{\text{SERVERPLUGINSTATSCHASSIS.num_plugin_attempts}}$
C-SGN KPIs:	
C-SGN - CpClot IP Bearer Activation Success Rate for Attach	$100 * (\text{LTESM_PROCEDURE.SM.ActDefaultCpClotIpBearerAttachSucc} / \text{LTESM_PROCEDURE.SM.ActDefaultCpClotIpBearerAttachAtt})$
C-SGN - CpClot IP Bearer Activation Success Rate for PDN	$100 * (\text{LTESM_PROCEDURE.SM.ActDefaultCpClotIpBearerPdnConnSucc} / \text{LTESM_PROCEDURE.SM.ActDefaultCpClotIpBearerPdnConnAtt})$
C-SGN - CpClot Non-IP Bearer Activation Success Rate for Attach	$100 * (\text{LTESM_PROCEDURE.SM.ActDefaultCpClotNonIpBearerAttachSucc} / \text{LTESM_PROCEDURE.SM.ActDefaultCpClotNonIpBearerAttachAtt})$
C-SGN - CpClot Non-IP Bearer Activation Success Rate for PDN	$100 * (\text{LTESM_PROCEDURE.SM.ActDefaultCpClotNonIpBearerPdnConnSucc} / \text{LTESM_PROCEDURE.SM.ActDefaultCpClotNonIpBearerPdnConnAtt})$
C-SGN - Data Over NAS Downlink Throughput for S11 IP-Data (Kbps) †	$((\text{LTESM_DATATRANSPORT.SM.DataTransport.DL.IP.GW.DataOct} * 8) / \text{<Sample Period, in seconds>}) / 1000$
C-SGN - Data Over NAS Downlink Throughput for S11 Non-IP-Data (Kbps) †	$((\text{LTESM_DATATRANSPORT.SM.DataTransport.DL.NonIP.GW.DataOct} * 8) / \text{<Sample Period, in seconds>}) / 1000$
C-SGN - Data Over NAS Downlink Throughput for T6 (Kbps) †	$((\text{LTESM_DATATRANSPORT.SM.DataTransport.DL.NonIP.SCEF.DataOct} * 8) / \text{<Sample Period, in seconds>}) / 1000$
C-SGN - Data Over NAS Uplink Throughput for S11 IP-Data (Kbps) †	$((\text{LTESM_DATATRANSPORT.SM.DataTransport.UL.IP.GW.DataOct} * 8) / \text{<Sample Period, in seconds>}) / 1000$

Table 2-1 Derived Metrics

Metric	KPI Formula
C-SGN - Data Over NAS Uplink Throughput for S11 Non-IP-Data (Kbps) †	$((\text{LTESM_DATATRANSPORT.SM.DataTransport.UL.NonIP.GW.DataOct} * 8) / \text{<Sample Period, in seconds>}s) / 1000$
C-SGN - Data Over NAS Uplink Throughput for T6 (Kbps) †	$((\text{LTESM_DATATRANSPORT.SM.DataTransport.UL.NonIP.SCEF.DataOct} * 8) / \text{<Sample Period, in seconds>}s) / 1000$
C-SGN - LTE CP Service Request Success Rate (Uplink)	$100 * (\text{LTEMM_PROCEDURE.VS.MM.ControlPlaneServiceRequestSucc} / (\text{LTEMM_PROCEDURE.VS.MM.ControlPlaneServiceRequestAtt} - (\text{LTEMM_PROCEDURE.MM.PagingEpsAtt} - \text{LTEMM_PROCEDURE.MM.PagingEpsFail})))$
C-SGN - No-PDN Attach Success Rate	$100 * (\text{LTEMM_ATTACH.VS.MM.AttachNoPdnSucc} / \text{LTEMM_ATTACH.VS.MM.AttachNoPdnAtt})$
C-SGN - LTE SMS-Only Attach Success Rate	$100 * (\text{LTEMM_ATTACH.VS.MM.SmsOnlyAttachSucc} / \text{LTEMM_ATTACH.VS.MM.SmsOnlyAttachAtt})$
LTE KPIs:	
LTE - Attach Success Rate Nodal	$100 * ((\text{LTEMM.PROCEDURE.MM.EpsAttachSucc.E}) / (\text{LTEMM.PROCEDURE.MM.EpsAttachSucc.E} + \text{LTEMM.ATTACHFAIL.MM.EpsAttachFail.Congestion_22.E} - \text{LTEMM.ATTACHFAIL.VS.MM.EpsAttachFail.Congestion_22.DCN.E} - \text{LTEMM.ATTACHFAIL.Congestion_22.AdmissionControl.E} + \text{LTEMM.ATTACHFAIL.NetworkFailure_17.MmeInternalError.E}))$
LTE - Bearer Activation Success Rate Nodal	$100 * (\text{LTESM_PROCEDURE.SM.ActDedicatedEpsBearerSucc}) / (\text{LTESM_PROCEDURE.SM.ActDedicatedEpsBearerSucc} + \text{LTESM_BEARERACTFAIL.InsfRscs_26.ControlPlaneFail} + \text{LTESM_BEARERACTFAIL.InsfRscs_26.MsgSendFail} + \text{LTESM_BEARERACTFAIL.ActRejUnspc_31.GrdTimerExpiry} + \text{LTESM_BEARERACTFAIL.InsfRscs_26.Overload}))$
LTE - Percentage of SAU in ECM-CONNECTED	$100 * (\text{LTEMM_GENERAL.MM.NbrEpsSubConnect} / (\text{LTEMM_GENERAL.MM.NbrEpsSubConnect} + \text{LTEMM_GENERAL.MM.NbrEpsSubIdle}))$
LTE - Session Activation Success Rate Nodal	$100 * ((\text{LTESM_PROCEDURE.SM.ActDefaultEpsBearerPdnConSucc} + \text{LTESM_PROCEDURE.SM.ActDefaultEpsBearerAttachSucc}) / (\text{LTESM_PROCEDURE.SM.ActDefaultEpsBearerPdnConSucc} + \text{LTESM_PROCEDURE.SM.ActDefaultEpsBearerAttachSucc} + \text{LTESM_SESSIONACTFAIL.InsfRscs_26.ControlPlaneFail} + \text{LTESM_SESSIONACTFAIL.InsfRscs_26.MsgSendFail} + \text{LTESM_SESSIONACTFAIL.ActRejUnspc_31.GrdTimerExpiry}))$

Table 2-1 Derived Metrics

Metric	KPI Formula
CONTENTHTTPPROXYMINIFYSTATS KPIs:	
HTTP Proxy - Minification Bytes Saved †	$ \begin{aligned} &(\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_css_bytes_attempt} - \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_css_bytes_not_minified} - \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_css_bytes_minified}) + \\ &(\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_html_bytes_attempt} - \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_html_bytes_not_minified} - \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_html_bytes_minified}) + \\ &(\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_js_bytes_attempt} - \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_js_bytes_not_minified} - \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_js_bytes_minified}) \end{aligned} $
HTTP Proxy - Minification Saving Ratio	$ \begin{aligned} &((\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_css_bytes_attempt} - \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_css_bytes_not_minified} - \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_css_bytes_minified}) + \\ &(\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_html_bytes_attempt} - \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_html_bytes_not_minified} - \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_html_bytes_minified}) + \\ &(\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_js_bytes_attempt} - \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_js_bytes_not_minified} - \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_js_bytes_minified})) / \\ &(\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_css_bytes_attempt} - \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_css_bytes_not_minified} + \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_html_bytes_attempt} - \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_html_bytes_not_minified} + \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_js_bytes_attempt} - \\ &\text{CONTENTHTTPPROXYMINIFYSTATSGRID.num_minify_js_bytes_not_minified}) * 100 \end{aligned} $

Table 2-1 **Derived Metrics**

Metric	KPI Formula
CONTENTHTTPPROXYWEBIMAGEOPTSUMMARYSTATS KPIs:	
HTTP Proxy - Web Image Optimization Bytes Saved †	$\begin{aligned} & \text{CONTENTHTTPPROXYWEBIMAGEOPTSUMMARYSTATSGRID.num_} \\ & \text{web_image_opt_bytes_attempt -} \\ & \text{CONTENTHTTPPROXYWEBIMAGEOPTSUMMARYSTATSGRID.num_} \\ & \text{web_image_opt_bytes_not_adapted -} \\ & \text{CONTENTHTTPPROXYWEBIMAGEOPTSUMMARYSTATSGRID.num_} \\ & \text{web_image_opt_bytes_adapted} \end{aligned}$
HTTP Proxy - Web Image Optimization Saving Ratio	$\begin{aligned} & (\text{CONTENTHTTPPROXYWEBIMAGEOPTSUMMARYSTATSGRID.num_} \\ & \text{web_image_opt_bytes_attempt -} \\ & \text{CONTENTHTTPPROXYWEBIMAGEOPTSUMMARYSTATSGRID.num_} \\ & \text{web_image_opt_bytes_not_adapted -} \\ & \text{CONTENTHTTPPROXYWEBIMAGEOPTSUMMARYSTATSGRID.num_} \\ & \text{web_image_opt_bytes_adapted}) / \\ & (\text{CONTENTHTTPPROXYWEBIMAGEOPTSUMMARYSTATSGRID.num_} \\ & \text{web_image_opt_bytes_attempt -} \\ & \text{CONTENTHTTPPROXYWEBIMAGEOPTSUMMARYSTATSGRID.num_} \\ & \text{web_image_opt_bytes_not_adapted}) * 100 \end{aligned}$
CONTENTFILTERSTATS KPIs:	
Content Filter - Safe Searches Enforced	$\begin{aligned} & \text{CONTENTFILTERSTATSGRID.num_google_safe_search_enforced +} \\ & \text{CONTENTFILTERSTATSGRID.num_bing_safe_search_enforced +} \\ & \text{CONTENTFILTERSTATSGRID.num_yahoo_safe_search_enforced} \end{aligned}$

Table 2-1 Derived Metrics

Metric	KPI Formula
CONTENTVAOFFLINETRANSCODINGSUMMARYSTATS KPIs:	
Video Adaptation - Hit Ratio	$\frac{((\text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_flv_serving_success} + \text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_flv_serving_abort}) + (\text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_mp4_serving_success} + \text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_mp4_serving_abort}) + (\text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_webm_serving_success} + \text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_webm_serving_abort}))}{((\text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_orig_serving_success} + \text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_orig_serving_abort}) + (\text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_flv_serving_success} + \text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_flv_serving_abort}) + (\text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_mp4_serving_success} + \text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_mp4_serving_abort}) + (\text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_webm_serving_success} + \text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_webm_serving_abort}))}$
Video Adaptation - Offline Transcoding Bytes Saved †	$\text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_original_bytes} - \text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_adapted_bytes_served}$
Video Adaptation - Offline Transcoding Saving Ratio †	$\frac{(\text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_original_bytes} - \text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_adapted_bytes_served})}{\text{CONTENTVAOFFLINETRANSCODINGSUMMARYSTATSCHASSIS. num_offline_original_bytes} * 100}$

Table 2-1 **Derived Metrics**

Metric	KPI Formula
CONTENTVAONLINETRANSCODINGSUMMARYSTATS KPIs:	
Video Adaptation - Online Transcoding Bytes Saved	$\frac{\text{CONTENTVAONLINETRANSCODINGSUMMARYSTATSCHASSIS.num_otf_bytes_attempt} - \text{CONTENTVAONLINETRANSCODINGSUMMARYSTATSCHASSIS.num_otf_bytes_cancel} - \text{CONTENTVAONLINETRANSCODINGSUMMARYSTATSCHASSIS.num_otf_bytes_adapted}}{\text{CONTENTVAONLINETRANSCODINGSUMMARYSTATSCHASSIS.num_otf_bytes_attempt} - \text{CONTENTVAONLINETRANSCODINGSUMMARYSTATSCHASSIS.num_otf_bytes_cancel}} * 100$
Video Adaptation - Online Transcoding Saving Ratio	$\frac{(\text{CONTENTVAONLINETRANSCODINGSUMMARYSTATSCHASSIS.num_otf_bytes_attempt} - \text{CONTENTVAONLINETRANSCODINGSUMMARYSTATSCHASSIS.num_otf_bytes_cancel} - \text{CONTENTVAONLINETRANSCODINGSUMMARYSTATSCHASSIS.num_otf_bytes_adapted})}{(\text{CONTENTVAONLINETRANSCODINGSUMMARYSTATSCHASSIS.num_otf_bytes_attempt} - \text{CONTENTVAONLINETRANSCODINGSUMMARYSTATSCHASSIS.num_otf_bytes_cancel})} * 100$
Video Adaptation - Online Transactions Processed Percentage	$\frac{(\text{CONTENTVAONLINETRANSCODINGSUMMARYSTATSCHASSIS.num_otf_attempts} - \text{CONTENTVAONLINETRANSCODINGSUMMARYSTATSCHASSIS.num_otf_failures})}{\text{CONTENTVAONLINETRANSCODINGSUMMARYSTATSCHASSIS.num_otf_attempts}} * 100$
VASOPTIMIZATIONSAVINGS KPIs:	
VAS - Bytes Saved †	$\text{HTTPPROXYOPTIMIZATIONSAVINGS.compression_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.minify_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.web_image_optimization_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.offline_video_xcoding_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.online_video_xcoding_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.video_pacing_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.abr_rate_limiting_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.tcp_rl_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.quic_rl_bytes_saved}$
VAS Server-side Bytes Saved †	$\text{HTTPPROXYOPTIMIZATIONSAVINGS.tcp_rl_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.abr_rate_limiting_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.video_pacing_total_bytes_saved} + \text{CONTENTCACHESUMMARYSTATSCHASSIS.num_cache_service_bytes_disk} + \text{CONTENTCACHESUMMARYSTATSCHASSIS.num_cache_service_bytes_memory}$

Table 2-1 Derived Metrics

Metric	KPI Formula
VAS - Saving Ratio	$\frac{((\text{HTTPPROXYOPTIMIZATIONSAVINGS.compression_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.minify_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.web_image_optimization_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.offline_video_xcoding_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.online_video_xcoding_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.video_pacing_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.abr_rate_limiting_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.tcp_rl_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.quic_rl_bytes_saved}) / \text{CONTENTHTTPPROXYSUMMARYSTATSCHASSIS.num_bytes_client_response} + \text{TCPSPlicingStatsConnectionChassis.num_tcp_splicing_client_connections_bytes_sent} + \text{UDPPROXYStatsConnectionChassis.client-connections-bytes-sent} + (\text{HTTPPROXYOPTIMIZATIONSAVINGS.compression_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.minify_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.web_image_optimization_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.offline_video_xcoding_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.online_video_xcoding_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.video_pacing_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.abr_rate_limiting_total_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.tcp_rl_bytes_saved} + \text{HTTPPROXYOPTIMIZATIONSAVINGS.quic_rl_bytes_saved})) * 100}{}$
DIAMETER KPIs:	
Diameter - 3xx Error Rate	$\frac{(\text{DIAMETERSTATSPEER.numCCAInitial3xxx} + \text{DIAMETERSTATSPEER.numCCAUpdate3xxx} + \text{DIAMETERSTATSPEER.numCCATerminate3xxx}) / (\text{DIAMETERSTATSPEER.numCCRInitialAttempted} + \text{DIAMETERSTATSPEER.numCCRUpdateAttempted} + \text{DIAMETERSTATSPEER.numCCRTerminateAttempted}) * 100}{}$
Diameter - 4xx Error Rate	$\frac{(\text{DIAMETERSTATSPEER.numCCAInitial4xxx} + \text{DIAMETERSTATSPEER.numCCAUpdate4xxx} + \text{DIAMETERSTATSPEER.numCCATerminate4xxx}) / (\text{DIAMETERSTATSPEER.numCCRInitialAttempted} + \text{DIAMETERSTATSPEER.numCCRUpdateAttempted} + \text{DIAMETERSTATSPEER.numCCRTerminateAttempted}) * 100}{}$
Diameter - 5xx Error Rate	$\frac{(\text{DIAMETERSTATSPEER.numCCAInitial5xxx} + \text{DIAMETERSTATSPEER.numCCAUpdate5xxx} + \text{DIAMETERSTATSPEER.numCCATerminate5xxx}) / (\text{DIAMETERSTATSPEER.numCCRInitialAttempted} + \text{DIAMETERSTATSPEER.numCCRUpdateAttempted} + \text{DIAMETERSTATSPEER.numCCRTerminateAttempted}) * 100}{}$

Table 2-1 Derived Metrics

Metric	KPI Formula
Diameter - CCA Sessions Retried on Secondary Server Due to Session Failover	$ \begin{aligned} &(\text{DIAMETERSTATSPEER.numCCAInitial3xxx} + \\ &\text{DIAMETERSTATSPEER.numCCRInitialTimeout} - \\ &\text{DIAMETERSTATSPEER.numCCAInitialDelayedSuccess}) + \\ &(\text{DIAMETERSTATSPEER.numCCAUpdate3xxx} + \\ &\text{DIAMETERSTATSPEER.numCCRUpdateTimeout} - \\ &\text{DIAMETERSTATSPEER.numCCAUpdateDelayedSuccess}) + \\ &(\text{DIAMETERSTATSPEER.numCCATerminate3xxx} + \\ &\text{DIAMETERSTATSPEER.numCCRTerminateTimeout} - \\ &\text{DIAMETERSTATSPEER.numCCATerminateDelayedSuccess}) \end{aligned} $
Diameter - SWm Diameter STR	$ (1 - \text{DIAMETERSTATSPEER.NumSTRSuccess} / \text{DIAMETERSTATSPEER.NumSTRAttempted}) * 100 $
NETWORKCONTEXTSTATISTICS KPIs:	
Networking - IPv4 Tx Pkts Success Rate	$ (\text{NETWORKCONTEXTSTATISTICSGRID.numTxV4Pkts} / (\text{NETWORKCONTEXTSTATISTICSGRID.numTxV4Pkts} + \text{NETWORKCONTEXTSTATISTICSGRID.numTxV4DropPkts})) * 100 $
Networking - IPv4 Tx Bytes Success Rate	$ (\text{NETWORKCONTEXTSTATISTICSGRID.numTxV4Bytes} / (\text{NETWORKCONTEXTSTATISTICSGRID.numTxV4Bytes} + \text{NETWORKCONTEXTSTATISTICSGRID.numTxV4DropBytes})) * 100 $
Networking - IPv4 Rx Pkts Success Rate	$ (\text{NETWORKCONTEXTSTATISTICSGRID.numRxV4Pkts} / (\text{NETWORKCONTEXTSTATISTICSGRID.numRxV4Pkts} + \text{NETWORKCONTEXTSTATISTICSGRID.numRxV4DropPkts})) * 100 $
Networking - IPv4 Rx Bytes Success Rate	$ (\text{NETWORKCONTEXTSTATISTICSGRID.numRxV4Bytes} / (\text{NETWORKCONTEXTSTATISTICSGRID.numRxV4Bytes} + \text{NETWORKCONTEXTSTATISTICSGRID.numRxV4DropBytes})) * 100 $
Networking - IPv6 Tx Pkts Success Rate	$ (\text{NETWORKCONTEXTSTATISTICSGRID.numTxV6Pkts} / (\text{NETWORKCONTEXTSTATISTICSGRID.numTxV6Pkts} + \text{NETWORKCONTEXTSTATISTICSGRID.numTxV6DropPkts})) * 100 $
Networking - IPv6 Tx Bytes Success Rate	$ (\text{NETWORKCONTEXTSTATISTICSGRID.numTxV6Bytes} / (\text{NETWORKCONTEXTSTATISTICSGRID.numTxV6Bytes} + \text{NETWORKCONTEXTSTATISTICSGRID.numTxV6DropBytes})) * 100 $
Networking - IPv6 Rx Pkts Success Rate	$ (\text{NETWORKCONTEXTSTATISTICSGRID.numRxV6Pkts} / (\text{NETWORKCONTEXTSTATISTICSGRID.numRxV6Pkts} + \text{NETWORKCONTEXTSTATISTICSGRID.numRxV6DropPkts})) * 100 $
Networking - IPv6 Rx Bytes Success Rate	$ (\text{NETWORKCONTEXTSTATISTICSGRID.numRxV6Bytes} / (\text{NETWORKCONTEXTSTATISTICSGRID.numRxV6Bytes} + \text{NETWORKCONTEXTSTATISTICSGRID.numRxV6DropBytes})) * 100 $
Networking - Throughput(Mbps) †	$ ((\text{NETWORKCONTEXTSTATISTICSGRID.numTxV4Bytes} + \text{NETWORKCONTEXTSTATISTICSGRID.numRxV4Bytes} + \text{NETWORKCONTEXTSTATISTICSGRID.numTxV6Bytes} + \text{NETWORKCONTEXTSTATISTICSGRID.numRxV6Bytes}) * 8 / \text{Interval}) / 1000000 $

Table 2-1 Derived Metrics

Metric	KPI Formula
IPSECNETWORKCONTEXTSTATS KPIs:	
Networking - DPD	$(IKEMESSAGESTATS.deadPeerDetections / IPSECNETWORKCONTEXTSTATS.totalIkeTunnels) * 100$
Networking - Rekey	$IPSECNETWORKCONTEXTSTATS.rekeyedTransforms / IPSECNETWORKCONTEXTSTATS.totalTransforms$
EMSGWQCIARP KPIs:	
QCI/ARP - Downlink Throughput(Mbps) †	$EMSGWQCIARPSTATS.NumDownlinkBytes * 8 / 1000000 / \text{Interval}$
QCI/ARP - Uplink Throughput(Mbps) †	$EMSGWQCIARPSTATS.NumUplinkBytes * 8 / 1000000 / \text{Interval}$
QCI/ARP - Bearer Drop Rate	$EMSGWQCIARPSTATS.NumTotalBearersAbnormalRelease / (EMSGWQCIARPSTATS.NumTotalBearersAbnormalRelease + EMSGWQCIARPSTATS.NumTotalBearersNormalRelease) * 100$
QCI/ARP - Handover Success Rate	$EMSGWQCIARPSTATS.NumTotalBearersHandoverSuccess / (EMSGWQCIARPSTATS.NumTotalBearersHandoverSuccess + EMSGWQCIARPSTATS.NumTotalBearersHandoverFailure) * 100$
QCI/ARP - Bearer Retainability Rate	$EMSGWQCIARPSTATS.NumTotalBearersNormalRelease / (EMSGWQCIARPSTATS.NumTotalBearersNormalRelease + EMSGWQCIARPSTATS.NumTotalBearersAbnormalRelease) * 100$
EMSGWAPNQCIARP KPIs:	
QCI/ARP APN - Downlink Throughput(Mbps) †	$EMSGWAPNQCIARPSTATS.NumDownlinkBytes * 8 / 1000000 / \text{Interval}$
QCI/ARP APN - Uplink Throughput(Mbps) †	$EMSGWAPNQCIARPSTATS.NumUplinkBytes * 8 / 1000000 / \text{Interval}$
QCI/ARP APN - Bearer Drop Rate	$EMSGWAPNQCIARPSTATS.NumTotalBearersAbnormalRelease / (EMSGWAPNQCIARPSTATS.NumTotalBearersAbnormalRelease + EMSGWAPNQCIARPSTATS.NumTotalBearersNormalRelease) * 100$
QCI/ARP APN - Handover Success Rate	$EMSGWAPNQCIARPSTATS.NumTotalBearersHandoverSuccess / (EMSGWAPNQCIARPSTATS.NumTotalBearersHandoverSuccess + EMSGWAPNQCIARPSTATS.NumTotalBearersHandoverFailure) * 100$
QCI/ARP APN - Bearer Retainability Rate	$EMSGWAPNQCIARPSTATS.NumTotalBearersNormalRelease / (EMSGWAPNQCIARPSTATS.NumTotalBearersNormalRelease + EMSGWAPNQCIARPSTATS.NumTotalBearersAbnormalRelease) * 100$
EPDGAPNCALLPERFSTATS KPIs:	
EPDG APN - Average Uplink Packet Size †	$EPDGAPNCALLPERFSTATSGRID.NumUplinkBytes / EPDGAPNCALLPERFSTATSGRID.NumUplinkPackets$
EPDG APN - Average Downlink Packet Size †	$EPDGAPNCALLPERFSTATSGRID.NumDownlinkBytes / EPDGAPNCALLPERFSTATSGRID.NumDownlinkPackets$

Table 2-1 Derived Metrics

Metric	KPI Formula
EPDG APN - Uplink Data Rate Per APN †	$(\text{EPDGAPNCALLPERFSTATSGRID.NumUplinkBytes} * 8) / (\text{EPDGAPNCALLPERFSTATSGRID.NumCreateSessionAccept} * 1000)$
EPDG APN - Downlink Data Rate Per APN †	$(\text{EPDGAPNCALLPERFSTATSGRID.NumDownlinkBytes} * 8) / (\text{EPDGAPNCALLPERFSTATSGRID.NumCreateSessionAccept} * 1000)$
EPDGCALLPERFSTATS KPIs:	
EPDG - Total Authentication Failures	$\text{EPDGCALLPERFSTATSGRID.NumEpdgAuthFailures} + \text{EPDGCALLPERFSTATSGRID.NumEpdgAAAReauthFailures}$
EPDG - IPv4 Subscriber Percentage	$(\text{EPDGCALLPERFSTATSGRID.NumIpv4Sessions} * 100) / (\text{EPDGCALLPERFSTATSGRID.NumIpv4Sessions} + \text{EPDGCALLPERFSTATSGRID.NumIpv6Sessions} + \text{EPDGCALLPERFSTATSGRID.NumIpv4v6Sessions})$
EPDG - IPv6 Subscriber Percentage	$(\text{EPDGCALLPERFSTATSGRID.NumIpv6Sessions} * 100) / (\text{EPDGCALLPERFSTATSGRID.NumIpv4Sessions} + \text{EPDGCALLPERFSTATSGRID.NumIpv6Sessions} + \text{EPDGCALLPERFSTATSGRID.NumIpv4v6Sessions})$
EPDG - IPv4v6 Subscriber Percentage	$(\text{EPDGCALLPERFSTATSGRID.NumIpv4v6Sessions} * 100) / (\text{EPDGCALLPERFSTATSGRID.NumIpv4Sessions} + \text{EPDGCALLPERFSTATSGRID.NumIpv6Sessions} + \text{EPDGCALLPERFSTATSGRID.NumIpv4v6Sessions})$
EPDG - Active Current Sessions Percentage	$(\text{EPDGCALLPERFSTATSGRID.NumActiveCurrentSessions} * 100) / (\text{EPDGCALLPERFSTATSGRID.NumActiveCurrentSessions} + \text{EPDGCALLPERFSTATSGRID.NumIdleCurrentSessions})$
EPDG - S2bC Create Bearer Failure Rate	$(1 - \text{EPDGCALLPERFSTATSGRID.NumCreateBearerAccept} / \text{EPDGCALLPERFSTATSGRID.NumCreateBearerReq}) * 100$
EPDG - S2bC Delete Session Failure Rate	$(1 - \text{EPDGCALLPERFSTATSGRID.NumDeleteSessionAcceptFromPgw} / \text{EPDGCALLPERFSTATSGRID.NumDeleteSessionReqToPgw}) * 100$
EPDG - S2bC Update Bearer Failure Rate	$(1 - \text{EPDGCALLPERFSTATSGRID.NumUpdateBearerAccept} / \text{EPDGCALLPERFSTATSGRID.NumUpdateBearerReq}) * 100$
EPDG - SWm EAP Failure Rate	$(1 - \text{EPDGCALLPERFSTATSGRID.NumEpdgEapSuccess} / \text{EPDGCALLPERFSTATSGRID.NumEpdgEapAttempts}) * 100$
EPDG - Average Rekeying Rate	$\text{EPDGCALLPERFSTATSGRID.NumIPSecRekey} / \text{EPDGCALLPERFSTATSGRID.NumCurrentSessions}$
TCPMEASUREMENTSSUMMARYSTATSCHASSIS KPIs:	
TCP Client-side - Downstream TCP Segments Retransmitted Percentage	$(\text{TCPMEASUREMENTSSUMMARYSTATSCHASSIS.num_total_segments_retrans_dl} / \text{TCPMEASUREMENTSSUMMARYTATSCCHASSIS.num_total_estimated_segments_dl}) * 100$

Table 2-1 Derived Metrics

Metric	KPI Formula
TCPSPlicing KPIs:	
TCP-Splicing - Success Percentage	$\frac{(\text{TCPSPlicingSTATSSUMMARYCHASSIS.num_tcp_splicing_summary_successes} + \text{TCPSPlicingSTATSSUMMARYCHASSIS.num_tcp_splicing_summary_aborts})}{(\text{TCPSPlicingSTATSSUMMARYCHASSIS.num_tcp_splicing_summary_attempts})}$
TCP-Splicing - Failure Percentage	$\frac{(\text{TCPSPlicingSTATSSUMMARYCHASSIS.num_tcp_splicing_summary_failures})}{(\text{TCPSPlicingSTATSSUMMARYCHASSIS.num_tcp_splicing_summary_attempts})}$
TCP-Splicing - Transaction Rate	$(\text{TCPSPlicingSTATSSUMMARYCHASSIS.num_tcp_splicing_summary_attempts}) / \text{Interval}$
TCP-Splicing - Client Downlink Throughput (Mbps) †	$(\text{TCPSPlicingSTATSCONNECTIONCHASSIS.num_tcp_splicing_client_connections_bytes_sent}) * 8 / 1,000,000 / \text{Interval}$
TCP-Splicing - Client Uplink Throughput (Mbps) †	$(\text{TCPSPlicingSTATSCONNECTIONCHASSIS.num_tcp_splicing_client_connections_bytes_received}) * 8 / 1,000,000 / \text{Interval}$
TCP-Splicing - Server Downlink Throughput (Mbps) †	$(\text{TCPSPlicingSTATSCONNECTIONCHASSIS.num_tcp_splicing_server_connections_bytes_received}) * 8 / 1,000,000 / \text{Interval}$
TCP-Splicing - Server Uplink Throughput (Mbps) †	$(\text{TCPSPlicingSTATSCONNECTIONCHASSIS.num_tcp_splicing_server_connections_bytes_sent}) * 8 / 1,000,000 / \text{Interval}$
TCP-Splicing - Average Client Downlink Throughput (Mbps) †	$\frac{(\text{TCPSPlicingSTATSCONNECTIONCHASSIS.num_tcp_splicing_client_connections_bytes_sent}) * 8 / 1,000,000}{(\text{TCPSPlicingSTATSCONNECTIONCHASSIS.num_tcp_splicing_client_connections_total}) / \text{Interval}}$
TCP-Splicing - Average Client Uplink Throughput (Mbps) †	$\frac{(\text{TCPSPlicingSTATSCONNECTIONCHASSIS.num_tcp_splicing_client_connections_bytes_received}) * 8 / 1,000,000}{(\text{TCPSPlicingSTATSCONNECTIONCHASSIS.num_tcp_splicing_client_connections_total}) / \text{Interval}}$

Table 2-1 Derived Metrics

Metric	KPI Formula
WAGCALLPERFSTATS KPIs:	
DHCP - Average DHCP Latency(microsecond)	$\text{WAGCALLPERFSTATSGRID.AverageDhcpClientLatency} / \text{WAGCALLPERFSTATSGRID.DhcpClientLatencySamples}$
WAG - IPv4 Subscriber Percentage	$(\text{WAGCALLPERFSTATSGRID.NumIpv4Sessions} * 100) / (\text{WAGCALLPERFSTATSGRID.NumIpv4Sessions} + \text{WAGCALLPERFSTATSGRID.NumIpv6Sessions} + \text{WAGCALLPERFSTATSGRID.NumIpv4v6Sessions})$
WAG - IPv6 Subscriber Percentage	$(\text{WAGCALLPERFSTATSGRID.NumIpv6Sessions} * 100) / (\text{WAGCALLPERFSTATSGRID.NumIpv4Sessions} + \text{WAGCALLPERFSTATSGRID.NumIpv6Sessions} + \text{WAGCALLPERFSTATSGRID.NumIpv4v6Sessions})$
WAG - IPv4v6 Subscriber Percentage	$(\text{WAGCALLPERFSTATSGRID.NumIpv4v6Sessions} * 100) / (\text{WAGCALLPERFSTATSGRID.NumIpv4Sessions} + \text{WAGCALLPERFSTATSGRID.NumIpv6Sessions} + \text{WAGCALLPERFSTATSGRID.NumIpv4v6Sessions})$
WAG - Active Current Sessions Percentage	$(\text{WAGCALLPERFSTATSGRID.NumActiveCurrentSessions} * 100) / (\text{WAGCALLPERFSTATSGRID.NumActiveCurrentSessions} + \text{WAGCALLPERFSTATSGRID.NumIdleCurrentSessions})$
WAGAPNCALLPERFSTATS KPIs:	
WAG APN - Average Uplink Packet Size †	$\text{WAGAPNCALLPERFSTATSGRID.NumUplinkBytes} / \text{WAGAPNCALLPERFSTATSGRID.NumUplinkPackets}$
WAG APN - Average Downlink Packet Size †	$\text{WAGAPNCALLPERFSTATSGRID.NumDownlinkBytes} / \text{WAGAPNCALLPERFSTATSGRID.NumDownlinkPackets}$
WAG APN - Uplink Data Rate Per APN †	$(\text{WAGAPNCALLPERFSTATSGRID.NumUplinkBytes} * 8) / (\text{WAGAPNCALLPERFSTATSGRID.NumCreateSessionAccept} * 1000)$
WAG APN - Downlink Data Rate Per APN †	$(\text{WAGAPNCALLPERFSTATSGRID.NumDownlinkBytes} * 8) / (\text{WAGAPNCALLPERFSTATSGRID.NumCreateSessionAccept} * 1000)$
DHCP APN - Average DHCP Latency(microsecond)	$\text{WAGAPNCALLPERFSTATSGRID.AverageDhcpClientLatency} / \text{WAGAPNCALLPERFSTATSGRID.DhcpClientLatencySamples}$
MME KPIs:	
SGSN - UMTS Attach Success Rate Nodal	$100 * (\text{UMTSMM_PROCEDURE.VS.MM.SuccMsAttach.U} / (\text{UMTSMM_PROCEDURE.VS.MM.SuccMsAttach.U} + \text{UMTSMM_PROCEDURE.VS.MM.AttachRej.VPLMN.Nodal.U} + \text{UMTSMM_PROCEDURE.VS.MM.AttachRej.HPLMN.Nodal.U} + \text{UMTSMM_PROCEDURE.VS.MM.AttachRej.UPLMN.Nodal.U}))$
SGSN - UMTS Activation Success Rate Nodal	$100 * (\text{UMTSSM_PROCEDURE.SM.SuccActPdpContext.U} / (\text{UMTSSM_PROCEDURE.SM.SuccActPdpContext.U} + \text{UMTSSM_PROCEDURE.SM.FailActPdpContext.VPLMN.Nodal.U} + \text{UMTSSM_PROCEDURE.SM.FailActPdpContext.HPLMN.Nodal.U}))$

Table 2-1 Derived Metrics

Metric	KPI Formula
SGSN - UMTS Uplink Throughput (Kbps) - Data VM †	$((\text{sd.relay.GTP.GtpuInDataOctIu} * 8) / \text{samplePeriodInSeconds}) / 1000$
SGSN - UMTS Downlink Throughput (Kbps) - Data VM †	$((\text{sd.relay.GTP.GtpuOutDataOctIu} * 8) / \text{samplePeriodInSeconds}) / 1000$
SGSN - UMTS Uplink Packet Throughput (Kpps) - Data VM	$((\text{sd.relay.GTP.GtpuInDataPktIu}) / \text{samplePeriodInSeconds}) / 1000$
SGSN - UMTS Downlink Packet Throughput (Kpps) - Data VM	$((\text{sd.relay.GTP.GtpuOutDataPktIu}) / \text{samplePeriodInSeconds}) / 1000$
SGSN - GPRS Activation Success Rate HPLMN Network	$100 * (\text{GPRSSM_PROCEDURE.SM.SuccActPdpContext.HPLMN.G} / (\text{GPRSSM_PROCEDURE.SM.SuccActPdpContext.HPLMN.G} + \text{GPRSSM_PROCEDURE.SM.FailActPdpContext.HPLMN.network.G}))$
SGSN - GPRS Activation Success Rate HPLMN Nodal	$100 * (\text{GPRSSM_PROCEDURE.SM.SuccActPdpContext.HPLMN.G} / (\text{GPRSSM_PROCEDURE.SM.SuccActPdpContext.HPLMN.G} + \text{GPRSSM_PROCEDURE.SM.FailActPdpContext.HPLMN.nodal.G}))$
SGSN - GPRS Activation Success Rate Network	$100 * (\text{GPRSSM_PROCEDURE.SM.SuccActPdpContext.G} / (\text{GPRSSM_PROCEDURE.SM.SuccActPdpContext.G} + \text{GPRSSM_PROCEDURE.SM.FailActPdpContext.VPLMN.Network.G} + \text{GPRSSM_PROCEDURE.SM.FailActPdpContext.HPLMN.Network.G}))$
SGSN - GPRS Activation Success Rate Nodal	$100 * (\text{GPRSSM_PROCEDURE.SM.SuccActPdpContext.G} / (\text{GPRSSM_PROCEDURE.SM.SuccActPdpContext.G} + \text{GPRSSM_PROCEDURE.SM.FailActPdpContext.VPLMN.Nodal.G} + \text{GPRSSM_PROCEDURE.SM.FailActPdpContext.HPLMN.Nodal.G}))$
SGSN - GPRS Activation Success Rate VPLMN Network	$100 * (\text{GPRSSM_PROCEDURE.SM.SuccActPdpContext.VPLMN.G} / (\text{GPRSSM_PROCEDURE.SM.SuccActPdpContext.VPLMN.G} + \text{GPRSSM_PROCEDURE.SM.FailActPdpContext.VPLMN.network.G}))$
SGSN - GPRS Activation Success Rate VPLMN Nodal	$100 * (\text{GPRSSM_PROCEDURE.SM.SuccActPdpContext.VPLMN.G} / (\text{GPRSSM_PROCEDURE.SM.SuccActPdpContext.VPLMN.G} + \text{GPRSSM_PROCEDURE.SM.FailActPdpContext.VPLMN.nodal.G}))$
SGSN - GPRS Attach Success Rate HPLMN Network	$100 * (\text{GPRSSM_PROCEDURE.VS.MM.SuccMsAttach.HPLMN.G} / (\text{GPRSSM_PROCEDURE.VS.MM.SuccMsAttach.HPLMN.G} + \text{GPRSSM_PROCEDURE.VS.MM.AttachRej.HPLMN.Network.G}))$
SGSN - GPRS Attach Success Rate HPLMN Nodal	$100 * (\text{GPRSSM_PROCEDURE.VS.MM.SuccMsAttach.HPLMN.G} / (\text{GPRSSM_PROCEDURE.VS.MM.SuccMsAttach.HPLMN.G} + \text{GPRSSM_PROCEDURE.VS.MM.AttachRej.HPLMN.Nodal.G}))$
SGSN - GPRS Attach Success Rate Network	$100 * (\text{GPRSSM_PROCEDURE.VS.MM.SuccMsAttach.G} / (\text{GPRSSM_PROCEDURE.VS.MM.SuccMsAttach.G} + \text{GPRSSM_PROCEDURE.VS.MM.AttachRej.VPLMN.Nodal.G} + \text{GPRSSM_PROCEDURE.VS.MM.AttachRej.HPLMN.Nodal.G} + \text{GPRSSM_PROCEDURE.VS.MM.AttachRej.UPLMN.Nodal.G}))$

Table 2-1 Derived Metrics

Metric	KPI Formula
SGSN - GPRS Attach Success Rate Nodal	$100 * (GPRSMM_PROCEDURE.VS.MM.SuccMsAttach.G / (GPRSMM_PROCEDURE.VS.MM.SuccMsAttach.G + GPRSMM_PROCEDURE.VS.MM.AttachRej.VPLMN.Nodal.G + GPRSMM_PROCEDURE.VS.MM.AttachRej.HPLMN.Nodal.G + GPRSMM_PROCEDURE.VS.MM.AttachRej.UPLMN.Nodal.G))$
SGSN - GPRS Attach Success Rate VPLMN Network	$100 * (GPRSMM_PROCEDURE.VS.MM.SuccMsAttach.VPLMN.G / (GPRSMM_PROCEDURE.VS.MM.SuccMsAttach.VPLMN.G + GPRSMM_PROCEDURE.VS.MM.AttachRej.VPLMN.Network.G))$
SGSN - GPRS Attach Success Rate VPLMN Nodal	$100 * (GPRSMM_PROCEDURE.VS.MM.SuccMsAttach.VPLMN.G / (GPRSMM_PROCEDURE.VS.MM.SuccMsAttach.VPLMN.G + GPRSMM_PROCEDURE.VS.MM.AttachRej.VPLMN.Nodal.G))$
SGSN - GPRS Downlink Packet Throughput (Kpps) - Data VM †	$((sd.relay.VS.SNDCP.OutDataPktGb) / samplePeriodInSeconds) / 1000$
SGSN - GPRS Downlink Throughput (Kbps) - Data VM †	$((sd.relay.VS.SNDCP.OutDataOctGb * 8) / samplePeriodInSeconds) / 1000$
SGSN - GPRS IRAU Success Rate Network	$100 * GPRSMM_PROCEDURE.'MM.SuccInterSgsnRaUpdate.G' / (GPRSMM_PROCEDURE.'MM.SuccInterSgsnRaUpdate.G' + GPRSMM_IRAUFALL.'VS.MM.FailInterSgsnRaUpdate.MsgError.G' + GPRSMM_IRAUFALL.'MM.FailInterSgsnRaUpdate.NetworkFailure_17.G' - GPRSMM_IRAUFALL.'NetworkFailure_17.UeSignalRate.G' + GPRSMM_IRAUFALL.'MM.FailInterSgsnRaUpdate.Congestion_22.G' - GPRSMM_IRAUFALL.'Congestion_22.UeSignalRate.G' + GPRSMM_IRAUFALL.'MsIdNotDerived_9.PtmsiCollision.G')$
SGSN - GPRS Page Success Rate	$100 * (GPRSMM_MISC.MM.SuccPsPagingProcGb) / (GPRSMM_MISC.MM.AttPsPagingProcGb)$
SGSN - GPRS RAU Success Rate Network	$100 * ((GPRSMM_PROCEDURE.MM.SuccIntraSgsnRaUpdate.G) / (GPRSMM_PROCEDURE.MM.SuccIntraSgsnRaUpdate.G + GPRSMM_RAUFALL.VS.MM.FailIntraSgsnRaUpdate.MsgError.G + GPRSMM_RAUFALL.MM.FailIntraSgsnRaUpdate.NetworkFailure_17.G + GPRSMM_RAUFALL.MM.FailIntraSgsnRaUpdate.Congestion_22.G + GPRSMM_RAUFALL.MsIdNotDerived_9.PtmsiCollision.G))$
SGSN - GPRS Uplink Packet Throughput (Kpps) - Data VM †	$((sd.relay.VS.SNDCP.InDataPktGb) / samplePeriodInSeconds) / 1000$
SGSN - GPRS Uplink Throughput (Kbps) - Data VM †	$((sd.relay.VS.SNDCP.InDataOctGb * 8) / samplePeriodInSeconds) / 1000$
SGSN - UMTS Page Success Rate	$100 * (UMTSMM_MISC.MM.SuccPsPagingProcIu) / (UMTSMM_MISC.MM.AttPsPagingProcIu)$
SGSN - UMTS RAU Success Rate Network	$100 * ((UMTSMM_PROCEDURE.MM.SuccIntraSgsnRaUpdate.U) / (UMTSMM_PROCEDURE.MM.SuccIntraSgsnRaUpdate.U + UMTSMM_RAUFALL.VS.MM.FailIntraSgsnRaUpdate.MsgError.U + UMTSMM_RAUFALL.MM.FailIntraSgsnRaUpdate.NetworkFailure_17.U + UMTSMM_RAUFALL.MM.FailIntraSgsnRaUpdate.Congestion_22.U + UMTSMM_RAUFALL.MsIdNotDerived_9.PtmsiCollision.U))$

Table 2-1 Derived Metrics

Metric	KPI Formula
SGSN - UMTS IRAU Success Rate Network	$100 * \text{UMTSMM_PROCEDURE.}^{\text{'MM.SuccInterSgsnRaUpdate.U'}} / (\text{UMTSMM_PROCEDURE.}^{\text{'MM.SuccInterSgsnRaUpdate.U'}} + \text{UMTSMM_IRAUFAIL.}^{\text{'VS.MM.FailInterSgsnRaUpdate.MsgError.U'}} + \text{UMTSMM_IRAUFAIL.}^{\text{'MM.FailInterSgsnRaUpdate.MsIdNotDerived_9.U'}} + \text{UMTSMM_IRAUFAIL.}^{\text{'MM.FailInterSgsnRaUpdate.NetworkFailure_17.U'}} - \text{UMTSMM_IRAUFAIL.}^{\text{'NetworkFailure_17.UeSignalRate.U'}} + \text{UMTSMM_IRAUFAIL.}^{\text{'MM.FailInterSgsnRaUpdate.Congestion_22.U'}} - \text{UMTSMM_IRAUFAIL.}^{\text{'VS.MM.FailInterSgsnRaUpdate.UeSignalRate.U'}})$
MME - LTE Attach Success Rate Nodal	$100 * (\text{LTEMM_PROCEDURE.MM.EpsAttachSucc.E} / (\text{LTEMM_PROCEDURE.MM.EpsAttachSucc.E} + \text{LTEMM_PROCEDURE.MM.EpsAttachFail.VPLMN.Nodal.E} + \text{LTEMM_PROCEDURE.MM.EpsAttachFail.HPLMN.Nodal.E} + \text{LTEMM_PROCEDURE.MM.EpsAttachFail.UPLMN.Nodal.E}))$
MME - LTE Attach Success Rate Network	$100 * (\text{LTEMM_PROCEDURE.MM.EpsAttachSucc.E} / (\text{LTEMM_PROCEDURE.MM.EpsAttachSucc.E} + \text{LTEMM_PROCEDURE.MM.EpsAttachFail.VPLMN.Network.E} + \text{LTEMM_PROCEDURE.MM.EpsAttachFail.HPLMN.Network.E} + \text{LTEMM_PROCEDURE.MM.EpsAttachFail.UPLMN.Network.E}))$
MME - LTE Attach Success Rate HPLMN Nodal	$100 * (\text{LTEMM_PROCEDURE.MM.EpsAttachSucc.HPLMN.E} / (\text{LTEMM_PROCEDURE.MM.EpsAttachSucc.HPLMN.E} + \text{LTEMM_PROCEDURE.MM.EpsAttachFail.HPLMN.Nodal.E}))$
MME - LTE Attach Success Rate HPLMN Network	$100 * (\text{LTEMM_PROCEDURE.MM.EpsAttachSucc.HPLMN.E} / (\text{LTEMM_PROCEDURE.MM.EpsAttachSucc.HPLMN.E} + \text{LTEMM_PROCEDURE.MM.EpsAttachFail.HPLMN.Network.E}))$
MME - LTE Attach Success Rate VPLMN Nodal	$100 * (\text{LTEMM_PROCEDURE.MM.EpsAttachSucc.VPLMN.E} / (\text{LTEMM_PROCEDURE.MM.EpsAttachSucc.VPLMN.E} + \text{LTEMM_PROCEDURE.MM.EpsAttachFail.VPLMN.Nodal.E}))$
MME - LTE Attach Success Rate VPLMN Network	$100 * (\text{LTEMM_PROCEDURE.MM.EpsAttachSucc.VPLMN.E} / (\text{LTEMM_PROCEDURE.MM.EpsAttachSucc.VPLMN.E} + \text{LTEMM_PROCEDURE.MM.EpsAttachFail.VPLMN.Network.E}))$
MME - LTE PDN Session Activation Success Rate Nodal	$100 * (\text{LTESM_PROCEDURE.}^{\text{'SM.ActDefaultEpsBearerPdnConSucc'}} + \text{LTESM_PROCEDURE.}^{\text{'SM.ActDefaultEpsBearerAttachSucc'}}) / (\text{LTESM_PROCEDURE.}^{\text{'SM.ActDefaultEpsBearerPdnConSucc'}} + \text{LTESM_PROCEDURE.}^{\text{'SM.ActDefaultEpsBearerAttachSucc'}} + \text{LTESM_SESSIONACTFAIL.}^{\text{'InsfRscs_26.ControlPlaneFail'}} + \text{LTESM_SESSIONACTFAIL.}^{\text{'InsfRscs_26.MsgSendFail'}} + \text{LTESM_SESSIONACTFAIL.}^{\text{'ActRejUnspc_31.GrdTimerExpiry'}})$

Table 2-1 Derived Metrics

Metric	KPI Formula
MME - LTE PDN Session Activation Success Rate Network	$100 * (\text{LTESM_PROCEDURE.SM.ActDefaultEpsBearerPdnConSucc} + \text{LTESM_PROCEDURE.SM.ActDefaultEpsBearerAttachSucc}) / (\text{LTESM_PROCEDURE.SM.ActDefaultEpsBearerPdnConSucc} + \text{LTESM_PROCEDURE.SM.ActDefaultEpsBearerAttachSucc} + \text{LTESM_SESSIONACTFAIL.SM.ActDefaultEpsBearerFail.ActRejSgwOrPgw_30} + \text{LTESM_SESSIONACTFAIL.SM.ActDefaultEpsBearerFail.ActRejUnspc_31} + \text{LTESM_SESSIONACTFAIL.SM.ActDefaultEpsBearerFail.SrvTempOutOfOrder_34} + \text{LTESM_SESSIONACTFAIL.SM.ActDefaultEpsBearerFail.NetworkFailure_38} + \text{LTESM_SESSIONACTFAIL.VS.SM.ActDefaultEpsBearerFail.MsgErr} + \text{LTESM_SESSIONACTFAIL.VS.SM.ActDefaultEpsBearerFail.UeTimeout} + \text{LTESM_SESSIONACTFAIL.InsfRscs_26.ErabSetupFail} + \text{LTESM_SESSIONACTFAIL.InsfRscs_26.ControlPlaneFail} + \text{LTESM_SESSIONACTFAIL.InsfRscs_26.MsgSendFail})$
MME - LTE Bearer Activation Success Rate Nodal	$100 * (\text{LTESM_PROCEDURE.SM.ActDedicatedEpsBearerSucc} / (\text{LTESM_PROCEDURE.SM.ActDedicatedEpsBearerSucc} + \text{LTESM_PROCEDURE.SM.ActDedicatedEpsBearerFail.VPLMN.Nodal} + \text{LTESM_PROCEDURE.SM.ActDedicatedEpsBearerFail.HPLMN.Nodal}))$
MME - LTE Bearer Activation Success Rate Network	$100 * (\text{LTESM_PROCEDURE.SM.ActDedicatedEpsBearerSucc} / (\text{LTESM_PROCEDURE.SM.ActDedicatedEpsBearerSucc} + \text{LTESM_PROCEDURE.SM.ActDedicatedEpsBearerFail.VPLMN.Network} + \text{LTESM_PROCEDURE.SM.ActDedicatedEpsBearerFail.HPLMN.Network}))$
MME - TAU Success Rate Nodal	$100 * (\text{LTEMM_PROCEDURE.VS.MM.IntraMmeTauSucc} + \text{LTEMM_TAU.ISYSC.IntraNodeGsmEpsSucc} + \text{LTEMM_TAU.ISYSC.IntraNodeUmtsEpsSucc}) / (\text{LTEMM_PROCEDURE.VS.MM.IntraMmeTauAtt} + \text{LTEMM_TAU.ISYSC.IntraNodeGsmEpsAtt} + \text{LTEMM_TAU.ISYSC.IntraNodeUmtsEpsAtt} - \text{LTEMM_TAU.VS.MM.IntraMmeTauDcnReroute})$
MME - TAU Success Rate Network	$100 * ((\text{LTEMM_PROCEDURE.VS.MM.IntraMmeTauSucc} + \text{LTEMM_TAU.ISYSC.IntraNodeGsmEpsSucc} + \text{LTEMM_TAU.ISYSC.IntraNodeUmtsEpsSucc}) / (\text{LTEMM_PROCEDURE.VS.MM.IntraMmeTauSucc} + \text{LTEMM_TAU.ISYSC.IntraNodeGsmEpsSucc} + \text{LTEMM_TAU.ISYSC.IntraNodeUmtsEpsSucc} + \text{LTEMM_TAUFAIL.VS.MM.IntraMmeTauFail.NetworkFailure_17} + \text{LTEMM_TAUFAIL.VS.MM.IntraMmeTauFail.EsmFailure_19} + \text{LTEMM_TAUFAIL.VS.MM.IntraMmeTauFail.Congestion_22} + \text{LTEMM_TAUFAIL.VS.MM.IntraMmeTauFail.MsgErr} + \text{LTEMM_TAUFAIL.VS.MM.IntraMmeTauFail.Other} + \text{LTEMM_TAUFAIL.VS.MM.TauReqIgn}))$

Table 2-1 Derived Metrics

Metric	KPI Formula
MME - ITAU Success Rate Nodal	$100 * (\text{LTEM_PROCEDURE.VS.MM.InterMmeTauSucc} + \text{LTEM_PROCEDURE.VS.MM.InterSgsnTauSucc}) / (\text{LTEM_PROCEDURE.VS.MM.InterMmeTauAtt} + \text{LTEM_PROCEDURE.VS.MM.InterSgsnTauAtt} - \text{LTEM_ITAU.VS.MM.InterMmeTauDcnReroute} - \text{LTEM_ITAUFAIL.VS.MM.InterMmeTauFail.Congestion_22.AdmissionControl} - \text{LTEM_ITAUFAIL.VS.MM.InterMmeTauFail.UeSignalRate})$
MME - ITAU Success Rate Network	$100 * ((\text{LTEM_ITAU.VS.MM.InterMmeTauInterSgwSucc} + \text{LTEM_ITAU.VS.MM.InterMmeTauIntraSgwSucc}) / (\text{LTEM_ITAU.VS.MM.InterMmeTauInterSgwSucc} + \text{LTEM_ITAU.VS.MM.InterMmeTauIntraSgwSucc} + \text{LTEM_ITAUFAIL.VS.MM.InterMmeTauFail.NetworkFailure_17} - \text{LTEM_ITAUFAIL.VS.MM.InterMmeTauFail.NetworkFailure_17.UeSignalRate} + \text{LTEM_ITAUFAIL.VS.MM.InterMmeTauFail.Congestion_22} - \text{LTEM_ITAUFAIL.VS.MM.InterMmeTauFail.Congestion_22.UeSignalRate} + \text{LTEM_ITAUFAIL.VS.MM.InterMmeTauFail.MsgErr} + \text{LTEM_ITAUFAIL.VS.MM.InterMmeTauFail.Other} + \text{LTEM_ITAUFAIL.VS.MM.ItauReqIgn}))$
MME - Page Success Rate	$100 * (\text{LTEM_PROCEDURE.MM.PagingEpsAtt} - \text{LTEM_PROCEDURE.MM.PagingEpsFail}) / (\text{LTEM_PROCEDURE.MM.PagingEpsAtt})$
SGSN - UMTS Attach Success Rate Network	$100 * (\text{UMTSMM_PROCEDURE.VS.MM.SuccMsAttach.U} / (\text{UMTSMM_PROCEDURE.VS.MM.SuccMsAttach.U} + \text{UMTSMM_PROCEDURE.VS.MM.AttachRej.VPLMN.Network.U} + \text{UMTSMM_PROCEDURE.VS.MM.AttachRej.HPLMN.Network.U} + \text{UMTSMM_PROCEDURE.VS.MM.AttachRej.UPLMN.Network.U}))$
SGSN - UMTS Attach Success Rate HPLMN Nodal	$100 * (\text{UMTSMM_PROCEDURE.VS.MM.SuccMsAttach.HPLMN.U} / (\text{UMTSMM_PROCEDURE.VS.MM.SuccMsAttach.HPLMN.U} + \text{UMTSMM_PROCEDURE.VS.MM.AttachRej.HPLMN.Nodal.U}))$
SGSN - UMTS Attach Success Rate HPLMN Network	$100 * (\text{UMTSMM_PROCEDURE.VS.MM.SuccMsAttach.HPLMN.U} / (\text{UMTSMM_PROCEDURE.VS.MM.SuccMsAttach.HPLMN.U} + \text{UMTSMM_PROCEDURE.VS.MM.AttachRej.HPLMN.Network.U}))$
SGSN - UMTS Attach Success Rate VPLMN Nodal	$100 * (\text{UMTSMM_PROCEDURE.VS.MM.SuccMsAttach.VPLMN.U} / (\text{UMTSMM_PROCEDURE.VS.MM.SuccMsAttach.VPLMN.U} + \text{UMTSMM_PROCEDURE.VS.MM.AttachRej.VPLMN.Nodal.U}))$
SGSN - UMTS Attach Success Rate VPLMN Network	$100 * (\text{UMTSMM_PROCEDURE.VS.MM.SuccMsAttach.VPLMN.U} / (\text{UMTSMM_PROCEDURE.VS.MM.SuccMsAttach.VPLMN.U} + \text{UMTSMM_PROCEDURE.VS.MM.AttachRej.VPLMN.Network.U}))$
SGSN - UMTS Activation Success Rate Network	$100 * (\text{UMTSSM_PROCEDURE.SM.SuccActPdpContext.U} / (\text{UMTSSM_PROCEDURE.SM.SuccActPdpContext.U} + \text{UMTSSM_PROCEDURE.SM.FailActPdpContext.VPLMN.Network.U} + \text{UMTSSM_PROCEDURE.SM.FailActPdpContext.HPLMN.Network.U}))$

Table 2-1 Derived Metrics

Metric	KPI Formula
SGSN - UMTS Activation Success Rate HPLMN Nodal	$100 * (\text{UMTSSM_PROCEDURE.SM.SuccActPdpContext.HPLMN.U} / (\text{UMTSSM_PROCEDURE.SM.SuccActPdpContext.HPLMN.U} + \text{UMTSSM_PROCEDURE.SM.FailActPdpContext.HPLMN.nodal.U}))$
SGSN - UMTS Activation Success Rate HPLMN Network	$100 * (\text{UMTSSM_PROCEDURE.SM.SuccActPdpContext.HPLMN.U} / (\text{UMTSSM_PROCEDURE.SM.SuccActPdpContext.HPLMN.U} + \text{UMTSSM_PROCEDURE.SM.FailActPdpContext.HPLMN.network.U}))$
SGSN - UMTS Activation Success Rate VPLMN Nodal	$100 * (\text{UMTSSM_PROCEDURE.SM.SuccActPdpContext.VPLMN.U} / (\text{UMTSSM_PROCEDURE.SM.SuccActPdpContext.VPLMN.U} + \text{UMTSSM_PROCEDURE.SM.FailActPdpContext.VPLMN.nodal.U}))$
SGSN - UMTS Activation Success Rate VPLMN Network	$100 * (\text{UMTSSM_PROCEDURE.SM.SuccActPdpContext.VPLMN.U} / (\text{UMTSSM_PROCEDURE.SM.SuccActPdpContext.VPLMN.U} + \text{UMTSSM_PROCEDURE.SM.FailActPdpContext.VPLMN.network.U}))$
MME - LTE First Page Success Rate per Profile	$100 * (1 - (\text{LTEMM_PAGINGPROFILE.MM.PagingEpsFirstRetryAtt} / \text{LTEMM_PAGINGPROFILE.MM.PagingEpsAtt}))$
MME - LTE Service Request Success Rate	$100 * (\text{LTEMM_PROCEDURE.MM.ServiceRequestSucc} / \text{LTEMM_PROCEDURE.MM.ServiceRequestAtt})$
SSF KPIs:	
SSF - DNS External Query Success Rate	$100 * (\text{SSF_DNS_DNS.external-query-success} / \text{SSF_DNS_DNS.external-query-attempt})$
SSF - DNS Internal Cache Hit Rate	$100 * ((\text{SSF_DNS_DNS.dynamic-cache-success} + \text{SSF_DNS_DNS.static-cache-success}) / \text{SSF_DNS_DNS.total-query-attempt})$
SSF - GTP CSR Success Rate	$100 * ((\text{SSF_GTP_3GPP_TUNNEL.gtpv1-create-pdp-context-response-rx} + \text{SSF_GTP_3GPP_TUNNEL.gtpv2-create-session-response-rx} - \text{SSF_GTP_3GPP_TUNNEL.gtpv1-create-pdp-context-response-gw-failure-rx} - \text{SSF_GTP_3GPP_TUNNEL.gtpv2-create-session-response-gw-failure-rx}) / (\text{SSF_GTP_3GPP_TUNNEL.gtpv1-create-pdp-context-request-tx} + \text{SSF_GTP_3GPP_TUNNEL.gtpv2-create-session-request-tx}))$
SSF - GTP Transactions Per Second	$(\text{SSF_GTP_3GPP_TUNNEL.gtpv1-create-pdp-context-request-tx} + \text{SSF_GTP_3GPP_TUNNEL.gtpv2-create-session-request-tx}) / (\text{collection-interval-seconds}=300)$
SSF - LDAP Search Success Rate	$100 * (\text{SSF_LDAP_MSG.search-success} / (\text{SSF_LDAP_MSG.search-success} + \text{SSF_LDAP_MSG.search-fail-timeout} + \text{SSF_LDAP_MSG.search-fail-discard} + \text{SSF_LDAP_MSG.search-fail-other}))$
SSF - LDAP TPS	$\text{SSF_LDAP_MSG.search-result} / (\text{collection-interval-seconds}=300)$
SSF - Packets Per Second	$\text{SSF_PLATFORM_NETWORK.outgoing-packets} / (\text{collection-interval-seconds}=300)$
SSF - REST Query Success Rate	$100 * ((\text{SSF_REST_MSG.http-response} - \text{SSF_REST_MSG.http-failure}) / (\text{SSF_REST_MSG.http-response} + \text{SSF_REST_MSG.http-request-discard}))$

Table 2-1 Derived Metrics

Metric	KPI Formula
SSF - EST TPS	SSF_REST_MSG.http-response / Interval
GTP V1 Left Side CSR Network Success Rate	$100 * (SSF_GTP_3GPP_V1_LEFT.create-pdpc-response-tx - SSF_GTP_3GPP_V1_LEFT.create-pdpc-response-tx.resent - SSF_GTP_3GPP_V1_LEFT.create-pdpc-response-tx.reject.ssf - SSF_GTP_3GPP_V1_LEFT.create-pdpc-response-tx.reject.ggsn) / (SSF_GTP_3GPP_V1_LEFT.create-pdpc-request-rx - SSF_GTP_3GPP_V1_LEFT.create-pdpc-request-rx.resent - SSF_GTP_3GPP_V1_LEFT.create-pdpc-request-rx.passthru)$
GTP V1 Left Side CSR Nodal Success Rate	$100 * (SSF_GTP_3GPP_V1_LEFT.create-pdpc-response-tx - SSF_GTP_3GPP_V1_LEFT.create-pdpc-response-tx.resent - SSF_GTP_3GPP_V1_LEFT.create-pdpc-response-tx.reject.ssf + SSF_GTP_3GPP_V1_LEFT.create-pdpc-response-tx.reject.ssf.procedure-timeout) / (SSF_GTP_3GPP_V1_LEFT.create-pdpc-request-rx - SSF_GTP_3GPP_V1_LEFT.create-pdpc-request-rx.resent - SSF_GTP_3GPP_V1_LEFT.create-pdpc-request-rx.passthru)$
GTP V1 Right Side CSR Network Success Rate	$100 * (SSF_GTP_3GPP_V1_RIGHT.create-pdpc-response-rx - SSF_GTP_3GPP_V1_RIGHT.create-pdpc-response-rx.resent - SSF_GTP_3GPP_V1_RIGHT.create-pdpc-response-rx.ignored - SSF_GTP_3GPP_V1_RIGHT.create-pdpc-response-rx.reject) / (SSF_GTP_3GPP_V1_RIGHT.create-pdpc-request-tx - SSF_GTP_3GPP_V1_RIGHT.create-pdpc-request-tx.resent - SSF_GTP_3GPP_V1_RIGHT.create-pdpc-request-tx.reselect.resent - SSF_GTP_3GPP_V1_RIGHT.create-pdpc-request-tx.passthru)$
GTP V2 Left Side CSR Network Success Rate	$100 * (SSF_GTP_3GPP_V2_LEFT.create-session-response-tx - SSF_GTP_3GPP_V2_LEFT.create-session-response-tx.resent - SSF_GTP_3GPP_V2_LEFT.create-session-response-tx.reject.ssf - SSF_GTP_3GPP_V2_LEFT.create-session-response-tx.reject.gw) / (SSF_GTP_3GPP_V2_LEFT.create-session-request-rx - SSF_GTP_3GPP_V2_LEFT.create-session-request-rx.resent - SSF_GTP_3GPP_V2_LEFT.create-session-request-rx.passthru)$
GTP V2 Left Side CSR Nodal Success Rate	$100 * (SSF_GTP_3GPP_V2_LEFT.create-session-response-tx - SSF_GTP_3GPP_V2_LEFT.create-session-response-tx.resent - SSF_GTP_3GPP_V2_LEFT.create-session-response-tx.reject.ssf + SSF_GTP_3GPP_V2_LEFT.create-session-response-tx.reject.ssf.procedure-timeout) / (SSF_GTP_3GPP_V2_LEFT.create-session-request-rx - SSF_GTP_3GPP_V2_LEFT.create-session-request-rx.resent - SSF_GTP_3GPP_V2_LEFT.create-session-request-rx.passthru)$
GTP V2 Right Side CSR Network Success Rate	$100 * (SSF_GTP_3GPP_V2_RIGHT.create-session-response-rx - SSF_GTP_3GPP_V2_RIGHT.create-session-response-rx.resent - SSF_GTP_3GPP_V2_RIGHT.create-session-response-rx.ignored - SSF_GTP_3GPP_V2_RIGHT.create-session-response-rx.reject) / (SSF_GTP_3GPP_V2_RIGHT.create-session-request-tx - SSF_GTP_3GPP_V2_RIGHT.create-session-request-tx.resent - SSF_GTP_3GPP_V2_RIGHT.create-session-request-tx.reselect.resent - SSF_GTP_3GPP_V2_RIGHT.create-session-request-tx.passthru)$
DIAMETER Transactions Per Second	SSF_DIAMETER_MSG.get-gateway-answer / SSF_DIAMETER_MSG.seconds-per-interval

Table 2-1 Derived Metrics

Metric	KPI Formula
DIAMETER Query Success Rate	$100 * (\text{SSF_DIAMETER_MSG.get-gateway-answer.success} / \text{SSF_DIAMETER_MSG.get-gateway-request})$
GTP Proxy KPIs:	
GTP Proxy - Current 2G/3G Gn/Gp Sessions	$\text{GTPPROXYCALLPERFSTATSGRID.NumCurrentSessionsGnGeran} + \text{GTPPROXYCALLPERFSTATSGRID.NumCurrentSessionsGnUtran}$
GTP Proxy – Active Current Sessions Percentage	$\text{GTPPROXYCALLPERFSTATSGRID.NumActiveCurrentSessions} / (\text{GTPPROXYCALLPERFSTATSGRID.NumActiveCurrentSessions} + \text{GTPPROXYCALLPERFSTATSGRID.NumIdleCurrentSessions})$
GTP Proxy – CDR Success Rate	$(\text{GTPPROXYCALLPERFSTATSGRID.NumGtpCdrRespSuccess} / \text{GTPPROXYCALLPERFSTATSGRID.NumGtpCdrSent}) * 100$
GTP Proxy - Create PDP Context Accepts per Second	$\text{GTPPROXYCALLPERFSTATSGRID.NumCreatePdpAccept} / \text{Interval}$
GTP Proxy - Create PDP Context Local Failure Rate	$(\text{GTPPROXYCALLPERFSTATSGRID.NumCreatePdpRejectRsrc Unavailable} + \text{GTPPROXYCALLPERFSTATSGRID.NumCreatePdp RejectSystemFailure}) / \text{GTPPROXYCALLPERFSTATSGRID.NumCreatePdpAttempt} * 100$
GTP Proxy - Create PDP Context Rejects per Second	$\text{GTPPROXYCALLPERFSTATSGRID.NumCreatePdpReject} / \text{Interval}$
GTP Proxy - Create PDP Context Success Rate	$(\text{GTPPROXYCALLPERFSTATSGRID.NumCreatePdpAccept} / \text{GTPPROXYCALLPERFSTATSGRID.NumCreatePdpAttempt}) * 100$
GTP Proxy - Current 2G/3G S5/S8 Sessions	$\text{GTPPROXYCALLPERFSTATSGRID.NumCurrentSessionsS5S8Geran} + \text{GTPPROXYCALLPERFSTATSGRID.NumCurrentSessionsS5S8Utran}$
GTP Proxy - Current 2G/3G Sessions	$\text{GTPPROXYCALLPERFSTATSGRID.NumCurrentSessionsS5S8Geran} + \text{GTPPROXYCALLPERFSTATSGRID.NumCurrentSessionsS5S8Utran} + \text{GTPPROXYCALLPERFSTATSGRID.NumCurrentSessionsGnGeran} + \text{GTPPROXYCALLPERFSTATSGRID.NumCurrentSessionsGnUtran}$
GTP Proxy - Current Co-located 2G/3G S5/S8 Sessions	$\text{GTPPROXYCALLPERFSTATSGRID.NumSaegwCurrentSessionsS5S8 Geran} + \text{GTPPROXYCALLPERFSTATSGRID.NumSaegwCurrentSessionsS5S8 Utran}$
GTP Proxy - Current Standalone 2G/3G S5/S8 Sessions	$\text{GTPPROXYCALLPERFSTATSGRID.NumCurrentSessionsS5S8Geran} + \text{GTPPROXYCALLPERFSTATSGRID.NumCurrentSessionsS5S8Utran} - \text{GTPPROXYCALLPERFSTATSGRID.NumSaegwCurrentSessionsS5S8 Geran} - \text{GTPPROXYCALLPERFSTATSGRID.NumSaegwCurrentSessionsS5S8 Utran}$

Table 2-1 Derived Metrics

Metric	KPI Formula
GTP Proxy - Current Standalone 2G/3G Sessions	$\begin{aligned} & \text{GTPPROXYCALLPERFSTATSGRID.NumCurrentSessionsS5S8Geran} + \\ & \text{GTPPROXYCALLPERFSTATSGRID.NumCurrentSessionsS5S8Utran} + \\ & \text{GTPPROXYCALLPERFSTATSGRID.NumCurrentSessionsGnGeran} + \\ & \text{GTPPROXYCALLPERFSTATSGRID.NumCurrentSessionsGnUtran} - \\ & \text{GTPPROXYCALLPERFSTATSGRID.NumSaegwCurrentSessionsS5S8} \\ & \text{Geran} - \\ & \text{GTPPROXYCALLPERFSTATSGRID.NumSaegwCurrentSessionsS5S8} \\ & \text{Utran} \end{aligned}$
GTP Proxy - Current Standalone 4G Sessions	$\begin{aligned} & \text{GTPPROXYCALLPERFSTATSGRID.NumRatTypeEUtranSessions} - \\ & \text{GTPPROXYCALLPERFSTATSGRID.NumSaegwRatTypeEUtranSessions} \end{aligned}$
GTP Proxy - Current Standalone Sessions	$\begin{aligned} & \text{GTPPROXYCALLPERFSTATSGRID.NumCurrentSessions} - \\ & \text{GTPPROXYCALLPERFSTATSGRID.NumSaegwCurrentSessions} \end{aligned}$
GTP Proxy - Delete PDP Context Accepts per Second	$\text{GTPPROXYCALLPERFSTATSGRID.NumDeletePdpAccept} / \text{Interval}$
GTP Proxy - Delete PDP Context Rejects per Second	$\text{GTPPROXYCALLPERFSTATSGRID.NumDeletePdpReject} / \text{Interval}$
GTP Proxy – Downlink Packet Rate (pps)	$\text{GTPPROXYCALLPERFSTATSGRID.NumDownlinkPackets} / \text{Interval}$
GTP Proxy – Downlink Throughput (Mbps) †	$\text{GTPPROXYCALLPERFSTATSGRID.NumDownlinkBytes} * 8 / \text{Interval} / 1000000$
GTP Proxy - EPS Attach Success Rate	$\begin{aligned} & (\text{GTPPROXYPROCEDUREGRID.NumCreateSessionSuccess}) / \\ & (\text{GTPPROXYPROCEDUREGRID.NumCreateSessionFail} + \\ & \text{GTPPROXYPROCEDUREGRID.NumCreateSessionSuccess}) * 100 \end{aligned}$
GTP Proxy - EPS Bearer Activation Success Rate	$\begin{aligned} & \text{GTPPROXYCALLPERFSTATSGRID.NumCreateSessionAccept} / \\ & \text{GTPPROXYCALLPERFSTATSGRID.NumCreateSessionAttempt} * 100 \end{aligned}$
GTP Proxy - Gn/Gp to LTE Handover Success Rate	$\begin{aligned} & \text{GTPPROXYPROCEDUREGRID.NumGnGpToLteHandoverSuccess} / \\ & (\text{GTPPROXYPROCEDUREGRID.NumGnGpToLteHandoverSuccess} + \\ & \text{GTPPROXYPROCEDUREGRID.NumGnGpToLteHandoverFail}) * 100 \end{aligned}$
GTP Proxy - Idle Session Duration Exceeded Closes per Second	$\text{GTPPROXYCALLPERFSTATSGRID.NumIdleDurationExceededCloses} / \text{Interval}$
GTP Proxy - Inter-SGSN Handover Success Rate	$\begin{aligned} & \text{GTPPROXYPROCEDUREGRID.NumInterSgsnHandoverSuccess} / \\ & (\text{GTPPROXYPROCEDUREGRID.NumInterSgsnHandoverSuccess} + \\ & \text{GTPPROXYPROCEDUREGRID.NumInterSgsnHandoverFail}) * 100 \end{aligned}$
GTP Proxy - Inter-SGW Handover Success Rate	$\begin{aligned} & \text{GTPPROXYPROCEDUREGRID.NumInterSgwHandoverSuccess} / \\ & (\text{GTPPROXYPROCEDUREGRID.NumInterSgwHandoverSuccess} + \\ & \text{GTPPROXYPROCEDUREGRID.NumInterSgwHandoverFail}) * 100 \end{aligned}$
GTP Proxy - LTE to Gn/Gp Handover Success Rate	$\begin{aligned} & \text{GTPPROXYPROCEDUREGRID.NumInterLteToGnGpSuccess} / \\ & (\text{GTPPROXYPROCEDUREGRID.NumInterLteToGnGpSuccess} + \\ & \text{GTPPROXYPROCEDUREGRID.NumInterLteToGnGpFail}) * 100 \end{aligned}$

Table 2-1 Derived Metrics

Metric	KPI Formula
GTP Proxy - Network Initiated Dedicated Bearer Creation Success Rate	$\frac{(\text{GTPPROXYCALLPERFSTATSGRID.NumPGWInitDedBearerActAccept} / \text{GTPPROXYCALLPERFSTATSGRID.NumPGWInitDedBearerActAttempt})}{* 100}$
GTP Proxy - Received Delete PDP Context Success Rate	$\frac{(\text{GTPPROXYCALLPERFSTATSGRID.NumDeletePdpAccept} + \text{GTPPROXYCALLPERFSTATSGRID.NumUEInitSecPdpDeactAccept})}{(\text{GTPPROXYCALLPERFSTATSGRID.NumDeletePdpAttempt} + \text{GTPPROXYCALLPERFSTATSGRID.NumUEInitSecPdpDeactAttempt})} * 100$
GTP Proxy - Transmitted Delete PDP Context Success Rate	$\frac{(\text{GTPPROXYCALLPERFSTATSGRID.NumGGSNInitSecPdpDeactAccept} + \text{GTPPROXYCALLPERFSTATSGRID.NumLocalCloseAttemptsAccepted})}{(\text{GTPPROXYCALLPERFSTATSGRID.NumGGSNInitSecPdpDeactAttempt} + \text{GTPPROXYCALLPERFSTATSGRID.NumLocalCloseAttempts})} * 100$
GTP Proxy - UE Initiated Dedicated Bearer Creation Success Rate	$\frac{(\text{GTPPROXYCALLPERFSTATSGRID.NumUEInitDedBearerActAccept} / \text{GTPPROXYCALLPERFSTATSGRID.NumUEInitDedBearerActAttempt})}{* 100}$
GTP Proxy - UMTS PDP Context Activation Success Rate	$\frac{(\text{GTPPROXYCALLPERFSTATSGRID.NumCreatePdpAccept} + \text{GTPPROXYCALLPERFSTATSGRID.NumUEInitSecPdpActAccept} + \text{GTPPROXYCALLPERFSTATSGRID.NumGGSNInitSecPdpActAccept})}{(\text{GTPPROXYCALLPERFSTATSGRID.NumCreatePdpAttempt} + \text{GTPPROXYCALLPERFSTATSGRID.NumUEInitSecPdpActAttempt} + \text{GTPPROXYCALLPERFSTATSGRID.NumGGSNInitSecPdpActAttempt})} * 100$
GTP Proxy - Update PDP Context Success Rate	$\frac{(\text{GTPPROXYCALLPERFSTATSGRID.NumSGSNInitUpdatePdpAccept} + \text{GTPPROXYCALLPERFSTATSGRID.NumGGSNInitUpdatePdpAccept})}{(\text{GTPPROXYCALLPERFSTATSGRID.NumSGSNInitUpdatePdpAttempt} + \text{GTPPROXYCALLPERFSTATSGRID.NumGGSNInitUpdatePdpAttempt})} * 100$
GTP Proxy – Uplink Packet Rate (pps)	$\text{GTPPROXYCALLPERFSTATSGRID.NumUplinkPackets} / \text{Interval}$
GTP Proxy – Uplink Throughput (Mbps) †	$\text{GTPPROXYCALLPERFSTATSGRID.NumUplinkBytes} * 8 / \text{Interval} / 1000000$
GTP Proxy - S5 Deactivation Failure Ratio < 0.5 %	$(1 - (\text{GTPPROXYCALLPERFSTATSGRID.NumPGWInitDedBearerDeactAccept} / \text{GTPPROXYCALLPERFSTATSGRID.NumPGWInitDedBearerDeactAttempt})) * 100$
GTP Proxy - S5 Modify Bearer Failure Ratio < 0.5 %	$(1 - (\text{GTPPROXYCALLPERFSTATSGRID.NumModifyBearerAccept} + \text{GTPPROXYCALLPERFSTATSGRID.NumUpdateBearerAccept}) / (\text{GTPPROXYCALLPERFSTATSGRID.NumModifyBearerAttempt} + \text{GTPPROXYCALLPERFSTATSGRID.NumUpdateBearerAttempt})) * 100$
GTP Proxy - Update Bearer Failure Ratio < 0.5 %	$(1 - (\text{GTPPROXYCALLPERFSTATSGRID.NumUpdateBearerAccept} / \text{GTPPROXYCALLPERFSTATSGRID.NumUpdateBearerAttempt})) * 100$

Table 2-1 Derived Metrics

Metric	KPI Formula
UDP Proxy KPIs:	
UDP-Proxy - Transaction Rate	$\text{delta}(\text{UDPPROXYSTATSSUMMARYCHASSIS.num_udp_proxy_summary_attempts}) / \text{delta}(\text{time})$
UDP-Proxy - Transaction Success Percentage	$\frac{\text{UDPPROXYSTATSSUMMARYCHASSIS.num_udp_proxy_summary_successes}}{(\text{UDPPROXYSTATSSUMMARYCHASSIS.num_udp_proxy_summary_successes} + \text{UDPPROXYSTATSSUMMARYCHASSIS.num_udp_proxy_summary_aborts} + \text{UDPPROXYSTATSSUMMARYCHASSIS.num_udp_proxy_summary_failures})} * 100$
UDP-Proxy - Upstream Throughput	$\frac{\text{delta}(\text{UDPPROXYSTATSCONNECTIONCHASSIS.num_udp_proxy_client_connections_bytes_received}) * 8}{1,000,000} / \text{delta}(\text{time})$
UDP-Proxy - Downstream Throughput	$\frac{\text{delta}(\text{UDPPROXYSTATSCONNECTIONCHASSIS.num_udp_proxy_server_connections_bytes_received}) * 8}{1,000,000} / \text{delta}(\text{time})$
UDP-Proxy - QUIC Transaction Rate	$\text{delta}(\text{UDPPROXYSTATSQUICCHASSIS.num_udp_proxy_quic_connections}) / \text{delta}(\text{time})$
UDP-Proxy - QUIC Upstream Throughput †	$\frac{\text{delta}(\text{UDPPROXYSTATSQUICCHASSIS.num_udp_proxy_quic_bytes_upstream}) * 8}{1,000,000} / \text{delta}(\text{time})$
UDP-Proxy - QUIC Downstream Throughput †	$\frac{\text{delta}(\text{UDPPROXYSTATSQUICCHASSIS.num_udp_proxy_quic_bytes_downstream}) * 8}{1,000,000} / \text{delta}(\text{time})$
† denotes a metric that supports changing the data unit in the dashboard graph.	

Raw Metrics

Table 2-2 Raw Metrics

Metric	Statistic
ABRRATELIMITINGVIDEOSEGMENTSTATSCHASSIS KPIs:	
HTTP-Proxy - ABR Video Rate Limiting Segments	Video Segment - Total
ABRRATELIMITINGVIDEOSESSIONSTATSCHASSIS KPIs:	
HTTP-Proxy - ABR Video Rate Limiting Sessions	Video Session - Total
APNCALLPERFSTATSGRIP KPIs:	
APN - Authentication Requests Timed out	NumSprAuthReqTimeout
CONTENTFILTERSTATSGRID KPIs:	
Content Filter – Requests Allowed	Num Request Allowed
Content Filter – Requests Blocked	Num Request Blocked
Content Filter – Requests Redirected	Num Request Redirected
Content Filter – Requests Terminated	Num Request Terminated
CONTENTHTTPPROXYCONNECTIONSTATSGRID KPIs:	
HTTP Proxy – Client Connections	Num Current Client Connections
CONTENTHTTPPROXYPREPTDNSSTATSGRID KPIs:	
HTTP Proxy – Preemptive-DNS URLs Updated	Num Preempt Dns Rsp Urlrw Total
CONTENTHTTPPROXYSUMMARYSTATSCHASSIS KPIs:	
HTTP Proxy – Request Latency Average	Latency Request Avg
HTTP Proxy – Response Latency Average	Latency Response Avg
HTTP Proxy – Transaction Latency Average	Latency Avg
HTTP Proxy – Average Service Time	Client HTTP Service Time Avg
CONTENTVAONLINETRANSCODINGSUMMARYSTATSCHASSIS KPIs:	
Online Transcoding - Current	Total number of Online Transcoding current
EMSGWAPNQCIPSTATS KPIs:	
Interval Peak Bearers	IntervalPeakBearers
Number of Current Bearers	NumCurrentBearers
Number of Downlink Drop Bytes	NumDownlinkDropBytes

Table 2-2 Raw Metrics

Metric	Statistic
Number of Downlink Drop Packets	NumDownlinkDropPackets
Number of Downlink Error Loss Packets	NumDownlinkErrorLossPackets
Number of Uplink Drop Bytes	NumDownlinkDropBytes
Number of Uplink Drop Packest	NumUplinkDropPackets
Number of Uplink Error Loss Packets	NumUplinkErrorLossPackets
QCI/ARP APN - Average Number of Rules	NumCurrentRules
QCI/ARP APN - Max Number of Rules	IntervalPeakRules
EMSGWQCIARPSTATS KPIs:	
Interval Peak Bearers	IntervalPeakBearers
Number of Current Bearers	NumCurrentBearers
Number of Downlink Drop Bytes	NumDownlinkDropBytes
Number of Downlink Drop Packets	NumDownlinkDropPackets
Number of Downlink Error Loss Packets	NumDownlinkErrorLossPackets
Number of Uplink Drop Bytes	NumDownlinkDropBytes
Number of Uplink Drop Packets	NumUplinkDropPackets
Number of Uplink Error Loss Packets	NumUplinkErrorLossPackets
QCI/ARP - Average Number of Rules	NumCurrentRules
QCI/ARP - Max Number of Rules	IntervalPeakRules
GGSNCALLPERFSTATSGRID KPIs:	
Peak Session Count	Interval Peak Current Sessions
HTTPPROXYOPTIMIZATIONSavings KPIs:	
ABR Rate Limiting – Total Bytes Saved	abr_rate_limiting_total_bytes_saved
ABR Rate Limiting – HLS Bytes Saved	hls-bytes-saved
ABR Rate Limiting – DASH Bytes Saved	dash-bytes-saved
ABR Rate Limiting – HDS Bytes Saved	hds-bytes-save
Minify – CSS Bytes Saved	Minify - CSS Bytes Saved
Minify – HTML Bytes Saved	Minify - HTML Bytes Saved
Minify – JavaScript Bytes Saved	Minify - Javascript Bytes Saved

Table 2-2 Raw Metrics

Metric	Statistic
Offline Video Transcoding – FLV Bytes Saved	Offline Video Transcoding - FLV Bytes Saved
Offline Video Transcoding – MP4 Bytes Saved	Offline Video Transcoding - MP4 Bytes Saved
Offline Video Transcoding – WEBM Bytes Saved	Offline Video Transcoding - WEBM Bytes Saved
Online Video Transcoding – FLV Bytes Saved	Online Video Transcoding - FLV Bytes Saved
Online Video Transcoding – MP4 Bytes Saved	Online Video Transcoding - MP4 Bytes Saved
Online Video Transcoding – WEBM Bytes Saved	Online Video Transcoding - WEBM Bytes Saved
TCP-Splicing Rate-Limiting Bytes Saved	tcp_rl_bytes_saved
Video Pacing – FLV Bytes Saved	Video Pacing - FLV Bytes Saved
Video Pacing – MP4 Bytes Saved	Video Pacing - MP4 Bytes Saved
Video Pacing – Total Bytes Saved	Video Pacing - Total Bytes Saved
Video Pacing – WEBM Bytes Saved	Video Pacing - WEBM Bytes Saved
Web Image Optimization – GIF Bytes Saved	Web Image Optimization - GIF Bytes Saved
Web Image Optimization – JPEG Bytes Saved	Web Image Optimization - JPEG Bytes Saved
Web Image Optimization – PNG Bytes Saved	Web Image Optimization - PNG Bytes Saved
UDP Proxy - QUIC Video Rate Limiting Bytes Saved	quic_rl_bytes_saved
LTE_MM_GENERAL KPIs:	
Attached subscribers with no PDN	MM.RegisteredActNoPdnSubNbr
Attached subscribers registered for SMS	MM.RegisteredActSmsSubNbr
LTE - Total Simultaneous Attached Subscribers (SAU)	MM.RegisteredSubNbrMax
LTESM_GENERAL KPIs:	
LTE - Peak Number of Active Dedicated Bearers	SM.MaxNbrActDedicatedBearer
LTE - Peak Number of Active Default Bearers	SM.MaxNbrActDefaultEpsBearer
CpCiot IP Bearers	SM.NbrActDefaultCpCiotIpBearer
CpCiot Non-IP Bearers	SM.NbrActDefaultCpCiotNonIpBearer
MME KPIs:	
UMTS - Attached Subscribers	umtsMm.general.MM.MaxNbrAttachedSub.U
UMTS - PDP Contexts	umtsSm.general.VS.SM.MaxNbrPdpContexts.U
GPRS - Attached Subscribers	gprsMm.general.MM.MaxNbrAttachedSub.G

Table 2-2 Raw Metrics

Metric	Statistic
GPRS - PDP Contexts	gprsSm.general.VS.SM.MaxNbrPdpContexts.G
NODAL_S1 KPIs:	
NB-IoT capable eNB connected	S1.CurrentNbrNbIoTCapableEnb
LTE - Total eNodeB Connected	S1.PeakNbrEnb
PLATFORM_RESOURCE KPIs:	
VM - Busiest CPU Usage	CpuUtilization.BusiestCore
VM - Memory Usage	MemoryUtilization
PGWCALLPERFSTATSGRID KPIs:	
PGW – Interval Peak Active Current Sessions	Interval Peak Active Current Sessions
Peak Session Count	Interval Peak Current Sessions
PGW – Current Sessions	NumCurrentSessions
PGW – Current 4GSessions	NumRatTypeEUTRANSessions
PGW – Current Co-located Sessions	NumSaegwCurrentSessions
PGW – Current Co-located 4G Sessions	NumSaegwRatTypeEUTRANSessions
RADIUSPROCEDURESTATSPEER KPIs:	
Radius - Authentication Requests Timed out	numAccessReqTimeout
Radius - Number of Account Request Starts Transmitted	numAccountRequestStartTx
Radius - Number of Account Request Interim Updates Transmitted	numAccountRequestInterimUpdateTx
S1_MSG KPIs:	
NAS Transport Uplink Message Count at S1	S1.IncUINASTransport
NAS Transport Downlink Message Count at S1	S1.OutDINASTransport
SGWCALLPERFSTATSGRID KPIs:	
Peak Session Count	IntervalPeakCurrentSessions
SGW – Current Sessions	NumPdnConnections
SGW – Current 4GSessions	NumPdnConnectionsEUTRAN
SGW – Current Co-located Sessions	NumSaegwPdnConnections
SGW – Current Co-located 4G Sessions	NumSaegwPdnConnectionsEUTRAN

Table 2-2 Raw Metrics

Metric	Statistic
SLOT_STATS KPIs:	
System - CPU Utilization	CPU Utilization (%), by individual CPU
System - Memory Utilization	Memory Utilization (MB), by individual CPU
SSF KPIs:	
SSF - DNS total-query-attempt	SSF_DNS_DNS.total-query-attempt
SSF - RESOURCE cpu-utilization-busiest-core	SSF_PLATFORM_RESOURCE.cpu-utilization-busiest-core
SSF - RESOURCE memory-utilization	SSF_PLATFORM_RESOURCE.memory-utilization
SSF - FILESYSTEM utilization	SSF_PLATFORM_FILESYSTEM.utilization
SYSTEMCPUSTATISTICS:	
Average 1 min CSM CPU Utilization	csm_avg_1_min_cpu_util
Average 5 min CSM CPU Utilization	csm_avg_5_min_cpu_util
Average 15 min CSM CPU Utilization	csm_avg_15_min_cpu_util
Average 1 min SSM CPU Utilization	ssm_avg_1_min_cpu_util
Average 5 min SSM CPU Utilization	ssm_avg_5_min_cpu_util
Average 15 min SSM CPU Utilization	ssm_avg_15_min_cpu_util
Average 1 min MCM CPU Utilization	mcm_avg_1_min_cpu_util
Average 5 min MCM CPU Utilization	mcm_avg_5_min_cpu_util
Average 15 min MCM CPU Utilization	mcm_avg_15_min_cpu_util
SYSTEMMEMORYSTATISTICS:	
Average 1 min CSM Memory Utilization	csm_avg_1_min_memory_util
Average 5 min CSM Memory Utilization	csm_avg_5_min_memory_util
Average 15 min CSM Memory Utilization	csm_avg_15_min_memory_util
Average 1 min SSM Memory Utilization	ssm_avg_1_min_memory_util
Average 5 min SSM Memory Utilization	ssm_avg_5_min_memory_util
Average 15 min SSM Memory Utilization	ssm_avg_15_min_memory_util
Average 1 min MCM Memory Utilization	mcm_avg_1_min_memory_util
Average 5 min MCM Memory Utilization	mcm_avg_5_min_memory_util

Table 2-2 Raw Metrics

Metric	Statistic
Average 15 min MCM Memory Utilization	mcm_avg_15_min_memory_util
TCPMEASUREMENTSSERVERSIDESTATSchassis KPIs:	
TCP Server Side Measurement - Average Round Trip Time	avg_rtt
TCP Server Side Measurement - Number of Downstream Packets Retransmitted	num_retrans_in
TCP Server Side Measurement - Number of Downstream Packets Out of Order	num_ooo_in
TCPMEASUREMENTSSUMMARYSTATSchassis KPIs:	
TCP Client-side Measurement - Average Available Downstream Connection Throughput (Kbps) †	avg_throughput_dl
TCP Client-side Measurement - Average Downstream CWND (Congestion Window)	avg_cwnd_dl
TCP Client-side Measurement - Average Downstream MSS (Max Segment)	avg_mss_dl
TCP Client-side Measurement - Average Round Trip Time	avg_rtt
TCP Client-side Measurement - Downstream Segments Retransmitted	num_total_segments_retrans_dl
TCPSPlicingSTATSConnectionChassis KPIs:	
TCP-Splicing - Transaction Latency Average	tcp_service_duration_avg
TCP-Splicing - Client Connections	num_total_client_connections
TCP-Splicing - Transaction Failure	num_total_connection_failures
TCP-Splicing Client Connections	num_tcp_splicing_client_connections_total
TCPSPlicingRATELimitingSTATSchassis KPIs:	
TCP-Splicing - Rate-Limited Bytes	Total number of rate limiting bytes
TCP-Splicing - Rate-Limiting Disabled	Total number of rate limiting disabled
TCP-Splicing - Rate-Limiting Opted Out	Total number of rate limiting summary opted out by subscriber
TCP-Splicing - Rate-Limited Connections	Rate Limiting Summary - Successes
TCPSPlicingSTATSSummaryChassis KPIs:	
TCP-Splicing Transaction Duration Average	num_tcp_service_duration_avg

Table 2-2 Raw Metrics

Metric	Statistic
UDPPROXYRATELIMITINGSTATSCHASSIS KPIs:	
UDP-Proxy - QUIC Rate Limited Connections	num_udp_proxy_rate_limiting_bytes
UDP-Proxy - QUIC Rate Limited Bytes	num_udp_proxy_rate_limiting_summary_successes
WAGAPNCALLPERFSTATSGRID KPIs:	
WAG APN - Current Number of Sessions in Captive(walled - garden) State	NumCaptiveCurrentSessions
WAG APN - Current Number of Sessions in Authenticated State	NumOpenCurrentSessions
WAGCALLPERFSTATSGRID KPIs:	
WAG - Current Number of Sessions in Captive(walled - garden) State	NumCaptiveCurrentSessions
WAG - Current Number of Sessions in Authenticated State	NumOpenCurrentSessions

Index

K

Key Performance Indicators metrics

derived metrics [2-2](#)

raw metrics [2-39](#)

P

Performance statistics [1-1](#)

S

Statistics

ABR Rate Limiting Video Segment statistics [1-2](#)

ABR Rate Limiting Video Session statistics [1-3](#)

Access Point Name Call Performance statistics [1-4](#)

Acuitas Server statistics [1-33](#)

APN Data Plane statistics [1-33](#)

Bearer usage statistics [1-33](#)

Content Cache Summary statistics [1-34](#)

Content Filter Content Categorization statistics [1-34](#)

Content Filter Instance Content Categorization statistics [1-40](#)

Content Filter Instance Summary statistics [1-46](#)

Content Filter statistics [1-48](#)

Content Filter Summary statistics [1-49](#)

Content HTTP Cache statistics [1-50](#)

Deep Packet Inspection Application statistics (Acuitas 8.0 and later versions) [1-53](#)

Deep Packet Inspection Application statistics (pre-8.0 Acuitas versions) [1-52](#)

Deep Packet Inspection Flow Attributes statistics [1-53](#)

Deep Packet Inspection General statistics [1-54](#)

Deep Packet Inspection Operating Systems statistics (Acuitas 8.0 and later versions) [1-57](#)

Deep Packet Inspection Protocol statistics (Acuitas 8.01 and later versions) [1-58](#)

Deep Packet Inspection Protocols statistics (pre-8.1 MCC versions) [1-57](#)

Deep Packet Inspection Tethering statistics [1-59](#)

Deep Packet Inspection Web HTTP transactions statistics [1-60](#)

DIAMETER Peer statistics [1-63](#)

Disk statistics [1-60](#)

DNS Resolution statistics [1-61](#)

EDR Bearer statistics [1-76](#)

EDR Flow statistics [1-77](#)

EDR HTTP statistics [1-77](#)

EDR Pilot statistics [1-77](#)

EDR RTT statistics [1-78](#)

EDR Server statistics [1-79](#)

EDR Session statistics [1-80](#)

Evolved Packet Data Gateway Access Point Name Call Performance statistics [1-81](#)

Evolved Packet Data Gateway Access Point Name Session Close Call Performance statistics [1-90](#), [1-104](#)

Evolved Packet Data Gateway Call Performance statistics [1-92](#)

Evolved Packet Data Gateway Emergency Call Performance statistics [1-51](#), [1-102](#), [1-103](#)

Gateway Access Point Name QCI ARP Call Performance statistics [1-106](#)

Gateway GPRS Support Node Call Performance statistics [1-112](#)

Gateway GPRS Support Node Procedure statistics [1-123](#)

Gateway QCI ARP Call Performance statistics [1-125](#)

Geo Redundancy statistics [1-131](#)

GPRS Tunneling Protocol statistics [1-135](#)

GTP Message statistics [1-144](#)

GTP Proxy Access Point Name Call Performance statistics [1-156](#)

GTP Proxy Call Performance statistics [1-184](#)

- GTP Proxy Procedure statistics 1-213
- GTPP peer statistics 1-218
- HTTP Proxy Async DNS statistics 1-219
- HTTP Proxy Back End Forwarding statistics 1-220
- HTTP Proxy Compression statistics 1-221
- HTTP Proxy Connection statistics 1-222
- HTTP Proxy Content Insertion Script Links statistics 1-225
- HTTP Proxy Details statistics 1-226
- HTTP Proxy Failure statistics 1-229
- HTTP Proxy FLV video pacing statistics 1-231
- HTTP Proxy Fraud Detection statistics 1-232
- HTTP Proxy Header Enrichment statistics 1-233
- HTTP Proxy Latency statistics 1-235
- HTTP Proxy Media Type Byte statistics 1-238
- HTTP Proxy Media Type statistics 1-239
- HTTP Proxy Minify statistics 1-240
- HTTP Proxy MP4 video pacing statistics 1-241, 1-266
- HTTP Proxy Optimization Savings statistics 1-242
- HTTP Proxy Overload Control statistics 1-243
- HTTP Proxy Preemptive DNS statistics 1-244
- HTTP Proxy Request Method statistics 1-244
- HTTP Proxy Server Summary statistics 1-248
- HTTP Proxy SPS statistics 1-249
- HTTP Proxy Summary statistics 1-250
- HTTP Proxy TCP Optimization statistics 1-252
- HTTP Proxy TLS statistics 1-252
- HTTP Proxy Toll Free Data Detail statistics 1-254
- HTTP Proxy Toll Free Data Summary statistics 1-257
- HTTP Proxy URL Rewrite statistics 1-258
- HTTP Proxy Video Pacing Failure statistics 1-258
- HTTP Proxy Video Pacing Summary statistics 1-259
- HTTP Proxy Video statistics 1-260
- HTTP Proxy Web Image Optimization Detail statistics 1-263
- HTTP Proxy Web Image Optimization Summary statistics 1-265
- IKE message statistics 1-267
- Interface statistics 1-274
- Interface usage statistics 1-275
- IP Frag Module statistics 1-276
- IPSec data statistics 1-276
- IPSec network context statistics 1-284
- LDAP Feature Group statistics 1-284
- LDAP Profile statistics 1-285
- LDAP Server statistics 1-285
- LDAP Service statistics 1-286
- MMS Charging statistics 1-291
- MMS Media Adaptation statistics 1-293
- MMS MM1 Detail statistics 1-295
- MMS MM1 Summary statistics 1-296
- Mobile Content Cloud Call Gi GW Call Performance statistics 1-287
- Mobile Content Cloud Call Gi GW Procedure statistics 1-290
- NAT pool statistics 1-298
- NAT statistics 1-296
- Network Context statistics 1-299
- Network Context UE IP Subpool statistics 1-302
- Network Context UE Pool statistics 1-300
- Packet Data Network Gateway Call Performance statistics 1-304
- Packet Data Network Gateway Procedure statistics 1-334
- PDN LDAP Service statistics 1-338
- PFCP peer statistics 1-340
- Port statistics 1-344
- Proxy Buffer statistics 1-345
- RADIUS Peer Procedure statistics 1-346
- RADIUS Procedure statistics 1-349
- SAE-PGW Gateway Procedure statistics 1-352
- SAE-SGW Gateway Procedure statistics 1-356
- Service data container statistics 1-360, 1-361
- Service Gateway Access Point Name Call Performance statistics 1-362
- Service Gateway Call Performance statistics 1-381
- Service Gateway Procedure statistics 1-401
- Session Learner Interface statistics 1-405
- SIP Advanced statistics 1-409
- SIP basic statistics 1-410
- Slot statistics 1-411
- SMTP Proxy statistics 1-412
- STI Detail statistics 1-414
- STI Media Adaptation statistics 1-414
- System CPU statistics 1-417
- System Memory statistics 1-418
- System Node Uptime statistics 1-420
- System Performance statistics 1-420
- System Uptime statistics 1-421
- Task statistics 1-421
- TCP measurement statistics 1-422
- TCP measurements server-side statistics 1-423
- TCP Optimization statistics 1-423
- TCP Performance statistics 1-424
- TCP Proxy statistics 1-425
- TCP Reorder statistics 1-428
- TCP splicing connection statistics 1-429
- TCP splicing detail statistics 1-431
- TCP splicing DNS statistics 1-432
- TCP splicing failure statistics 1-433
- TCP splicing rate limiting statistics 1-434
- TCP splicing summary statistics 1-436
- UDP proxy connection statistics 1-436
- UDP proxy detail statistics 1-438
- UDP proxy DNS statistics 1-438
- UDP proxy failure statistics 1-439
- UDP proxy QUIC statistics 1-439
- UDP proxy rate limiting statistics 1-440
- UDP proxy summary statistics 1-440
- User Plane service statistics 1-441
- Video Adaptation Offline Transcoding Detail statistics 1-445
- Video Adaptation Offline Transcoding Failure statistics 1-446

- Video Adaptation Offline Transcoding Summary
 - statistics [1-446](#)
- Video Adaptation Online Transcoding Detail
 - statistics [1-448](#)
- Video Adaptation Online Transcoding Failure
 - statistics [1-450](#)
- Video Adaptation Online Transcoding Summary
 - statistics [1-452](#)
- Video Adaptation statistics [1-443](#)
- WAP Gateway statistics [1-453](#)
- Wireless Access Gateway Access Point Name Call
 - Performance statistics [1-455](#)
- Wireless Access Gateway Call Performance
 - statistics [1-462](#)
- Wireless Access Gateway QCI ARP Call
 - Performance statistics [1-470](#)
- Workflow statistics [1-474](#)