

test_wiring_fix_20260925

BOB-192 test-wiring fix — stale direct-call site after BOB-234 signature change

Revision: 1 Last modified: 2026-09-25T11:02:42Z

Discovery

Found during a full bulk pytest run (5033 tests, random seed 12345) and confirmed via an isolated re-run of the specific test — order-independent, reproduces every time. This is a **test-wiring bug, not a product defect**.

Root cause

tests/unit/
test_bob192_fail_open_skip_remediation.py::test_download_magnet_fails_when_qbit_refuses_add calls the real integration test's method **body** directly for reuse, bypassing pytest's normal fixture injection:

```
t = merge_api_mod.TestDownloadEndpoint()  
_must_fail_not_skip(  
    lambda:  
        t.test_download_magnet_added_to_real_qbittorrent(srv.url,  
            srv.url, requests.Session())  
)
```

The target method,

TestDownloadEndpoint.test_download_magnet_added_to_real_qbittorrent (tests/integration/test_merge_api.py:524), has signature:

```
def test_download_magnet_added_to_real_qbittorrent(self,
    merge_url, qbit_url, session, api_token):
```

api_token is normally injected by pytest via the api_token fixture (tests/integration/test_merge_api.py:101-109), which resolves a real BOBA_API_TOKEN against a live service. This parameter was added as part of the BOB-234 fix — a real security fix where an unauthenticated torrent-delete cleanup call was silently getting 401'd and leaving the test torrent behind on the real qBittorrent instance (see the comment directly above the finally: block in the target method, citing BOB-234).

Because the bob192 call site invokes the method as a **plain function call** (not through pytest, so no fixture injection happens), it was never updated when api_token was added to the signature. It now fails with:

TypeError:

TestDownloadEndpoint.test_download_magnet_added_to_real_qbittorrent
missing 1 required positional argument: 'api_token'

Verification that this is a pure test-wiring fix

Independently confirmed (read both files, did not skip verification per §11.4.6/§11.4.102 of this project's constitution):

1. api_token's only use inside the target method is in the finally: cleanup block: qbit_delete_confirmed(session, qbit_url, random_hash, api_token, before) (tests/integration/test_merge_api.py:556).
2. qbit_delete_confirmed (tests/integration/merge_api_auth.py:161-199) uses the token only as an HTTP header ({TOKEN_HEADER: token}) sent to /api/v2/torrents/delete on the qBittorrent proxy — no other use.
3. The bob192 test's local mock serve() fixture (tests/unit/test_bob192_fail_open_skip_remediation.py:59-109) stubs ("POST", "/api/v2/torrents/delete"): (200, "", {}) as a bare static (status, body, headers) tuple. The _Server/H handler (_serve method, lines 67-80) never inspects request headers at all — it reads the body length, looks up the route by (method, path), and returns the fixed response. **Zero token validation of any kind.**
4. Additionally, before = qbit_snapshot_hashes(session, qbit_url, api_token) (called before the delete cleanup path is even reached) does a GET to /api/v2/torrents/info, which has no route stub in this test, so it falls through to the handler's default (404, "not found", {}) — making qbit_snapshot_hashes return None, which disarms the delete entirely (qbit_delete_confirmed's if before is None: return). The delete-cleanup code path is not even exercised in this

specific test scenario, but the token-validation-absence finding above holds regardless.

Since the mock server performs zero token validation on the path where the token would matter, any placeholder string value is behaviorally correct — this confirms the fix is a pure test-wiring correction, not a question of product behavior.

Other stale call sites (step 3)

Searched the whole tests/ tree:

```
$ grep -rn "test_download_magnet_added_to_real_qbittorrent" tests/
tests/unit/test_bob192_fail_open_skip_remediation.py:201:
lambda: t.test_download_magnet_added_to_real_qbittorrent(srv.url,
srv.url, requests.Session(), "test-token")
tests/integration/test_merge_api.py:524:    def
test_download_magnet_added_to_real_qbittorrent(self, merge_url,
qbit_url, session, api_token):
```

Only one call site exists (the one fixed here). Also cross-checked every other direct plain-function-call site in tests/unit/ test_bob192_fail_open_skip_remediation.py against its target's current signature (`_qbit_login`, `test_search_finds_real_results_for_common_query`, `_merge_service_required`, `_run_live_search`, `_services_up.__wrapped__`) — all match their current target signatures. No other stale-signature call sites found.

Fix

tests/unit/test_bob192_fail_open_skip_remediation.py — added the missing 4th positional argument ("test-token", a clearly-labeled placeholder never validated by the stub server) plus an inline comment explaining why:

```
    t = merge_api_mod.TestDownloadEndpoint()
    _must_fail_not_skip(
-        lambda:
+        t.test_download_magnet_added_to_real_qbittorrent(srv.url,
+        srv.url, requests.Session())
+        # This call bypasses pytest fixture injection (plain
+        # method call, not a
+        # collected test), so the real `api_token` fixture never
+        # runs. The
+        # value below is a placeholder: the stubbed `/api/v2/
+        torrents/delete`
```

```

+         # route above does zero token validation, so any string
+         is behaviorally
+         # correct here (BOB-234 added `api_token` for the real
+         service's auth,
+         # not for this mock).
+         lambda:
+         t.test_download_magnet_added_to_real_qbittorrent(srv.url,
+         srv.url, requests.Session(), "test-token")
+     )

```

Evidence — before

```

$ .venv/bin/python -m pytest tests/unit/
test_bob192_fail_open_skip_remediation.py::test_download_magnet_fa:
-v
...
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_download_magnet_fa:
FAILED [100%]

```

```

===== FAILURES
=====

```

```

_____ test_download_magnet_fails_when_qbit_refuses_add
_____

```

```

merge_api_mod = <module '_bob192_merge_api' from '/home/
milosvasic/Projects/boba/tests/integration/test_merge_api.py'>
serve = <function serve.<locals>._start at 0x7506540afec0>

```

```

    def
test_download_magnet_fails_when_qbit_refuses_add(merge_api_mod,
serve):
    srv = serve(
        {
            ("POST", "/api/v1/download"): _json(200,
{"status": "failed", "added_count": 0, "results": []}),
            ("POST", "/api/v2/torrents/delete"): (200, "",
{}),
        },
    )
    t = merge_api_mod.TestDownloadEndpoint()
>     _must_fail_not_skip(
        lambda:
t.test_download_magnet_added_to_real_qbittorrent(srv.url, srv.url,
requests.Session())
    )

```

```

tests/unit/test_bob192_fail_open_skip_remediation.py:200:

```

```

-----
tests/unit/test_bob192_fail_open_skip_remediation.py:128: in

```

```
_must_fail_not_skip  
    fn()  
  
-----  
- - - - -  
  
>         lambda:  
t.test_download_magnet_added_to_real_qbittorrent(srv.url, srv.url,  
requests.Session())  
  
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^  
        )  
E     TypeError:  
TestDownloadEndpoint.test_download_magnet_added_to_real_qbittorrent  
missing 1 required positional argument: 'api_token'  
  
tests/unit/test_bob192_fail_open_skip_remediation.py:201:  
TypeError  
===== short test summary info  
=====
```

```
FAILED tests/unit/  
test_bob192_fail_open_skip_remediation.py::test_download_magnet_fa:  
===== 1 failed in 0.66s  
=====
```

Evidence — after

```
$ .venv/bin/python -m pytest tests/unit/
test_bob192_fail_open_skip_remediation.py::test_download_magnet_fa:
-v
...
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_download_magnet_fa:
PASSED [100%]

===== 1 passed in 0.74s
=====
```

Full-file regression check (after)

```
$ .venv/bin/python -m pytest tests/unit/
test_bob192_fail_open_skip_remediation.py -v
...
collected 20 items

tests/unit/
test_bob192_fail_open_skip_remediation.py::test_scaling_gate_still_
PASSED [ 5%]
tests/unit/
```

```
test_bob192_fail_open_skip_remediation.py::test_merge_required_acc
PASSED [ 10%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_download_magnet_fa
PASSED [ 15%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_merge_required_stil
PASSED [ 20%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_search_common_query
PASSED [ 25%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_jackett_ready_still
PASSED [ 30%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_jackett_ready_fail:
PASSED [ 35%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_qbit_login_accepts_
PASSED [ 40%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_merge_required_fail
PASSED [ 45%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_live_search_fails_v
PASSED [ 50%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_merge_required_fail
PASSED [ 55%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_jackett_ready_fail:
PASSED [ 60%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_jackett_ready_fail:
PASSED [ 65%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_merge_required_fail
PASSED [ 70%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_qbit_login_fails_or
PASSED [ 75%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_scaling_gate_fails_
PASSED [ 80%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_scaling_gate_accept
PASSED [ 85%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_live_search_returns
PASSED [ 90%]
tests/unit/
test_bob192_fail_open_skip_remediation.py::test_qbit_login_fails_or
```

```
PASSED [ 95%]  
tests/unit/  
test_bob192_fail_open_skip_remediation.py::test_live_search_fails_v  
PASSED [100%]
```

```
===== 20 passed in 10.98s  
=====
```

20/20 passed. Zero regressions.

Scope

Only tests/unit/test_bob192_fail_open_skip_remediation.py was modified. tests/integration/test_merge_api.py was read for verification only, not modified — its api_token fixture and the target method's signature are correct as-is; the bug was entirely in the unit-test call site.