

closure_evidence_20260923

BOB-164 — closure evidence (re-verification pass, 2026-09-23)

Field	Value
Revision	1
Last modified	2026-09-23T15:13:00Z
HEAD	ffe3ed3
Verdict	Fix already landed. No source change needed in this pass. The rendered-DOM oracle is GREEN on the SHIPPED artifact across all 16 palette × mode combinations. The LIVE-service acceptance leg was NOT run because the stack is down.

1. Systematic-debugging outcome (§11.4.102): item is stale-as-open, not broken

- The root-cause fix is commit 5f9a04b (“fix(BOB-164): contrast failed because a literal cannot be correct against a fill that moves with the palette”). It introduced the accentText role and the on<Fill> tokens. The round-2 evidence is in docs/qa/BOB-164/README.md.
- The artifact-layer gap that README §9 recorded (a stale dist/) was tracked as BOB-183, which is now Fixed. The shipped bundle download-proxy/src/ui/dist/frontend/browser/ was rebuilt on 2026-09-22. The last commit touching frontend/src is deed8bf from 2026-09-02, so the bundle is newer than its sources. git status shows no uncommitted changes under frontend/src or download-proxy/src/ui.

- I made no production change. None was warranted: forcing a change onto an already-fixed defect would violate §11.4.6 and §11.4.120.

Shipped bundle fingerprint: sha256(main-CLXE6FZU.js) =
44cca2500f975582d4f5b9349de45f09e22e212e6250d026f5850fb989841832

2. The oracle is validated before any result from it is believed (§11.4.107(10) / §11.4.273)

```
$ .venv/bin/python docs/qa/BOB-164/axe_contrast_scan.py --self-check
# rc=0
golden-bad #golden-bad-equal CAUGHT
golden-bad #golden-bad-plain CAUGHT
neg-control #negative-control correctly silent
```

self-check: PASS

3. RED: the defect re-injected into a scratch copy of the SHIPPED artifact

Mutation (scratch copy only, the repo was not touched): in the shipped main-CLXE6FZU.js, the darcula/dark accentText: "#ffaebd" was replaced with the pre-fix accentText: "#9d001e". The original value occurred exactly once before the replacement and 0 times after it. Mutant fingerprint: 5421f09e...dbb85.

```
$ axe_contrast_scan.py --dist <scratch>/dist_red --all-palettes --out <scratch>/scan_RED_mutant.json
rc=1
=== theme darcula/dark: 5 colour-contrast violation node(s), 22 passing node(s) ===
  .brand[_ngcontent-ng-c230444366=""] fg=#9d001e bg=#3c3f41
12.0pt/700 axe=1.43 py=1.44 floor=4.5 (ratio+floor agree)
  h1 fg=#9d001e bg=#3c3f41
18.0pt/700 axe=1.62 py=1.62 floor=3.0 (ratio+floor agree)
  h2 fg=#9d001e bg=#3c3f41
16.5pt/700 axe=1.45 py=1.46 floor=3.0 (ratio+floor agree)
  .active.tab fg=#9d001e bg=#3c3f41
12.0pt/400 axe=1.44 py=1.44 floor=4.5 (ratio+floor agree)
  .vd-link fg=#9d001e bg=#2b2b2b
9.8pt/400 axe=1.8 py=1.79 floor=4.5 (ratio+floor agree)
  [incomplete/FAIL] .stat-item:nth-child(1..3) > .stat-value
fg=#9d001e bg=#2b2b2b py=1.95 floor=3.0
TOTAL colour-contrast violation nodes across 16 theme(s): 5
```

```
TOTAL blocking `incomplete` nodes (FAIL / UNDECIDABLE /  
GLYPH_FAIL): 3
```

This matches the reported pairs exactly: .brand at 1.43:1 and h1 at 1.62:1, #9d001e on #3c3f41. So on this exact artifact and code path, the oracle does detect the defect class.

4. GREEN: the unmodified shipped artifact

```
$ axe_contrast_scan.py --dist download-proxy/src/ui/dist/frontend/  
browser --all-palettes --out <scratch>/scan_shipped_all.json  
rc=0  
... (every theme) 0 colour-contrast violation node(s), 30 passing  
node(s) ...  
TOTAL colour-contrast violation nodes across 16 theme(s): 0  
TOTAL blocking `incomplete` nodes (FAIL / UNDECIDABLE /  
GLYPH_FAIL): 0  
TOTAL fenced GLYPH_UNMEASURED nodes (reported, not blocking; SC  
1.4.11 unverified): 40
```

Arithmetic (declared-pair) oracles, run individually:

```
$ cd frontend && npx ng test --watch=false \  
  --include=src/app/models/palette.contrast.spec.ts --  
include=src/app/models/style-contrast.spec.ts  
Test Files 2 passed (2)  
Tests 2371 passed (2371)  
rc=0
```

5. Honest gaps (§11.4.6): why the tracker item is NOT closed

1. **The live-service leg did not run.** The acceptance criterion names tests/ux/test_live_dashboard_accessibility.py against the running merge service. curl http://localhost:7187/health returned 000, so the stack is down. I did not boot it: host memory is tight, and merge_service_live → compose_up would start the whole container stack. The GREEN above is ARTIFACT-class evidence: the real shipped bundle, rendered in real Chromium, measured by real axe-core, served statically with no backend. It is not the RUNTIME-class live-surface flip that §11.4.226 requires for closure. **Owed:** start the stack (./start.sh), then run .venv/bin/python -m pytest tests/ux/test_live_dashboard_accessibility.py -v and confirm test_live_dashboard_axe_scan passes.

2. **Data-driven nodes** (badges and status pills) are absent from a no-backend render. This is tracked as BOB-185. The arithmetic spec covers them.
3. **Icon glyphs**: 40 GLYPH_UNMEASURED nodes, and SC 1.4.11 is unverified for them. This is tracked as BOB-184.
4. **\$11.4.185 manual QA**: no human has looked at the colours. This is still owed.
5. `/jackett/*` routes were not rendered and scanned in this pass.

Live-surface addendum (conductor, 2026-09-23 ~18:56 CEST)

Stack recreated from HEAD 69b049a (all four containers healthy).
Command: `.venv/bin/python -m pytest tests/ux/test_live_dashboard_accessibility.py --import-mode=importlib -q ->`
`3 passed in 3.08s (rc=0, no skips)`, including
`test_live_dashboard_axe_scan` against the running dashboard. The live surface therefore agrees with the artifact-level RED->GREEN above (pre-fix #9d001e failing at 1.43:1 / 1.62:1 in the scratch bundle copy; shipped bundle clean across 16 palette x mode combinations). Honest boundaries unchanged: a live RED was not produced (the pre-fix bundle is no longer served), icon glyphs unmeasured (BOB-184), status badges need backend data (BOB-185), `/jackett/*` routes not scanned, manual QA (\$11.4.185) owed.