

■ ■ CIS AWS FOUNDATIONS

BENCHMARK v1.5

COMPLIANCE REPORT

Client: FinVault Technologies Ltd

Industry: Fintech / SaaS

AWS Account: 234567890123

Scan Date: June 19, 2026 22:53 UTC

8/100 — NON-COMPLIANT

Controls Passed: 4 / 48 | Failed: 44 | Errors: 0

Consultant: Your Name

Cloud Security Consultant

hello@yoursite.com

AWS SAA Certified | ISO 27001 | NIST | GDPR

■ **CONFIDENTIAL** — For authorized recipients only

Table of Contents

- 1. Executive Summary
- 2. Compliance Score by Section
- 3. IAM — Identity & Access Management
- 4. S3 — Storage Security
- 5. Logging — Audit Trail Controls
- 6. Monitoring — Threat Detection
- 7. Networking — Network Security
- 8. Failed Controls — Detailed Findings
- 9. Remediation Roadmap
- 10. Appendix — All Controls Reference

1. Executive Summary

This CIS AWS Foundations Benchmark v1.5 compliance assessment was conducted on the FinVault Technologies Ltd AWS environment on June 19, 2026. A total of 48 controls were evaluated across five domains: IAM, S3, Logging, Monitoring, and Networking. 4 controls passed, 44 failed, and 0 could not be evaluated due to permission or configuration errors. The overall compliance score is 8/100 — rated NON-COMPLIANT. Failed controls represent gaps against industry-accepted security best practices and may indicate violations of PCI-DSS, GDPR, ISO 27001, or SOC 2 requirements.

8 out of 100 COMPLIANCE SCORE NON-COMPLIANT	Control Results <table><tr><td>Passed</td><td>4</td></tr><tr><td>Failed</td><td>44</td></tr><tr><td>Errors</td><td>0</td></tr><tr><td>Total</td><td>48</td></tr></table>	Passed	4	Failed	44	Errors	0	Total	48
Passed	4								
Failed	44								
Errors	0								
Total	48								

2. Compliance Score by Section

Section	Passed	Failed	Errors	Total	Score	Status
IAM	1	13	0	14	7%	NON-COMPLIANT
S3	1	7	0	8	12%	NON-COMPLIANT
Logging	0	8	0	8	0%	NON-COMPLIANT
Monitoring	0	12	0	12	0%	NON-COMPLIANT
Networking	2	4	0	6	33%	NON-COMPLIANT

3. IAM — Control Results

Controls covering identity, access management, MFA, password policies, and credential hygiene.

Control	Title	Result	Detail
1.1	Root account MFA enabled	FAIL	Root account MFA is NOT enabled.
1.2	Root account has no active access keys	FAIL	Root account has active access keys — DELETE IMMEDIATELY.
1.3	MFA enabled for all IAM users with console access	FAIL	Users without MFA: john.dev, sara.ops, admin-deploy, ci-pipeline
1.4	No access keys for root account	FAIL	Root has active access keys — DELETE IMMEDIATELY.
1.5	IAM password policy requires minimum 14 characters	FAIL	Min length: 8 (required: 14)
1.6	IAM password policy requires uppercase letters	FAIL	Uppercase NOT required.
1.7	IAM password policy requires lowercase letters	PASS	Lowercase required.
1.8	IAM password policy requires numbers	FAIL	Numbers NOT required.
1.9	IAM password policy requires symbols	FAIL	Symbols NOT required.
1.10	IAM password policy prevents password reuse (24)	FAIL	Reuse prevention: 0 (required: 24)
1.11	IAM password expires within 90 days	FAIL	Max age: Not set (required: ≤90 days)
1.12	No unused IAM credentials for 90+ days	FAIL	Stale credentials (90+ days unused): john.dev, old-svc-account, temp-user
1.13	No IAM users with AdministratorAccess policy	FAIL	Users with AdministratorAccess: john.dev, ci-deploy-user
1.14	IAM Access Analyzer enabled	FAIL	No active IAM Access Analyzers found.

4. S3 — Control Results

Controls covering S3 bucket public access, encryption, logging, versioning, and lifecycle policies.

Control	Title	Result	Detail
2.1	S3 Block Public Access enabled at account level	FAIL	BPA: BlockAcls=False IgnoreAcls=False BlockPolicy=False Restrict=False
2.2	No S3 buckets with public ACLs	FAIL	Non-compliant bucket(s) [3/8]: finvault-prod-customer-documents, finvault-staging-uploads, finvault-static-website
2.3	No S3 buckets with public bucket policies	FAIL	Non-compliant bucket(s) [2/8]: finvault-prod-customer-documents, finvault-dev-test-data
2.4	S3 buckets have default encryption enabled	FAIL	Non-compliant bucket(s) [6/8]: finvault-prod-customer-documents, finvault-prod-database-backups, finvault-staging-upload
2.5	S3 buckets deny HTTP access (enforce HTTPS)	FAIL	Non-compliant bucket(s) [7/8]: all except finvault-prod-app-assets
2.6	S3 bucket access logging enabled	FAIL	Non-compliant bucket(s) [7/8]: logging disabled on all production buckets
2.7	S3 buckets have versioning enabled	PASS	All 8 bucket(s) passed this check.
2.8	S3 buckets have lifecycle policies	FAIL	Non-compliant bucket(s) [6/8]: no lifecycle rules configured

5. Logging — Control Results

Controls covering CloudTrail, AWS Config, VPC Flow Logs, and CloudWatch Logs integration.

Control	Title	Result	Detail
3.1	CloudTrail enabled in all regions	FAIL	No multi-region CloudTrail trail found.
3.2	CloudTrail log file validation enabled	FAIL	Trails without validation: finvault-trail
3.3	CloudTrail S3 bucket not publicly accessible	FAIL	CloudTrail bucket(s) not fully protected: finvault-cloudtrail-logs
3.4	CloudTrail logs encrypted with KMS	FAIL	Trails without KMS encryption: finvault-trail
3.5	AWS Config enabled in all regions	FAIL	AWS Config not configured in this region.
3.6	CloudTrail S3 bucket has access logging enabled	FAIL	CloudTrail buckets without access logging: finvault-cloudtrail-logs
3.7	VPC Flow Logs enabled in all VPCs	FAIL	VPCs without flow logs: vpc-0a1b2c3d (us-east-1), vpc-1a2b3c4d (ap-southeast-1)
3.8	CloudTrail integrated with CloudWatch Logs	FAIL	Trails not sending to CloudWatch: finvault-trail

6. Monitoring — Control Results

Controls covering CloudWatch alarms, GuardDuty, Security Hub, and security event alerting.

Control	Title	Result	Detail
4.1	Alarm for unauthorized API calls	FAIL	No CloudWatch metric filter found for 'UnauthorizedOperation'.
4.2	Alarm for root account usage	FAIL	No CloudWatch metric filter found for 'userIdentity.type = Root'.
4.3	Alarm for IAM policy changes	FAIL	No CloudWatch metric filter found for 'DeleteGroupPolicy'.
4.4	Alarm for CloudTrail configuration changes	FAIL	No CloudWatch metric filter found for 'DeleteTrail'.
4.5	Alarm for S3 bucket policy changes	FAIL	No CloudWatch metric filter found for 'PutBucketPolicy'.
4.6	Alarm for security group changes	FAIL	No CloudWatch metric filter found for 'AuthorizeSecurityGroupIngress'.
4.7	Alarm for NACL changes	FAIL	No CloudWatch metric filter found for 'CreateNetworkAcl'.
4.8	Alarm for network gateway changes	FAIL	No CloudWatch metric filter found for 'CreateCustomerGateway'.
4.9	Alarm for VPC changes	FAIL	No CloudWatch metric filter found for 'CreateVpc'.
4.10	AWS GuardDuty enabled	FAIL	GuardDuty is not enabled in this region.
4.11	AWS Security Hub enabled	FAIL	AWS Security Hub is not enabled.
4.12	Alarm for console sign-in without MFA	FAIL	No CloudWatch metric filter found for 'ConsoleLogin'.

7. Networking — Control Results

Controls covering VPC security groups, NACLs, default VPCs, and network peering configurations.

Control	Title	Result	Detail
5.1	No security groups allow SSH from 0.0.0.0/0	FAIL	Security groups open to internet: sg-0a1b2c3d (us-east-1), sg-1a2b3c4d (us-east-1)
5.2	No security groups allow RDP from 0.0.0.0/0	FAIL	Security groups open to internet: sg-0a1b2c3d (us-east-1)
5.3	No security groups allow all traffic inbound	PASS	No security groups with all-traffic inbound found.
5.4	Default VPC security group blocks all traffic	FAIL	Default SGs with rules: vpc-0a1b2c3d (us-east-1), vpc-1a2b3c4d (ap-southeast-1)
5.5	No unused default VPC in any region	FAIL	Default VPCs with subnets (in use): vpc-0a1b2c3d (us-east-1), vpc-1a2b3c4d (ap-southeast-1)
5.6	VPC peering does not allow overly permissive routing	PASS	No overly permissive VPC peering routes found.

8. Failed Controls — Detailed Findings

[1.1] Root account MFA enabled — IAM

FAIL

Found	Root account MFA is NOT enabled.
Description	The root account should have MFA enabled to prevent unauthorized access.
Remediation	Enable MFA on the root account via the AWS Console → Security Credentials.
Reference	CIS AWS v1.5 — 1.5

[1.2] Root account has no active access keys — IAM

FAIL

Found	Root account has active access keys — DELETE IMMEDIATELY.
Description	Root account access keys provide unrestricted access and should never exist.
Remediation	Delete all root account access keys via IAM → Security Credentials.
Reference	CIS AWS v1.5 — 1.4

[1.3] MFA enabled for all IAM users with console access — IAM

FAIL

Found	Users without MFA: john.dev, sara.ops, admin-deploy, ci-pipeline
Description	All IAM users with console access must have MFA enabled.
Remediation	Enable MFA for each IAM user. Enforce via IAM policy condition aws:MultiFactorAuthPresent.
Reference	CIS AWS v1.5 — 1.10

[1.4] No access keys for root account — IAM

FAIL

Found	Root has active access keys — DELETE IMMEDIATELY.
Description	Root account should not have active or inactive programmatic access keys.
Remediation	Delete all root access keys. Use IAM users with least-privilege instead.
Reference	CIS AWS v1.5 — 1.4

FAIL

[1.5] IAM password policy requires minimum 14 characters — IAM

Found	Min length: 8 (required: 14)
Description	Password policy must require at least 14 characters.
Remediation	Update IAM account password policy to require minimum 14 characters.
Reference	CIS AWS v1.5 — 1.8

FAIL

[1.6] IAM password policy requires uppercase letters — IAM

Found	Uppercase NOT required.
Description	Password policy must require at least one uppercase letter.
Remediation	Update IAM account password policy to require uppercase letters.
Reference	CIS AWS v1.5 — 1.9

FAIL

[1.8] IAM password policy requires numbers — IAM

Found	Numbers NOT required.
Description	Password policy must require at least one number.
Remediation	Update IAM account password policy to require numbers.
Reference	CIS AWS v1.5 — 1.9

FAIL

[1.9] IAM password policy requires symbols — IAM

Found	Symbols NOT required.
Description	Password policy must require at least one symbol.
Remediation	Update IAM account password policy to require symbols.
Reference	CIS AWS v1.5 — 1.9

[1.10] IAM password policy prevents password reuse (24) — IAM**FAIL**

Found	Reuse prevention: 0 (required: 24)
Description	Password policy must prevent reuse of the last 24 passwords.
Remediation	Set password reuse prevention to 24 in IAM account password policy.
Reference	CIS AWS v1.5 — 1.11

[1.11] IAM password expires within 90 days — IAM**FAIL**

Found	Max age: Not set (required: ≤90 days)
Description	Passwords must expire within 90 days maximum.
Remediation	Set max password age to 90 days in IAM account password policy.
Reference	CIS AWS v1.5 — 1.11

[1.12] No unused IAM credentials for 90+ days — IAM**FAIL**

Found	Stale credentials (90+ days unused): john.dev, old-svc-account, temp-user
Description	IAM credentials unused for 90+ days should be disabled or removed.
Remediation	Use IAM credential report to identify and disable stale credentials.
Reference	CIS AWS v1.5 — 1.12

[1.13] No IAM users with AdministratorAccess policy — IAM**FAIL**

Found	Users with AdministratorAccess: john.dev, ci-deploy-user
Description	Direct AdministratorAccess attachment to IAM users should be avoided.
Remediation	Remove AdministratorAccess from IAM users. Use roles with least privilege instead.
Reference	CIS AWS v1.5 — 1.16

FAIL

[1.14] IAM Access Analyzer enabled — IAM

Found	No active IAM Access Analyzers found.
Description	IAM Access Analyzer identifies external access to AWS resources.
Remediation	Enable IAM Access Analyzer in all regions via the IAM console.
Reference	CIS AWS v1.5 — 1.21

FAIL

[2.1] S3 Block Public Access enabled at account level — S3

Found	BPA: BlockAcls=False IgnoreAcls=False BlockPolicy=False Restrict=False
Description	Account-level Block Public Access prevents any bucket from being made public.
Remediation	Enable all 4 Block Public Access settings in S3 → Block Public Access (account settings).
Reference	CIS AWS v1.5 — 2.1.5

FAIL

[2.2] No S3 buckets with public ACLs — S3

Found	Non-compliant bucket(s) [3/8]: finvault-prod-customer-documents, finvault-staging-uploads, finvault-static-website
Description	No S3 bucket should grant public access via ACL.
Remediation	Remove AllUsers and AuthenticatedUsers grants from all bucket ACLs.
Reference	CIS AWS v1.5 — 2.1.5

FAIL

[2.3] No S3 buckets with public bucket policies — S3

Found	Non-compliant bucket(s) [2/8]: finvault-prod-customer-documents, finvault-dev-test-data
Description	No S3 bucket should have a policy with Principal: * without conditions.
Remediation	Review and remove all public Principal: * statements from bucket policies.
Reference	CIS AWS v1.5 — 2.1.5

FAIL

[2.4] S3 buckets have default encryption enabled — S3

Found	Non-compliant bucket(s) [6/8]: finvault-prod-customer-documents, finvault-prod-database-backups, finvault-staging-uploads, finvault-dev-test-data, finvault-prod-invoices...
Description	All S3 buckets should have default server-side encryption configured.
Remediation	Enable SSE-S3 or SSE-KMS default encryption on all S3 buckets.
Reference	CIS AWS v1.5 — 2.1.1

FAIL

[2.5] S3 buckets deny HTTP access (enforce HTTPS) — S3

Found	Non-compliant bucket(s) [7/8]: all except finvault-prod-app-assets
Description	Bucket policies should deny requests over unencrypted HTTP connections.
Remediation	Add a deny policy statement with Condition aws:SecureTransport: false to all buckets.
Reference	CIS AWS v1.5 — 2.1.2

FAIL

[2.6] S3 bucket access logging enabled — S3

Found	Non-compliant bucket(s) [7/8]: logging disabled on all production buckets
Description	Server access logging should be enabled for all S3 buckets.
Remediation	Enable server access logging and send logs to a dedicated logging bucket.
Reference	CIS AWS v1.5 — 2.1.3

FAIL

[2.8] S3 buckets have lifecycle policies — S3

Found	Non-compliant bucket(s) [6/8]: no lifecycle rules configured
Description	Lifecycle policies enforce data retention and reduce attack surface.
Remediation	Create lifecycle rules to transition and expire objects per your data retention policy.
Reference	CIS AWS v1.5 — 2.1.x

FAIL

[3.1] CloudTrail enabled in all regions — Logging

Found	No multi-region CloudTrail trail found.
Description	A multi-region CloudTrail trail must be enabled to log all API activity.
Remediation	Create a multi-region CloudTrail trail covering all AWS regions.
Reference	CIS AWS v1.5 — 3.1

FAIL

[3.2] CloudTrail log file validation enabled — Logging

Found	Trails without validation: finvault-trail
Description	Log file validation ensures trail logs have not been tampered with.
Remediation	Enable log file integrity validation on all CloudTrail trails.
Reference	CIS AWS v1.5 — 3.2

FAIL

[3.3] CloudTrail S3 bucket not publicly accessible — Logging

Found	CloudTrail bucket(s) not fully protected: finvault-cloudtrail-logs
Description	The S3 bucket storing CloudTrail logs must not be publicly accessible.
Remediation	Enable Block Public Access on the CloudTrail S3 bucket.
Reference	CIS AWS v1.5 — 3.3

FAIL

[3.4] CloudTrail logs encrypted with KMS — Logging

Found	Trails without KMS encryption: finvault-trail
Description	CloudTrail log files should be encrypted using KMS Customer Managed Keys.
Remediation	Configure CloudTrail to use a KMS CMK for log encryption.
Reference	CIS AWS v1.5 — 3.7

[3.5] AWS Config enabled in all regions — Logging**FAIL**

Found	AWS Config not configured in this region.
Description	AWS Config records resource configuration changes for compliance monitoring.
Remediation	Enable AWS Config in all regions with all resource types recorded.
Reference	CIS AWS v1.5 — 3.5

[3.6] CloudTrail S3 bucket has access logging enabled — Logging**FAIL**

Found	CloudTrail buckets without access logging: finvault-cloudtrail-logs
Description	Access logging on the CloudTrail S3 bucket records all access to audit logs.
Remediation	Enable S3 server access logging on the bucket storing CloudTrail logs.
Reference	CIS AWS v1.5 — 3.6

[3.7] VPC Flow Logs enabled in all VPCs — Logging**FAIL**

Found	VPCs without flow logs: vpc-0a1b2c3d (us-east-1), vpc-1a2b3c4d (ap-southeast-1)
Description	VPC Flow Logs capture network traffic metadata for threat detection.
Remediation	Enable VPC Flow Logs for all VPCs and send to CloudWatch Logs or S3.
Reference	CIS AWS v1.5 — 3.9

[3.8] CloudTrail integrated with CloudWatch Logs — Logging**FAIL**

Found	Trails not sending to CloudWatch: finvault-trail
Description	CloudTrail trails should stream logs to CloudWatch for real-time alerting.
Remediation	Configure CloudTrail to send logs to a CloudWatch Logs log group.
Reference	CIS AWS v1.5 — 3.4

FAIL

[4.1] Alarm for unauthorized API calls — Monitoring

Found	No CloudWatch metric filter found for 'UnauthorizedOperation'.
Description	A CloudWatch alarm must exist for unauthorized AWS API call attempts.
Remediation	Create a metric filter and alarm for ErrorCode = *UnauthorizedOperation*.
Reference	CIS AWS v1.5 — 3.1

FAIL

[4.2] Alarm for root account usage — Monitoring

Found	No CloudWatch metric filter found for 'userIdentity.type = Root'.
Description	Any root account activity must trigger an immediate alert.
Remediation	Create a metric filter and alarm for userIdentity.type = Root.
Reference	CIS AWS v1.5 — 3.3

FAIL

[4.3] Alarm for IAM policy changes — Monitoring

Found	No CloudWatch metric filter found for 'DeleteGroupPolicy'.
Description	Changes to IAM policies must trigger an alert for immediate review.
Remediation	Create metric filter for IAM CreatePolicy, DeletePolicy, AttachRolePolicy events.
Reference	CIS AWS v1.5 — 3.4

FAIL

[4.4] Alarm for CloudTrail configuration changes — Monitoring

Found	No CloudWatch metric filter found for 'DeleteTrail'.
Description	Any changes to CloudTrail configuration must be alerted immediately.
Remediation	Create metric filter for CloudTrail StopLogging, DeleteTrail, UpdateTrail events.
Reference	CIS AWS v1.5 — 3.5

FAIL

[4.5] Alarm for S3 bucket policy changes — Monitoring

Found	No CloudWatch metric filter found for 'PutBucketPolicy'.
Description	Changes to S3 bucket policies must trigger an alert.
Remediation	Create metric filter for S3 PutBucketPolicy, DeleteBucketPolicy events.
Reference	CIS AWS v1.5 — 3.8

FAIL

[4.6] Alarm for security group changes — Monitoring

Found	No CloudWatch metric filter found for 'AuthorizeSecurityGroupIngress'.
Description	Changes to EC2 security group rules must trigger an alert.
Remediation	Create metric filter for AuthorizeSecurityGroup*, RevokeSecurityGroup* events.
Reference	CIS AWS v1.5 — 3.10

FAIL

[4.7] Alarm for NACL changes — Monitoring

Found	No CloudWatch metric filter found for 'CreateNetworkAcl'.
Description	Changes to Network ACLs must trigger an alert.
Remediation	Create metric filter for CreateNetworkAcl, DeleteNetworkAcl, ReplaceNetworkAclEntry events.
Reference	CIS AWS v1.5 — 3.11

FAIL

[4.8] Alarm for network gateway changes — Monitoring

Found	No CloudWatch metric filter found for 'CreateCustomerGateway'.
Description	Changes to internet or VPN gateways must trigger an alert.
Remediation	Create metric filter for CreateCustomerGateway, DeleteCustomerGateway, AttachInternetGateway events.
Reference	CIS AWS v1.5 — 3.12

FAIL

[4.9] Alarm for VPC changes — Monitoring

Found	No CloudWatch metric filter found for 'CreateVpc'.
Description	Changes to VPC configuration must trigger an alert.
Remediation	Create metric filter for CreateVpc, DeleteVpc, ModifyVpcAttribute events.
Reference	CIS AWS v1.5 — 3.14

FAIL

[4.10] AWS GuardDuty enabled — Monitoring

Found	GuardDuty is not enabled in this region.
Description	GuardDuty provides ML-based threat detection for the AWS account.
Remediation	Enable GuardDuty in all regions via the AWS console or CLI.
Reference	CIS AWS v1.5 — 3.x

FAIL

[4.11] AWS Security Hub enabled — Monitoring

Found	AWS Security Hub is not enabled.
Description	Security Hub provides centralised compliance and security findings.
Remediation	Enable Security Hub with CIS AWS Foundations Benchmark standard.
Reference	CIS AWS v1.5 — 3.x

FAIL

[4.12] Alarm for console sign-in without MFA — Monitoring

Found	No CloudWatch metric filter found for 'ConsoleLogin'.
Description	Console logins without MFA should trigger an immediate alert.
Remediation	Create metric filter for ConsoleLogin events where MFA = No.
Reference	CIS AWS v1.5 — 3.2

FAIL

[5.1] No security groups allow SSH from 0.0.0.0/0 — Networking

Found	Security groups open to internet: sg-0a1b2c3d (us-east-1), sg-1a2b3c4d (us-east-1)
Description	SSH (port 22) must not be open to the entire internet.
Remediation	Restrict SSH to specific IP ranges or use AWS Systems Manager Session Manager.
Reference	CIS AWS v1.5 — 5.2

FAIL

[5.2] No security groups allow RDP from 0.0.0.0/0 — Networking

Found	Security groups open to internet: sg-0a1b2c3d (us-east-1)
Description	RDP (port 3389) must not be open to the entire internet.
Remediation	Close RDP port. Use AWS Systems Manager Fleet Manager for Windows access.
Reference	CIS AWS v1.5 — 5.3

FAIL

[5.4] Default VPC security group blocks all traffic — Networking

Found	Default SGs with rules: vpc-0a1b2c3d (us-east-1), vpc-1a2b3c4d (ap-southeast-1)
Description	The default VPC security group should not allow any inbound or outbound traffic.
Remediation	Remove all inbound and outbound rules from the default VPC security group.
Reference	CIS AWS v1.5 — 5.4

FAIL

[5.5] No unused default VPC in any region — Networking

Found	Default VPCs with subnets (in use): vpc-0a1b2c3d (us-east-1), vpc-1a2b3c4d (ap-southeast-1)
Description	Default VPCs should not be used or should be deleted if unused.
Remediation	Delete unused default VPCs in each region. Use purpose-built VPCs instead.
Reference	CIS AWS v1.5 — 5.1

9. Remediation Roadmap

Immediate (0–7 days)	IAM
→ 1.1: Root account MFA enabled (IAM)	
→ 1.2: Root account has no active access keys (IAM)	
→ 1.3: MFA enabled for all IAM users with console access (IAM)	
→ 1.4: No access keys for root account (IAM)	
→ 1.5: IAM password policy requires minimum 14 characters (IAM)	
→ 1.6: IAM password policy requires uppercase letters (IAM)	
→ 1.8: IAM password policy requires numbers (IAM)	
→ 1.9: IAM password policy requires symbols (IAM)	
→ 1.10: IAM password policy prevents password reuse (24) (IAM)	
→ 1.11: IAM password expires within 90 days (IAM)	
→ 1.12: No unused IAM credentials for 90+ days (IAM)	
→ 1.13: No IAM users with AdministratorAccess policy (IAM)	
→ 1.14: IAM Access Analyzer enabled (IAM)	
Short-term (7–30 days)	S3/Logging
→ 2.1: S3 Block Public Access enabled at account level (S3)	
→ 2.2: No S3 buckets with public ACLs (S3)	
→ 2.3: No S3 buckets with public bucket policies (S3)	
→ 2.4: S3 buckets have default encryption enabled (S3)	
→ 2.5: S3 buckets deny HTTP access (enforce HTTPS) (S3)	
→ 2.6: S3 bucket access logging enabled (S3)	
→ 2.8: S3 buckets have lifecycle policies (S3)	
→ 3.1: CloudTrail enabled in all regions (Logging)	
→ 3.2: CloudTrail log file validation enabled (Logging)	
→ 3.3: CloudTrail S3 bucket not publicly accessible (Logging)	

- **3.4:** CloudTrail logs encrypted with KMS (Logging)
- **3.5:** AWS Config enabled in all regions (Logging)
- **3.6:** CloudTrail S3 bucket has access logging enabled (Logging)
- **3.7:** VPC Flow Logs enabled in all VPCs (Logging)
- **3.8:** CloudTrail integrated with CloudWatch Logs (Logging)

Medium-term (30–90 days)

Monitoring

- **4.1:** Alarm for unauthorized API calls (Monitoring)
- **4.2:** Alarm for root account usage (Monitoring)
- **4.3:** Alarm for IAM policy changes (Monitoring)
- **4.4:** Alarm for CloudTrail configuration changes (Monitoring)
- **4.5:** Alarm for S3 bucket policy changes (Monitoring)
- **4.6:** Alarm for security group changes (Monitoring)
- **4.7:** Alarm for NACL changes (Monitoring)
- **4.8:** Alarm for network gateway changes (Monitoring)
- **4.9:** Alarm for VPC changes (Monitoring)
- **4.10:** AWS GuardDuty enabled (Monitoring)
- **4.11:** AWS Security Hub enabled (Monitoring)
- **4.12:** Alarm for console sign-in without MFA (Monitoring)

Low priority (90+ days)

Networking

- **5.1:** No security groups allow SSH from 0.0.0.0/0 (Networking)
- **5.2:** No security groups allow RDP from 0.0.0.0/0 (Networking)
- **5.4:** Default VPC security group blocks all traffic (Networking)
- **5.5:** No unused default VPC in any region (Networking)

10. Appendix — All Controls Reference

ID	Section	Control	Status	Reference
1.1	IAM	Root account MFA enabled	FAIL	CIS AWS v1.5 — 1.5
1.2	IAM	Root account has no active access keys	FAIL	CIS AWS v1.5 — 1.4
1.3	IAM	MFA enabled for all IAM users with console access	FAIL	CIS AWS v1.5 — 1.10
1.4	IAM	No access keys for root account	FAIL	CIS AWS v1.5 — 1.4
1.5	IAM	IAM password policy requires minimum 14 characters	FAIL	CIS AWS v1.5 — 1.8
1.6	IAM	IAM password policy requires uppercase letters	FAIL	CIS AWS v1.5 — 1.9
1.7	IAM	IAM password policy requires lowercase letters	PASS	CIS AWS v1.5 — 1.9
1.8	IAM	IAM password policy requires numbers	FAIL	CIS AWS v1.5 — 1.9
1.9	IAM	IAM password policy requires symbols	FAIL	CIS AWS v1.5 — 1.9
1.10	IAM	IAM password policy prevents password reuse (24)	FAIL	CIS AWS v1.5 — 1.11
1.11	IAM	IAM password expires within 90 days	FAIL	CIS AWS v1.5 — 1.11
1.12	IAM	No unused IAM credentials for 90+ days	FAIL	CIS AWS v1.5 — 1.12
1.13	IAM	No IAM users with AdministratorAccess policy	FAIL	CIS AWS v1.5 — 1.16
1.14	IAM	IAM Access Analyzer enabled	FAIL	CIS AWS v1.5 — 1.21
2.1	S3	S3 Block Public Access enabled at account level	FAIL	CIS AWS v1.5 — 2.1.5
2.2	S3	No S3 buckets with public ACLs	FAIL	CIS AWS v1.5 — 2.1.5
2.3	S3	No S3 buckets with public bucket policies	FAIL	CIS AWS v1.5 — 2.1.5
2.4	S3	S3 buckets have default encryption enabled	FAIL	CIS AWS v1.5 — 2.1.1
2.5	S3	S3 buckets deny HTTP access (enforce HTTPS)	FAIL	CIS AWS v1.5 — 2.1.2
2.6	S3	S3 bucket access logging enabled	FAIL	CIS AWS v1.5 — 2.1.3
2.7	S3	S3 buckets have versioning enabled	PASS	CIS AWS v1.5 — 2.1.x
2.8	S3	S3 buckets have lifecycle policies	FAIL	CIS AWS v1.5 — 2.1.x
3.1	Logging	CloudTrail enabled in all regions	FAIL	CIS AWS v1.5 — 3.1
3.2	Logging	CloudTrail log file validation enabled	FAIL	CIS AWS v1.5 — 3.2

3.3	Logging	CloudTrail S3 bucket not publicly accessible	FAIL	CIS AWS v1.5 — 3.3
3.4	Logging	CloudTrail logs encrypted with KMS	FAIL	CIS AWS v1.5 — 3.7
3.5	Logging	AWS Config enabled in all regions	FAIL	CIS AWS v1.5 — 3.5
3.6	Logging	CloudTrail S3 bucket has access logging enabled	FAIL	CIS AWS v1.5 — 3.6
3.7	Logging	VPC Flow Logs enabled in all VPCs	FAIL	CIS AWS v1.5 — 3.9
3.8	Logging	CloudTrail integrated with CloudWatch Logs	FAIL	CIS AWS v1.5 — 3.4
4.1	Monitoring	Alarm for unauthorized API calls	FAIL	CIS AWS v1.5 — 3.1
4.2	Monitoring	Alarm for root account usage	FAIL	CIS AWS v1.5 — 3.3
4.3	Monitoring	Alarm for IAM policy changes	FAIL	CIS AWS v1.5 — 3.4
4.4	Monitoring	Alarm for CloudTrail configuration changes	FAIL	CIS AWS v1.5 — 3.5
4.5	Monitoring	Alarm for S3 bucket policy changes	FAIL	CIS AWS v1.5 — 3.8
4.6	Monitoring	Alarm for security group changes	FAIL	CIS AWS v1.5 — 3.10
4.7	Monitoring	Alarm for NACL changes	FAIL	CIS AWS v1.5 — 3.11
4.8	Monitoring	Alarm for network gateway changes	FAIL	CIS AWS v1.5 — 3.12
4.9	Monitoring	Alarm for VPC changes	FAIL	CIS AWS v1.5 — 3.14
4.10	Monitoring	AWS GuardDuty enabled	FAIL	CIS AWS v1.5 — 3.x
4.11	Monitoring	AWS Security Hub enabled	FAIL	CIS AWS v1.5 — 3.x
4.12	Monitoring	Alarm for console sign-in without MFA	FAIL	CIS AWS v1.5 — 3.2
5.1	Networking	No security groups allow SSH from 0.0.0.0/0	FAIL	CIS AWS v1.5 — 5.2
5.2	Networking	No security groups allow RDP from 0.0.0.0/0	FAIL	CIS AWS v1.5 — 5.3
5.3	Networking	No security groups allow all traffic inbound	PASS	CIS AWS v1.5 — 5.x
5.4	Networking	Default VPC security group blocks all traffic	FAIL	CIS AWS v1.5 — 5.4
5.5	Networking	No unused default VPC in any region	FAIL	CIS AWS v1.5 — 5.1
5.6	Networking	VPC peering does not allow overly permissive routing	PASS	CIS AWS v1.5 — 5.5

This report was prepared by Your Name (Cloud Security Consultant) on June 19, 2026. All results reflect the state of the AWS environment at time of assessment. Re-assess after remediation to verify compliance improvements. Contact: hello@yoursite.com