


Colour Specification

FOIL_GOLD spot, CMYK gold simulation, background and paper

On-screen swatches are approximate. CMYK values are starting values for a proof, not a guaranteed match. No CMYK value is physically equivalent to metallic foil.

Colour table

Swatch	Name / use	Type	CMYK	RGB (screen)	HEX (digital)
	FOIL_GOLD — metallic foil. All gold artwork in *_FOIL_GOLD.pdf	SPOT / special (Separation), 100 % tint, overprint	Alternate for display only: 32 / 52 / 83 / 13	—	—
	CMYK GOLD SIMULATION — 4-colour print, not foil. Used in *_CMYK.pdf	Process CMYK	C32 M52 Y83 K13	163 / 122 / 78	#A37A4E
	Gold highlight (reference only)	Screen / digital	C29 M49 Y79 K9	173 / 131 / 86	#AD8356
	Gold shadow (reference only)	Screen / digital	C35 M56 Y89 K20	150 / 110 / 68	#966E44
	CREAM BACKGROUND — invitation flood / optional tambourine disc	Process CMYK	C5 M8 Y11 K0	239 / 230 / 223	#EFE6DF

How the values were derived

- Gold: median of the solid gold pixels in the flat logo reference (image 3), #A37A4E. The 25th–75th percentile range is #9B7248 – #AD8356; the reference itself simulates a metallic gradient.
- Cream: median background of the flat logo reference, #EFE6DF. The invitation photo reads darker (#DFD2C4) because of photographic lighting, so it was not used.
- CMYK: converted from sRGB with a relative-colorimetric transform to the Ghostscript default CMYK profile (a SWOP-like coated profile). The printer must convert/proof with their own condition (e.g. FOGRA39/51, GRACoL, or an uncoated profile) and adjust to a physical proof.

FOIL_GOLD spot colour

- Named exactly **FOIL_GOLD**. It is a Separation colour space so it outputs as its own plate. The CMYK alternate exists only so the file displays on screen.
- Objects are 100 % tint with no gradients, no transparency, no shadows or effects, and overprint ON (foil sits on top of any CMYK printing).
- If the printer's RIP or prepress uses a different convention (e.g. "Foil", "HotFoil", "Gold Foil", "Spot1"), rename the spot colour. Do not convert it to CMYK.
- The actual foil colour is chosen from the foil supplier's physical swatch. The reference shows a warm champagne / antique gold. Choose between gloss and satin/matte foil on a physical sample.
- If a metallic *ink* is used instead of foil (common on cups), the FOIL_GOLD plate becomes the metallic ink plate. Match the ink to the approved foil/physical sample, not to the CMYK simulation.

Recommended paper / background treatment

Item	Recommendation	Status
Invitation — preferred	Cream/ivory stock close to #EFE6DF + FOIL_GOLD only (no CMYK pass). Closest to the reference; clean foil adhesion	RECOMMENDED — TBC
Invitation — alternative	White stock + printed CMYK cream flood (C5 M8 Y11 K0) + FOIL_GOLD. Ask the finisher whether foil adheres well over the chosen ink/coating	RECOMMENDED — TBC
Invitation stock	Smooth, uncoated or lightly textured premium board, ~300–350 gsm (general guidance; heavy texture reduces fine foil detail)	RECOMMENDED — TBC
Cups	White cup board (as in reference). No background colour	TBC

Item	Recommendation	Status
Tambourine	Natural cream head (as in reference). Background disc optional	TBC

Metallic foil notes

- CMYK cannot reproduce metallic reflectance. The CMYK GOLD SIMULATION will look flat brown-gold beside real foil.
- Screen previews and mockups simulate metal with gradients; the print files contain no gradients.
- Fine foil detail depends on the die, foil type, stock and press. See the per-product fine-detail tables; a test strike is recommended for the invitation crest.
- Never flatten or rasterise the FOIL_GOLD layer.