HCIA Cloud Computing 4.0 New Edition Question Bank

1. In Huawei FusionCompute , the administrator can view the DVS port to which the virtual machine is connected . (B)
A , TRUE
B , FALSE

3. In Huawei FusionCompute , it is not supported to adjust the specifications of virtual machines when cloning virtual machines. (B)
A , TRUE
B , FALSE

4. The memory resources and CPU resources used by virtual machines in Huawei FusionCompute can only be provided by the same cluster. Therefore, the maximum amount of computing resources that can be actually used by a virtual machine cannot exceed the sum of resources available to all hosts in the cluster (B)
A , TRUE
B , FALSE

9. Cloud computing is a product of the development of the Internet and computing technology, so cloud computing must be inseparable from the network. A
A , TRUE
B , FALSE

12 , KVM (Kernel-based Virtual Machine) virtual machine after format conversion can be run by other virtualization platforms
on. A
A , TRUE
B , FALSE

18. Virtualization technology can improve the utilization rate of hardware resources and reduce the cost of operation and operation and maintenance. Cloud computing also has these advantages.
Therefore, cloud computing and virtualization technology are inseparable. // Cloud computing is not equal to virtualization
A , TRUE
B , FALSE

19. Compute virtualization will produce different classifications from different angles, which can be divided into I -type and II -type virtualization, and can also be divided into full virtualization and para-virtualization. A

A , TRUE
B , FALSE

24 , the SATA disk is a disk type parallel interface, the SAS disk is a disk type serial interface. **B**
A , TRUE
B , FALSE

29. All open source virtualization technologies are Type I virtualization, and closed source virtualization technologies are Type II virtualization (B)
A. TRUE
B. FALSE

33. The essence of the Internet of Things is the Internet. As long as hardware or products are connected to the network, data interaction can be called the Internet of Things (A)
A . TRUE
B . FALSE

34. In Huawei FusionCompute , FusionStorage can be used as a virtualized storage (B)
A . TRUE
B . FALSE

36. In computing virtualization, the operating system running in the virtual machine is called Host OS . B
A . TRUE
B . FALSE

38. In Huawei Fusioncompute , administrators can discover storage devices by scanning or manually refreshing. B
A.TURE
B. FALSE

39. In Huawei FusionCompute , when a host in the cluster fails, the virtual machine on that host will
To migrate to other hosts in the cluster (B)
A. TRUE
B. FALSE

41. In Huawei FusionCompute , if the number of physical NICs of the server is small, consider combining multiple planes
Department, use VLAN to logically isolate each plane A
A. TRUE

B. FALSE

46. Memory reuse technology is the prerequisite for QoS implementation of memory resources .
A.TURE
B. FALSE

48 , SAN to the host is a file system is not established " raw disk " , to establish what file system on it, it depends entirely on the host operating system B
A. TRUE
B. FALSE

53. In Huawei Fusion Compute , to facilitate unified management, each DVS needs to be configured with a management IP address.
A. TRUE
B. FALSE

55. In Huawei FusionCompute , when a virtual machine installs an operating system by mounting a local image file, the administrator can close the VNC window at any time without affecting the reading of the image. A
A. TRUE
B. FALSE

61. the CPU virtualization technology can be divided into full virtualization, paravirtualization, virtualization software and hardware-assisted virtualization.
A. TRUE
B. FALSE

62. In Huawei FusionCompute , virtual machines using non-virtualized storage do not support the snapshot function. B
A. TRUE
B. FALSE

63. Internet of Things devices can be connected to the Internet and can be controlled via the Internet. A
A. TRUE
B. FALSE

64. Some virtualization technologies are open source, some are closed source, and the same is true for cloud computing management platforms. Open source cloud computing management platforms need to be implemented using open source virtualization technologies. B
A. TRUE
B. FALSE

65. In Huawei FusionCompute , DVS not only supports the configuration of static routes, but also supports a variety of dynamic routes. B
A. TRUE
B. FALSE

72 storage virtualization technology can improve storage utilization and provide storage resources for multiple virtual machines A
A. Yes
B. wrong

74. The virtual switch plays an important role in the communication between virtual machines and is an indispensable component A
A. Yes
B. wrong

81. The function of the Internet of Things is only to collect data generated by various things. B
A. Yes
B. wrong

83. In cloud computing, the network can be divided into two parts: virtual network and physical network A
A. Yes
B. wrong

85. Intelligent memory reuse technology (memory bubbles, memory exchange, memory sharing) can be customized to turn on / off any of the
functions B according to customer needs
A. Yes
B. wrong

87. In Huawei FusionCompute , DPM must rely on DRS before it can be used. A
A. Yes
B. wrong

90. Use templates in Huawei FusionCompute to deploy multiple virtual machines A in batches
A.TRUE
B. FALSE

91. In Huawei fusioncompute, all virtual machine NICs that join the same security group use this security group for filtering. To improve security, the same NIC

needs to be added to multiple security groups. B// One network card is only assigned to one security group
A. TURE
B. FALSE

92. A virtual machine can have multiple virtual network cards at the same time, corresponding to different virtual switches. A
A.TURE
B. FALSE

95. The rules in the security group will be deleted along with the security group B
A.TRUE
B. FALSE

100. The VLAN ID (except 0) configured for DVS in
Huawei's FunsionCompute needs to exist on the physical switch, otherwise it will affect the normal communication of the virtual machine. B
A TRUE
B. FALSE

109. NUMA is a memory architecture designed for multi-processor computers. The memory access time depends on the memory relative to the location.
The location of the processor , under NUMA , the processor accesses its own local memory faster than non-local memory (the memory is located
The other processor, or the memory shared between processors, is faster. A
A. TRUE
B. FALSE

112. The data packets in the cloud computing virtual network need to be routed and forwarded through the router in the physical network. /TOR switch
A.TURE
B. FALSE

117. Templates can be used to quickly deploy virtual machines. Currently, templates can only be made by converting or cloning virtual machines. B
A. TRUE
B. FALSE

118. In Huawei FusionCompute , a virtual machine can have multiple virtual network cards. A
A. TURE
B. FALSE

119. During the snapshot creation process, other operations can be performed on the virtual machine. B
A.TURE
B. FALSE

122. In Huawei FusionCompute, DRS rules cannot take effect on virtual machines bound to USB devices. A
A.TURE
B. FALSE

125. Memory reuse is a resource allocation scheme that increases the density of virtual machines on a single host, reduces costs, and sacrifices performance for density. B
A.TRUE
B. FALSE

131. In cloud computing, different types of hardware of the same type can form a resource pool. A
A.TRUE
B. FALSE

140. KVM virtual machine can be created through a graphical interface, or you can use the command line to create A
A . True
B . False

141. Using virtualization technology, a physical server can be virtualized into multiple virtual machines, thereby improving the hardware performance of the physical server. B
A . True
B . False

145. Switches can be divided into access switches, aggregation switches, and core switches according to their uses. Virtual switches belong to aggregation switches
Switch B
A True
B False

150. When using a template to quickly deploy a virtual machine, there is no need to install an operating system or related configuration, so it will save a lot of time and effort A
A. True
B. False

155. When using the same Window template to quickly deploy a virtual machine, the generated SID may be consistent. This will cause some special software to fail

A. True

B. False

157. In Huawei FusionCompute, when multiple virtual machines write to the same shared disk at the same time, in order to prevent data loss, it is necessary to ensure the access control of the application software to the disk A

A. True

B. False

161. In Huawei FusionCompute, after deleting data inside the virtual machine, the disk size will not be automatically reduced, and the next time the user writes, the internally released space will be used A

A. True

B. False

163. Huawei FusionCompute can perceive the use of global physical resources during virtual machine operation, and calculate the best host suitable for virtual machine operation through an intelligent scheduling algorithm, and run the virtual machine on the best host through hot migration and other means. To improve the overall business experience A

A. True

B. False

165. The SSD disk is a mechanical hard disk, which has the advantages of fast read and write speed, low power consumption, light weight, etc., but it has a limited service life B

A, True

B, False

169. QoS of CPU resources and memory multiplexing technology all use different strategies to allocate resources reasonably

A. True

B. False

182. Virtualization is divided into computing virtualization, storage virtualization and network virtualization, corresponding to cloud computing cloud host, cloud storage, cloud network A

A. yes

B. wrong

183. Features of virtualization include partitioning, isolation, encapsulation and independence A

A. yes

B. wrong

188. In Huawei's FusionCompute, the system disk of the virtual machine cannot be unbound B

A. True

B. False

191. RAID 6 in RAID 5 enhances the fault tolerance of the disk based on, may be allowed 2 disks fails, but not less than the number of disks needed . 4 block A

A. True

B. False

193. Huawei FusionCompute, the virtual machine installed Tools operating system type and version of the virtual machine is independent of associated with the system B

A. True

B. False

202. is in FusionCompute, the virtual network card of each virtual machine is connected to the port of the virtual switch. In order to facilitate the configuration and management of multiple ports at the same time, the ports with the same network properties are divided into the same port group A

A. True

B. False

203. In- use memory swap refers to the use of virtual or external storage of memory in a virtual machine, and the data that is temporarily unused on the virtual machine is stored on the external storage. When the system needs to use this data, then the data reserved in the memory Exchange A

A. True

B. False

205. is a FusionCompute, you can create a snapshot for the CNA host. B

A. True

B. False

207. In FusionCompute, the administrator binds the two network cards of the CNA host in active /standby mode. After the binding, the transmission rate is equal to the sum of the transmission rates of the two network ports. B

A. True

B. False

212. In the NAS environment, multiple hosts writing to a file at the same time will cause data consistency problems. A

A. True

B. False

214. A virtual machine can have multiple virtual network cards at the same time, corresponding to different virtual switches A

A. True

B. False

217. Hot migration of virtual machines refers to moving virtual machines in the same cluster from one physical server to another physical server in the state of virtual machine shutdown. B

A. True

B. False

220. When using a template to quickly deploy a virtual machine, the generated virtual machine configuration information is consistent with the template A

A. True

B. False

221. Voice recognition, image recognition, and emotional escort robots are all applications of artificial intelligence A

A. True

B. False

227. In Huawei FusionCompute, the memory resources and CPU resources used by virtual machines can only be provided by the same cluster. Therefore, the maximum available computing resources of virtual machines cannot exceed the sum of the resources available from all hosts in the cluster B

A. True

B. False

228. In Huawei FusionCompute, if there is only one physical network port in the bound network port, the physical network port cannot be directly removed A

A. True

B. False

234. In Huawei FusionCompute, the cluster resources consist of the host and its associated storage and network resources A

A. True

B. False

235. Cloud computing quantifiable services refer to charging customers based on usage time and usage. A
A. TRUE
B. FALSE

236. Cloud computing is the product of the development of the Internet and computing technology, so cloud computing must be inseparable from the network (A)
A. TRUE
B. FALSE

239. Virtual machines generally have corresponding configuration files, which record the specifications and names of the virtual machines. A
A. TRUE
B. FALSE

241. In Huawei FusionCompute, the management VLAN ID used by VRM cannot be changed. B
A. TRUE
B. FALSE

242. After using virtio, the network card rate of the windows virtual machine is 10Gbps B
A. TRUE
B. FALSE

244. In Huawei FusionCompute, when the virtual machine is in the "running" or "stopped" state, the user can
To increase or decrease the number of vCPUs of the virtual machine B
A. TRUE
B. FALSE

249. Huawei FusionCompute supports adding hosts in batches. The administrator fills in the host information according to the template provided by the system and imports it at once (A)
A , TRUE
B , FALSE

2. When creating a port group in Huawei FusionCompute , the following operation error is (A).
A. Set the VLAN ID to " 5000 " /1-4094 total 4096 0-4095
B. Set the name of the port group to " ceshi "
C. Set the port type to " Normal " // Access ordinary trunk relay

D. Add " This is a test port " in the description

6. In Huawei FusionCompute , the role of the uplink is (B).
A. Assign an IP address to the virtual machine
B. Connect virtual network and physical network
C. Manage virtual machine MAC address
D. Detect the status of the virtual network card

7. The following description about cloud computing is correct (A)
A. Cloud computing is a technology that enables IT resources to be obtained anytime, anywhere, conveniently, and on demand
B. Various IT resources in cloud computing need to be paid to use
C. IT resources acquired in cloud computing can only be used through the network
D. In the process of acquiring IT resources, users need to repeatedly negotiate with cloud computing service providers

8. In the development of the Internet, there are many milestone events. The order of the milestone events in the following options is normal (C)
A , TCP / IP protocol specification established - the ARPANET was born - the WWW officially open to the public - the DNS birth
B , the WWW was officially opened to the public - the DNS born - TCP / IP protocol specification established - the ARPANET was born
C , the ARPANET was born - TCP / IP protocol specification established - the DNS born - the WWW officially open to the public
D , the DNS born - TCP / IP protocol specification established - the ARPANET was born - the WWW officially open to the public

13. In the Huawei FusionCompute architecture, the role of Host Machine is (A)
A , CNA
B , UVP
C , KVM
D , VRM

20. In Huawei FusionCompute , the following can only be used as non-virtualized storage () B
A , NAS
B , FusionStorage
C , local disk
D , SAN

21. The weakest data redundancy capability of the following RAID level is () C
A , RAID 1
B , RAID 6

C , RAID 0
D , RAID 5

22 , NAS architecture system does not include which of the following? D
A. Volume management module
B. Status verification module
C , file system
D , network interface

23. For scenes such as archives that need to store large amounts of data for a long time and do not need to be read frequently, it is recommended to choose which
Kinds of disks? C
A , SAS disk
B , NL-SAS disk
C , SATA disk
D , SSD disk

25. In RAID 5 and RAID 6 , the number of allowed faulty disks is (C)
A , 3 , 2
B , 2 , 1
C , 1 , 2
D , 2 , 3

26. The following can achieve computer virtualization in the era of cloud computing 1.0 and improve resource utilization (B)
A . KVM
B . Xen
C . Hyper-v
D . OpenStack

31. In Huawei FusionCompute , the correct step to delete storage resources is (D)
1 , delete or virtual machine disk
2. Disassociate the host
3 , delete storage resources
4. Destroy data storage
A. 3--->2--->4--->1
B. 2--->4--->1--->3
C. 1--->2--->3--->4
D. 1--->4--->2--->3

32. Configure the IP SAN for the host , usually need to configure the host on the storage device so that the host is mapped on the IP SAN

Shoot. D
A. ISCSI Target
B. ISCSI Server
C. ISCSI Client
D. ISCCSI Initiator

35. In Huawei FusionCompute , when the computing node is powered off, the system can have HA on the computer node
Attribute virtualization is pulled up on other computer nodes, and the following options are not necessary to achieve this function (D)
A . The virtual machine is not bound to the host
B . The source computing node uses shared data storage,
C . Enable HA on the cluster to which the compute node belongs
D . Virtual machines with HA attributes on the compute nodes all use the same network segment IP

40 , the following description is correct for CIFS (A)
A. CIFS supports multi-user access
B. CIFS has low reliability requirements for network transmission, and can use either TCP/IP protocol or UDP protocol
C. CIFS requires Client to install special software
D. CIFS retains the file format characteristics

42. The following description about the cluster in Huawei FusionCompute , the host and virtual machine are incorrectly described (C)
A . Determine whether the host belongs to the same cluster depends on whether to use unified shared storage
B . The cluster is composed of multiple hosts and their associated storage and network resources
C . Virtual machines can be migrated across clusters
D . The host can be moved between different clusters

43. In Huawei FusionCompute , the configuration mode of the most storage-saving virtual machine into the disk is (C)
A. Normal
B. Independence - lasting
C. Streamline
D. Independent - non-persistent

44. The following description about virtualized storage and non-virtualized storage is correct (C)
A. Virtualized storage is more secure than non-virtualized storage
B. Compatibility of virtualized storage is better than non-virtualized storage

C. Non-virtualized storage has better read and write performance than virtualized storage
D. Non-virtualized storage has better scalability than virtualized storage

45. Which of the following technologies or equipment cannot isolate broadcasts (C)
A. Router
B. VLAN
C. Hub
D. Firewall

47. What is incorrect about the description of the VIMS file system? D
A VIMS can be compatible with FC SAN , IP SAN , local disk
B VIMS is the technical foundation for thin disk, snapshot, storage migration and other advanced features
C VIMS is a high-performance cluster file system
D VIMS is an industry-wide storage virtualization file system

49. The following description about the difference between physical switches and virtual switches is incorrect (B)
A. virtual switch runs on a physical server, and the physical switch has separate hardware
B. virtual switch cannot operate on VLAN tags, physical switch can operate on VLAN tags
C. virtual switches cannot be configured with Layer 3 interfaces, physical switches can be configured with Layer 3 interfaces
D. The normal operation of the virtual switch also requires certain hardware resources

51. The port configuration of a Huawei switch is as follows:
Interface (GigabitEhernet 0/0/1)
Port link-type trunk
Port trunk allow-pass vlan 16 17
According to the above configuration, the following statement is correct (D)
A. Data frames containing VLAN 16 tags are stripped of tags and forwarded when passing through the port
B. data frames that do not contain any labels are discarded when passing through the port
C. Data frames that do not contain any tags will be tagged with VLAN 16 or VLAN 17 when passing through the port and
Forward
D. Data frames containing VLAN 17 tags will be retained and forwarded when passing through the port

52. In Huawei FusionCompute , the following incorrect description of the CPU QoS technology is (C)
A. The role of " reservation " is to ensure the lower limit of the computing power of the virtual machine, that is, how many resources are used
B. The role of " share " is to use the relative CPU share value of multiple virtual machines to calculate capital when computing resources are insufficient. Source equalization and adjustment
C. The role of " limit " is to specify the maximum number of hosts running on
D. By adjusting the " reservation " , " share " , " limit " to achieve the control of the use of virtual machine CPU resources

54. Artificial intelligence is a new research and development system for extending the theory, methods, technologies and application of artificial intelligence Technical science, the following statement about artificial intelligence is wrong (D)
A . Artificial intelligence is not social
B. Artificial intelligence is an unconscious mechanical physical process
C. Artificial intelligence does not have the dynamic creativity unique to human consciousness
D. Artificial intelligence is a technology for items to interact with information through network connection

56. The following description about memory reuse is incorrect (B)
A. memory reuse technology can make the sum of virtual machine memory specifications greater than the sum of physical server specifications
B. memory reuse technology can make the total memory used by virtual machines greater than the total memory of physical server specifications
C. After the memory reuse function is enabled, the memory reuse rate is inversely proportional to the actual memory usage of each virtual machine
D. memory reuse technology includes memory bubbles, memory swap and memory sharing

58. Which of the following scenarios is not applicable to snapshots? B
A. business devastating test
B. business data is kept for a long time
C. business patch upgrade
D. Business Major Changes

59. Which of the following technologies on the switch can increase the link rate? B
A. LDAP
B. LACP
C. VLAN

D. VXLAN

66. In Huawei FusionCompute , the default alarm level does not include () A
A. normal
B. emergency
C. Tip
D. secondary
E. important

67. In Huawei FusionCompute , a virtual machine is created by importing a virtual machine. The following file formats do not support ()
A .ova
B .qcow2
C .ovf
D .vmdk

68. The configuration of a Huawei switch port is as follows:
Interface GigabitEhernet 0/0/1
Port link-type access
Port default vlan 16
According to the above configuration, the following statement is correct (C)
A. This port will add vlan 16 label to the passing data frame
B .This port only allows data with vlan 16 tags to pass
C. This port strips the VLAN 16 label of the passing data frame and forwards it
D. The port will not do any operation on the passing data frame

69. In Huawei FusionCompute , to improve the reliability of VRM , which of the following deployment methods is recommended? A
A. master and backup deployment
B. single node deployment
C. hybrid deployment
D. active deployment

70. Which of the following is not a feature of Big Data 4V (C)
A.Value
B. Varitey
C.Valid
D. Volume

71 Which of the following statements about the relationship between cloud computing and the Internet of Things is incorrect? A
A. Without cloud computing support, the Internet of Things cannot transmit data

B. Cloud computing is the cornerstone of the development of the Internet of Things, and the Internet of Things has continuously promoted the development of cloud computing
C. Cloud computing can provide enough storage space for the massive data of the Internet of Things
D. If there is no cloud computing as a basic support, the working efficiency of the Internet of Things will be greatly reduced

73. In Huawei FusionCompute , which of the following operations can take effect immediately? D
A. Read and write directly to the newly bound disk
B. Install Tools
C. Disk volume reduction
D. Delete the network card

75. The following description about making templates in FusionCompute is incorrect (B).
A. " Virtual machine to template " is to directly convert the virtual machine to a template, all parameters use the current configuration of the virtual machine, The converted virtual machine will no longer exist
B. When using a virtual machine to create a template, the state of the virtual machine can be " running "
C. " Template clone into template " is to copy the template as a new template and support to adjust some parameter configurations, which can be slightly different from the original template
There is a difference, the template still exists after cloning
D. " Clone a virtual machine as a template " is to copy the virtual machine as a template and support the adjustment of some parameter configurations.
The virtual machine is slightly different, the virtual machine still exists after cloning is completed

77. FusionCompute Installer deployment V mode RM virtual machine is (). B
A. Automatic installation of ISO files
B. Import the template file into the virtual machine
C. Automatically create a virtual machine, automatically mount the ISO file installation
D. PXE automatic installation

79. The following description about NFS is correct (). C
A. NFS client does not need to install special software
B. NFS cannot set user permissions
C. NFS supports multi-user access
D. NFS is a stateful protocol

80. Memory reuse technology cannot be achieved (A) .
A. Turn on memory reuse technology, the higher the reuse ratio, the stronger the virtual machine performance
B. Enabling memory reuse technology can improve the deployment of virtual machines on physical hosts
C. If the user virtual machine memory usage is relatively high, you can optimize it by modifying the memory reuse ratio
D. Turn on the memory reuse technology, and the total memory of all virtual machines created by users can exceed the physical memory

82. In the physical network, which device can perform route forwarding? C
A. Hub
B. Layer 2 switch
C. Router
D. Physical server network card

84. In FusionCompute , the following description about deleting a security group is incorrect (C).
A. Authorization between the security group to be deleted and other security groups does not affect the deletion operation
B. There is no virtual machine in the security group. If there is a virtual machine in the security group, you need to remove the virtual machine from the security group
C. After the security group is deleted, all security group rules in the group are deleted at the same time
D. When deleting a security group to which a virtual machine belongs, the role of other security groups on the virtual machine is not affected

86. In Huawei FusionCompute , you need to modify a certain disk of the virtual machine. The following operations can be achieved (C).
A. Modify the capacity of the disk from 80GB to 8GB
B. Change the configuration mode of the disk from " Lite " to " Normal "
C. Change the mode of the disk
from " slave " to " independent - persistent "
D. Change the status of the disk from " available " to " unavailable "

88. The following description about iSCSI and Fibre Channel is incorrect (). C
A. The FC protocol and the existing Ethernet are completely heterogeneous, and the compatibility is relatively poor
B. iSCSI runs on Ethernet based on TCP/IP protocol and can be seamlessly integrated with existing Ethernet
C. FC transmission distance than the TCP / IP away
D. From the perspective of the transport layer, Fibre Channel uses
the FC protocol and iSCSI uses the TCP/IP protocol

89. The following are not part of snapshot management (A).
A. Copy snapshot
B. Modify the snapshot
C. Create a snapshot
D. Delete snapshot

93. Which of the following virtual machine disk file formats
does Huawei Fusioncompute not support? A
A.VMDK
B.VHD
C.RAW
D.QCOW2

94. In fusioncompute, the virtual switch is connected to the physical network through (). D
A.INIC
B. Virtual network card
C. Port group
D. Uplink

97. The process of establishing a file system on a disk is usually called (B)
A. Encapsulation
B. Format
C. RAID
D. Partition

101. The following description about Hypervisor is correct (D)
A. Hypervisor is virtualization
B. Hypervisor is essentially an operating system
C. Hypervisor carries a lot of drivers, so Hypervisor does not need to install drivers and patches
D. Hypervisor is the key to computer virtualization

102. Create a new disk in Huawei FusionCompute , which of the following operations is incorrect (C)
A. Set the disk type to " Normal " and the disk mode to " Independent - Non-persistent "
B. Set the configuration mode of the disk to " thin " and set the disk mode to " independent - persistent "
C. Set the disk mode to " independent - non-persistent " and change the raw device mapping to " support "
D. Set the configuration mode of the disk to " thin " and set the disk mode to " independent - non-persistent "

103. If the virtual machine wants to communicate with other virtual machines, which of the following options is necessary? D
A. Port binding needs to be configured on the physical server
B. Need to configure port binding on the physical switch
C. Need to network the physical server where the virtual machine is located
D. Need to add at least one network card to the virtual machine

104. The service mode described in the picture is (A)
A. IaaS
B. DaaS
C. PaaS
D. SaaS

107. The following Hypervisor description is incorrect (D)
A. In virtualization, Hypervisor and VMM are a concept
B. in virtualization, Hypervisor can be run directly Host Machine on
C. In virtualization, Hypervisor can monitor the status of Guest Machine
D. In virtualization, only the Hypervisor can directly access physical resources

108. Which of the following scenarios is not recommended to enable the memory reuse function? C
A. Ordinary office cloud host
B. Telecommunication business hall
C. Graphics workstation
D. Bank window office

113. ISCSI is a standardized protocol based on the _____ protocol and the SCSI instruction set, and is widely used in many storage networks that use the ____ architecture. D
A. FC IP SAN
B. TCP/IP FC SAN
C. FC FC SAN
D. TCP/IP IP SAN

114. Cloud computing is a product of the development of parallel computing, grid computing, and distributed computing. The relationship between the four is correctly described (C)
A. Distributed computing completely replaces grid computing
B. Cloud computing is a type of distributed computing
C. Parallel computing, network computing and distributed computing all belong to cloud computing
D. After the advent of grid computing, it completely replaced parallel computing

115. In Huawei FusionCompute , the traditional network equipment corresponding to DVS is (C)
A. Router
B. Hub
C. Layer 2 switch
D. Layer 3 switch

116. The following description of cloud computing resource pooling features is correct (C)
A. The cloud computing resource pooling feature is a prerequisite for achieving extensive network access
B. Cloud computing resource pooling feature can put CPU and hard disk into the same resource pool
C. Cloud computing resource pooling feature can shield the difference between similar resources
D. Cloud computing resource pooling features must rely on virtualization technology to achieve

120. If virtual machine A can ping virtual machine B , which of the following results can be inferred? B
A. Virtual machine A and virtual machine B use the same network segment
B. Both virtual machine A and virtual machine B are configured with the correct IP address
C. Virtual machine A and virtual machine B use different network segments
D. Virtual machine A and virtual machine B run on the same physical host

121. In Huawei FusionCompute, the following description about hot migration is incorrect (C)
A. Hot migration includes virtual machine hot migration and disk hot migration
B. During the hot migration process of the virtual machine, memory data is used to quickly copy and share storage technology to ensure the number of virtual machines before and after migration
According to the same
C. Storage hot migration can only be performed within the same storage device under storage virtualization management
D. Virtual machine hot migration types are divided into changing host, changing data storage, and changing host and data storage

126 , FC SAN , which is not compared to the IP SAN benefits? D
A. convenient bandwidth expansion
B. low construction cost
C. long transmission distance
D. high transmission efficiency

127. The following description about Type II (host type) virtualization is correct (D)
A. VMM running in the Guest Machine in
B. VMM runs directly Host Machine on
C. VMM running in Guest OS on
D. VMM running in Host OS on

129. When installing Huawei FusionCompute , it is recommended to deploy VRM on which storage D
A. NAS
B. FC SAN
C. IP SAN
D. Local disk

130. The following description about the template is incorrect (D)
A. After the virtual machine is cloned as a template, the virtual machine still exists
B. Parameters can be customized when deploying virtual machines using templates
C. After converting the template to a virtual machine, the template no longer exists
D. Templates can be used across virtualization platforms

132. The following description about Huawei Virtual Switch is correct () B
A. The virtual switching function of the intelligent network card is also provided by Huawei Virtual Switch
B. Huawei virtual switch is open source open vSWitch
C. If the Huawei distributed switch has multiple virtual ports, each port has its own attributes
D. Huawei virtual switches are divided into standard virtual switches and distributed virtual switches

133. The following description about hot migration and cold migration is incorrect (D) .
A. Hot migration is to move the virtual machine in the running state from one host to another king machine, and the business will not occur during the migration process.
Interrupt
B. In the performance test - reliability test, there are tests for virtual machine migration, including hot migration, cold migration, migration time,
Duration of business interruption .
C , the cold stop state migration is known virtual machine is migrated from one host to another - hosts, services are interrupted during the migration process occurs

D , hot migration and cold migration will migrate memory data and disk data

134. In Huawei's FunsionCompute , the incorrect description of virtual machine migration is C
A. The communication between the source host and the destination host is normal
B. purpose storage for different storage devices
C. virtual machine status is " running "
D. The destination host must have sufficient resources

135. The following description about the host storage interface in Huawei's FunsionCompute is incorrect. A
A. supports manual addition and batch addition to add interfaces
B. By adding multiple storage interfaces, multi-path transmission of storage can be achieved
C. The IP address of the storage interface can be on the same network segment as the management plane
D Local hard disk and FC SAN can be connected to the storage device locally without adding a storage interface

137. The following are not KVM (Kernel-Based Virtual Machine) management tools ()
A . QEMU
B . Virsh instruction set
C . Virt-Manager
D . Libvirt

138. The following description about virtualization is correct (C)
A. Virtualized and non-virtualized cannot exist in the same data center at the same time
B. Applications that can run on physical machines must also run on virtual machines
C. Virtualization can improve the uniformity of hardware resources
D. Virtual machines using different types of virtualization technologies can be converted between each other

142. In the Linux virtual machine. It is B that can manage the logical volume
A OVM
B LVM
C PVM
D DVM

143. In Huawei FusionCompute , the following incorrect description of port groups and security groups is D
A. A virtual machine NIC is connected to a virtual port of the port group, and a virtual machine NIC is associated with a security group
The B port group is a collection of one or more virtual ports on the DVS , and the security group is a collection of one or more rules
C . A DVS can have multiple port groups, and a VM can be protected by multiple security groups
D . The security group is based on the port group to protect the virtual machine // Virtual NIC

146. In practical work, which function can VLAN realize (A)
A. virtual machine machine IXUS belonging to the same VLAN uses the IP address of the same address segment , otherwise it cannot communicate normally
B. After the virtual machines of the two departments use different VLANs , they can no longer communicate with each other
C. virtual machines belonging to the same VLAN can use IP addresses in different address segments and can use broadcast to discover each other
D. VMs belonging to different VLANs can use the same IP address without address conflict

147. If two virtual machines can ping each other, the network device that will be used in the communication process is (D)
A. Distributed virtual machine switch
B. Physical switch
C. Physical network card
D. Virtual network card

148. In KVM , there are two ways for the virtual machine network card to connect to the physical network, namely (A) and ()
A. bridge, address conversion
B. address conversion, through
C. bridge, straight-through
D. through, bridge

149. In Huawei FusionCompute, the following description about the security groups and rules is incorrect (A)
A. security group rule changes need to be manually applied to virtual machines in the security group
B must create a security group before adding rules
Before adding rules to the security group C , by default it rejects all
D The premise of deleting the security group is that there is no virtual machine in the security group

151. In Huawei FusionCompute, the following description of CPU resource QoS is incorrect (B)
A. CPU reservation defines the minimum computing resources allocated when multiple virtual machines compete for physical CPU resources
B. CPU quota defines that multiple virtual machines allocate computing resources according to priority when competing for physical CPU resources
C. CPU share defines that multiple virtual machines allocate computing resources proportionally when competing for physical CPU resources
D. CPU reservation only works when a virtual machine competes for computing resources. If no competition occurs, the virtual machine can monopolize physical CPU resources if there is a demand .

152. In Huawei FusionCompute, the following incorrect description of memory reuse is C
A. The administrator can turn on or off the memory reuse function at any time
B. After the memory reuse function is turned off, the internal total of all virtual machines is less than or equal to the total available physical memory
C. Using memory reuse will degrade virtual machine performance
D. Turning off memory reuse requires that the memory reuse rate of all hosts in the cluster be less than or equal to 100%

153. The following description about the security group application scenario is incorrect (A)
A. By setting security group rules, you can control permissions on folders in the virtual machine
B. By setting security group rules, you can allow only specific IP addresses to remotely log in to the virtual machine
C. By setting security group rules, you can protect the virtual machine from being accessed
D. By setting security group rules, the virtual machine can not access the FTP server

154. What is incorrect about the description of the snapshot is (A)
A . A virtual machine can create multiple snapshots. When a snapshot is used to restore a virtual machine, subsequent snapshots will become invalid
B . Snapshot can save the virtual machine settings, and can also save the data of the virtual machine disk
C . All virtual machines on a host can only create one memory snapshot at the same time
D . Snapshots can save the state of virtual machine memory

156. In the OpenStack solution, which module does the load provide persistent block storage? D
A. Swift// Object storage
B. Glance// Quick storage
C. Nova// Compute node life cycle
D. Cinder

158. The following incorrect description of Huawei FusionCompute HA is B
A. data if a virtual machine is stored in the shared storage to save the event of a failure will not be lost
B. This function supports automatic restart after a virtual machine failure
C. The system periodically detects the state of the virtual machine. When a physical server fails to cause the virtual machine to fail, the system can migrate the virtual machine to another physical server and restart it to ensure that the virtual machine can recover quickly.
D. administrators can set different HA strategies according to the importance of the virtual machine

160. In Huawei FusionCompute, what is incorrect about the IMC function description is (C)
A. It is recommended to enable the IMC function when the CPU model of the CNA host in the A cluster is inconsistent
B. Turning on IMC does not ensure the successful migration of virtual machines between hosts of different types of CPUs , and needs to be determined according to the actual scenario
C. IMC only supports migration from lower version CPU feature set to higher version
D. It is recommended to enable the IMC function when the main frequency of the CNA host memory in the D cluster is inconsistent

162. In Huawei FusionCompute , operations using IP SAN to create disks include D
1. Create storage resources
2. Add a storage port on the host
3. Add data storage
4. Create Disk
The correct sequence of operations is
A.1-3-4-2
B.4-2-1-4
C.1-2-3-4
D.2-1-3-4

166. Among the following RAID levels, the highest disk space utilization rate is A
A, RAID 0

B, RAID 6
C, RAID 1
D, RAID 5

167. Where did the user apply for a cloud hard drive on Huawei's public cloud? This service model belongs to A
A. IaaS
B. DaaS
C. PaaS
D. SaaS

168. The role description of the following VLAN is incorrect is B
A. Enhance network security
B. Increase the physical switch interface bandwidth
C. Isolated broadcast domain
D. Improve network robustness

170. Huawei FusionCompute DRS rules can achieve which of the following requirements C
A. After the blue screen of the Windows virtual machine occurs, the system automatically restarts it
B. If a host in the cluster is unavailable, the virtual machine running on the host is automatically migrated to the odd host
C. Require a virtual machine to run on a specific host
D. When the virtual machine configuration does not meet business requirements, the management system automatically increases CPU resources for the virtual machine

171. The following scenario is not suitable for improving the memory reuse ratio is A
A. In commercial scenarios, memory reuse has reached 150%
B. Reduce customer hardware procurement costs
C. While ensuring performance, customers require a single host to deploy the maximum number of virtual machines
D. Virtual machine memory utilization is low

174. Fog computing (fog computing) is a distributed computing model that extends the concept of cloud computing to the edge of the network to support mobile and Internet of Things and geographically distributed applications. The following statement about fog computing is incorrect is C
A. Fog computing can quickly generate big data at the edge of the network and reduce latency
B. Fog computing can achieve short-term data caching and reduce network pressure

C. Fog computing provides higher reliability of network and physical device security than cloud computing
D. Fog computing can reduce the bandwidth consumed in the core Internet and limit the movement of data to the local network

175. Among the following options, the element that does not belong to artificial intelligence is B
A. Computing power
B. Perceptual analysis
C. Big data
D. Scene

176. Artificial intelligence is the research and development of concepts, methods, technologies and application systems used to simulate and extend artificial intelligence
A new technical science, the following false statement about artificial intelligence is B
A. Artificial intelligence does not have the dynamic creativity unique to human consciousness
B. Artificial intelligence is a technology in which items communicate with each other through a network for information interaction
C. Artificial intelligence is not social
D. Is the unconscious mechanical physical process

177. In the Huawei FusionCompute, set the port group VLAN ID to 0 for D
A. Set the vlan label of the data frame passing through this port group to 0
B. Only allow data frames with vlan 0 label to pass through this port group
C. Allow 0 data frames with VLAN tags to pass through this port group
D. No modification to the data frame passing through this port group

178. If Huawei FusionCompute, the following measurement factor for computing resource scheduling is incorrectly described as D
A. When set to " CPU " , the scheduling strategy is triggered when the CPU condition is met
B. When set to " Memory " , the scheduling strategy is triggered when the memory conditions are met
C. When set to " CPU and memory " , the scheduling strategy is triggered when the CPU or memory conditions are met
D. When set to " CPU and memory " , the scheduling strategy is triggered when the CPU and memory conditions are met

181. The following are the main driving forces for the emergence and development of virtualization technology (C)
A. The emergence of the Internet

B. Reduce the failure rate of hardware resources
C. Make full use of hardware resources
D. Improve the recognition of hardware resources

185. The following options belong to open source virtualization technology (C)
A. FusionCompute
B. vSphere
C. KVM
D. Hyper-v

186. Among the following options, the description of cloud computing on-demand self-service features is correct (C)
A. The cloud computing service provider only needs to prepare all the services, and the remaining work is completely completed by the user.
B. In the process of using cloud computing, users need to solve all problems themselves
C. After the user determines the cloud computing service he needs, he can complete the application of cloud computing resources by himself.
D. When using cloud computing resources, users do not need to explain to the service provider at all

189. The following description about distributed storage is correct (C)
A. The disks for distributed storage come from the disk array of x86 architecture
B. The disk for distributed storage comes from a personal PC
C. The distributed storage disk comes from the x86 architecture server
D. The disks for distributed storage come from x86 virtual machines

194. is in FusionCompute, which of the following options does not belong to the CPU resource QoS parameter? D
A. CPU resource share
B. the CPU resource limits
C. CPU resource reservation
D. CPU resource reuse

195. About the main purpose of opening the NUMA function, the description is correct () A
A. Optimize the memory access performance of the virtual machine
B. Maximize the computing power of the physical host CPU
C. Maximize the reuse rate of physical machine memory
D. Maximize the computing power of the vCPU of the virtual machine

198. NUMA 's description is incorrect () C
A , the Guest NUMA is presented to the virtual machine by NUMA architecture the Guest OS and application identification internal

NUMA structure to achieve the purpose of improving application performance
B , NUMA technique enables CPU access to the same Node in memory access speed and the other Node Memory similar speed
C , Host NUMA mainly provides a CPU load balancing mechanism to solve the VM performance bottleneck problem caused by the imbalance of CPU resource allocation
D , Host NUMA guarantees VM access to local physical memory, reduces memory access latency, and can improve VM performance

199. is in FusionCompute, the following description about the template format is incorrect (D)
A , .ovf is the description file of the virtual machine , .vhd is the disk file of the virtual machine
B , the virtual machine template format is divided into ova and ovf two kinds
The template in C and ovf format contains only one ovf file and one vhd file
D. Format template contains only one file after export

200. is in FusionCompute, the IP address of a Windows virtual machine is found to be 0.0.0.0 , the possible reason is (D)
A. The IP address of the virtual machine is manually set
B. The IP address of the virtual machine is manually set to 0.0.0.0
C. The IP address of the virtual machine is assigned by DHCP
D. The virtual machine does not have Tools installed

201. is FusionCompute, the hardware description of the bare device is incorrect () B
A. The best performance of disks mapped using bare devices
B. The operating system is recommended to be installed on the disk using the raw device mapping function
C. A data storage using raw device mapping intelligently corresponds to a LUN on the SAN storage
D. A data store that uses raw device mapping can only correspond to one disk

204. is FusionCompute, the following description about storage-related concepts is incorrect (C)
A. a physical storage device can be used as a storage resource
B. Logical unit in physical storage corresponding to the storage device, such as LUN
C. Data storage can be IP SAN , FC SAN , NAS, etc. //
D. VHD is the virtual machine disk file format

209. When a virtual machine on the physical host fails, it will not affect other virtual machines on the physical host. Which feature of the virtualization technology is this? A

A. Isolation
B. Partition
C. Independence
D. Encapsulation

215. In Huawei FusionCompute, the following description about the template format is incorrect (A).
A. The Ovf format template contains only one ovf file and one vhd file
B. Ova format template contains only one file after export
C. virtual machine template format is divided into ova and ovf two kinds
D. .ovf is the description file of the virtual machine , .vhd is the disk file of the virtual machine

216. The following is the incorrect way to create a virtual machine template (D).
A. Template cloning as a template
B. Virtual machine clone as template
C. Convert the virtual machine to a template
D. Snapshot to template

218. In Huawei FusionCompute, the following description about virtual machine snapshot recovery is incorrect (B).
A. Use the existing snapshot of the virtual machine to restore the data of the virtual machine to the state at the time of snapshot creation
B. If the virtual machine deletes the port group where the virtual machine's NIC is located after creating the snapshot, the deleted port group will also be restored when the snapshot is used to restore the virtual machine
C. If a disk mode of the virtual machine
is "independent - persistent" or "independent - non-persistent", when using a snapshot to restore the virtual machine, the data on the disk is not restored
D. Multiple snapshots can exist in the virtual machine

219. In FusionCompute, the QoS parameters that can be set for the virtual machine do not include: A
A. GPU
B. Disk IOPS
C. Memory
D. Network
E. CPU

222. The following description of big data and cloud computing is (D).
A. Cloud computing refers to a collection of data that cannot be captured, managed, and processed with conventional software tools within a certain time frame

B. Big data is a pay-as-you-go model that provides usable, portable, and on-demand network access
C. Cloud computing cannot function as the underlying computing resource for big data processing
D. Big data can be used as a type of cloud computing service for users to choose according to their needs

223. In Huawei FusionCompute, users log in to the virtual machine using VNC and find that they cannot operate normally, and there is a phenomenon of freezing (such as unable to open files, etc.). The most likely cause of this failure is (C).
A. The virtual machine is damaged
B. Business link is unstable
C. Management link is unstable
D. The storage link is unstable

224. In Huawei FusionCompute, the description of "role" is correct (A).
A. If a " user " has multiple " roles " , the " operation authority " it has depends on the highest-priority " role "
B. A " role " can have one or more different " operating systems "
C. " role " of " operating authority " may not be modified
D. A " user " can only have one " role "

226. When binding a disk to a virtual machine in Huawei FusionCompute, if you want to implement the following requirements, the virtual machine does not take a snapshot of the disk when creating a snapshot, and when the snapshot is used to restore the virtual machine, it does not restore the disk and requires all data. What kind of disk should I choose to write to this disk permanently? B
A. Independent - non-persistent
B. Independence - lasting
C. Independence
D. Slave

229. In Huawei FusionCompute, the following description of the security group rules is incorrect (B).
A. When a virtual machine has multiple network cards, you can configure a security group for each network card
B. After creating a security group and adding rules, the virtual machine can communicate with the outside world
C. All virtual machine network cards in the same security group will use the security group rules for access control
D. The essence of a security group is a set of rules

232. In Huawei FusionCompute, to enable virtual machines to be migrated between CNA hosts with different CPU models, the function to be turned on is (B).
A. Cluster GuestNUMA strategy
B. Cluster IMC strategy
C. Cluster I/O ring adaptation
D. Optimization of cluster HANA

233. In Huawei FusionCompute, the following description about virtual machine storage hot migration is incorrect (B).
A. Storage hot migration can be performed between different storage devices
B. Storage hot migration can be performed between different virtual disks
C. Storage hot migration can be performed between different storage resources
D. Storage hot migration can be performed between different data stores

237. In Huawei FusionCompute, a virtual machine with Linux operating system is created. In this scenario, host OS
Run on (B)
A. VNA
B. CNA
C. VRM
D. Linux virtual machine

238. KVM virtualized architecture includes KVM module, QEMU and Libvirt, the following description is not correct about these modules (C)
A. KVM module is mainly responsible for the creation of Vcpu and the allocation of virtual memory
B. KVM+QEMU can constitute a set of virtualization solutions
C. Libvirt+QEMU can constitute a set of virtualization solutions
D. QEMU is mainly responsible for I/O operation simulation

240. The following description is incorrect (A)
A. Each file system block corresponds to a non-contiguous area on the physical disk
B. The file is stored on the file system and is mapped onto the file system block by the file system
C. the file system block corresponds to the logical area of LVM
D. The logical area is mapped to the physical area of the disk through LVM

243. Where is the memory reuse function enabled in Huawei FusionCompute ? D
A. Host
B. operating system
C. virtual machine
D. Cluster

246. The following incorrect description of CPU resources and memory resources Qos is D
A. Memory resources QOS is used to ensure that critical business virtual machines can get enough memory resources
B. CPU share and CPU reservation only play a role when each virtual machine competes for computing resources
C. The CPU QoS of the virtual machine is used to ensure that the computing resources of the virtual machine are reasonably allocated
D. Only when the memory reuse switch is turned on can the memory resource QoS be used

247. With the importance of “Internet” and the rise of big data and cloud computing, related technologies have sprung up like mushrooms.
In everyone's vision, it is Docker that is widely used and valued. The following statement about Docker is incorrect. B
A. Docker can package the underlying environment of applications to ensure that all applications can still run normally after migration
B. Docker needs to create a virtual layer, virtual operating system, etc. on the host or host operating system before proceeding installation
C. Compared with other virtual machine technologies, Docker starts faster
D. Docker uses containers to run, containers are running instances created from Image

248. The following description about the Huawei FusionCompute architecture is incorrect (D)
A . CNA provides computing resources for virtual machines
B . VRM can run on CAN or can be deployed on a separate physical machine
C . VRM provides management portal for administrators
D . CNA can manage the cluster network, storage and computing resources // cluster all

252. The cloud service purchased by the user contains the application running environment, but there is no application and related data. This mode
The formula belongs to (B)
A , SaaS
B , PaaS
C , NaaS
D , IaaS

253. The following options cannot reflect the characteristics of cloud computing on-demand self-service (D)
A. The engineer purchased a cloud server from Huawei's public cloud according to his own needs

B. The engineer upgrades the cloud server CPU he purchased from 2 to 4 .
C. The engineer changes the operating system of the cloud server he purchased from Linux to Windows
D. The engineer received a notification message from the server provider one week before the expiration of the cloud server

254. Which operating system can format the disk to NTFS ? B
A . Linux
B. Windows
C.uvp
D. Unix

5. The following options are characteristic of the era of cloud computing 1.0 (multiple choices)
A. Agile application development and life cycle management
B. Focus on virtualization products
C. Resource service standardization and automation
D. Use virtualization technology to improve resource utilization

10. The correct description about the relationship between Host Machine and Guest Machine is (multiple choice) CD
A. After using virtualization technology, a Guest Machine can use resources of multiple Host Machines at the same time
B. After using virtualization technology, a Guest Machine can only run on the Host Machine that created it
C. After using virtualization technology, a Host Machine can only run one Hypervisor
D. After using virtualization technology, multiple Guest Machines can run on one Host Machine

11. The following belongs to computing virtualization (multiple choices) ACD
A , the CPU virtualization
B. Network virtualization
C , memory virtualization
D , I/O virtualization
E. Disk virtualization

14. The advantages of virtualization in the following description are (multiple choice) AC
A. After using virtualization, a physical host can run multiple virtual machines at the same time
B. After using virtualization, the CPU utilization of a physical host can be stabilized at about 65%

C. After using virtualization, virtual machines can be migrated between multiple hosts
D. After using virtualization, multiple applications can be run simultaneously on the operating system of a physical host

15. The following description about KVM (Kernel-based Virtual Machine) is correct (multiple choices)
A , KVM belongs to type II virtualization
B , the KVM belongs to I -type virtualization
C , KVM is a module in the Linux kernel
D , KVM is an open source virtualization technology

16. In KVM- type virtualization, the following description is correct (multiple choice) ABD
A , Guest OS can be Windows
B , the Guest OS can be Linux
C , Host OS can be Windows
D , Host OS can be Linux

17. In Huawei FusionCompute , users can manage virtual machines by (multiple choices) ACD
A. Log in to the virtual machine directly for management
B. Use a graphical interface to manage after logging in to CNA
C. Use the graphical interface for management after logging in to VRM
D. Use the command line to manage after logging in to CNA

27 , the KVM use Virtio after, for I / 0 forwarding process described is correct (the AC) [] multiple choice
A . I/0 requests are sent directly from the front-end driver to the back-end driver
B . I/0 requests are no longer forwarded by QUEM
C . I/0 request forwarding efficiency will improve
D . I/0 request needs to be forwarded by the KVM module

28. If an enterprise uses a hybrid cloud, the device that cannot serve as the demarcation point between public and private clouds is (AC) [multiple choices]
A . Core switch
B . Firewall
C . Virtual switch
D . Flow cleaning equipment

30. The following description about the characteristics of Type I (bare metal) computing virtualization is correct (BD) [multiple choices]
A . Applications can be run directly in VMM on

B . Hypervisor runs directly on physical hardware
C . Applications and virtual machines can run directly in the Host OS on
D . Application can not directly run Host Machine on

37, with the AI technology, and now the technology is almost all related to artificial intelligence, which is now the following AI 's
Application area? (ABCD)【Multiple Choice】
A . Appease the robot
B . Voice recognition
C . Image Identification
D . NLP (Neuro-Linguistic Programing)

50. In Huawei Fusion Compute , the following description about
the correspondence between the number of virtual machines and DVS is correct (multiple choice)
A. When a virtual machine has a network card, the network card can only be associated with one DVS
B. When a virtual machine has multiple network cards, each network card can be associated with a DVS
C. When a virtual machine has multiple network cards, multiple network cards can be associated with the same DVS
D. When a virtual machine has a network card, the network card can be associated with multiple DVS

57. In Huawei FusionCompute , the following description of virtual machine HA is correct (multiple choice) ABC
A. virtual machine HA function can quickly restore services when a failure occurs
B. When the system detects the blue screen of the virtual machine and the configuration processing strategy is HA , the system will select other normal computing nodes to rebuild virtual machine
C. After the HA function is enabled in the cluster, after the host fails, the virtual machine can be rebuilt on other hosts
D. As long as resources are reserved in the cluster, virtual
machines with HA attributes can be rebuilt on other computing nodes when a failure occurs
success

60. The following description about virtualization is incorrect (multiple choices) AB
A. network virtualization refers to distributed virtual switches
B. storage virtualization refers to distributed storage
C. In cloud computing, IaaS layer virtualization can be divided into computing virtualization, storage virtualization and network virtualization

D. computing virtualization includes CPU virtualization, memory virtualization and IO virtualization

76. In Huawei FusionCompute, if a virtual machine is bound to the host, the functions that will be affected are (multi-select).AC
A. DRS
B. Memory hot add
C. Hot migration
D. Snapshot

78. In Huawei FusionCompute , the description of the " shared " type disk is correct (multiple selection). ACD
A. The virtual machine with such hard disks does not support the snapshot function
B. Such hard drives can only be bound to one virtual machine
C. The virtual machine does not support changing the data storage of such hard drives
D. Such hard drives can be bound to multiple virtual machines

96. What types of storage virtualization can be divided? (Multiple choice) BD
A. Application-level virtualization
B. Block-level virtualization
C. Page-level virtualization
D. File-level virtualization

98. The necessary conditions for the virtual machine to communicate with other virtual machines normally (multiple choices) BC
A. Configure a fixed IP address for the virtual machine
B. Configure the correct IP address for the virtual machine
C. Configure the correct MAC address for the virtual machine
D. Configure the gateway address for the virtual machine

99. In Huawei's FunsionCompute , the operations that can be performed on the VRM are (multi-select) CD
A. divides the RAID for the disk array
B. Convert virtualized storage to non-virtualized storage
C. manually add storage devices for virtual machines
D. Add SAN storage as non-virtualized storage

105. Physical switches generally support which of the following methods for remote management (multiple selection) ACD
A. Telnet
B. SSL
C. Web

D. SSH

106. What is correct about VNC is (multiple choice) BC
A. VNC needs to support Linux operating system
B. The controlled computer needs to install the corresponding software to become a VNC server
C. VNC is a lightweight remote control software
D. The host that initiates the control request needs to install the corresponding software to become the VNC server

110. The following is the north-south flow (multiple choice) BC
A. Traffic generated by virtual machine hot migration
B. Cross-data center mutual access traffic between virtual machines
C. Traffic generated by customers accessing the data center through the Internet
D. Traffic between virtual machines in the data center

111. Operations that can be done in Huawei FusionCompute (multiple choice) BCD
A. Convert virtual machines from other virtualization platforms to virtual machines available on FusionCompute
B. Clone the virtual machine
C Create a virtual machine
D delete virtual machine

123 In Huawei FusionCompute, there are ways to create virtual machines (multiple choices) BCD
A. Import from other virtual platforms
B. deployment using templates
C. use the existing virtual machine clone
D. directly create a new virtual machine

124. common disk arrays include (multiple choice) BC
A. MAID (massive arrays of Idle disks)
B. RAID
C. JBOD (Just a bunch of Idle disks)
D. SBOD (Switch of bunches Idle disks)

128. The following description about KVM and Xen is correct (multiple choice) AC
A. Xen virtual machine can be converted into KVM virtual machine
B. Domain 0 and Domain U are concepts in KVM
C. KVM and Xen are open source hypervisors
D. KVM and Xen can run on the same Host OS in

136. The virtual machine is generally composed of virtual machine configuration information and disk files. Users can move the two files to run the virtual machine on different physical hosts. What characteristics does the above description reflect in cloud computing? (Multiple choice) ABCD

A . Partition

B . isolation

C . independent

D . Package

139. In computing virtualization, it is (multiple choices) to allocate CPU and memory to virtual machines AB

A . Hypervisor

B . VMM

C . Guest OS

D . Host OS

144. Which of the following network file sharing protocols does the NAS support (multiple choices) AB

A. CIFS

B. NFS

C. NTFS

D. FTP

159. In Huawei FusionCompute, set the port group vlan ID to 10 to represent (multiple choice) ACD

A. forwards the untagged data frames that pass through the port group with VLAN 10 tags

B forwards the data frames with VLAN 10 tags passing through the port group to VLAN ID and forwards them

C. discards data frames with non- VLAN 10 tags passing through the port group

D. forwards the data frames with no VLAN tag passing through the port group after tagging with VLAN 10

164. Common external storage solutions are BD

A. DAS

B. NAS

C. NFS

D. SAN

172. In the Huawei FusionCompute, after the automatic computing resource scheduling function is turned on, the reason for the migration of the virtual machine may be (multiple selection) ACD

A. Windows virtual machine has a blue screen and the processing strategy is "HA virtual machine"
B. An application running on a virtual machine crashes
C. Administrator manually migrates according to system prompt
D. The system automatically migrates according to the scheduling strategy

173. Which virtual NUMA includes (multiple choices) ABCD
A. Load balancing, considering the node relevance in the scheduling process, the corresponding relationship between node and physical node , to ensure maximum VCPU access to local content
B. Site placement, view the virtual machine NUMA topology, select the physical node way VCPU and memory, it nide in VCPU with relation to physical memory actually been
C. Topology presentation, NUMA is recognized in the temporal part of the virtual machine , using GuestOS and applying NUMA optimization function to take effect
D. Dynamic migration, when the affinity between the VCPU and the physical node changes, trigger the migration of the corresponding Vnode memory

179. In Huawei FusionCompute, virtual machines that use bare device mapping type data storage are not supported (AC) (multiple choice)
A. Snapshot
B. CPU hot add
C. Thin storage configuration
D. Storage hot migration

180. The following description about the relationship between virtualization and cloud computing is correct (multiple choices) BCD
A. Without cloud computing, virtual resemblance has no value in existence
B. Virtualization is a technology, and cloud computing is a service model. Virtualization has promoted the development of cloud computing
C. Without virtualization, cloud computing has no existing value
D. Virtualization is one of the important technologies for cloud computing

184. Which of the following options belong to KVM (multiple choice) AC
A. Libvirt
B. Domain 0
C. QEMU
D. ESXI

187. The reason why computing virtualization technology can improve application reliability is (multiple choice) AB

A. The virtual machine hosting the application is decoupled from the hardware, and the virtual machine can be used to migrate between multiple physical hosts
B. Using computer virtualization technology can automatically allocate the virtual machine hosting the application to a physical host with sufficient resources
C. Using computing virtualization technology can enable multiple applications to run simultaneously on a physical host
D. Using computing virtualization technology can automatically adjust virtualization specifications

190. The following description about RAID is correct (multiple choice) BC
A. Compared with RAID5 , RAID6 has stronger data recovery ability, but the read-write ability of the disk decreases
B. When one disk is damaged, the other disks in RAID5 can still work normally, and the disk I/O performance is not affected.
C. the RAID are to improve the storage system concurrent read and write data on a plurality of disk I / O performance
D. the RAID can be considered as a storage space two or more disks, the disk capacity available capacity for the sum

192. In the following description, the features that conform to the virtualization package are (multiple choice) ABD
A. The configuration file of the virtual machine will contain information such as CPU type and number
B. The virtual machine can be migrated from one physical host to another physical host
C. Multiple virtual machines can run on a physical host
D. If a virtual machine has multiple hard disks, each hard disk will generate a corresponding disk file

196. is the function that can be achieved by thin disk configuration in FusionSphere (multiple choice) ACD
A. Virtual storage thin configuration has nothing to do with the operating system and hardware, so as long as the virtual image management system is used, thin disk configuration can be achieved
B. Virtual machine disk recycling that does not currently support NTFS format // NTFS does not support online recycling
C. Provide virtual disk space monitoring and reclamation functions
D. Provide early warning of data storage capacity, you can set a threshold, and generate a warning when the storage capacity exceeds the threshold

197. When adding shared storage to multiple hosts in FusionCompute, the following operations are correct (multiple selection) BCD

A. Check all hosts when associating storage devices
B. Check the corresponding host when adding data storage
C. When the shared storage type is IP SAN , ensure that the host's storage network and storage service interface are connected
D. Check all hosts when initializing storage resources

206. Perform virtual machine change host hot migration operation in FusionCompute, the following description does not belong to its limitation (C/D)
A. The state of the virtual machine must be " running "
B. The destination host cannot be in maintenance mode
C. Cannot mount " shared " type disks
D. Virtual machines cannot use " bare device " type data storage

208. The correct description of the broad network access characteristics of cloud computing is (). [Multiple choices] ABCD
A. Through the network, users can use self-purchased cloud computing resources through different terminals
B. Through the network, users can use self-purchased cloud computing resources at any time
C. Through the network, users can view the status of self-purchased cloud computing resources at any time
D. Through the network, users can use self-purchased cloud computing resources in different locations

210. Which of the following scenarios is virtualization suitable for? 【Multiple Choices】ACD
A. A company has a total of ten business systems, and the utilization rate of host resources carrying these services is less than 20%
B. A scientific research institution uses a customized operating system to ensure the confidentiality of scientific research results
C. An enterprise needs a high-load, intensive computing environment
D. The daily use of desktop applications by employees in a unit is highly similar

211. The following description about Virt-manager is correct (BD). 【Multiple Choice】
A. Virt-manager is a KVM virtual machine management command set
B. Virt-manager is an open source KVM virtual machine management tool
C. Virt-manager is a commercial KVM virtual machine management tool
D. Virt-manager is a KVM virtual machine graphical management tool

213. If virtual machine A and virtual machine B run on different physical servers, which physical device will be used in the communication process? (Multiple Choice) ABCD

A. Virtual network card

B. Virtual switch

C. Physical switch

D. Physical network card

225. In Huawei FusionCompute, which functions will be affected after the virtual machine is bound to a USB device? [Multiple Choice] CD

A. Virtual machine resource expansion

B. Virtual machine restart

C. Hot migration of virtual machines

D. Cluster scheduling strategy

230. In Huawei FusionCompute, if a blue screen occurs on a Windows virtual machine, what operations can the system perform? 【Multiple Choices】ACD

A. HA virtual machine

B. Use snapshots to restore virtual machines

C. Restart the virtual machine

D. No processing

231. In Huawei FusionCompute, the correct way to log in to a virtual machine is (BC). 【Multiple Choice】

A. The virtual machine does not have an IP address, and the administrator can also log in through VNC, so VNC gets rid of its dependence on the network

B. If the operating system of the virtual machine is windows, the administrator can log in to the virtual machine through the remote desktop

C. Administrators can log in to a virtual machine with any operating system installed via VNC

D. If the operating system of the virtual machine is Linux, the administrator can log in to the virtual machine through the remote desktop

245. In Huawei FusionCompute, DRS will migrate virtual machines according to which of the following factors? (Multiple choice) AD

A. Memory

B. I/O

C. Network traffic

D. CPU

250. The storage resource types supported by Huawei FusionCompute are (ABCDE) (multiple choice)

A . FusionStorage

B . Advanced SAN

C . NAS
D . IP SAN
E . FC SAN

251. After Huawei FusionCompute is deployed in accordance with the attack, IT will automatically create a cluster. What operations can the administrator do on the cluster? (Multiple choice) ABC
A . Move to the specified cluster folder
B . Edit name
C . Add descriptive information
D . Export to local
D. Unix