

A

<i>Slice</i>	<i>Area (m2)</i>	<i>Self weight of the slice (kN/m3)</i>	<i>Apha angle (°)</i>	<i>Force parallel to the sliding surface (Tn)</i>
	<i>[m²]</i>	<i>Wi[kN/m]</i>	<i>[o]</i>	<i>T_i [kN/m]</i>
1	0.317	5.71	-18	-1.76
2	0.806	14.51	-9	-2.27
3	2.551	45.92	-2	-1.6
4	4.781	86.06	6	9
5	6.757	121.63	14	29.42
6	8.45	152.1	23	59.43
7	9.816	176.69	31	91
8	9.85	177.3	41	116.32
9	7.87	141.66	53	113.13
10	4.342	78.16	74	75.13
Sum	55.54	999.74		487.8

Fs=1.069

Forces normal to the sliding surface	Length (L)	Cohesion along the sliding surface	Friction from the self weight and friction angle
N_i [kN/ m]	L_i [m]	C_i [kN/ m]	F_i [kN/ m]
5.43	1.43	15.89	2.14
14.33	1.38	15.33	5.64
45.89	1.36	15.11	18.07
85.59	1.37	15.22	33.71
118.01	1.4	15.56	46.48
140.01	1.47	16.33	55.14
151.45	1.59	17.67	59.65
133.81	1.81	20.11	52.7
85.25	2.26	25.11	33.58
21.54	5	55.56	8.48
801.31	19.07	211.89	315.59