




B								
Slice	Area (m2)	Self weight of the slice (kN/m3)	Apha angle (°)	Force parallel to the sliding surface (Tn)	Forces normal to the sliding surface	Length (L)	Cohesion along the sliding surface	Friction from the self weight and friction angle
	[m²]	Wi[kN/m]	[o]	Ti[kN/m]	Ni[kN/m]	Li[m]	Ci[kN/m]	Fi[kN/m]
1	0.27	4.86	31	2.50	4.17	1.05	11.67	1.64
2	0.77	13.86	33	7.55	11.62	1.08	12.00	4.58
3	1.232	22.176	36	13.03	17.94	1.11	12.33	7.07
4	1.629	29.322	39	18.45	22.79	1.16	12.89	8.98
5	1.96	35.28	42	23.61	26.22	1.2	13.33	10.33
6	2.219	39.942	44	27.75	28.73	1.26	14.00	11.32
7	2.392	43.056	48	32.00	28.81	1.34	14.89	11.35
8	2.465	44.37	51	34.48	27.92	1.43	15.89	11.00
9	1.906	34.308	54	27.76	20.17	1.55	17.22	7.94
10	0.679	12.222	58	10.36	6.48	1.72	19.11	2.55
Sum	15.522	279.396		197.492	194.844	12.900	143.332	76.741
			Fs=1.1143					